



cnbng_config

- [OpenAPI, on page 1](#)
- [Info, on page 1](#)
- [Servers, on page 1](#)
- [tags, on page 1](#)
- [Paths, on page 2](#)
- [Components, on page 3148](#)

OpenAPI

OpenAPI Version: 3.0.1

Info

Title: cnbng-cp

Description: 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.'

This module contains definitions for the following management objects:
Endpoint and Interfaces
Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

Version: '2020-12-12'

Servers

URL: /restconf

tags

- **Name:** root
Description: root resources
- **Name:** operations

```

Description: operations resources
- Name: data
Description: data resources
- Name: get
Description: get resources
- Name: head
Description: head resources
- Name: post
Description: post resources
- Name: patch
Description: patch resources
- Name: put
Description: put resources
- Name: options
Description: options resources
- Name: delete
Description: delete resources

```

Paths

/

get:

Tags:

```
- root
- get
```

Summary: 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.'

This module contains definitions for the following management objects:

Endpoint and Interfaces

Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

Description: 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.'

This module contains definitions for the following management objects:

Endpoint and Interfaces

Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

Operation ID: root_get

Responses:

'200':

Description: 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.'

This module contains definitions for the following management objects:

Endpoint and Interfaces

Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

Content:

application/yang-data+json:

```

    Schema:
      Reference: '#/components/schemas/root'
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - root
  - head
  Summary: 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.

  This module contains definitions for the following management objects:

  Endpoint and Interfaces
  Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'
  Description: 'This is root module for Cisco Cloud-Native BNG Control-Plane
configuration.

  This module contains definitions for the following management objects:

  Endpoint and Interfaces
  Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'
  Operation ID: root_head

  Responses:
    '200':
      Description: OK
      Content: {}
  security:
  - basicAuth: []

```

/operations

```

get:

  Tags:

```

```
- operations
- get
```

Summary: 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.'

This module contains definitions for the following management objects:

Endpoint and Interfaces

Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

Description: 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.'

This module contains definitions for the following management objects:

Endpoint and Interfaces

Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

Operation ID: operations_get

Responses:

'200':

Description: 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.'

This module contains definitions for the following management objects:

Endpoint and Interfaces

Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

Content:

application/yang-data+json:

Schema:

Reference: '#/components/schemas/operations'

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

/yang-library-version

get:

Tags:

- yang-library-version
- get

Summary: 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.'

This module contains definitions for the following management objects:

Endpoint and Interfaces

Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

Description: 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.'

This module contains definitions for the following management objects:

Endpoint and Interfaces

Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

Operation ID: yang_library_version_get

Responses:

'200':

Description: 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.'

This module contains definitions for the following management objects:

Endpoint and Interfaces

Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

Content:

application/yang-data+json:

Schema:

Reference: '#/components/schemas/yang-library-version'

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

head:**Tags:**

- yang-library-version
- head

Summary: 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.'

This module contains definitions for the following management objects:

Endpoint and Interfaces

Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

Description: 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.'

This module contains definitions for the following management objects:

Endpoint

Endpoint and Interfaces

Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

Operation ID: yang_library_version_head

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

/data

get:

Tags:

- data

- get

Summary: 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.'

This module contains definitions for the following management objects:

Endpoint and Interfaces

Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

Description: 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.'

This module contains definitions for the following management objects:

Endpoint and Interfaces

Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

Operation ID: data_get

Responses:

'200':

Description: 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.'

This module contains definitions for the following management objects:

Endpoint and Interfaces

Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

Content:

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data'

'204':

Description: No Content

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.

This module contains definitions for the following management objects:

Endpoint and Interfaces
Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'
Description: 'This is root module for Cisco Cloud-Native BNG Control-Plane
configuration.

This module contains definitions for the following management objects:

Endpoint and Interfaces
Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'
Operation ID: data_put
Request Body:
Description: 'This is root module for Cisco Cloud-Native BNG Control-Plane
configuration.

This module contains definitions for the following management
objects:

Endpoint and Interfaces
Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data-put-patch'
    Required/Optional: true

Responses:
  '201':
    Description: 'This is root module for Cisco Cloud-Native BNG Control-Plane
configuration.

This module contains definitions for the following management
objects:

```

```

    Endpoint and Interfaces
    Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'
Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: data
Method: Post

Tags:
- data
- post
Summary: 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.

This module contains definitions for the following management objects:

    Endpoint and Interfaces
    Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'
Description: 'This is root module for Cisco Cloud-Native BNG Control-Plane
configuration.
This module contains definitions for the following management objects:

    Endpoint and Interfaces
    Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'
Operation ID: data_post
Request Body:
  Description: 'This is root module for Cisco Cloud-Native BNG Control-Plane
configuration.
This module contains definitions for the following management
objects:
    Endpoint and Interfaces
    Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data-post'
    Required/Optional: true

Responses:
'201':
  Description: 'This is root module for Cisco Cloud-Native BNG Control-Plane

```



```

configuration.
This module contains definitions for the following management
objects:
  Endpoint and Interfaces
  Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'
  Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: data
head:

Tags:
- data
- head
Summary: 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.

This module contains definitions for the following management objects:

  Endpoint and Interfaces
  Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'
Description: 'This is root module for Cisco Cloud-Native BNG Control-Plane
configuration.
This module contains definitions for the following management objects:

  Endpoint and Interfaces
  Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'
Operation ID: data_head

Responses:
  '200':
    Description: OK
    Content: {}
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.

```

This module contains definitions for the following management objects:

Endpoint and Interfaces
Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

Description: 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.'

This module contains definitions for the following management objects:

Endpoint and Interfaces
Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

Operation ID: data_patch

Request Body:

Description: 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.'

This module contains definitions for the following management objects:

Endpoint and Interfaces
Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

Content:

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data-put-patch'

Required/Optional: true

Responses:

'204':

Description: 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.'

This module contains definitions for the following management objects:

Endpoint and Interfaces
Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: data

/data/cnbng-cp:profile

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_get

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile'
'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID: data_cnbng_cp_profile_put

Request Body:

Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile'

Required/Optional: true

Responses:

'201':
 Description: container profile created or replaced
 Content: {}
'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: profile

Method: Post

Tags:

- data
- post

Operation ID: data_cnbng_cp_profile_post

Request Body:

Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile-post'
 Required/Optional: true

Responses:

'201':
 Description: container profile created
 Content: {}
'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: profile
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_delete

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_options

  Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_head

  Parameters:
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:

```

```

    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
```

```

    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile'
      Required/Optional: true

Responses:
  '204':
    Description: container profile updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
x-codegen-request-body-name: profile

```

/data/cnbng-cp:profile/dhcp

```

options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_options

Responses:
  '200':
    Description: OK
    Content: {}

```



```
security:  
- basicAuth: []
```

/data/cnbng-cp:profile/dhcp={dhcp-name}

get:

Tags:

```
- data  
- get
```

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_get

Parameters:

```
- Name: dhcp-name  
  In: path  
  Required/Optional: true  
  Style: simple  
  Explode: false  
  Schema:  
    Type: string  
    Format: string  
- Name: content  
  In: query  
  Description: controlling descendant nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: string  
    Format: enumeration  
    enum:  
    - config  
    - nonconfig  
    - all  
    Default: config  
- Name: depth  
  In: query  
  Description: limit the depth of nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: integer  
    Format: uint16  
- Name: fields  
  In: query  
  Description: optionally identify specific data nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:
```

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

```
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - first
      - last
      - before
      - after
    Default: first
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name'
    Required/Optional: true

Responses:
'201':
  Description: list dhcp created or replaced
  Content: {}
```

```
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: dhcp
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_options

Parameters:
- Name: dhcp-name
```

```
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
```

- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_patch

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false

```

Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name'
      Required/Optional: true

Responses:
  '204':
    Description: list dhcp updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: dhcp

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/name

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_name_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all

- trim
- explicit
- report-all-tagged

Default: report-all

Responses:**'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:** '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_name'**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_name_put**Parameters:**

- **Name:** dhcp-name

In: path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:****Schema:**

Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_name'
Required/Optional: true

Responses:

'201':
 Description: leaf name created or replaced
 Content: {}
'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: name

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_name_delete

Parameters:

- **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:

'204':
 Description: No Content
 Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_name_options**Parameters:**

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_name_head**Parameters:**

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response

```

    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: integer
      Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_name_patch

```

```

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_name'
    Required/Optional: true

Responses:
'204':
  Description: leaf name updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: name

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_get

Parameters:
- Name: dhcp-name
  In: path

```

```
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
```

```
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
```

```

    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4'
        Required/Optional: true

  Responses:
    '201':
      Description: container ipv4 created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ipv4
  Method: Post

  Tags:
  - data
  - post
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_post

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:

```


application/yang-data+json:**Schema:****Reference:** '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4-post'**Required/Optional:** true**Responses:****'201':****Description:** container ipv4 created**Content:** {}**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:****- basicAuth:** []**x-codegen-request-body-name:** ipv4**delete:****Tags:****- data**
- delete**Operation ID:** data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_delete**Parameters:****- Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Responses:****'204':****Description:** No Content**Content:** {}**security:**

```
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
```

- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

patch:

Tags:

- data

```

- patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4'
      Required/Optional: true

Responses:
  '204':
    Description: container ipv4 updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ipv4

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/mode

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_mode_get

```

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_mode'

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_mode_put

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

```
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_mode'

Required/Optional: true

Responses:
'201':
  Description: leaf mode created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: mode
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_mode_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
```

Format: string

Responses:

'204':

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_mode_options

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_mode_head

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:
Type: string
Format: enumeration
enum:
- config
- nonconfig
- all
Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

Responses:
'200':

```
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_mode_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_mode'

    Required/Optional: true

Responses:
  '204':
    Description: leaf mode updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: mode
```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query

Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server'
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}

security:
 - **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_put**Parameters:**

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false

Schema:

- Type:** string
- Format:** string

Request Body:**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server'

Required/Optional: true**Responses:**

'201':

Description: container server created or replaced**Content:** {}

'204':

Description: No Content**Content:** {}

'400':

Description: Bad Request**Content:** {}

'401':

Description: Unauthorized**Content:** {}

'404':

Description: Not Found**Content:** {}

'405':

Description: Method Not Allowed**Content:** {}

'409':

Description: Conflict**Content:** {}**security:**

- **basicAuth:** []

x-codegen-request-body-name: server**Method:** Post**Tags:**

- data
- post

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_post

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server-post'

Required/Optional: true

Responses:

'201':
Description: container server created
Content: {}
'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':
Description: Method Not Allowed
Content: {}
'409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: server

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_delete

Parameters:

- **Name:** dhcp-name
In: path

```
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '204':
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_options

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_head

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
```

In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit


```
- report-all-tagged
Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server'
      Required/Optional: true

Responses:
  '204':
    Description: container server updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
```

```
- basicAuth: []
x-codegen-request-body-name: server
```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/pool-name

get:

Tags:

```
- data
- get
```

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_pool_name_get

Parameters:

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_pool-name'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_pool_name_put

    Parameters:
      - Name: dhcp-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_pool_name'
            Required/Optional: true

    Responses:
      '201':
        Description: leaf pool-name created or replaced
        Content: {}
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: pool-name
  delete:

```

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_pool_name_delete**Parameters:**

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:**'204':****Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_pool_name_options**Parameters:**

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:**'200':****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_pool_name_head**Parameters:**

- **Name:** dhcp-name
 - In:** path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form

```

Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []
patch:

Tags:
- data
- patch

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_pool_name_patch

Parameters:
- **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_pool_name'
 Required/Optional: true

Responses:
 '204':
 Description: leaf pool-name updated
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}

```

    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: pool-name

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/dns-servers

options:

```

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_dns_servers_options

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/dns-servers={dns-servers-id}

get:

```

  Tags:
  - data
  - get
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_dns_servers_dns_servers_id_get

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple

```



```
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: dns-servers-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
```

```

    Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_dns-servers_dns-servers-id'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_dns_servers_dns_servers_id_put

```

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** dns-servers-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** insert
 - In:** query
 - Description:** controlling the order when adding new list elements
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - first
 - last
 - before
 - after
 - Default:** first
- **Name:** point
 - In:** query
 - Description:** used to specify the insertion point
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string

Request Body:**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_dns-servers_dns-servers-id'

Required/Optional: true**Responses:**

'201':

Description: leaf-list dns-servers created or replaced

```

    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: dns-servers
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_dns_servers_dns_servers_id_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: dns-servers-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:

```

```
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_dns_servers_dns_servers_id_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: dns-servers-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'200':
  Description: OK
  Content: {}
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_dns_servers_dns_servers_id_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: dns-servers-id
  In: path
  Required/Optional: true
  Style: simple
```

```
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:
 '200':
Description: OK
Content: {}
security:
 - basicAuth: []

patch:

Tags:
 - data
 - patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_dns_servers_dns_servers_id_patch

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** dns-servers-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server_dns-servers_dns-servers-id'

Required/Optional: true

Responses:
 '204':
Description: leaf-list dns-servers updated
Content: {}
 '400':

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: dns-servers

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/ntp-servers

options:

```

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_ntp_servers_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
security:
- basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/ntp-servers={ntp-servers-id}

get:

```

Tags:
- data

```


- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_ntp_servers_ntp_servers_id_get

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** ntp-servers-id

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config

- nonconfig

- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_ntp-servers_ntp-servers-id'

'204':
Description: No Content
Content: {}
 '400':
Description: Bad Request
Content: {}
 '401':
Description: Unauthorized
Content: {}
 '404':
Description: Not Found
Content: {}
 '405':
Description: Method Not Allowed
Content: {}
 '409':
Description: Conflict
Content: {}

security:

- basicAuth: []
put:

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_ntp_servers_ntp_servers_id_put

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** ntp-servers-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
- first
- last
- before
- after
Default: first

- **Name:** point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

Request Body:
Content:
application/yang-data+json:

Schema:**Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_ntp-servers_ntp-servers-id'
```

Required/Optional: true

Responses:

'201':

Description: leaf-list ntp-servers created or replaced

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: ntp-servers

delete:**Tags:**

- data
- delete

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_ntp_servers_ntp_servers_id_delete
```

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** ntp-servers-id

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string
Format: string

Responses:**'204':**

Description: No Content
Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_ntp_servers_ntp_servers_id_options

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** ntp-servers-id

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:**'200':**

Description: OK

Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_ntp_servers_ntp_servers_id_head

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: ntp-servers-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:

```

```

    Type: string
    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_ntp_servers_ntp_servers_id_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: ntp-servers-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:

```

Reference:

```
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_ntp-servers_ntp-servers-id'
```

Required/Optional: true

Responses:

```
'204':
  Description: leaf-list ntp-servers updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
```

security:

```
- basicAuth: []
```

```
x-codegen-request-body-name: ntp-servers
```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-name-server

options:**Tags:**

```
- data
- options
```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_name_server_options
```

Parameters:

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

Responses:

```
'200':
  Description: OK
  Content: {}
```



```

security:
- basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-name-server={netb

get:

Tags:

```

- data
- get

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_name_server_netbios_name_server_id_get

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: netbios-name-server-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:

```

```

    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-name-server_netbios-name-server-id'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized

```

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_name_server_netbios_name_server_id_put

```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: netbios-name-server-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - first
    - last
    - before
    - after
  Default: first

```

```

- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-name-server_netbios-name-server-id'

    Required/Optional: true

Responses:
  '201':
    Description: leaf-list netbios-name-server created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: netbios-name-server
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_name_server_netbios_name_server_id_delete

Parameters:

```

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: netbios-name-server-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_name_server_netbios_name_server_id_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: netbios-name-server-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
```

```

    Content: {}
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_name_server_netbios_name_server_id_head

```

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** netbios-name-server-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields

```

In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_name_server_netbios_name_server_id_patch

Parameters:
- Name: dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false

```

```

    Schema:
      Type: string
      Format: string
  - Name: netbios-name-server-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-name-server_netbios-name-server-id'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf-list netbios-name-server updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: netbios-name-server

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/domain-name

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_domain_name_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_domain-name'

'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_domain_name_put

Parameters:

- **Name:** dhcp-name
 In: path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_domain-name'
      Required/Optional: true

Responses:
  '201':
    Description: leaf domain-name created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: domain-name
delete:

Tags:
  - data
  - delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_domain_name_delete

Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:

```

Type: string
Format: string

Responses:

'204':
Description: No Content
Content: {}

security:
- **basicAuth:** []

options:

Tags:
- data
- options

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_domain_name_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

'200':
Description: OK
Content: {}

security:
- **basicAuth:** []

head:

Tags:
- data
- head

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_domain_name_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form

Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

```

    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_domain_name_patch

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_domain_name'
          Required/Optional: true

  Responses:
    '204':
      Description: leaf domain-name updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: domain-name

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/boot-filename

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_boot_filename_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all

- trim

- explicit

- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_boot-filename'

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_boot_filename_put

Parameters:

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false

Schema:

- Type:** string
- Format:** string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server_boot-filename'

Required/Optional: true

Responses:

'201':

Description: leaf boot-filename created or replaced

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: boot-filename

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_boot_filename_delete

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

'204':
 Description: No Content
 Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_boot_filename_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

'200':
 Description: OK
 Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_boot_filename_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false

```
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
```

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_boot_filename_patch

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_boot-filename'

Required/Optional: true

Responses:

'204':

Description: leaf boot-filename updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

```

    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: boot-filename

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/next-server

get:

```

  Tags:
  - data
  - get
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_next_server_get

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
      - config
      - nonconfig
      - all
      Default: config
  - Name: depth
    In: query
    Description: limit the depth of nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response

```

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_next-server'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed

```

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_next_server_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_next-server'
      Required/Optional: true

Responses:
'201':
  Description: leaf next-server created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:

```

```
- basicAuth: []
x-codegen-request-body-name: next-server
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_next_server_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_next_server_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_next_server_head
```


Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_next_server_patch

Parameters:
 - **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Request Body:
 Content:
 application/yang-data+json:
 Schema:

Reference:
 '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_next-server'
 Required/Optional: true

Responses:
 '204':
 Description: leaf next-server updated
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: next-server

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-node-type

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form

```

Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':

```

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type'
    Required/Optional: true

Responses:
  '201':
    Description: container netbios-node-type created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found

```

```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: netbios-node-type
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_post

```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios-node-type-post'

```

```

Required/Optional: true

```

Responses:

```

'201':
  Description: container netbios-node-type created
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':

```

```
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: netbios-node-type
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
```

```
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_head
```

Parameters:

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
```



```

Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
    Schema:
    Reference:
    '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type'
    Required/Optional: true

```

Responses:

```

'204':
  Description: container netbios-node-type updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

security:

```
- basicAuth: []
```

```
x-codegen-request-body-name: netbios-node-type
```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-node-type/broadcast-**get:****Tags:**

```
- data
- get
```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_broadcast_node_get
```

Parameters:

```
- Name: dhcp-name
```

```
In: path
```

```
Required/Optional: true
```

```
Style: simple
```

```
Explode: false
```

Schema:

```
Type: string
```

```
Format: string
```

```
- Name: content
```

```
In: query
```

```
Description: controlling descendant nodes in response
```

```
Required/Optional: false
```

```
Style: form
```

```
Explode: true
```

Schema:

```
Type: string
```

```
Format: enumeration
```

```
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
'200':
  Description: OK
  Content:
    application/yang-data+json:
```

Schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_broadcast-node'
```

```
'204':
```

```
  Description: No Content
```

```
  Content: {}
```

```
'400':
```

```
  Description: Bad Request
```

```
  Content: {}
```

```
'401':
```

```
  Description: Unauthorized
```

```
  Content: {}
```

```
'404':
```

```
  Description: Not Found
```

```
  Content: {}
```

```
'405':
```

```
  Description: Method Not Allowed
```

```
  Content: {}
```

```
'409':
```

```
  Description: Conflict
```

```
  Content: {}
```

```
security:
```

```
- basicAuth: []
```

```
put:
```

```
Tags:
```

```
- data
```

```
- put
```

```
Operation ID:
```

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_broadcast_node_put
```

```
Parameters:
```

```
- Name: dhcp-name
```

```
  In: path
```

```
  Required/Optional: true
```

```
  Style: simple
```

```
  Explode: false
```

```
  Schema:
```

```
    Type: string
```

```
    Format: string
```

```
Request Body:
```

```
  Content:
```

```
    application/yang-data+json:
```

```
      Schema:
```

```
        Reference:
```

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_broadcast-node'
```

```
      Required/Optional: true
```

```
Responses:
```

```
'201':
```

```
  Description: leaf broadcast-node created or replaced
```

```
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: broadcast-node
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_broadcast_node_delete

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_broadcast_node_options
```

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_broadcast_node_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true

```
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_broadcast_node_patch

Parameters:
- Name: dhcp-name
```

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_broadcast-node'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf broadcast-node updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: broadcast-node

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-node-type/hybrid-node

get:

```

  Tags:
    - data
    - get
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hybrid_node_get

  Parameters:
    - Name: dhcp-name
      In: path

```


Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form

```

Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hybrid-node'

  '204':
    Description: No Content
    Content: {}

  '400':
    Description: Bad Request
    Content: {}

  '401':
    Description: Unauthorized
    Content: {}

  '404':
    Description: Not Found
    Content: {}

  '405':
    Description: Method Not Allowed
    Content: {}

  '409':
    Description: Conflict
    Content: {}

  security:
  - basicAuth: []

put:

  Tags:
  - data
  - put

  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hybrid_node_put

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false

```

```

Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hybrid-node'

Required/Optional: true

Responses:
  '201':
    Description: leaf hybrid-node created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hybrid-node
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hybrid_node_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

Format: string

Responses:

'204':

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hybrid_node_options

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hybrid_node_head

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

```

    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hybrid_node_patch

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server_netbios-node-type_hybrid-node'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf hybrid-node updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: hybrid-node

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-node-type/mixed-n

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_mixed_node_get

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter

```

In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_mixed-node'
```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

```

security:
- basicAuth: []

```


put:

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_mixed_node_put

Parameters:

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_mixed-node'

Required/Optional: true

Responses:

'201':

Description: leaf mixed-node created or replaced

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: mixed-node

delete:

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_mixed_node_delete

Parameters:

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

'204':
Description: No Content
Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_mixed_node_options

Parameters:

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_mixed_node_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** with-defaults
In: query
Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_mixed_node_patch

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_mixed-node'

Required/Optional: true

Responses:

'204':

Description: leaf mixed-node updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: mixed-node

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-node-type/peer-to-peer-node

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_peer_to_peer_node_get

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

```

Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_peer-to-peer-node'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}

```

```

    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_peer_to_peer_node_put

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios-node-type_peer-to-peer-node'

  Required/Optional: true

  Responses:
    '201':
      Description: leaf peer-to-peer-node created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}

```

```

    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: peer-to-peer-node
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_peer_to_peer_node_delete

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '204':
      Description: No Content
      Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_peer_to_peer_node_options

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string

```


Format: string

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_peer_to_peer_node_head

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

```

Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

```

```

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []

```

patch:

```

Tags:
- data
- patch

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_peer_to_peer_node_patch

```

Parameters:
- Name: dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:

```

```

Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_peer-to-peer-node'

    Required/Optional: true

Responses:
  '204':
    Description: leaf peer-to-peer-node updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: peer-to-peer-node

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-node-type/hexadecimal

get:

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hexadecimal_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query

```

Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hexadecimal'

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

put:

Tags:

- data

- put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hexadecimal_put

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hexadecimal'
```

Required/Optional: true

Responses:

```
'201':
  Description: leaf hexadecimal created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
```

security:

- basicAuth: []

x-codegen-request-body-name: hexadecimal

delete:

Tags:

- data
- delete

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hexadecimal_delete
```

Parameters:

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

Responses:

```
'204':
  Description: No Content
  Content: {}
```

security:

- basicAuth: []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hexadecimal_options

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

'200':

Description: OK**Content:** {}**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hexadecimal_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all

```

    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:

```



```

- data
- patch
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hexadecimal_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios-node-type_hexadecimal'

  Required/Optional: true

Responses:
'204':
  Description: leaf hexadecimal updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hexadecimal

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/lease

```

get:
Tags:
- data

```

- get

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_get

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

```

    Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_put

Parameters:

```

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease'
      Required/Optional: true

Responses:
  '201':
    Description: container lease created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: lease
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_post

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple

```

```

Explode: false
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease-post'
      Required/Optional: true

Responses:
  '201':
    Description: container lease created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: lease
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:**'204':****Description:** No Content**Content:** {}**security:****- basicAuth:** []**options:****Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_options**Parameters:****- Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_head**Parameters:****- Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

```

    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
```

```

    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease'
    Required/Optional: true

Responses:
  '204':
    Description: container lease updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: lease

```


/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/lease/days

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_days_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query

```

Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_days'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

```

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_days_put

Parameters:

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false

Schema:

- Type:** string
- Format:** string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server_lease_days'

Required/Optional: true

Responses:

'201':

Description: leaf days created or replaced

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: days

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_days_delete

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

'204':
 Description: No Content
 Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_days_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

'200':
 Description: OK
 Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_days_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

```
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
```

```

enum:
- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_days_patch

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:

```

Reference:

```

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_lease_days'
  Required/Optional: true

```

Responses:

```

'204':
  Description: leaf days updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':

```

Description: Conflict
Content: {}
security:
 - **basicAuth:** []
x-codegen-request-body-name: days

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/lease/hours

get:

Tags:
 - data
 - get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_hours_get

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
 - config
 - nonconfig
 - all
Default: config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_hours'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}

```



```
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_hours_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_hours'
    Required/Optional: true

Responses:
'201':
  Description: leaf hours created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
```

```
    x-codegen-request-body-name: hours
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_hours_delete

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '204':
      Description: No Content
      Content: {}
    security:
    - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_hours_options

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '200':
      Description: OK
      Content: {}
    security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_hours_head
```

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_hours_patch

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_hours'

Required/Optional: true

Responses:

'204':

Description: leaf hours updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

```

'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hours

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/lease/minutes

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_minutes_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```

Schema:**Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**enum:**

- report-all

- trim

- explicit

- report-all-tagged

Default: report-all**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_minutes'

'204':**Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_minutes_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_minutes'
      Required/Optional: true

Responses:
  '201':
    Description: leaf minutes created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':

```

```
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: minutes
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_minutes_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_minutes_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
```



```
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_minutes_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
```

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_minutes_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_minutes'
      Required/Optional: true

Responses:
  '204':
    Description: leaf minutes updated

```

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: minutes

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/static-ip-key

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all

```

```

    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:**'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

```

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_static-ip-key'

```

'204':

```

    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static-ip-key'
    Required/Optional: true

Responses:
  '201':
    Description: container static-ip-key created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}

```

```

    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: static-ip-key
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_post

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static-ip-key-post'
    Required/Optional: true

Responses:
  '201':
    Description: container static-ip-key created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':

```

```
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: static-ip-key
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
```

```

    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter

```



```

In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static-ip-key'
    Required/Optional: true

```

Responses:

```
'204':
  Description: container static-ip-key updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
```

security:

```
- basicAuth: []
```

```
x-codegen-request-body-name: static-ip-key
```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/static-ip-key/identifier**get:****Tags:**

```
- data
- get
```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_identifier_get
```

Parameters:

```
- Name: dhcp-name
```

```
In: path
```

```
Required/Optional: true
```

```
Style: simple
```

```
Explode: false
```

Schema:

```
Type: string
```

```
Format: string
```

```
- Name: content
```

```
In: query
```

```
Description: controlling descendant nodes in response
```

```
Required/Optional: false
```

```
Style: form
```

```
Explode: true
```

Schema:

```
Type: string
```

```
Format: enumeration
```

```

    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged
    Default: report-all

```

Responses:**'200':****Description:** OK**Content:**

application/yang-data+json:

Schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_static-ip-key_identifier'
```

```
'204':
```

```
  Description: No Content
```

```
  Content: {}
```

```
'400':
```

```
  Description: Bad Request
```

```
  Content: {}
```

```
'401':
```

```
  Description: Unauthorized
```

```
  Content: {}
```

```
'404':
```

```
  Description: Not Found
```

```
  Content: {}
```

```
'405':
```

```
  Description: Method Not Allowed
```

```
  Content: {}
```

```
'409':
```

```
  Description: Conflict
```

```
  Content: {}
```

```
security:
```

```
- basicAuth: []
```

```
put:
```

```
Tags:
```

```
- data
```

```
- put
```

```
Operation ID:
```

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_identifier_put
```

```
Parameters:
```

```
- Name: dhcp-name
```

```
  In: path
```

```
  Required/Optional: true
```

```
  Style: simple
```

```
  Explode: false
```

```
  Schema:
```

```
    Type: string
```

```
    Format: string
```

```
Request Body:
```

```
  Content:
```

```
    application/yang-data+json:
```

```
      Schema:
```

```
        Reference:
```

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_static-ip-key_identifier'
```

```
      Required/Optional: true
```

```
Responses:
```

```
'201':
```

```
  Description: leaf identifier created or replaced
```

```

    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: identifier
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_identifier_delete

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_identifier_options

```

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_identifier_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true

```
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_identifier_patch

Parameters:
- Name: dhcp-name
```

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_static-ip-key_identifier'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf identifier updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: identifier

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/hold-time

get:

```

  Tags:
    - data
    - get
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_get

  Parameters:
    - Name: dhcp-name
      In: path

```


Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form

Explode: true
Schema:
Type: string
Format: enumeration
enum:
- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_hold-time'

'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':
Description: Method Not Allowed
Content: {}
'409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_put

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

Type: string
Format: string
Request Body:
Content:
 application/yang-data+json:
Schema:
Reference:
 '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time'
Required/Optional: true

Responses:

'201':
Description: container hold-time created or replaced
Content: {}
'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':
Description: Method Not Allowed
Content: {}
'409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: hold-time

Method: Post

Tags:

- data
- post

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_post

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

```

    application/yang-data+json:
      Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_hold-time-post'
      Required/Optional: true

Responses:
  '201':
    Description: container hold-time created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hold-time
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:

```

```
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
```

- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

patch:

Tags:

- data

```

- patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold-time'
      Required/Optional: true

Responses:
  '204':
    Description: container hold-time updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hold-time

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/hold-time/minutes

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_minutes_get

```

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_hold-time_minutes'

'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':
Description: Method Not Allowed
Content: {}
'409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
 - put

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_minutes_put

Parameters:

- **Name:** dhcp-name
In: path

```

    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time_minutes'
        Required/Optional: true

  Responses:
    '201':
      Description: leaf minutes created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: minutes
delete:

  Tags:
    - data
    - delete
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_minutes_delete

  Parameters:
    - Name: dhcp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false

```

```
Schema:
  Type: string
  Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_minutes_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_minutes_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
```

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content: {}

security:

- basicAuth: []

patch:**Tags:**

- data
 - patch

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_minutes_patch

Parameters:

- **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:

Type: string
 Format: string

Request Body:

Content:
 application/yang-data+json:
 Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold-time_minutes'

Required/Optional: true

Responses:

'204':
 Description: leaf minutes updated
 Content: {}

'400':
 Description: Bad Request
 Content: {}

'401':
 Description: Unauthorized
 Content: {}

'404':
 Description: Not Found
 Content: {}

'405':
 Description: Method Not Allowed
 Content: {}

'409':
 Description: Conflict
 Content: {}

security:

```
- basicAuth: []
x-codegen-request-body-name: minutes
```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes

get:

Tags:

```
- data
- get
```

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_get

Parameters:

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_put

    Parameters:
      - Name: dhcp-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option-codes'
            Required/Optional: true

    Responses:
      '201':
        Description: container option-codes created or replaced
        Content: {}
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: option-codes
  Method: Post

```


Tags:

- data
- post

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_post

Parameters:

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false

Schema:

- Type:** string
- Format:** string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server_option-codes-post'

Required/Optional: true

Responses:

'201':

Description: container option-codes created

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: option-codes

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_delete

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

'204':
 Description: No Content
 Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

'200':
 Description: OK
 Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

```
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
```

```

enum:
- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_patch

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:

```

Reference:

```

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_option-codes'

```

```

Required/Optional: true

```

Responses:

```

'204':
  Description: container option-codes updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':

```

```

    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: option-codes

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code

options:

```

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'200':
  Description: OK
  Content: {}
security:
- basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code=

get:

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

- Type:** string
 - Format:** string
- **Name:** option-code-option-code
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** integer
 - Format:** uint32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code'

'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':
Description: Method Not Allowed
Content: {}
'409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_put

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - first
      - last
      - before
      - after
    Default: first
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code'

      Required/Optional: true

Responses:
  '201':
    Description: list option-code created or replaced
    Content: {}

```



```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: option-code
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_delete
```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32

```

Responses:

```

'204':
  Description: No Content
  Content: {}
security:

```

- **basicAuth:** []
options:

Tags:

- data
 - options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
 - **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: integer
 Format: uint32

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
 - head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
 - **Name:** option-code-option-code
In: path

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: integer
 Format: uint32

- **Name:** content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- **Name:** depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- **Name:** fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- **Name:** filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- **Name:** with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form

Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_patch

Parameters:

- **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- **Name:** option-code-option-code
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: integer
 Format: uint32

Request Body:

Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code'

Required/Optional: true

Responses:

'204':

```

    Description: list option-code updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: option-code

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code={option-code-option-code}/option-code

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_option_code_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** option-code-option-code
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** integer
 - Format:** uint32
- **Name:** content
 - In:** query

Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_option_code'

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

put:

Tags:

- data

- put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_option_code_put

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** option-code-option-code

In: path

Required/Optional: true

Style: simple

```

    Explode: false
    Schema:
      Type: integer
      Format: uint32
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_option-code'

    Required/Optional: true

Responses:
  '201':
    Description: leaf option-code created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: option-code
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false

```



```

    Schema:
      Type: string
      Format: string
  - Name: option-code-option-code
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: uint32

  Responses:
    '204':
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_option_code_options

```

```

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: option-code-option-code
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: uint32

  Responses:
    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

```

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_option_code_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** option-code-option-code
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** integer
 - Format:** uint32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true

Schema:

Type: string
Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string
Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string
Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_option_code_patch

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string
Format: string

- **Name:** option-code-option-code

In: path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: integer
  Format: uint32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_option-code'

Required/Optional: true

Responses:
  '204':
    Description: leaf option-code updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: option-code

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code={option-code}/ascii-string

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ascii_string_get

Parameters:

- **Name:** dhcp-name
- In:** path

```
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
```

```

    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_ascii-string'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
  - data
  - put

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ascii_string_put

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: integer
 Format: uint32

Request Body:

- Content:**
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ascii_string'

Required/Optional: true**Responses:**

- '201':
 Description: leaf ascii-string created or replaced
 Content: {}
- '204':
 Description: No Content
 Content: {}
- '400':
 Description: Bad Request
 Content: {}
- '401':
 Description: Unauthorized
 Content: {}
- '404':
 Description: Not Found
 Content: {}
- '405':
 Description: Method Not Allowed
 Content: {}
- '409':
 Description: Conflict
 Content: {}

security:

```

- basicAuth: []
x-codegen-request-body-name: ascii-string

```

delete:

Tags:

```

- data
- delete

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ascii_string_delete

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32

```

Responses:

```

'204':
  Description: No Content
  Content: {}

```

security:

```

- basicAuth: []

```

options:

Tags:

```

- data
- options

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ascii_string_options

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code

```


In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: integer
 Format: uint32

Responses:
 '200':
 Description: OK
 Content: {}
security:
 - **basicAuth:** []

head:

Tags:
 - data
 - head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ascii_string_head

Parameters:

- **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- **Name:** option-code-option-code
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: integer
 Format: uint32
- **Name:** content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all

```
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
```

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ascii_string_patch

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** integer
 - Format:** uint32

Request Body:

- Content:**
 - application/yang-data+json:
 - Schema:**
 - Reference:**

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code-option-code_ascii-string'

Required/Optional: true

Responses:

- '204':
 - Description:** leaf ascii-string updated
 - Content:** {}
- '400':
 - Description:** Bad Request
 - Content:** {}
- '401':
 - Description:** Unauthorized
 - Content:** {}
- '404':
 - Description:** Not Found
 - Content:** {}
- '405':
 - Description:** Method Not Allowed
 - Content:** {}
- '409':
 - Description:** Conflict
 - Content:** {}

security:

```
- basicAuth: []
x-codegen-request-body-name: ascii-string
```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code={option-code-option-code}/hex-string

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_hex_string_get

Parameters:

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

```

    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_hex-string'
```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized

```

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_hex_string_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_hex_string'

Required/Optional: true

Responses:
'201':
  Description: leaf hex-string created or replaced
  Content: {}
'204':
  Description: No Content

```

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: hex-string
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_hex_string_delete

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32

```

Responses:

```

'204':
  Description: No Content
  Content: {}

```

```

  security:
  - basicAuth: []

```

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_hex_string_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: integer
 Format: uint32

Responses:

- '200':
 Description: OK
 Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_hex_string_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple


```
Explode: false
Schema:
  Type: integer
  Format: uint32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_hex_string_patch

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
 - **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: integer
Format: uint32

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_hex_string'

Required/Optional: true

Responses:

'204':
Description: leaf hex-string updated
Content: {}

```

'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hex-string

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code=

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ip_address_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: integer
 Format: uint32

Responses:

- '200':
 Description: OK

```

    Content: {}
  security:
    - basicAuth: []
?
/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code={option-code-option-code}/ip-address={ip-address-id}
: get:

Tags:
- data
- get

Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_get

```

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** option-code-option-code
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** integer
 - Format:** uint32
- **Name:** ip-address-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config

- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':

Description: OK**Content:**

application/yang-data+json:

Schema:**Reference:**

```

'#/components/schemas/data_cnbng_cp_profile_dhcp={dhcp-name}_ipv4_server_option-codes_option-code={option-code-option-code}_ip-address_ip-address-id'

```

'204':

```

    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

```

Tags:

```

- data
- put

```

Operation ID:

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_put

```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
- Name: ip-address-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

- **Name:** insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - first
 - last
 - before
 - after
 Default: first

- **Name:** point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

Request Body:

Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_ip-address_ip-address-id'

Required/Optional: true

Responses:

'201':
 Description: leaf-list ip-address created or replaced
 Content: {}
'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: ip-address

delete:

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_delete

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** option-code-option-code

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: integer

Format: uint32

- **Name:** ip-address-id

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:

'204':

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** integer
 - Format:** uint32
- **Name:** ip-address-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** option-code-option-code
In: path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: integer
  Format: uint32
- Name: ip-address-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```

Schema:

Type: string
Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string
Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_patch

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string
Format: string

- **Name:** option-code-option-code

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: integer
Format: uint32

- **Name:** ip-address-id

In: path

Required/Optional: true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_ip-address_ip-address-id'

  Required/Optional: true

Responses:
  '204':
    Description: leaf-list ip-address updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: ip-address

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code={option-code}

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_force_insert_get

Parameters:

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true

```
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

```

    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_force-insert'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
  put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code_option-code_force_insert_put

```

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** option-code-option-code
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** integer
 - Format:** uint32

Request Body:

- Content:**
 - application/yang-data+json:**
 - Schema:**
 - Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_force-insert'
```

Required/Optional: true

Responses:

- '201':
 - Description:** leaf force-insert created or replaced
 - Content:** {}
- '204':
 - Description:** No Content
 - Content:** {}
- '400':
 - Description:** Bad Request
 - Content:** {}
- '401':
 - Description:** Unauthorized
 - Content:** {}
- '404':
 - Description:** Not Found
 - Content:** {}
- '405':
 - Description:** Method Not Allowed
 - Content:** {}
- '409':
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

x-codegen-request-body-name: force-insert
delete:

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_force_insert_delete

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** integer
 - Format:** uint32

Responses:

'204':
Description: No Content
Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_force_insert_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** option-code-option-code
In: path

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: integer
 Format: uint32

Responses:
 '200':
 Description: OK
 Content: {}
security:
 - **basicAuth:** []

head:

Tags:
 - data
 - head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_force_insert_head

Parameters:

- **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

- **Name:** option-code-option-code
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: integer
 Format: uint32

- **Name:** content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

patch:

Tags:

- data

- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_force_insert_patch

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** option-code-option-code

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: integer

Format: uint32

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option-code-option-code-option-code_force-insert'

Required/Optional: true

Responses:

'204':

Description: leaf force-insert updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: force-insert

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_options

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string

```
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
```

```
/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}
```

```
- report-all
- trim
- explicit
- report-all-tagged
Default: report-all
```

Responses:

```
'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
```

```
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name'
```

```
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
```

security:

```
- basicAuth: []
```

put:**Tags:**

```
- data
- put
```

```
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_put
```

Parameters:

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
```

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - first
  - last
  - before
  - after
  Default: first
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name'
    Required/Optional: true

Responses:
'201':
  Description: list class created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}

```

```

    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: class
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_delete

```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:

```

'204':
  Description: No Content
  Content: {}
  security:
  - basicAuth: []
options:

```

Tags:

```

- data
- options

```

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_options

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple

```



```
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
```

```

    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

security:

```
- basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name'
    Required/Optional: true

Responses:
'204':
  Description: list class updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
```

```

security:
- basicAuth: []
x-codegen-request-body-name: class

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/class-name

get:

Tags:

```

- data
- get

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_class_name_get

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:

```

```

    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_class-name'
```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized

```

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_class_name_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_class-name'

Required/Optional: true

Responses:
  '201':
    Description: leaf class-name created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}

```

```
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: class-name
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_class_name_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
```

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_class_name_options

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_class_name_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string


```
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
```

```

- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID:

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_class_name_patch

```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

```

- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Request Body:

```

Content:
  application/yang-data+json:

```

Schema:**Reference:**

```

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_class-name'

```

```

Required/Optional: true

```

Responses:

```

'204':
  Description: leaf class-name updated
  Content: {}

```

```

'400':
  Description: Bad Request
  Content: {}

```

```

'401':

```

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: class-name

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_get

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration

```

```

    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:

```

Schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-name_matches'
```

```
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
```

security:

```
- basicAuth: []
```

put:**Tags:**

```
- data
- put
```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_matches_put
```

Parameters:

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

Request Body:

```
Content:
  application/yang-data+json:
    Schema:
```

```

Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches'

Required/Optional: true

Responses:
'201':
  Description: container matches created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: matches
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_post

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

```

    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-name_matches-post'

    Required/Optional: true

  Responses:
    '201':
      Description: container matches created
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: matches
delete:

  Tags:
    - data
    - delete
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_matches_delete

  Parameters:
    - Name: dhcp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string

```

```

- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_head

```


Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all

- trim

- explicit

- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data

- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_patch

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

```

    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches'

Required/Optional: true

Responses:
'204':
  Description: container matches updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: matches

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches

```

options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

```

- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

```

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/r

get:

```

Tags:
- data
- get

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_get

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

- Format:** enumeration
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 - Default:** dhcpv4-circuit-id
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form

Explode: true
Schema:
Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key'

'204':
Description: No Content
Content: {}
 '400':
Description: Bad Request
Content: {}
 '401':
Description: Unauthorized
Content: {}
 '404':
Description: Not Found
Content: {}
 '405':
Description: Method Not Allowed
Content: {}
 '409':
Description: Conflict
Content: {}

security:
 - **basicAuth:** []

put:

Tags:
 - data
 - put
Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_put

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple

```

Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  enum:
  - dhcpv4-circuit-id
  - dhcpv4-remote-id
  - dhcpv4-vendor-class
  - dhcpv4-user-class
  Default: dhcpv4-circuit-id
- Name: insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - first
  - last
  - before
  - after
  Default: first
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:

```

Schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key'
```

Required/Optional: true

Responses:

'201':

Description: list match created or replaced

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: match

delete:**Tags:**

- data

- delete

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_delete
```

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false
Schema:
 Type: string
 Format: string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 Default: dhcpv4-circuit-id

Responses:
 '204':
 Description: No Content
 Content: {}
 security:
 - **basicAuth:** []

options:

Tags:
- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** match-key
In: path
Required/Optional: true

Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 Default: dhcpv4-circuit-id

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

head:

Tags:

- data
 - head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_head

Parameters:

- **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 - **Name:** class-class-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 - **Name:** match-key
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: enumeration
 enum:
 - dhcpv4-circuit-id

- dhcpv4-remote-id
- dhcpv4-vendor-class
- dhcpv4-user-class
- Default:** dhcpv4-circuit-id
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_patch

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** match-key

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: enumeration

enum:

- dhcpv4-circuit-id
- dhcpv4-remote-id
- dhcpv4-vendor-class
- dhcpv4-user-class

Default: dhcpv4-circuit-id

```

Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key'

  Required/Optional: true

Responses:
  '204':
    Description: list match updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: match

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches

get:

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_key_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 - Default:** dhcpv4-circuit-id
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string

```

    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_key'
```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

```

    security:
      - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_key_put

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: match-key
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
      Default: dhcpv4-circuit-id
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_matches_match_match-key_key'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf key created or replaced

```



```

    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: key
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_key_delete
```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false

```

Schema:

Type: string
Format: enumeration
enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
Default: dhcpv4-circuit-id

Responses:

'204':
Description: No Content
Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
 - options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_key_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class

- dhcpv4-user-class
Default: dhcpv4-circuit-id

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
 - head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_key_head

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** match-key

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: enumeration

enum:

- dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class

Default: dhcpv4-circuit-id

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

```

Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - config
  - nonconfig
  - all
  Default: config
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

```

Responses:

```

    '200':
      Description: OK
      Content: {}
      security:
        - basicAuth: []
      patch:

      Tags:
        - data
        - patch
      Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_key_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
    Default: dhcpv4-circuit-id
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_matches_match_match-key_key'

Required/Optional: true

```

Responses:

```

'204':
  Description: leaf key updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: key

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/r**options:****Tags:**

```

- data
- options

```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_ascii_options
```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

```

- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
    Default: dhcpv4-circuit-id

```

```

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches

get:

```

Tags:
- data
- get

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_ascii_ascii_id_get

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 Default: dhcpv4-circuit-id

- **Name:** ascii-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter


```

In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_ascii_ascii-id'
```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

```

security:
- basicAuth: []

```

put:

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_ascii_ascii_id_put

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 - Default:** dhcpv4-circuit-id
- **Name:** ascii-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form

```

Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - first
  - last
  - before
  - after
  Default: first
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_ascii_ascii-id'
Required/Optional: true

Responses:
'201':
  Description: leaf-list ascii created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ascii

```

delete:**Tags:**

- data
- delete

Operation ID:

data_cnbng_cp_profile_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_ascii_ascii_id_delete

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 - Default:** dhcpv4-circuit-id
- **Name:** ascii-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:**'204':****Description:** No Content**Content:** {}**security:**

- basicAuth: []
options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_ascii_ascii_id_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class**Default:** dhcpv4-circuit-id
- **Name:** ascii-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

- '200':
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_ascii_ascii_id_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 - Default:** dhcpv4-circuit-id
- **Name:** ascii-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:**'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**patch:****Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_ascii_ascii_id_patch

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class**Default:** dhcpv4-circuit-id
- **Name:** ascii-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string


```

    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_ascii_ascii-id'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf-list ascii updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: ascii

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches

options:

```

  Tags:
    - data
    - options
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_hex_options

  Parameters:
    - Name: dhcp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string

```

```

    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
    Default: dhcpv4-circuit-id

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/r**get:****Tags:**

```

- data
- get

```

Operation ID:

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_hex_hex_id_get

```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name

```

```
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
  Default: dhcpv4-circuit-id
- Name: hex-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
    - config
    - nonconfig
    - all
  Default: config
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
```

In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_hex_hex-id'

'204':
Description: No Content
Content: {}

'400':
Description: Bad Request
Content: {}

'401':
Description: Unauthorized
Content: {}

'404':
Description: Not Found

```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

```

Tags:

```

- data
- put

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_hex_hex_id_put

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
    Default: dhcpv4-circuit-id
- Name: hex-id
  In: path
  Required/Optional: true
  Style: simple

```

```

Explode: false
Schema:
  Type: string
  Format: string
- Name: insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - first
  - last
  - before
  - after
  Default: first
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_hex_hex-id'

```

```

Required/Optional: true

```

Responses:

```

'201':
  Description: leaf-list hex created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}

```

```

'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hex
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_hex_hex_id_delete

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
    Default: dhcpv4-circuit-id
- Name: hex-id
  In: path
  Required/Optional: true
  Style: simple

```

Explode: false
Schema:
 Type: string
 Format: string

Responses:

'204':
 Description: No Content
 Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_hex_hex_id_options

Parameters:

- **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

- **Name:** class-class-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

- **Name:** match-key
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: enumeration
 enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 Default: dhcpv4-circuit-id

- **Name:** hex-id
 In: path
 Required/Optional: true

Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:
 '200':
 Description: OK
 Content: {}
security:
 - **basicAuth:** []

head:

Tags:
 - data
 - head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_hex_hex_id_head

Parameters:

- **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- **Name:** class-class-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- **Name:** match-key
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: enumeration
 enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 Default: dhcpv4-circuit-id
- **Name:** hex-id
 In: path

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form

Explode: true
Schema:
Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:
 '200':
Description: OK
Content: {}
security:
 - **basicAuth:** []
patch:

Tags:
 - data
 - patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_hex_hex_id_patch

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
 - **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
 - **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id

```

    - dhcpv4-vendor-class
    - dhcpv4-user-class
    Default: dhcpv4-circuit-id
- Name: hex-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
    Type: string
    Format: string
Request Body:
Content:
    application/yang-data+json:
        Schema:
            Reference:
                '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_hex_hex-id'

Required/Optional: true

Responses:
    '204':
        Description: leaf-list hex updated
        Content: {}
    '400':
        Description: Bad Request
        Content: {}
    '401':
        Description: Unauthorized
        Content: {}
    '404':
        Description: Not Found
        Content: {}
    '405':
        Description: Method Not Allowed
        Content: {}
    '409':
        Description: Conflict
        Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hex

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/match-type

get:

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_type_get

```

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all

- trim

- explicit

- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match-type'

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_type_put

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false

Schema:

Type: string
Format: string

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false

Schema:

Type: string
Format: string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_matches_match-type'

Required/Optional: true

Responses:

'201':

Description: leaf match-type created or replaced

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

```

    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: match-type
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_type_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_type_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```



```

    Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_type_head

Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
      - config
      - nonconfig

```

```
- all
  Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:
```

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_type_patch

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false

Schema:

- Type:** string
- Format:** string

- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false

Schema:

- Type:** string
- Format:** string

Request Body:**Content:**

- application/yang-data+json:**

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_matches_match-type'

- Required/Optional:** true

Responses:

- '204':

- Description:** leaf match-type updated

- Content:** {}

- '400':

- Description:** Bad Request

- Content:** {}

- '401':

- Description:** Unauthorized

- Content:** {}

- '404':

- Description:** Not Found

- Content:** {}

- '405':

- Description:** Method Not Allowed

- Content:** {}

- '409':

- Description:** Conflict

- Content:** {}

security:

- **basicAuth:** []
- **x-codegen-request-body-name:** match-type

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_get

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
 - config
 - nonconfig
 - all**Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer

```

    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server'

'204':
  Description: No Content
  Content: {}

'400':
  Description: Bad Request
  Content: {}

'401':
  Description: Unauthorized
  Content: {}

```

```

    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_put

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server'

    Required/Optional: true

  Responses:
    '201':
      Description: container server created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':

```

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: server
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_post

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server-post'

  Required/Optional: true

Responses:
  '201':

```

```

    Description: container server created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: server
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}

```



```
security:
- basicAuth: []
```

```
options:
```

```
Tags:
```

```
- data
- options
```

```
Operation ID:
```

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_options
```

```
Parameters:
```

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
```

```
Schema:
```

```
  Type: string
  Format: string
```

```
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
```

```
Schema:
```

```
  Type: string
  Format: string
```

```
Responses:
```

```
'200':
  Description: OK
  Content: {}
```

```
security:
```

```
- basicAuth: []
```

```
head:
```

```
Tags:
```

```
- data
- head
```

```
Operation ID:
```

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_head
```

```
Parameters:
```

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
```

```
Schema:
```

```
  Type: string
  Format: string
```

```
- Name: class-class-name
  In: path
  Required/Optional: true
```

```
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
```

Schema:

Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
 - patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_patch

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

Type: string
Format: string

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

Type: string
Format: string

Request Body:

Content:
 application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server'

Required/Optional: true

Responses:

'204':
Description: container server updated
Content: {}

```

'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: server

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/pool-name

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_pool_name_get

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

```

    '200':
      Description: OK
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_pool-name'

    '204':
      Description: No Content
      Content: {}

    '400':
      Description: Bad Request
      Content: {}

    '401':
      Description: Unauthorized
      Content: {}

    '404':
      Description: Not Found
      Content: {}

    '405':
      Description: Method Not Allowed
      Content: {}

    '409':
      Description: Conflict
      Content: {}

  security:
    - basicAuth: []

  put:

    Tags:
      - data
      - put

    Operation ID:
      data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_pool_name_put

    Parameters:
      - Name: dhcp-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string
      - Name: class-class-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string

```

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_pool-name'

Required/Optional: true**Responses:**

'201':

Description: leaf pool-name created or replaced**Content:** {}

'204':

Description: No Content**Content:** {}

'400':

Description: Bad Request**Content:** {}

'401':

Description: Unauthorized**Content:** {}

'404':

Description: Not Found**Content:** {}

'405':

Description: Method Not Allowed**Content:** {}

'409':

Description: Conflict**Content:** {}**security:**

- basicAuth: []

x-codegen-request-body-name: pool-name**delete:****Tags:**

- data
- delete

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_pool_name_delete

Parameters:- **Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** class-class-name**In:** path

```

    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '204':
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_pool_name_options

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_pool_name_head

  Parameters:

```


- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false

Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}

security:
 - **basicAuth:** []

patch:

Tags:

- data
 - patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_pool_name_patch

Parameters:

- Name: dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_pool-name'

    Required/Optional: true

Responses:
  '204':
    Description: leaf pool-name updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: pool-name

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/d

```

options:

  Tags:
  - data
  - options
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_dns_servers_options

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:
 '200':
 Description: OK
 Content: {}
security:
 - **basicAuth:** []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/dns

get:

Tags:
 - data
 - get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_dns_servers_dns_servers_id_get

Parameters:
 - **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 - **Name:** class-class-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 - **Name:** dns-servers-id
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all

```

- trim
- explicit
- report-all-tagged
Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_dns-servers_dns-servers-id'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

security:

```

- basicAuth: []

```

put:**Tags:**

```

- data
- put

```

Operation ID:

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_dns_servers_dns_servers_id_put

```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path

```

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: dns-servers-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - first
      - last
      - before
      - after
    Default: first
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_dns-servers_dns-servers-id'

Required/Optional: true

Responses:
  '201':
    Description: leaf-list dns-servers created or replaced
    Content: {}
  '204':
    Description: No Content

```

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: dns-servers
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_dns_servers_dns_servers_id_delete
```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: dns-servers-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```


Responses:

'204':

Description: No Content**Content:** {}**security:**- **basicAuth:** []**options:****Tags:**- data
- options**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_dns_servers_dns_servers_id_options

Parameters:- **Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** class-class-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** dns-servers-id**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Responses:**

'200':

Description: OK**Content:** {}**security:**- **basicAuth:** []**head:****Tags:**- data
- head**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_dns_servers_dns_servers_id_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** dns-servers-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- **Name:** fields
In: query

Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_dns_servers_dns_servers_id_patch

Parameters:
- **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:

```

    Type: string
    Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: dns-servers-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_dns-servers_dns-servers-id'
```

```
Required/Optional: true
```

Responses:

```

'204':
  Description: leaf-list dns-servers updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

security:

```
- basicAuth: []
```

```
x-codegen-request-body-name: dns-servers
```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/ntp-servers

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_ntp_servers_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

- '200':
Description: OK
Content: {}

security:

- **basicAuth:** []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/ntp-servers

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_ntp_servers_ntp_servers_id_get

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple

```
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: ntp-servers-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
```

- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

- '200':
 - Description:** OK
 - Content:**
 - application/yang-data+json:**
 - Schema:**
 - Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_ntp-servers_ntp-servers-id'
```

- '204':
 - Description:** No Content
 - Content:** {}
- '400':
 - Description:** Bad Request
 - Content:** {}
- '401':
 - Description:** Unauthorized
 - Content:** {}
- '404':
 - Description:** Not Found
 - Content:** {}
- '405':
 - Description:** Method Not Allowed
 - Content:** {}
- '409':
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []
put:

Tags:

- data
 - put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_ntp_servers_ntp_servers_id_put

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** ntp-servers-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - first
 - last
 - before
 - after
 - Default:** first
- **Name:** point
In: query
Description: used to specify the insertion point


```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_ntp-servers_ntp-servers-id'

Required/Optional: true

Responses:
'201':
  Description: leaf-list ntp-servers created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ntp-servers
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_ntp_servers_ntp_servers_id_delete

Parameters:
- Name: dhcp-name
In: path
Required/Optional: true

```

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: ntp-servers-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

```

Responses:

```

'204':
  Description: No Content
  Content: {}

```

security:

```

- basicAuth: []

```

options:**Tags:**

```

- data
- options

```

Operation ID:

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_ntp_servers_ntp_servers_id_options

```

Parameters:

```

- Name: dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string

```

```

    Format: string
  - Name: ntp-servers-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_ntp_servers_ntp_servers_id_head

```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: ntp-servers-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response

```

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
    - config
    - nonconfig
    - all
  Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

'200':

Description: OK **Content:** {}**security:**- **basicAuth:** []**patch:****Tags:**- data
- patch**Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_ntp_servers_ntp_servers_id_patch

Parameters:- **Name:** dhcp-name **In:** path **Required/Optional:** true **Style:** simple **Explode:** false **Schema:** **Type:** string **Format:** string- **Name:** class-class-name **In:** path **Required/Optional:** true **Style:** simple **Explode:** false **Schema:** **Type:** string **Format:** string- **Name:** ntp-servers-id **In:** path **Required/Optional:** true **Style:** simple **Explode:** false **Schema:** **Type:** string **Format:** string**Request Body:****Content:** **application/yang-data+json:** **Schema:** **Reference:**

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_ntp-servers_ntp-servers-id'

Required/Optional: true**Responses:**

'204':

Description: leaf-list ntp-servers updated

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ntp-servers

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/net

options:

Tags:

- data
- options

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_name_server_options
```

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

```
'200':
```

```

    Description: OK
    Content: {}
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/netbios-name-server={netbios-name-server-id}

get:

Tags:

```

- data
- get

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_name_server_netbios_name_server_id_get

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: netbios-name-server-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:

```

- config
- nonconfig
- all
- Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':

Description: OK**Content:**

application/yang-data+json:

Schema:

Reference:

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-name-server_netbios-name-server-id'
```

```
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
```

security:

```
- basicAuth: []
```

put:**Tags:**

```
- data
- put
```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_name_server_netbios_name_server_id_put
```

Parameters:

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: netbios-name-server-id
  In: path
  Required/Optional: true
  Style: simple
```

```

Explode: false
Schema:
  Type: string
  Format: string
- Name: insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - first
  - last
  - before
  - after
  Default: first
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-name-server_netbios-name-server-id'

```

```

Required/Optional: true

```

Responses:

```

'201':
  Description: leaf-list netbios-name-server created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}

```

```

    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: netbios-name-server
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_name_server_netbios_name_server_id_delete

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: netbios-name-server-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:

```

'204':
  Description: No Content
  Content: {}

```

```

security:
- basicAuth: []

```

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_name_server_netbios_name_server_id_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** netbios-name-server-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

- '200':
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_name_server_netbios_name_server_id_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

```
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: netbios-name-server-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
```

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all

- trim

- explicit

- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data

- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_name_server_netbios_name_server_id_patch

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

```

    Format: string
  - Name: netbios-name-server-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_name_server_netbios_name_server_id'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf-list netbios-name-server updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: netbios-name-server

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/d

get:

```

  Tags:
  - data
  - get
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_domain_name_get

  Parameters:

```

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false


```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:
      '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_domain-name'

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:

```

- data
- put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_domain_name_put

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_domain-name'

Required/Optional: true**Responses:**

- '201':
Description: leaf domain-name created or replaced
Content: {}
- '204':
Description: No Content
Content: {}
- '400':
Description: Bad Request
Content: {}
- '401':
Description: Unauthorized
Content: {}
- '404':
Description: Not Found
Content: {}
- '405':
Description: Method Not Allowed
Content: {}
- '409':
Description: Conflict
Content: {}

```
security:
- basicAuth: []
x-codegen-request-body-name: domain-name
delete:
```

```
Tags:
- data
- delete
```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_domain_name_delete
```

Parameters:

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

Responses:

```
'204':
  Description: No Content
  Content: {}
```

```
security:
- basicAuth: []
```

options:

```
Tags:
- data
- options
```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_domain_name_options
```

Parameters:

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

'200':
 Description: OK
 Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_domain_name_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

patch:

Tags:

- data

- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_domain_name_patch

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_domain-name'

Required/Optional: true

Responses:

'204':

Description: leaf domain-name updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: domain-name

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/b

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_boot_filename_get

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query

Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_boot-filename'

'204':
Description: No Content
Content: {}

'400':
Description: Bad Request
Content: {}

'401':
Description: Unauthorized
Content: {}

'404':
Description: Not Found
Content: {}


```

    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_boot_filename_put

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_boot-filename'

    Required/Optional: true

  Responses:
  '201':
    Description: leaf boot-filename created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':

```

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: boot-filename
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_boot_filename_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_boot_filename_options

```

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}
- security:**
 - **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_boot_filename_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query

Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_boot_filename_patch

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_boot-filename'

Required/Optional: true

Responses:

'204':

Description: leaf boot-filename updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

```

'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: boot-filename

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/next-server

get:

Tags:

```
- data
- get
```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_next_server_get
```

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

```
- config
```

```
- nonconfig
- all
  Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all
```

Responses:

```
'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
```

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_next-server'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_next_server_put

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
  application/yang-data+json:
    Schema:
    Reference:
  '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_next-server'
```


Required/Optional: true

Responses:

'201':
 Description: leaf next-server created or replaced
 Content: {}
'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: next-server

delete:

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_next_server_delete

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:**'204':****Description:** No Content**Content:** {}**security:****- basicAuth:** []**options:****Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_next_server_options

Parameters:**- Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** class-class-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_next_server_head

Parameters:**- Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false

```
Schema:
  Type: string
  Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
```

```

- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_next_server_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_next-server'

```

Required/Optional: true

Responses:

'204':

Description: leaf next-server updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: next-server

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/netbios-node-type

get:

Tags:

- data

- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_get

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

```
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
```

```

enum:
- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type'
```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

```

security:
- basicAuth: []

```

put:

```

Tags:
- data
- put

```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_put
```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

```

- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type'

    Required/Optional: true

  Responses:
    '201':
      Description: container netbios-node-type created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: netbios-node-type
  Method: Post

  Tags:
    - data
    - post
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_post

  Parameters:
    - Name: dhcp-name

```



```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type-post'

    Required/Optional: true

  Responses:
    '201':
      Description: container netbios-node-type created
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: netbios-node-type
delete:

  Tags:

```

- data
- delete

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_delete

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '204':
 - Description:** No Content
 - Content:** {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_options

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**

Type: string
Format: string

Responses:

'200':
Description: OK
Content: {}

security:
- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false

```

Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID:

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_patch

```

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Request Body:

- Content:**
 - application/yang-data+json:**
 - Schema:**
 - Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type'
```

Required/Optional: true

Responses:

- '204':
 - Description:** container netbios-node-type updated
 - Content:** {}
- '400':
 - Description:** Bad Request
 - Content:** {}
- '401':
 - Description:** Unauthorized
 - Content:** {}
- '404':
 - Description:** Not Found
 - Content:** {}
- '405':
 - Description:** Method Not Allowed
 - Content:** {}
- '409':
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

x-codegen-request-body-name: netbios-node-type

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/net

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_broadcast_node_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields

In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_broadcast-node'

'204':
Description: No Content
Content: {}

'400':
Description: Bad Request
Content: {}

'401':
Description: Unauthorized
Content: {}

'404':
Description: Not Found

```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_broadcast_node_put

```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_dhcp_name_ipv4_class_class-class-name_server_netbios-node-type_broadcast-node'

```

```

Required/Optional: true

```

Responses:

```

'201':
  Description: leaf broadcast-node created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request

```



```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: broadcast-node
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_broadcast_node_delete

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:

```

'204':
  Description: No Content
  Content: {}

```

security:

```

- basicAuth: []

```

options:**Tags:**

```

- data

```

- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_broadcast_node_options

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

'200':

- Description:** OK
- Content:** {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_broadcast_node_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string

- Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**

```

- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_broadcast_node_patch
```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

```

- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios-node-type_broadcast-node'
```

```
Required/Optional: true
```

Responses:

```

'204':
  Description: leaf broadcast-node updated
  Content: {}

```

```

'400':
  Description: Bad Request
  Content: {}

```

```

'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: broadcast-node

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/netbios-node-type/hybrid-node

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hybrid_node_get

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

```
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
```

```

Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_hybrid-node'

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_hybrid-node_put

```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:

```

```

Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_hybrid-node'

Required/Optional: true

Responses:
  '201':
    Description: leaf hybrid-node created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hybrid-node
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hybrid_node_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path

```



```
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '204':
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hybrid_node_options

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hybrid_node_head
```

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all

- trim

- explicit

- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data

- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hybrid_node_patch

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

```

    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_hybrid-node'

  Required/Optional: true

Responses:
  '204':
    Description: leaf hybrid-node updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hybrid-node

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/net

get:

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_mixed_node_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

```
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
```

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_mixed-node'

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

put:

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_mixed_node_put

Parameters:

- **Name:** dhcp-name

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_mixed-node'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf mixed-node created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: mixed-node
delete:

  Tags:

```

- data
- delete

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_mixed_node_delete

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '204':
 - Description:** No Content
 - Content:** {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_mixed_node_options

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**

Type: string
Format: string

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_mixed_node_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
 - config
 - nonconfig
 - all**Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false

```

Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID:

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_mixed_node_patch

```

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Request Body:

- Content:**
 - application/yang-data+json:**
 - Schema:**
 - Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_mixed-node'
```

Required/Optional: true

Responses:

- '204':
 - Description:** leaf mixed-node updated
 - Content:** {}
- '400':
 - Description:** Bad Request
 - Content:** {}
- '401':
 - Description:** Unauthorized
 - Content:** {}
- '404':
 - Description:** Not Found
 - Content:** {}
- '405':
 - Description:** Method Not Allowed
 - Content:** {}
- '409':
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

x-codegen-request-body-name: mixed-node

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/net

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_peer_to_peer_node_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields

In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_peer-to-peer-node'

'204':
Description: No Content
Content: {}

'400':
Description: Bad Request
Content: {}

'401':
Description: Unauthorized
Content: {}

'404':
Description: Not Found

```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_peer_to_peer_node_put

```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_peer_to_peer_node'

```

```

Required/Optional: true

```

Responses:

```

'201':
  Description: leaf peer-to-peer-node created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request

```

```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: peer-to-peer-node
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_peer_to_peer_node_delete

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:

```

'204':
  Description: No Content
  Content: {}

```

```

  security:
  - basicAuth: []

```

options:**Tags:**

```

- data

```

- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_peer_to_peer_node_options

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

'200':

- Description:** OK
- Content:** {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_peer_to_peer_node_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string

- Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**

```

- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID:

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_peer_to_peer_node_patch

```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

```

- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_peer_to_peer_node'

```

```

Required/Optional: true

```

Responses:

```

'204':
  Description: leaf peer-to-peer-node updated
  Content: {}

```

```

'400':
  Description: Bad Request
  Content: {}

```

```

'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: peer-to-peer-node

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/netbios-node-type/hexadecimal

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hexadecimal_get

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:

```

```

    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK

```

```

Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_hexadecimal'

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hexadecimal_put

```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:

```

```

Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_hexadecimal'

Required/Optional: true

Responses:
  '201':
    Description: leaf hexadecimal created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hexadecimal
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hexadecimal_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path

```

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:

'204':

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data

- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hexadecimal_options

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data

- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hexadecimal_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all

- trim

- explicit

- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data

- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hexadecimal_patch

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

```

    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_hexadecimal'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf hexadecimal updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: hexadecimal

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/lease

get:

```

  Tags:
    - data
    - get
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_get

  Parameters:
    - Name: dhcp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string

```

- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease'

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_put

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

```

    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease'

    Required/Optional: true

  Responses:
    '201':
      Description: container lease created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: lease
Method: Post

Tags:
- data
- post
Operation ID:

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_post

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Request Body:

- Content:**
 - application/yang-data+json:**
 - Schema:**
 - Reference:**

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease-post'

Required/Optional: true

Responses:

- '201':
 - Description:** container lease created
 - Content:** {}
- '204':
 - Description:** No Content
 - Content:** {}
- '400':
 - Description:** Bad Request
 - Content:** {}
- '401':
 - Description:** Unauthorized
 - Content:** {}
- '404':
 - Description:** Not Found
 - Content:** {}
- '405':
 - Description:** Method Not Allowed
 - Content:** {}
- '409':
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

x-codegen-request-body-name: lease
delete:

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_delete

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

'204':

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple

```

    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response

```



```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID:

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_patch

```

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Request Body:

- Content:**
 - application/yang-data+json:**
 - Schema:**
 - Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease'
```

Required/Optional: true

Responses:

- '204':
 - Description:** container lease updated
 - Content:** {}
- '400':
 - Description:** Bad Request
 - Content:** {}
- '401':
 - Description:** Unauthorized
 - Content:** {}
- '404':
 - Description:** Not Found
 - Content:** {}
- '405':
 - Description:** Method Not Allowed
 - Content:** {}
- '409':
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

x-codegen-request-body-name: lease

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_days_get

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query

Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_days'

'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}

```

    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_days_put

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_days'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf days created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':

```

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: days
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_days_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_days_options

```

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_days_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false

```
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
    - config
    - nonconfig
    - all
  Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all
```



```

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_days_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_days'

    Required/Optional: true

Responses:
  '204':
    Description: leaf days updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}

```

```

    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: days

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/lea

get:

Tags:

```

- data
- get

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_hours_get

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth

```

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_hours'

'204':
Description: No Content

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_hours_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_lease_hours'

    Required/Optional: true

Responses:

```

```

'201':
  Description: leaf hours created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hours
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_hours_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content

```

Content: {}
security:
 - **basicAuth:** []
options:

Tags:
 - data
 - options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_hours_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
 - **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

'200':
Description: OK
Content: {}

security:
 - **basicAuth:** []

head:

Tags:
 - data
 - head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_hours_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
 - **Name:** class-class-name

```
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
```

```

Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_hours_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_lease_hours'

      Required/Optional: true

Responses:
  '204':

```



```

    Description: leaf hours updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hours

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/lease/minutes

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_minutes_get

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:**'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_minutes'

'204':**Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:****- basicAuth:** []**put:****Tags:****- data****- put****Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_minutes_put

Parameters:**- Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** class-class-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:**

```

    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_minutes'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf minutes created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: minutes
delete:

  Tags:
    - data
    - delete
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_minutes_delete

  Parameters:
    - Name: dhcp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string

```

```
    Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_minutes_options
```

```
Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_minutes_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string

- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':

Description: OK**Content:** {}**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_minutes_patch

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false

```

Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_minutes'

Required/Optional: true

Responses:
  '204':
    Description: leaf minutes updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: minutes

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/sta

```

get:

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static_ip_key_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```


- Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_static-ip-key'

'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}

security:
 - **basicAuth:** []

put:

Tags:
 - data
 - put
Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static_ip_key_put

Parameters:
 - **Name:** dhcp-name

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_static-ip-key'

    Required/Optional: true

  Responses:
    '201':
      Description: container static-ip-key created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: static-ip-key
Method: Post

  Tags:

```

- data
- post

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static_ip_key_post

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_static-ip-key-post'

Required/Optional: true**Responses:**

- '201':
Description: container static-ip-key created
Content: {}
- '204':
Description: No Content
Content: {}
- '400':
Description: Bad Request
Content: {}
- '401':
Description: Unauthorized
Content: {}
- '404':
Description: Not Found
Content: {}
- '405':
Description: Method Not Allowed
Content: {}
- '409':
Description: Conflict
Content: {}

```
security:
- basicAuth: []
x-codegen-request-body-name: static-ip-key
delete:
```

Tags:

```
- data
- delete
```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static_ip_key_delete
```

Parameters:

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

Responses:

```
'204':
  Description: No Content
  Content: {}
```

```
security:
- basicAuth: []
```

options:**Tags:**

```
- data
- options
```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static_ip_key_options
```

Parameters:

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

```

- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static_ip_key_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all

```

```
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
```

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static_ip_key_patch

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Request Body:

- Content:**
 - application/yang-data+json:**
 - Schema:**
 - Reference:**

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_static-ip-key'

Required/Optional: true**Responses:**

- '204':
 - Description:** container static-ip-key updated
 - Content:** {}
- '400':
 - Description:** Bad Request
 - Content:** {}
- '401':
 - Description:** Unauthorized
 - Content:** {}
- '404':
 - Description:** Not Found
 - Content:** {}
- '405':
 - Description:** Method Not Allowed
 - Content:** {}
- '409':
 - Description:** Conflict
 - Content:** {}

security:


```
- basicAuth: []
x-codegen-request-body-name: static-ip-key
```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/s

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_server_static_ip_key_identifier_get

Parameters:

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

```

    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_static-ip-key_identifier'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized

```

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static_ip_key_identifier_put

```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

```

- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static-ip-key_identifier'
```

```
Required/Optional: true
```

Responses:

```

'201':
  Description: leaf identifier created or replaced
  Content: {}
'204':
  Description: No Content

```

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: identifier
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static_ip_key_identifier_delete

```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:

```

'204':
  Description: No Content
  Content: {}

```

security:

```

- basicAuth: []

```

```

options:

```

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static_ip_key_identifier_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static_ip_key_identifier_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple

```

Explode: false
Schema:
  Type: string
  Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
    - config
    - nonconfig
    - all
  Default: config
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:

```

Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:
 '200':
Description: OK
Content: {}
security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static_ip_key_identifier_patch

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

Type: string
Format: string

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

Type: string
Format: string

Request Body:

Content:
 application/yang-data+json:
Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static-ip-key_identifier'

Required/Optional: true

Responses:

'204':
Description: leaf identifier updated
Content: {}

```

'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: identifier

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/hold-time

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_hold_time_get

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form

Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

```

    '200':
      Description: OK
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_hold-time'

    '204':
      Description: No Content
      Content: {}

    '400':
      Description: Bad Request
      Content: {}

    '401':
      Description: Unauthorized
      Content: {}

    '404':
      Description: Not Found
      Content: {}

    '405':
      Description: Method Not Allowed
      Content: {}

    '409':
      Description: Conflict
      Content: {}

  security:
    - basicAuth: []

  put:

    Tags:
      - data
      - put

    Operation ID:
      data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_hold_time_put

    Parameters:
      - Name: dhcp-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string
      - Name: class-class-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string

```

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_hold-time'

Required/Optional: true**Responses:**

'201':

Description: container hold-time created or replaced**Content:** {}

'204':

Description: No Content**Content:** {}

'400':

Description: Bad Request**Content:** {}

'401':

Description: Unauthorized**Content:** {}

'404':

Description: Not Found**Content:** {}

'405':

Description: Method Not Allowed**Content:** {}

'409':

Description: Conflict**Content:** {}**security:**

- basicAuth: []

x-codegen-request-body-name: hold-time**Method:** Post**Tags:**

- data

- post

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_hold_time_post

Parameters:- **Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** class-class-name**In:** path

```

    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_hold-time-post'

    Required/Optional: true

  Responses:
    '201':
      Description: container hold-time created
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: hold-time
delete:

  Tags:
    - data
    - delete
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_hold_time_delete

  Parameters:
    - Name: dhcp-name
      In: path
      Required/Optional: true
      Style: simple

```

```
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_hold_time_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:
```

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_hold_time_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_hold_time_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true

```

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_hold-time'

  Required/Optional: true

Responses:
  '204':
    Description: container hold-time updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hold-time

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/hold-time/minutes

get:

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_hold_time_minutes_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true

```



```
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

```

    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_hold-time_minutes'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_hold_time_minutes_put

```

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Request Body:

- Content:**
 - application/yang-data+json:**
 - Schema:**
 - Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_hold-time_minutes'
```

Required/Optional: true

Responses:

- '201':
 - Description:** leaf minutes created or replaced
 - Content:** {}
- '204':
 - Description:** No Content
 - Content:** {}
- '400':
 - Description:** Bad Request
 - Content:** {}
- '401':
 - Description:** Unauthorized
 - Content:** {}
- '404':
 - Description:** Not Found
 - Content:** {}
- '405':
 - Description:** Method Not Allowed
 - Content:** {}
- '409':
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

x-codegen-request-body-name: minutes
delete:

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_hold_time_minutes_delete

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

'204':
Description: No Content
Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_hold_time_minutes_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path

```
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_hold_time_minutes_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
```

- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

patch:

Tags:

- data

- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_hold_time_minutes_patch

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_hold-time_minutes'

Required/Optional: true

Responses:

'204':

Description: leaf minutes updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: minutes

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/opt

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query

Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes'

'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}

```

    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_option-codes'

Required/Optional: true

Responses:
'201':
  Description: container option-codes created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':

```

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: option-codes
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_post

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
      '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes-post'

  Required/Optional: true

Responses:
  '201':
    Description: container option-codes created
    Content: {}
  '204':

```

```

    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: option-codes
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_delete

```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:

```

  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []

```

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple

```

Explode: false
Schema:
  Type: string
  Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
    - config
    - nonconfig
    - all
  Default: config
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:

```

Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:
 '200':
Description: OK
Content: {}
security:
 - basicAuth: []

patch:

Tags:
 - data
 - patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_patch

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_option-codes'

Required/Optional: true

Responses:
 '204':
Description: container option-codes updated
Content: {}
 '400':

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: option-codes

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/opt

options:

Tags:

```
- data
- options
```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_options
```

Parameters:

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

Responses:

```
'200':
  Description: OK
  Content: {}
```



```

    security:
      - basicAuth: []
  ?
/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code={option-code-option-code}
: get:

  Tags:
  - data
  - get

  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_get

```

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: integer
 Format: uint32
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- **Name:** depth

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp:profile_dhcp={dhcp-name}_ipv4_class={class-class-name}_server_option-codes_option-code_option-code-option-code'

'204':
Description: No Content

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

```

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_put

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** option-code-option-code
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** integer
 - Format:** uint32
- **Name:** insert

In: query

Description: controlling the order when adding new list elements

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- first
- last
- before
- after

Default: first

- **Name:** point

In: query

Description: used to specify the insertion point

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code'

Required/Optional: true

Responses:

'201':

Description: list option-code created or replaced

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

```

    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: option-code
delete:

```

```

Tags:
- data
- delete

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_delete

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32

```

Responses:

```

'204':
  Description: No Content
  Content: {}

```

```

security:
- basicAuth: []

```

options:

```

Tags:
- data
- options

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_options

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** option-code-option-code
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** integer
 - Format:** uint32

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true

```
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

Type: string
Format: string
Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_patch

Parameters:

Name: dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
Name: option-code-option-code
In: path
Required/Optional: true
Style: simple


```

    Explode: false
    Schema:
      Type: integer
      Format: uint32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code_option-code'

    Required/Optional: true

Responses:
  '204':
    Description: list option-code updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: option-code
?
/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code={option-code-option-code}/option-code
: get:

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code_option-code_option-code_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

```

    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query

```

```

Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp:profile_dhcp={dhcp-name}_ipv4_class={class-class-name}_server_option-codes_option-code_option-code_option-code_option-code'

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

```

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_option_code_put

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** integer
 - Format:** uint32

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_option_code'

Required/Optional: true

Responses:

- '201':
Description: leaf option-code created or replaced
Content: {}
- '204':
Description: No Content
Content: {}
- '400':
Description: Bad Request
Content: {}
- '401':

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: option-code
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_option_code_delete

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32

```

Responses:

```

'204':
  Description: No Content
  Content: {}

```

security:
 - **basicAuth:** []
options:

Tags:
 - data
 - options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_option_code_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: integer
Format: uint32

Responses:

'200':
Description: OK
Content: {}

security:
 - **basicAuth:** []

head:

Tags:
 - data
 - head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_option_code_head

Parameters:

- **Name:** dhcp-name

```
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: integer
  Format: uint32
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
    - config
    - nonconfig
    - all
  Default: config
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
```

Schema:

Type: string
Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string
Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string
Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_option_code_patch

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string
Format: string

- **Name:** class-class-name

In: path


```

    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: option-code-option-code
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: uint32
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code-option-code-option-code-option-code'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf option-code updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: option-code
?
/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code={option-code-option-code}/ascii-string
: get:

  Tags:
  - data
  - get
  Operation ID:

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ascii_string_get

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: integer
 Format: uint32
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- **Name:** fields
In: query

Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_ascii-string'

'204':
Description: No Content
Content: {}

'400':
Description: Bad Request
Content: {}

'401':
Description: Unauthorized
Content: {}

'404':
Description: Not Found
Content: {}

```

    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ascii_string_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ascii_string'

Required/Optional: true

Responses:
'201':

```

```

    Description: leaf ascii-string created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ascii-string
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

data_cring_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ascii_string_delete

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple

```

Explode: false
Schema:
Type: integer
Format: uint32

Responses:
 '204':
Description: No Content
Content: {}

security:
 - **basicAuth:** []

options:

Tags:
 - data
 - options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ascii_string_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: integer
Format: uint32

Responses:
 '200':
Description: OK
Content: {}

security:
 - **basicAuth:** []

head:

Tags:

- data
- head

Operation ID:

data_string_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ascii_string_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** option-code-option-code
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** integer
 - Format:** uint32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true

Schema:**Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**enum:**

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**patch:****Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ascii_string_patch

Parameters:**- Name:** dhcp-name


```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: option-code-option-code
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: uint32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_ascii-string'
    Required/Optional: true

Responses:
  '204':
    Description: leaf ascii-string updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:

```

```

- basicAuth: []
x-codegen-request-body-name: ascii-string
?
/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code={option-code-option-code}/hex-string
: get:

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_hex_string_get

```

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: integer
Format: uint32
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
 - config
 - nonconfig
 - all**Default:** config
- **Name:** depth

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code/option-code/hex-string'

'204':
Description: No Content

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  put:

```

Tags:

```

- data
- put

```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_hex_string_put
```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_hex_string'

    Required/Optional: true

Responses:
  '201':
    Description: leaf hex-string created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hex-string
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_hex_string_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: integer
 Format: uint32

Responses:
 '204':
 Description: No Content
 Content: {}
security:
- **basicAuth:** []
options:

Tags:
- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_hex_string_options

Parameters:
- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

Type: integer
Format: uint32

Responses:

'200':
Description: OK
Content: {}

security:
- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_hex_string_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: integer
Format: uint32
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:

```

    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
security:
  - basicAuth: []

```


patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_hex_string_patch

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** integer
 - Format:** uint32

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_hex_string'

Required/Optional: true

Responses:

'204':

Description: leaf hex-string updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

```

    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: hex-string
?
/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code={option-code-option-code}/ip-address
: options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ip_address_options

```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

```

    security:
      - basicAuth: []
  ?
/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code={option-code-option-code}/ip-address={ip-address-id}
: get:

  Tags:
  - data
  - get

  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_get

```

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: integer
 Format: uint32
- **Name:** ip-address-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:

```

    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK

```

```

Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/comments/schemas/data_cnbng_cp:profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_option-codes_option-code_option-code_option-code_ip-address_ip-address-id'

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp:profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_option-codes_option-code_option-code_option-code_ip-address_ip-address-id.put

```

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** option-code-option-code

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: uint32
- Name: ip-address-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - first
      - last
      - before
      - after
    Default: first
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data-cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code/option-code/option-code/option-code/ip-address/ip-address-id'

    Required/Optional: true

Responses:
  '201':
    Description: leaf-list ip-address created or replaced
    Content: {}
  '204':

```

```

    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ip-address
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_delete

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer

```

Format: uint32

- **Name:** ip-address-id
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

'204':

- Description:** No Content
- Content:** {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cpbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_options

Parameters:

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string
- **Name:** option-code-option-code
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** integer
 - Format:** uint32
- **Name:** ip-address-id
- In:** path
- Required/Optional:** true

Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

'200':
 Description: OK
 Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_head

Parameters:

- **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- **Name:** class-class-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- **Name:** option-code-option-code
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: integer
 Format: uint32
- **Name:** ip-address-id
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string

- Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**

```

- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_patch

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
- Name: ip-address-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

```
"/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ip_address_ip_address-id"
```

Required/Optional: true**Responses:**

'204':

Description: leaf-list ip-address updated**Content:** {}

'400':

Description: Bad Request**Content:** {}

'401':

Description: Unauthorized**Content:** {}

'404':

Description: Not Found**Content:** {}

'405':

Description: Method Not Allowed**Content:** {}

'409':

Description: Conflict**Content:** {}**security:**

- basicAuth: []

x-codegen-request-body-name: ip-address

?

```
/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code={option-code-option-code}/force-insert
```

: **get:****Tags:**

- data
- get

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_force_insert_get
```

Parameters:- **Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** class-class-name**In:** path

```
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
```

```

Schema:
  Type: string
  Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_force-insert'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
put:

Tags:
  - data
  - put

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_force_insert_put

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: integer
Format: uint32

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_force_insert'

Required/Optional: true**Responses:**

'201':

Description: leaf force-insert created or replaced**Content:** {}

'204':

Description: No Content**Content:** {}

'400':

Description: Bad Request**Content:** {}

'401':

Description: Unauthorized**Content:** {}

'404':

Description: Not Found

```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: force-insert
delete:

Tags:
- data
- delete
Operation ID:
data_crbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_force_insert_delete

```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32

```

Responses:

```

  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

```


Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_force_insert_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** integer
 - Format:** uint32

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_force_insert_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false

```
Schema:
  Type: string
  Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
```

In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:

Type: string
Format: string

- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:

Type: string
Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID:

data_cring_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_force_insert_patch

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

```

    Type: string
    Format: string
  - Name: option-code-option-code
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: uint32
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_force-insert'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf force-insert updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: force-insert

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content:

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6'

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_put

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

```
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6'
Required/Optional: true

Responses:
'201':
  Description: container ipv6 created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ipv6
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_post

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
```

```
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6-post'

    Required/Optional: true

Responses:
  '201':
    Description: container ipv6 created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ipv6
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
```



```
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
```

```

    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_patch**Parameters:**

- **Name:** dhcp-name

In: path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:** '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6'**Required/Optional:** true**Responses:****'204':****Description:** container ipv6 updated**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:**

- **basicAuth:** []

x-codegen-request-body-name: ipv6

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/mode

get:**Tags:**

- data
- get

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_mode_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string

```

    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_mode'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_mode_put

Parameters:

```

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_mode'

    Required/Optional: true

Responses:
  '201':
    Description: leaf mode created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: mode
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_mode_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple

```

```
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_mode_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_mode_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
```

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
    - config
    - nonconfig
    - all
  Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```


Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_mode_patch

Parameters:
- **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_mode'

Required/Optional: true

Responses:
 '204':
 Description: leaf mode updated
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
- **basicAuth:** []
x-codegen-request-body-name: mode

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query

```

Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

```

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_put

Parameters:

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server'

Required/Optional: true

Responses:

- '201':
 - Description:** container server created or replaced
 - Content:** {}
- '204':
 - Description:** No Content
 - Content:** {}
- '400':
 - Description:** Bad Request
 - Content:** {}
- '401':
 - Description:** Unauthorized
 - Content:** {}
- '404':
 - Description:** Not Found
 - Content:** {}
- '405':
 - Description:** Method Not Allowed
 - Content:** {}
- '409':
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

x-codegen-request-body-name: server

Method: Post

Tags:

- data
- post

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_post

```

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server-post'
      Required/Optional: true

Responses:
'201':
  Description: container server created
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: server
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_delete

Parameters:
- Name: dhcp-name
  In: path

```

```
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '204':
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_options

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_head

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
```

In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit

- report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content: {}

security:
 - **basicAuth:** []

patch:**Tags:**

- data
 - patch

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_patch

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_server'
Required/Optional: true

Responses:

'204':
Description: container server updated
Content: {}

'400':
Description: Bad Request
Content: {}

'401':
Description: Unauthorized
Content: {}

'404':
Description: Not Found
Content: {}

'405':
Description: Method Not Allowed
Content: {}

'409':
Description: Conflict
Content: {}

security:


```
- basicAuth: []
x-codegen-request-body-name: server
```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/iana-pool-name

get:

Tags:

```
- data
- get
```

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iana_pool_name_get

Parameters:

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iana-pool-name'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

```
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iana_pool_name_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iana-pool-name'
    Required/Optional: true

Responses:
'201':
  Description: leaf iana-pool-name created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: iana-pool-name
delete:
```

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iana_pool_name_delete

Parameters:

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

- '204':
 - Description:** No Content
 - Content:** {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iana_pool_name_options

Parameters:

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iana_pool_name_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** with-defaults
In: query
Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iana_pool_name_patch

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_server_iana-pool-name'

Required/Optional: true

Responses:

'204':

Description: leaf iana-pool-name updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: iana-pool-name

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/iapd-pool-name

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iapd_pool_name_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:

```

```

    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iapd-pool-name'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}

```



```

    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iapd_pool_name_put

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iapd-pool-name'
          Required/Optional: true

  Responses:
    '201':
      Description: leaf iapd-pool-name created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed

```

```
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: iapd-pool-name
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iapd_pool_name_delete
```

```
Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iapd_pool_name_options
```

```
Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
security:
```

```
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iapd_pool_name_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
```

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iapd_pool_name_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iapd-pool-name'
      Required/Optional: true

Responses:
  '204':
    Description: leaf iapd-pool-name updated

```

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: iapd-pool-name

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/dns-servers

options:

```

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_dns_servers_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/dns-servers={dns-servers-i

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_dns_servers_dns_servers_id_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** dns-servers-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_dns-servers_dns-servers-id'
```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict

```

```

    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_dns_servers_dns_servers_id_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: dns-servers-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - first
    - last
    - before
    - after
    Default: first
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:

```



```

Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_dns-servers_dns-servers-id'

    Required/Optional: true

Responses:
  '201':
    Description: leaf-list dns-servers created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: dns-servers
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_dns_servers_dns_servers_id_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: dns-servers-id
  In: path
  Required/Optional: true

```

```

    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '204':
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_dns_servers_dns_servers_id_options

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: dns-servers-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_dns_servers_dns_servers_id_head

  Parameters:
  - Name: dhcp-name

```

```
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: dns-servers-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
```

```
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_dns_servers_dns_servers_id_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: dns-servers-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
```

```

    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_dns-servers_dns-servers-id'

      Required/Optional: true

    Responses:
      '204':
        Description: leaf-list dns-servers updated
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: dns-servers

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/domain-name

get:

```

    Tags:
      - data
      - get
    Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_domain_name_get

    Parameters:
      - Name: dhcp-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string
      - Name: content
        In: query
        Description: controlling descendant nodes in response

```

```
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
    - config
    - nonconfig
    - all
  Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all
```

```

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_domain-name'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_domain_name_put

Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_domain-name'
        Required/Optional: true

```

Responses:

```
'201':
  Description: leaf domain-name created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
```

security:

```
- basicAuth: []
x-codegen-request-body-name: domain-name
```

delete:**Tags:**

```
- data
- delete
```

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_domain_name_delete

Parameters:

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

Responses:

```
'204':
  Description: No Content
  Content: {}
```

security:

```
- basicAuth: []
```

options:**Tags:**

```
- data
- options
```


Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_domain_name_options

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_domain_name_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form

```

    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_domain_name_patch

Parameters:
  - Name: dhcp-name

```

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_server_domain-name'
            Required/Optional: true

  Responses:
    '204':
      Description: leaf domain-name updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: domain-name

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/preference

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_preference_get

Parameters:

- Name: dhcp-name
 - In: path
 - Required/Optional: true

```
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
```

Schema:

Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_server_preference'

'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':
Description: Method Not Allowed
Content: {}
'409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
 - put

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_preference_put

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string

```

    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_preference'
        Required/Optional: true

  Responses:
    '201':
      Description: leaf preference created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: preference
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_preference_delete

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '204':

```

Description: No Content
Content: {}
security:
- **basicAuth:** []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_preference_options

Parameters:
- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:
'200':
Description: OK
Content: {}
security:
- **basicAuth:** []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_preference_head

Parameters:
- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:

- config
- nonconfig
- all
- Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':

Description: OK**Content:** {}**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_preference_patch

Parameters:

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_preference'

Required/Optional: true

Responses:

'204':

Description: leaf preference updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: preference

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/aftr-name

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_aftr_name_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**

```

    Type: string
    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_aftr-name'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_aftr_name_put

```

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_server_aftr-name'
Required/Optional: true

Responses:

'201':
Description: leaf aftr-name created or replaced
Content: {}
'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':
Description: Method Not Allowed
Content: {}
'409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []
x-codegen-request-body-name: aftr-name

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_aftr_name_delete

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true

```
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_aftr_name_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_aftr_name_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
```

Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data

- patch

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_aftr_name_patch

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_server_aftr-name'

Required/Optional: true

Responses:

'204':

Description: leaf aftr-name updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

```
- basicAuth: []
x-codegen-request-body-name: aftr-name
```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/rapid-commit

get:

Tags:

```
- data
- get
```

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_rapid_commit_get

Parameters:

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```



```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_rapid-commit'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_rapid_commit_put

    Parameters:
      - Name: dhcp-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_rapid-commit'
            Required/Optional: true

    Responses:
      '201':
        Description: leaf rapid-commit created or replaced
        Content: {}
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: rapid-commit
  delete:

```

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_rapid_commit_delete**Parameters:**

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:**'204':****Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_rapid_commit_options**Parameters:**

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:**'200':****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_rapid_commit_head**Parameters:**

- **Name:** dhcp-name
 - In:** path

```
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
```

Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_rapid_commit_patch

Parameters:
- **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_rapid-commit'
 Required/Optional: true

Responses:
 '204':
 Description: leaf rapid-commit updated
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}

```

'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: rapid-commit

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/lease

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16

```

- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':

Description: OK**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease'

'204':

Description: No Content**Content:** {}

'400':

Description: Bad Request**Content:** {}

'401':

Description: Unauthorized**Content:** {}

'404':

Description: Not Found

```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease'
    Required/Optional: true

Responses:
  '201':
    Description: container lease created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':

```



```
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: lease
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_post

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease-post'
    Required/Optional: true

Responses:
'201':
  Description: container lease created
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
```

```
    x-codegen-request-body-name: lease
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_delete

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '204':
      Description: No Content
      Content: {}
    security:
    - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_options

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '200':
      Description: OK
      Content: {}
    security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_head
```

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_patch

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_server_lease'

Required/Optional: true

Responses:

'204':

Description: container lease updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

```

'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: lease

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/lease/days

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_days_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true

Schema:**Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**enum:**

- report-all

- trim

- explicit

- report-all-tagged

Default: report-all**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_days'

'204':**Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_days_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_days'
      Required/Optional: true

Responses:
  '201':
    Description: leaf days created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':

```

```
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: days
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_days_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_days_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
```



```
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_days_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
```

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

```

```

Responses:
  '200':
    Description: OK
    Content: {}

```

```

security:
- basicAuth: []

```

patch:

```

Tags:
- data
- patch

```

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_days_patch

```

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

```

Request Body:
  Content:
    application/yang-data+json:
      Schema:

```

```

        Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_days'
        Required/Optional: true

```

```

Responses:
  '204':
    Description: leaf days updated

```

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: days

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/lease/hours

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_hours_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all

```

```

    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_hours'
'204':

```

```
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_hours_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_hours'
    Required/Optional: true

Responses:
  '201':
    Description: leaf hours created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
```

```
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hours
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_hours_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_hours_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
```

Format: string

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_hours_head

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true

Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true

Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_hours_patch

Parameters:
- **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false

Schema:
 Type: string
 Format: string

Request Body:
 Content:
 application/yang-data+json:


```

    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_hours'
      Required/Optional: true

  Responses:
    '204':
      Description: leaf hours updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: hours

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/lease/minutes

get:

```

  Tags:
    - data
    - get
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_minutes_get

  Parameters:
    - Name: dhcp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
    - Name: content
      In: query
      Description: controlling descendant nodes in response
      Required/Optional: false
      Style: form

```

Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_minutes'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_minutes_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
    Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_minutes'
  Required/Optional: true

Responses:
'201':

```

```

    Description: leaf minutes created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: minutes
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_minutes_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_minutes_options

```

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_minutes_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true

Schema:**Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**enum:**

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**patch:****Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_minutes_patch**Parameters:****- Name:** dhcp-name**In:** path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_minutes'
    Required/Optional: true

Responses:
  '204':
    Description: leaf minutes updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: minutes

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/static-ip-key

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_get

Parameters:

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple

```
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```


Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key'

'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':
Description: Method Not Allowed
Content: {}
'409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_put

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key'

Required/Optional: true**Responses:**

'201':

Description: container static-ip-key created or replaced**Content:** {}

'204':

Description: No Content**Content:** {}

'400':

Description: Bad Request**Content:** {}

'401':

Description: Unauthorized**Content:** {}

'404':

Description: Not Found**Content:** {}

'405':

Description: Method Not Allowed**Content:** {}

'409':

Description: Conflict**Content:** {}**security:**- **basicAuth:** []**x-codegen-request-body-name:** static-ip-key**Method:** Post**Tags:**

- data

- post

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_post**Parameters:**- **Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:**

application/yang-data+json:

Schema:

Reference:

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key-post'
```

Required/Optional: true

Responses:

'201':

Description: container static-ip-key created

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: static-ip-key

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_delete

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:

'204':

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_options

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_patch

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static-ip-key'
Required/Optional: true

Responses:

'204':
Description: container static-ip-key updated
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':
Description: Method Not Allowed
Content: {}
'409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: static-ip-key

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/static-ip-key/identifier

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_identifier_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key_identifier'

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

put:

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_identifier_put

Parameters:

- **Name:** dhcp-name
- In:** path


```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key_identifier'

Required/Optional: true

Responses:
  '201':
    Description: leaf identifier created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: identifier
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_identifier_delete

Parameters:
- Name: dhcp-name
In: path
Required/Optional: true
Style: simple

```

```
    Explode: false
    Schema:
      Type: string
      Format: string

    Responses:
      '204':
        Description: No Content
        Content: {}
      security:
      - basicAuth: []
    options:

    Tags:
    - data
    - options
    Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_identifier_options

    Parameters:
    - Name: dhcp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string

    Responses:
      '200':
        Description: OK
        Content: {}
      security:
      - basicAuth: []
    head:

    Tags:
    - data
    - head
    Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_identifier_head

    Parameters:
    - Name: dhcp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
    - Name: content
      In: query
```

Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data

- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_identifier_patch

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key-identifier'

Required/Optional: true

Responses:

'204':

Description: leaf identifier updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

```
security:  
- basicAuth: []  
x-codegen-request-body-name: identifier
```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/hold-time

get:

Tags:

```
- data  
- get
```

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_get

Parameters:

```
- Name: dhcp-name  
  In: path  
  Required/Optional: true  
  Style: simple  
  Explode: false  
  Schema:  
    Type: string  
    Format: string  
- Name: content  
  In: query  
  Description: controlling descendant nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: string  
    Format: enumeration  
    enum:  
    - config  
    - nonconfig  
    - all  
    Default: config  
- Name: depth  
  In: query  
  Description: limit the depth of nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: integer  
    Format: uint16  
- Name: fields  
  In: query  
  Description: optionally identify specific data nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true
```

```

Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict

```

```

    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold-time'
    Required/Optional: true

Responses:
'201':
  Description: container hold-time created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hold-time
Method: Post

```

Tags:

- data
- post

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_post

Parameters:

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Request Body:

Content:
application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold-time-post'

Required/Optional: true

Responses:

- '201':
 - Description:** container hold-time created
 - Content:** {}
- '204':
 - Description:** No Content
 - Content:** {}
- '400':
 - Description:** Bad Request
 - Content:** {}
- '401':
 - Description:** Unauthorized
 - Content:** {}
- '404':
 - Description:** Not Found
 - Content:** {}
- '405':
 - Description:** Method Not Allowed
 - Content:** {}
- '409':
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

x-codegen-request-body-name: hold-time

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_delete

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

'204':
Description: No Content
Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false

```
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
```

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_patch

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_server_hold-time'

Required/Optional: true

Responses:

'204':

Description: container hold-time updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

```

'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hold-time

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/hold-time/minutes

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_minutes_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time_minutes'
'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_minutes_put

```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold-time_minutes'
  Required/Optional: true

```

Responses:

```

'201':
  Description: leaf minutes created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

```
security:
- basicAuth: []
x-codegen-request-body-name: minutes
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_minutes_delete
```

```
Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_minutes_options
```

```
Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'200':
  Description: OK
  Content: {}
security:
- basicAuth: []
head:

Tags:
```

- data
- head

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_minutes_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**


```

    Type: string
    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_minutes_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_server_hold-time_minutes'
      Required/Optional: true

Responses:
  '204':
    Description: leaf minutes updated
    Content: {}
  '400':

```

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: minutes

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class

options:

```

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
security:
- basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}

get:

```

Tags:
- data

```

- get

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_name_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string

- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name'

'204':
Description: No Content
Content: {}
 '400':
Description: Bad Request
Content: {}
 '401':
Description: Unauthorized
Content: {}
 '404':
Description: Not Found
Content: {}
 '405':
Description: Method Not Allowed
Content: {}
 '409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_put

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
 - **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
 - **Name:** insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - first
 - last
 - before
 - after
 - Default:** first
 - **Name:** point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- Request Body:**
- Content:**
- application/yang-data+json:
 - Schema:**
 - Reference:**

```

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name'
  Required/Optional: true

  Responses:
    '201':
      Description: list class created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: class
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_delete

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

```

Responses:
 '204':
 Description: No Content
 Content: {}
 security:
 - **basicAuth:** []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_options

Parameters:
- **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- **Name:** class-class-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_head

Parameters:
- **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string

- Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_patch

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name'

Required/Optional: true

Responses:

```

'204':
  Description: list class updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: class

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/class-name

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_class_name_get

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query

```

Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_class-name'

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

put:

Tags:

- data

- put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_class_name_put

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

```

    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_class-name'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf class-name created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: class-name
delete:

  Tags:
    - data
    - delete
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_class_name_delete

  Parameters:
    - Name: dhcp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string

```

```

    Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '204':
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_class_name_options

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_class_name_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string

- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:**'200':****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_class_name_patch

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false


```

Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_class-name'

Required/Optional: true

Responses:
  '204':
    Description: leaf class-name updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: class-name

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches

```

get:

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

- Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches'

'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':
Description: Method Not Allowed
Content: {}
'409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_put

Parameters:

- **Name:** dhcp-name

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches'

    Required/Optional: true

  Responses:
    '201':
      Description: container matches created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: matches
  Method: Post

  Tags:

```

- data
- post

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_post

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false

Schema:

Type: string
Format: string

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false

Schema:

Type: string
Format: string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches-post'

Required/Optional: true**Responses:**

- '201':
Description: container matches created
Content: {}
- '204':
Description: No Content
Content: {}
- '400':
Description: Bad Request
Content: {}
- '401':
Description: Unauthorized
Content: {}
- '404':
Description: Not Found
Content: {}
- '405':
Description: Method Not Allowed
Content: {}
- '409':
Description: Conflict
Content: {}

```

security:
- basicAuth: []
x-codegen-request-body-name: matches
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_delete
```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:

```

'204':
  Description: No Content
  Content: {}

```

```

security:
- basicAuth: []

```

options:**Tags:**

```

- data
- options

```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_options
```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path

```

```
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_head

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
      - config
      - nonconfig
      - all
      Default: config
  - Name: depth
```

```

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch

```


Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_patch

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches'

Required/Optional: true**Responses:**

'204':
Description: container matches updated
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':
Description: Method Not Allowed
Content: {}
'409':
Description: Conflict
Content: {}

security:- **basicAuth:** []**x-codegen-request-body-name:** matches

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches/r

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_options

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches/r

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple

```
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
    Default: dhcpv4-circuit-id
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
```

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed

```

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_put

```

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** match-key
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 - Default:** dhcpv4-circuit-id
- **Name:** insert
 - In:** query
 - Description:** controlling the order when adding new list elements
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**

```

    Type: string
    Format: enumeration
    enum:
    - first
    - last
    - before
    - after
    Default: first
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key'

Required/Optional: true

Responses:
  '201':
    Description: list match created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: match
delete:

```

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_delete

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class**Default:** dhcpv4-circuit-id

Responses:**'204':****Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 Default: dhcpv4-circuit-id

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string


```
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
    Default: dhcpv4-circuit-id
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID:

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_patch

```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true

```

```

    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
    Default: dhcpv4-circuit-id
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key'

    Required/Optional: true

  Responses:
    '204':
      Description: list match updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: match

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches/r

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_key_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** match-key
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 - Default:** dhcpv4-circuit-id
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config

```
- nonconfig
- all
  Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all
```

Responses:

```
'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
```

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_key'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_key_put
```

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false

Schema:

Type: string
Format: enumeration
enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
Default: dhcpv4-circuit-id

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_key'

Required/Optional: true

Responses:

'201':
Description: leaf key created or replaced
Content: {}
 '204':
Description: No Content
Content: {}
 '400':
Description: Bad Request
Content: {}
 '401':
Description: Unauthorized
Content: {}
 '404':
Description: Not Found
Content: {}
 '405':
Description: Method Not Allowed
Content: {}
 '409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: key

delete:**Tags:**

- data
 - delete

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_key_delete

Parameters:

- **Name:** dhcp-name

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
  Default: dhcpv4-circuit-id

```

Responses:

```

'204':
  Description: No Content
  Content: {}

```

security:

```

- basicAuth: []

```

options:**Tags:**

```

- data
- options

```

Operation ID:

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_key_options

```

Parameters:

```

- Name: dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

```


- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 - Default:** dhcpv4-circuit-id

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_key_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string

- Format:** string
- **Name:** match-key
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 - Default:** dhcpv4-circuit-id
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true

```
Schema:
  Type: string
  Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_key_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
```

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
  Default: dhcpv4-circuit-id
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_key'

  Required/Optional: true

Responses:
  '204':
    Description: leaf key updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: key

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches/r

```

options:

  Tags:
    - data
    - options
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_ascii_options

```

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 - Default:** dhcpv4-circuit-id

Responses:

- '200':
 - Description:** OK
 - Content:** {}
- security:**
 - **basicAuth:** []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches**get:****Tags:**

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_ascii_ascii_id_get

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 - Default:** dhcpv4-circuit-id
- **Name:** ascii-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_ascii_ascii-id'

'204':
Description: No Content

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_ascii_ascii_id_put

```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
  enum:

```



```

    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
    Default: dhcpv4-circuit-id
- Name: ascii-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - first
      - last
      - before
      - after
    Default: first
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_ascii_ascii-id'

  Required/Optional: true

Responses:
  '201':
    Description: leaf-list ascii created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':

```

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ascii
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_ascii_ascii_id_delete
```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - dhcpv4-circuit-id

```

```

- dhcpv4-remote-id
- dhcpv4-vendor-class
- dhcpv4-user-class
  Default: dhcpv4-circuit-id
- Name: ascii-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:**'204':****Description:** No Content**Content:** {}**security:**- **basicAuth:** []**options:****Tags:**

```

- data
- options

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_ascii_ascii_id_options

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration

```

```

    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
    Default: dhcpv4-circuit-id
  - Name: ascii-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head

Operation ID:
data_cnbng_cp_profile_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_ascii_ascii_id_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

```
    Format: enumeration
    enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
    Default: dhcpv4-circuit-id
- Name: ascii-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
```

Schema:**Type:** string**Format:** string**- Name:** with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**enum:**

- report-all

- trim

- explicit

- report-all-tagged

Default: report-all**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**patch:****Tags:**

- data

- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_ascii_ascii_id_patch

Parameters:**- Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** class-class-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** match-key**In:** path**Required/Optional:** true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
  Default: dhcpv4-circuit-id
- Name: ascii-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_ascii_ascii-id'

  Required/Optional: true

Responses:
  '204':
    Description: leaf-list ascii updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ascii

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches/r

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_hex_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 - Default:** dhcpv4-circuit-id

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_hex_hex_id_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** match-key
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 - Default:** dhcpv4-circuit-id
- **Name:** hex-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query

- Description:** controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_hex_hex-id'

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

put:

Tags:

- data

- put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_hex_hex_id_put

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

```

Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
  Default: dhcpv4-circuit-id
- Name: hex-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
    - first
    - last
    - before
    - after
  Default: first
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:

```

Schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_hex_hex-id'
```

Required/Optional: true

Responses:

'201':

Description: leaf-list hex created or replaced

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: hex

delete:**Tags:**

- data
- delete

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_hex_hex_id_delete
```

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

```

Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
  Default: dhcpv4-circuit-id
- Name: hex-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

```

```

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
    - basicAuth: []

```

options:

```

Tags:
- data
- options

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_hex_hex_id_options

```

Parameters:
- Name: dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
In: path
Required/Optional: true

```

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  enum:
  - dhcpv4-circuit-id
  - dhcpv4-remote-id
  - dhcpv4-vendor-class
  - dhcpv4-user-class
  Default: dhcpv4-circuit-id
- Name: hex-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_hex_hex_id_head

Parameters:
- Name: dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
In: path

```

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
    Default: dhcpv4-circuit-id
- Name: hex-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query

```


Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all

- trim

- explicit

- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data

- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_hex_hex_id_patch

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

```

    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
    Default: dhcpv4-circuit-id
- Name: hex-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Request Body:**Content:**

```
application/yang-data+json:
```

Schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_hex_hex-id'
```

```
Required/Optional: true
```

Responses:

```
'204':
```

```
  Description: leaf-list hex updated
```

```
  Content: {}
```

```
'400':
```

```
  Description: Bad Request
```

```
  Content: {}
```

```
'401':
```

```
  Description: Unauthorized
```

```
  Content: {}
```

```
'404':
```

```
  Description: Not Found
```

```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hex

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_type_get

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':

Description: OK**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match-type'

'204':

```

    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_type_put

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
    Type: string
    Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
    Type: string
    Format: string
  Request Body:
  Content:
    application/yang-data+json:
    Schema:
    Reference:
    '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_matches_match-type'

  Required/Optional: true

```

Responses:

```

'201':
  Description: leaf match-type created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

security:

```
- basicAuth: []
```

```
x-codegen-request-body-name: match-type
```

delete:**Tags:**

```
- data
- delete
```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_type_delete
```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:

```
'204':
```

Description: No Content
Content: {}
security:
- **basicAuth:** []
options:

Tags:
- data
- options

Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_type_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

'200':
Description: OK
Content: {}
security:
- **basicAuth:** []

head:

Tags:
- data
- head

Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_type_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** with-defaults
In: query
Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_type_patch

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match-type'

Required/Optional: true

Responses:

```

'204':
  Description: leaf match-type updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: match-type

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server

get:

Tags:

```
- data
- get
```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_get
```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query

```

Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server'

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

put:

Tags:

- data

- put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_put

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

```

    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server'

      Required/Optional: true

    Responses:
      '201':
        Description: container server created or replaced
        Content: {}
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: server
  Method: Post

  Tags:
  - data
  - post
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_post

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string

```

```

    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server-post'

    Required/Optional: true

Responses:
  '201':
    Description: container server created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: server
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_delete

Parameters:
- Name: dhcp-name

```

```
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_options

Parameters:
- Name: dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
```

```

- basicAuth: []
head:

Tags:
- data
- head

Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false

```



```

    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_patch

Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

```

```

- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server'

    Required/Optional: true

  Responses:
    '204':
      Description: container server updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: server

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/iana-pool-name

get:

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iana_pool_name_get

Parameters:
- Name: dhcp-name

```

```
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
```

```

    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_iana-pool-name'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:
  - data

```

- put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iana_pool_name_put

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_iana-pool-name'

Required/Optional: true

Responses:

'201':

Description: leaf iana-pool-name created or replaced

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

```

- basicAuth: []
x-codegen-request-body-name: iana-pool-name

```

delete:

Tags:

```

- data
- delete

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iana_pool_name_delete

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:

```

'204':
  Description: No Content
  Content: {}

```

security:

```

- basicAuth: []

```

options:

Tags:

```

- data
- options

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iana_pool_name_options

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name

```

```
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head

Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iana_pool_name_head
```

```
Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
```

```
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
```


- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iana_pool_name_patch

Parameters:

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false

Schema:

Type: string
Format: string

- **Name:** class-class-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false

Schema:

Type: string
Format: string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_iana-pool-name'

Required/Optional: true**Responses:**

'204':

Description: leaf iana-pool-name updated**Content:** {}

'400':

Description: Bad Request**Content:** {}

'401':

Description: Unauthorized**Content:** {}

'404':

Description: Not Found**Content:** {}

'405':

Description: Method Not Allowed**Content:** {}

'409':

Description: Conflict**Content:** {}**security:**

```
- basicAuth: []
x-codegen-request-body-name: iana-pool-name
```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/iapd-pool-name

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iapd_pool_name_get

Parameters:

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
```

```

    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_iapd-pool-name'
```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}

```

```

    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iapd_pool_name_put

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_iapd-pool-name'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf iapd-pool-name created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':

```

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: iapd-pool-name
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iapd_pool_name_delete
```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:

```

'204':
  Description: No Content
  Content: {}

```

security:

```

- basicAuth: []

```

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iapd_pool_name_options

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iapd_pool_name_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**

```
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
```

```

    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iapd_pool_name_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_iapd-pool-name'

      Required/Optional: true

Responses:
  '204':
    Description: leaf iapd-pool-name updated
    Content: {}
  '400':
    Description: Bad Request

```



```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: iapd-pool-name

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/d

options:

Tags:

```
- data
- options
```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_dns_servers_options
```

Parameters:

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

Responses:

```
'200':
  Description: OK
  Content: {}
```

```

security:
- basicAuth: []

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/dns

get:

Tags:

```

- data
- get

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_dns_servers_dns_servers_id_get

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: dns-servers-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all

```

```

    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:**'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

```

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_dns-servers_dns-servers-id'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

```

security:
- basicAuth: []

```

put:

```

Tags:
- data
- put

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_dns_servers_dns_servers_id_put

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: dns-servers-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

```

    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - first
      - last
      - before
      - after
    Default: first
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_dns-servers_dns-servers-id'

Required/Optional: true

Responses:
  '201':
    Description: leaf-list dns-servers created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}

```

```

    '409':
      Description: Conflict
      Content: {}
      security:
      - basicAuth: []
      x-codegen-request-body-name: dns-servers
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_dns_servers_dns_servers_id_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: dns-servers-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_dns_servers_dns_servers_id_options

```

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** dns-servers-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}
- security:**
 - **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_dns_servers_dns_servers_id_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: dns-servers-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
    - config
    - nonconfig
    - all
  Default: config
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form

```


Explode: true
Schema:
 Type: string
 Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}

security:
- **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_dns_servers_dns_servers_id_patch

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** dns-servers-id
In: path

```

    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_dns-servers_dns-servers-id'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf-list dns-servers updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: dns-servers

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/do

get:

```

  Tags:
    - data
    - get
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_domain_name_get

  Parameters:
    - Name: dhcp-name
      In: path
      Required/Optional: true

```

```
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

```

    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_domain-name'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_domain_name_put

```

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

Type: string
Format: string

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_domain-name'

Required/Optional: true

Responses:

'201':

Description: leaf domain-name created or replaced
Content: {}

'204':

Description: No Content
Content: {}

'400':

Description: Bad Request
Content: {}

'401':

Description: Unauthorized
Content: {}

'404':

Description: Not Found
Content: {}

'405':

Description: Method Not Allowed
Content: {}

'409':

Description: Conflict
Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: domain-name

delete:**Tags:**

- data
- delete

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_domain_name_delete

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '204':
 - Description:** No Content
 - Content:** {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_domain_name_options

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple

```
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_domain_name_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
```

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_domain_name_patch

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

Type: string
Format: string

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_domain-name'

Required/Optional: true

Responses:

'204':
Description: leaf domain-name updated
Content: {}

'400':
Description: Bad Request
Content: {}

'401':
Description: Unauthorized
Content: {}

'404':
Description: Not Found
Content: {}

'405':
Description: Method Not Allowed
Content: {}

'409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: domain-name

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/preference

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_preference_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query

Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_preference'

'204':
Description: No Content
Content: {}

'400':
Description: Bad Request
Content: {}

'401':
Description: Unauthorized
Content: {}

'404':
Description: Not Found
Content: {}

```

    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_preference_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_preference'

Required/Optional: true

Responses:
'201':
  Description: leaf preference created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':

```

```
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: preference
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_preference_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_preference_options
```

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_preference_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false

```
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
    - config
    - nonconfig
    - all
  Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all
```

Responses:

'200':
 Description: OK
 Content: {}

security:

- basicAuth: []

patch:**Tags:**

- data
 - patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_preference_patch

Parameters:

- **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

- **Name:** class-class-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Request Body:

Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_preference'

Required/Optional: true

Responses:

'204':
 Description: leaf preference updated
 Content: {}

'400':
 Description: Bad Request
 Content: {}

'401':
 Description: Unauthorized
 Content: {}

'404':
 Description: Not Found
 Content: {}


```

'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: preference

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/aftr-name

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_aftr_name_get

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth

```

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_aftr-name'

'204':
Description: No Content

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_aftr_name_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_aftr_name'

Required/Optional: true

Responses:

```

```

    '201':
      Description: leaf aftr-name created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: aftr-name
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_aftr_name_delete

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '204':
      Description: No Content

```

```
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_aftr_name_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_aftr_name_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
```

```
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
```

Explode: true
Schema:
Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:
 '200':
Description: OK
Content: {}
security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_aftr_name_patch

Parameters:
 - **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
 - **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_aftr-name'

Required/Optional: true

Responses:
 '204':
Description: leaf aftr-name updated

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: aftr-name

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/rapid-commit

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_rapid_commit_get

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false


```
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
    - config
    - nonconfig
    - all
  Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all
```

Responses:**'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_rapid-commit'

'204':**Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:****- basicAuth:** []**put:****Tags:****- data****- put****Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_rapid_commit_put

Parameters:**- Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** class-class-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string

```

    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_rapid-commit'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf rapid-commit created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: rapid-commit
delete:

  Tags:
    - data
    - delete
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_rapid_commit_delete

  Parameters:
    - Name: dhcp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string

```

```

- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_rapid_commit_options

```

```

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID:

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_rapid_commit_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter

In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:

Type: string
Format: string

- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:

Type: string
Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_rapid_commit_patch

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

```

    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_rapid-commit'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf rapid-commit updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: rapid-commit

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/lease

get:

```

  Tags:
    - data
    - get
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_get

  Parameters:
    - Name: dhcp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string

```

- Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease'

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

put:

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_put

Parameters:

- **Name:** dhcp-name
- In:** path

```

    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease'

    Required/Optional: true

Responses:
  '201':
    Description: container lease created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: lease
Method: Post

Tags:
- data
- post

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_post

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease-post'

Required/Optional: true

Responses:

'201':
Description: container lease created
Content: {}
 '204':
Description: No Content
Content: {}
 '400':
Description: Bad Request
Content: {}
 '401':
Description: Unauthorized
Content: {}
 '404':
Description: Not Found
Content: {}
 '405':
Description: Method Not Allowed
Content: {}
 '409':
Description: Conflict
Content: {}

security:

```

- basicAuth: []
x-codegen-request-body-name: lease
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_delete
```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:

```

'204':
  Description: No Content
  Content: {}

```

security:

```

- basicAuth: []

```

options:**Tags:**

```

- data
- options

```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_options
```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true

```

```
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
```

Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_patch

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease'

Required/Optional: true

Responses:

'204':
Description: container lease updated
Content: {}
 '400':
Description: Bad Request
Content: {}
 '401':
Description: Unauthorized
Content: {}
 '404':
Description: Not Found
Content: {}
 '405':
Description: Method Not Allowed
Content: {}
 '409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: lease

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/lea

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_days_get

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query

Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_days'

'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}

```

    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_days_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_lease_days'

Required/Optional: true

Responses:
'201':
  Description: leaf days created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':

```

```
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: days
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_days_delete

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_days_options
```

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_days_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false

```
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
    - config
    - nonconfig
    - all
  Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all
```

Responses:

'200':
 Description: OK
 Content: {}

security:

- basicAuth: []

patch:**Tags:**

- data
 - patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_days_patch

Parameters:

- **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

- **Name:** class-class-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Request Body:

Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_lease_days'

Required/Optional: true

Responses:

'204':
 Description: leaf days updated
 Content: {}

'400':
 Description: Bad Request
 Content: {}

'401':
 Description: Unauthorized
 Content: {}

'404':
 Description: Not Found
 Content: {}

```

'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: days

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_hours_get

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth

```

```

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_hours'

  '204':
    Description: No Content

```



```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_hours_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_lease_hours'

Required/Optional: true

Responses:

```

```

    '201':
      Description: leaf hours created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: hours
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_hours_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content

```

```

    Content: {}
  security:
    - basicAuth: []
  options:

  Tags:
    - data
    - options
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_hours_options

```

```

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

```

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []

```

head:

```

Tags:
- data
- head

```

```

Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_hours_head

```

```

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name

```

```
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
    - config
    - nonconfig
    - all
  Default: config
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
```

Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_hours_patch

Parameters:
 - **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 - **Name:** class-class-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_hours'

Required/Optional: true

Responses:
 '204':

```

    Description: leaf hours updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hours

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/lea

get:

Tags:

```
- data
- get
```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_minutes_get
```

Parameters:

- **Name:** dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:**'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_minutes'

'204':**Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:****- basicAuth:** []**put:****Tags:****- data****- put****Operation ID:**

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_minutes_put

Parameters:**- Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** class-class-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:**


```

    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_minutes'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf minutes created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: minutes
delete:

  Tags:
    - data
    - delete
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_minutes_delete

  Parameters:
    - Name: dhcp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string

```

```

    Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_minutes_options

```

```

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_minutes_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string

- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
 - patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_minutes_patch

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false

```

Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_minutes'

Required/Optional: true

Responses:
  '204':
    Description: leaf minutes updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: minutes

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/s

```

get:

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static_ip_key_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

- Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_static-ip-key'

'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static_ip_key_put

Parameters:

- **Name:** dhcp-name

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_static-ip-key'

    Required/Optional: true

Responses:
  '201':
    Description: container static-ip-key created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: static-ip-key
Method: Post

Tags:

```


- data
- post

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static_ip_key_post

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false

Schema:

Type: string
Format: string

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false

Schema:

Type: string
Format: string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_static-ip-key-post'

Required/Optional: true**Responses:**

- '201':
Description: container static-ip-key created
Content: {}
- '204':
Description: No Content
Content: {}
- '400':
Description: Bad Request
Content: {}
- '401':
Description: Unauthorized
Content: {}
- '404':
Description: Not Found
Content: {}
- '405':
Description: Method Not Allowed
Content: {}
- '409':
Description: Conflict
Content: {}

```

security:
- basicAuth: []
x-codegen-request-body-name: static-ip-key
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static_ip_key_delete

```

```

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

```

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []

```

options:

```

Tags:
- data
- options

```

```

Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static_ip_key_options

```

```

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

```
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static_ip_key_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
```

```

    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:

```

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static_ip_key_patch

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Request Body:

- Content:**
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_static-ip-key'

Required/Optional: true**Responses:**

- '204':
 Description: container static-ip-key updated
 Content: {}
- '400':
 Description: Bad Request
 Content: {}
- '401':
 Description: Unauthorized
 Content: {}
- '404':
 Description: Not Found
 Content: {}
- '405':
 Description: Method Not Allowed
 Content: {}
- '409':
 Description: Conflict
 Content: {}

security:

```
- basicAuth: []
x-codegen-request-body-name: static-ip-key
```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/sta

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static_ip_key_identifier_get

Parameters:

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

```

    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_static-ip-key_identifier'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized

```

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static_ip_key_identifier_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_static-ip-key_identifier'

    Required/Optional: true

Responses:
  '201':
    Description: leaf identifier created or replaced
    Content: {}
  '204':
    Description: No Content

```



```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: identifier
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static_ip_key_identifier_delete

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:

```

'204':
  Description: No Content
  Content: {}

```

```

  security:
  - basicAuth: []

```

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static_ip_key_identifier_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

'200':
 Description: OK
 Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static_ip_key_identifier_head

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple

```
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static_ip_key_identifier_patch

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_static-ip-key_identifier'

Required/Optional: true

Responses:

'204':
Description: leaf identifier updated
Content: {}

```

'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: identifier

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/h

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_hold_time_get

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form

```

Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - config
  - nonconfig
  - all
  Default: config
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_hold-time'

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_hold_time_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_hold-time'

Required/Optional: true**Responses:**

'201':

Description: container hold-time created or replaced**Content:** {}

'204':

Description: No Content**Content:** {}

'400':

Description: Bad Request**Content:** {}

'401':

Description: Unauthorized**Content:** {}

'404':

Description: Not Found**Content:** {}

'405':

Description: Method Not Allowed**Content:** {}

'409':

Description: Conflict**Content:** {}**security:**

- basicAuth: []

x-codegen-request-body-name: hold-time**Method:** Post**Tags:**

- data

- post

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_hold_time_post

Parameters:- **Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** class-class-name**In:** path


```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_hold-time-post'

Required/Optional: true

Responses:
'201':
  Description: container hold-time created
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hold-time
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_hold_time_delete

Parameters:
- Name: dhcp-name
In: path
Required/Optional: true
Style: simple

```

```

    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_hold_time_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

```

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_hold_time_head

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

```

security:
- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_hold_time_patch
```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true

```

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_hold-time'

  Required/Optional: true

Responses:
  '204':
    Description: container hold-time updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hold-time

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/h

get:

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_hold_time_minutes_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true

```

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:

```

```

    Type: string
    Format: string
  - Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_hold-time_minutes'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_hold_time_minutes_put

```

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Request Body:

- Content:**
 - application/yang-data+json:**
 - Schema:**
 - Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_hold-time_minutes'
```

Required/Optional: true

Responses:

- '201':
 - Description:** leaf minutes created or replaced
 - Content:** {}
- '204':
 - Description:** No Content
 - Content:** {}
- '400':
 - Description:** Bad Request
 - Content:** {}
- '401':
 - Description:** Unauthorized
 - Content:** {}
- '404':
 - Description:** Not Found
 - Content:** {}
- '405':
 - Description:** Method Not Allowed
 - Content:** {}
- '409':
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

x-codegen-request-body-name: minutes
delete:

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_hold_time_minutes_delete

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

'204':
Description: No Content
Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_hold_time_minutes_options

Parameters:

- **Name:** dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

head:

Tags:
- data
- head

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_hold_time_minutes_head

Parameters:

- **Name:** dhcp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

- **Name:** class-class-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

- **Name:** content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

patch:

Tags:

- data

- patch

Operation ID:

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_hold_time_minutes_patch

Parameters:

- **Name:** dhcp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_hold-time_minutes'

Required/Optional: true

Responses:

- '204':
 - Description:** leaf minutes updated
 - Content:** {}
- '400':
 - Description:** Bad Request
 - Content:** {}
- '401':
 - Description:** Unauthorized
 - Content:** {}
- '404':
 - Description:** Not Found
 - Content:** {}
- '405':
 - Description:** Method Not Allowed
 - Content:** {}
- '409':
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

x-codegen-request-body-name: minutes

/data/cnbng-cp:profile/pppoe

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_pppoe_options

Responses:

'200':

Description: OK

Content: {}

security:

- basicAuth: []

/data/cnbng-cp:profile/pppoe={pppoe-name}

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_get

Parameters:

- **Name:** pppoe-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request

```

```
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_put

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - first
      - last
      - before
      - after
    Default: first
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

```

    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name'
        Required/Optional: true

  Responses:
    '201':
      Description: list pppoe created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: pppoe
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_delete

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '204':

```


Description: No Content
Content: {}
security:
- **basicAuth:** []

options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_options

Parameters:
- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:
'200':
Description: OK
Content: {}
security:
- **basicAuth:** []

head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_head

Parameters:
- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:

- config
- nonconfig
- all
- Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':

Description: OK**Content:** {}**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_patch**Parameters:**

- **Name:** pppoe-name

In: path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:** '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name'**Required/Optional:** true**Responses:****'204':****Description:** list pppoe updated**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:**

- **basicAuth:** []

x-codegen-request-body-name: pppoe

/data/cnbng-cp:profile/pppoe={pppoe-name}/name

get:**Tags:**

- data
- get

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_name_get

Parameters:

- **Name:** pppoe-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string

```
    Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_name'

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_name_put

Parameters:
```

```

- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_name'

    Required/Optional: true

Responses:
  '201':
    Description: leaf name created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: name
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_name_delete

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple

```

```
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_name_options

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_name_head

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
```

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all


```
Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_name_patch

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_name'

  Required/Optional: true

Responses:
  '204':
    Description: leaf name updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
x-codegen-request-body-name: name
```

/data/cnbng-cp:profile/pppoe={pppoe-name}/mtu

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_mtu_get

Parameters:

- **Name:** pppoe-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query

Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_mtu'

'204':
 Description: No Content
 Content: {}

'400':
 Description: Bad Request
 Content: {}

'401':
 Description: Unauthorized
 Content: {}

'404':
 Description: Not Found
 Content: {}

'405':
 Description: Method Not Allowed
 Content: {}

'409':
 Description: Conflict
 Content: {}

security:
- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_mtu_put

Parameters:

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Request Body:**Content:**

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_mtu'

Required/Optional: true

Responses:

- '201':
 - Description:** leaf mtu created or replaced
 - Content:** {}
- '204':
 - Description:** No Content
 - Content:** {}
- '400':
 - Description:** Bad Request
 - Content:** {}
- '401':
 - Description:** Unauthorized
 - Content:** {}
- '404':
 - Description:** Not Found
 - Content:** {}
- '405':
 - Description:** Method Not Allowed
 - Content:** {}
- '409':
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

x-codegen-request-body-name: mtu

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_mtu_delete

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

'204':
 Description: No Content
 Content: {}

security:
- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_mtu_options

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

'200':
 Description: OK
 Content: {}

security:
- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_mtu_head

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

```
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
```

```
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_mtu_patch

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_mtu'

Required/Optional: true

Responses:
  '204':
    Description: leaf mtu updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
```

Description: Conflict
Content: {}
security:
 - **basicAuth:** []
x-codegen-request-body-name: mtu

/data/cnbng-cp:profile/pppoe={pppoe-name}/ctrl-pkt-priority

get:

Tags:
 - data
 - get
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ctrl_pkt_priority_get

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
 - config
 - nonconfig
 - all
Default: config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false


```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_ctrl-pkt-priority'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}

```

```

    '409':
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ctrl_pkt_priority_put

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_ctrl_pkt_priority'
          Required/Optional: true

  Responses:
    '201':
      Description: leaf ctrl-pkt-priority created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []

```

x-codegen-request-body-name: ctrl-pkt-priority

delete:

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ctrl_pkt_priority_delete

Parameters:

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

'204':

- Description:** No Content
- Content:** {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ctrl_pkt_priority_options

Parameters:

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

'200':

- Description:** OK
- Content:** {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ctrl_pkt_priority_head

Parameters:

- **Name:** pppoe-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ctrl_pkt_priority_patch

Parameters:

- **Name:** pppoe-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_ctrl-pkt-priority'

Required/Optional: true

Responses:

'204':

Description: leaf ctrl-pkt-priority updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

```

'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ctrl-pkt-priority

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/service-selection-disable

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_selection_disable_get

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```

```

Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_service-selection-disable'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized

```

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_selection_disable_put

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_service-selection-disable'
    Required/Optional: true

Responses:
  '201':
    Description: leaf service-selection-disable created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':

```



```
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: service-selection-disable
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_selection_disable_delete

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_selection_disable_options

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
```

```
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_selection_disable_head

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
```

```
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_selection_disable_patch

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_service-selection-disable'
      Required/Optional: true

Responses:
```

```

'204':
  Description: leaf service-selection-disable updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: service-selection-disable

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/max-payload

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_get

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config

```

```
- nonconfig
- all
  Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all
```

Responses:

```
'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
```

```

'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng-cp_profile_pppoe_pppoe_name_max_payload_put

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload'
    Required/Optional: true

  Responses:
  '201':
    Description: container max-payload created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':

```

```
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: max-payload
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_post

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_post'
    Required/Optional: true

Responses:
  '201':
    Description: container max-payload created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
```

```
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: max-payload
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_delete

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_options

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```


Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_head

Parameters:

- **Name:** pppoe-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- **Name:** content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- **Name:** depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- **Name:** fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string

Format: string

- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':

- Description:** OK
- Content:** {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_patch

Parameters:

- **Name:** pppoe-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Request Body:

Content:

- application/yang-data+json:**
 - Schema:**
 - Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload'
  Required/Optional: true

  Responses:
    '204':
      Description: container max-payload updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: max-payload
```

/data/cnbng-cp:profile/pppoe={pppoe-name}/max-payload/deny

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_deny_get

Parameters:

- **Name:** pppoe-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

```
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
```

```
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_deny'
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_deny_put

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_deny'
    Required/Optional: true

Responses:
'201':
  Description: leaf deny created or replaced
  Content: {}
```

```
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: deny
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_deny_delete

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_deny_options

Parameters:
- Name: pppoe-name
```

```
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_deny_head

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
```

- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_deny_patch

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false


```

Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_deny'
      Required/Optional: true

Responses:
  '204':
    Description: leaf deny updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: deny

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/max-payload/minimum

```

get:
  Tags:
  - data
  - get
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_minimum_get

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

- Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**

```

- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_minimum'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

security:

```

- basicAuth: []

```

put:**Tags:**

```

- data
- put

```

```

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_minimum_put

```

Parameters:

```

- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Request Body:

```

Content:
  application/yang-data+json:

```

Schema:**Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_max-payload_minimum'
```

```
Required/Optional: true
```

Responses:

```
'201':
```

```
Description: leaf minimum created or replaced
```

```
Content: {}
```

```
'204':
```

```
Description: No Content
```

```
Content: {}
```

```
'400':
```

```
Description: Bad Request
```

```
Content: {}
```

```
'401':
```

```
Description: Unauthorized
```

```
Content: {}
```

```
'404':
```

```
Description: Not Found
```

```
Content: {}
```

```
'405':
```

```
Description: Method Not Allowed
```

```
Content: {}
```

```
'409':
```

```
Description: Conflict
```

```
Content: {}
```

security:

```
- basicAuth: []
```

```
x-codegen-request-body-name: minimum
```

delete:**Tags:**

```
- data  
- delete
```

```
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_minimum_delete
```

Parameters:

```
- Name: pppoe-name
```

```
In: path
```

```
Required/Optional: true
```

```
Style: simple
```

```
Explode: false
```

Schema:

```
Type: string
```

```
Format: string
```

Responses:

```
'204':
```

```
Description: No Content
```

```
Content: {}
```

security:

```
- basicAuth: []
```

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_minimum_options**Parameters:**

- **Name:** pppoe-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_minimum_head**Parameters:**

- **Name:** pppoe-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth

```

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch

```

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_minimum_patch

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_minimum'
Required/Optional: true

Responses:

'204':
Description: leaf minimum updated
Content: {}

'400':
Description: Bad Request
Content: {}

'401':
Description: Unauthorized
Content: {}

'404':
Description: Not Found
Content: {}

'405':
Description: Method Not Allowed
Content: {}

'409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []
x-codegen-request-body-name: minimum

/data/cnbng-cp:profile/pppoe={pppoe-name}/max-payload/maximum

get:

Tags:

- data
 - get

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_maximum_get

Parameters:

- **Name:** pppoe-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_max-payload_maximum'

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_maximum_put

Parameters:

- **Name:** pppoe-name

In: path

Required/Optional: true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_max-payload_maximum'
        Required/Optional: true

Responses:
  '201':
    Description: leaf maximum created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: maximum
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_maximum_delete

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

```
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_maximum_options

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_maximum_head

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
```

Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16

- **Name:** fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string

- **Name:** filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string

- **Name:** with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':

```
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_maximum_patch

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_maximum'
      Required/Optional: true

  Responses:
  '204':
    Description: leaf maximum updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: maximum
```

/data/cnbng-cp:profile/pppoe={pppoe-name}/service-name

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_name_options

Parameters:

- **Name:** pppoe-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

/data/cnbng-cp:profile/pppoe={pppoe-name}/service-name={service-name-id}

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_name_service_name_id_get

Parameters:

- **Name:** pppoe-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** service-name-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**

```
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
```

```

enum:
- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_service-name_service-name-id'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

security:

```

- basicAuth: []

```

put:**Tags:**

```

- data
- put

```

```

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_name_service_name_id_put

```

Parameters:

```

- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: service-name-id
  In: path

```



```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - first
      - last
      - before
      - after
    Default: first
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_service-name_service-name-id'
    Required/Optional: true

Responses:
  '201':
    Description: leaf-list service-name created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found

```

```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: service-name
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_service_name_service_name_id_delete

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: service-name-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_service_name_service_name_id_options

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true

```

```
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: service-name-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_name_service_name_id_head

Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: service-name-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
```

```
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
```

```

    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_name_service_name_id_patch

  Parameters:
    - Name: pppoe-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
    - Name: service-name-id
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_service_name_service_name_id'
          Required/Optional: true

  Responses:
    '204':
      Description: leaf-list service-name updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict

```

```

    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: service-name

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/ac-name

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_name_get

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form

```

```

Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:
      '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_ac-name'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':

```

```
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_name_put

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_ac-name'

  Required/Optional: true

Responses:
  '201':
    Description: leaf ac-name created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ac-name
```


delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_name_delete**Parameters:**

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:**'204':****Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_name_options**Parameters:**

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:**'200':****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_name_head**Parameters:**

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** with-defaults
In: query
Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_name_patch

Parameters:

- **Name:** pppoe-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_ac-name'

Required/Optional: true

Responses:

'204':

Description: leaf ac-name updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ac-name

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/ac-cookie

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_cookie_get

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:

```

Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged**Default:** report-all

Responses:**'200':****Description:** OK**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_ac-cookie'

'204':**Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}

```

    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_cookie_put

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_ac_cookie'
          Required/Optional: true

  Responses:
    '201':
      Description: leaf ac-cookie created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed

```

```
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ac-cookie
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_cookie_delete

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_cookie_options

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
```

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_cookie_head

Parameters:

- **Name:** pppoe-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form


```
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_cookie_patch

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_ac-cookie'
    Required/Optional: true

Responses:
  '204':
    Description: leaf ac-cookie updated
    Content: {}
```

```

'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ac-cookie

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_get

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config

```

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:**'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit'

'204':**Description:** No Content

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_put

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_session_limit'
      Required/Optional: true

Responses:
  '201':
    Description: container session-limit created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':

```

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: session-limit
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_post

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit-post'
    Required/Optional: true

Responses:
  '201':
    Description: container session-limit created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found

```

```
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: session-limit
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_delete

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_options

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
```

```
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_head

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
```

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all

- trim

- explicit

- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data

- patch

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_patch

Parameters:

- **Name:** pppoe-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit'

Required/Optional: true

Responses:


```

'204':
  Description: container session-limit updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: session-limit

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/max

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_get

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config

```

- nonconfig
- all
- Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

- '200':
 - Description:** OK
 - Content:**
 - application/yang-data+json:
 - Schema:**
 - Reference:**

```

'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng-cp_profile_pppoe_pppoe_name_session_limit_max_put

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max'
    Required/Optional: true

  Responses:
  '201':
    Description: container max created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':

```

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: max
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_post

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_max-post'
    Required/Optional: true

Responses:
  '201':
    Description: container max created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized

```

```
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: max
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_delete

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_options

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

Responses:**'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_head**Parameters:****- Name:** pppoe-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**enum:**

- config
- nonconfig
- all

Default: config**- Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string

```

    Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_patch

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_max'
  Required/Optional: true

Responses:
  '204':
    Description: container max updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: max
```

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/max/value

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_value_get

Parameters:

- Name: pppoe-name
 - In: path
 - Required/Optional: true
 - Style: simple
 - Explode: false
 - Schema:
 - Type: string
 - Format: string
- Name: content
 - In: query
 - Description: controlling descendant nodes in response
 - Required/Optional: false
 - Style: form
 - Explode: true
 - Schema:

Type: string
Format: enumeration
enum:
- config
- nonconfig
- all
Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

Responses:
'200':
Description: OK

```

    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_max_value'
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_value_put

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_max_value'
    Required/Optional: true

Responses:
  '201':
    Description: leaf value created or replaced
    Content: {}

```

```
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_value_delete

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_value_options

Parameters:
```

```

- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_value_head

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer

```

```
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_value_patch

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
```

```

Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_value'
        Required/Optional: true

Responses:
  '204':
    Description: leaf value updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/max/threshold

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session-limit_max_threshold_get

Parameters:

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false

```
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
```

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_max_threshold'

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_threshold_put

Parameters:

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Request Body:


```
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_threshold'
      Required/Optional: true

Responses:
  '201':
    Description: leaf threshold created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: threshold
delete:

Tags:
- data
- delete
Operation ID: data_cnbng-cp_profile_pppoe_pppoe_name_session_limit_max_threshold_delete

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
```

```

    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_threshold_options

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_threshold_head

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:

```

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

- Type:** integer
- Format:** uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

- Type:** string
- Format:** string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

- Type:** string
- Format:** string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

- Type:** string
- Format:** enumeration
- enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
- Default:** report-all

Responses:

'200':

- Description:** OK
- Content:** {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_threshold_patch

Parameters:

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_max_threshold'

Required/Optional: true

Responses:

- '204':
 - Description:** leaf threshold updated
 - Content:** {}
- '400':
 - Description:** Bad Request
 - Content:** {}
- '401':
 - Description:** Unauthorized
 - Content:** {}
- '404':
 - Description:** Not Found
 - Content:** {}
- '405':
 - Description:** Method Not Allowed
 - Content:** {}
- '409':
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

x-codegen-request-body-name: threshold

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/mac**get:**

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_get

Parameters:

- **Name:** pppoe-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**

```

    Type: string
    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_put

```

```

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_mac'
    Required/Optional: true

Responses:
'201':
  Description: container mac created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: mac
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_post

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true

```

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_mac-post'
        Required/Optional: true

Responses:
  '201':
    Description: container mac created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: mac
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_delete

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```



```
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
    security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_options

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
    security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_head

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
```

Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16

- **Name:** fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string

- **Name:** filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string

- **Name:** with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':

```
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_patch

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac'
          Required/Optional: true

  Responses:
  '204':
    Description: container mac updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: mac
```

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/mac/value

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_value_get

Parameters:

- **Name:** pppoe-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query

```

Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_value'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

```

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_value_put

Parameters:

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_mac_value'

Required/Optional: true

Responses:

- '201':
 - Description:** leaf value created or replaced
 - Content:** {}
- '204':
 - Description:** No Content
 - Content:** {}
- '400':
 - Description:** Bad Request
 - Content:** {}
- '401':
 - Description:** Unauthorized
 - Content:** {}
- '404':
 - Description:** Not Found
 - Content:** {}
- '405':
 - Description:** Method Not Allowed
 - Content:** {}
- '409':
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

x-codegen-request-body-name: value

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_value_delete

Parameters:

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

'204':

- Description:** No Content
- Content:** {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_value_options

Parameters:

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

'200':

- Description:** OK
- Content:** {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_value_head

Parameters:

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false

```
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
```


Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_value_patch

Parameters:

- **Name:** pppoe-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_mac_value'

Required/Optional: true

Responses:

'204':

Description: leaf value updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

```

    '409':
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: value

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/mac/threshold

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_threshold_get

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_threshold'
'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_threshold_put

```

Parameters:

```

- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_threshold'
  Required/Optional: true

```

Responses:

```

'201':
  Description: leaf threshold created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

```
security:
- basicAuth: []
x-codegen-request-body-name: threshold
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_threshold_delete
```

```
Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

```
Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:
```

```
Tags:
- data
- options
```

```
Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_threshold_options
```

```
Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

```
Responses:
'200':
  Description: OK
  Content: {}
security:
- basicAuth: []
```

```
head:
```

```
Tags:
```

- data
- head

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_threshold_head

Parameters:

- **Name:** pppoe-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**

```

    Type: string
    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

  Responses:
    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_threshold_patch

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_mac_threshold'
        Required/Optional: true

  Responses:
    '204':
      Description: leaf threshold updated
      Content: {}
    '400':

```

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: threshold

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/circuit-id

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_get

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth

```


In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':

Description: OK**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id'

'204':

Description: No Content**Content:** {}

```

    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_put

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_circuit-id'
        Required/Optional: true

  Responses:
    '201':
      Description: container circuit-id created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized

```

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: circuit-id
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_post

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_post'

    Required/Optional: true

Responses:
  '201':
    Description: container circuit-id created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found

```

```
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: circuit-id
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_delete
```

```
Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_options
```

```
Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

```
Responses:
  '200':
```

```
    Description: OK
    Content: {}
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_head

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
```

In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:

Type: string
Format: string

- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:

Type: string
Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_patch

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_circuit-id'
Required/Optional: true

Responses:

- '204':
 - Description:** container circuit-id updated
 - Content:** {}
- '400':
 - Description:** Bad Request
 - Content:** {}
- '401':
 - Description:** Unauthorized
 - Content:** {}
- '404':
 - Description:** Not Found
 - Content:** {}
- '405':
 - Description:** Method Not Allowed
 - Content:** {}
- '409':
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

x-codegen-request-body-name: circuit-id

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/circuit-id/value

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_value_get

Parameters:

- **Name:** pppoe-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration

```

    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:

```


Schema:**Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_circuit-id_value'
```

```
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
```

security:

```
- basicAuth: []
```

put:**Tags:**

```
- data
- put
```

```
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_value_put
```

Parameters:

```
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

Request Body:

```
Content:
  application/yang-data+json:
    Schema:
```

Reference:

```
'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_circuit-id_value'
```

```
Required/Optional: true
```

Responses:

```
'201':
  Description: leaf value created or replaced
```

```

    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: value
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_value_delete

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_value_options

```

Parameters:

- **Name:** pppoe-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_value_head

Parameters:

- **Name:** pppoe-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true

Schema:**Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**enum:**

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**patch:****Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_value_patch

Parameters:**- Name:** pppoe-name

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
    Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_value'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf value updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: value

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/circuit-id/threshold

get:

```

  Tags:
  - data
  - get
  Operation ID:
  data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_threshold_get

  Parameters:
  - Name: pppoe-name
    In: path

```

```
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
```

Explode: true
Schema:
Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_threshold'

'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':
Description: Method Not Allowed
Content: {}
'409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
 - put

Operation ID:

data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_threshold_put

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false

```

    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_threshold'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf threshold created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: threshold
delete:

  Tags:
    - data
    - delete
  Operation ID:
    data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_threshold_delete

  Parameters:
    - Name: pppoe-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string

```


Format: string

Responses:

'204':

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_threshold_options

Parameters:

- **Name:** pppoe-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_threshold_head

Parameters:

- **Name:** pppoe-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

```

    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID:
  data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_threshold_patch

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_threshold'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf threshold updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: threshold

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/outer-vlan

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_get

Parameters:

- **Name:** pppoe-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query

```

Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

```

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_put

Parameters:

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_session-limit_outer-vlan'

Required/Optional: true

Responses:

'201':

Description: container outer-vlan created or replaced

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: outer-vlan

Method: Post

Tags:

- data
- post

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_post

```
Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_outer-vlan-post'

    Required/Optional: true

Responses:
'201':
  Description: container outer-vlan created
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: outer-vlan
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_delete

Parameters:
```

```
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_options

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_head

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
```


- Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_patch

Parameters:

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Request Body:

Content:
application/yang-data+json:
Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_outer-vlan'

Required/Optional: true

Responses:

'204':
Description: container outer-vlan updated
Content: {}

'400':
Description: Bad Request
Content: {}

'401':
Description: Unauthorized
Content: {}

'404':
Description: Not Found
Content: {}

'405':
Description: Method Not Allowed
Content: {}

'409':
Description: Conflict

```

    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: outer-vlan

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/outer-vlan/value

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_value_get

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form

```

Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_value'
```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}

```

```

    '409':
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_value_put

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_value'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf value created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}

```

```

security:
- basicAuth: []
x-codegen-request-body-name: value
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

```
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_value_delete
```

Parameters:

```

- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:

```

'204':
  Description: No Content
  Content: {}

```

security:

```

- basicAuth: []

```

options:**Tags:**

```

- data
- options

```

Operation ID:

```
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_value_options
```

Parameters:

```

- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_value_head

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:

```

    Type: string
    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

  Responses:
    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID:
  data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_value_patch

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_value'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf value updated
      Content: {}

```



```

'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/outer-vlan/threshold

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_threshold_get

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
Default: config

- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':

Description: OK**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_threshold'

'204':

```

    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_threshold_put

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_session-limit_outer-vlan_threshold'

Required/Optional: true

Responses:
'201':
  Description: leaf threshold created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':

```

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: threshold
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_threshold_delete

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_threshold_options

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple

```

```
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_threshold_head

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
```

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all

- trim

- explicit

- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data

- patch

Operation ID:

data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_threshold_patch

Parameters:

- **Name:** pppoe-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

```

    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_threshold'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf threshold updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: threshold

```

/data/cnbng-cp:profile/pppoe={pppoe-name}/timeout-completion

get:

```

  Tags:
    - data
    - get
  Operation ID: data_cnbng-cp_profile_pppoe_pppoe_name_timeout_completion_get

  Parameters:
    - Name: pppoe-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string

```

- Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':
Description: OK
Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_timeout-completion'

'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':
Description: Method Not Allowed
Content: {}
'409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_timeout_completion_put

Parameters:

- **Name:** pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:

Schema:**Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_timeout-completion'
```

```
Required/Optional: true
```

Responses:

```
'201':
```

```
Description: leaf timeout-completion created or replaced
```

```
Content: {}
```

```
'204':
```

```
Description: No Content
```

```
Content: {}
```

```
'400':
```

```
Description: Bad Request
```

```
Content: {}
```

```
'401':
```

```
Description: Unauthorized
```

```
Content: {}
```

```
'404':
```

```
Description: Not Found
```

```
Content: {}
```

```
'405':
```

```
Description: Method Not Allowed
```

```
Content: {}
```

```
'409':
```

```
Description: Conflict
```

```
Content: {}
```

security:

```
- basicAuth: []
```

```
x-codegen-request-body-name: timeout-completion
```

delete:**Tags:**

```
- data  
- delete
```

```
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_timeout_completion_delete
```

Parameters:

```
- Name: pppoe-name
```

```
In: path
```

```
Required/Optional: true
```

```
Style: simple
```

```
Explode: false
```

Schema:

```
Type: string
```

```
Format: string
```

Responses:

```
'204':
```

```
Description: No Content
```

```
Content: {}
```

security:

```
- basicAuth: []
```

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_timeout_completion_options**Parameters:**

- **Name:** pppoe-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_timeout_completion_head**Parameters:**

- **Name:** pppoe-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_timeout_completion_patch

Parameters:

- **Name:** pppoe-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_timeout-completion'

Required/Optional: true

Responses:

'204':

Description: leaf timeout-completion updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: timeout-completion

/data/cnbng-cp:profile/aaa

options:

Tags:

- data

- options

Operation ID: data_cnbng_cp_profile_aaa_options

Responses:**'200':****Description:** OK**Content:** {}**security:**- **basicAuth:** []

/data/cnbng-cp:profile/aaa={aaa-name}

get:**Tags:**

- data
- get

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_get**Parameters:**- **Name:** aaa-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**enum:**

- config
- nonconfig
- all

Default: config- **Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16- **Name:** fields**In:** query**Description:** optionally identify specific data nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name'

'204':
 Description: No Content
 Content: {}

'400':
 Description: Bad Request
 Content: {}

'401':
 Description: Unauthorized
 Content: {}

'404':
 Description: Not Found
 Content: {}

'405':
 Description: Method Not Allowed

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_put

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - first
      - last
      - before
      - after
    Default: first
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name'
    Required/Optional: true

```



```
Responses:
  '201':
    Description: list aaa created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: aaa
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_delete

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
```

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_options

Parameters:

- **Name:** aaa-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_head

Parameters:

- **Name:** aaa-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form

```
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_patch

Parameters:
  - Name: aaa-name
```

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name'
  Required/Optional: true

Responses:
  '204':
    Description: list aaa updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: aaa

```

/data/cnbng-cp:profile/aaa={aaa-name}/name

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_name_get

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple

```

```
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference: '#/components/schemas/data_cnbng_cp_profile_aaa_aaa-name_name'
'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':
Description: Method Not Allowed
Content: {}
'409':
Description: Conflict
Content: {}

security:

- basicAuth: []

put:**Tags:**

- data
- put

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_name_put

Parameters:

- **Name:** aaa-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_name'
 Required/Optional: true

Responses:
 '201':
 Description: leaf name created or replaced
 Content: {}
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}

security:
- **basicAuth:** []

x-codegen-request-body-name: name

delete:

Tags:
- data
- delete

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_name_delete

Parameters:
- **Name:** aaa-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
 '204':
 Description: No Content
 Content: {}

security:

```
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_name_options

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_name_head

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
```


- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

patch:

Tags:

- data

- patch

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_name_patch

Parameters:

- **Name:** aaa-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data_cnbng_cp_profile_aaa_aaa-name_name'

Required/Optional: true

Responses:

'204':

Description: leaf name updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: name

/data/cnbng-cp:profile/aaa={aaa-name}/authentication

get:

Tags:

- data

- get

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authentication_get

Parameters:

- **Name:** aaa-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authentication'

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authentication_put

Parameters:

- **Name:** aaa-name

In: path

Required/Optional: true

```
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authentication'
      Required/Optional: true

Responses:
'201':
  Description: container authentication created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: authentication
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authentication_post

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
```

```

    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name_authentication-post'
        Required/Optional: true

  Responses:
    '201':
      Description: container authentication created
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: authentication
delete:

  Tags:
    - data
    - delete
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authentication_delete

  Parameters:
    - Name: aaa-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string

  Responses:
    '204':

```

```
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authentication_options

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authentication_head

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
```

- config
- nonconfig
- all

Default: config

- **Name:** depth
- In:** query
- Description:** limit the depth of nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
- In:** query
- Description:** optionally identify specific data nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
- In:** query
- Description:** xpath expression to filter data nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
- In:** query
- Description:** controlling default values in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':

- Description:** OK
- Content:** {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authentication_patch

Parameters:

- **Name:** aaa-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name_authentication'

Required/Optional: true

Responses:

'204':

Description: container authentication updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: authentication

/data/cnbng-cp:profile/aaa={aaa-name}/authentication/method-order

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authentication_method_order_options

Parameters:

- **Name:** aaa-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

/data/cnbng-cp:profile/aaa={aaa-name}/authentication/method-order={method-order-id}

get:**Tags:**

- data
- get

Operation ID:

data_cnbng_cp_profile_aaa_aaa_name_authentication_method_order_method_order_id_get

Parameters:

- **Name:** aaa-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string
- **Name:** method-order-id
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** union
- **Name:** content
- In:** query

Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authentication_method-order_method-order-id'

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

put:

Tags:

- data

- put

Operation ID:

data_cnbng_cp_profile_aaa_aaa_name_authentication_method_order_method_order_id_put

Parameters:

- **Name:** aaa-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** method-order-id

In: path

Required/Optional: true

Style: simple

Explode: false

```

Schema:
  Type: string
  Format: union
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - first
      - last
      - before
      - after
    Default: first
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authentication_method-order_method-order-id'

Required/Optional: true

Responses:
'201':
  Description: leaf-list method-order created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':

```

```

        Description: Method Not Allowed
        Content: {}
    '409':
        Description: Conflict
        Content: {}
    security:
    - basicAuth: []
    x-codegen-request-body-name: method-order
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_authentication_method_order_method_order_id_delete

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: method-order-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union

Responses:
    '204':
        Description: No Content
        Content: {}
    security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_authentication_method_order_method_order_id_options

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false

```

```
Schema:
  Type: string
  Format: string
- Name: method-order-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_authentication_method_order_method_order_id_head

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: method-order-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
```

- config
- nonconfig
- all

Default: config

- **Name:** depth
- In:** query
- Description:** limit the depth of nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
- In:** query
- Description:** optionally identify specific data nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
- In:** query
- Description:** xpath expression to filter data nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
- In:** query
- Description:** controlling default values in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':

- Description:** OK
- Content:** {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_aaa_aaa_name_authentication_method_order_method_order_id_patch

Parameters:

- **Name:** aaa-name

In: path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string

- **Name:** method-order-id

In: path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** union**Request Body:****Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_aaa_aaa-name_authentication_method-order_method-order-id'

Required/Optional: true**Responses:**

'204':

Description: leaf-list method-order updated**Content:** {}

'400':

Description: Bad Request**Content:** {}

'401':

Description: Unauthorized**Content:** {}

'404':

Description: Not Found**Content:** {}

'405':

Description: Method Not Allowed**Content:** {}

'409':

Description: Conflict**Content:** {}

```

security:
- basicAuth: []
x-codegen-request-body-name: method-order

```

/data/cnbng-cp:profile/aaa={aaa-name}/authorization

get:

Tags:

```

- data
- get

```

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_get

Parameters:

```

- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```

```
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
```

```

    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_put

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name_authorization'
      Required/Optional: true

Responses:
  '201':
    Description: container authorization created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: authorization
Method: Post

```

Tags:

- data
- post

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_post

Parameters:

- **Name:** aaa-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name_authorization-post'

Required/Optional: true

Responses:

'201':

Description: container authorization created

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: authorization

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_delete

Parameters:

- **Name:** aaa-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

'204':
Description: No Content
Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_options

Parameters:

- **Name:** aaa-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_head

Parameters:

- **Name:** aaa-name
In: path
Required/Optional: true
Style: simple
Explode: false

```
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
```

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_patch

Parameters:

- **Name:** aaa-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_aaa_aaa-name_authorization'

Required/Optional: true

Responses:

'204':

Description: container authorization updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}


```

    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: authorization

```

/data/cnbng-cp:profile/aaa={aaa-name}/authorization/type

get:

```

  Tags:
  - data
  - get
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_get

```

Parameters:

```

- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response

```

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_type'
'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed

```
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_put

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name_authorization_type'
    Required/Optional: true

Responses:
'201':
  Description: container type created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
```

```

- basicAuth: []
x-codegen-request-body-name: type
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_post

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name_authorization_type-post'
    Required/Optional: true

Responses:
'201':
  Description: container type created
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: type
delete:

```

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_delete

Parameters:

- **Name:** aaa-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

'204':

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_options

Parameters:

- **Name:** aaa-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_head

Parameters:

- **Name:** aaa-name
- In:** path

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form

Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_patch

Parameters:
- **Name:** aaa-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name_authorization_type'
 Required/Optional: true

Responses:
 '204':
 Description: container type updated
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}

```

'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: type

```

/data/cnbng-cp:profile/aaa={aaa-name}/authorization/type/subscriber

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_get

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16

```


- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:**'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber'

'204':**Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found

```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_put

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber'
    Required/Optional: true

Responses:
  '201':
    Description: container subscriber created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':

```

```
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: subscriber
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_post

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber-post'

    Required/Optional: true

Responses:
'201':
  Description: container subscriber created
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
```

```
- basicAuth: []
x-codegen-request-body-name: subscriber
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_delete

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_options

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
```

- head

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_head

Parameters:

- **Name:** aaa-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_patch

Parameters:

- **Name:** aaa-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber'

Required/Optional: true

Responses:

'204':

Description: container subscriber updated

Content: {}

'400':

Description: Bad Request

```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: subscriber

```

/data/cnbng-cp:profile/aaa={aaa-name}/authorization/type/subscriber/method-order

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_method_order_options

Parameters:

- **Name:** aaa-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- basicAuth: []

/data/cnbng-cp:profile/aaa={aaa-name}/authorization/type/subscriber/method-order

get:

Tags:

- data

- get

Operation ID:

data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_method_order_method_order_id_get

Parameters:

- **Name:** aaa-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** method-order-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** union
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string


```

    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber_method-order_method-order-id'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

```
    security:
      - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_method_order_method_order_id_put
```

Parameters:

```
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: method-order-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - first
      - last
      - before
      - after
    Default: first
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
```

```

Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber_method-order_method-order-id'

    Required/Optional: true

Responses:
  '201':
    Description: leaf-list method-order created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: method-order
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_method_order_method_order_id_delete

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: method-order-id
  In: path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: union

Responses:
 '204':
 Description: No Content
 Content: {}
 security:
 - **basicAuth:** []

options:

Tags:
 - data
 - options

Operation ID:

data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_method_order_method_order_id_options

Parameters:

- **Name:** aaa-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 - **Name:** method-order-id
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: union

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

head:

Tags:
 - data
 - head

Operation ID:

data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_method_order_method_order_id_head

Parameters:

- **Name:** aaa-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** method-order-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** union
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all

- trim

- explicit

- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data

- patch

Operation ID:

data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_method_order_method_order_id_patch

Parameters:

- **Name:** aaa-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** method-order-id

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

```

    Format: union
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber_method-order_method-order-id'

Required/Optional: true

Responses:
'204':
  Description: leaf-list method-order updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: method-order

```

/data/cnbng-cp:profile/aaa={aaa-name}/authorization/username

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_get

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all

- trim
- explicit
- report-all-tagged

Default: report-all

Responses:**'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng_cp_profile_aaa_aaa-name_authorization_username'

'204':**Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_put**Parameters:**

- **Name:** aaa-name

In: path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:****Schema:**

```

Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_username'
  Required/Optional: true

Responses:
  '201':
    Description: container username created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: username
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_post

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_username-post'
        Required/Optional: true

```

```
Responses:
  '201':
    Description: container username created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: username
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_delete

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
```

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_options

Parameters:

- **Name:** aaa-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_head

Parameters:

- **Name:** aaa-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form

```
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_patch

Parameters:
  - Name: aaa-name
```

/data/cnbng-cp:profile/aaa={aaa-name}/authorization/username/value

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_username'
          Required/Optional: true

  Responses:
    '204':
      Description: container username updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: username

```

/data/cnbng-cp:profile/aaa={aaa-name}/authorization/username/value

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_value_get

Parameters:

- Name: aaa-name
 - In: path
 - Required/Optional: true

```
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
```

Schema:

Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_aaa_aaa-name_authorization_username_value'

'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':
Description: Method Not Allowed
Content: {}
'409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
 - put

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_value_put

Parameters:

- **Name:** aaa-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string


```

    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_username_value'
          Required/Optional: true

  Responses:
    '201':
      Description: leaf value created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: value
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_value_delete

  Parameters:
  - Name: aaa-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:

```

```
    '204':
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
  options:

  Tags:
    - data
    - options
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_value_options
```

```
Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_value_head
```

```
Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
```

```
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
```

```

    security:
      - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_value_patch

  Parameters:
    - Name: aaa-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name_authorization_username_value'
            Required/Optional: true

  Responses:
    '204':
      Description: leaf value updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: value

```

/data/cnbng-cp:profile/aaa={aaa-name}/authorization/username/format

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_format_get

Parameters:

- **Name:** aaa-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all

- trim

- explicit

- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_username_format'

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_format_put**Parameters:**

- **Name:** aaa-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_aaa_aaa_name_authorization_username_format'

Required/Optional: true**Responses:**

'201':

Description: leaf format created or replaced**Content:** {}

'204':

Description: No Content**Content:** {}

'400':

Description: Bad Request**Content:** {}

'401':

Description: Unauthorized**Content:** {}

'404':

Description: Not Found**Content:** {}

'405':

Description: Method Not Allowed**Content:** {}

'409':

Description: Conflict**Content:** {}**security:**

- **basicAuth:** []

x-codegen-request-body-name: format**delete:****Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_format_delete

Parameters:

- **Name:** aaa-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

'204':
 Description: No Content
 Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_format_options

Parameters:

- **Name:** aaa-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

'200':
 Description: OK
 Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_format_head

Parameters:

- **Name:** aaa-name
In: path
Required/Optional: true
Style: simple


```
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content: {}

security:
 - **basicAuth:** []

patch:**Tags:**

- data
 - patch

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_format_patch

Parameters:

- **Name:** aaa-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name_authorization_username_format'
Required/Optional: true

Responses:

'204':
Description: leaf format updated
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':

```

    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format

```

/data/cnbng-cp:profile/aaa={aaa-name}/authorization/username/identifier

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_identifier_get

Parameters:

- **Name:** aaa-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields

In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_username_identifier'

'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found

```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_identifier_put

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name_authorization_username_identifier'

    Required/Optional: true

Responses:
  '201':
    Description: leaf identifier created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed

```

```
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: identifier
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_authorization_username_identifier_delete

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_authorization_username_identifier_options

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'200':
  Description: OK
  Content: {}
  security:
```

```
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_identifier_head

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
```

```

    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_authorization_username_identifier_patch

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_aaa_aaa-name_authorization_username_identifier'

    Required/Optional: true

```


Responses:

- '204':
 - Description:** leaf identifier updated
 - Content:** {}
- '400':
 - Description:** Bad Request
 - Content:** {}
- '401':
 - Description:** Unauthorized
 - Content:** {}
- '404':
 - Description:** Not Found
 - Content:** {}
- '405':
 - Description:** Method Not Allowed
 - Content:** {}
- '409':
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

x-codegen-request-body-name: identifier

/data/cnbng-cp:profile/aaa={aaa-name}/authorization/password

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_password_get

Parameters:

- **Name:** aaa-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**

- config
- nonconfig
- all
- Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

- '200':
 - Description:** OK
 - Content:**
 - application/yang-data+json:
 - Schema:**

Reference:

```
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_password'
```

```
'204':
```

```
  Description: No Content
```

```
  Content: {}
```

```
'400':
```

```
  Description: Bad Request
```

```
  Content: {}
```

```
'401':
```

```
  Description: Unauthorized
```

```
  Content: {}
```

```
'404':
```

```
  Description: Not Found
```

```
  Content: {}
```

```
'405':
```

```
  Description: Method Not Allowed
```

```
  Content: {}
```

```
'409':
```

```
  Description: Conflict
```

```
  Content: {}
```

```
security:
```

```
- basicAuth: []
```

```
put:
```

```
Tags:
```

```
- data
```

```
- put
```

```
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_password_put
```

```
Parameters:
```

```
- Name: aaa-name
```

```
  In: path
```

```
  Required/Optional: true
```

```
  Style: simple
```

```
  Explode: false
```

```
  Schema:
```

```
    Type: string
```

```
    Format: string
```

```
Request Body:
```

```
Content:
```

```
  application/yang-data+json:
```

```
    Schema:
```

```
      Reference:
```

```
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_password'
```

```
    Required/Optional: true
```

```
Responses:
```

```
'201':
```

```
  Description: leaf password created or replaced
```

```
  Content: {}
```

```
'204':
```

```
  Description: No Content
```

```
  Content: {}
```

```
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: password
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_password_delete

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_password_options

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
```

```
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_password_head

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
```

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_password_patch

Parameters:

- Name: aaa-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

```

Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_password'
      Required/Optional: true

Responses:
  '204':
    Description: leaf password updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: password

```

/data/cnbng-cp:profile/aaa={aaa-name}/accounting

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_get

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query

```

Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged


```
    Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_put

Parameters:
  - Name: aaa-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting'

Required/Optional: true
```

Responses:

'201':
Description: container accounting created or replaced
Content: {}

'204':
Description: No Content
Content: {}

'400':
Description: Bad Request
Content: {}

'401':
Description: Unauthorized
Content: {}

'404':
Description: Not Found
Content: {}

'405':
Description: Method Not Allowed
Content: {}

'409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: accounting

Method: Post

Tags:

- data
 - post

Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_post

Parameters:

- **Name:** aaa-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
 application/yang-data+json:
Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name_accounting-post'

Required/Optional: true

Responses:

'201':
Description: container accounting created

```
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: accounting
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_delete

  Parameters:
  - Name: aaa-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_options

  Parameters:
```

```

- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_head

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer

```

```
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_patch

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
```

```

Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting'

Required/Optional: true

Responses:
  '204':
    Description: container accounting updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: accounting

```

/data/cnbng-cp:profile/aaa={aaa-name}/accounting/method-order

options:

```

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_method_order_options

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

Type: string
Format: string

Responses:

'200':
Description: OK
Content: {}
security:
- **basicAuth:** []

/data/cnbng-cp:profile/aaa={aaa-name}/accounting/method-order={method-order-id}

get:**Tags:**

- data
- get

Operation ID:

data_cnbng_cp_profile_aaa_aaa_name_accounting_method_order_method_order_id_get

Parameters:

- **Name:** aaa-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** method-order-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: union

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
- config
- nonconfig
- all
Default: config

- **Name:** depth

```

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting_method-order_method-order-id'

  '204':
    Description: No Content

```



```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_accounting_method_order_method_order_id_put

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: method-order-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration

```

```

    enum:
      - first
      - last
      - before
      - after
    Default: first
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting_method-order_method-order-id'

    Required/Optional: true

Responses:
  '201':
    Description: leaf-list method-order created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: method-order
delete:

Tags:
- data

```

- delete

Operation ID:

data_cnbng_cp_profile_aaa_aaa_name_accounting_method_order_method_order_id_delete

Parameters:

- **Name:** aaa-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** method-order-id

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: union

Responses:

'204':

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data

- options

Operation ID:

data_cnbng_cp_profile_aaa_aaa_name_accounting_method_order_method_order_id_options

Parameters:

- **Name:** aaa-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** method-order-id

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: union

Responses:**'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_aaa_aaa_name_accounting_method_order_method_order_id_head

Parameters:**- Name:** aaa-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** method-order-id**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** union**- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**enum:**

- config
- nonconfig
- all

Default: config**- Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

Type: integer
Format: uint16
Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string
Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string
Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

Responses:
'200':
Description: OK
Content: {}

security:
- basicAuth: []

patch:

Tags:
- data
- patch

Operation ID:

data_cnbng_cp_profile_aaa_aaa_name_accounting_method_order_method_order_id_patch

Parameters:
- **Name:** aaa-name
In: path

```

    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: method-order-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: union
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting_method-order_method-order-id'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf-list method-order updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: method-order

```

/data/cnbng-cp:profile/server-group

options:

Tags:

```
- data
- options
Operation ID: data_cnbng_cp_profile_server_group_options

Responses:
  '200':
    Description: OK
    Content: {}
security:
- basicAuth: []
```

/data/cnbng-cp:profile/server-group={server-group-name}

get:

```
Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_get

Parameters:
- Name: server-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
```

- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_server-group_server-group-name'

'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found


```
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_put

Parameters:
- Name: server-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - first
      - last
      - before
      - after
    Default: first
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
```

Reference:
 '#/components/schemas/data_cnbng_cp_profile_server-group_server-group-name'
Required/Optional: true

Responses:

- '201':
Description: list server-group created or replaced
Content: {}
- '204':
Description: No Content
Content: {}
- '400':
Description: Bad Request
Content: {}
- '401':
Description: Unauthorized
Content: {}
- '404':
Description: Not Found
Content: {}
- '405':
Description: Method Not Allowed
Content: {}
- '409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: server-group

delete:

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_server_group_server_group_name_delete

Parameters:

- **Name:** server-group-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

- '204':
Description: No Content
Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_server_group_server_group_name_options

Parameters:

- **Name:** server-group-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_server_group_server_group_name_head

Parameters:

- **Name:** server-group-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query

Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}

security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID: data_cnbng_cp_profile_server_group_server_group_name_patch

```

Parameters:
- Name: server-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_server-group_server-group-name'
      Required/Optional: true

Responses:
'204':
  Description: list server-group updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: server-group

```

/data/cnbng-cp:profile/server-group={server-group-name}/name

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_name_get

Parameters:

```

- **Name:** server-group-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** with-defaults
In: query
Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_server-group_server-group-name_name'

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_server_group_server_group_name_name_put

Parameters:

- **Name:** server-group-name

In: path

Required/Optional: true

Style: simple

```

    Explode: false
    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng_cp_profile_server_group_server_group_name_name'
          Required/Optional: true

    Responses:
      '201':
        Description: leaf name created or replaced
        Content: {}
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: name
  delete:

    Tags:
      - data
      - delete
    Operation ID: data_cnbng_cp_profile_server_group_server_group_name_name_delete

    Parameters:
      - Name: server-group-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string

```


Responses:
 '204':
 Description: No Content
 Content: {}
 security:
 - **basicAuth:** []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_name_options

Parameters:
- **Name:** server-group-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_name_head

Parameters:
- **Name:** server-group-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- **Name:** content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:

```

    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
```

```
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_name_patch

Parameters:
- Name: server-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_server_group_server_group_name_name'
      Required/Optional: true

Responses:
'204':
  Description: leaf name updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: name
```

/data/cnbng-cp:profile/server-group={server-group-name}/radius-group

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_server_group_server_group_name_radius_group_get

Parameters:

- **Name:** server-group-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query

```

Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_server-group_server-group-name_radius-group'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

```

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_server_group_server_group_name_radius_group_put

Parameters:

- **Name:** server-group-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_server-group_server-group-name_radius-group'

Required/Optional: true

Responses:

'201':

Description: leaf radius-group created or replaced

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: radius-group

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_server_group_server_group_name_radius_group_delete

```
Parameters:
- Name: server-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_radius_group_options

Parameters:
- Name: server-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_radius_group_head

Parameters:
- Name: server-group-name
  In: path
  Required/Optional: true
```

```
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
```


Schema:

Type: string
Format: enumeration
enum:
- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content: {}
security:
- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_server_group_server_group_name_radius_group_patch

Parameters:

- **Name:** server-group-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_server_group_server_group_name_radius_group'
Required/Optional: true

Responses:

'204':
Description: leaf radius-group updated
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}

```

    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: radius-group

```

/data/cnbng-cp:profile/attribute-format

```

options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_attribute_format_options

  Responses:
    '200':
      Description: OK
      Content: {}
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/attribute-format={attribute-format-name}

```

get:

  Tags:
  - data
  - get
  Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_get

  Parameters:
  - Name: attribute-format-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true

```

Schema:
Type: string
Format: enumeration
enum:
- config
- nonconfig
- all
Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

Responses:
'200':

```

    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_attribute-format_attribute-format-name'
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng-cp_profile_attribute_format_attribute_format_name_put

  Parameters:
  - Name: attribute-format-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: insert
    In: query
    Description: controlling the order when adding new list elements
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
      - first

```

```

    - last
    - before
    - after
    Default: first
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
    Type: string
    Format: string
Request Body:
Content:
    application/yang-data+json:
        Schema:
            Reference:
'#/components/schemas/data_cnbng-cp_profile_attribute-format_attribute-format-name'
        Required/Optional: true

Responses:
'201':
    Description: list attribute-format created or replaced
    Content: {}
'204':
    Description: No Content
    Content: {}
'400':
    Description: Bad Request
    Content: {}
'401':
    Description: Unauthorized
    Content: {}
'404':
    Description: Not Found
    Content: {}
'405':
    Description: Method Not Allowed
    Content: {}
'409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: attribute-format
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_delete

```

Parameters:

- **Name:** attribute-format-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

'204':
 Description: No Content
 Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_options

Parameters:

- **Name:** attribute-format-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

'200':
 Description: OK
 Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_head

Parameters:

- **Name:** attribute-format-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

```
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
```

```

enum:
- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_patch

Parameters:

```

- Name: attribute-format-name

```

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

```

'#/components/schemas/data_cnbng_cp_profile_attribute-format_attribute-format-name'

```

Required/Optional: true

Responses:

```

'204':
  Description: list attribute-format updated
  Content: {}

```

```

'400':
  Description: Bad Request
  Content: {}

```

```

'401':
  Description: Unauthorized
  Content: {}

```

```

'404':
  Description: Not Found
  Content: {}

```

```

'405':
  Description: Method Not Allowed
  Content: {}

```

```

'409':

```


Description: Conflict
Content: {}
security:
 - **basicAuth:** []
x-codegen-request-body-name: attribute-format

/data/cnbng-cp:profile/attribute-format={attribute-format-name}/name

get:

Tags:
 - data
 - get
Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_name_get

Parameters:

- **Name:** attribute-format-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
 - config
 - nonconfig
 - all
Default: config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_attribute-format_attribute-format-name_name'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}

```

```
    '409':
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_name_put

  Parameters:
  - Name: attribute-format-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_attribute_format_attribute_format_name_name'
        Required/Optional: true

  Responses:
  '201':
    Description: leaf name created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
```

x-codegen-request-body-name: name

delete:

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_name_delete

Parameters:

- **Name:** attribute-format-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

'204':

- Description:** No Content
- Content:** {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_name_options

Parameters:

- **Name:** attribute-format-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

'200':

- Description:** OK
- Content:** {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_name_head

Parameters:

- **Name:** attribute-format-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_name_patch

Parameters:

- **Name:** attribute-format-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_attribute-format_attribute-format-name_name'

Required/Optional: true

Responses:

'204':

Description: leaf name updated

Content: {}

'400':

Description: Bad Request

```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: name

```

/data/cnbng-cp:profile/attribute-format={attribute-format-name}/format-string

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_attribute_format_attribute_format_name_format_string_get

Parameters:

- **Name:** attribute-format-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- **Name:** depth
In: query

Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_attribute-format_attribute-format-name_format-string'

'204':
 Description: No Content
 Content: {}


```

    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_attribute_format_attribute_format_name_format_string_put

  Parameters:
  - Name: attribute-format-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_attribute-format_attribute-format-name_format-string'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf format-string created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}

```

```

    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format-string
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_attribute_format_attribute_format_name_format_string_delete

  Parameters:
  - Name: attribute-format-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_attribute_format_attribute_format_name_format_string_options

  Parameters:
  - Name: attribute-format-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:

```

Type: string
Format: string

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_attribute_format_attribute_format_name_format_string_head

Parameters:

- **Name:** attribute-format-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_attribute_format_attribute_format_name_format_string_patch

Parameters:

- Name: attribute-format-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

```

Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_attribute-format_attribute-format-name_format-string'

      Required/Optional: true

Responses:
  '204':
    Description: leaf format-string updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-string

```

/data/cnbng-cp:profile/attribute-format={attribute-format-name}/format-order

```

options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_attribute_format_attribute_format_name_format_order_options

Parameters:
- Name: attribute-format-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:**'200':****Description:** OK**Content:** {}**security:**- **basicAuth:** []**/data/cnbng-cp:profile/attribute-format={attribute-format-name}/format-order={format-order-id}****get:****Tags:**

- data

- get

Operation ID:

data_cnbng_cp_profile_attribute_format_attribute_format_name_format_order_format_order_id_get

Parameters:- **Name:** attribute-format-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** format-order-id**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** union- **Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**enum:**

- config

- nonconfig

- all

Default: config- **Name:** depth**In:** query**Description:** limit the depth of nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_attribute-format_attribute-format-name_format-order_format-order-id'

'204':
Description: No Content
Content: {}
'400':

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_attribute_format_attribute_format_name_format_order_format_order_id_put

```

Parameters:

- **Name:** attribute-format-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** format-order-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** union
- **Name:** insert
 - In:** query
 - Description:** controlling the order when adding new list elements
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - first


```

    - last
    - before
    - after
    Default: first
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
    Reference:
    '#/components/schemas/data_cnbng-cp_profile_attribute-format_attribute-format-name_format-order_format-order-id'

Required/Optional: true

Responses:
  '201':
    Description: leaf-list format-order created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-order
delete:

Tags:
- data
- delete
Operation ID:

```

data_cnbng_cp_profile_attribute_format_attribute_format_name_format_order_format_order_id_delete

Parameters:

- **Name:** attribute-format-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** format-order-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: union

Responses:

'204':
Description: No Content
Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_attribute_format_attribute_format_name_format_order_format_order_id_options

Parameters:

- **Name:** attribute-format-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** format-order-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: union

Responses:

'200':

Description: OK**Content:** {}**security:**- **basicAuth:** []**head:****Tags:**- data
- head**Operation ID:**

data_cnbng_cp_profile_attribute_format_attribute_format_name_format_order_format_order_id_head

Parameters:- **Name:** attribute-format-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** format-order-id**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** union- **Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**enum:**- config
- nonconfig
- all**Default:** config- **Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

```

    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID:

```

data_cnbng_cp_profile_attribute_format_attribute_format_name_format_order_format_order_id_patch

```

Parameters:

```

- Name: attribute-format-name
  In: path

```

```

    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: format-order-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: union
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_attribute-format_attribute-format-name_format-order_format-order-id'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf-list format-order updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format-order

```

/data/cnbng-cp:profile/subscriber

options:

Tags:

/data/cnbng-cp:profile/subscriber={subscriber-name}

```
- data
- options
Operation ID: data_cnbng_cp_profile_subscriber_options
```

Responses:

```
'200':
  Description: OK
  Content: {}
security:
- basicAuth: []
```

/data/cnbng-cp:profile/subscriber={subscriber-name}

get:

Tags:

```
- data
- get
```

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_get

Parameters:

```
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
```

- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':

Description: OK**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name'

'204':

Description: No Content**Content:** {}

'400':

Description: Bad Request**Content:** {}

'401':

Description: Unauthorized**Content:** {}

'404':

Description: Not Found

```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_put

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - first
      - last
      - before
      - after
    Default: first
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:

```


Reference:

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name'
```

Required/Optional: true

Responses:

'201':

Description: list subscriber created or replaced

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: subscriber

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_delete

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:

'204':

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_options

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_head

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query

Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_patch

```

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name'
        Required/Optional: true

Responses:
  '204':
    Description: list subscriber updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: subscriber

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/name

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_name_get

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_name'

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_name_put

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

```
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_name'
          Required/Optional: true

  Responses:
    '201':
      Description: leaf name created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: name
delete:

  Tags:
    - data
    - delete
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_name_delete

  Parameters:
    - Name: subscriber-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
```

Responses:**'204':****Description:** No Content**Content:** {}**security:****- basicAuth:** []**options:****Tags:****- data**
- options**Operation ID:** data_cnbng_cp_profile_subscriber_subscriber_name_name_options**Parameters:****- Name:** subscriber-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:****- data**
- head**Operation ID:** data_cnbng_cp_profile_subscriber_subscriber_name_name_head**Parameters:****- Name:** subscriber-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**


```

    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
```

```

    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_name_patch

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_name'
      Required/Optional: true

Responses:
  '204':
    Description: leaf name updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: name

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/dhcp-profile

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_dhcp_profile_get

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all

- trim

- explicit

- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_dhcp-profile'

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_dhcp_profile_put

Parameters:

- **Name:** subscriber-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_dhcp-profile'

Required/Optional: true

Responses:

'201':

Description: leaf dhcp-profile created or replaced

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: dhcp-profile

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_dhcp_profile_delete

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

'204':
Description: No Content
Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_dhcp_profile_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_dhcp_profile_head

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

```
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
```

```

enum:
- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_dhcp_profile_patch

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:

```

Reference:

```

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_dhcp-profile'
Required/Optional: true

```

Responses:

```

'204':
  Description: leaf dhcp-profile updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':

```


Description: Conflict
Content: {}
security:
 - **basicAuth:** []
x-codegen-request-body-name: dhcp-profile

/data/cnbng-cp:profile/subscriber={subscriber-name}/pppoe-profile

get:

Tags:
 - data
 - get
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_pppoe_profile_get

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
 - config
 - nonconfig
 - all
Default: config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_pppoe-profile'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}

```

```
    '409':
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_pppoe_profile_put

  Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_pppoe_profile'
          Required/Optional: true

  Responses:
  '201':
    Description: leaf pppoe-profile created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
```

x-codegen-request-body-name: pppoe-profile

delete:

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_pppoe_profile_delete

Parameters:

- **Name:** subscriber-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

'204':

- Description:** No Content
- Content:** {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_pppoe_profile_options

Parameters:

- **Name:** subscriber-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

'200':

- Description:** OK
- Content:** {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_pppoe_profile_head

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_pppoe_profile_patch

Parameters:
 - **Name:** subscriber-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Request Body:
 Content:
 application/yang-data+json:
 Schema:

Reference:
 '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_pppoe-profile'
 Required/Optional: true

Responses:
 '204':
 Description: leaf pppoe-profile updated
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: pppoe-profile

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/session-type

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_session_type_get

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form

```

```

Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_session-type'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':

```



```
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_session_type_put

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_session-type'
    Required/Optional: true

Responses:
  '201':
    Description: leaf session-type created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
```

```
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: session-type
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_session_type_delete

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_session_type_options

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'200':
  Description: OK
  Content: {}
```

```
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_session_type_head

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
```

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_session_type_patch

Parameters:
 - **Name:** subscriber-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_session_type'
 Required/Optional: true

Responses:
 '204':

```

    Description: leaf session-type updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: session-type

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/l2tp-profile

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_l2tp_profile_get

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig

```

```

    - all
      Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:**'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_l2tp-profile'

```
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_l2tp_profile_put

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_l2tp_profile'
      Required/Optional: true

Responses:
'201':
  Description: leaf l2tp-profile created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
```

```
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: l2tp-profile
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_l2tp_profile_delete

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_l2tp_profile_options

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
```



```
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_l2tp_profile_head

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
```

```
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_l2tp_profile_patch

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
```

```

    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_l2tp-profile'
        Required/Optional: true

  Responses:
    '204':
      Description: leaf l2tp-profile updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: l2tp-profile

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/aaa

```

options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_aaa_options

  Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '200':
      Description: OK

```

```

    Content: {}
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/aaa={aaa-aaa-option},{aaa-pr

get:

Tags:

```

- data
- get

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_get

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** aaa-aaa-option

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: enumeration

enum:

- authenticate

- authorize

Default: authenticate

- **Name:** aaa-profile

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: leafref

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

```
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content:
```

```

    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile'

      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Operation ID:
      data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_put

    Parameters:
      - Name: subscriber-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string
      - Name: aaa-aaa-option
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: enumeration
          enum:
            - authenticate
            - authorize

```

```

    Default: authenticate
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - first
      - last
      - before
      - after
    Default: first
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile'

    Required/Optional: true

Responses:
  '201':
    Description: list aaa created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':

```

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: aaa
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_delete

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - authenticate
      - authorize
    Default: authenticate
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref

Responses:

```



```
    '204':
      Description: No Content
      Content: {}
      security:
        - basicAuth: []
    options:

    Tags:
      - data
      - options
    Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_options

    Parameters:
      - Name: subscriber-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string
      - Name: aaa-aaa-option
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: enumeration
          enum:
            - authenticate
            - authorize
          Default: authenticate
      - Name: aaa-profile
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: leafref

    Responses:
      '200':
        Description: OK
        Content: {}
      security:
        - basicAuth: []
    head:

    Tags:
      - data
      - head
```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_head

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - authenticate
 - authorize
 - Default:** authenticate
- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:

```
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_patch

Parameters:
- Name: subscriber-name
  In: path
```

```

    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - authenticate
      - authorize
    Default: authenticate
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile'

    Required/Optional: true

Responses:
  '204':
    Description: list aaa updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':

```

Description: Conflict
Content: {}
security:
 - **basicAuth:** []
x-codegen-request-body-name: aaa

/data/cnbng-cp:profile/subscriber={subscriber-name}/aaa={aaa-aaa-option},{aaa-

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_get

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - authenticate
 - authorize
 - Default:** authenticate
- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true

Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16

- **Name:** fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string

- **Name:** filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string

- **Name:** with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':

```

    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'

    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_put

  Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: aaa-aaa-option
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration

```

```

    enum:
      - authenticate
      - authorize
    Default: authenticate
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf aaa-option created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: aaa-option
delete:

  Tags:
    - data
    - delete
  Operation ID:
    data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_delete

```


Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - authenticate
 - authorize
 - Default:** authenticate
- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref

Responses:

- '204':
 - Description:** No Content
 - Content:** {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

```

    Type: string
    Format: string
  - Name: aaa-aaa-option
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      enum:
        - authenticate
        - authorize
      Default: authenticate
  - Name: aaa-profile
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: leafref

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head

Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_head

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

```

    Type: string
    Format: enumeration
    enum:
    - authenticate
    - authorize
    Default: authenticate
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
```

Schema:**Type:** string**Format:** string**- Name:** with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**enum:**

- report-all

- trim

- explicit

- report-all-tagged

Default: report-all**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**patch:****Tags:**

- data

- patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_patch

Parameters:**- Name:** subscriber-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** aaa-aaa-option**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** enumeration**enum:**

- authenticate

- authorize

```

    Default: authenticate
  - Name: aaa-profile
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: leafref
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf aaa-option updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: aaa-option

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/aaa={aaa-aaa-option},{aaa-

get:

```

  Tags:
  - data
  - get
  Operation ID:
  data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_profile_get

```

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** aaa-aaa-option
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - authenticate
 - authorize
 - Default:** authenticate
- **Name:** aaa-profile
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** leafref
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16

- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_profile'

'204':
Description: No Content
Content: {}
 '400':
Description: Bad Request
Content: {}
 '401':
Description: Unauthorized
Content: {}
 '404':

```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_profile_put

```

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
    - authenticate
    - authorize
    Default: authenticate
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
Request Body:
Content:
  application/yang-data+json:
    Schema:
    Reference:

```



```
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_profile'
```

Required/Optional: true

Responses:

'201':

Description: leaf profile created or replaced

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: profile

delete:

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_profile_delete

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** aaa-aaa-option

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

```

    Type: string
    Format: enumeration
    enum:
    - authenticate
    - authorize
    Default: authenticate
- Name: aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: leafref

Responses:
  '204':
    Description: No Content
    Content: {}
security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_profile_options

```

```

Parameters:
- Name: subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  enum:
  - authenticate
  - authorize
  Default: authenticate
- Name: aaa-profile
In: path
Required/Optional: true

```

```

    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: leafref

  Responses:
    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID:
  data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_profile_head

  Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: aaa-aaa-option
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      enum:
      - authenticate
      - authorize
      Default: authenticate
  - Name: aaa-profile
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: leafref
  - Name: content
    In: query
    Description: controlling descendant nodes in response

```

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':

Description: OK **Content:** {}**security:**- **basicAuth:** []**patch:****Tags:**- data
- patch**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_profile_patch

Parameters:- **Name:** subscriber-name **In:** path **Required/Optional:** true **Style:** simple **Explode:** false **Schema:** **Type:** string **Format:** string- **Name:** aaa-aaa-option **In:** path **Required/Optional:** true **Style:** simple **Explode:** false **Schema:** **Type:** string **Format:** enumeration **enum:** - authenticate
 - authorize **Default:** authenticate- **Name:** aaa-profile **In:** path **Required/Optional:** true **Style:** simple **Explode:** false **Schema:** **Type:** string **Format:** leafref**Request Body:****Content:** **application/yang-data+json:** **Schema:** **Reference:**

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_profile'

Required/Optional: true

Responses:

- '204':
 - Description:** leaf profile updated
 - Content:** {}
- '400':
 - Description:** Bad Request
 - Content:** {}
- '401':
 - Description:** Unauthorized
 - Content:** {}
- '404':
 - Description:** Not Found
 - Content:** {}
- '405':
 - Description:** Method Not Allowed
 - Content:** {}
- '409':
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

x-codegen-request-body-name: profile

/data/cnbng-cp:profile/subscriber={subscriber-name}/activate-feature-templates

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_activate_feature_templates_options

Parameters:

- **Name:** subscriber-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

/data/cnbng-cp:profile/subscriber={subscriber-name}/activate-feature-templates=

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_activate_feature_templates_activate_feature_templates_id_get

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** activate-feature-templates-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields

In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_activate-feature-templates_activate-feature-templates-id'

'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found


```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

```

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_activate_feature_templates_activate_feature_templates_id_put

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** activate-feature-templates-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** leafref
- **Name:** insert
 - In:** query
 - Description:** controlling the order when adding new list elements
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - first
 - last
 - before
 - after
 - Default:** first
- **Name:** point
 - In:** query
 - Description:** used to specify the insertion point

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_activate-feature-templates_activate-feature-templates-id'

Required/Optional: true

Responses:
  '201':
    Description: leaf-list activate-feature-templates created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: activate-feature-templates
delete:

Tags:
  - data
  - delete
Operation ID:
  data_cnbng_cp_profile_subscriber_subscriber_name_activate_feature_templates_activate_feature_templates_id_delete

Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true

```

```
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: activate-feature-templates-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: leafref

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_activate_feature_templates_activate_feature_templates_id_options

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: activate-feature-templates-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
```

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_activate_feature_templates_activate_feature_templates_id_head

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** activate-feature-templates-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: leafref
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false

```

    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_activate_feature_templates_activate_feature_templates_id_patch

Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
```

```

- Name: activate-feature-templates-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_activate-feature-templates_activate-feature-templates-id'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf-list activate-feature-templates updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: activate-feature-templates

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_class_options

Parameters:

- **Name:** subscriber-name

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

Responses:
  '200':
    Description: OK
    Content: {}
security:
  - basicAuth: []

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}

get:

```

Tags:
  - data
  - get
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_get

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration

```

```

    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:

```



```
Schema:
Reference:
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name'

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_put

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
```

```

Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
    - first
    - last
    - before
    - after
  Default: first
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name'

    Required/Optional: true

Responses:
  '201':
    Description: list class created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []

```

x-codegen-request-body-name: class

delete:

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_delete

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

'204':

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple

```

    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_head

  Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
      - config
      - nonconfig
      - all
      Default: config
  - Name: depth
    In: query
    Description: limit the depth of nodes in response

```

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_patch

```

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Request Body:

- Content:**
 - application/yang-data+json:**
 - Schema:**
 - Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name'
```

Required/Optional: true

Responses:

- '204':
 - Description:** list class updated
 - Content:** {}
- '400':
 - Description:** Bad Request
 - Content:** {}
- '401':
 - Description:** Unauthorized
 - Content:** {}
- '404':
 - Description:** Not Found
 - Content:** {}
- '405':
 - Description:** Method Not Allowed
 - Content:** {}
- '409':
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

x-codegen-request-body-name: class

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/c

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_class_name_get

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query

Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_class-name'

'204':
Description: No Content
Content: {}

'400':
Description: Bad Request
Content: {}

'401':
Description: Unauthorized
Content: {}

'404':
Description: Not Found
Content: {}


```

    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_class_name_put

  Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_class_class-class-name_class-name'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf class-name created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':

```

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: class-name
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_class_name_delete

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_class_name_options

```

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_class_name_head

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false

Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

```

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_class_name_patch

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_class_class-class-name_class-name'

    Required/Optional: true

Responses:
  '204':
    Description: leaf class-name updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}

```

```

    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: class-name

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/ma

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_get

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- **Name:** depth

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches'

'204':
Description: No Content

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_put

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_class_class-class-name_matches'

    Required/Optional: true

Responses:

```



```

'201':
  Description: container matches created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: matches
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_post

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:

```

Schema:**Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_class_class-class-name_matches-post'
```

Required/Optional: true

Responses:

'201':

Description: container matches created

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: matches

delete:**Tags:**

- data
- delete

Operation ID:

```
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_delete
```

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string
Format: string

Responses:

'204':
Description: No Content
Content: {}

security:
- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false

Schema:

Type: string
Format: string

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false

Schema:

Type: string
Format: string

Responses:

'200':
Description: OK
Content: {}

security:
- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_head

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:

```

```

    Type: string
    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_patch

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:

```

Reference:

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches'
```

Required/Optional: true

Responses:

'204':
Description: container matches updated
Content: {}

'400':
Description: Bad Request
Content: {}

'401':
Description: Unauthorized
Content: {}

'404':
Description: Not Found
Content: {}

'405':
Description: Method Not Allowed
Content: {}

'409':
Description: Conflict
Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: matches

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/ma

options:**Tags:**

- data
 - options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple

```

Explode: false
Schema:
  Type: string
  Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/m

get:

```

Tags:
- data
- get
Operation ID:

```

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_get

```

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class

```

- dhcpv4-user-class
 - Default:** dhcpv4-circuit-id
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration


```

enum:
- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

```

Responses:

```

'200':
Description: OK
Content:
  application/yang-data+json:
    Schema:
    Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key'
```

```

'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':
Description: Method Not Allowed
Content: {}
'409':
Description: Conflict
Content: {}

```

```

security:
- basicAuth: []

```

```
put:
```

```

Tags:
- data
- put

```

Operation ID:

```
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_put
```

Parameters:

```

- Name: subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

```

```

- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
    Default: dhcpv4-circuit-id
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - first
      - last
      - before
      - after
    Default: first
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key'

```

Required/Optional: true

Responses:

'201':

Description: list match created or replaced

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: match

delete:

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_delete

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 Default: dhcpv4-circuit-id

Responses:

'204':
 Description: No Content
 Content: {}

security:
- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string

Format: enumeration
enum:
- dhcpv4-circuit-id
- dhcpv4-remote-id
- dhcpv4-vendor-class
- dhcpv4-user-class
Default: dhcpv4-circuit-id

Responses:
'200':
Description: OK
Content: {}
security:
- **basicAuth:** []
head:

Tags:
- data
- head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_head

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
enum:
- dhcpv4-circuit-id
- dhcpv4-remote-id
- dhcpv4-vendor-class
- dhcpv4-user-class
Default: dhcpv4-circuit-id

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all

- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_patch

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class**Default:** dhcpv4-circuit-id

Request Body:

Content:
 application/yang-data+json:

Schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key'
```

Required/Optional: true

Responses:

'204':

Description: list match updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: match

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/ma

get:**Tags:**

- data

- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_key_get

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true


```
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
    Default: dhcpv4-circuit-id
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
```

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all

- trim

- explicit

- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_key'

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_key_put

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class**Default:** dhcpv4-circuit-id

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_class_class-class-name_matches_match_match-key_key'

Required/Optional: true**Responses:**

'201':

Description: leaf key created or replaced**Content:** {}

'204':

Description: No Content

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: key
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_key_delete

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration

```

```

enum:
- dhcpv4-circuit-id
- dhcpv4-remote-id
- dhcpv4-vendor-class
- dhcpv4-user-class
Default: dhcpv4-circuit-id

```

Responses:

```

'204':
  Description: No Content
  Content: {}

```

security:

```

- basicAuth: []

```

options:**Tags:**

```

- data
- options

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_key_options

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
- dhcpv4-circuit-id
- dhcpv4-remote-id
- dhcpv4-vendor-class
- dhcpv4-user-class
    Default: dhcpv4-circuit-id

```

Responses:

```

    '200':
      Description: OK
      Content: {}
      security:
      - basicAuth: []
    head:

    Tags:
    - data
    - head
    Operation ID:
    data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_key_head

```

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class**Default:** dhcpv4-circuit-id
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string

Format: enumeration
enum:
- config
- nonconfig
- all
Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

Responses:
'200':
Description: OK
Content: {}

```

    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID:
  data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_key_patch

  Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: match-key
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
      Default: dhcpv4-circuit-id
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_class_class-class-name_matches_match_match-key_key'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf key updated

```



```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: key

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/m

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_type_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** match-key
In: path
Required/Optional: true

Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 Default: dhcpv4-circuit-id

Responses:
 '200':
 Description: OK
 Content: {}
security:
 - **basicAuth:** []

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/ma

get:

Tags:
 - data
 - get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_name_matches_match_match_key_type_type_id_get

Parameters:
 - **Name:** subscriber-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 - **Name:** class-class-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 - **Name:** match-key
 In: path
 Required/Optional: true
 Style: simple
 Explode: false

Schema:
Type: string
Format: enumeration
enum:
- dhcpv4-circuit-id
- dhcpv4-remote-id
- dhcpv4-vendor-class
- dhcpv4-user-class
Default: dhcpv4-circuit-id

- **Name:** type-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
enum:
- dhcp
- ppp
Default: dhcp

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
- config
- nonconfig
- all
Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_type_type-id'

'204':
Description: No Content
Content: {}
 '400':
Description: Bad Request
Content: {}
 '401':
Description: Unauthorized
Content: {}
 '404':
Description: Not Found
Content: {}
 '405':
Description: Method Not Allowed
Content: {}
 '409':
Description: Conflict
Content: {}

security:

- basicAuth: []

put:

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_type_type_id_put

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class**Default:** dhcpv4-circuit-id
- **Name:** type-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
enum:
 - dhcp
 - ppp**Default:** dhcp
- **Name:** insert

In: query

Description: controlling the order when adding new list elements

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- first
- last
- before
- after

Default: first

- **Name:** point

In: query

Description: used to specify the insertion point

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_type_type-id'

Required/Optional: true

Responses:

'201':

Description: leaf-list type created or replaced

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

```

    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: type
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_type_type_id_delete

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
    Default: dhcpv4-circuit-id
- Name: type-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - dhcp

```

- ppp
Default: dhcp

Responses:

'204':
Description: No Content
Content: {}

security:
 - **basicAuth:** []

options:

Tags:
 - data
 - options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_type_type_id_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class**Default:** dhcpv4-circuit-id
- **Name:** type-id
In: path
Required/Optional: true
Style: simple
Explode: false

Schema:

Type: string
Format: enumeration
enum:
 - dhcp
 - ppp
Default: dhcp

Responses:

'200':
Description: OK
Content: {}
security:
 - **basicAuth:** []

head:**Tags:**

- data
 - head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_type_type_id_head

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
Default: dhcpv4-circuit-id

- **Name:** type-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - dhcp
 - ppp
 - Default:** dhcp
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK**Content:** {}**security:**- **basicAuth:** []**patch:****Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_type_type_id_patch

Parameters:- **Name:** subscriber-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** class-class-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** match-key**In:** path**Required/Optional:** true**Style:** simple**Explode:** false

Schema:

Type: string
Format: enumeration
enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
Default: dhcpv4-circuit-id

- **Name:** type-id

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string
Format: enumeration
enum:
 - dhcp
 - ppp
Default: dhcp

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_type_type-id'

Required/Optional: true

Responses:

'204':

Description: leaf-list type updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: type

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/m

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_ascii_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 - Default:** dhcpv4-circuit-id

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/ma

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_ascii_ascii_id_get

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class**Default:** dhcpv4-circuit-id
- **Name:** ascii-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** content
In: query

Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_ascii_ascii-id'

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

put:

Tags:

- data

- put

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_ascii_ascii_id_put

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple


```
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
    Default: dhcpv4-circuit-id
- Name: ascii-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - first
      - last
      - before
      - after
    Default: first
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
```

Schema:**Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_ascii_ascii-id'
```

Required/Optional: true

Responses:

'201':

Description: leaf-list ascii created or replaced

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: ascii

delete:**Tags:**

- data
- delete

Operation ID:

```
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_ascii_ascii_id_delete
```

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

```

    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: match-key
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      enum:
        - dhcpv4-circuit-id
        - dhcpv4-remote-id
        - dhcpv4-vendor-class
        - dhcpv4-user-class
      Default: dhcpv4-circuit-id
  - Name: ascii-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
  - data
  - options
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_ascii_ascii_id_options

Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true

```

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
  Default: dhcpv4-circuit-id
- Name: ascii-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

head:**Tags:**

```

- data
- head

```

Operation ID:

```

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_ascii_ascii_id_head

```

Parameters:

```

- Name: subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
In: path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** match-key
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: enumeration
 enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 Default: dhcpv4-circuit-id
- **Name:** ascii-id
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- **Name:** content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- **Name:** depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- **Name:** fields
 In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all

- trim

- explicit

- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data

- patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_ascii_ascii_id_patch

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

```

    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
    Default: dhcpv4-circuit-id
- Name: ascii-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_ascii_ascii-id'

    Required/Optional: true

Responses:
  '204':
    Description: leaf-list ascii updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found

```

```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ascii

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/ma

options:

```

Tags:
- data
- options

```

Operation ID:

```
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_name_matches_match_match_key_regex_options
```

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class

```


Default: dhcpv4-circuit-id

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/m

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_regex_regex_id_get

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** match-key

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: enumeration

enum:

- dhcpv4-circuit-id
- dhcpv4-remote-id
- dhcpv4-vendor-class
- dhcpv4-user-class

Default: dhcpv4-circuit-id

- **Name:** regex-id

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false

```

Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_regex_regex-id'

'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}

security:
 - **basicAuth:** []

put:

Tags:
 - data
 - put

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_regex_regex_id_put

Parameters:

- **Name:** subscriber-name
 In: path
 Required/Optional: true

```
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
    Default: dhcpv4-circuit-id
- Name: regex-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - first
      - last
      - before
      - after
    Default: first
- Name: point
  In: query
  Description: used to specify the insertion point
```

```

    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
    Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_regex_regex-id'

    Required/Optional: true

Responses:
  '201':
    Description: leaf-list regex created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: regex
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_regex_regex_id_delete

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true

```

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
    Default: dhcpv4-circuit-id
- Name: regex-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:

```

'204':
  Description: No Content
  Content: {}

```

security:

```

- basicAuth: []

```

options:**Tags:**

```

- data
- options

```

Operation ID:

```
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_regex_regex_id_options
```

Parameters:

```

- Name: subscriber-name
  In: path

```

```

    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: match-key
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      enum:
        - dhcpv4-circuit-id
        - dhcpv4-remote-id
        - dhcpv4-vendor-class
        - dhcpv4-user-class
      Default: dhcpv4-circuit-id
  - Name: regex-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head

Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_regex_regex_id_head

Parameters:
  - Name: subscriber-name

```

```
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
    Default: dhcpv4-circuit-id
- Name: regex-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
```


Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_regex_regex_id_patch

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 - Default:** dhcpv4-circuit-id
- **Name:** regex-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Request Body:

- Content:**
 - application/yang-data+json:
 - Schema:**
 - Reference:**

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_class_class-class-name_matches_match_match_key_regex_regex-id'

- Required/Optional:** true

Responses:

'204':

```

    Description: leaf-list regex updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: regex

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/m

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_type_get

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

- Description:** controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match-type'

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

put:

Tags:

- data

- put

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_type_put

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

```

    Explode: false
    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match-type'

      Required/Optional: true

    Responses:
      '201':
        Description: leaf match-type created or replaced
        Content: {}
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: match-type
  delete:

    Tags:
      - data
      - delete
    Operation ID:
      data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_type_delete

  Parameters:
    - Name: subscriber-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false

```

```
Schema:
  Type: string
  Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_type_options

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:
```

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_type_head

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true


```

    Schema:
      Type: string
      Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_type_patch

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path

```

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match-type'

    Required/Optional: true

Responses:
  '204':
    Description: leaf match-type updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: match-type

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/act

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_activate_feature_templates_options

Parameters:

- **Name:** subscriber-name
- In:** path

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:
 '200':
 Description: OK
 Content: {}
security:
 - **basicAuth:** []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/activate-feature-templates={activate-feature-templates-id}
 : **get:**

Tags:
 - data
 - get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id_get

Parameters:
- Name: subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- Name: activate-feature-templates-id
In: path
Required/Optional: true
Style: simple

```

Explode: false
Schema:
  Type: string
  Format: leafref
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
    - config
    - nonconfig
    - all
  Default: config
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:

```

Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id'

'204':
Description: No Content
Content: {}
 '400':
Description: Bad Request
Content: {}
 '401':
Description: Unauthorized
Content: {}
 '404':
Description: Not Found
Content: {}
 '405':
Description: Method Not Allowed
Content: {}
 '409':
Description: Conflict
Content: {}

security:

- basicAuth: []

put:**Tags:**

- data
 - put

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id.put

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

```

    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: activate-feature-templates-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - first
      - last
      - before
      - after
    Default: first
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_activate-feature-templates_activate-feature-templates-id'

    Required/Optional: true

Responses:
  '201':

```

```

    Description: leaf-list activate-feature-templates created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: activate-feature-templates
delete:

```

Tags:

- data
- delete

Operation ID:

data_cring_cp_profile_subscriber_subscriber_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id_delete

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** activate-feature-templates-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple

```

    Explode: false
    Schema:
      Type: string
      Format: leafref

    Responses:
      '204':
        Description: No Content
        Content: {}
      security:
        - basicAuth: []
    options:

    Tags:
    - data
    - options
    Operation ID:
    data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id_options

```

```

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: activate-feature-templates-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

```


Tags:

- data
- head

Operation ID:

data_cring_cp_profile_subscriber_subscriber_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id_head

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** activate-feature-templates-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true

Schema:**Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**enum:**

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**patch:****Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id_patch

Parameters:**- Name:** subscriber-name

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: activate-feature-templates-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: leafref
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_class_class-class-name_activate-feature-templates_activate-feature-templates-id'

    Required/Optional: true

Responses:
  '204':
    Description: leaf-list activate-feature-templates updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:

```

```
/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/aaa
```

```
- basicAuth: []
x-codegen-request-body-name: activate-feature-templates
```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/aaa

options:

Tags:

```
- data
- options
```

Operation ID:

```
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_options
```

Parameters:

```
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

Responses:

```
'200':
  Description: OK
  Content: {}
```

security:

```
- basicAuth: []
```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/aaa

get:

Tags:

```
- data
- get
```

Operation ID:

```
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_get
```

Parameters:

```
- Name: subscriber-name
```

```
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - authenticate
      - authorize
    Default: authenticate
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
```

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile'

```

```

'204':
  Description: No Content
  Content: {}
'400':

```

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

```

Tags:

```

- data
- put

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_put

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
    - authenticate
    - authorize

```

Default: authenticate

- **Name:** aaa-profile
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** leafref
- **Name:** insert
 - In:** query
 - Description:** controlling the order when adding new list elements
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - first
 - last
 - before
 - after
 - Default:** first
- **Name:** point
 - In:** query
 - Description:** used to specify the insertion point
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile'

Required/Optional: true

Responses:

'201':

- Description:** list aaa created or replaced
- Content:** {}

'204':

- Description:** No Content
- Content:** {}

'400':

- Description:** Bad Request
- Content:** {}

'401':


```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: aaa
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_delete

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - authenticate
      - authorize
    Default: authenticate
- Name: aaa-profile

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: leafref

Responses:

'204':
 Description: No Content
 Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - authenticate
 - authorize
 Default: authenticate
- **Name:** aaa-profile

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: leafref

Responses:
 '200':
 Description: OK
 Content: {}
security:
 - **basicAuth:** []

head:

Tags:
 - data
 - head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_head

Parameters:

- **Name:** subscriber-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- **Name:** class-class-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- **Name:** aaa-aaa-option
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: enumeration
 enum:
 - authenticate
 - authorize
 Default: authenticate
- **Name:** aaa-profile

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: leafref
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
    - config
    - nonconfig
    - all
  Default: config
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false

```

Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_patch

Parameters:

- **Name:** subscriber-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

- **Name:** class-class-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

- **Name:** aaa-aaa-option
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: enumeration
 enum:
 - authenticate

```

    - authorize
      Default: authenticate
- Name: aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: leafref
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile'

      Required/Optional: true

Responses:
  '204':
    Description: list aaa updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: aaa

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/aaa

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_get

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** aaa-aaa-option
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - authenticate
 - authorize
 - Default:** authenticate
- **Name:** aaa-profile
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** leafref
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields

In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter

In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'

'204':
Description: No Content


```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

```

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_put

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:

```

    - authenticate
    - authorize
    Default: authenticate
- Name: aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
    Type: string
    Format: leafref
Request Body:
    Content:
    application/yang-data+json:
        Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'

    Required/Optional: true

Responses:
    '201':
        Description: leaf aaa-option created or replaced
        Content: {}
    '204':
        Description: No Content
        Content: {}
    '400':
        Description: Bad Request
        Content: {}
    '401':
        Description: Unauthorized
        Content: {}
    '404':
        Description: Not Found
        Content: {}
    '405':
        Description: Method Not Allowed
        Content: {}
    '409':
        Description: Conflict
        Content: {}
security:
    - basicAuth: []
x-codegen-request-body-name: aaa-option
delete:

Tags:
    - data
    - delete
Operation ID:
    data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_delete

```

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - authenticate
 - authorize
 - Default:** authenticate
- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref

Responses:

- '204':
 - Description:** No Content
 - Content:** {}
- security:**
 - **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - authenticate
 - authorize
 - Default:** authenticate
- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref

Responses:

- '200':
 - Description:** OK
 - Content:** {}
- security:**
 - **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_head

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - authenticate
 - authorize
 - Default:** authenticate
- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth

```

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
  - data
  - patch

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_patch

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - authenticate
 - authorize
 - Default:** authenticate
- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref

Request Body:

Content:
 application/yang-data+json:
Schema:
Reference:

```
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option'
```

Required/Optional: true

Responses:

'204':

Description: leaf aaa-option updated

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: aaa-option

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/aaa

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_get

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** aaa-aaa-option
In: path
Required/Optional: true


```
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  enum:
    - authenticate
    - authorize
  Default: authenticate
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
```

```

    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
put:

```

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_put

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - authenticate
 - authorize
 - Default:** authenticate
- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile'

Required/Optional: true

Responses:

```

'201':
  Description: leaf profile created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

security:

```
- basicAuth: []
```

```
x-codegen-request-body-name: profile
```

delete:**Tags:**

```
- data
- delete
```

Operation ID:

```
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_delete
```

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: aaa-aaa-option
  In: path

```

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  enum:
    - authenticate
    - authorize
  Default: authenticate
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
  - data
  - options
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_options

```

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: aaa-aaa-option
  In: path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - authenticate
 - authorize
 Default: authenticate
 - **Name:** aaa-profile
 In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: leafref

Responses:
 '200':
 Description: OK
 Content: {}
security:
 - **basicAuth:** []

head:

Tags:
 - data
 - head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_head

Parameters:
 - **Name:** subscriber-name
 In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
 - **Name:** class-class-name
 In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
 - **Name:** aaa-aaa-option
 In: path

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - authenticate
 - authorize
 Default: authenticate

- **Name:** aaa-profile
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: leafref

- **Name:** content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16

- **Name:** fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string

- **Name:** filter
 In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all

- trim

- explicit

- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data

- patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_patch

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string


```

    Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - authenticate
      - authorize
    Default: authenticate
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile'

    Required/Optional: true

Responses:
  '204':
    Description: leaf profile updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: profile

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/apply-all-class

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_apply_all_class_get

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

```

Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_apply-all-class'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

```

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_apply_all_class_put

Parameters:

- **Name:** subscriber-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_apply-all-class'

Required/Optional: true

Responses:

'201':

Description: leaf apply-all-class created or replaced

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: apply-all-class

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_apply_all_class_delete

```
Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_apply_all_class_options

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_apply_all_class_head

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
```

Explode: false
Schema:
 Type: string
 Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:

Type: string
Format: enumeration
enum:
- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

Responses:
'200':
Description: OK
Content: {}
security:
- **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_apply_all_class_patch

Parameters:
- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:
Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_apply-all-class'
Required/Optional: true

Responses:
'204':
Description: leaf apply-all-class updated
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':

```

    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: apply-all-class

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/event

options:

```

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_event_options

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}

get:

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_name_get

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false

```


Schema:
 Type: string
 Format: string

- **Name:** event-event-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: enumeration
 enum:
 - session-activate
 Default: session-activate
- **Name:** content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- **Name:** depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- **Name:** fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- **Name:** filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true

```

    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-name'

  '204':
    Description: No Content
    Content: {}

  '400':
    Description: Bad Request
    Content: {}

  '401':
    Description: Unauthorized
    Content: {}

  '404':
    Description: Not Found
    Content: {}

  '405':
    Description: Method Not Allowed
    Content: {}

  '409':
    Description: Conflict
    Content: {}

security:
  - basicAuth: []

put:

Tags:
  - data
  - put

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_put

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
 - **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
 - **Name:** insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - first
 - last
 - before
 - after
 - Default:** first
 - **Name:** point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- Request Body:**
Content:
 application/yang-data+json:
Schema:
Reference:
 '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_event_event-event-name'

Required/Optional: true

Responses:

'201':
 Description: list event created or replaced
 Content: {}
'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: event

delete:

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_delete

Parameters:

- **Name:** subscriber-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- **Name:** event-event-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: enumeration

```
enum:  
- session-activate  
Default: session-activate
```

```
Responses:  
'204':  
  Description: No Content  
  Content: {}  
security:  
- basicAuth: []
```

```
options:
```

```
Tags:  
- data  
- options
```

```
Operation ID:
```

```
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_options
```

```
Parameters:
```

```
- Name: subscriber-name  
  In: path  
  Required/Optional: true  
  Style: simple  
  Explode: false  
  Schema:  
    Type: string  
    Format: string  
- Name: event-event-name  
  In: path  
  Required/Optional: true  
  Style: simple  
  Explode: false  
  Schema:  
    Type: string  
    Format: enumeration  
    enum:  
    - session-activate  
    Default: session-activate
```

```
Responses:  
'200':  
  Description: OK  
  Content: {}  
security:  
- basicAuth: []
```

```
head:
```

```
Tags:  
- data  
- head
```

```
Operation ID:
```

```
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_head
```

```
Parameters:
```

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** event-event-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter

In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_patch

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

```

    Type: string
    Format: enumeration
    enum:
    - session-activate
    Default: session-activate
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name'

Required/Optional: true

Responses:
'204':
  Description: list event updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: event

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/event-name

get:

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_event_name_get

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple

```


Explode: false
Schema:
 Type: string
 Format: string

- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - session-activate
 Default: session-activate

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form

```

    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_event-name'

  '204':
    Description: No Content
    Content: {}

  '400':
    Description: Bad Request
    Content: {}

  '401':
    Description: Unauthorized
    Content: {}

  '404':
    Description: Not Found
    Content: {}

  '405':
    Description: Method Not Allowed
    Content: {}

  '409':
    Description: Conflict
    Content: {}

security:
  - basicAuth: []

put:

Tags:
  - data

```

- put

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_event_name_put

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** event-event-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: enumeration

enum:

- session-activate

Default: session-activate

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_event-name'

Required/Optional: true

Responses:

'201':

Description: leaf event-name created or replaced

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

```

    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: event-name
delete:

Tags:
  - data
  - delete
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_event_name_delete

Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: event-event-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      enum:
        - session-activate
      Default: session-activate

Responses:
  '204':
    Description: No Content
    Content: {}
security:
  - basicAuth: []
options:

Tags:
  - data
  - options
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_event_name_options

Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false

```

```

    Schema:
      Type: string
      Format: string
  - Name: event-event-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      enum:
        - session-activate
      Default: session-activate

  Responses:
    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head

  Operation ID:
  data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_event_name_head

  Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: event-event-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      enum:
        - session-activate
      Default: session-activate
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false

```

Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

```

Responses:
  '200':
    Description: OK
    Content: {}
    security:
      - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_event_name_patch

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - session-activate
    Default: session-activate
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_event-name'

    Required/Optional: true

Responses:
  '204':
    Description: leaf event-name updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}

```

```

    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: event-name

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/aaa

options:

```

Tags:
- data
- options

```

Operation ID:

```
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_options
```

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
    - session-activate
    Default: session-activate

```

Responses:

```

'200':
  Description: OK
  Content: {}
  security:
  - basicAuth: []

```


/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/aaa={aaa-aaa-option},{aaa-profile}

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_get

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - authenticate
 - authorize
 - Default:** authenticate
- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref
- **Name:** content

- In:** query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit

- report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile'

'204':
Description: No Content
Content: {}
 '400':
Description: Bad Request
Content: {}
 '401':
Description: Unauthorized
Content: {}
 '404':
Description: Not Found
Content: {}
 '405':
Description: Method Not Allowed
Content: {}
 '409':
Description: Conflict
Content: {}

security:

- basicAuth: []

put:**Tags:**

- data
 - put

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_put

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
 - **Name:** event-event-name
In: path
Required/Optional: true

Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - session-activate
 Default: session-activate
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - authenticate
 - authorize
 Default: authenticate
- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: leafref
- **Name:** insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - first
 - last
 - before
 - after
 Default: first
- **Name:** point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile'

Required/Optional: true

Responses:

'201':

Description: list aaa created or replaced

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: aaa

delete:

Tags:

- data
 - delete

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_delete

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** event-event-name

In: path

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - session-activate
 Default: session-activate
 - **Name:** aaa-aaa-option
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: enumeration
 enum:
 - authenticate
 - authorize
 Default: authenticate
 - **Name:** aaa-profile
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: leafref

Responses:
 '204':
 Description: No Content
 Content: {}

security:
 - **basicAuth:** []

options:

Tags:
 - data
 - options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_options

Parameters:
 - **Name:** subscriber-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string

```

    Format: string
  - Name: event-event-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      enum:
        - session-activate
      Default: session-activate
  - Name: aaa-aaa-option
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      enum:
        - authenticate
        - authorize
      Default: authenticate
  - Name: aaa-profile
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: leafref

```

```

Responses:
  '200':
    Description: OK
    Content: {}
security:
  - basicAuth: []

```

head:

```

Tags:
  - data
  - head

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_head

```

Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple

```

```

Explode: false
Schema:
  Type: string
  Format: string
- Name: event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  enum:
    - session-activate
  Default: session-activate
- Name: aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  enum:
    - authenticate
    - authorize
  Default: authenticate
- Name: aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: leafref
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
    - config
    - nonconfig
    - all
  Default: config
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false

```



```

Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_patch

```

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - authenticate
 - authorize
 - Default:** authenticate
- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile'
```

Required/Optional: true**Responses:****'204':****Description:** list aaa updated**Content:** {}

```

'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: aaa

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/aaa={aaa-aaa-option},{aaa-profile}/aaa-option

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_get

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
- **Name:** aaa-aaa-option

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  enum:
    - authenticate
    - authorize
  Default: authenticate
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter

```

In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'

'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':
Description: Method Not Allowed
Content: {}
'409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_put

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
 - **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
 - **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - authenticate
 - authorize
 - Default:** authenticate
 - **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref
- Request Body:**
- Content:**
- application/yang-data+json:
- Schema:**

Reference:

```
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'
```

Required/Optional: true

Responses:

'201':

Description: leaf aaa-option created or replaced

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: aaa-option

delete:

Tags:

- data
- delete

Operation ID:

```
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_delete
```

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** event-event-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string
Format: enumeration
enum:
 - session-activate
Default: session-activate

- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

Type: string
Format: enumeration
enum:
 - authenticate
 - authorize
Default: authenticate

- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: leafref

Responses:

'204':
Description: No Content
Content: {}

security:
 - **basicAuth:** []

options:**Tags:**

- data
 - options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
 - **Name:** event-event-name
In: path


```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  enum:
    - session-activate
  Default: session-activate
- Name: aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  enum:
    - authenticate
    - authorize
  Default: authenticate
- Name: aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: leafref

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
  - data
  - head
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_head

Parameters:
- Name: subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string

```

```
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - session-activate
    Default: session-activate
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - authenticate
      - authorize
    Default: authenticate
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

```

    Type: integer
    Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_patch

Parameters:

```

- Name: subscriber-name
  In: path

```

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  enum:
  - session-activate
  Default: session-activate
- Name: aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  enum:
  - authenticate
  - authorize
  Default: authenticate
- Name: aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: leafref

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
    Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'
```

```
Required/Optional: true
```

Responses:

```

'204':
  Description: leaf aaa-option updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}

```

```

'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: aaa-option

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/aaa={aaa-aaa-option},{aaa-profile}/profile

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_profile_get

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - session-activate
    Default: session-activate
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple

```

Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - authenticate
 - authorize
 Default: authenticate

- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: leafref

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false

```

    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_profile'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
put:

Tags:

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/aaa={aaa-aaa-option}/{aaa-profile}/profile

- data
- put

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_profile_put

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - authenticate
 - authorize
 - Default:** authenticate
- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_event_event-event_name_aaa_aaa-aaa-option_aaa-profile_profile'

Required/Optional: true

Responses:

'201':
Description: leaf profile created or replaced
Content: {}

'204':
Description: No Content
Content: {}

'400':
Description: Bad Request
Content: {}

'401':
Description: Unauthorized
Content: {}

'404':
Description: Not Found
Content: {}

'405':
Description: Method Not Allowed
Content: {}

'409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: profile

delete:

Tags:

- data
 - delete

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_profile_delete

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration

```

    enum:
      - session-activate
    Default: session-activate
  - Name: aaa-aaa-option
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      enum:
        - authenticate
        - authorize
      Default: authenticate
  - Name: aaa-profile
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: leafref

```

Responses:

```

'204':
  Description: No Content
  Content: {}

```

security:

```

- basicAuth: []

```

options:**Tags:**

```

- data
- options

```

Operation ID:

```

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_profile_options

```

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false

```

Schema:

Type: string
Format: enumeration
enum:
 - session-activate
Default: session-activate

- **Name:** aaa-aaa-option

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string
Format: enumeration
enum:
 - authenticate
 - authorize
Default: authenticate

- **Name:** aaa-profile

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string
Format: leafref

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
 - head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_profile_head

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string
Format: string

- **Name:** event-event-name

In: path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  enum:
    - session-activate
  Default: session-activate
- Name: aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  enum:
    - authenticate
    - authorize
  Default: authenticate
- Name: aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: leafref
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
    - config
    - nonconfig
    - all
  Default: config
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields

```

```

In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_profile_patch

Parameters:
- Name: subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false

```

```

Schema:
  Type: string
  Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - session-activate
    Default: session-activate
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - authenticate
      - authorize
    Default: authenticate
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_profile'
```

```
Required/Optional: true
```

Responses:

```

'204':
  Description: leaf profile updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}

```

```

'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: profile

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/c

options:

```

Tags:
- data
- options

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_deactivate_feature_templates_options

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - session-activate
    Default: session-activate

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

```

security:
- basicAuth: []

```

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/deactivate-feature-templates={deactivate-feature-templates-id}
: get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_name_deactivate_feature_templates_deactivate_feature_templates_id_get

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
- **Name:** deactivate-feature-templates-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

#!/components/schemas/data_cnbng-cp:profile_subscriber_subscriber-name_event_event-event-name_deactivate-feature-templates_deactivate-feature-templates-id'

'204':
Description: No Content

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_crbng_cp_profile_subscriber_subscriber_name_event_event_event_name_deactivate_feature_templates_deactivate_feature_templates_id_put

```

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
- **Name:** deactivate-feature-templates-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

```

    Type: string
    Format: leafref
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - first
    - last
    - before
    - after
    Default: first
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
    Reference:
    '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_deactivate-feature-templates_deactivate-feature-templates-id'

Required/Optional: true

Responses:
'201':
  Description: leaf-list deactivate-feature-templates created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed

```

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: deactivate-feature-templates
delete:

Tags:
- data
- delete
Operation ID:
data_cring_cp_profile_subscriber_subscriber_name_event_event_event_name_deactivate_feature_templates_deactivate_feature_templates_id_delete

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
    - session-activate
    Default: session-activate
- Name: deactivate-feature-templates-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref

Responses:
'204':
  Description: No Content
  Content: {}
  security:
  - basicAuth: []
options:

```

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_deactivate_feature_templates_deactivate_feature_templates_id_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
- **Name:** deactivate-feature-templates-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_deactivate_feature_templates_deactivate_feature_templates_id_head

Parameters:

- **Name:** subscriber-name
In: path

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** event-event-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: enumeration
 enum:
 - session-activate
 Default: session-activate
- **Name:** deactivate-feature-templates-id
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: leafref
- **Name:** content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- **Name:** depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- **Name:** fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false

```

    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_deactivate_feature_templates_deactivate_feature_templates_id_patch

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

```

- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - session-activate
    Default: session-activate
- Name: deactivate-feature-templates-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_deactivate-feature-templates_deactivate-feature-templates-id'
      Required/Optional: true
Responses:
  '204':
    Description: leaf-list deactivate-feature-templates updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: deactivate-feature-templates

```


/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/a

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_activate_feature_templates_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/activate-feature-templates={activate-feature-templates-id}

: get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_activate_feature_templates_activate_feature_templates_id_get

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  enum:
    - session-activate
  Default: session-activate
- Name: activate-feature-templates-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: leafref
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
    - config
    - nonconfig
    - all
  Default: config
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form

```

Explode: true
Schema:
 Type: string
 Format: string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_activate-feature-templates_activate-feature-templates-id'

'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}

'409':
Description: Conflict
Content: {}

security:
 - **basicAuth:** []

put:

Tags:

- data
 - put

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_activate_feature_templates_activate_feature_templates_id_put

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** event-event-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: enumeration

enum:

- session-activate

Default: session-activate

- **Name:** activate-feature-templates-id

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: leafref

- **Name:** insert

In: query

Description: controlling the order when adding new list elements

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- first

```

- last
- before
- after
  Default: first
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_activate-feature-templates_activate-feature-templates-id'
    Required/Optional: true

Responses:
  '201':
    Description: leaf-list activate-feature-templates created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: activate-feature-templates
delete:

Tags:
- data
- delete
Operation ID:

```

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_activate_feature_templates_activate_feature_templates_id_delete

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
enum:
- session-activate
Default: session-activate
- **Name:** activate-feature-templates-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: leafref

Responses:

'204':
Description: No Content
Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_activate_feature_templates_activate_feature_templates_id_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

```

    Type: string
    Format: string
  - Name: event-event-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      enum:
        - session-activate
      Default: session-activate
  - Name: activate-feature-templates-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: leafref

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

head:**Tags:**

```

- data
- head

```

Operation ID:

data_crbng_cp_profile_subscriber_subscriber_name_event_event_event_name_activate_feature_templates_activate_feature_templates_id_head

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

- Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
- **Name:** activate-feature-templates-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** leafref
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string

Format: string

- **Name:** with-defaults
- In:** query
- Description:** controlling default values in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

- '200':
 - Description:** OK
 - Content:** {}
- security:**
 - **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID:

data_cring_cp_profile_subscriber_subscriber_name_event_event_event_name_activate_feature_templates_activate_feature_templates_id_patch

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** event-event-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
- **Name:** activate-feature-templates-id
 - In:** path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: leafref
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_activate-feature-templates_activate-feature-templates-id'

Required/Optional: true

Responses:
  '204':
    Description: leaf-list activate-feature-templates updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: activate-feature-templates

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/ap

```

get:

Tags:
  - data
  - get
Operation ID:
  data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_apply_all_class_get

Parameters:
  - Name: subscriber-name
    In: path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** event-event-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: enumeration
 enum:
 - session-activate
 Default: session-activate
- **Name:** content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- **Name:** depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- **Name:** fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- **Name:** filter
 In: query
 Description: xpath expression to filter data nodes in response

```

    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_apply-all-class'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
put:

```

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_apply_all_class_put

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - session-activate
 Default: session-activate

Request Body:

- Content:**
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_apply-all-class'

- Required/Optional:** true

Responses:

- '201':
 Description: leaf apply-all-class created or replaced
 Content: {}
- '204':
 Description: No Content
 Content: {}
- '400':
 Description: Bad Request
 Content: {}
- '401':
 Description: Unauthorized
 Content: {}
- '404':
 Description: Not Found
 Content: {}
- '405':

```

    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: apply-all-class
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_apply_all_class_delete

```

```

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
    - session-activate
    Default: session-activate

```

```

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_apply_all_class_options

```

```

Parameters:

```

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_apply_all_class_head

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**

- session-activate
Default: session-activate
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration


```

    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

```

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []

```

patch:

```

Tags:
  - data
  - patch

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_apply_all_class_patch

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - session-activate
    Default: session-activate

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_event_event-event-name_apply-all-class'

```

Required/Optional: true

```

Responses:

```

'204':
  Description: leaf apply-all-class updated

```

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: apply-all-class

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate

Responses:
 '200':
 Description: OK
 Content: {}
security:
 - basicAuth: []

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_get

Parameters:

- **Name:** subscriber-name
 In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** event-event-name
 In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - session-activate
 Default: session-activate
- **Name:** class-class-name
 In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** content
 In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form

Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

```

    '200':
      Description: OK
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name'

    '204':
      Description: No Content
      Content: {}

    '400':
      Description: Bad Request
      Content: {}

    '401':
      Description: Unauthorized
      Content: {}

    '404':
      Description: Not Found
      Content: {}

    '405':
      Description: Method Not Allowed
      Content: {}

    '409':
      Description: Conflict
      Content: {}

  security:
    - basicAuth: []

  put:

    Tags:
      - data
      - put

    Operation ID:
      data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_put

  Parameters:
    - Name: subscriber-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
    - Name: event-event-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string

```

```

    Format: enumeration
    enum:
    - session-activate
    Default: session-activate
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - first
  - last
  - before
  - after
  Default: first
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string

```

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name'
```

Required/Optional: true**Responses:**

'201':

Description: list class created or replaced**Content:** {}

'204':

Description: No Content**Content:** {}

'400':

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: class
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_delete

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - session-activate
    Default: session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

Format: string

Responses:

'204':

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_options

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** event-event-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: enumeration

enum:

- session-activate

Default: session-activate

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_head

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}

security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_patch

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** event-event-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Request Body:

- Content:**
 - application/yang-data+json:**
 - Schema:**
 - Reference:**

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name'

Required/Optional: true

Responses:

- '204':
 - Description:** list class updated
 - Content:** {}
- '400':
 - Description:** Bad Request
 - Content:** {}
- '401':
 - Description:** Unauthorized
 - Content:** {}
- '404':
 - Description:** Not Found
 - Content:** {}
- '405':

```

    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: class

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class-name

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_class_name_get

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** event-event-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: enumeration

enum:

- session-activate

Default: session-activate

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:**'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_class-name'
```

'204':**Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:****- basicAuth:** []**put:****Tags:****- data****- put****Operation ID:**

```
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_class_name_put
```

Parameters:**- Name:** subscriber-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** event-event-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false

```

Schema:
  Type: string
  Format: enumeration
  enum:
    - session-activate
  Default: session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_class-name'

      Required/Optional: true

Responses:
  '201':
    Description: leaf class-name created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: class-name
delete:

Tags:
- data
- delete

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_class_name_delete

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

'204':
Description: No Content
Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_class_name_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false


```

Schema:
  Type: string
  Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - session-activate
    Default: session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_class_name_head

```

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

- Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**

Type: string
Format: string
Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:
'200':
Description: OK
Content: {}

security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_class_name_patch

Parameters:

Name: subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
Name: event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
enum:
 - session-activate
Default: session-activate
Name: class-class-name

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_class-name'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf class-name updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: class-name

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches

get:

```

  Tags:
    - data
    - get
  Operation ID:
    data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_get

  Parameters:
    - Name: subscriber-name

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - session-activate
 Default: session-activate

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches'

'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':

```

    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_put

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
    - session-activate
    Default: session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches'

Required/Optional: true

```

Responses:

```

'201':
  Description: container matches created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

security:

```
- basicAuth: []
```

```
x-codegen-request-body-name: matches
```

```
Method: Post
```

Tags:

```
- data
- post
```

Operation ID:

```
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_post
```

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
  enum:
    - session-activate

```



```

    Default: session-activate
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches-post'

    Required/Optional: true

  Responses:
    '201':
      Description: container matches created
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: matches
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_delete

  Parameters:

```

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

- '204':
 - Description:** No Content
 - Content:** {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name

```
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  enum:
    - session-activate
  Default: session-activate
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head

Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_head
```

Parameters:

```
- Name: subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  enum:
    - session-activate
```

- Default:** session-activate
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_patch

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** event-event-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: enumeration

enum:

- session-activate

Default: session-activate

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

```

Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches'

Required/Optional: true

Responses:
  '204':
    Description: container matches updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: matches

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match

options:

```

Tags:
- data
- options

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_options

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false

```

```

    Schema:
      Type: string
      Format: string
  - Name: event-event-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      enum:
        - session-activate
      Default: session-activate
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
?
/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}
: get:

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_get

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple

```

```
Explode: false
Schema:
  Type: string
  Format: enumeration
  enum:
    - session-activate
  Default: session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
    Default: dhcpv4-circuit-id
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
```


In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key'

'204':
Description: No Content
Content: {}

'400':
Description: Bad Request
Content: {}

'401':
Description: Unauthorized
Content: {}

'404':
Description: Not Found

```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

```

Tags:

```

- data
- put

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_put

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - session-activate
    Default: session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

```

    Format: enumeration
    enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
    Default: dhcpv4-circuit-id
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - first
    - last
    - before
    - after
    Default: first
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
    Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key'
```

```
Required/Optional: true
```

Responses:

```

'201':
  Description: list match created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':

```

```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: match
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

```

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_delete

```

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - session-activate
    Default: session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false

```

Schema:

Type: string
Format: enumeration
enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
Default: dhcpv4-circuit-id

Responses:**'204':****Description:** No Content**Content:** {}**security:**- **basicAuth:** []**options:****Tags:**- data
- options**Operation ID:**

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
enum:
 - session-activate
Default: session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** match-key

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 Default: dhcpv4-circuit-id

Responses:

'200':
 Description: OK
 Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_head

Parameters:

- **Name:** subscriber-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

- **Name:** event-event-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: enumeration
 enum:
 - session-activate
 Default: session-activate

- **Name:** class-class-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false

Schema:
Type: string
Format: string

- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class**Default:** dhcpv4-circuit-id
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
 - config
 - nonconfig
 - all**Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false

Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_patch

Parameters:

- Name: subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- Name: event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:


```

    - session-activate
      Default: session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
    Default: dhcpv4-circuit-id

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key'

```

```

Required/Optional: true

```

Responses:

```

'204':
  Description: list match updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

```

security:

```

```

- basicAuth: []
x-codegen-request-body-name: match
?
/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}/key
: get:

Tags:
- data
- get

Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_key_get

```

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - session-activate
 Default: session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class

Default: dhcpv4-circuit-id

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**

```

- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_key'
```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

security:

```

- basicAuth: []

```

put:**Tags:**

```

- data
- put

```

Operation ID:

```

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_key_put
```

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name

```

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  enum:
    - session-activate
  Default: session-activate
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
  Default: dhcpv4-circuit-id

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_key'

```

```

Required/Optional: true

```

Responses:

```

'201':
  Description: leaf key created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized

```

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: key
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_key_delete

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - session-activate
    Default: session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true

```

Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 Default: dhcpv4-circuit-id

Responses:

'204':
 Description: No Content
 Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_key_options

Parameters:

- **Name:** subscriber-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

- **Name:** event-event-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: enumeration
 enum:
 - session-activate
 Default: session-activate

- **Name:** class-class-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string

Format: string

- **Name:** match-key
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 - Default:** dhcpv4-circuit-id

Responses:

'200':

- Description:** OK
- Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_key_head

Parameters:

- **Name:** subscriber-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string
- **Name:** event-event-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
- **Name:** class-class-name
- In:** path
- Required/Optional:** true


```
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
    Default: dhcpv4-circuit-id
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
```

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all

- trim

- explicit

- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data

- patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_key_patch

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** event-event-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

```

    Format: enumeration
    enum:
    - session-activate
    Default: session-activate
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  enum:
  - dhcpv4-circuit-id
  - dhcpv4-remote-id
  - dhcpv4-vendor-class
  - dhcpv4-user-class
  Default: dhcpv4-circuit-id

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_key'

```

```

Required/Optional: true

```

Responses:

```

'204':
  Description: leaf key updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict

```

```

    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: key
?
/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}/type
: options:

Tags:
- data
- options
Operation ID:
data_crbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_type_options

```

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - dhcpv4-circuit-id

```

- dhcpv4-remote-id
- dhcpv4-vendor-class
- dhcpv4-user-class
Default: dhcpv4-circuit-id

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

?

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}/type={type-id}

```

: **get:****Tags:**

```

- data
- get

```

Operation ID:

```

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_type_type_id_get

```

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - session-activate
    Default: session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple

```

Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 Default: dhcpv4-circuit-id

- **Name:** type-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - dhcp
 - ppp
 Default: dhcp

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string

```

    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_type_type-id'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

security:
 - **basicAuth:** []
put:

Tags:

- data
 - put

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_type_type_id_put

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 - Default:** dhcpv4-circuit-id
- **Name:** type-id


```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  enum:
  - dhcp
  - ppp
  Default: dhcp
- Name: insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - first
  - last
  - before
  - after
  Default: first
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_type_type-id'
Required/Optional: true

Responses:
'201':
  Description: leaf-list type created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request

```

```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: type
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

data_crbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_type_type_id_delete

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - session-activate
    Default: session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

- **Name:** match-key
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 - Default:** dhcpv4-circuit-id
- **Name:** type-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - dhcp
 - ppp
 - Default:** dhcp

Responses:

'204':

Description: No Content**Content:** {}**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cring_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_type_type_id_options

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** event-event-name
 - In:** path
 - Required/Optional:** true

Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - session-activate
 Default: session-activate

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 Default: dhcpv4-circuit-id

- **Name:** type-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - dhcp
 - ppp
 Default: dhcp

Responses:
 '200':
 Description: OK
 Content: {}
security:
 - **basicAuth:** []

head:

Tags:
- data
- head

Operation ID:

data_cring_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_type_type_id_head

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - session-activate
 Default: session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 Default: dhcpv4-circuit-id
- **Name:** type-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string

- Format:** enumeration
 - enum:**
 - dhcp
 - ppp
 - Default:** dhcp
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true

Schema:

Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
 - patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_type_type_id_patch

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
enum:
 - session-activate
Default: session-activate

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** match-key

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
Default: dhcpv4-circuit-id

- **Name:** type-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
enum:
 - dhcp
 - ppp
Default: dhcp

Request Body:

Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data-cnbng-cp:profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_type_type-id'

Required/Optional: true

Responses:

'204':
Description: leaf-list type updated
Content: {}
 '400':
Description: Bad Request
Content: {}
 '401':
Description: Unauthorized
Content: {}
 '404':
Description: Not Found
Content: {}
 '405':
Description: Method Not Allowed
Content: {}
 '409':
Description: Conflict
Content: {}


```

security:
- basicAuth: []
x-codegen-request-body-name: type
?
/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}/ascii
: options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_ascii_options

```

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - session-activate
 Default: session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id

- dhcpv4-vendor-class
- dhcpv4-user-class

Default: dhcpv4-circuit-id

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}/ascii={ascii-id}

: get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_ascii_ascii_id_get

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
enum:
 - session-activate**Default:** session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple

```

Explode: false
Schema:
  Type: string
  Format: enumeration
  enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
  Default: dhcpv4-circuit-id
- Name: ascii-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response

```

```

    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_ascii_ascii-id'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
put:

```

Tags:

- data
- put

Operation ID:

data_cring_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_ascii_ascii_id_put

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 - Default:** dhcpv4-circuit-id
- **Name:** ascii-id
In: path
Required/Optional: true
Style: simple

```

Explode: false
Schema:
  Type: string
  Format: string
- Name: insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - first
  - last
  - before
  - after
  Default: first
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_ascii_ascii-id'
```

```

Required/Optional: true
```

Responses:

```

'201':
  Description: leaf-list ascii created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
```

```

'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ascii
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_ascii_ascii_id_delete

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - session-activate
    Default: session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

Format: enumeration
enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
Default: dhcpv4-circuit-id
- **Name:** ascii-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:
 '204':
Description: No Content
Content: {}
security:
 - **basicAuth:** []

options:

Tags:
 - data
 - options

Operation ID:

data_cpbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_ascii_ascii_id_options

Parameters:
- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: enumeration
enum:
 - session-activate
Default: session-activate
- **Name:** class-class-name
In: path
Required/Optional: true


```

    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: match-key
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      enum:
        - dhcpv4-circuit-id
        - dhcpv4-remote-id
        - dhcpv4-vendor-class
        - dhcpv4-user-class
      Default: dhcpv4-circuit-id
  - Name: ascii-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head

Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_ascii_ascii_id_head

Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: event-event-name
    In: path

```

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  enum:
    - session-activate
  Default: session-activate
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
  Default: dhcpv4-circuit-id
- Name: ascii-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
    - config
    - nonconfig
    - all
  Default: config

```

- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

patch:

Tags:

- data

- patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_ascii_ascii_id_patch

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 - Default:** dhcpv4-circuit-id
- **Name:** ascii-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

```

    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_ascii_ascii-id'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf-list ascii updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: ascii
?
/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}/regex
: options:

  Tags:
  - data
  - options
  Operation ID:
    data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_regex_options

  Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

```

- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 - Default:** dhcpv4-circuit-id

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}/regex={regex-id}

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_regex_regex_id_get

Parameters:

- **Name:** subscriber-name
In: path

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - session-activate
 Default: session-activate

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 Default: dhcpv4-circuit-id

- **Name:** regex-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form

Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:


```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_regex_regex-id'

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_regex_regex-id_put

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

- Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** match-key
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 - Default:** dhcpv4-circuit-id
- **Name:** regex-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** insert
 - In:** query
 - Description:** controlling the order when adding new list elements
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - first
 - last
 - before
 - after
 - Default:** first
- **Name:** point
 - In:** query
 - Description:** used to specify the insertion point
 - Required/Optional:** false

```

    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_regex_regex-id'

      Required/Optional: true

    Responses:
      '201':
        Description: leaf-list regex created or replaced
        Content: {}
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: regex
  delete:

    Tags:
      - data
      - delete
    Operation ID:
      data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_regex_regex-id_delete

    Parameters:
      - Name: subscriber-name
        In: path
        Required/Optional: true
        Style: simple

```

```
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: event-event-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      enum:
        - session-activate
      Default: session-activate
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: match-key
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      enum:
        - dhcpv4-circuit-id
        - dhcpv4-remote-id
        - dhcpv4-vendor-class
        - dhcpv4-user-class
      Default: dhcpv4-circuit-id
  - Name: regex-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:
```

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_regex_regex_id_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 - Default:** dhcpv4-circuit-id
- **Name:** regex-id
In: path
Required/Optional: true
Style: simple

Explode: false
Schema:
 Type: string
 Format: string

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

head:

Tags:
- data
- head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_regex_regex_id_head

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - session-activate
 Default: session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** match-key
In: path
Required/Optional: true
Style: simple
Explode: false

Schema:
Type: string
Format: enumeration
enum:
- dhcpv4-circuit-id
- dhcpv4-remote-id
- dhcpv4-vendor-class
- dhcpv4-user-class
Default: dhcpv4-circuit-id

- **Name:** regex-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
- config
- nonconfig
- all
Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false

Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_regex_regex_id_patch

Parameters:

- Name: subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- Name: event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:


```

    - session-activate
      Default: session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
    Default: dhcpv4-circuit-id
- Name: regex-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

```

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_regex_regex-id'

```

Required/Optional: true**Responses:**

'204':

Description: leaf-list regex updated**Content:** {}

'400':

Description: Bad Request**Content:** {}

'401':

Description: Unauthorized**Content:** {}

'404':

Description: Not Found

```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: regex

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match-type

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_type_get

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** event-event-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content

In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit

- report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match-type'

'204':
Description: No Content
Content: {}
 '400':
Description: Bad Request
Content: {}
 '401':
Description: Unauthorized
Content: {}
 '404':
Description: Not Found
Content: {}
 '405':
Description: Method Not Allowed
Content: {}
 '409':
Description: Conflict
Content: {}

security:

- basicAuth: []

put:

Tags:

- data
 - put

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_type_put

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
 - **Name:** event-event-name
In: path
Required/Optional: true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  enum:
    - session-activate
  Default: session-activate
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match-type'
    Required/Optional: true

Responses:
  '201':
    Description: leaf match-type created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: match-type
delete:

```

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_type_delete

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

- '204':
 - Description:** No Content
 - Content:** {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_type_options

Parameters:

- **Name:** subscriber-name
In: path

```

    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: event-event-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      enum:
        - session-activate
      Default: session-activate
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head

Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_type_head

```

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true

```

Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - session-activate
 Default: session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false


```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

```

```

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []

```

patch:

```

Tags:
- data
- patch

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_type_patch

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:

```

```

    - session-activate
      Default: session-activate
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match-type'

      Required/Optional: true

Responses:
  '204':
    Description: leaf match-type updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: match-type
?
/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/deactivate-feature-templates
: options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_deactivate_feature_templates_options

Parameters:

```

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/deactivate-feature-templates={deactivate-feature-templates-id}

: get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_deactivate_feature_templates_deactivate_feature_templates_id_get

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string

- Format:** string
- **Name:** event-event-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** deactivate-feature-templates-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** leafref
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields

In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

~~"/comments/steps/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/activate-feature-templates/activate-feature-templates-id"~~

'204':
Description: No Content
Content: {}

'400':
Description: Bad Request
Content: {}

'401':
Description: Unauthorized
Content: {}

'404':
Description: Not Found

```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_deactivate_feature_templates_deactivate_feature_templates_id.put

```

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** deactivate-feature-templates-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string

Format: leafref

- **Name:** insert

In: query

Description: controlling the order when adding new list elements

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- first
- last
- before
- after

Default: first

- **Name:** point

In: query

Description: used to specify the insertion point

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

[#/components/schemas/data-cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/deactivate-feature-templates/deactivate-feature-templates-id](#)

Required/Optional: true**Responses:**

'201':

Description: leaf-list deactivate-feature-templates created or replaced**Content:** {}

'204':

Description: No Content**Content:** {}

'400':

Description: Bad Request**Content:** {}

'401':

Description: Unauthorized**Content:** {}

'404':

Description: Not Found**Content:** {}

'405':

Description: Method Not Allowed**Content:** {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: deactivate-feature-templates

delete:

Tags:

- data
- delete

Operation ID:

data_cpbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_deactivate_feature_templates_deactivate_feature_templates_id_delete

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** event-event-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: enumeration

enum:

- session-activate

Default: session-activate

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** deactivate-feature-templates-id

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: leafref

Responses:


```

    '204':
      Description: No Content
      Content: {}
      security:
      - basicAuth: []
  options:

```

Tags:

```

- data
- options

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_deactivate_feature_templates_deactivate_feature_templates_id_options

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
    - session-activate
    Default: session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: deactivate-feature-templates-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref

```

Responses:

```

'200':

```

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data

- head

Operation ID:

data_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_deactivate_feature_templates_deactivate_feature_templates_id_head

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** event-event-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: enumeration

enum:

- session-activate

Default: session-activate

- **Name:** class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** deactivate-feature-templates-id

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: leafref

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- basicAuth: []

patch:**Tags:**- data
- patch**Operation ID:**

data_cpbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_deactivate_feature_templates_deactivate_feature_templates_id_patch

Parameters:- **Name:** subscriber-name

In: path

Required/Optional: true**Style:** simple**Explode:** false**Schema:**

Type: string

Format: string

- **Name:** event-event-name

In: path

Required/Optional: true**Style:** simple**Explode:** false**Schema:**

Type: string

Format: enumeration

enum:

- session-activate

Default: session-activate- **Name:** class-class-name

In: path

Required/Optional: true**Style:** simple**Explode:** false**Schema:**

Type: string

Format: string

- **Name:** deactivate-feature-templates-id

In: path

Required/Optional: true**Style:** simple**Explode:** false**Schema:**

Type: string

Format: leafref

Request Body:

Content:

application/yang-data+json:**Schema:****Reference:**

#/comments/stanzas/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/deactivate-feature-templates {deactivate-feature-templates-id}

Required/Optional: true**Responses:****'204':****Description:** leaf-list deactivate-feature-templates updated**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:****- basicAuth:** []**x-codegen-request-body-name:** deactivate-feature-templates

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/activate-feature-templates

: options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_activate_feature_templates_options

Parameters:**- Name:** subscriber-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** event-event-name**In:** path**Required/Optional:** true**Style:** simple

Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - session-activate
 Default: session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/activate-feature-templates={activate-feature-templates-id}
: get:

Tags:
- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_name_class_class_name_activate_feature_templates_activate_feature_templates_id_get

Parameters:
- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - session-activate
 Default: session-activate

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** activate-feature-templates-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false

Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

"/components/schemas/data-cnbng-cp:profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_activate-feature-templates_activate-feature-templates-id"

'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}

security:
 - **basicAuth:** []

put:

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id.put

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** activate-feature-templates-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref
- **Name:** insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - first

```

    - last
    - before
    - after
    Default: first
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
    Type: string
    Format: string
Request Body:
Content:
    application/yang-data+json:
    Schema:
    Reference:
    '#comets/streams/data-cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/activate-feature-templates/activate-feature-templates-id'
Required/Optional: true

Responses:
  '201':
    Description: leaf-list activate-feature-templates created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: activate-feature-templates
delete:

Tags:
- data
- delete
Operation ID:

```

data_crbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id_delete

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** activate-feature-templates-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref

Responses:

'204':

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_crbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - session-activate
 Default: session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** activate-feature-templates-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: leafref

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_crbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id_head

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** event-event-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** activate-feature-templates-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** leafref
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth

```

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
  - data
  - patch

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_name_class_class_name_activate_feature_templates_activate_feature_templates_id_patch

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** activate-feature-templates-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

"/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_event_event_name_class_class_name_activate_feature_templates_activate_feature_templates_id"

Required/Optional: true

Responses:

'204':

Description: leaf-list activate-feature-templates updated

Content: {}

```

'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: activate-feature-templates

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/aaa

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
- **Name:** class-class-name

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:
 '200':
 Description: OK
 Content: {}
security:
 - **basicAuth:** []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/aaa={aaa-aaa-option},{aaa-profile}

: get:

Tags:
 - data
 - get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_get

Parameters:

- **Name:** subscriber-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

- **Name:** event-event-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: enumeration
 enum:
 - session-activate
 Default: session-activate

- **Name:** class-class-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - authenticate
 - authorize
 - Default:** authenticate
- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string

- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

- '200':
 - Description:** OK
 - Content:**
 - application/yang-data+json:**
 - Schema:**
 - Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile'
```

- '204':
 - Description:** No Content
 - Content:** {}
- '400':
 - Description:** Bad Request
 - Content:** {}
- '401':
 - Description:** Unauthorized
 - Content:** {}
- '404':
 - Description:** Not Found
 - Content:** {}
- '405':
 - Description:** Method Not Allowed
 - Content:** {}
- '409':
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []
put:

Tags:

- data
 - put

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_put

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - authenticate
 - authorize
 - Default:** authenticate
- **Name:** aaa-profile
In: path
Required/Optional: true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: leafref
- Name: insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - first
  - last
  - before
  - after
  Default: first
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile'

Required/Optional: true

Responses:
'201':
  Description: list aaa created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found

```

```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: aaa
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

```
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_delete
```

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - session-activate
    Default: session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

```

    Type: string
    Format: enumeration
    enum:
    - authenticate
    - authorize
    Default: authenticate
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []

```

options:

Tags:

```

- data
- options

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_options

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
    - session-activate
    Default: session-activate
- Name: class-class-name
  In: path
  Required/Optional: true

```

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  enum:
    - authenticate
    - authorize
  Default: authenticate
- Name: aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: leafref

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

head:**Tags:**

```

- data
- head

```

Operation ID:

```

data_cring_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_head

```

Parameters:

```

- Name: subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: event-event-name
In: path
Required/Optional: true

```


Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - session-activate
 Default: session-activate

- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - authenticate
 - authorize
 Default: authenticate

- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: leafref

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_crbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_patch

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
 - **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
 - **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
 - **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - authenticate
 - authorize
 - Default:** authenticate
 - **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** leafref
- Request Body:**
Content:

```

    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile'

    Required/Optional: true

Responses:
  '204':
    Description: list aaa updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: aaa
?
/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/aaa={aaa-aaa-option}, {aaa-profile}/aaa-option
: get:

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_get

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple

```

```
Explode: false
Schema:
  Type: string
  Format: enumeration
  enum:
    - session-activate
  Default: session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - authenticate
      - authorize
    Default: authenticate
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
```

```

Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data-cnbng-cp-profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-qtion_aaa-profile_aaa-qtion'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request

```

```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

```

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_put

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - session-activate
 Default: session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** aaa-aaa-option

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  enum:
    - authenticate
    - authorize
  Default: authenticate
- Name: aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: leafref
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data-cnbng-cp:profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'

Required/Optional: true

Responses:
'201':
  Description: leaf aaa-option created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []

```


x-codegen-request-body-name: aaa-option
delete:

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_delete

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - authenticate
 - authorize
 - Default:** authenticate
- **Name:** aaa-profile
In: path
Required/Optional: true

Style: simple
Explode: false
Schema:
 Type: string
 Format: leafref

Responses:

'204':
 Description: No Content
 Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cring_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_options

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - session-activate
 Default: session-activate
- **Name:** class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple

```

Explode: false
Schema:
  Type: string
  Format: enumeration
  enum:
  - authenticate
  - authorize
  Default: authenticate
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head

Operation ID:
data_crbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_head

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
    - session-activate
    Default: session-activate
- Name: class-class-name

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - authenticate
 - authorize
 Default: authenticate

- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: leafref

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all

- trim

- explicit

- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data

- patch

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_patch

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

```

    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - session-activate
    Default: session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - authenticate
      - authorize
    Default: authenticate
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref

```

Request Body:**Content:****application/yang-data+json:****Schema:****Reference:**

```

'#/components/schemas/data-cnbng-cp:profile_subscriber={subscriber-name}_event={event-event-name}_class={class-class-name}_aaa-aaa-option_aaa-profile_aaa-option'

```

Required/Optional: true**Responses:****'204':****Description:** leaf aaa-option updated

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: aaa-option
?
/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/aaa={aaa-aaa-option}, {aaa-profile}/profile
: get:

```

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_get

Parameters:

- **Name:** subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
- **Name:** class-class-name
In: path
Required/Optional: true

```
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - authenticate
      - authorize
    Default: authenticate
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
```



```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:

```

```

'#/components/schemas/data-cnbng-cp:profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-qtion_aaa-profile_profile'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed

```

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []

```

put:

Tags:

```

- data
- put

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_put

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - session-activate
    Default: session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
      - authenticate

```

```

    - authorize
      Default: authenticate
- Name: aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: leafref
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile'

Required/Optional: true

Responses:
  '201':
    Description: leaf profile created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: profile
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile_delete

```

Parameters:

- **Name:** subscriber-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** event-event-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - session-activate
 - Default:** session-activate
- **Name:** class-class-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** aaa-aaa-option
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - authenticate
 - authorize
 - Default:** authenticate
- **Name:** aaa-profile
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** leafref

Responses:

- '204':
 - Description:** No Content

```

    Content: {}
  security:
  - basicAuth: []
options:

```

Tags:

```

- data
- options

```

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_options

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
    - session-activate
    Default: session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    enum:
    - authenticate
    - authorize
    Default: authenticate
- Name: aaa-profile

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: leafref

Responses:

'200':
 Description: OK
 Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_head

Parameters:

- **Name:** subscriber-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

- **Name:** event-event-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: enumeration
 enum:
 - session-activate
 Default: session-activate

- **Name:** class-class-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

- **Name:** aaa-aaa-option
 In: path

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - authenticate
 - authorize
 Default: authenticate

- **Name:** aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: leafref

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all

- trim

- explicit

- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data

- patch

Operation ID:

data_cring_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_patch

Parameters:

- **Name:** subscriber-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** event-event-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string


```

    Format: enumeration
    enum:
    - session-activate
    Default: session-activate
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  enum:
  - authenticate
  - authorize
  Default: authenticate
- Name: aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: leafref

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

'#/components/schemas/data_cnbng-cp:profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile'

```

Required/Optional: true

```

Responses:

```

'204':
  Description: leaf profile updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found

```

```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: profile

```

/data/cnbng-cp:profile/feature-template

options:

```

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_feature_template_options

```

Responses:

```

'200':
  Description: OK
  Content: {}
security:
- basicAuth: []

```

/data/cnbng-cp:profile/feature-template={feature-template-name}

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_get

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form

```

Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

```

    '200':
      Description: OK
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name'
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID: data_cnbng-cp_profile_feature_template_feature_template_name_put

  Parameters:
    - Name: feature-template-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
    - Name: insert
      In: query
      Description: controlling the order when adding new list elements
      Required/Optional: false
      Style: form
      Explode: true
      Schema:
        Type: string
        Format: enumeration

```

```
    enum:
      - first
      - last
      - before
      - after
    Default: first
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name'
    Required/Optional: true

Responses:
  '201':
    Description: list feature-template created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: feature-template
delete:

Tags:
- data
- delete
```

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_delete

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

'204':
Description: No Content
Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_options

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_head

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false

```
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
```

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_patch

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name'

Required/Optional: true

Responses:

'204':

Description: list feature-template updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}


```

    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: feature-template

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/name

get:

```

  Tags:
  - data
  - get
  Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_name_get

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
      - config
      - nonconfig
      - all
      Default: config
  - Name: depth
    In: query
    Description: limit the depth of nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response

```

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_name'
'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed

```
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_name_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_name'
    Required/Optional: true

Responses:
'201':
  Description: leaf name created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
```

```
- basicAuth: []
x-codegen-request-body-name: name
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_name_delete

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_name_options

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
```

- head

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_name_head

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_name_patch

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_name'

Required/Optional: true

Responses:

'204':

Description: leaf name updated

Content: {}

'400':

Description: Bad Request

```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: name

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/vrf-name

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_vrf_name_get

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query

```

Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_vrf-name'

  '204':
    Description: No Content
    Content: {}

```



```

    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_vrf_name_put

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_vrf-name'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf vrf-name created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}

```

```

    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: vrf-name
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_vrf_name_delete

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_vrf_name_options

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:

```

Type: string
Format: string

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_vrf_name_head

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_vrf_name_patch

Parameters:

- Name: feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

```

Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_vrf-name'

      Required/Optional: true

Responses:
  '204':
    Description: leaf vrf-name updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: vrf-name

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv4

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_get

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content

```

In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit

- report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4'

'204':
Description: No Content
Content: {}
 '400':
Description: Bad Request
Content: {}
 '401':
Description: Unauthorized
Content: {}
 '404':
Description: Not Found
Content: {}
 '405':
Description: Method Not Allowed
Content: {}
 '409':
Description: Conflict
Content: {}
security:
 - basicAuth: []

put:**Tags:**

- data
 - put

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_put

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4'

Required/Optional: true

Responses:

'201':
Description: container ipv4 created or replaced
Content: {}
 '204':
Description: No Content
Content: {}
 '400':
Description: Bad Request
Content: {}
 '401':
Description: Unauthorized
Content: {}
 '404':
Description: Not Found
Content: {}
 '405':
Description: Method Not Allowed
Content: {}
 '409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: ipv4

Method: Post

Tags:

- data
 - post

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_post

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv4-post'

Required/Optional: true


```
Responses:
  '201':
    Description: container ipv4 created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ipv4
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_delete

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
```

- options

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_options

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data

- head

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_head

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config

- nonconfig

- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

```
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_patch
```

```

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4'
      Required/Optional: true

Responses:
'204':
  Description: container ipv4 updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ipv4

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv4/mtu

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_mtu_get

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_mtu'

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_mtu_put

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv4_mtu'

  Required/Optional: true

Responses:
  '201':
    Description: leaf mtu created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: mtu
delete:

  Tags:
  - data
  - delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_mtu_delete

Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false

```

Schema:

Type: string
Format: string

Responses:

'204':
Description: No Content
Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_mtu_options

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_mtu_head

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':

Description: OK **Content:** {}**security:**- **basicAuth:** []**patch:****Tags:**- data
- patch**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_mtu_patch

Parameters:- **Name:** feature-template-name **In:** path **Required/Optional:** true **Style:** simple **Explode:** false **Schema:** **Type:** string **Format:** string**Request Body:** **Content:** **application/yang-data+json:** **Schema:** **Reference:**

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_mtu'

Required/Optional: true**Responses:**

'204':

Description: leaf mtu updated **Content:** {}

'400':

Description: Bad Request **Content:** {}

'401':

Description: Unauthorized **Content:** {}

'404':

Description: Not Found **Content:** {}

'405':

Description: Method Not Allowed **Content:** {}

'409':

Description: Conflict **Content:** {}**security:**

```
- basicAuth: []
x-codegen-request-body-name: mtu
```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv4/ingress-acl

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_ingress_acl_get

Parameters:

```
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_ingress-acl'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict

```

```

    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_ingress_acl_put

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_ingress-acl'

  Required/Optional: true

  Responses:
  '201':
    Description: leaf ingress-acl created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []

```

x-codegen-request-body-name: ingress-acl
delete:

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_ingress_acl_delete

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:

'204':

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_ingress_acl_options

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_ingress_acl_head

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string

```

    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_ingress_acl_patch

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_ingress-acl'

    Required/Optional: true

Responses:
  '204':
    Description: leaf ingress-acl updated
    Content: {}
  '400':

```



```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ingress-acl

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv4/egress-acl

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_egress_acl_get

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

```
- config
- nonconfig
- all
```

Default: config

- **Name:** depth

```

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_egress-acl'

  '204':
    Description: No Content

```

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_egress_acl_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv4_egress-acl'

Required/Optional: true

Responses:
'201':
  Description: leaf egress-acl created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request

```

```
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: egress-acl
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_egress_acl_delete

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_egress_acl_options

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
```

Schema:

Type: string
Format: string

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_egress_acl_head

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_egress_acl_patch

Parameters:

- Name: feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string

```

    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_egress-acl'

  Required/Optional: true

Responses:
  '204':
    Description: leaf egress-acl updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: egress-acl

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv4/disable-un

get:

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_disable_unreachables_get

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all

- trim
- explicit
- report-all-tagged

Default: report-all

Responses:**'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv4_disable-unreachables'

'204':**Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**put:****Tags:**

- data
- put

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_disable_unreachables_put

Parameters:- **Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:**

Schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_disable-unreachables'
```

Required/Optional: true

Responses:

'201':

Description: leaf disable-unreachables created or replaced

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: disable-unreachables

delete:**Tags:**

- data
- delete

Operation ID:

```
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_disable_unreachables_delete
```

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:

'204':

Description: No Content

```
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_disable_unreachables_options

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'200':
  Description: OK
  Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_disable_unreachables_head

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
```

Format: enumeration
enum:
- config
- nonconfig
- all
Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
Description: OK
Content: {}

```

    security:
    - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_disable_unreachables_patch

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv4_disable-unreachables'

        Required/Optional: true

  Responses:
  '204':
    Description: leaf disable-unreachables updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: disable-unreachables

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv4/verify-unicast-source

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_get

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string

- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source'

'204':
Description: No Content
Content: {}

'400':
Description: Bad Request
Content: {}

'401':
Description: Unauthorized
Content: {}

'404':
Description: Not Found
Content: {}

'405':
Description: Method Not Allowed
Content: {}

'409':
Description: Conflict
Content: {}

security:

```

- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source'

    Required/Optional: true

Responses:
'201':
  Description: container verify-unicast-source created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: verify-unicast-source

```


Method: Post

Tags:

- data
- post

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_post

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_post'

Required/Optional: true

Responses:

'201':

Description: container verify-unicast-source created

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: verify-unicast-source

delete:

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_delete

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '204':
 - Description:** No Content
 - Content:** {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_options

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_head

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_patch

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source'

Required/Optional: true

Responses:

'204':
Description: container verify-unicast-source updated
Content: {}
'400':

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: verify-unicast-source

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv4/verify-unicast-source/reachable-via-rx

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_reachable_via_rx_get

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

```
- config
- nonconfig
- all
```

Default: config

- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':

Description: OK**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source_reachable-via-rx'

'204':

```

    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

```

Tags:

```

- data
- put

```

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_reachable_via_rx_put

Parameters:

```

- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source_reachable-via-rx'

```

Required/Optional: true

```

Responses:

```

'201':
  Description: leaf reachable-via-rx created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}

```

```

    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: reachable-via-rx
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_reachable_via_rx_delete

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '204':
      Description: No Content
      Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_reachable_via_rx_options

  Parameters:
  - Name: feature-template-name

```



```
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head

Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_reachable_via_rx_head
```

Parameters:

```
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

```

    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID:

```

data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_reachable_via_rx_patch

```

Parameters:

```

- Name: feature-template-name
  In: path

```

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source_reachable-via-rx'

Required/Optional: true

Responses:
  '204':
    Description: leaf reachable-via-rx updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: reachable-via-rx

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv6

get:

```

Tags:
  - data
  - get
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_get

Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true

```

Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true

Schema:

Type: string
Format: enumeration
enum:
- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6'

'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':
Description: Method Not Allowed
Content: {}
'409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_put

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string

```

    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6'
        Required/Optional: true

  Responses:
    '201':
      Description: container ipv6 created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ipv6
Method: Post

  Tags:
  - data
  - post
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_post

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:

```

```
application/yang-data+json:
  Schema:
    Reference:
      '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6-post'

    Required/Optional: true

  Responses:
    '201':
      Description: container ipv6 created
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: ipv6
delete:

  Tags:
    - data
    - delete
  Operation ID: data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_delete

  Parameters:
    - Name: feature-template-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string

  Responses:
    '204':
      Description: No Content
```

```

    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_options

```

```

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_head

```

```

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:

```


- config
- nonconfig
- all

Default: config

- **Name:** depth
- In:** query
- Description:** limit the depth of nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** integer
 - Format:** uint16

- **Name:** fields
- In:** query
- Description:** optionally identify specific data nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** string
 - Format:** string

- **Name:** filter
- In:** query
- Description:** xpath expression to filter data nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** string
 - Format:** string

- **Name:** with-defaults
- In:** query
- Description:** controlling default values in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_patch

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv6'

Required/Optional: true

Responses:

'204':

Description: container ipv6 updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: ipv6

/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv6/mtu**get:**

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_mtu_get

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true

```

    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_mtu'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
  - data
  - put

```

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_mtu_put

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_mtu'

Required/Optional: true

Responses:

'201':
Description: leaf mtu created or replaced
Content: {}
'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':
Description: Method Not Allowed
Content: {}
'409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []
x-codegen-request-body-name: mtu

delete:

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_mtu_delete

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

'204':
 Description: No Content
 Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_mtu_options

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

'200':
 Description: OK
 Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_mtu_head

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple

```
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_mtu_patch

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_mtu'

Required/Optional: true

Responses:

'204':
Description: leaf mtu updated
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}


```

'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: mtu

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv6/ingress-acl

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_ingress_acl_get

Parameters:

```

- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16

```

- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_ingress-acl'

'204':
Description: No Content
Content: {}
 '400':
Description: Bad Request
Content: {}
 '401':
Description: Unauthorized
Content: {}
 '404':

```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_ingress_acl_put

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv6_ingress-acl'

    Required/Optional: true

  Responses:
  '201':
    Description: leaf ingress-acl created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':

```

```

    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ingress-acl
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_ingress_acl_delete

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_ingress_acl_options

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}

```

```
security:
- basicAuth: []
head:
```

Tags:

```
- data
- head
```

Operation ID:

```
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_ingress_acl_head
```

Parameters:

```
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
```

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all

- trim

- explicit

- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data

- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_ingress_acl_patch

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_ingress-acl'

Required/Optional: true

Responses:

- '204':
 - Description:** leaf ingress-acl updated
 - Content:** {}
- '400':
 - Description:** Bad Request
 - Content:** {}
- '401':
 - Description:** Unauthorized
 - Content:** {}
- '404':
 - Description:** Not Found
 - Content:** {}
- '405':
 - Description:** Method Not Allowed
 - Content:** {}
- '409':
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

x-codegen-request-body-name: ingress-acl

/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv6/egress-acl

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_egress_acl_get

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string

Format: enumeration
enum:
- config
- nonconfig
- all
Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
Description: OK
Content:


```

    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_egress-acl'

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_egress-acl_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
    Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_egress-acl'

    Required/Optional: true

Responses:
'201':

```

```

    Description: leaf egress-acl created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: egress-acl
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_egress_acl_delete

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:

```

data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_egress_acl_options

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}
- security:**
 - **basicAuth:** []

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_egress_acl_head

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form

```

Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID:

```

data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_egress_acl_patch

```

Parameters:

```

- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_egress-acl'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf egress-acl updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: egress-acl

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv6/disable-un

get:

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_disable_unreachables_get

Parameters:
- Name: feature-template-name

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false

```

Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_disable-unreachables'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_disable_unreachables_put

Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple

```

```

    Explode: false
    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_disable-unreachables'

      Required/Optional: true

    Responses:
      '201':
        Description: leaf disable-unreachables created or replaced
        Content: {}
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: disable-unreachables
  delete:

    Tags:
      - data
      - delete
    Operation ID:
      data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_disable_unreachables_delete

    Parameters:
      - Name: feature-template-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false

```


Schema:

Type: string
Format: string

Responses:

'204':
Description: No Content
Content: {}

security:
- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_disable_unreachables_options

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

'200':
Description: OK
Content: {}

security:
- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_disable_unreachables_head

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** content

- In:** query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit

```
- report-all-tagged
Default: report-all
```

Responses:

```
'200':
  Description: OK
  Content: {}
```

```
security:
- basicAuth: []
```

patch:**Tags:**

```
- data
- patch
```

Operation ID:

```
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_disable_unreachables_patch
```

Parameters:

```
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

Request Body:

```
Content:
  application/yang-data+json:
    Schema:
      Reference:
```

```
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv6_disable-unreachables'
```

```
Required/Optional: true
```

Responses:

```
'204':
  Description: leaf disable-unreachables updated
  Content: {}
```

```
'400':
  Description: Bad Request
  Content: {}
```

```
'401':
  Description: Unauthorized
  Content: {}
```

```
'404':
  Description: Not Found
  Content: {}
```

```
'405':
  Description: Method Not Allowed
  Content: {}
```

```
'409':
  Description: Conflict
```

```

    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: disable-unreachables

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv6/verify-unicast-source

get:

Tags:

```

- data
- get

```

Operation ID:

```
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_get
```

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

```

- config
- nonconfig
- all

```

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source'
```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed

```

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source'

Required/Optional: true

Responses:
'201':
  Description: container verify-unicast-source created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':

```

```

    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: verify-unicast-source
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_post

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_post'

    Required/Optional: true

Responses:
'201':
  Description: container verify-unicast-source created
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict

```

```
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: verify-unicast-source
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_delete
```

```
Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_options
```

```
Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'200':
  Description: OK
  Content: {}
  security:
  - basicAuth: []
```


head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_head

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_patch

Parameters:

- Name: feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Request Body:

Content:
 application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source'

Required/Optional: true

Responses:

```

'204':
  Description: container verify-unicast-source updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: verify-unicast-source

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ipv6/verify-unic**get:****Tags:**

```

- data
- get

```

Operation ID:

```
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_reachable_via_rx_get
```

Parameters:

```

- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:

```

```
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
```

```

    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source_reachable-via-rx'

    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID:
    data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_reachable_via_rx_put

  Parameters:
    - Name: feature-template-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source_reachable-via-rx'

    Required/Optional: true

  Responses:

```

```

    '201':
      Description: leaf reachable-via-rx created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: reachable-via-rx
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

```

data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_reachable_via_rx_delete

```

Parameters:

```

- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:

```

'204':
  Description: No Content
  Content: {}

```

security:

```

- basicAuth: []

```

options:**Tags:**

```

- data

```

- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_reachable_via_rx_options

Parameters:

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_reachable_via_rx_head

Parameters:

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
- In:** query
- Description:** controlling descendant nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_reachable_via_rx_patch

Parameters:- **Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source_reachable-via-rx'

Required/Optional: true**Responses:**

'204':

Description: leaf reachable-via-rx updated**Content:** {}

'400':

Description: Bad Request**Content:** {}

'401':

Description: Unauthorized**Content:** {}

'404':

Description: Not Found**Content:** {}

'405':

Description: Method Not Allowed**Content:** {}

'409':

Description: Conflict**Content:** {}**security:**- **basicAuth:** []**x-codegen-request-body-name:** reachable-via-rx

/data/cnbng-cp:profile/feature-template={feature-template-name}/http-policy

get:**Tags:**

- data

- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_http_policy_get

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string

```

    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_http-policy'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_http_policy_put

```

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_http-policy'

Required/Optional: true

Responses:

'201':

Description: leaf http-policy created or replaced

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: http-policy

delete:**Tags:**

- data

- delete

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_http_policy_delete

Parameters:

- **Name:** feature-template-name

```
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '204':
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_http_policy_options

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_http_policy_head

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
```

- Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**

```

- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID:

```
data_cnbng_cp_profile_feature_template_feature_template_name_http_policy_patch
```

Parameters:

```

- Name: feature-template-name

```

```

In: path

```

```

Required/Optional: true

```

```

Style: simple

```

```

Explode: false

```

Schema:

```

Type: string

```

```

Format: string

```

Request Body:

```

Content:

```

```

  application/yang-data+json:

```

```

    Schema:

```

```

      Reference:

```

```
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_http-policy'
```

```

Required/Optional: true

```

Responses:

```

'204':
  Description: leaf http-policy updated
  Content: {}

```

```

'400':
  Description: Bad Request
  Content: {}

```

```

'401':
  Description: Unauthorized
  Content: {}

```

```

'404':
  Description: Not Found
  Content: {}

```

```

'405':
  Description: Method Not Allowed
  Content: {}

```

```

    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: http-pr-policy

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/qos

get:

```

  Tags:
  - data
  - get
  Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_qos_get

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
      - config
      - nonconfig
      - all
      Default: config
  - Name: depth
    In: query
    Description: limit the depth of nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response

```


Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_qos'
'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_qos_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_qos'
    Required/Optional: true

Responses:
'201':
  Description: container qos created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:

```

```
- basicAuth: []
x-codegen-request-body-name: qos
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_qos_post

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_qos-post'

  Required/Optional: true

Responses:
'201':
  Description: container qos created
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: qos
delete:
```

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_qos_delete**Parameters:**

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '204':
 - Description:** No Content
 - Content:** {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_qos_options**Parameters:**

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_qos_head**Parameters:**

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_qos_patch

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_qos'

Required/Optional: true

Responses:

'204':

Description: container qos updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

```

'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: qos

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/qos/in-policy

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_qos_in_policy_get

Parameters:

```

- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```

```

Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_qos_in-policy'
```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':

```



```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_in_policy_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_qos_in-policy'

Required/Optional: true

Responses:
  '201':
    Description: leaf in-policy created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':

```

```
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: in-policy
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_in_policy_delete

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_in_policy_options

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
```

```

    '200':
      Description: OK
      Content: {}
      security:
        - basicAuth: []
      head:

      Tags:
        - data
        - head
      Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_in_policy_head

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string

```

Format: string

- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_qos_in_policy_patch

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Request Body:

Content:
application/yang-data+json:
Schema:

Reference:

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_qos_in-policy'
```

Required/Optional: true

Responses:

'204':

Description: leaf in-policy updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: in-policy

/data/cnbng-cp:profile/feature-template={feature-template-name}/qos/out-policy

get:**Tags:**

- data
- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_qos_out_policy_get

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

```

Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - config
  - nonconfig
  - all
  Default: config
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_qos_out-policy'

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_out_policy_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
    Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_qos_out-policy'

  Required/Optional: true

```

Responses:

'201':
 Description: leaf out-policy created or replaced
 Content: {}

'204':
 Description: No Content
 Content: {}

'400':
 Description: Bad Request
 Content: {}

'401':
 Description: Unauthorized
 Content: {}

'404':
 Description: Not Found
 Content: {}

'405':
 Description: Method Not Allowed
 Content: {}

'409':
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: out-policy

delete:**Tags:**

- data
- delete

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_qos_out_policy_delete

Parameters:

- **Name:** feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:

'204':
 Description: No Content
 Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_qos_out_policy_options

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_qos_out_policy_head

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query

Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_qos_out_policy_patch

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_qos_out-policy'

Required/Optional: true

Responses:

'204':
Description: leaf out-policy updated
Content: {}
 '400':
Description: Bad Request
Content: {}
 '401':
Description: Unauthorized
Content: {}
 '404':
Description: Not Found
Content: {}
 '405':
Description: Method Not Allowed
Content: {}
 '409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []
x-codegen-request-body-name: out-policy

/data/cnbng-cp:profile/feature-template={feature-template-name}/qos/merge-level

get:

Tags:

- data
 - get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_qos_merge_level_get

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_qos_merge-level'

'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_qos_merge_level_put

Parameters:

- **Name:** feature-template-name

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_qos_merge-level'

Required/Optional: true

Responses:
  '201':
    Description: leaf merge-level created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: merge-level
delete:

Tags:
  - data
  - delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_merge_level_delete

Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true

```

Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:
 '204':
 Description: No Content
 Content: {}
 security:
 - **basicAuth:** []

options:

Tags:
- data
- options

Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_merge_level_options

Parameters:
- **Name:** feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

head:

Tags:
- data
- head

Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_merge_level_head

Parameters:
- **Name:** feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- **Name:** content

- In:** query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit

- report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
 - patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_qos_merge_level_patch

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_qos_merge-level'

Required/Optional: true

Responses:

'204':
Description: leaf merge-level updated
Content: {}
 '400':
Description: Bad Request
Content: {}
 '401':
Description: Unauthorized
Content: {}
 '404':
Description: Not Found
Content: {}
 '405':
Description: Method Not Allowed
Content: {}
 '409':
Description: Conflict

```

    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: merge-level

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/session-accounting

get:

Tags:

```

- data
- get

```

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_get

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

```

- config
- nonconfig
- all

```

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

```

Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting'

'204':
  Description: No Content
  Content: {}

'400':
  Description: Bad Request
  Content: {}

'401':
  Description: Unauthorized
  Content: {}

'404':
  Description: Not Found
  Content: {}

'405':
  Description: Method Not Allowed
  Content: {}

```

```

    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_session-accounting'

Required/Optional: true

Responses:
'201':
  Description: container session-accounting created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

```

security:
- basicAuth: []
x-codegen-request-body-name: session-accounting
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_post

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_post'

Required/Optional: true

Responses:
'201':
  Description: container session-accounting created
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []

```

x-codegen-request-body-name: session-accounting
delete:

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_delete

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

'204':

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_options

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_head

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string

```

    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_patch

Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_session-accounting'

    Required/Optional: true

Responses:
  '204':
    Description: container session-accounting updated
    Content: {}
  '400':

```



```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: session-accounting

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/session-accounting/enable

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_enable_get

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- **Name:** depth

```

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_enable'

  '204':
    Description: No Content

```

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_enable_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_session-accounting_enable'

Required/Optional: true

Responses:
'201':
  Description: leaf enable created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request

```

```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: enable
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_enable_delete

```

```

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_enable_options

```

```

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true

```

Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

head:

Tags:
- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_enable_head

Parameters:

- **Name:** feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- **Name:** content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- **Name:** depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16

- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_enable_patch

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple

```

Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_enable'

  Required/Optional: true

Responses:
  '204':
    Description: leaf enable updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: enable

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/session-accounting/aaa-profile

```

get:

  Tags:
  - data
  - get

  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_aaa_profile_get

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple

```

Explode: false
Schema:
 Type: string
 Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:

Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_aaa-profile'

'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':
Description: Method Not Allowed
Content: {}
'409':
Description: Conflict
Content: {}

security:
 - **basicAuth:** []

put:

Tags:
 - data
 - put

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_aaa_profile_put

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

```

    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_aaa-profile'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf aaa-profile created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: aaa-profile
delete:

  Tags:
    - data
    - delete
  Operation ID:
    data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_aaa_profile_delete

  Parameters:
    - Name: feature-template-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string

```

Format: string

Responses:

'204':

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_aaa_profile_options

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_aaa_profile_head

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content: {}

security:

- basicAuth: []

patch:**Tags:**

- data
 - patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_aaa_profile_patch

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Request Body:

Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_session-accounting_aaa-profile'

Required/Optional: true

Responses:

'204':
 Description: leaf aaa-profile updated
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}

```

security:
- basicAuth: []
x-codegen-request-body-name: aaa-profile

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/session-accounting

get:

Tags:

```

- data
- get

```

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_periodic_interval_get

Parameters:

```

- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form

```

```

Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_periodic-interval'
```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}

```

```

    '409':
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_periodic_interval_put

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_session-accounting_periodic-interval'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf periodic-interval created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict

```



```
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: periodic-interval
delete:
```

```
Tags:
- data
- delete
```

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_periodic_interval_delete

Parameters:

```
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

Responses:

```
'204':
  Description: No Content
  Content: {}
```

```
security:
- basicAuth: []
```

options:

```
Tags:
- data
- options
```

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_periodic_interval_options

Parameters:

```
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

Responses:

```
'200':
  Description: OK
  Content: {}
```

```
security:
- basicAuth: []
```

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_periodic_interval_head

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_periodic_interval_patch

Parameters:
- Name: feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_session-accounting_periodic-interval'

Required/Optional: true

```

Responses:

- '204':
 - Description:** leaf periodic-interval updated
 - Content:** {}
- '400':
 - Description:** Bad Request
 - Content:** {}
- '401':
 - Description:** Unauthorized
 - Content:** {}
- '404':
 - Description:** Not Found
 - Content:** {}
- '405':
 - Description:** Method Not Allowed
 - Content:** {}
- '409':
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

x-codegen-request-body-name: periodic-interval

/data/cnbng-cp:profile/feature-template={feature-template-name}/session-accounting

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_dual_stack_delay_get

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**

Type: string
Format: enumeration
enum:
- config
- nonconfig
- all
Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

Responses:
'200':
Description: OK

```

    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_dual-stack-delay'

    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID:
    data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_dual_stack_delay_put

  Parameters:
    - Name: feature-template-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_dual-stack-delay'

    Required/Optional: true

  Responses:

```

```
'201':
  Description: leaf dual-stack-delay created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: dual-stack-delay
delete:
```

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_dual_stack_delay_delete

Parameters:

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

- '204':
 - Description:** No Content
 - Content:** {}

security:

- basicAuth: []

options:**Tags:**

- data

- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_dual_stack_delay_options

Parameters:

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_dual_stack_delay_head

Parameters:

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
- In:** query
- Description:** controlling descendant nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_dual_stack_delay_patch

Parameters:- **Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng_cp_profile_feature_template_feature_template_name_session-accounting_dual-stack-delay'

Required/Optional: true**Responses:**

'204':

Description: leaf dual-stack-delay updated**Content:** {}

'400':

Description: Bad Request**Content:** {}

'401':

Description: Unauthorized**Content:** {}

'404':

Description: Not Found**Content:** {}

'405':

Description: Method Not Allowed**Content:** {}

'409':

Description: Conflict**Content:** {}**security:**- **basicAuth:** []**x-codegen-request-body-name:** dual-stack-delay**/data/cnbng-cp:profile/feature-template={feature-template-name}/service-accounting****get:****Tags:**

- data

- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_get

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string

```

    Format: string
  - Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_put

```

```

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting'

    Required/Optional: true

Responses:
'201':
  Description: container service-accounting created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: service-accounting
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_post

Parameters:
- Name: feature-template-name

```

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_service-accounting-post'

    Required/Optional: true

  Responses:
    '201':
      Description: container service-accounting created
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: service-accounting
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_delete

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true

```

```
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_options

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_head

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
```

- In:** query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit

- report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
 - patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_patch

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting'

Required/Optional: true

Responses:

'204':
Description: container service-accounting updated
Content: {}
 '400':
Description: Bad Request
Content: {}
 '401':
Description: Unauthorized
Content: {}
 '404':
Description: Not Found
Content: {}
 '405':
Description: Method Not Allowed
Content: {}
 '409':
Description: Conflict

```

    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: service-accounting

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/service-accounting

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_enable_get

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form

```

Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_enable'
```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}

```

```

    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_enable_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_enable'

Required/Optional: true

Responses:
'201':
  Description: leaf enable created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

```
security:
- basicAuth: []
x-codegen-request-body-name: enable
delete:
```

```
Tags:
- data
- delete
```

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_enable_delete

Parameters:

```
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

Responses:

```
'204':
  Description: No Content
  Content: {}
```

```
security:
- basicAuth: []
```

options:

```
Tags:
- data
- options
```

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_enable_options

Parameters:

```
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

Responses:

```
'200':
  Description: OK
  Content: {}
```

```
security:
- basicAuth: []
```

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_enable_head

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_enable_patch

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_service-accounting_enable'

Required/Optional: true

```

```

Responses:
  '204':
    Description: leaf enable updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: enable

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/service-accounting

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_aaa_profile_get

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string

Format: enumeration
enum:
- config
- nonconfig
- all
Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

Responses:
'200':
Description: OK
Content:

```

    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_aaa-profile'

    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_aaa_profile_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_aaa-profile'

    Required/Optional: true

Responses:
  '201':

```

```

    Description: leaf aaa-profile created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: aaa-profile
delete:

```

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_aaa_profile_delete

Parameters:

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

- '204':
 - Description:** No Content
 - Content:** {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_aaa_profile_options

Parameters:

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_aaa_profile_head

Parameters:

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
- In:** query
- Description:** controlling descendant nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
- In:** query

Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_aaa_profile_patch

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_service-accounting_aaa-profile'

Required/Optional: true

Responses:

'204':

Description: leaf aaa-profile updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: aaa-profile

/data/cnbng-cp:profile/feature-template={feature-template-name}/service-accounting

get:

Tags:

- data

- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_periodic_interval_get

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string

```

- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_periodic-interval'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_periodic_interval_put

```



```

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_service-accounting_periodic-interval'

    Required/Optional: true

Responses:
'201':
  Description: leaf periodic-interval created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: periodic-interval
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_periodic_interval_delete

Parameters:

```

```

- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_periodic_interval_options

```

```

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_periodic_interval_head

```

```

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple

```

```
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content: {}

security:
 - **basicAuth:** []

patch:**Tags:**

- data
 - patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_periodic_interval_patch

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_service-accounting_periodic-interval'

Required/Optional: true

Responses:

'204':
Description: leaf periodic-interval updated
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found

```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: periodic-interval

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_get

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer

```

```

    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':

```

```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp'
    Required/Optional: true

Responses:
  '201':
    Description: container ppp created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}

```

```

    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ppp
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_post

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp-post'

Required/Optional: true

Responses:
'201':
  Description: container ppp created
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```



```
security:
- basicAuth: []
x-codegen-request-body-name: ppp
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_delete

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_options

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'200':
  Description: OK
  Content: {}
security:
- basicAuth: []
head:

Tags:
```

- data
- head

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_head

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string

```
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_patch

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp'
      Required/Optional: true

Responses:
  '204':
    Description: container ppp updated
    Content: {}
  '400':
    Description: Bad Request
```

```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ppp

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/authentication

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_authentication_options

Parameters:

- Name: feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:

'200':

Description: OK

Content: {}

security:

- basicAuth: []

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/authentication

get:

Tags:

- data

- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_authentication_authentication_id_get

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** authentication-id
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - pap
 - chap
 - Default:** pap
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_authentication_authentication-id'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed

```

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_authentication_authentication_id_put

```

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** authentication-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - pap
 - chap
 - Default:** pap
- **Name:** insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - first
 - last
 - before
 - after
 - Default:** first
- **Name:** point
In: query
Description: used to specify the insertion point

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_authentication_authentication-id'

Required/Optional: true

Responses:
  '201':
    Description: leaf-list authentication created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: authentication
delete:

Tags:
  - data
  - delete
Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_authentication_authentication_id_delete

Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true

```



```
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: authentication-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      enum:
        - pap
        - chap
      Default: pap

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
  - data
  - options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_authentication_authentication_id_options

Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: authentication-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      enum:
        - pap
        - chap
      Default: pap
```

Responses:**'200':****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_authentication_authentication_id_head

Parameters:

- **Name:** feature-template-name

In: path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string

- **Name:** authentication-id

In: path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** enumeration**enum:**

- pap
- chap

Default: pap

- **Name:** content

In: query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**enum:**

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query**Description:** limit the depth of nodes in response

```
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_authentication_authentication_id_patch
```

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** authentication-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - pap
 - chap
 - Default:** pap

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_authentication_authentication-id'

Required/Optional: true**Responses:**

- '204':
Description: leaf-list authentication updated
Content: {}
- '400':
Description: Bad Request
Content: {}
- '401':
Description: Unauthorized
Content: {}
- '404':
Description: Not Found
Content: {}
- '405':
Description: Method Not Allowed
Content: {}
- '409':
Description: Conflict
Content: {}

security:

```
- basicAuth: []
x-codegen-request-body-name: authentication
```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/chap

get:

Tags:

```
- data
- get
```

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_get

Parameters:

```
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict

```

```

    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_put

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_chap'

    Required/Optional: true

  Responses:
  '201':
    Description: container chap created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []

```

x-codegen-request-body-name: chap

Method: Post

Tags:

- data
- post

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_post

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_chap-post'

Required/Optional: true

Responses:

'201':

Description: container chap created

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: chap

delete:

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_delete

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

'204':

Description: No Content**Content:** {}**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_options

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

'200':

Description: OK**Content:** {}**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_head

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** with-defaults
In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_patch

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_chap'

Required/Optional: true

Responses:

'204':

Description: container chap updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: chap

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/chap/hostname

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_hostname_get

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

```

Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_hostname'
```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request

```

```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_hostname_put

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_chap_hostname'

    Required/Optional: true

  Responses:
  '201':
    Description: leaf hostname created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized

```

```
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: hostname
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_hostname_delete

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_hostname_options

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
```

Responses:

'200':

Description: OK**Content:** {}**security:**- **basicAuth:** []**head:****Tags:**- data
- head**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_hostname_head

Parameters:- **Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**enum:**- config
- nonconfig
- all**Default:** config- **Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16- **Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true


```
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_hostname_patch

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
```

```

    application/yang-data+json:
      Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_hostname'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf hostname updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: hostname

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/chap/password

get:

```

  Tags:
  - data
  - get
  Operation ID:
    data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_password_get

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response

```

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:**'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_password'

'204':**Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:****- basicAuth:** []**put:****Tags:****- data****- put****Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_password_put

Parameters:**- Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_password'

Required/Optional: true

Responses:

'201':
 Description: leaf password created or replaced
 Content: {}
'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: password

delete:

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_password_delete

Parameters:

- **Name:** feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:

'204':
 Description: No Content
 Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_password_options

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_password_head

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config

- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

patch:

Tags:

- data

- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_password_patch

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_chap_password'

Required/Optional: true

Responses:

'204':

Description: leaf password updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: password

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/service-type

get:

Tags:

- data

- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_service_type_get

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string

```

    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_service-type'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_service_type_put

```

```

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_service-type'

    Required/Optional: true

Responses:
'201':
  Description: leaf service-type created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: service-type
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_service_type_delete

Parameters:
- Name: feature-template-name

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:
 '204':
 Description: No Content
 Content: {}
 security:
 - **basicAuth:** []

options:

Tags:
- data
- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_service_type_options

Parameters:
- **Name:** feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

head:

Tags:
- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_service_type_head

Parameters:
- **Name:** feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string

- Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_service_type_patch

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_service-type'

Required/Optional: true

Responses:

'204':
Description: leaf service-type updated
Content: {}

'400':
Description: Bad Request
Content: {}

'401':
Description: Unauthorized
Content: {}

'404':
Description: Not Found
Content: {}

'405':
Description: Method Not Allowed
Content: {}

```

    '409':
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: service-type

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_get

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp'

'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':


```

    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipcp'

    Required/Optional: true

Responses:
  '201':
    Description: container ipcp created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':

```

```

    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: ipcp
Method: Post

Tags:
  - data
  - post
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_post

Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipcp-post'

    Required/Optional: true

Responses:
  '201':
    Description: container ipcp created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}

```

```
security:
- basicAuth: []
x-codegen-request-body-name: ipcp
delete:
```

```
Tags:
- data
- delete
```

Operation ID:

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_delete
```

Parameters:

```
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

Responses:

```
'204':
```

```
  Description: No Content
  Content: {}
```

security:

```
- basicAuth: []
```

options:

```
Tags:
- data
- options
```

Operation ID:

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_options
```

Parameters:

```
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

Responses:

```
'200':
```

```
  Description: OK
  Content: {}
```

security:

```
- basicAuth: []
```

head:

```
Tags:
```

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_head

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:

```

    Type: string
    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_patch

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipcp'

    Required/Optional: true

Responses:
  '204':
    Description: container ipcp updated
    Content: {}

```

```

'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ipcp

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp/dns

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_get

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:**'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns'

'204':

```

    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipcp_dns'

    Required/Optional: true

Responses:
  '201':
    Description: container dns created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':

```



```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: dns
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_post

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipcp_dns-post'

    Required/Optional: true

Responses:
  '201':
    Description: container dns created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}

```

```

    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: dns
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_delete

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_options

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:

```

Type: string
Format: string

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_head

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_patch

Parameters:

- Name: feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

```

Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns'

      Required/Optional: true

Responses:
  '204':
    Description: container dns updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: dns

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp/dns/primary-address

get:

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_primary_address_get

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all

```

- trim
- explicit
- report-all-tagged
Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_primary-address'
```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

security:

```
- basicAuth: []
```

put:**Tags:**

```
- data
- put
```

Operation ID:

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_primary_address_put
```

Parameters:

```

- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Request Body:

```
Content:
```

```

    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_primary-address'

    Required/Optional: true

Responses:
  '201':
    Description: leaf primary-address created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: primary-address
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_primary_address_delete

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':

```


Description: No Content
Content: {}
security:
 - **basicAuth:** []
options:

Tags:
 - data
 - options

Operation ID:
 data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_primary_address_options

Parameters:
 - **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:
 '200':
Description: OK
Content: {}
security:
 - **basicAuth:** []
head:

Tags:
 - data
 - head

Operation ID:
 data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_primary_address_head

Parameters:
 - **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:

```

    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
```

```

    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_primary_address_patch

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_primary-address'

Required/Optional: true

Responses:
'204':
  Description: leaf primary-address updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: primary-address

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp/dns/sec

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_secondary_address_get

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_secondary-address'

'204':
Description: No Content
Content: {}
 '400':
Description: Bad Request
Content: {}
 '401':
Description: Unauthorized
Content: {}
 '404':
Description: Not Found
Content: {}
 '405':
Description: Method Not Allowed
Content: {}
 '409':
Description: Conflict
Content: {}

security:

```

- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_secondary_address_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_secondary_address'

Required/Optional: true

Responses:
'201':
  Description: leaf secondary-address created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: secondary-address

```

delete:**Tags:**

- data
- delete

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_secondary_address_delete

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

'204':

Description: No Content
Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_secondary_address_options

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

'200':

Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_secondary_address_head

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string


```

    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_secondary_address_patch

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_secondary_address'

    Required/Optional: true

Responses:
  '204':
    Description: leaf secondary-address updated
    Content: {}

```

```

'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: secondary-address

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp/peer-ad

get:

Tags:

```
- data
- get
```

Operation ID:

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_peer_address_pool_get
```

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

```
- config
- nonconfig
- all
```

Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:**'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_peer-address-pool'

```

    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_peer_address_pool_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipcp_peer-address-pool'

      Required/Optional: true

Responses:
  '201':
    Description: leaf peer-address-pool created or replaced
    Content: {}
  '204':
    Description: No Content

```

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: peer-address-pool
delete:

```

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_peer_address_pool_delete

Parameters:

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

- '204':
 - Description:** No Content
 - Content:** {}

security:

- basicAuth: []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_peer_address_pool_options

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

'200':
 Description: OK
 Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_peer_address_pool_head

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true

```
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_peer_address_pool_patch

Parameters:
- Name: feature-template-name
```

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_peer-address-pool'

  Required/Optional: true

Responses:
  '204':
    Description: leaf peer-address-pool updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: peer-address-pool

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp/renegotiation

get:

```

Tags:
  - data
  - get
Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_get

Parameters:
  - Name: feature-template-name
    In: path

```


Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form

```

Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation'

  '204':
    Description: No Content
    Content: {}

  '400':
    Description: Bad Request
    Content: {}

  '401':
    Description: Unauthorized
    Content: {}

  '404':
    Description: Not Found
    Content: {}

  '405':
    Description: Method Not Allowed
    Content: {}

  '409':
    Description: Conflict
    Content: {}

  security:
  - basicAuth: []

put:

  Tags:
  - data
  - put

  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_put

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false

```

```

Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation'

Required/Optional: true

Responses:
  '201':
    Description: container renegotiation created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: renegotiation
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_post

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

```

    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation-post'

    Required/Optional: true

  Responses:
    '201':
      Description: container renegotiation created
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: renegotiation
delete:

  Tags:
    - data
    - delete
  Operation ID:
    data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_delete

  Parameters:
    - Name: feature-template-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string

```

Responses:

'204':

Description: No Content**Content:** {}**security:****- basicAuth:** []**options:****Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_options

Parameters:**- Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Responses:**

'200':

Description: OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_head

Parameters:**- Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true

Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16

- **Name:** fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string

- **Name:** filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string

- **Name:** with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':

```

    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_patch

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation'

    Required/Optional: true

  Responses:
  '204':
    Description: container renegotiation updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: renegotiation

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp/renegotiation/ignore

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_ignore_get

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string

- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation_ignore'

'204':
Description: No Content
Content: {}
 '400':
Description: Bad Request
Content: {}
 '401':
Description: Unauthorized
Content: {}
 '404':
Description: Not Found
Content: {}
 '405':
Description: Method Not Allowed
Content: {}
 '409':
Description: Conflict
Content: {}

security:

```

- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_ignore_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation_ignore'

Required/Optional: true

Responses:
'201':
  Description: leaf ignore created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ignore

```

delete:**Tags:**

- data
- delete

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_ignore_delete

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

'204':

Description: No Content**Content:** {}**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_ignore_options

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

'200':

Description: OK**Content:** {}**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_ignore_head

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string

```

    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_ignore_patch

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation_ignore'

      Required/Optional: true

Responses:
  '204':
    Description: leaf ignore updated
    Content: {}

```

```

'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ignore

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp/wins

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_get

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':

Description: OK**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins'

'204':

```

    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipcp_wins'

    Required/Optional: true

Responses:
  '201':
    Description: container wins created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':

```



```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: wins
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_post

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
      '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins-post'

Required/Optional: true

Responses:
  '201':
    Description: container wins created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}

```

```

    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: wins
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_delete

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_options

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:

```

Type: string
Format: string

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_head

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_patch

Parameters:

- Name: feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

```

Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins'

    Required/Optional: true

Responses:
  '204':
    Description: container wins updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: wins

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp/wins/

get:

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_primary_address_get

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all

```

- trim
- explicit
- report-all-tagged
Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_primary-address'
```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

security:

```
- basicAuth: []
```

put:**Tags:**

```
- data
- put
```

Operation ID:

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_primary_address_put
```

Parameters:

```

- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Request Body:

```
Content:
```

```

    application/yang-data+json:
      Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_primary-address'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf primary-address created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: primary-address
delete:

  Tags:
  - data
  - delete
  Operation ID:
    data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_primary_address_delete

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '204':

```


Description: No Content
Content: {}
security:
- **basicAuth:** []
options:

Tags:
- data
- options

Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_primary_address_options

Parameters:
- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:
'200':
Description: OK
Content: {}
security:
- **basicAuth:** []
head:

Tags:
- data
- head

Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_primary_address_head

Parameters:
- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:

Type: string
Format: enumeration
enum:
- config
- nonconfig
- all
Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

Responses:
'200':
Description: OK

```

    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_primary_address_patch

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_primary-address'

Required/Optional: true

Responses:
'204':
  Description: leaf primary-address updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: primary-address

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipcp/wins/se

get:**Tags:**

- data
- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_secondary_address_get

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string

- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_secondary-address'

'204':
Description: No Content
Content: {}
 '400':
Description: Bad Request
Content: {}
 '401':
Description: Unauthorized
Content: {}
 '404':
Description: Not Found
Content: {}
 '405':
Description: Method Not Allowed
Content: {}
 '409':
Description: Conflict
Content: {}

security:

```

- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_secondary_address_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_secondary-address'

    Required/Optional: true

Responses:
'201':
  Description: leaf secondary-address created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: secondary-address

```

delete:**Tags:**

- data
- delete

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_secondary_address_delete

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

'204':

Description: No Content
Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_secondary_address_options

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string

Responses:

'200':

Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_secondary_address_head

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string


```

    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_secondary_address_patch

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_secondary_address'

      Required/Optional: true

Responses:
  '204':
    Description: leaf secondary-address updated
    Content: {}

```

```

'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: secondary-address

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipv6cp

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_get

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':

Description: OK**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp'

'204':

```

    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_put

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipv6cp'

    Required/Optional: true

  Responses:
  '201':
    Description: container ipv6cp created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':

```

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ipv6cp
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_post

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipv6cp-post'

Required/Optional: true

Responses:
  '201':
    Description: container ipv6cp created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}

```

```

    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ipv6cp
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_delete

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_options

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:

```

Type: string
Format: string

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_head

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_patch

Parameters:

- Name: feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string


```

Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp'

      Required/Optional: true

Responses:
  '204':
    Description: container ipv6cp updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ipv6cp

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipv6cp/renegotiation

get:

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_get

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content

```

- In:** query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit

- report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation'

'204':
Description: No Content
Content: {}
 '400':
Description: Bad Request
Content: {}
 '401':
Description: Unauthorized
Content: {}
 '404':
Description: Not Found
Content: {}
 '405':
Description: Method Not Allowed
Content: {}
 '409':
Description: Conflict
Content: {}

security:

- basicAuth: []

put:**Tags:**

- data
 - put

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_put

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
 application/yang-data+json:
Schema:

Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation'

Required/Optional: true

Responses:

'201':
Description: container renegotiation created or replaced
Content: {}

'204':
Description: No Content
Content: {}

'400':
Description: Bad Request
Content: {}

'401':
Description: Unauthorized
Content: {}

'404':
Description: Not Found
Content: {}

'405':
Description: Method Not Allowed
Content: {}

'409':
Description: Conflict
Content: {}

security:
 - basicAuth: []

x-codegen-request-body-name: renegotiation

Method: Post

Tags:
 - data
 - post

Operation ID:
 data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_post

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:
Content:
 application/yang-data+json:
Schema:
Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation-post'

Required/Optional: true

Responses:

'201':
 Description: container renegotiation created
 Content: {}
'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: renegotiation

delete:

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_delete

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:

'204':
 Description: No Content
 Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_options

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

- '200':
 Description: OK
 Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_head

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig

```
- all
  Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:
```

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_patch

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation'

Required/Optional: true

Responses:

'204':

Description: container renegotiation updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: renegotiation

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/ipv6cp/reneg

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_ignore_get

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form

```

    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation_ignore'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:
  - data

```

- put

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_ignore_put

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation_ignore'

Required/Optional: true

Responses:

'201':

Description: leaf ignore created or replaced

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: ignore

delete:

Tags:

- data

- delete

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_ignore_delete

Parameters:

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

- '204':
 - Description:** No Content
 - Content:** {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_ignore_options

Parameters:

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_ignore_head

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** with-defaults
In: query
Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_re negotiation_ignore_patch

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipv6cp_re negotiation_ignore'

Required/Optional: true

Responses:

'204':

Description: leaf ignore updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ignore

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/lcp

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_get

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false

```

Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request

```



```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_put

```

```

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp'

```

```

Required/Optional: true

```

```

Responses:
'201':
  Description: container lcp created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized

```

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: lcp
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_post

```

Parameters:

```

- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_lcp-post'

```

```

Required/Optional: true

```

Responses:

```

'201':
  Description: container lcp created
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':

```

```
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: lcp
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delete

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_options

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
```

```

    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_head

```

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string

```

    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID:

```

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_patch

```

Parameters:

```

- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:

```

Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp'

Required/Optional: true

Responses:

'204':
Description: container lcp updated
Content: {}

'400':
Description: Bad Request
Content: {}

'401':
Description: Unauthorized
Content: {}

'404':
Description: Not Found
Content: {}

'405':
Description: Method Not Allowed
Content: {}

'409':
Description: Conflict
Content: {}

security:
 - **basicAuth:** []

x-codegen-request-body-name: lcp

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/lcp/delay

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_get

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form

Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

```

    '200':
      Description: OK
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay'

    '204':
      Description: No Content
      Content: {}

    '400':
      Description: Bad Request
      Content: {}

    '401':
      Description: Unauthorized
      Content: {}

    '404':
      Description: Not Found
      Content: {}

    '405':
      Description: Method Not Allowed
      Content: {}

    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID:
    data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_put

  Parameters:
    - Name: feature-template-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay'

    Required/Optional: true

```


Responses:**'201':****Description:** container delay created or replaced**Content:** {}**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:****- basicAuth:** []**x-codegen-request-body-name:** delay**Method:** Post**Tags:****- data****- post****Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_post

Parameters:**- Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay-post'

Required/Optional: true**Responses:**

```

    '201':
      Description: container delay created
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: delay
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_delete

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '204':
      Description: No Content
      Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options

```

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_options

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}
 - security:**
 - **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_head

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false

```

Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID:

```

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_patch

```

```

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay'

    Required/Optional: true

Responses:
'204':
  Description: container delay updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: delay

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/lcp/delay/s

get:

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_seconds_get

Parameters:

```

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** with-defaults
In: query
Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_seconds'

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_seconds_put

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_seconds'

  Required/Optional: true

Responses:
  '201':
    Description: leaf seconds created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: seconds
delete:

Tags:
  - data
  - delete
Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_seconds_delete

Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false

```


Schema:

Type: string
Format: string

Responses:**'204':**

Description: No Content
Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_seconds_options

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:**'200':**

Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_seconds_head

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

```

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_seconds_patch

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_seconds'

      Required/Optional: true

Responses:
  '204':
    Description: leaf seconds updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:

```

```
- basicAuth: []
x-codegen-request-body-name: seconds
```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/lcp/delay/mil

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_milliseconds_get

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true

```

Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_milliseconds'

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':

```

```

    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_milliseconds_put

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
  application/yang-data+json:
    Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_milliseconds'

    Required/Optional: true

  Responses:
  '201':
    Description: leaf milliseconds created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}

```

```
security:
- basicAuth: []
x-codegen-request-body-name: milliseconds
delete:
```

```
Tags:
- data
- delete
```

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_milliseconds_delete

Parameters:

```
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

Responses:

```
'204':
  Description: No Content
  Content: {}
```

```
security:
- basicAuth: []
```

options:

```
Tags:
- data
- options
```

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_milliseconds_options

Parameters:

```
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

Responses:

```
'200':
  Description: OK
  Content: {}
```

```
security:
- basicAuth: []
```

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_milliseconds_head

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false


```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_milliseconds_patch

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_lcp_delay_milliseconds'

Required/Optional: true

```

Responses:

```

'204':
  Description: leaf milliseconds updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

security:

```
- basicAuth: []
```

```
x-codegen-request-body-name: milliseconds
```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/lcp/renegotia**get:****Tags:**

```
- data
- get
```

Operation ID:

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_get
```

Parameters:

```
- Name: feature-template-name
```

```
In: path
```

```
Required/Optional: true
```

```
Style: simple
```

```
Explode: false
```

Schema:

```
Type: string
```

```
Format: string
```

```
- Name: content
```

```
In: query
```

```
Description: controlling descendant nodes in response
```

```
Required/Optional: false
```

```
Style: form
```

```
Explode: true
```

Schema:

```
Type: string
```

```
Format: enumeration
```

```
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all
```

Responses:

'200':

Description: OK

Content:

application/yang-data+json:

Schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation'
```

```
'204':
```

```
  Description: No Content
```

```
  Content: {}
```

```
'400':
```

```
  Description: Bad Request
```

```
  Content: {}
```

```
'401':
```

```
  Description: Unauthorized
```

```
  Content: {}
```

```
'404':
```

```
  Description: Not Found
```

```
  Content: {}
```

```
'405':
```

```
  Description: Method Not Allowed
```

```
  Content: {}
```

```
'409':
```

```
  Description: Conflict
```

```
  Content: {}
```

```
security:
```

```
- basicAuth: []
```

```
put:
```

```
Tags:
```

```
- data
```

```
- put
```

```
Operation ID:
```

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_put
```

```
Parameters:
```

```
- Name: feature-template-name
```

```
  In: path
```

```
  Required/Optional: true
```

```
  Style: simple
```

```
  Explode: false
```

```
  Schema:
```

```
    Type: string
```

```
    Format: string
```

```
Request Body:
```

```
  Content:
```

```
    application/yang-data+json:
```

```
      Schema:
```

```
        Reference:
```

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation'
```

```
      Required/Optional: true
```

```
Responses:
```

```
'201':
```

```
  Description: container renegotiation created or replaced
```

```

    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: renegotiation
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_post

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation-post'

Required/Optional: true

Responses:
  '201':
    Description: container renegotiation created
    Content: {}
  '204':

```

```

    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: renegotiation
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_delete

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_options

Parameters:
- Name: feature-template-name

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

head:

Tags:
- data
- head

Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_head

Parameters:

- **Name:** feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

- **Name:** content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer

```

    Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

```

Responses:

```

  '200':
    Description: OK
    Content: {}

```

security:

```

  - basicAuth: []

```

patch:**Tags:**

```

  - data
  - patch

```

Operation ID:

```

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_patch

```

Parameters:

```

  - Name: feature-template-name
    In: path
    Required/Optional: true

```



```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation'

  Required/Optional: true

Responses:
  '204':
    Description: container renegotiation updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: renegotiation

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/lcp/renegotiation/ignore

get:

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_ignore_get

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true

```

Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true

Schema:

Type: string
Format: enumeration
enum:
- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation_ignore'

'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':
Description: Method Not Allowed
Content: {}
'409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_ignore_put

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false

```

Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation_ignore'

Required/Optional: true

Responses:
  '201':
    Description: leaf ignore created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ignore
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_ignore_delete

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

Type: string
Format: string

Responses:**'204':****Description:** No Content**Content:** {}**security:**- **basicAuth:** []**options:****Tags:**- data
- options**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_ignore_options

Parameters:- **Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Responses:****'200':****Description:** OK**Content:** {}**security:**- **basicAuth:** []**head:****Tags:**- data
- head**Operation ID:**

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_ignore_head

Parameters:- **Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** content**In:** query

- Description:** controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_ignore_patch

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation_ignore'

Required/Optional: true

Responses:

'204':

Description: leaf ignore updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

```

    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ignore

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/max-bad-auth

get:

Tags:

```

- data
- get

```

Operation ID:

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_bad_auth_get
```

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

```

- config
- nonconfig
- all

```

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form


```
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all
```

Responses:

```
'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-bad-auth'

'204':
  Description: No Content
  Content: {}

'400':
  Description: Bad Request
  Content: {}

'401':
  Description: Unauthorized
  Content: {}

'404':
  Description: Not Found
  Content: {}

'405':
  Description: Method Not Allowed
  Content: {}
```

```

    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_bad_auth_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-bad-auth'

Required/Optional: true

Responses:
'201':
  Description: leaf max-bad-auth created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

```
security:
- basicAuth: []
x-codegen-request-body-name: max-bad-auth
delete:
```

Tags:

```
- data
- delete
```

Operation ID:

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_bad_auth_delete
```

Parameters:

```
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

Responses:

```
'204':
```

```
  Description: No Content
```

```
  Content: {}
```

security:

```
- basicAuth: []
```

options:**Tags:**

```
- data
- options
```

Operation ID:

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_bad_auth_options
```

Parameters:

```
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

Responses:

```
'200':
```

```
  Description: OK
```

```
  Content: {}
```

security:

```
- basicAuth: []
```

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_bad_auth_head

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**

```

    Type: string
    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_bad_auth_patch

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_max-bad-auth'

    Required/Optional: true

Responses:
  '204':
    Description: leaf max-bad-auth updated
    Content: {}

```

```

'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: max-bad-auth

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/max-configure

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_configure_get

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':

Description: OK**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-configure'

'204':

```

    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_configure_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_max-configure'

Required/Optional: true

Responses:
  '201':
    Description: leaf max-configure created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':

```



```
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: max-configure
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_configure_delete

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_configure_options

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
```

```

    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_configure_head

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
      - config
      - nonconfig
      - all
      Default: config
  - Name: depth
    In: query
    Description: limit the depth of nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query

```

Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID:
 data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_configure_patch

Parameters:
 - **Name:** feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:

```

    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-configure'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf max-configure updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: max-configure

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/max-failure

get:

```

  Tags:
    - data
    - get
  Operation ID:
    data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_failure_get

  Parameters:
    - Name: feature-template-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string

```

- Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-failure'

'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':
Description: Method Not Allowed
Content: {}
'409':
Description: Conflict
Content: {}

security:

- basicAuth: []

put:**Tags:**

- data
- put

Operation ID:

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-failure_put

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:

```

    application/yang-data+json:
      Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_max-failure'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf max-failure created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: max-failure
delete:

  Tags:
  - data
  - delete
  Operation ID:
    data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_failure_delete

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '204':
      Description: No Content

```

```

    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_failure_options

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_failure_head

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:

```



```
- config
- nonconfig
- all
  Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
security:
- basicAuth: []
```

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_failure_patch

Parameters:

- **Name:** feature-template-name

In: path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_max-failure'

Required/Optional: true**Responses:**

'204':

Description: leaf max-failure updated**Content:** {}

'400':

Description: Bad Request**Content:** {}

'401':

Description: Unauthorized**Content:** {}

'404':

Description: Not Found**Content:** {}

'405':

Description: Method Not Allowed**Content:** {}

'409':

Description: Conflict**Content:** {}**security:**

- basicAuth: []

x-codegen-request-body-name: max-failure**/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/pap****get:**

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_get

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form

```

    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap'

  '204':
    Description: No Content
    Content: {}

  '400':
    Description: Bad Request
    Content: {}

  '401':
    Description: Unauthorized
    Content: {}

  '404':
    Description: Not Found
    Content: {}

  '405':
    Description: Method Not Allowed
    Content: {}

  '409':
    Description: Conflict
    Content: {}

security:
  - basicAuth: []

put:

Tags:
  - data

```

- put

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_put

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_pap'

Required/Optional: true

Responses:

'201':

Description: container pap created or replaced

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: pap

Method: Post

Tags:

- data

- post

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_post

```

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap-post'

    Required/Optional: true

Responses:
'201':
  Description: container pap created
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: pap
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_delete

```

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

'204':
 Description: No Content
 Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_options

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

'200':
 Description: OK
 Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_head

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false

```
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
```


Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_patch

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_pap'

Required/Optional: true

Responses:

'204':

Description: container pap updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

```

    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: pap

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/pap/accept-null-password

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_accept_null_password_get

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16

- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap_accept-null-password'

'204':
Description: No Content
Content: {}
 '400':
Description: Bad Request
Content: {}
 '401':
Description: Unauthorized
Content: {}
 '404':

```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_accept_null_password_put

```

Parameters:

```

- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_pap_accept-null-password'

```

```

Required/Optional: true

```

Responses:

```

'201':
  Description: leaf accept-null-password created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}

```

```
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: accept-null-password
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_accept_null_password_delete

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_accept_null_password_options

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
```

```

    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_accept_null_password_head

```

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**

```
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_accept_null_password_patch

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
```

Schema:**Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_pap_accept-null-password'
```

Required/Optional: true

Responses:

'204':

Description: leaf accept-null-password updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: accept-null-password

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/timeout

get:**Tags:**

- data
- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_get

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false


```
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
    - config
    - nonconfig
    - all
  Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all
```

Responses:**'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout'

'204':**Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:****- basicAuth:** []**put:****Tags:**

- data

- put

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_put

Parameters:**- Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout'

Required/Optional: true

Responses:

'201':

Description: container timeout created or replaced

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: timeout

Method: Post

Tags:

- data

- post

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_post

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_timeout-post'

Required/Optional: true

Responses:

```
'201':
  Description: container timeout created
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
```

security:

```
- basicAuth: []
```

```
x-codegen-request-body-name: timeout
```

delete:**Tags:**

```
- data
- delete
```

Operation ID:

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_delete
```

Parameters:

```
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

Responses:

```
'204':
  Description: No Content
  Content: {}
```

security:

```
- basicAuth: []
```

options:**Tags:**

```
- data
```

- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_options

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data

- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_head

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config

- nonconfig

- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- **Name:** filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- **Name:** with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_patch

```

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout'

    Required/Optional: true

Responses:
'204':
  Description: container timeout updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: timeout

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/timeout/absolute

get:

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_get

```

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute'

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_put

Parameters:

- **Name:** feature-template-name

In: path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute'

Required/Optional: true

Responses:
  '201':
    Description: container absolute created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: absolute
Method: Post

Tags:
  - data
  - post
Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_post

Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple

```

```

    Explode: false
    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute-post'

      Required/Optional: true

    Responses:
      '201':
        Description: container absolute created
        Content: {}
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: absolute
  delete:

    Tags:
      - data
      - delete
    Operation ID:
      data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_delete

    Parameters:
      - Name: feature-template-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:

```

Type: string
Format: string

Responses:

'204':
Description: No Content
Content: {}

security:
- **basicAuth:** []

options:

Tags:
- data
- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_options

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

'200':
Description: OK
Content: {}

security:
- **basicAuth:** []

head:

Tags:
- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_head

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false

Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

```

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_patch

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_timeout_absolute'

      Required/Optional: true

Responses:
  '204':
    Description: container absolute updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:

```

```
- basicAuth: []
x-codegen-request-body-name: absolute
```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/timeout/absolute/minutes

get:

Tags:

```
- data
- get
```

Operation ID:

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_minutes_get
```

Parameters:

```
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
```

```

Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute_minutes'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':

```



```

    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_minutes_put

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute_minutes'

    Required/Optional: true

  Responses:
  '201':
    Description: leaf minutes created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}

```

```
    security:
      - basicAuth: []
    x-codegen-request-body-name: minutes
  delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_minutes_delete

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_minutes_options

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
  head:
```

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_minutes_head

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false

Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_minutes_patch

Parameters:

- Name: feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Request Body:

Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_timeout_absolute_minutes'

Required/Optional: true

Responses:

- '204':
 - Description:** leaf minutes updated
 - Content:** {}
- '400':
 - Description:** Bad Request
 - Content:** {}
- '401':
 - Description:** Unauthorized
 - Content:** {}
- '404':
 - Description:** Not Found
 - Content:** {}
- '405':
 - Description:** Method Not Allowed
 - Content:** {}
- '409':
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

x-codegen-request-body-name: minutes

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/timeout/au

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_authentication_get

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string

```

    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:

```

```

    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_authentication'

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng-cp_profile_feature_template_feature_template_name_ppp_timeout_authentication_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
    Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_authentication'

  Required/Optional: true

Responses:
'201':

```

```
    Description: leaf authentication created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: authentication
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_authentication_delete

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
```


Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_authentication_options

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_authentication_head

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query

Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_authentication_patch

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_timeout_authentication'

Required/Optional: true

Responses:

'204':

Description: leaf authentication updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: authentication

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/timeout/retry

get:

Tags:

- data

- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_retry_get

Parameters:

- **Name:** feature-template-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_retry'

'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID:

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_retry_put

Parameters:

```

- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_retry'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf retry created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: retry
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_retry_delete

  Parameters:
  - Name: feature-template-name
    In: path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:
 '204':
 Description: No Content
 Content: {}
 security:
 - **basicAuth:** []

options:

Tags:
- data
- options

Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_retry_options

Parameters:
- **Name:** feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

head:

Tags:
- data
- head

Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_retry_head

Parameters:
- **Name:** feature-template-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all


```

- trim
- explicit
- report-all-tagged
Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID:

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_retry_patch
```

Parameters:

```

- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

```
  Type: string
```

```
  Format: string
```

Request Body:

```

Content:
  application/yang-data+json:

```

```
  Schema:
```

```
  Reference:
```

```
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_timeout_retry'
```

```
  Required/Optional: true
```

Responses:

```

'204':
  Description: leaf retry updated
  Content: {}

```

```

'400':
  Description: Bad Request
  Content: {}

```

```

'401':
  Description: Unauthorized
  Content: {}

```

```

'404':
  Description: Not Found
  Content: {}

```

```

'405':
  Description: Method Not Allowed
  Content: {}

```

```

'409':

```

Description: Conflict
Content: {}
security:
 - **basicAuth:** []
x-codegen-request-body-name: retry

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/keepalive

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_get

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive'
```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed

```

```

        Content: {}
    '409':
        Description: Conflict
        Content: {}
    security:
    - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_keepalive'

Required/Optional: true

Responses:
'201':
  Description: container keepalive created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict

```

```
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: keepalive
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_post

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive-post'

Required/Optional: true

Responses:
'201':
  Description: container keepalive created
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
```

```
- basicAuth: []
x-codegen-request-body-name: keepalive
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_delete

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_options

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
```

- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_head

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config

- nonconfig

- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

```

    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_patch

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_keepalive'

    Required/Optional: true

Responses:
  '204':
    Description: container keepalive updated
    Content: {}
  '400':

```



```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: keepalive

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/keepalive/

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_disable_get

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

```
- config
- nonconfig
- all
```

Default: config

- **Name:** depth

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_disable'

'204':
Description: No Content

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_disable_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_keepalive_disable'

Required/Optional: true

Responses:
  '201':
    Description: leaf disable created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request

```

```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: disable
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_disable_delete

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_disable_options

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false

```

Schema:

Type: string
Format: string

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_disable_head

Parameters:

- **Name:** feature-template-name
In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_disable_patch

Parameters:

- Name: feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string

```

    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_disable'

    Required/Optional: true

Responses:
  '204':
    Description: leaf disable updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: disable

```

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/keepalive/interval

get:

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_interval_get

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all

- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':
Description: OK
Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_interval'

'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':
Description: Method Not Allowed
Content: {}
'409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_interval_put

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:

Schema:**Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_keepalive_interval'
```

Required/Optional: true

Responses:

'201':

Description: leaf interval created or replaced

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: interval

delete:**Tags:**

- data
- delete

Operation ID:

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_interval_delete
```

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:

'204':

Description: No Content

Content: {}

security:
- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_interval_options

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_interval_head

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:

- config
- nonconfig
- all
- Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_interval_patch

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_keepalive_interval'

Required/Optional: true

Responses:

'204':

Description: leaf interval updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: interval

/data/cnbng-cp:profile/feature-template={feature-template-name}/ppp/keepalive/

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_retry_get

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form

```
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_retry'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:
  - data
```

- put

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_retry_put

Parameters:

- **Name:** feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_keepalive_retry'

Required/Optional: true

Responses:

'201':

Description: leaf retry created or replaced

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: retry

delete:

Tags:

- data

- delete

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_retry_delete

Parameters:

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

- '204':
 - Description:** No Content
 - Content:** {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_retry_options

Parameters:

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_retry_head

Parameters:

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
    - config
    - nonconfig
    - all
  Default: config
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true

```

Schema:

Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
 - patch

Operation ID:

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_retry_patch

Parameters:

- **Name:** feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_retry'

Required/Optional: true

Responses:

'204':
Description: leaf retry updated
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found

```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: retry

```

/data/cnbng-cp:profile/l2tp

options:

```

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_options

```

Responses:

```

'200':
  Description: OK
  Content: {}
security:
- basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form

```

Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:

```

```
- first
- last
- before
- after
  Default: first
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name'
      Required/Optional: true

Responses:
  '201':
    Description: list l2tp created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: l2tp
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_delete
```

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

'204':
 Description: No Content
 Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_options

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

'200':
 Description: OK
 Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_head

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:


```
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
```

enum:
- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

Responses:
'200':
 Description: OK
 Content: {}
security:
- **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_patch

Parameters:
- **Name:** l2tp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name'
 Required/Optional: true

Responses:
'204':
 Description: list l2tp updated
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':

Description: Conflict
Content: {}
security:
 - **basicAuth:** []
x-codegen-request-body-name: l2tp

/data/cnbng-cp:profile/l2tp={l2tp-name}/name

get:

Tags:
 - data
 - get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_name_get

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
 - config
 - nonconfig
 - all
Default: config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_name'

'204':
  Description: No Content
  Content: {}

'400':
  Description: Bad Request
  Content: {}

'401':
  Description: Unauthorized
  Content: {}

'404':
  Description: Not Found
  Content: {}

'405':
  Description: Method Not Allowed
  Content: {}

```

```
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_name_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_name'
    Required/Optional: true

Responses:
'201':
  Description: leaf name created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
```

x-codegen-request-body-name: name

delete:

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_name_delete

Parameters:

- **Name:** l2tp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

'204':

- Description:** No Content
- Content:** {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_name_options

Parameters:

- **Name:** l2tp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

'200':

- Description:** OK
- Content:** {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_name_head

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_name_patch

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_name'

Required/Optional: true

Responses:

'204':

Description: leaf name updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}


```

'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: name

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/mode

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mode_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```

```

Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_mode'

'204':
  Description: No Content
  Content: {}

'400':
  Description: Bad Request
  Content: {}

'401':
  Description: Unauthorized

```

```
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mode_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp_name_mode'
    Required/Optional: true

Responses:
  '201':
    Description: leaf mode created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
```

```
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: mode
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mode_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mode_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
security:
```

```
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mode_head

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
```

Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}

security:
- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mode_patch

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_mode'

Required/Optional: true

Responses:

 '204':
 Description: leaf mode updated

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: mode

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/encrypt-avp

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_encrypt_avp_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all

```

Default: config

- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':

Description: OK**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_encrypt-avp'

'204':


```
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_encrypt_avp_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_encrypt_avp'
    Required/Optional: true

Responses:
  '201':
    Description: leaf encrypt-avp created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
```

```
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: encrypt-avp
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_encrypt_avp_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_encrypt_avp_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
```

Format: string

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_encrypt_avp_head

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true

```

Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_encrypt_avp_patch

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:

```

```

    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_encrypt-avp'
      Required/Optional: true

  Responses:
    '204':
      Description: leaf encrypt-avp updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: encrypt-avp

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/dsl-info-forwarding

```

get:
  Tags:
    - data
    - get
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_dsl_info_forwarding_get

  Parameters:
    - Name: l2tp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
    - Name: content
      In: query
      Description: controlling descendant nodes in response
      Required/Optional: false
      Style: form

```

Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

```

    '200':
      Description: OK
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_dsl-info-forwarding'
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_dsl_info_forwarding_put

  Parameters:
    - Name: l2tp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_dsl-info-forwarding'
        Required/Optional: true

  Responses:
    '201':

```

```

    Description: leaf dsl-info-forwarding created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: dsl-info-forwarding
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_dsl_info_forwarding_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_dsl_info_forwarding_options

```


Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

'200':
 Description: OK
 Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_dsl_info_forwarding_head

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:

```

    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_dsl_info_forwarding_patch

Parameters:

```

- Name: l2tp-name
  In: path
  Required/Optional: true

```

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_dsl-info-forwarding'
      Required/Optional: true

Responses:
  '204':
    Description: leaf dsl-info-forwarding updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: dsl-info-forwarding

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/hostname

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hostname_get

Parameters:

- **Name:** l2tp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false

```
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
```

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_hostname'

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hostname_put

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

```
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_hostname'

Required/Optional: true

Responses:
  '201':
    Description: leaf hostname created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hostname
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hostname_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
```

```
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hostname_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hostname_head

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
```

```
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
```


- data
- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hostname_patch

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_hostname'

Required/Optional: true

Responses:

'204':

Description: leaf hostname updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: hostname

/data/cnbng-cp:profile/l2tp={l2tp-name}/mtu

get:

Tags:

- data

- get

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mtu_get

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_mtu'

'204':
 Description: No Content
 Content: {}

'400':
 Description: Bad Request
 Content: {}

'401':
 Description: Unauthorized
 Content: {}

'404':
 Description: Not Found
 Content: {}

'405':
 Description: Method Not Allowed
 Content: {}

'409':
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mtu_put

Parameters:

- **Name:** l2tp-name
 In: path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_mtu'
  Required/Optional: true

Responses:
  '201':
    Description: leaf mtu created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: mtu
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mtu_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

```
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mtu_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mtu_head

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
```

Explode: true

Schema:

- Type:** string
- Format:** enumeration
- enum:**
 - config
 - nonconfig
 - all
- Default:** config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

- Type:** integer
- Format:** uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

- Type:** string
- Format:** string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

- Type:** string
- Format:** string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

- Type:** string
- Format:** enumeration
- enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
- Default:** report-all

Responses:

```
'200':
  Description: OK
  Content: {}
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mtu_patch

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_mtu'
    Required/Optional: true

Responses:
'204':
  Description: leaf mtu updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: mtu
```

/data/cnbng-cp:profile/l2tp={l2tp-name}/hello-interval

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hello_interval_get

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query


```
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_hello-interval'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:
```

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hello_interval_put

Parameters:

- **Name:** l2tp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_hello-interval'

Required/Optional: true

Responses:

'201':

Description: leaf hello-interval created or replaced

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: hello-interval

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hello_interval_delete

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

'204':
 Description: No Content
 Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hello_interval_options

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

'200':
 Description: OK
 Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hello_interval_head

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

```
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
```

```
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hello_interval_patch

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_hello-interval'
      Required/Optional: true

Responses:
  '204':
    Description: leaf hello-interval updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
```

Description: Conflict
Content: {}
security:
 - **basicAuth:** []
x-codegen-request-body-name: hello-interval

/data/cnbng-cp:profile/l2tp={l2tp-name}/tcp

get:

Tags:
 - data
 - get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_get

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
 - config
 - nonconfig
 - all
Default: config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false

```
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tcp'

'204':
  Description: No Content
  Content: {}

'400':
  Description: Bad Request
  Content: {}

'401':
  Description: Unauthorized
  Content: {}

'404':
  Description: Not Found
  Content: {}

'405':
  Description: Method Not Allowed
  Content: {}
```

```
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_tcp'
    Required/Optional: true

Responses:
'201':
  Description: container tcp created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
```



```
x-codegen-request-body-name: tcp
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_post

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_tcp-post'

Required/Optional: true

Responses:
'201':
  Description: container tcp created
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: tcp
delete:

Tags:
```

- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_delete

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

'204':
Description: No Content
Content: {}

security:
- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_options

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

'200':
Description: OK
Content: {}

security:
- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_head

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true

```
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
```

Schema:

Type: string
Format: enumeration
enum:
- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_patch

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:
Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tcp'
Required/Optional: true

Responses:

'204':
Description: container tcp updated
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':

```

    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: tcp

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/tcp/adjust-mss

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_adjust_mss_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields

```

In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tcp_adjust-mss'

'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}

```
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_adjust_mss_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_tcp_adjust-mss'
    Required/Optional: true

Responses:
'201':
  Description: leaf adjust-mss created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
```

```
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: adjust-mss
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_adjust_mss_delete

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_adjust_mss_options

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
```


- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_adjust_mss_head

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config

- nonconfig

- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_adjust_mss_patch

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_tcp_adjust-mss'

Required/Optional: true

Responses:

'204':

Description: leaf adjust-mss updated

Content: {}

'400':

Description: Bad Request

Content: {}

```

'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: adjust-mss

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response

```

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request

```

```
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit'
      Required/Optional: true

Responses:
  '201':
    Description: container retransmit created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
```

```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: retransmit
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_post

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit-post'
    Required/Optional: true

Responses:
  '201':
    Description: container retransmit created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed

```

```
      Content: {}
    '409':
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: retransmit
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_delete

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_options

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
```

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_head

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form


```
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_patch

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit'
    Required/Optional: true

Responses:
  '204':
    Description: container retransmit updated
    Content: {}
```

```

'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: retransmit

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/initial

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config

```

- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':

Description: OK**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial'

'204':

Description: No Content

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial'
      Required/Optional: true

Responses:
  '201':
    Description: container initial created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':

```

```
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: initial
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_post

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial-post'
    Required/Optional: true

Responses:
  '201':
    Description: container initial created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
```

```
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: initial
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
```

```
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_head

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
```

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all

- trim

- explicit

- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data

- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_patch

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial'

Required/Optional: true

Responses:


```

'204':
  Description: container initial updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: initial

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/initial/timeout

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config

```

- nonconfig
- all
- Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

- '200':
 - Description:** OK
 - Content:**
 - application/yang-data+json:
 - Schema:**
 - Reference:**

```

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout_put

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout'
      Required/Optional: true

  Responses:
  '201':
    Description: container timeout created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':

```

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: timeout
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_post

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout-post'

  Required/Optional: true

Responses:
  '201':
    Description: container timeout created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':

```

```
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: timeout
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
```

Format: string

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_head

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

```
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_patch

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
```

Schema:**Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_retransmit_initial_timeout'
```

```
Required/Optional: true
```

Responses:

```
'204':
```

```
Description: container timeout updated
```

```
Content: {}
```

```
'400':
```

```
Description: Bad Request
```

```
Content: {}
```

```
'401':
```

```
Description: Unauthorized
```

```
Content: {}
```

```
'404':
```

```
Description: Not Found
```

```
Content: {}
```

```
'405':
```

```
Description: Method Not Allowed
```

```
Content: {}
```

```
'409':
```

```
Description: Conflict
```

```
Content: {}
```

security:

```
- basicAuth: []
```

```
x-codegen-request-body-name: timeout
```

/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/initial/timeout/max

get:**Tags:**

```
- data  
- get
```

```
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_max_get
```

Parameters:

```
- Name: l2tp-name
```

```
In: path
```

```
Required/Optional: true
```

```
Style: simple
```

```
Explode: false
```

Schema:

```
Type: string
```

```
Format: string
```

```
- Name: content
```

```
In: query
```

```
Description: controlling descendant nodes in response
```

```
Required/Optional: false
```



```
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
    - config
    - nonconfig
    - all
  Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all
```

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout_max'

'204':
Description: No Content
Content: {}
 '400':
Description: Bad Request
Content: {}
 '401':
Description: Unauthorized
Content: {}
 '404':
Description: Not Found
Content: {}
 '405':
Description: Method Not Allowed
Content: {}
 '409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
 - put

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_max_put

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout_max'

Required/Optional: true

Responses:

```
'201':
  Description: leaf max created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
```

security:

```
- basicAuth: []
```

```
x-codegen-request-body-name: max
```

delete:**Tags:**

```
- data
- delete
```

Operation ID:

```
data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_max_delete
```

Parameters:

```
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

Responses:

```
'204':
  Description: No Content
  Content: {}
```

security:

```
- basicAuth: []
```

options:**Tags:**

```
- data
```

- options

Operation ID:

data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_max_options

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_max_head

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
- config
- nonconfig
- all
Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response

```
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_max_patch
```

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout_max'

Required/Optional: true

Responses:

'204':
Description: leaf max updated
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':
Description: Method Not Allowed
Content: {}
'409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: max

/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/initial/timeout/min

get:**Tags:**

- data
- get

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_min_get

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** with-defaults
In: query
Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout_min'

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_min_put

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple


```
    Explode: false
    Schema:
      Type: string
      Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout_min'
        Required/Optional: true

Responses:
  '201':
    Description: leaf min created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: min
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_min_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
```

Format: string

Responses:

'204':

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_min_options

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_min_head

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

```

    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_min_patch

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_min'
            Required/Optional: true

  Responses:
    '204':
      Description: leaf min updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: min

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/initial/retries

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_retries_get

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all

- trim

- explicit

- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_retries'

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_retries_put

Parameters:

- **Name:** l2tp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false

Schema:

- Type:** string
- Format:** string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_retries'

Required/Optional: true

Responses:

'201':

Description: leaf retries created or replaced

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: retries

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_retries_delete

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

'204':
 Description: No Content
 Content: {}

security:
- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_retries_options

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

'200':
 Description: OK
 Content: {}

security:
- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_retries_head

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple

Explode: false
Schema:
 Type: string
 Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:

Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_retries_patch

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_retries'

Required/Optional: true

Responses:

'204':
Description: leaf retries updated
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':
Description: Method Not Allowed

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: retries

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/timeout

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query

```

Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout'
'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':

```
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout'
    Required/Optional: true

Responses:
'201':
  Description: container timeout created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
```

```

security:
- basicAuth: []
x-codegen-request-body-name: timeout
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_post

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout-post'
    Required/Optional: true

Responses:
'201':
  Description: container timeout created
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: timeout
delete:

```

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_delete

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

'204':

- Description:** No Content
- Content:** {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_options

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

'200':

- Description:** OK
- Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_head

Parameters:

- **Name:** l2tp-name

- In:** path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
 - config
 - nonconfig
 - all**Default:** config
 - **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16
 - **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string
 - **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string
 - **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false

Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_patch

Parameters:
- **Name:** l2tp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Request Body:
Content:
 application/yang-data+json:
 Schema:

Reference:
 '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout'
 Required/Optional: true

Responses:
 '204':
 Description: container timeout updated
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found

```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: timeout

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/timeout/max

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_max_get

```

Parameters:

```

- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer

```

```
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all
```

Responses:

```
'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout_max'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
```

```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_max_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_max'
    Required/Optional: true

Responses:
  '201':
    Description: leaf max created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}

```

```
    '409':
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: max
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_max_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_max_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'200':
  Description: OK
  Content: {}
  security:
    - basicAuth: []
head:
```

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_max_head

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**

```

    Type: string
    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_max_patch

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_max'
    Required/Optional: true

Responses:
  '204':
    Description: leaf max updated
    Content: {}
  '400':
    Description: Bad Request

```

```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: max

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/timeout/min

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_min_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query

```


Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':

Description: OK**Content:** **application/yang-data+json:** **Schema:** **Reference:**

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout_min'

'204':

Description: No Content**Content:** {}

'400':

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_min_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_min'
    Required/Optional: true

Responses:
  '201':
    Description: leaf min created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}

```

```
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: min
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_min_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_min_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
```

```

    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_min_head

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
      - config
      - nonconfig
      - all
      Default: config
  - Name: depth
    In: query
    Description: limit the depth of nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string

```

```

- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_min_patch

Parameters:

```

- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_min'

```

Required/Optional: true

Responses:

'204':
Description: leaf min updated
Content: {}

'400':
Description: Bad Request
Content: {}

'401':
Description: Unauthorized
Content: {}

'404':
Description: Not Found
Content: {}

'405':
Description: Method Not Allowed
Content: {}

'409':
Description: Conflict
Content: {}

security:
- **basicAuth:** []

x-codegen-request-body-name: min

/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/retries

get:

Tags:
- data
- get

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_retries_get

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string

Format: enumeration
enum:
- config
- nonconfig
- all
Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

Responses:
'200':
Description: OK
Content:

```

    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_retries'
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_retries_put

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_retries'
          Required/Optional: true

  Responses:
    '201':
      Description: leaf retries created or replaced
      Content: {}
    '204':

```



```
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: retries
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_retries_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_retries_options

Parameters:
- Name: l2tp-name
  In: path
```

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_retries_head

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields

```

In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_retries_patch

Parameters:
- **Name:** l2tp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:

```

    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_retries'
        Required/Optional: true

  Responses:
    '204':
      Description: leaf retries updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: retries

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/receive-window

get:

```

  Tags:
  - data
  - get
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_receive_window_get

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

```

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all

- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_receive-window'

'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':
Description: Method Not Allowed
Content: {}
'409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_receive_window_put

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
 application/yang-data+json:
Schema:

Reference:

```
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_receive-window'
```

Required/Optional: true

Responses:

'201':

Description: leaf receive-window created or replaced

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: receive-window

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_receive_window_delete

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:

'204':

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_receive_window_options

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_receive_window_head

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query

Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_receive_window_patch

```

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_receive-window'
      Required/Optional: true

Responses:
  '204':
    Description: leaf receive-window updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: receive-window

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/terminate-from

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_options

Parameters:

```

- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

```

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/terminate-from={terminate-from-hostname}

get:

```

Tags:
- data
- get

```

Operation ID:

data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_get

Parameters:

```

- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: terminate-from-hostname
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string

```

Format: enumeration
enum:
- config
- nonconfig
- all
Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
Description: OK
Content:

```

    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname'

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: terminate-from-hostname
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements

```

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
    - first
    - last
    - before
    - after
  Default: first
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname'

Required/Optional: true

Responses:
'201':
  Description: list terminate-from created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:

```

```
- basicAuth: []
x-codegen-request-body-name: terminate-from
```

```
delete:
```

```
Tags:
```

```
- data
- delete
```

```
Operation ID:
```

```
data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_delete
```

```
Parameters:
```

```
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: terminate-from-hostname
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

```
Responses:
```

```
'204':
```

```
  Description: No Content
```

```
  Content: {}
```

```
security:
```

```
- basicAuth: []
```

```
options:
```

```
Tags:
```

```
- data
- options
```

```
Operation ID:
```

```
data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_options
```

```
Parameters:
```

```
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: terminate-from-hostname
  In: path
  Required/Optional: true
```

```

    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_head

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: terminate-from-hostname
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
      - config
      - nonconfig
      - all
      Default: config
  - Name: depth
    In: query

```


Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID:

data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_patch

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** terminate-from-hostname
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Request Body:

- Content:**
 - application/yang-data+json:**
 - Schema:**
 - Reference:**

'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname'

Required/Optional: true

Responses:

- '204':
 - Description:** list terminate-from updated
 - Content:** {}
- '400':
 - Description:** Bad Request
 - Content:** {}
- '401':
 - Description:** Unauthorized
 - Content:** {}
- '404':
 - Description:** Not Found
 - Content:** {}
- '405':
 - Description:** Method Not Allowed
 - Content:** {}
- '409':
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

x-codegen-request-body-name: terminate-from

/data/cnbng-cp:profile/l2tp={l2tp-name}/terminate-from={terminate-from-hostname}

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_hostname_get

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** terminate-from-hostname
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query

Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname_hostname'

'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}

```

    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_hostname_put

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: terminate-from-hostname
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_terminate-from_terminate-from-hostname_hostname'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf hostname created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':

```

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hostname
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_hostname_delete

```

Parameters:

```

- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: terminate-from-hostname
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:

```

'204':
  Description: No Content
  Content: {}

```

```

security:
- basicAuth: []

```

options:

```

Tags:
- data
- options

```

Operation ID:

```

data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_hostname_options

```

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** terminate-from-hostname
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}
- security:**
 - **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_hostname_head

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** terminate-from-hostname
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query

- Description:** controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_hostname_patch

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** terminate-from-hostname

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname_hostname'

Required/Optional: true

Responses:

'204':

Description: leaf hostname updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hostname

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/domain

options:

```

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_options

```

Parameters:

```

- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:

```

  '200':
    Description: OK
    Content: {}
security:
- basicAuth: []

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/domain={domain-name}

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_get

```

Parameters:

```

- Name: l2tp-name
  In: path

```

```
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: domain-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
```

```

    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_put

```

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
 - **Name:** domain-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
 - **Name:** insert
 - In:** query
 - Description:** controlling the order when adding new list elements
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - first
 - last
 - before
 - after
 - Default:** first
 - **Name:** point
 - In:** query
 - Description:** used to specify the insertion point
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- Request Body:**
- Content:**
- application/yang-data+json:**
 - Schema:**
 - Reference:**
- '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name'
- Required/Optional:** true

Responses:

- '201':
 - Description:** list domain created or replaced

```
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: domain
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: domain-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
```

- basicAuth: []
options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_options

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** domain-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:

'200':
 Description: OK
 Content: {}

security:

- basicAuth: []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_head

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** domain-name
In: path
Required/Optional: true
Style: simple
Explode: false

```

Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string

```


Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_patch

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** domain-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_domain_domain-name'

Required/Optional: true

Responses:

'204':

Description: list domain updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: domain

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/domain={domain-name}/name

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_name_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: domain-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:

```

- config
- nonconfig
- all

Default: config

- **Name:** depth
- In:** query
- Description:** limit the depth of nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** integer
 - Format:** uint16

- **Name:** fields
- In:** query
- Description:** optionally identify specific data nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** string
 - Format:** string

- **Name:** filter
- In:** query
- Description:** xpath expression to filter data nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** string
 - Format:** string

- **Name:** with-defaults
- In:** query
- Description:** controlling default values in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:**'200':****Description:** OK**Content:****application/yang-data+json:****Schema:**

Reference:

```
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_name'
```

```
'204':
```

```
  Description: No Content
```

```
  Content: {}
```

```
'400':
```

```
  Description: Bad Request
```

```
  Content: {}
```

```
'401':
```

```
  Description: Unauthorized
```

```
  Content: {}
```

```
'404':
```

```
  Description: Not Found
```

```
  Content: {}
```

```
'405':
```

```
  Description: Method Not Allowed
```

```
  Content: {}
```

```
'409':
```

```
  Description: Conflict
```

```
  Content: {}
```

```
security:
```

```
- basicAuth: []
```

```
put:
```

```
Tags:
```

```
- data
```

```
- put
```

```
Operation ID: data_cnbng-cp_profile_l2tp_l2tp_name_domain_domain_name_name_put
```

```
Parameters:
```

```
- Name: l2tp-name
```

```
  In: path
```

```
  Required/Optional: true
```

```
  Style: simple
```

```
  Explode: false
```

```
  Schema:
```

```
    Type: string
```

```
    Format: string
```

```
- Name: domain-name
```

```
  In: path
```

```
  Required/Optional: true
```

```
  Style: simple
```

```
  Explode: false
```

```
  Schema:
```

```
    Type: string
```

```
    Format: string
```

```
Request Body:
```

```
  Content:
```

```
    application/yang-data+json:
```

```
      Schema:
```

```
        Reference:
```

```
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_name'
```

```
  Required/Optional: true
```

```
Responses:
  '201':
    Description: leaf name created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: name
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_name_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: domain-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
```

Description: No Content
Content: {}
security:
- **basicAuth:** []

options:

Tags:
- data
- options

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_name_options

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** domain-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:
'200':
Description: OK
Content: {}
security:
- **basicAuth:** []

head:

Tags:
- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_name_head

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** domain-name
In: path

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form

Explode: true
Schema:
Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:
 '200':
Description: OK
Content: {}
security:
 - **basicAuth:** []

patch:

Tags:

- data
 - patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_name_patch

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** domain-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
 application/yang-data+json:
Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_domain_domain-name_name'

Required/Optional: true

Responses:

'204':
Description: leaf name updated
Content: {}
 '400':


```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: name

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/domain={domain-name}/tun-assign-id

get:

Tags:

```
- data
- get
```

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_tun_assign_id_get

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** domain-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16

- **Name:** fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string

- **Name:** filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string

- **Name:** with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':

```

    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_domain_domain-name_tun-assign-id'

    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_tun_assign_id_put

  Parameters:
    - Name: l2tp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
    - Name: domain-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
  Request Body:

```

```

    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_tun-assign-id'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf tun-assign-id created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: tun-assign-id
delete:

  Tags:
    - data
    - delete
  Operation ID:
    data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_tun_assign_id_delete

  Parameters:
    - Name: l2tp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
    - Name: domain-name
      In: path
      Required/Optional: true

```

Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:
 '204':
 Description: No Content
 Content: {}
 security:
 - **basicAuth:** []

options:

Tags:
- data
- options

Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_tun_assign_id_options

Parameters:
- **Name:** l2tp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- **Name:** domain-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

head:

Tags:
- data
- head

Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_tun_assign_id_head

Parameters:
- **Name:** l2tp-name

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: domain-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form

```

```
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_tun_assign_id_patch

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: domain-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
```

```

    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_tun-assign-id'

      Required/Optional: true

    Responses:
      '204':
        Description: leaf tun-assign-id updated
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: tun-assign-id

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/vrf

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_vrf_get

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

```
Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_vrf'

  '204':
    Description: No Content
    Content: {}

  '400':
    Description: Bad Request
    Content: {}

  '401':
    Description: Unauthorized
    Content: {}

  '404':
    Description: Not Found
    Content: {}

  '405':
    Description: Method Not Allowed
    Content: {}

  '409':
    Description: Conflict
    Content: {}

security:
- basicAuth: []

put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_vrf_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_vrf'
      Required/Optional: true

Responses:
```

```
'201':
  Description: leaf vrf created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: vrf
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_vrf_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_vrf_options
```

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_vrf_head

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true

Schema:
 Type: integer
 Format: uint16

- **Name:** fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- **Name:** filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- **Name:** with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_vrf_patch

Parameters:
- **Name:** l2tp-name
 In: path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_vrf'
  Required/Optional: true

Responses:
  '204':
    Description: leaf vrf updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: vrf

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/authentication

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_authentication_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false

```

```
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
```

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_authentication'

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_authentication_put

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:


```
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_authentication'
      Required/Optional: true

Responses:
  '201':
    Description: leaf authentication created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: authentication
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_authentication_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
```

```
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_authentication_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_authentication_head

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
```

```
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
```

```
- data
- patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_authentication_patch
```

Parameters:

```
- Name: l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
```

Request Body:

```
Content:
  application/yang-data+json:
    Schema:
      Reference:
```

```
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_authentication'
Required/Optional: true
```

Responses:

```
'204':
  Description: leaf authentication updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
```

security:

```
- basicAuth: []
x-codegen-request-body-name: authentication
```

/data/cnbng-cp:profile/l2tp={l2tp-name}/ip-tos

get:**Tags:**

```
- data
- get
```

```
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_get
```

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos'

'204':
 Description: No Content
 Content: {}

'400':
 Description: Bad Request
 Content: {}

'401':
 Description: Unauthorized
 Content: {}

'404':
 Description: Not Found
 Content: {}

'405':
 Description: Method Not Allowed
 Content: {}

'409':
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_put

Parameters:

- **Name:** l2tp-name
 In: path

```
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_ip-tos'

Required/Optional: true

Responses:
'201':
  Description: container ip-tos created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ip-tos
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_post

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
```

```
    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos-post'
        Required/Optional: true

  Responses:
    '201':
      Description: container ip-tos created
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ip-tos
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng-cp_profile_l2tp_l2tp_name_ip_tos_delete

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
```



```
    '204':
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'200':
  Description: OK
  Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_head

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
```

```
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all
```

Responses:

```
'200':
```

```
  Description: OK
```

```
  Content: {}
```

```
security:
```

```
- basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_patch

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos'

  Required/Optional: true

Responses:
'204':
  Description: container ip-tos updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ip-tos
```

/data/cnbng-cp:profile/l2tp={l2tp-name}/ip-tos/value

```
get:
```

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_value_get

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true

```
Schema:
  Type: string
  Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_ip-tos_value'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_value_put
```

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_ip-tos_value'

Required/Optional: true

Responses:

'201':
Description: leaf value created or replaced
Content: {}
'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':
Description: Method Not Allowed
Content: {}
'409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: value

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_value_delete

Parameters:

- **Name:** l2tp-name
In: path

```
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '204':
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_value_options

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_value_head

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
```

- In:** query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit


```
- report-all-tagged
Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_value_patch

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_ip-tos_value'
        Required/Optional: true

Responses:
  '204':
    Description: leaf value updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
```

```
- basicAuth: []
x-codegen-request-body-name: value
```

/data/cnbng-cp:profile/l2tp={l2tp-name}/ip-tos/reflect

get:

Tags:

```
- data
- get
```

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_reflect_get

Parameters:

```
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

Type: string
Format: string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content:
application/yang-data+json:
Schema:
Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos_reflect'
'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':
Description: Method Not Allowed
Content: {}
'409':
Description: Conflict
Content: {}

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_reflect_put

    Parameters:
      - Name: l2tp-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_ip-tos_reflect'
            Required/Optional: true

    Responses:
      '201':
        Description: leaf reflect created or replaced
        Content: {}
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: reflect
  delete:

```

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_reflect_delete**Parameters:**

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:**'204':****Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_reflect_options**Parameters:**

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:**'200':****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_reflect_head**Parameters:**

- **Name:** l2tp-name
 - In:** path

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form

```
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_reflect_patch

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_reflect'
    Required/Optional: true

Responses:
  '204':
    Description: leaf reflect updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
```

```

'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: reflect

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/tunnel

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16

```



```
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel'

  '204':
    Description: No Content
    Content: {}

  '400':
    Description: Bad Request
    Content: {}

  '401':
    Description: Unauthorized
    Content: {}

  '404':
    Description: Not Found
```

```
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel'

Required/Optional: true

Responses:
  '201':
    Description: container tunnel created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
```

```
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: tunnel
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_post

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_tunnel-post'
    Required/Optional: true

Responses:
'201':
  Description: container tunnel created
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
```

x-codegen-request-body-name: tunnel

delete:

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_delete

Parameters:

- **Name:** l2tp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

'204':

- Description:** No Content
- Content:** {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_options

Parameters:

- **Name:** l2tp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Responses:

'200':

- Description:** OK
- Content:** {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_head

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_patch

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel'

Required/Optional: true

Responses:

'204':

Description: container tunnel updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

```

'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: tunnel

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/tunnel/session-limit

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_session_limit_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```

Schema:**Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**enum:**

- report-all

- trim

- explicit

- report-all-tagged

Default: report-all**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_session-limit'

'204':**Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized


```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_session_limit_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_session-limit'
      Required/Optional: true

Responses:
  '201':
    Description: leaf session-limit created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':

```

```
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: session-limit
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_session_limit_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_session_limit_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
```

```
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_session_limit_head

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
```

```

    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_session_limit_patch

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_session-limit'
      Required/Optional: true

Responses:
  '204':
    Description: leaf session-limit updated

```

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: session-limit

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/tunnel/timeout

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all

```

Default: config

- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':

Description: OK**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout'

'204':

```
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout'
    Required/Optional: true

Responses:
  '201':
    Description: container timeout created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
```

```

    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: timeout
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_post

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_post'
  Required/Optional: true

Responses:
'201':
  Description: container timeout created
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':

```



```
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: timeout
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
```

Description: OK
Content: {}
security:
- **basicAuth:** []

head:

Tags:
- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_head

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
 - config
 - nonconfig
 - all**Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string
- **Name:** filter

```

In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_patch

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout'
    Required/Optional: true

```

Responses:

```

'204':
  Description: container timeout updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

security:

```

- basicAuth: []
x-codegen-request-body-name: timeout

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/tunnel/timeout/no-session**get:****Tags:**

```

- data
- get

```

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_no_session_get

Parameters:

```

- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:

```

- config
- nonconfig
- all

Default: config

- **Name:** depth
- In:** query
- Description:** limit the depth of nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** integer
 - Format:** uint16

- **Name:** fields
- In:** query
- Description:** optionally identify specific data nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** string
 - Format:** string

- **Name:** filter
- In:** query
- Description:** xpath expression to filter data nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** string
 - Format:** string

- **Name:** with-defaults
- In:** query
- Description:** controlling default values in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':

Description: OK**Content:**

application/yang-data+json:

Schema:

Reference:

```
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout_no-session'
```

```
'204':
```

```
  Description: No Content
```

```
  Content: {}
```

```
'400':
```

```
  Description: Bad Request
```

```
  Content: {}
```

```
'401':
```

```
  Description: Unauthorized
```

```
  Content: {}
```

```
'404':
```

```
  Description: Not Found
```

```
  Content: {}
```

```
'405':
```

```
  Description: Method Not Allowed
```

```
  Content: {}
```

```
'409':
```

```
  Description: Conflict
```

```
  Content: {}
```

```
security:
```

```
- basicAuth: []
```

```
put:
```

```
Tags:
```

```
- data
```

```
- put
```

```
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_no_session_put
```

```
Parameters:
```

```
- Name: l2tp-name
```

```
  In: path
```

```
  Required/Optional: true
```

```
  Style: simple
```

```
  Explode: false
```

```
  Schema:
```

```
    Type: string
```

```
    Format: string
```

```
Request Body:
```

```
Content:
```

```
  application/yang-data+json:
```

```
    Schema:
```

```
      Reference:
```

```
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout_no-session'
```

```
  Required/Optional: true
```

```
Responses:
```

```
'201':
```

```
  Description: leaf no-session created or replaced
```

```
  Content: {}
```

```
'204':
```

```
  Description: No Content
```

```
  Content: {}
```

```
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: no-session
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_no_session_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_no_session_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
```

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_no_session_head

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query

```


Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_no_session_patch

Parameters:
- **Name:** l2tp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string

```

    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout_no-session'
      Required/Optional: true

Responses:
  '204':
    Description: leaf no-session updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: no-session

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content

```

In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit

- report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4'

'204':
Description: No Content
Content: {}

'400':
Description: Bad Request
Content: {}

'401':
Description: Unauthorized
Content: {}

'404':
Description: Not Found
Content: {}

'405':
Description: Method Not Allowed
Content: {}

'409':
Description: Conflict
Content: {}

security:
 - basicAuth: []

put:

Tags:
 - data
 - put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_put

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
 application/yang-data+json:
Schema:
Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4'
Required/Optional: true

```
Responses:
  '201':
    Description: container ipv4 created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ipv4
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_post

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_ipv4-post'

Required/Optional: true

Responses:
  '201':
    Description: container ipv4 created
```

```
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ipv4
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_options

Parameters:
```

```
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_head

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
```

```
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all
```

Responses:

```
'200':
  Description: OK
  Content: {}
```

security:

```
- basicAuth: []
```

patch:**Tags:**

```
- data
- patch
```

```
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_patch
```

Parameters:

```
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
```



```

Explode: false
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4'
Required/Optional: true

Responses:
'204':
  Description: container ipv4 updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ipv4

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/df-bit

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_df_bit_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

- Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:**'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_df-bit'

'204':**Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_df_bit_put**Parameters:**

- **Name:** l2tp-name

In: path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:**

Schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_df-bit'
```

```
Required/Optional: true
```

Responses:

```
'201':
```

```
Description: leaf df-bit created or replaced
```

```
Content: {}
```

```
'204':
```

```
Description: No Content
```

```
Content: {}
```

```
'400':
```

```
Description: Bad Request
```

```
Content: {}
```

```
'401':
```

```
Description: Unauthorized
```

```
Content: {}
```

```
'404':
```

```
Description: Not Found
```

```
Content: {}
```

```
'405':
```

```
Description: Method Not Allowed
```

```
Content: {}
```

```
'409':
```

```
Description: Conflict
```

```
Content: {}
```

security:

```
- basicAuth: []
```

```
x-codegen-request-body-name: df-bit
```

delete:**Tags:**

```
- data  
- delete
```

```
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_df_bit_delete
```

Parameters:

```
- Name: l2tp-name
```

```
In: path
```

```
Required/Optional: true
```

```
Style: simple
```

```
Explode: false
```

Schema:

```
Type: string
```

```
Format: string
```

Responses:

```
'204':
```

```
Description: No Content
```

```
Content: {}
```

security:

```
- basicAuth: []
```

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_df_bit_options

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

'200':

- Description:** OK
- Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_df_bit_head

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_df_bit_patch

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_df-bit'
Required/Optional: true

Responses:

'204':
Description: leaf df-bit updated
Content: {}
 '400':
Description: Bad Request
Content: {}
 '401':
Description: Unauthorized
Content: {}
 '404':
Description: Not Found
Content: {}
 '405':
Description: Method Not Allowed
Content: {}
 '409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []
x-codegen-request-body-name: df-bit

/data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/source

get:

Tags:

- data
 - get

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_source_get

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_ipv4_source'

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_source_put

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_source'
        Required/Optional: true

Responses:
  '201':
    Description: leaf source created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: source
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_source_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

Format: string

Responses:

'204':

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_source_options

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_source_head

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16

- **Name:** fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string

- **Name:** filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string

- **Name:** with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':

```
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_source_patch

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_source'
        Required/Optional: true

  Responses:
    '204':
      Description: leaf source updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: source
```

/data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/destination

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_options

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

/data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/destination={destination-dest-ip}

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_get

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** destination-dest-ip
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**

```
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
```

```
/data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/destination={destination-dest-ip}
```

```
enum:
- report-all
- trim
- explicit
- report-all-tagged
Default: report-all
```

Responses:

```
'200':
Description: OK
Content:
  application/yang-data+json:
    Schema:
      Reference:
```

```
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip'
```

```
'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':
Description: Method Not Allowed
Content: {}
'409':
Description: Conflict
Content: {}
```

```
security:
- basicAuth: []
```

put:

```
Tags:
- data
- put
Operation ID:
```

```
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_put
```

Parameters:

```
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: destination-dest-ip
```



```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: insert
    In: query
    Description: controlling the order when adding new list elements
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - first
        - last
        - before
        - after
      Default: first
  - Name: point
    In: query
    Description: used to specify the insertion point
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip'

    Required/Optional: true

Responses:
  '201':
    Description: list destination created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}

```

```

    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: destination
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_delete

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: destination-dest-ip
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '204':
      Description: No Content
      Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_options

  Parameters:
  - Name: l2tp-name

```

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: destination-dest-ip
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_head

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: destination-dest-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```

Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16

- **Name:** fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string

- **Name:** filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string

- **Name:** with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':

```

    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_patch

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: destination-dest-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip'

  Required/Optional: true

Responses:
'204':
  Description: list destination updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed

```

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: destination

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/destination={destination-dest-ip}/dest-

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_dest_ip_get

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** destination-dest-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- **Name:** depth
In: query
Description: limit the depth of nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip_dest-ip'

'204':
 Description: No Content
 Content: {}
'400':

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_dest_ip_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: destination-dest-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_dest_ip'

    Required/Optional: true

Responses:
  '201':
    Description: leaf dest-ip created or replaced

```



```
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: dest-ip
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_dest_ip_delete

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: destination-dest-ip
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
```

- **basicAuth:** []
options:

Tags:

- data
 - options

Operation ID:

data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_dest_ip_options

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** destination-dest-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
 - head

Operation ID:

data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_dest_ip_head

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** destination-dest-ip
In: path
Required/Optional: true
Style: simple

```
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_dest_ip_patch

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** destination-dest-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:

Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_dest-ip'

Required/Optional: true

Responses:

'204':
Description: leaf dest-ip updated
Content: {}
'400':

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: dest-ip

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/destination={destination-dest-ip}/we

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_weight_get

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** destination-dest-ip

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16

- **Name:** fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string

- **Name:** filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string

- **Name:** with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':

```

    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip_weight'

    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_weight_put

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: destination-dest-ip
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:

```

```

Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip_weight'

    Required/Optional: true

Responses:
  '201':
    Description: leaf weight created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: weight
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_weight_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: destination-dest-ip
  In: path
  Required/Optional: true

```


Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:
 '204':
 Description: No Content
 Content: {}
 security:
 - **basicAuth:** []

options:

Tags:
- data
- options

Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_weight_options

Parameters:
- **Name:** l2tp-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- **Name:** destination-dest-ip
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

head:

Tags:
- data
- head

Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_weight_head

Parameters:
- **Name:** l2tp-name

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** destination-dest-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form

```
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_weight_patch

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: destination-dest-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
```

```

    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip_weight'

      Required/Optional: true

  Responses:
    '204':
      Description: leaf weight updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: weight

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/congestion-control

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_congestion_control_get

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:**'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_congestion-control'

'204':**Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:****- basicAuth:** []**put:****Tags:**

- data

- put

Operation ID: data_cnbng-cp_profile_l2tp_l2tp-name_congestion-control_put**Parameters:****- Name:** l2tp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_congestion-control'

Required/Optional: true

```
Responses:
  '201':
    Description: leaf congestion-control created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: congestion-control
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_congestion_control_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
```

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_congestion_control_options

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_congestion_control_head

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form


```
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_congestion_control_patch

Parameters:
  - Name: l2tp-name
```

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_congestion-control'
        Required/Optional: true

  Responses:
    '204':
      Description: leaf congestion-control updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: congestion-control

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/tx-connect-speed

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tx_connect_speed_get

Parameters:

- Name: l2tp-name
 - In: path
 - Required/Optional: true

```
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
```

Schema:

Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_tx-connect-speed'

'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':
Description: Method Not Allowed
Content: {}
'409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
 - put

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tx_connect_speed_put

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string

```
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_tx-connect-speed'
      Required/Optional: true

Responses:
  '201':
    Description: leaf tx-connect-speed created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: tx-connect-speed
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tx_connect_speed_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
```

Description: No Content
Content: {}
security:
- **basicAuth:** []

options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tx_connect_speed_options

Parameters:
- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Responses:
'200':
Description: OK
Content: {}
security:
- **basicAuth:** []

head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tx_connect_speed_head

Parameters:
- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth
- In:** query
- Description:** limit the depth of nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** integer
 - Format:** uint16

- **Name:** fields
- In:** query
- Description:** optionally identify specific data nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** string
 - Format:** string

- **Name:** filter
- In:** query
- Description:** xpath expression to filter data nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** string
 - Format:** string

- **Name:** with-defaults
- In:** query
- Description:** controlling default values in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tx_connect_speed_patch

Parameters:

- **Name:** l2tp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** string

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_tx-connect-speed'

Required/Optional: true

Responses:

'204':

Description: leaf tx-connect-speed updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: tx-connect-speed

/data/cnbng-cp:profile/l2tp={l2tp-name}/rx-connect-speed**get:**

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_rx_connect_speed_get

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:

```

    Type: string
    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_rx-connect-speed'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_rx_connect_speed_put

```

```

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_rx-connect-speed'
    Required/Optional: true

Responses:
'201':
  Description: leaf rx-connect-speed created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: rx-connect-speed
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_rx_connect_speed_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true

```

```
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_rx_connect_speed_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_rx_connect_speed_head

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
```

Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data

- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_rx_connect_speed_patch

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_rx-connect-speed'

Required/Optional: true

Responses:

'204':

Description: leaf rx-connect-speed updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

```
- basicAuth: []
x-codegen-request-body-name: rx-connect-speed
```

/data/cnbng-cp:profile/l2tp={l2tp-name}/tunnel-load-balancing

get:

Tags:

```
- data
- get
```

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_load_balancing_get

Parameters:

```
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel-load-balancing'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```



```
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_load_balancing_put

    Parameters:
      - Name: l2tp-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_tunnel-load-balancing'
            Required/Optional: true

    Responses:
      '201':
        Description: leaf tunnel-load-balancing created or replaced
        Content: {}
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: tunnel-load-balancing
  delete:
```

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_load_balancing_delete**Parameters:**

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '204':
 - Description:** No Content
 - Content:** {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_load_balancing_options**Parameters:**

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_load_balancing_head**Parameters:**

- **Name:** l2tp-name
 - In:** path

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form

Explode: true
Schema:
Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:
 '200':
Description: OK
Content: {}
security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_load_balancing_patch

Parameters:
 - **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

Request Body:
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_tunnel-load-balancing'
Required/Optional: true

Responses:
 '204':
Description: leaf tunnel-load-balancing updated
Content: {}
 '400':
Description: Bad Request
Content: {}
 '401':
Description: Unauthorized
Content: {}
 '404':
Description: Not Found
Content: {}

```

'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: tunnel-load-balancing

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/password

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_password_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16

```

- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_password'

'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found

```
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_password_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_password'

Required/Optional: true

Responses:
'201':
  Description: leaf password created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
```

```
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: password
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_password_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_password_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
- basicAuth: []
head:

Tags:
```


- data
- head

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_password_head

Parameters:

- **Name:** l2tp-name
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_password_patch

Parameters:

- **Name:** l2tp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

Request Body:**Content:**

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_password'

Required/Optional: true

Responses:

'204':

Description: leaf password updated

Content: {}

'400':

Description: Bad Request

Content: {}

```

'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: password

```

/data/cnbng-cp:profile/l2tp={l2tp-name}/force-lcp-renegotiation

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_force_lcp_renegotiation_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response

```

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_force-lcp-renegotiation'

'204':
Description: No Content
Content: {}
'400':
Description: Bad Request

```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_force_lcp_renegotiation_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_force_lcp_renegotiation'
      Required/Optional: true

Responses:
  '201':
    Description: leaf force-lcp-renegotiation created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':

```

```
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: force-lcp-renegotiation
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_force_lcp_renegotiation_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_force_lcp_renegotiation_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
```

Description: OK
Content: {}
security:
- **basicAuth:** []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_force_lcp_renegotiation_head

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** string
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter

In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:

Type: string
Format: string

- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:

Type: string
Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_force_lcp_renegotiation_patch

Parameters:

- **Name:** l2tp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

Type: string
Format: string

Request Body:

Content:
application/yang-data+json:
Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_force-lcp-renegotiation'

Required/Optional: true

Responses:

- '204':
 - Description:** leaf force-lcp-renegotiation updated
 - Content:** {}
- '400':
 - Description:** Bad Request
 - Content:** {}
- '401':
 - Description:** Unauthorized
 - Content:** {}
- '404':
 - Description:** Not Found
 - Content:** {}
- '405':
 - Description:** Method Not Allowed
 - Content:** {}
- '409':
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

x-codegen-request-body-name: force-lcp-renegotiation

/data/cnbng-cp:profile/radius

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_radius_get

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false

Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_radius'

'204':
 Description: No Content
 Content: {}

'400':
 Description: Bad Request
 Content: {}

```
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_put
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_radius'
Required/Optional: true

Responses:
'201':
  Description: container radius created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: radius
```

Method: Post

Tags:

- data
- post

Operation ID: data_cnbng_cp_profile_radius_post

Request Body:

Content:

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data_cnbng-cp_profile_radius-post'

Required/Optional: true

Responses:

'201':

Description: container radius created

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: radius

delete:

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_radius_delete

Responses:

'204':

Description: No Content

Content: {}

security:

- basicAuth: []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_radius_options

Responses:

'200':

Description: OK

Content: {}

security:

- basicAuth: []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_radius_head

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all

- trim

- explicit

- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data

- patch

Operation ID: data_cnbng_cp_profile_radius_patch

Request Body:

Content:

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data_cnbng-cp_profile_radius'

Required/Optional: true

Responses:

'204':

Description: container radius updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

```
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: radius
```

/data/cnbng-cp:profile/radius/server

options:

```
Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_server_options

Responses:
  '200':
    Description: OK
    Content: {}
security:
- basicAuth: []
```

/data/cnbng-cp:profile/radius/server={server-ip},{server-port}

get:

```
Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_get

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
```

Explode: false
Schema:
 Type: string
 Format: int32

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:

Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port'

'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':
Description: Method Not Allowed
Content: {}
'409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_radius_server_server-ip_server-port_put

Parameters:

- **Name:** server-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: union

```

- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - first
      - last
      - before
      - after
    Default: first
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port'
      Required/Optional: true

Responses:
  '201':
    Description: list server created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}

```

```
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: server
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_delete

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_options

Parameters:
- Name: server-ip
  In: path
```

```
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_head

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

```

    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
```

```

    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_patch

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_server_server-ip_server-port'
    Required/Optional: true

Responses:
  '204':
    Description: list server updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict

```

```
Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: server
```

/data/cnbng-cp:profile/radius/server={server-ip},{server-port}/ip

get:

```
Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_ip_get

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
```

Schema:**Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**enum:**

- report-all

- trim

- explicit

- report-all-tagged

Default: report-all**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port_ip'

'204':**Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized


```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_ip_put

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_server_server-ip_server-port_ip'
    Required/Optional: true

Responses:
  '201':
    Description: leaf ip created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request

```

```
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ip
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_ip_delete

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_ip_options
```

Parameters:

- **Name:** server-ip
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** union
- **Name:** server-port
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_ip_head

Parameters:

- **Name:** server-ip
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** union
- **Name:** server-port
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false

Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

```
Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_ip_patch

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_server_server-ip_server-port_ip'
    Required/Optional: true

Responses:
  '204':
    Description: leaf ip updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
```

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ip

```

/data/cnbng-cp:profile/radius/server={server-ip},{server-port}/port

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_port_get

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response

```

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port_port'

'204':
Description: No Content
Content: {}
'400':
Description: Bad Request

```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_port_put

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_server_server-ip_server-port_port'
    Required/Optional: true

Responses:
  '201':
    Description: leaf port created or replaced
    Content: {}
  '204':
    Description: No Content

```



```
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: port
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_port_delete

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
```

- data
- options

Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_port_options

Parameters:

- **Name:** server-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** union
- **Name:** server-port
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** int32

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_port_head

Parameters:

- **Name:** server-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** union
- **Name:** server-port
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** int32

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all

- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_port_patch

Parameters:

- **Name:** server-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: union

- **Name:** server-port
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: int32

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_server_server-ip_server-port_port'
Required/Optional: true

Responses:

'204':
Description: leaf port updated
Content: {}

'400':
Description: Bad Request
Content: {}

'401':
Description: Unauthorized
Content: {}

```

'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: port

```

/data/cnbng-cp:profile/radius/server={server-ip},{server-port}/type

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_type_get

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig

```

```

    - all
      Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:**'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port_type'

```
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_type_put

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_server_server-ip_server-port_type'
      Required/Optional: true

Responses:
```

```
'201':
  Description: leaf type created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: type
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_type_delete

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

Responses:
'204':
  Description: No Content
```



```
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_type_options
```

```
Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
```

```
Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:
```

```
Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_type_head
```

```
Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
```

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: int32

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form

```
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_type_patch

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_server_server-ip_server-port_type'
    Required/Optional: true

Responses:
  '204':
    Description: leaf type updated
    Content: {}
  '400':
```

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: type

```

/data/cnbng-cp:profile/radius/server={server-ip},{server-port}/secret

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_secret_get

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:

```

Type: string
Format: enumeration
enum:
- config
- nonconfig
- all
Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

Responses:
'200':
Description: OK

```

    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_radius_server_server-ip_server-port_secret'
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_secret_put

  Parameters:
  - Name: server-ip
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: union
  - Name: server-port
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: int32
  Request Body:
    Content:
      application/yang-data+json:

```

Schema:**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port_secret'
```

Required/Optional: true

Responses:

'201':

Description: leaf secret created or replaced

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: secret

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_radius_server_server-ip_server-port_secret_delete

Parameters:

- **Name:** server-ip

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: union

- **Name:** server-port

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string
Format: int32

Responses:

'204':
Description: No Content
Content: {}

security:
- **basicAuth:** []

options:

Tags:
- data
- options

Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_secret_options

Parameters:

- **Name:** server-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

Type: string
Format: union

- **Name:** server-port
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

Type: string
Format: int32

Responses:

'200':
Description: OK
Content: {}

security:
- **basicAuth:** []

head:

Tags:
- data
- head

Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_secret_head

Parameters:

- **Name:** server-ip
In: path
Required/Optional: true
Style: simple
Explode: false


```
Schema:
  Type: string
  Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
```

```

- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

```

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []

```

patch:

```

Tags:
- data
- patch

```

Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_secret_patch

Parameters:

```

- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_radius_server_server-ip_server-port_secret'
Required/Optional: true

```

Responses:

- '204':
 - Description:** leaf secret updated
 - Content:** {}
- '400':
 - Description:** Bad Request
 - Content:** {}
- '401':
 - Description:** Unauthorized
 - Content:** {}
- '404':
 - Description:** Not Found
 - Content:** {}
- '405':
 - Description:** Method Not Allowed
 - Content:** {}
- '409':
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

x-codegen-request-body-name: secret

/data/cnbng-cp:profile/radius/server={server-ip},{server-port}/priority

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_priority_get

Parameters:

- **Name:** server-ip
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** union
- **Name:** server-port
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all

- trim
- explicit
- report-all-tagged

Default: report-all

Responses:**'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port_priority'

'204':**Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**put:****Tags:**

- data
- put

Operation ID: data_cnbng_cp_profile_radius_server_server-ip_server-port_priority_put**Parameters:**- **Name:** server-ip**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** union- **Name:** server-port**In:** path**Required/Optional:** true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port_priority'
      Required/Optional: true

Responses:
  '201':
    Description: leaf priority created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: priority
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_priority_delete

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

```
    Type: string
    Format: union
  - Name: server-port
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: int32

  Responses:
    '204':
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID:
  data_cnbng_cp_profile_radius_server_server_ip_server_port_priority_options

  Parameters:
  - Name: server-ip
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: union
  - Name: server-port
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: int32

  Responses:
    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
```

- head

Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_priority_head

Parameters:

- **Name:** server-ip
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** union
- **Name:** server-port
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string


```
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_priority_patch

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
```

```

Schema:
  Type: string
  Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port_priority'
      Required/Optional: true

Responses:
  '204':
    Description: leaf priority updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: priority

```

/data/cnbng-cp:profile/radius/algorithm

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_algorithm_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:

```

Type: string
Format: enumeration
enum:
- config
- nonconfig
- all
Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

Responses:
'200':
Description: OK

```
    Content:
      application/yang-data+json:
        Schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_radius_algorithm'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng-cp_profile_radius_algorithm_put
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius_algorithm'
  Required/Optional: true

Responses:
'201':
  Description: leaf algorithm created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
```

```
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: algorithm
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_radius_algorithm_delete

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_radius_algorithm_options

  Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_radius_algorithm_head

  Parameters:
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
```

- config
- nonconfig
- all

Default: config

- **Name:** depth
- In:** query
- Description:** limit the depth of nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
- In:** query
- Description:** optionally identify specific data nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
- In:** query
- Description:** xpath expression to filter data nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
- In:** query
- Description:** controlling default values in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':

- Description:** OK
- Content:** {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_radius_algorithm_patch**Request Body:****Content:**

application/yang-data+json:

Schema:**Reference:** '#/components/schemas/data_cnbng-cp_profile_radius_algorithm'**Required/Optional:** true**Responses:**

'204':

Description: leaf algorithm updated**Content:** {}

'400':

Description: Bad Request**Content:** {}

'401':

Description: Unauthorized**Content:** {}

'404':

Description: Not Found**Content:** {}

'405':

Description: Method Not Allowed**Content:** {}

'409':

Description: Conflict**Content:** {}**security:**

- basicAuth: []

x-codegen-request-body-name: algorithm

/data/cnbng-cp:profile/radius/deadtime

get:**Tags:**

- data
- get

Operation ID: data_cnbng_cp_profile_radius_deadtime_get**Parameters:**

- **Name:** content

In: query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true

Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16

- **Name:** fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string

- **Name:** filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string

- **Name:** with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':


```
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_radius_deadtime'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_deadtime_put
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_radius_deadtime'
Required/Optional: true

Responses:
'201':
  Description: leaf deadtime created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
```

```
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: deadline
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_deadtime_delete

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_deadtime_options

Responses:
  '200':
    Description: OK
    Content: {}
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_deadtime_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
```

```
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
security:
```

```

- basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_deadtime_patch
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_radius_deadtime'
    Required/Optional: true

Responses:
'204':
  Description: leaf deadtime updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: deadtime

```

/data/cnbng-cp:profile/radius/detect-dead-server

```

get:

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form

```

Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

```

    '200':
      Description: OK
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_radius_detect-dead-server'
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_put
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_detect-dead-server'
    Required/Optional: true

  Responses:
    '201':
      Description: container detect-dead-server created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized

```

```
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: detect-dead-server
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_post
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_detect-dead-server-post'
      Required/Optional: true

Responses:
  '201':
    Description: container detect-dead-server created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: detect-dead-server
```

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_delete

Responses:

'204':

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_options

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_head

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true


```
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
```

Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_detect-dead-server'
Required/Optional: true

Responses:

- '204':
Description: container detect-dead-server updated
Content: {}
- '400':
Description: Bad Request
Content: {}
- '401':
Description: Unauthorized
Content: {}
- '404':
Description: Not Found
Content: {}
- '405':
Description: Method Not Allowed
Content: {}
- '409':
Description: Conflict
Content: {}

security:
 - **basicAuth:** []

x-codegen-request-body-name: detect-dead-server

/data/cnbng-cp:profile/radius/detect-dead-server/response-timeout

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_response_timeout_get

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_detect-dead-server_response-timeout'

'204':
Description: No Content
Content: {}

```

    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_response_timeout_put
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_detect-dead-server_response-timeout'
      Required/Optional: true

Responses:
  '201':
    Description: leaf response-timeout created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict

```

```
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: response-timeout
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_response_timeout_delete

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_response_timeout_options

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_response_timeout_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
```

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_response_timeout_patch

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_detect-dead-server_response-timeout'

Required/Optional: true

Responses:

'204':

Description: leaf response-timeout updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: response-timeout

/data/cnbng-cp:profile/radius/max-retry

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_radius_max_retry_get

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration
enum:
- config
- nonconfig
- all
Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
Description: OK
Content:


```
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius_max-retry'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_max_retry_put
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_radius_max-retry'
  Required/Optional: true

Responses:
  '201':
    Description: leaf max-retry created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
```

```
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: max-retry
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_max_retry_delete

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_max_retry_options

Responses:
'200':
  Description: OK
  Content: {}
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_max_retry_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
```

```
- nonconfig
- all
  Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:
```

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_radius_max_retry_patch

Request Body:**Content:**

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data_cnbng-cp_profile_radius_max-retry'

Required/Optional: true

Responses:

'204':

Description: leaf max-retry updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: max-retry

/data/cnbng-cp:profile/radius/timeout

get:**Tags:**

- data
- get

Operation ID: data_cnbng_cp_profile_radius_timeout_get

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string
Format: enumeration
enum:
- config
- nonconfig
- all
Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

Responses:
'200':
Description: OK

```
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_radius_timeout'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_timeout_put
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_radius_timeout'
Required/Optional: true

Responses:
'201':
  Description: leaf timeout created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
```

```
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: timeout
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_radius_timeout_delete

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_radius_timeout_options

  Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_radius_timeout_head

  Parameters:
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
```

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

- Type:** integer
- Format:** uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

- Type:** string
- Format:** string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

- Type:** string
- Format:** string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

- Type:** string
- Format:** enumeration
- enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
- Default:** report-all

Responses:**'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_radius_timeout_patch**Request Body:****Content:**

application/yang-data+json:

Schema:**Reference:** '#/components/schemas/data_cnbng-cp_profile_radius_timeout'**Required/Optional:** true**Responses:**

'204':

Description: leaf timeout updated**Content:** {}

'400':

Description: Bad Request**Content:** {}

'401':

Description: Unauthorized**Content:** {}

'404':

Description: Not Found**Content:** {}

'405':

Description: Method Not Allowed**Content:** {}

'409':

Description: Conflict**Content:** {}**security:**

- basicAuth: []

x-codegen-request-body-name: timeout

/data/cnbng-cp:profile/radius/attribute

get:**Tags:**

- data
- get

Operation ID: data_cnbng_cp_profile_radius_attribute_get**Parameters:**

- **Name:** content

In: query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true

Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16

- **Name:** fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string

- **Name:** filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string

- **Name:** with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':

```

  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius_attribute'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_attribute_put
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius_attribute'
  Required/Optional: true

Responses:
'201':
  Description: container attribute created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
```

```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: attribute
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_radius_attribute_post
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius_attribute-post'

Required/Optional: true

Responses:
  '201':
    Description: container attribute created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: attribute
delete:

Tags:

```

- data
- delete

Operation ID: data_cnbng_cp_profile_radius_attribute_delete

Responses:

'204':
Description: No Content
Content: {}

security:
- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_radius_attribute_options

Responses:

'200':
Description: OK
Content: {}

security:
- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_radius_attribute_head

Parameters:

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:

Type: string
Format: enumeration
enum:
- config
- nonconfig
- all
Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_radius_attribute_patch

Request Body:**Content:**

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data_cnbng-cp_profile_radius_attribute'

Required/Optional: true

Responses:

- '204':
 - Description:** container attribute updated
 - Content:** {}
- '400':
 - Description:** Bad Request
 - Content:** {}
- '401':
 - Description:** Unauthorized
 - Content:** {}
- '404':
 - Description:** Not Found
 - Content:** {}
- '405':
 - Description:** Method Not Allowed
 - Content:** {}
- '409':
 - Description:** Conflict
 - Content:** {}

security:

- **basicAuth:** []

x-codegen-request-body-name: attribute

/data/cnbng-cp:profile/radius/attribute/called-station-id

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_get

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false

```

Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}

```



```
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_put
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_attribute_called-station-id'
    Required/Optional: true

Responses:
'201':
  Description: container called-station-id created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
```

x-codegen-request-body-name: called-station-id

Method: Post

Tags:

- data
- post

Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_post

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_called-station-id-post'

Required/Optional: true

Responses:

'201':

Description: container called-station-id created

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: called-station-id

delete:

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_delete

Responses:

'204':

Description: No Content

Content: {}

security:

- basicAuth: []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_options**Responses:****'200':****Description:** OK**Content:** {}**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_head**Parameters:**

- **Name:** content

In: query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**enum:**

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16

- **Name:** fields

In: query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string

- **Name:** filter

In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:

Type: string
Format: string

- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:

Type: string
Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_patch

Request Body:

Content:
application/yang-data+json:
Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_called-station-id'

Required/Optional: true

Responses:

'204':
Description: container called-station-id updated
Content: {}

'400':
Description: Bad Request
Content: {}

'401':
Description: Unauthorized

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: called-station-id

```

/data/cnbng-cp:profile/radius/attribute/called-station-id/format

options:

```

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_format_options

```

Responses:

```

  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/radius/attribute/called-station-id/format={format-nas-port-

get:

```

  Tags:
  - data
  - get
  Operation ID:
  data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_get

  Parameters:
  - Name: format-nas-port-type
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: int32
  - Name: content

```

- In:** query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit

- report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type'

'204':
Description: No Content
Content: {}
 '400':
Description: Bad Request
Content: {}
 '401':
Description: Unauthorized
Content: {}
 '404':
Description: Not Found
Content: {}
 '405':
Description: Method Not Allowed
Content: {}
 '409':
Description: Conflict
Content: {}

security:

- basicAuth: []

put:

Tags:

- data
 - put

Operation ID:

data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_put

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: int32
 - **Name:** insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false

```

Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
    - first
    - last
    - before
    - after
  Default: first
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type'
Required/Optional: true

Responses:
  '201':
    Description: list format created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []

```


x-codegen-request-body-name: format
delete:

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_delete

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** int32

Responses:

'204':

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_options

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** int32

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data

- head

Operation ID:

data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_head

Parameters:

- **Name:** format-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config

- nonconfig

- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

```

    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_patch

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_attribute_called-station-id_format_format-nas-port-type'

    Required/Optional: true

Responses:
  '204':
    Description: list format updated
    Content: {}
  '400':

```

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format

```

/data/cnbng-cp:profile/radius/attribute/called-station-id/format={format-nas-port-type}

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_nas_port_type_get

Parameters:

- **Name:** format-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

```
- config
- nonconfig
- all
```

Default: config

- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':

Description: OK**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_nas-port-type'

'204':

```

    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_nas_port_type_put

```

```

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_nas_port_type'

    Required/Optional: true

```

```

Responses:
  '201':
    Description: leaf nas-port-type created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}

```

```
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-type
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_nas_port_type_delete

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_nas_port_type_options

Parameters:
- Name: format-nas-port-type
```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: int32

Responses:

'200':
 Description: OK
 Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_nas_port_type_head

Parameters:

- **Name:** format-nas-port-type
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: int32

- **Name:** content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:


```

    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_nas_port_type_patch

Parameters:
- Name: format-nas-port-type
  In: path

```

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_nas-port-type'

Required/Optional: true

Responses:
  '204':
    Description: leaf nas-port-type updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-type

```

/data/cnbng-cp:profile/radius/attribute/called-station-id/format={format-nas-port-type}/format-name

get:

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_format_name_get

Parameters:
- Name: format-nas-port-type
  In: path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: int32

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form

Explode: true
Schema:
Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_format-name'

'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':
Description: Method Not Allowed
Content: {}
'409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
 - put

Operation ID:

data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_format_name_put

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple

```

Explode: false
Schema:
  Type: string
  Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_format-name'

Required/Optional: true

Responses:
  '201':
    Description: leaf format-name created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: format-name
delete:

Tags:
  - data
  - delete
Operation ID:
  data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_format_name_delete

Parameters:
  - Name: format-nas-port-type
    In: path
    Required/Optional: true
    Style: simple
    Explode: false

```

Schema:

Type: string
Format: int32

Responses:

'204':
Description: No Content
Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_format_name_options

Parameters:

- **Name:** format-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string
Format: int32

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_format_name_head

Parameters:

- **Name:** format-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string
Format: int32

- **Name:** content

In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit

- report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content: {}
security:
 - **basicAuth:** []

patch:**Tags:**

- data
 - patch

Operation ID:

data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_format_name_patch

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: int32

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_format-name'

Required/Optional: true

Responses:

'204':
Description: leaf format-name updated
Content: {}
 '400':
Description: Bad Request
Content: {}
 '401':
Description: Unauthorized
Content: {}
 '404':
Description: Not Found
Content: {}
 '405':
Description: Method Not Allowed
Content: {}
 '409':
Description: Conflict


```
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format-name
```

/data/cnbng-cp:profile/radius/attribute/called-station-id/format-name

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_format_name_get

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id_format-name'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:

```

- data

- put

Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_format_name_put

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_called-station-id_format-name'

Required/Optional: true

Responses:

'201':

Description: leaf format-name created or replaced

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: format-name

delete:

Tags:

- data

- delete

Operation ID:

data_cnbng_cp_profile_radius_attribute_called_station_id_format_name_delete

Responses:

'204':

Description: No Content

Content: {}

security:

- basicAuth: []

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_radius_attribute_called_station_id_format_name_options

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_format_name_head

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

```

In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_name_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id_format-name'

    Required/Optional: true

Responses:
  '204':
    Description: leaf format-name updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':

```

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name

```

/data/cnbng-cp:profile/radius/attribute/called-station-id/value

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_value_get

```

Parameters:

```

- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response

```

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id_value'
'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_value_put
Request Body:
  Content:
  application/yang-data+json:
    Schema:
    Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_attribute_called-station-id_value'
  Required/Optional: true

Responses:
  '201':
    Description: leaf value created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: value
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_value_delete

Responses:

```



```
'204':
  Description: No Content
  Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_value_options

Responses:
'200':
  Description: OK
  Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_value_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
```

Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_value_patch

Request Body:

Content:
 application/yang-data+json:
 Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_called-station-id_value'

Required/Optional: true

Responses:

'204':
 Description: leaf value updated

```
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value
```

/data/cnbng-cp:profile/radius/attribute/calling-station-id

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_get

Parameters:

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:

```

    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}

```

```

    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_put
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_attribute_calling-station-id'
      Required/Optional: true

Responses:
'201':
  Description: container calling-station-id created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: calling-station-id
Method: Post

Tags:

```

- data

- post

Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_post

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_calling-station-id-post'

Required/Optional: true

Responses:

'201':

Description: container calling-station-id created

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: calling-station-id

delete:

Tags:

- data

- delete

Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_delete

Responses:

'204':

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data

- options

Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_options

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_head

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true
Schema:
 Type: string
 Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}

security:
- **basicAuth:** []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_patch

Request Body:

Content:
 application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_calling-station-id'

Required/Optional: true

Responses:

'204':
 Description: container calling-station-id updated
 Content: {}

'400':
 Description: Bad Request
 Content: {}

'401':
 Description: Unauthorized
 Content: {}

'404':
 Description: Not Found
 Content: {}


```

    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: calling-station-id

```

/data/cnbng-cp:profile/radius/attribute/calling-station-id/format

options:

```

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_format_options

```

Responses:

```

  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/radius/attribute/calling-station-id/format={format-nas-port}

get:

```

  Tags:
  - data
  - get
  Operation ID:
  data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_get

  Parameters:
  - Name: format-nas-port-type
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: int32
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form

```

Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type'

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_put

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string

```

```

    Format: enumeration
    enum:
    - first
    - last
    - before
    - after
    Default: first
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type'
    Required/Optional: true

Responses:
  '201':
    Description: list format created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format
delete:

Tags:

```

- data
- delete

Operation ID:

data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_delete

Parameters:

- **Name:** format-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** int32

Responses:

'204':

Description: No Content**Content:** {}**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_options

Parameters:

- **Name:** format-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** int32

Responses:

'200':

Description: OK**Content:** {}**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_head

Parameters:

- **Name:** format-nas-port-type
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_patch

Parameters:

- **Name:** format-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas-port-type'

Required/Optional: true

Responses:

'204':

Description: list format updated

Content: {}

'400':

Description: Bad Request

Content: {}

```

'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format

```

/data/cnbng-cp:profile/radius/attribute/calling-station-id/format={format-nas-port-type}/nas-port-type

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_get

Parameters:

- **Name:** format-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_nas-port-type'

'204':
Description: No Content
Content: {}

```

    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_put

```

Parameters:

```

- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas-port-type_nas-port-type'

```

```

Required/Optional: true

```

Responses:

```

'201':
  Description: leaf nas-port-type created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request

```

```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: nas-port-type
delete:

```

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_delete

Parameters:

- **Name:** format-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** int32

Responses:

- '204':
 - Description:** No Content
 - Content:** {}

security:

- basicAuth: []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_options

Parameters:

- **Name:** format-nas-port-type
- In:** path
- Required/Optional:** true

Style: simple
Explode: false
Schema:
 Type: string
 Format: int32

Responses:

'200':
 Description: OK
 Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_head

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: int32
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:**'200':****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_patch

Parameters:

- **Name:** format-nas-port-type
 - In:** path
 - Required/Optional:** true
 - Style:** simple

```

Explode: false
Schema:
  Type: string
  Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_nas-port-type'

  Required/Optional: true

Responses:
  '204':
    Description: leaf nas-port-type updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: nas-port-type

```

/data/cnbng-cp:profile/radius/attribute/calling-station-id/format={format-nas-port-type}

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_format_name_get

Parameters:

- **Name:** format-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple

```
Explode: false
Schema:
  Type: string
  Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_format-name'

'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':
Description: Method Not Allowed
Content: {}
'409':
Description: Conflict
Content: {}

security:
 - **basicAuth:** []

put:

Tags:
 - data
 - put
Operation ID:

data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_format_name_put

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:


```

    Type: string
    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_format-name'

  Required/Optional: true

Responses:
  '201':
    Description: leaf format-name created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name
delete:

  Tags:
  - data
  - delete
  Operation ID:
    data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_format_name_delete

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

Format: int32

Responses:

'204':

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_format_name_options

Parameters:

- **Name:** format-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_format_name_head

Parameters:

- **Name:** format-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
 - patch

Operation ID:

data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_format_name_patch

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: int32

Request Body:

Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_format-name'

Required/Optional: true

Responses:

'204':
Description: leaf format-name updated
Content: {}
 '400':
Description: Bad Request
Content: {}
 '401':
Description: Unauthorized
Content: {}
 '404':
Description: Not Found
Content: {}
 '405':
Description: Method Not Allowed
Content: {}
 '409':
Description: Conflict
Content: {}

```
security:  
- basicAuth: []  
x-codegen-request-body-name: format-name
```

/data/cnbng-cp:profile/radius/attribute/calling-station-id/format-name

get:

Tags:

```
- data  
- get
```

Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_format_name_get

Parameters:

```
- Name: content  
  In: query  
  Description: controlling descendant nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: string  
    Format: enumeration  
    enum:  
    - config  
    - nonconfig  
    - all  
    Default: config  
- Name: depth  
  In: query  
  Description: limit the depth of nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: integer  
    Format: uint16  
- Name: fields  
  In: query  
  Description: optionally identify specific data nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: string  
    Format: string  
- Name: filter  
  In: query  
  Description: xpath expression to filter data nodes in response  
  Required/Optional: false  
  Style: form
```

```
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id_format-name'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
```

```
- put
Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_format_name_put

Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_attribute_calling-station-id_format-name'

    Required/Optional: true

Responses:
  '201':
    Description: leaf format-name created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: format-name
delete:

  Tags:
    - data
    - delete
  Operation ID:
    data_cnbng_cp_profile_radius_attribute_calling_station_id_format_name_delete

  Responses:
    '204':
      Description: No Content
      Content: {}
  security:
    - basicAuth: []
options:

  Tags:
```

- data
- options

Operation ID:

data_cnbng_cp_profile_radius_attribute_calling_station_id_format_name_options

Responses:

'200':

Description: OK**Content:** {}**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_attribute_calling_station_id_format_name_head

Parameters:

- **Name:** content

In: query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**enum:**

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16

- **Name:** fields

In: query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []
patch:

Tags:
 - data
 - patch
Operation ID:
 data_cnbng_cp_profile_radius_attribute_calling_station_id_format_name_patch
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id_format-name'
 Required/Optional: true

Responses:
 '204':
 Description: leaf format-name updated
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name

```

/data/cnbng-cp:profile/radius/attribute/calling-station-id/value

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_value_get

```

Parameters:

```

- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false

```

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id_value'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}

```

```

    '409':
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_value_put
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng_cp_profile_radius_attribute_calling-station-id_value'
            Required/Optional: true

    Responses:
      '201':
        Description: leaf value created or replaced
        Content: {}
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: value
  delete:

    Tags:
      - data
      - delete
    Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_value_delete

    Responses:

```

```
    '204':
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_value_options

Responses:
'200':
  Description: OK
  Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_value_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
```

Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_value_patch

Request Body:

Content:
 application/yang-data+json:
 Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_calling-station-id_value'

Required/Optional: true

Responses:

'204':
 Description: leaf value updated

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value

```

/data/cnbng-cp:profile/radius/attribute/nas-identifier

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:

```

```

    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}

```



```
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_put
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-identifier'
    Required/Optional: true

Responses:
'201':
  Description: leaf nas-identifier created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-identifier
delete:

Tags:
```

- data
 - delete
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_delete

Responses:

'204':
Description: No Content
Content: {}

security:
 - **basicAuth:** []

options:**Tags:**

- data
 - options

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_options

Responses:

'200':
Description: OK
Content: {}

security:
 - **basicAuth:** []

head:**Tags:**

- data
 - head

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_head

Parameters:

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
 - config
 - nonconfig
 - all
Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

```

- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

patch:**Tags:**

```

- data
- patch

```

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_patch

Request Body:

```

Content:
  application/yang-data+json:
    Schema:

```

Reference:

```

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-identifier'
Required/Optional: true

```

Responses:

```
'204':
  Description: leaf nas-identifier updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
```

security:

```
- basicAuth: []
x-codegen-request-body-name: nas-identifier
```

/data/cnbng-cp:profile/radius/attribute/nas-identifier-format

get:**Tags:**

```
- data
- get
```

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_format_get

Parameters:

```
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
```

```

Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}

```

```

    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_format_put
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-identifier-format'
      Required/Optional: true

Responses:
    '201':
      Description: container nas-identifier-format created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []

```

```
x-codegen-request-body-name: nas-identifier-format
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_format_post
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-identifier-format-post'
      Required/Optional: true

Responses:
  '201':
    Description: container nas-identifier-format created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-identifier-format
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_format_delete

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
```

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_format_options**Responses:****'200':****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_format_head**Parameters:**

- **Name:** content

In: query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**enum:**

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16

- **Name:** fields

In: query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string

- **Name:** filter


```

In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_format_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-identifier-format'
      Required/Optional: true

Responses:
  '204':
    Description: container nas-identifier-format updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized

```

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-identifier-format

```

/data/cnbng-cp:profile/radius/attribute/nas-identifier-format/format

options:

```

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_options

Responses:
  '200':
    Description: OK
    Content: {}
security:
- basicAuth: []

```

/data/cnbng-cp:profile/radius/attribute/nas-identifier-format/format={format-nas-po

get:

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_get

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

```

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all

- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type'

'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':
Description: Method Not Allowed
Content: {}
'409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID:

data_cnbng-cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_put

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: int32
- **Name:** insert
In: query

Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - first
 - last
 - before
 - after
 Default: first

- **Name:** point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type'

Required/Optional: true

Responses:

'201':
 Description: list format created or replaced
 Content: {}

'204':
 Description: No Content
 Content: {}

'400':
 Description: Bad Request
 Content: {}

'401':
 Description: Unauthorized
 Content: {}

'404':
 Description: Not Found
 Content: {}

'405':
 Description: Method Not Allowed
 Content: {}

'409':
 Description: Conflict
 Content: {}

```

security:
- basicAuth: []
x-codegen-request-body-name: format
delete:

```

Tags:

```

- data
- delete

```

Operation ID:

```
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_delete

```

Parameters:

```

- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

```

Responses:

```

'204':
  Description: No Content
  Content: {}

```

security:

```

- basicAuth: []

```

options:**Tags:**

```

- data
- options

```

Operation ID:

```
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_options

```

Parameters:

```

- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

security:

```

- basicAuth: []

```

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_head

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** int32
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false

Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}

security:
 - **basicAuth:** []

patch:

Tags:

- data
 - patch

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_patch

Parameters:

- Name: format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: int32

Request Body:

Content:
 application/yang-data+json:
 Schema:

Reference:

 '#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type'

Required/Optional: true


```

Responses:
  '204':
    Description: list format updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format

```

/data/cnbng-cp:profile/radius/attribute/nas-identifier-format/format={format-nas-p

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_get

Parameters:

- **Name:** format-nas-port-type
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string

```
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content:
```

```

    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_nas-port-type'

    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_put

  Parameters:
  - Name: format-nas-port-type
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: int32
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_nas-port-type'

    Required/Optional: true

  Responses:
    '201':

```

```

    Description: leaf nas-port-type created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-type
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_delete

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options

```

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_options

Parameters:

- **Name:** format-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** int32

Responses:

- '200':
 - Description:** OK
 - Content:** {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_head

Parameters:

- **Name:** format-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** int32
- **Name:** content
- In:** query
- Description:** controlling descendant nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
- In:** query

Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_patch

Parameters:

- **Name:** format-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_nas-port-type'

Required/Optional: true

Responses:

'204':

Description: leaf nas-port-type updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: nas-port-type

/data/cnbng-cp:profile/radius/attribute/nas-identifier-format/format={format-nas-p

get:

Tags:

- data

- get

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_format_name_get

Parameters:

- **Name:** format-nas-port-type
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string


```

- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_format-name'
```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

security:

```
- basicAuth: []
```

put:**Tags:**

```
- data
- put
```

Operation ID:

```
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_format_name_put
```

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: int32

Request Body:

Content:
application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_format-name'

Required/Optional: true

Responses:

'201':
Description: leaf format-name created or replaced
Content: {}
'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':
Description: Method Not Allowed
Content: {}
'409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: format-name

delete:**Tags:**

- data
- delete

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_format_name_delete

Parameters:

```
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_format_name_options

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_format_name_head

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
```

Explode: false
Schema:
 Type: string
 Format: int32

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:

Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:
'200':
Description: OK
Content: {}
security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_format_name_patch

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: int32

Request Body:

Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_format_name'

Required/Optional: true

Responses:

'204':
Description: leaf format-name updated
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found

```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name

```

/data/cnbng-cp:profile/radius/attribute/nas-identifier-format/format-name

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_name_get

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format-name'

'204':
  Description: No Content
  Content: {}

'400':
  Description: Bad Request
  Content: {}

'401':
  Description: Unauthorized
  Content: {}

'404':
  Description: Not Found
  Content: {}

'405':
  Description: Method Not Allowed
  Content: {}

'409':
  Description: Conflict

```

```

    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_name_put
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format-name'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf format-name created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format-name
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_name_delete

  Responses:
    '204':

```



```
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_name_options

  Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_name_head

  Parameters:
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
      - config
      - nonconfig
      - all
      Default: config
  - Name: depth
    In: query
    Description: limit the depth of nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
```

```

    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_name_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format-name'

    Required/Optional: true

Responses:
  '204':

```

```

    Description: leaf format-name updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name

```

/data/cnbng-cp:profile/radius/attribute/nas-port-id

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```

Schema:**Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**enum:**

- report-all

- trim

- explicit

- report-all-tagged

Default: report-all**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id'

'204':**Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized

```
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_put
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port-id'
      Required/Optional: true

Responses:
  '201':
    Description: container nas-port-id created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: nas-port-id
Method: Post
```

Tags:

- data
- post

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_post

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port-id-post'

Required/Optional: true

Responses:

'201':

Description: container nas-port-id created

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: nas-port-id

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_delete

Responses:

'204':

Description: No Content

Content: {}

security:

- basicAuth: []

options:**Tags:**

```
- data
- options
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_options
```

Responses:

```
'200':
  Description: OK
  Content: {}
```

```
security:
- basicAuth: []
```

head:**Tags:**

```
- data
- head
```

```
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_head
```

Parameters:

```
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
```

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}

security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_patch

Request Body:

Content:
 application/yang-data+json:

Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port-id'

Required/Optional: true

Responses:
 '204':
 Description: container nas-port-id updated
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':


```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-id

```

/data/cnbng-cp:profile/radius/attribute/nas-port-id/format

options:

```

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_format_options

Responses:
  '200':
    Description: OK
    Content: {}
security:
- basicAuth: []

```

/data/cnbng-cp:profile/radius/attribute/nas-port-id/format={format-nas-port-type}

get:

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_get

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response

```

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:**'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type'

'204':**Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:****- basicAuth:** []**put:****Tags:****- data****- put****Operation ID:**

data_cnbng-cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_put

Parameters:**- Name:** format-nas-port-type**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** int32**- Name:** insert**In:** query**Description:** controlling the order when adding new list elements**Required/Optional:** false**Style:** form**Explode:** true

```

Schema:
  Type: string
  Format: enumeration
  enum:
    - first
    - last
    - before
    - after
  Default: first
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type'

Required/Optional: true

Responses:
  '201':
    Description: list format created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format
delete:

```

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_delete

Parameters:

- **Name:** format-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** int32

Responses:

'204':

Description: No Content**Content:** {}**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_options

Parameters:

- **Name:** format-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** int32

Responses:

'200':

Description: OK**Content:** {}**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_head

Parameters:

- **Name:** format-nas-port-type
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_patch

Parameters:

- **Name:** format-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type'

Required/Optional: true

Responses:

'204':

Description: list format updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format

```

/data/cnbng-cp:profile/radius/attribute/nas-port-id/format={format-nas-port-type}/na

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_get

Parameters:

- **Name:** format-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_nas-port-type'

'204':
Description: No Content
Content: {}
'400':

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_put

```

```

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_nas-port-type'

      Required/Optional: true

```

```

Responses:
  '201':
    Description: leaf nas-port-type created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}

```

```
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-type
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_delete
```

```
Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_options
```

```
Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
```

```

    Explode: false
    Schema:
      Type: string
      Format: int32

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_head

```

Parameters:

- **Name:** format-nas-port-type
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields

```

In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_patch

Parameters:
- Name: format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false

```

```

Schema:
  Type: string
  Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_nas-port-type'

  Required/Optional: true

Responses:
  '204':
    Description: leaf nas-port-type updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-type

```

/data/cnbng-cp:profile/radius/attribute/nas-port-id/format={format-nas-port-type}/format-name

get:

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_format_name_get

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false

```

Schema:
 Type: string
 Format: int32

- **Name:** content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- **Name:** depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- **Name:** fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- **Name:** filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- **Name:** with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_format-name'

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

put:

Tags:

- data
- put

Operation ID:

data_cnbng-cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_format_name_put

Parameters:

- **Name:** format-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string


```

    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_format-name'

Required/Optional: true

Responses:
  '201':
    Description: leaf format-name created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_format_name_delete

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

```

Responses:**'204':****Description:** No Content**Content:** {}**security:**- **basicAuth:** []**options:****Tags:**- data
- options**Operation ID:**

data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_format_name_options

Parameters:- **Name:** format-nas-port-type**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** int32**Responses:****'200':****Description:** OK**Content:** {}**security:**- **basicAuth:** []**head:****Tags:**- data
- head**Operation ID:**

data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_format_name_head

Parameters:- **Name:** format-nas-port-type**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** int32- **Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false

Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
Description: OK
Content: {}

security:
 - **basicAuth:** []

patch:**Tags:**

- data
 - patch

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_format_name_patch

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

Type: string
Format: int32

Request Body:

Content:
 application/yang-data+json:
Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_format-name'

Required/Optional: true

Responses:

'204':
Description: leaf format-name updated
Content: {}

'400':
Description: Bad Request
Content: {}

'401':
Description: Unauthorized
Content: {}

'404':
Description: Not Found
Content: {}

'405':
Description: Method Not Allowed
Content: {}

'409':
Description: Conflict
Content: {}

security:

```
- basicAuth: []  
x-codegen-request-body-name: format-name
```

/data/cnbng-cp:profile/radius/attribute/nas-port-id/format-name

get:

Tags:

```
- data  
- get
```

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_format_name_get

Parameters:

```
- Name: content  
  In: query  
  Description: controlling descendant nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: string  
    Format: enumeration  
    enum:  
      - config  
      - nonconfig  
      - all  
    Default: config  
- Name: depth  
  In: query  
  Description: limit the depth of nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: integer  
    Format: uint16  
- Name: fields  
  In: query  
  Description: optionally identify specific data nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: string  
    Format: string  
- Name: filter  
  In: query  
  Description: xpath expression to filter data nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true
```

```

    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id_format-name'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_format_name_put

```

```

Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id_format-name'
      Required/Optional: true

Responses:
  '201':
    Description: leaf format-name created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_format_name_delete

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_format_name_options

```

Responses:**'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_format_name_head**Parameters:****- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**enum:**

- config
- nonconfig
- all

Default: config**- Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**


```
    Type: string
    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_format_name_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port-id_format-name'
      Required/Optional: true

Responses:
  '204':
    Description: leaf format-name updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
```

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format-name

```

/data/cnbng-cp:profile/radius/attribute/nas-port-id/value

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_value_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter

```

```
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id_value'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:
```

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_value_put

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port-id_value'

Required/Optional: true

Responses:

'201':

Description: leaf value created or replaced

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: value

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_value_delete

Responses:

'204':

Description: No Content

Content: {}

security:

- basicAuth: []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_value_options

Responses:

'200':

Description: OK

Content: {}

security:

- basicAuth: []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_value_head

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all

- trim

- explicit

- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data

- patch

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_value_patch

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port-id_value'

Required/Optional: true

Responses:

'204':

Description: leaf value updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

```

'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value

```

/data/cnbng-cp:profile/radius/attribute/nas-port

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form

```

```

Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':

```



```
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_put
Request Body:
Content:
  application/yang-data+json:
  Schema:
  Reference:
  '#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port'
  Required/Optional: true

Responses:
  '201':
    Description: container nas-port created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: nas-port
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_post
Request Body:
Content:
  application/yang-data+json:
  Schema:
```

```

Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-post'
  Required/Optional: true

Responses:
  '201':
    Description: container nas-port created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: nas-port
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_delete

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_options

  Responses:
  '200':
    Description: OK
    Content: {}

```

```
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
```

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_patch

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port'

Required/Optional: true

Responses:

'204':

Description: container nas-port updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

```
security:
- basicAuth: []
x-codegen-request-body-name: nas-port
```

/data/cnbng-cp:profile/radius/attribute/nas-port/format-e-list

options:

```
Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_options

Responses:
'200':
  Description: OK
  Content: {}
security:
- basicAuth: []
```

/data/cnbng-cp:profile/radius/attribute/nas-port/format-e-list={format-e-list-nas-p

get:

```
Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_get

Parameters:
- Name: format-e-list-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
```

- nonconfig
- all
- Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

- '200':
 - Description:** OK
 - Content:**
 - application/yang-data+json:
 - Schema:**
 - Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type'
```

```

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_put

```

Parameters:

```

- Name: format-e-list-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - first
    - last
    - before
    - after

```

```

    Default: first
  - Name: point
    In: query
    Description: used to specify the insertion point
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type'

    Required/Optional: true

  Responses:
    '201':
      Description: list format-e-list created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format-e-list
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_delete

```


Parameters:

- **Name:** format-e-list-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: int32

Responses:

'204':
 Description: No Content
 Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_options

Parameters:

- **Name:** format-e-list-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: int32

Responses:

'200':
 Description: OK
 Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_head

Parameters:

- **Name:** format-e-list-nas-port-type
In: path
Required/Optional: true

Style: simple
Explode: false
Schema:
 Type: string
 Format: int32

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true

Schema:

Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
 - patch

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_patch

Parameters:

- **Name:** format-e-list-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

Type: string
Format: int32

Request Body:

Content:
 application/yang-data+json:
Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type'

Required/Optional: true

Responses:

'204':
Description: list format-e-list updated
Content: {}

'400':
Description: Bad Request
Content: {}

'401':
Description: Unauthorized
Content: {}

'404':

```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-e-list

```

/data/cnbng-cp:profile/radius/attribute/nas-port/format-e-list={format-e-list-nas-port-type}

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_get

Parameters:

- **Name:** format-e-list-nas-port-type
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true

Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged**Default:** report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type'

'204':
Description: No Content
Content: {}
 '400':
Description: Bad Request
Content: {}
 '401':

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_put

Parameters:
- Name: format-e-list-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type'

      Required/Optional: true

Responses:
  '201':
    Description: leaf nas-port-type created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}

```

```
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-type
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_delete
```

```
Parameters:
- Name: format-e-list-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_options
```

```
Parameters:
- Name: format-e-list-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
```

Format: int32

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_head

Parameters:

- **Name:** format-e-list-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false


```

    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_patch

Parameters:
- Name: format-e-list-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
```

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type'

Required/Optional: true**Responses:**

'204':

Description: leaf nas-port-type updated**Content:** {}

'400':

Description: Bad Request**Content:** {}

'401':

Description: Unauthorized**Content:** {}

'404':

Description: Not Found**Content:** {}

'405':

Description: Method Not Allowed**Content:** {}

'409':

Description: Conflict**Content:** {}**security:**

- basicAuth: []

x-codegen-request-body-name: nas-port-type**/data/cnbng-cp:profile/radius/attribute/nas-port/format-e-list={format-e-list-nas-port-type}/format-e****get:****Tags:**

- data

- get

Operation ID:

data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e_get

Parameters:- **Name:** format-e-list-nas-port-type**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** int32

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all

- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e'

'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':
Description: Method Not Allowed
Content: {}
'409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID:

data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e_put

Parameters:

- **Name:** format-e-list-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** int32

Request Body:

Content:

```

    application/yang-data+json:
      Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e'

      Required/Optional: true

    Responses:
      '201':
        Description: leaf format-e created or replaced
        Content: {}
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: format-e
  delete:

    Tags:
      - data
      - delete
    Operation ID:
      data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_delete

  Parameters:
    - Name: format-e-list-nas-port-type
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: int32

  Responses:
    '204':

```

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_options

Parameters:

- **Name:** format-e-list-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_head

Parameters:

- **Name:** format-e-list-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

```

    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
```

```

    Content: {}
  security:
  - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID:
  data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_patch

  Parameters:
  - Name: format-e-list-nas-port-type
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: int32
  Request Body:
  Content:
  application/yang-data+json:
  Schema:
  Reference:
  '#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e'

  Required/Optional: true

  Responses:
  '204':
    Description: leaf format-e updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format-e

```


/data/cnbng-cp:profile/radius/attribute/nas-port/format-e

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_format_e_get

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port_format-e'

'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_format_e_put

Request Body:

Content:
 application/yang-data+json:
 Schema:

Reference:

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port_format-e'
```

```
Required/Optional: true
```

Responses:

```
'201':
```

```
Description: leaf format-e created or replaced
```

```
Content: {}
```

```
'204':
```

```
Description: No Content
```

```
Content: {}
```

```
'400':
```

```
Description: Bad Request
```

```
Content: {}
```

```
'401':
```

```
Description: Unauthorized
```

```
Content: {}
```

```
'404':
```

```
Description: Not Found
```

```
Content: {}
```

```
'405':
```

```
Description: Method Not Allowed
```

```
Content: {}
```

```
'409':
```

```
Description: Conflict
```

```
Content: {}
```

security:

```
- basicAuth: []
```

```
x-codegen-request-body-name: format-e
```

delete:**Tags:**

```
- data  
- delete
```

```
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_format_e_delete
```

Responses:

```
'204':
```

```
Description: No Content
```

```
Content: {}
```

security:

```
- basicAuth: []
```

options:**Tags:**

```
- data  
- options
```

```
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_format_e_options
```

Responses:

```
'200':
```

```
Description: OK
```

```
Content: {}
```

```
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_format_e_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
```

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_format_e_patch

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port_format-e'

Required/Optional: true

Responses:

'204':

Description: leaf format-e updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

```

security:
- basicAuth: []
x-codegen-request-body-name: format-e

```

/data/cnbng-cp:profile/radius/attribute/nas-port/value

get:

Tags:

```

- data
- get

```

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_value_get

Parameters:

```

- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form

```

```
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port_value'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
  - data
  - put
```

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_value_put

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port_value'

Required/Optional: true

Responses:

'201':

Description: leaf value created or replaced

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: value

delete:

Tags:

- data

- delete

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_value_delete

Responses:

'204':

Description: No Content

Content: {}

security:

- basicAuth: []

options:

Tags:

- data

- options

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_value_options

Responses:

'200':

Description: OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_value_head**Parameters:****- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**enum:**

- config
- nonconfig
- all

Default: config**- Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true

Schema:**Type:** string**Format:** string**- Name:** with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**enum:**

- report-all

- trim

- explicit

- report-all-tagged

Default: report-all**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**patch:****Tags:**

- data

- patch

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_value_patch**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port_value'

Required/Optional: true**Responses:****'204':****Description:** leaf value updated**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':**

```

    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value

```

/data/cnbng-cp:profile/radius/attribute/nas-ip

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_ip_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string

```

- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-ip'

'204':
Description: No Content
Content: {}
 '400':
Description: Bad Request
Content: {}
 '401':
Description: Unauthorized
Content: {}
 '404':
Description: Not Found
Content: {}
 '405':
Description: Method Not Allowed
Content: {}
 '409':
Description: Conflict
Content: {}

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_ip_put**Request Body:****Content:**

application/yang-data+json:

Schema:**Reference:** '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-ip'**Required/Optional:** true**Responses:**

'201':

Description: leaf nas-ip created or replaced**Content:** {}

'204':

Description: No Content**Content:** {}

'400':

Description: Bad Request**Content:** {}

'401':

Description: Unauthorized**Content:** {}

'404':

Description: Not Found**Content:** {}

'405':

Description: Method Not Allowed**Content:** {}

'409':

Description: Conflict**Content:** {}**security:**

- basicAuth: []

x-codegen-request-body-name: nas-ip**delete:****Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_ip_delete**Responses:**

'204':

Description: No Content**Content:** {}**security:**

- basicAuth: []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_ip_options

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_ip_head

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID: data_cnbng_cp_profile_radius_attribute_nas_ip_patch
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-ip'

Required/Optional: true

Responses:
 '204':
 Description: leaf nas-ip updated
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}

```

'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-ip

```

/data/cnbng-cp:profile/radius/accounting

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_accounting_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form

```



```
    Explode: true
    Schema:
      Type: string
      Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_radius_accounting'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
```

```

    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_accounting_put
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius_accounting'
      Required/Optional: true

Responses:
  '201':
    Description: container accounting created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: accounting
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_radius_accounting_post
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius_accounting-post'
```

Required/Optional: true

Responses:

'201':
 Description: container accounting created
 Content: {}
'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: accounting

delete:

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_radius_accounting_delete

Responses:

'204':
 Description: No Content
 Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_radius_accounting_options

Responses:

'200':
 Description: OK
 Content: {}

security:

```
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_accounting_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
```

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_radius_accounting_patch

Request Body:

Content:

application/yang-data+json:

Schema:

Reference: '#/components/schemas/data_cnbng-cp_profile_radius_accounting'

Required/Optional: true

Responses:

'204':

Description: container accounting updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

```
- basicAuth: []
x-codegen-request-body-name: accounting
```

/data/cnbng-cp:profile/radius/accounting/algorithm

get:

Tags:

```
- data
- get
```

Operation ID: data_cnbng_cp_profile_radius_accounting_algorithm_get

Parameters:

```
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
```

```
Schema:
  Type: string
  Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_algorithm'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_accounting_algorithm_put
```

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_algorithm'

Required/Optional: true**Responses:**

'201':

Description: leaf algorithm created or replaced**Content:** {}

'204':

Description: No Content**Content:** {}

'400':

Description: Bad Request**Content:** {}

'401':

Description: Unauthorized**Content:** {}

'404':

Description: Not Found**Content:** {}

'405':

Description: Method Not Allowed**Content:** {}

'409':

Description: Conflict**Content:** {}**security:**- **basicAuth:** []**x-codegen-request-body-name:** algorithm**delete:****Tags:**- data
- delete**Operation ID:** data_cnbng_cp_profile_radius_accounting_algorithm_delete**Responses:**

'204':

Description: No Content**Content:** {}**security:**- **basicAuth:** []**options:****Tags:**- data
- options**Operation ID:** data_cnbng_cp_profile_radius_accounting_algorithm_options

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_accounting_algorithm_head

Parameters:

- **Name:** content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- **Name:** depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- **Name:** fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- **Name:** filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:

```

    Type: string
    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_accounting_algorithm_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_accounting_algorithm'
      Required/Optional: true

Responses:
  '204':
    Description: leaf algorithm updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed

```

```
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: algorithm
```

/data/cnbng-cp:profile/radius/accounting/deadtime

get:

```
Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_accounting_deadtime_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
```

```

In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_deadtime'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

```

```
Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_accounting_deadtime_put
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_accounting_deadtime'
      Required/Optional: true

Responses:
'201':
  Description: leaf deadtime created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: deadtime
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_accounting_deadtime_delete

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:
```

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_radius_accounting_deadtime_options

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_radius_accounting_deadtime_head

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID: data_cnbng_cp_profile_radius_accounting_deadtime_patch
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_radius_accounting_deadtime'
 Required/Optional: true

Responses:
 '204':
 Description: leaf deadtime updated
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}

```

'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: deadtime

```

/data/cnbng-cp:profile/radius/accounting/detect-dead-server

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_accounting_detect_dead_server_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form

```



```

Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:
      '#/components/schemas/data_cnbng-cp_profile_radius_accounting_detect-dead-server'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':

```

```

      Description: Conflict
      Content: {}
    security:
    - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_accounting_detect_dead_server_put
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_accounting_detect-dead-server'
    Required/Optional: true

Responses:
  '201':
    Description: container detect-dead-server created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: detect-dead-server
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_radius_accounting_detect_dead_server_post
Request Body:
Content:
  application/yang-data+json:
    Schema:

```

Reference:

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_detect-dead-server-post'
```

Required/Optional: true

Responses:

'201':

Description: container detect-dead-server created

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- **basicAuth:** []

x-codegen-request-body-name: detect-dead-server

delete:**Tags:**

- data
- delete

Operation ID: data_cnbng_cp_profile_radius_accounting_detect_dead_server_delete

Responses:

'204':

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID: data_cnbng_cp_profile_radius_accounting_detect_dead_server_options

Responses:

'200':

Description: OK

Content: {}

```
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_accounting_detect_dead_server_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
```

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Operation ID: data_cnbng_cp_profile_radius_accounting_detect_dead_server_patch

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_detect-dead-server'

Required/Optional: true

Responses:

'204':

Description: container detect-dead-server updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

```

security:
- basicAuth: []
x-codegen-request-body-name: detect-dead-server

```

/data/cnbng-cp:profile/radius/accounting/detect-dead-server/response-timeout

get:

Tags:

```

- data
- get

```

Operation ID:

data_cnbng_cp_profile_radius_accounting_detect_dead_server_response_timeout_get

Parameters:

```

- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form

```

```
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_detect-dead-server_response-timeout'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
  - data
```

```

- put
Operation ID:
data_cnbng_cp_profile_radius_accounting_detect_dead_server_response_timeout_put
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_accounting_detect-dead-server_response-timeout'

  Required/Optional: true

Responses:
  '201':
    Description: leaf response-timeout created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: response-timeout
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_accounting_detect_dead_server_response_timeout_delete

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:

```


- data
- options

Operation ID:

data_cnbng_cp_profile_radius_accounting_detect_dead_server_response_timeout_options

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_accounting_detect_dead_server_response_timeout_head

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

```

Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID:
data_cnbng_cp_profile_radius_accounting_detect_dead_server_response_timeout_patch
Request Body:
  Content:
  application/yang-data+json:
    Schema:
    Reference:
    '#/components/schemas/data_cnbng-cp_profile_radius_accounting_detect-dead-server_response-timeout'

  Required/Optional: true

Responses:
  '204':
    Description: leaf response-timeout updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized

```

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: response-timeout

```

/data/cnbng-cp:profile/radius/accounting/max-retry

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_accounting_max_retry_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
    - config
    - nonconfig
    - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false

```

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_max-retry'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}

```

```
    '409':
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Operation ID: data_cnbng_cp_profile_radius_accounting_max_retry_put
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng_cp_profile_radius_accounting_max_retry'
            Required/Optional: true

    Responses:
      '201':
        Description: leaf max-retry created or replaced
        Content: {}
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: max-retry
  delete:

    Tags:
      - data
      - delete
    Operation ID: data_cnbng_cp_profile_radius_accounting_max_retry_delete

    Responses:
      '204':
```

Description: No Content
Content: {}
security:
 - **basicAuth:** []
options:

Tags:
 - data
 - options
Operation ID: data_cnbng_cp_profile_radius_accounting_max_retry_options

Responses:
 '200':
Description: OK
Content: {}
security:
 - **basicAuth:** []
head:

Tags:
 - data
 - head
Operation ID: data_cnbng_cp_profile_radius_accounting_max_retry_head

Parameters:
 - **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
 - config
 - nonconfig
 - all
Default: config
 - **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16
 - **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true

```

Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_accounting_max_retry_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_accounting_max-retry'
      Required/Optional: true

Responses:
  '204':
    Description: leaf max-retry updated
    Content: {}
  '400':

```

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: max-retry

```

/data/cnbng-cp:profile/radius/accounting/timeout

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_radius_accounting_timeout_get

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

- '200':
 - Description:** OK
 - Content:**
 - application/yang-data+json:**
 - Schema:**
 - Reference:**
- '#/components/schemas/data_cnbng-cp_profile_radius_accounting_timeout'
- '204':
 - Description:** No Content
 - Content:** {}
- '400':
 - Description:** Bad Request
 - Content:** {}
- '401':
 - Description:** Unauthorized
 - Content:** {}
- '404':
 - Description:** Not Found

```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_accounting_timeout_put
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_accounting_timeout'
      Required/Optional: true

Responses:
  '201':
    Description: leaf timeout created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: timeout
delete:

Tags:
- data
- delete

```

Operation ID: data_cnbng_cp_profile_radius_accounting_timeout_delete

Responses:

'204':

Description: No Content

Content: {}

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_radius_accounting_timeout_options

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Operation ID: data_cnbng_cp_profile_radius_accounting_timeout_head

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all

- trim

- explicit

- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data

- patch

Operation ID: data_cnbng_cp_profile_radius_accounting_timeout_patch

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_timeout'

Required/Optional: true

Responses:

```
'204':
  Description: leaf timeout updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: timeout
```

/data/cnbng-cp:profile/radius/accounting/attribute

get:

```
Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
```

```

Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':

```

```
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_put
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute'
      Required/Optional: true

Responses:
  '201':
    Description: container attribute created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: attribute
```

Method: Post

Tags:

- data
- post

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_post

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute-post'

Required/Optional: true

Responses:

'201':

Description: container attribute created

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: attribute

delete:

Tags:

- data
- delete

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_delete

Responses:

'204':

Description: No Content

Content: {}

security:

- basicAuth: []

options:

Tags:

- data
- options

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_options

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_head

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter

In: query

Description: xpath expression to filter data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** with-defaults

In: query

Description: controlling default values in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- report-all

- trim

- explicit

- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content: {}

security:

- **basicAuth:** []

patch:

Tags:

- data

- patch

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_patch

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute'

Required/Optional: true

Responses:

'204':

Description: container attribute updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

```

'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: attribute

```

/data/cnbng-cp:profile/radius/accounting/attribute/called-station-id

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_get

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form

```

Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':

```

```

    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_put

Request Body:
  Content:
  application/yang-data+json:
    Schema:
    Reference:
    '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_called-station-id'
    Required/Optional: true

Responses:
  '201':
    Description: container called-station-id created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: called-station-id
Method: Post

  Tags:
  - data
  - post
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_post

Request Body:
  Content:
```

```

    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id-post'

      Required/Optional: true

    Responses:
      '201':
        Description: container called-station-id created
        Content: {}
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: called-station-id
  delete:

    Tags:
      - data
      - delete
    Operation ID:
      data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_delete

    Responses:
      '204':
        Description: No Content
        Content: {}
    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Operation ID:
      data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_options

```

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []
head:

 Tags:
 - data
 - head
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_head

Parameters:

- **Name:** content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- **Name:** depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- **Name:** fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- **Name:** filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true

Schema:**Type:** string**Format:** string**- Name:** with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**enum:**

- report-all

- trim

- explicit

- report-all-tagged

Default: report-all**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**patch:****Tags:**

- data

- patch

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_patch**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_called-station-id'

Required/Optional: true**Responses:****'204':****Description:** container called-station-id updated**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':**


```

    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: called-station-id

```

/data/cnbng-cp:profile/radius/accounting/attribute/called-station-id/format

options:

```

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_options

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []

```

/data/cnbng-cp:profile/radius/accounting/attribute/called-station-id/format={form

get:

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_get

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form

```

Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

```

    '200':
      Description: OK
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type'

    '204':
      Description: No Content
      Content: {}

    '400':
      Description: Bad Request
      Content: {}

    '401':
      Description: Unauthorized
      Content: {}

    '404':
      Description: Not Found
      Content: {}

    '405':
      Description: Method Not Allowed
      Content: {}

    '409':
      Description: Conflict
      Content: {}

  security:
    - basicAuth: []

  put:

    Tags:
      - data
      - put

    Operation ID:
      data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_put

```

Parameters:

- **Name:** format-nas-port-type
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32
- **Name:** insert
 - In:** query
 - Description:** controlling the order when adding new list elements
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**

```

    Type: string
    Format: enumeration
    enum:
    - first
    - last
    - before
    - after
    Default: first
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type'

  Required/Optional: true

Responses:
  '201':
    Description: list format created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format
delete:

```

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_delete

Parameters:

- **Name:** format-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** int32

Responses:

'204':

Description: No Content**Content:** {}**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_options

Parameters:

- **Name:** format-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** int32

Responses:

'200':

Description: OK**Content:** {}**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_head

Parameters:

- **Name:** format-nas-port-type
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string

```

- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_patch

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type'

      Required/Optional: true

Responses:
  '204':
    Description: list format updated
    Content: {}
  '400':

```

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format

```

/data/cnbng-cp:profile/radius/accounting/attribute/called-station-id/format={format-nas-port-type}/nas-port-type

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_nas_port_type_get

Parameters:

- **Name:** format-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':

Description: OK**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_nas-port-type'

'204':

```

    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_nas_port_type_put

```

Parameters:

```

- Name: format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: int32

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_nas_port_type'

```

```

Required/Optional: true

```

Responses:

```

'201':
  Description: leaf nas-port-type created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}

```

```

    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: nas-port-type
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_nas_port_type_delete

```

```

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

Responses:
'204':
  Description: No Content
  Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_nas_port_type_options

```

```

Parameters:
- Name: format-nas-port-type

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: int32

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
 - head

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_nas_port_type_head

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: int32
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
 - config
 - nonconfig
 - all**Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:

```

    Type: integer
    Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged
      Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_nas_port_type_patch

Parameters:
  - Name: format-nas-port-type
    In: path

```

```

    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: int32
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_nas-port-type'

    Required/Optional: true

    Responses:
      '204':
        Description: leaf nas-port-type updated
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: nas-port-type

```

/data/cnbng-cp:profile/radius/accounting/attribute/called-station-id/format={format

get:

```

    Tags:
      - data
      - get
    Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_format_name_get

    Parameters:
      - Name: format-nas-port-type
        In: path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: int32

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form

Explode: true
Schema:
Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_format-name'

'204':
Description: No Content
Content: {}
 '400':
Description: Bad Request
Content: {}
 '401':
Description: Unauthorized
Content: {}
 '404':
Description: Not Found
Content: {}
 '405':
Description: Method Not Allowed
Content: {}
 '409':
Description: Conflict
Content: {}

security:
 - **basicAuth:** []

put:

Tags:
 - data
 - put
Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_format_name_put

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple


```

Explode: false
Schema:
  Type: string
  Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_format-name'

  Required/Optional: true

Responses:
  '201':
    Description: leaf format-name created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_format_name_delete

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false

```

Schema:

Type: string
Format: int32

Responses:

'204':
Description: No Content
Content: {}

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_format_name_options

Parameters:

- **Name:** format-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_format_name_head

Parameters:

- **Name:** format-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

- **Name:** content

In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit

- report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content: {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
 - patch

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_format_name_patch

Parameters:

- **Name:** format-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

Request Body:**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_format-name'

Required/Optional: true

Responses:

'204':
Description: leaf format-name updated
Content: {}

'400':
Description: Bad Request
Content: {}

'401':
Description: Unauthorized
Content: {}

'404':
Description: Not Found
Content: {}

'405':
Description: Method Not Allowed
Content: {}

'409':
Description: Conflict

```

    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format-name

```

/data/cnbng-cp:profile/radius/accounting/attribute/called-station-id/format-name

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_name_get

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format-name'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:

```

```
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_name_put
Request Body:
Content:
  application/yang-data+json:
Schema:
Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format-name'

Required/Optional: true

Responses:
'201':
  Description: leaf format-name created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_name_delete

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:
```

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_name_options

Responses:

'200':

Description: OK

Content: {}

security:

- basicAuth: []

head:**Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_name_head

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields

In: query

Description: optionally identify specific data nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: string

- **Name:** filter


```

In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_name_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format-name'

    Required/Optional: true

Responses:
  '204':
    Description: leaf format-name updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':

```

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name

```

/data/cnbng-cp:profile/radius/accounting/attribute/called-station-id/value

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_value_get

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_value'

'204':
 Description: No Content
 Content: {}

'400':
 Description: Bad Request
 Content: {}

'401':
 Description: Unauthorized
 Content: {}

'404':
 Description: Not Found
 Content: {}

'405':

```

    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_value_put
Request Body:
  Content:
  application/yang-data+json:
    Schema:
    Reference:
    '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_value'

  Required/Optional: true

Responses:
  '201':
    Description: leaf value created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: value
delete:

Tags:
- data
- delete

```

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_value_delete

Responses:

'204':

Description: No Content**Content:** {}**security:**- **basicAuth:** []**options:****Tags:**- data
- options**Operation ID:**

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_value_options

Responses:

'200':

Description: OK**Content:** {}**security:**- **basicAuth:** []**head:****Tags:**- data
- head**Operation ID:**

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_value_head

Parameters:- **Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**enum:**- config
- nonconfig
- all**Default:** config- **Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer

Format: uint16

- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':

- Description:** OK
- Content:** {}

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_value_patch

Request Body:

Content:

- application/yang-data+json:**

Schema:

Reference:

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_value'
```

Required/Optional: true

Responses:

'204':

Description: leaf value updated

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: value

/data/cnbng-cp:profile/radius/accounting/attribute/calling-station-id

get:

Tags:

- data
- get

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_get

Parameters:

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':

Description: OK**Content:**

application/yang-data+json:

Schema:**Reference:**

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id'

'204':


```
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_put

Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_calling-station-id'

Required/Optional: true

Responses:
  '201':
    Description: container calling-station-id created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
```

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: calling-station-id
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_post

Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_calling-station-id-post'

Required/Optional: true

Responses:
  '201':
    Description: container calling-station-id created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: calling-station-id
delete:

Tags:
- data
- delete

```

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_delete

Responses:

'204':

Description: No Content**Content:** {}**security:**- **basicAuth:** []**options:****Tags:**- data
- options**Operation ID:**

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_options

Responses:

'200':

Description: OK**Content:** {}**security:**- **basicAuth:** []**head:****Tags:**- data
- head**Operation ID:** data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_head**Parameters:**- **Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**enum:**- config
- nonconfig
- all**Default:** config- **Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer

```

    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id'
```

```
  Required/Optional: true
```

Responses:

```
'204':
```

```
  Description: container calling-station-id updated
```

```
  Content: {}
```

```
'400':
```

```
  Description: Bad Request
```

```
  Content: {}
```

```
'401':
```

```
  Description: Unauthorized
```

```
  Content: {}
```

```
'404':
```

```
  Description: Not Found
```

```
  Content: {}
```

```
'405':
```

```
  Description: Method Not Allowed
```

```
  Content: {}
```

```
'409':
```

```
  Description: Conflict
```

```
  Content: {}
```

security:

```
- basicAuth: []
```

```
x-codegen-request-body-name: calling-station-id
```

/data/cnbng-cp:profile/radius/accounting/attribute/calling-station-id/format

options:

Tags:

```
- data
- options
```

Operation ID:

```
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_options
```

Responses:

```
'200':
```

```
  Description: OK
```

```
  Content: {}
```

security:

```
- basicAuth: []
```

/data/cnbng-cp:profile/radius/accounting/attribute/calling-station-id/format={form

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_get

Parameters:

- **Name:** format-nas-port-type
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string

```
    Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged
  Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_put
```

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** int32
- **Name:** insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - first
 - last
 - before
 - after
 - Default:** first
- **Name:** point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string

Request Body:

Content:
 application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type'

Required/Optional: true

Responses:

- '201':
Description: list format created or replaced
Content: {}
- '204':
Description: No Content
Content: {}
- '400':
Description: Bad Request
Content: {}


```
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_delete
```

```
Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_options
```

```
Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
```

Explode: false
Schema:
 Type: string
 Format: int32

Responses:
 '200':
 Description: OK
 Content: {}

security:
 - **basicAuth:** []

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_head

Parameters:

- **Name:** format-nas-port-type
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: int32
- **Name:** content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- **Name:** depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- **Name:** fields

In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_patch

Parameters:
- **Name:** format-nas-port-type
 In: path
 Required/Optional: true
 Style: simple
 Explode: false

```

Schema:
  Type: string
  Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type'

Required/Optional: true

Responses:
  '204':
    Description: list format updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format

```

/data/cnbng-cp:profile/radius/accounting/attribute/calling-station-id/format={format-nas-port-type}/nas-port-type

get:

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_get

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false

```

```
Schema:
  Type: string
  Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
```

Format: enumeration

enum:

- report-all
- trim
- explicit
- report-all-tagged

Default: report-all

Responses:

'200':

Description: OK

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_nas-port-type'

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

put:

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_put

Parameters:

- **Name:** format-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

```

    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_nas-port-type'

    Required/Optional: true

Responses:
  '201':
    Description: leaf nas-port-type created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-type
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_delete

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

```

Responses:**'204':****Description:** No Content**Content:** {}**security:****- basicAuth:** []**options:****Tags:**

- data
- options

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_options

Parameters:**- Name:** format-nas-port-type**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** int32**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_head

Parameters:**- Name:** format-nas-port-type**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** int32**- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false

Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
Description: OK
Content: {}

security:
 - **basicAuth:** []

patch:**Tags:**

- data
 - patch

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_patch

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

Type: string
Format: int32

Request Body:

Content:
 application/yang-data+json:
Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_nas-port-type'

Required/Optional: true

Responses:

'204':
Description: leaf nas-port-type updated
Content: {}

'400':
Description: Bad Request
Content: {}

'401':
Description: Unauthorized
Content: {}

'404':
Description: Not Found
Content: {}

'405':
Description: Method Not Allowed
Content: {}

'409':
Description: Conflict
Content: {}

security:

```
- basicAuth: []
x-codegen-request-body-name: nas-port-type
```

/data/cnbng-cp:profile/radius/accounting/attribute/calling-station-id/format={form

get:

Tags:

```
- data
- get
```

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_format_name_get

Parameters:

```
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
```

Schema:**Type:** string**Format:** string**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**enum:**

- report-all

- trim

- explicit

- report-all-tagged

Default: report-all**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_format-name'

'204':**Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':**

```

    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_format_name_put

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_format_name'

    Required/Optional: true

Responses:
  '201':
    Description: leaf format-name created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}

```

```

security:
- basicAuth: []
x-codegen-request-body-name: format-name
delete:

```

```

Tags:
- data
- delete

```

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_format_name_delete

Parameters:

```

- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

```

Responses:

```

'204':
  Description: No Content
  Content: {}

```

```

security:
- basicAuth: []

```

options:

```

Tags:
- data
- options

```

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_format_name_options

Parameters:

```

- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

```

security:
- basicAuth: []

```

head:

Tags:

- data
- head

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_format_name_head

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** int32
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false

Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_format_name_patch

Parameters:

- Name: format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: int32

Request Body:

Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_format_name'

Required/Optional: true

Responses:

```

'204':
  Description: leaf format-name updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name

```

/data/cnbng-cp:profile/radius/accounting/attribute/calling-station-id/format-name**get:****Tags:**

```

- data
- get

```

Operation ID:

```
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_name_get
```

Parameters:

```

- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false

```

```

Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

```

Responses:

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format-name'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request

```

```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_name_put
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format-name'

Required/Optional: true

Responses:
  '201':
    Description: leaf format-name created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}

```

```

    security:
      - basicAuth: []
    x-codegen-request-body-name: format-name
  delete:

    Tags:
      - data
      - delete
    Operation ID:
    data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_name_delete

    Responses:
      '204':
        Description: No Content
        Content: {}
    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Operation ID:
    data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_name_options

    Responses:
      '200':
        Description: OK
        Content: {}
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Operation ID:
    data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_name_head

    Parameters:
      - Name: content
        In: query
        Description: controlling descendant nodes in response
        Required/Optional: false
        Style: form
        Explode: true
        Schema:
          Type: string
          Format: enumeration
          enum:
            - config
            - nonconfig
            - all
          Default: config
      - Name: depth

```

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

patch:

Tags:
- data
- patch

Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_name_patch

Request Body:
Content:
application/yang-data+json:
Schema:
Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format-name'

Required/Optional: true

Responses:

'204':
Description: leaf format-name updated
Content: {}

'400':
Description: Bad Request
Content: {}

'401':
Description: Unauthorized
Content: {}

'404':
Description: Not Found
Content: {}

'405':
Description: Method Not Allowed
Content: {}

'409':
Description: Conflict
Content: {}

security:
- basicAuth: []

x-codegen-request-body-name: format-name

/data/cnbng-cp:profile/radius/accounting/attribute/calling-station-id/value

get:

Tags:
- data
- get

Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_value_get

Parameters:
- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:

Type: string
Format: enumeration
enum:
- config
- nonconfig
- all
Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: integer
Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
Type: string
Format: enumeration
enum:
- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

Responses:
'200':
Description: OK

```

    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_value'

    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_value_put
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_value'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf value created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':

```



```
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: value
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_value_delete

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_value_options

  Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_value_head

  Parameters:
  - Name: content
    In: query
    Description: controlling descendant nodes in response
```

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config

- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

```

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_value_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_value'

      Required/Optional: true

Responses:
  '204':
    Description: leaf value updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
x-codegen-request-body-name: value

```

/data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier

get:

```

Tags:
- data

```

- get

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_get

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**

Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier'

'204':
Description: No Content
Content: {}
'400':
Description: Bad Request
Content: {}
'401':
Description: Unauthorized
Content: {}
'404':
Description: Not Found
Content: {}
'405':
Description: Method Not Allowed
Content: {}
'409':
Description: Conflict
Content: {}

security:

- basicAuth: []

put:

Tags:

- data
- put

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_put

Request Body:

Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier'

Required/Optional: true

Responses:

'201':
Description: leaf nas-identifier created or replaced

```
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: nas-identifier
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_delete

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_options

  Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
```

- head

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_head

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**

Type: string
Format: enumeration
enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
Default: report-all

Responses:

'200':
Description: OK
Content: {}

security:
 - **basicAuth:** []

patch:**Tags:**

- data
 - patch

Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_patch

Request Body:

Content:
 application/yang-data+json:
Schema:

Reference:

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-identifier'

Required/Optional: true

Responses:

'204':
Description: leaf nas-identifier updated
Content: {}

'400':
Description: Bad Request
Content: {}

'401':
Description: Unauthorized
Content: {}

'404':
Description: Not Found
Content: {}

'405':
Description: Method Not Allowed
Content: {}

'409':
Description: Conflict
Content: {}

security:
 - **basicAuth:** []

x-codegen-request-body-name: nas-identifier

/data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier-format

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_get

Parameters:

- **Name:** content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** integer
 - Format:** uint16
- **Name:** fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string
- **Name:** filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** string

```

- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
put:

  Tags:
    - data
    - put
  Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_put
  Request Body:
    Content:

```

```

    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format'

    Required/Optional: true

  Responses:
    '201':
      Description: container nas-identifier-format created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: nas-identifier-format
  Method: Post

  Tags:
  - data
  - post
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_post
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format-post'

    Required/Optional: true

  Responses:
    '201':
      Description: container nas-identifier-format created
      Content: {}
    '204':

```

```
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-identifier-format
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_delete

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_options

Responses:
  '200':
    Description: OK
    Content: {}
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID:
```

data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_head

Parameters:

- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16
- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string

```

    Format: enumeration
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged
    Default: report-all

Responses:
  '200':
    Description: OK
    Content: {}
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_patch
Request Body:
  Content:
  application/yang-data+json:
    Schema:
    Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format'

  Required/Optional: true

Responses:
  '204':
    Description: container nas-identifier-format updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-identifier-format

```

/data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier-format/format

options:

Tags:

- data
- options

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_options

Responses:

'200':

Description: OK

Content: {}

security:

- basicAuth: []

/data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier-format/format={f

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_get

Parameters:

- **Name:** format-nas-port-type

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: int32

- **Name:** content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

enum:

- config
- nonconfig
- all

Default: config

- **Name:** depth

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16

- **Name:** fields

In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** filter

In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string

- **Name:** with-defaults

In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
 Schema:
 Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type'

'204':
Description: No Content


```
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:
```

Tags:

- data
- put

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_put

Parameters:

- **Name:** format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 - Type:** string
 - Format:** int32
- **Name:** insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
 - Type:** string
 - Format:** enumeration
 - enum:**
 - first
 - last
 - before
 - after
 - Default:** first
- **Name:** point
In: query

Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type'
 Required/Optional: true
Responses:
 '201':
 Description: list format created or replaced
 Content: {}
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
 - **basicAuth:** []
x-codegen-request-body-name: format
delete:

Tags:
 - data
 - delete
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_delete

Parameters:
 - **Name:** format-nas-port-type
 In: path

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: int32

Responses:
 '204':
 Description: No Content
 Content: {}
 security:
 - **basicAuth:** []

options:

Tags:
- data
- options

Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_options

Parameters:
- **Name:** format-nas-port-type
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: int32

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - **basicAuth:** []

head:

Tags:
- data
- head

Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_head

Parameters:
- **Name:** format-nas-port-type
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:

```
    Type: string
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    enum:
      - config
      - nonconfig
      - all
    Default: config
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
```

```

enum:
- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

```

```

Responses:
'200':
  Description: OK
  Content: {}
security:
- basicAuth: []

```

patch:

```

Tags:
- data
- patch

```

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_patch

Parameters:

```

- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type'

```

Required/Optional: true

```

Responses:

```

'204':
  Description: list format updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':

```

```

    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format

```

/data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier-format/format={for

get:

Tags:

- data
- get

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_get

Parameters:

- **Name:** format-nas-port-type
 - In:** path
 - Required/Optional:** true
 - Style:** simple
 - Explode:** false
 - Schema:**
 - Type:** string
 - Format:** int32
- **Name:** content
 - In:** query
 - Description:** controlling descendant nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - config
 - nonconfig
 - all
 - Default:** config
- **Name:** depth
 - In:** query
 - Description:** limit the depth of nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** integer
 - Format:** uint16

- **Name:** fields
 - In:** query
 - Description:** optionally identify specific data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** filter
 - In:** query
 - Description:** xpath expression to filter data nodes in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** string
- **Name:** with-defaults
 - In:** query
 - Description:** controlling default values in response
 - Required/Optional:** false
 - Style:** form
 - Explode:** true
 - Schema:**
 - Type:** string
 - Format:** enumeration
 - enum:**
 - report-all
 - trim
 - explicit
 - report-all-tagged
 - Default:** report-all

Responses:

'200':
Description: OK
Content:
 application/yang-data+json:
Schema:
Reference:

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type_nas-port-type'

'204':
Description: No Content
Content: {}
 '400':
Description: Bad Request
Content: {}
 '401':
Description: Unauthorized
Content: {}
 '404':

```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_put

```

Parameters:

```

- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: int32

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type'

```

```

Required/Optional: true

```

Responses:

```

'201':
  Description: leaf nas-port-type created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}

```



```
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-type
delete:
```

Tags:

- data
- delete

Operation ID:

data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_delete

Parameters:

- **Name:** format-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
 - Type:** string
 - Format:** int32

Responses:

- ```
'204':
 Description: No Content
 Content: {}
```

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_nas\_port\_type\_options

**Parameters:**

- **Name:** format-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** int32

**Responses:**

```

 '200':
 Description: OK
 Content: {}
 security:
 - basicAuth: []
 head:

 Tags:
 - data
 - head
 Operation ID:
 data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_head

```

**Parameters:**

- **Name:** format-nas-port-type
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - enum:**
      - config
      - nonconfig
      - all
    - Default:** config
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**

**Type:** string  
**Format:** string  
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string  
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged  
**Default:** report-all

**Responses:**  
'200':  
**Description:** OK  
**Content:** {}

**security:**  
- **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_nas\_port\_type\_patch

**Parameters:**

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** int32

**Request Body:**

**Content:**  
application/yang-data+json:

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type_nas-port-type'
```

**Required/Optional:** true

**Responses:**

**'204':**

**Description:** leaf nas-port-type updated

**Content:** {}

**'400':**

**Description:** Bad Request

**Content:** {}

**'401':**

**Description:** Unauthorized

**Content:** {}

**'404':**

**Description:** Not Found

**Content:** {}

**'405':**

**Description:** Method Not Allowed

**Content:** {}

**'409':**

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** nas-port-type

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier-format/format={format-nas-port-type}/format-name

**get:****Tags:**

- data

- get

**Operation ID:**

```
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_format_name_get
```

**Parameters:**

- **Name:** format-nas-port-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** int32

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **enum:**  
  - config  
  - nonconfig  
  - all  
  **Default:** config

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged  
  **Default:** report-all

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type_format-name'
```

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:****- basicAuth:** []**put:****Tags:****- data****- put****Operation ID:**

```
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_format_name_put
```

**Parameters:****- Name:** format-nas-port-type**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** int32**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type_format-name'
```

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf format-name created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** format-name

**delete:**

**Tags:**

- data  
- delete

**Operation ID:**

```
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_format_name_delete
```

**Parameters:**

- **Name:** format-nas-port-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** int32

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []  
**options:**

**Tags:**

- data  
 - options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_format\_name\_options

**Parameters:**

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** int32

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
 - head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_format\_name\_head

**Parameters:**

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** int32

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**enum:**



```
- config
- nonconfig
- all
 Default: config
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
security:
 - basicAuth: []
```

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_format\_name\_patch

**Parameters:**

- **Name:** format-nas-port-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** int32

**Request Body:****Content:**

**application/yang-data+json:**

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format\_format\_format-nas-port-type\_format-name'

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf format-name updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** format-name

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier-format/format-name

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_format\_name\_get

**Parameters:**

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - enum:**
      - config
      - nonconfig
      - all
    - Default:** config
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string

```

- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format-name'

 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
put:

 Tags:
 - data
 - put
 Operation ID:
 data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_name_put
 Request Body:
 Content:

```

```
application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format-name'

 Required/Optional: true

 Responses:
 '201':
 Description: leaf format-name created or replaced
 Content: {}
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: format-name
delete:

 Tags:
 - data
 - delete
 Operation ID:
 data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_name_delete

 Responses:
 '204':
 Description: No Content
 Content: {}
 security:
 - basicAuth: []
options:

 Tags:
 - data
 - options
 Operation ID:
 data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_name_options
```

**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_format\_name\_head

**Parameters:****- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**enum:**

- config
- nonconfig
- all

**Default:** config**- Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form

```

Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_name_patch
Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-identifier-format_format-name'

Required/Optional: true

Responses:
 '204':
 Description: leaf format-name updated
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found

```

```

 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_get

```

Parameters:

```

- Name: content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:

```



```

 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

```

**Responses:**

```

'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id'
'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}

```

```

 security:
 - basicAuth: []
 put:

 Tags:
 - data
 - put
 Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_put
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port-id'
 Required/Optional: true

 Responses:
 '201':
 Description: container nas-port-id created or replaced
 Content: {}
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: nas-port-id
 Method: Post

 Tags:
 - data
 - post
 Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_post
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port-id-post'

```

**Required/Optional:** true

**Responses:**

'201':  
  **Description:** container nas-port-id created  
  **Content:** {}  
'204':  
  **Description:** No Content  
  **Content:** {}  
'400':  
  **Description:** Bad Request  
  **Content:** {}  
'401':  
  **Description:** Unauthorized  
  **Content:** {}  
'404':  
  **Description:** Not Found  
  **Content:** {}  
'405':  
  **Description:** Method Not Allowed  
  **Content:** {}  
'409':  
  **Description:** Conflict  
  **Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** nas-port-id

**delete:**

**Tags:**

- data  
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_delete

**Responses:**

'204':  
  **Description:** No Content  
  **Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
- options

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_options

**Responses:**

'200':  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_head

**Parameters:**

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - enum:**
      - config
      - nonconfig
      - all
    - Default:** config
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false

```
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_patch
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port-id'
 Required/Optional: true

Responses:
 '204':
 Description: container nas-port-id updated
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
```

```
- basicAuth: []
x-codegen-request-body-name: nas-port-id
```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id/format

**options:**

**Tags:**

```
- data
- options
```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_format\_options

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

```
- basicAuth: []
```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id/format={format-nas-p

**get:**

**Tags:**

```
- data
- get
```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_get

**Parameters:**

```
- Name: format-nas-port-type
```

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** int32

```
- Name: content
```

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**enum:**

```
- config
```

```
- nonconfig
- all
 Default: config
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all
```

**Responses:**

```
'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:
```

```
'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type'
```

```
'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}
```

```
security:
```

```
- basicAuth: []
```

```
put:
```

```
Tags:
```

```
- data
```

```
- put
```

```
Operation ID:
```

```
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_put
```

```
Parameters:
```

```
- Name: format-nas-port-type
```

```
 In: path
```

```
 Required/Optional: true
```

```
 Style: simple
```

```
 Explode: false
```

```
 Schema:
```

```
 Type: string
```

```
 Format: int32
```

```
- Name: insert
```

```
 In: query
```

```
 Description: controlling the order when adding new list elements
```

```
 Required/Optional: false
```

```
 Style: form
```

```
 Explode: true
```

```
 Schema:
```

```
 Type: string
```

```
 Format: enumeration
```

```
 enum:
```

```
 - first
```

```
 - last
```

```
 - before
```

```
 - after
```



```

 Default: first
 - Name: point
 In: query
 Description: used to specify the insertion point
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type'

 Required/Optional: true

 Responses:
 '201':
 Description: list format created or replaced
 Content: {}
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: format
delete:

 Tags:
 - data
 - delete
 Operation ID:
 data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_delete

```

**Parameters:**

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** int32

**Responses:**

'204':  
**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_options

**Parameters:**

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** int32

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_head

**Parameters:**

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true

```
Style: simple
Explode: false
Schema:
 Type: string
 Format: int32
- Name: content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
```

**Schema:**

**Type:** string  
**Format:** enumeration  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged  
**Default:** report-all

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_patch

**Parameters:**

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

**Type:** string  
**Format:** int32

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas-port-id\_format\_format-nas-port-type'

**Required/Optional:** true

**Responses:**

**'204':**  
**Description:** list format updated  
**Content:** {}

**'400':**  
**Description:** Bad Request  
**Content:** {}

**'401':**  
**Description:** Unauthorized  
**Content:** {}

**'404':**

```

 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id/format={format-nas-port-type}/nas-port-type

**get:**

**Tags:**

```
- data
- get
```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_get

**Parameters:**

```

- Name: format-nas-port-type
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: int32
- Name: content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true

```

```

Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

```

**Responses:**

```

'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_nas-port-type'

```

```

'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':

```

```

 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_put

Parameters:
- Name: format-nas-port-type
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: int32
Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_nas-port-type'

Required/Optional: true

Responses:
 '201':
 Description: leaf nas-port-type created or replaced
 Content: {}
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}

```

```

 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: nas-port-type
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_delete

```

```

Parameters:
- Name: format-nas-port-type
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: int32

Responses:
'204':
 Description: No Content
 Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_options

```

```

Parameters:
- Name: format-nas-port-type
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string

```



**Format:** int32

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_head

**Parameters:**

- **Name:** format-nas-port-type
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - enum:**
      - config
      - nonconfig
      - all
    - Default:** config
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false

**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged  
   **Default:** report-all

**Responses:**

**'200':**  
   **Description:** OK  
   **Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_patch

**Parameters:**

**- Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** int32

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port-id\_format\_format-nas-port-type\_nas-port-type'

**Required/Optional:** true**Responses:**

'204':

**Description:** leaf nas-port-type updated**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**

- basicAuth: []

**x-codegen-request-body-name:** nas-port-type**/data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id/format={format-nas****get:****Tags:**

- data

- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_format\_name\_get

**Parameters:**- **Name:** format-nas-port-type**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** int32

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - enum:**
      - config
      - nonconfig
      - all
    - Default:** config
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - enum:**
      - report-all

- trim
- explicit
- report-all-tagged

**Default:** report-all

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port-id\_format\_format-nas-port-type\_format-name'

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**put:****Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_format\_name\_put

**Parameters:**- **Name:** format-nas-port-type**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** int32**Request Body:****Content:**

```

 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_format-name'

 Required/Optional: true

 Responses:
 '201':
 Description: leaf format-name created or replaced
 Content: {}
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: format-name
delete:

 Tags:
 - data
 - delete
 Operation ID:
 data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_format_name_delete

 Parameters:
 - Name: format-nas-port-type
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: int32

 Responses:
 '204':

```

**Description:** No Content  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**options:**

**Tags:**  
 - data  
 - options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_format\_name\_options

**Parameters:**

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** int32

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []

**head:**

**Tags:**  
 - data  
 - head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_format\_name\_head

**Parameters:**

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** int32

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** enumeration  
**enum:**  
- config  
- nonconfig  
- all  
**Default:** config

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged  
**Default:** report-all

**Responses:**

'200':  
**Description:** OK



```

 Content: {}
 security:
 - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_format_name_patch

Parameters:
- Name: format-nas-port-type
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: int32
Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_format-name'

Required/Optional: true

Responses:
'204':
 Description: leaf format-name updated
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id/format-name

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_format\_name\_get

**Parameters:**

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**enum:**

- config
- nonconfig
- all

**Default:** config

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

```
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format-name'

 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
 - basicAuth: []
put:

Tags:
 - data
 - put
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_name_put
Request Body:
 Content:
```

```

 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format-name'

 Required/Optional: true

 Responses:
 '201':
 Description: leaf format-name created or replaced
 Content: {}
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: format-name
 delete:

 Tags:
 - data
 - delete
 Operation ID:
 data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_name_delete

 Responses:
 '204':
 Description: No Content
 Content: {}
 security:
 - basicAuth: []
 options:

 Tags:
 - data
 - options
 Operation ID:
 data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_name_options

```

**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:****- data**  
**- head****Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_format\_name\_head

**Parameters:****- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**enum:****- config**  
**- nonconfig**  
**- all****Default:** config**- Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true

```

 Schema:
 Type: string
 Format: string
 - Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

 Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - basicAuth: []
 patch:

 Tags:
 - data
 - patch
 Operation ID:
 data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_name_patch
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format-name'

 Required/Optional: true

 Responses:
 '204':
 Description: leaf format-name updated
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}

```

```

'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id/value

get:

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_value\_get

**Parameters:**

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - enum:**
      - config
      - nonconfig
      - all
    - Default:** config
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string

```

 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

```

**Responses:**

```

 '200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_value'
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:

```



```
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_value_put

Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port-id_value'
 Required/Optional: true

Responses:
'201':
 Description: leaf value created or replaced
 Content: {}
'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_value_delete

Responses:
'204':
 Description: No Content
 Content: {}
security:
```

- **basicAuth:** []  
**options:**

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_value\_options

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_value\_head

**Parameters:**

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**enum:**

- config
- nonconfig
- all

**Default:** config

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

```

 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_value_patch

Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port-id_value'
 Required/Optional: true

Responses:
 '204':
 Description: leaf value updated
 Content: {}
 '400':
 Description: Bad Request

```

```

 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_get

Parameters:
- Name: content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- Name: fields

```

**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged  
   **Default:** report-all

**Responses:**

'200':  
**Description:** OK  
**Content:**  
   **application/yang-data+json:**  
     **Schema:**  
       **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port'

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

```

 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_put
Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port'
 Required/Optional: true

Responses:
 '201':
 Description: container nas-port created or replaced
 Content: {}
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: nas-port
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_post

```

```
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_adius_accounting_attribute_nas-port-post'
 Required/Optional: true

Responses:
 '201':
 Description: container nas-port created
 Content: {}
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_adius_accounting_attribute_nas_port_delete

Responses:
 '204':
 Description: No Content
 Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_adius_accounting_attribute_nas_port_options
```

**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_head**Parameters:****- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**enum:**

- config
- nonconfig
- all

**Default:** config**- Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**



```
 Type: string
 Format: string
 - Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_patch
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port'
 Required/Optional: true

Responses:
 '204':
 Description: container nas-port updated
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
```

```

 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: nas-port

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port/format-e-list

### options:

```

 Tags:
 - data
 - options
 Operation ID:
 data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_options

 Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port/format-e-list={format-e-

### get:

```

 Tags:
 - data
 - get
 Operation ID:
 data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_get

 Parameters:
 - Name: format-e-list-nas-port-type
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: int32
 - Name: content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true

```

**Schema:**  
**Type:** string  
**Format:** enumeration  
**enum:**  
- config  
- nonconfig  
- all  
**Default:** config

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged  
**Default:** report-all

**Responses:**  
'200':

```

 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type'

 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 put:

 Tags:
 - data
 - put
 Operation ID:
 data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_put

 Parameters:
 - Name: format-e-list-nas-port-type
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: int32
 - Name: insert
 In: query
 Description: controlling the order when adding new list elements
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string

```

```

 Format: enumeration
 enum:
 - first
 - last
 - before
 - after
 Default: first
- Name: point
 In: query
 Description: used to specify the insertion point
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type'

 Required/Optional: true

Responses:
 '201':
 Description: list format-e-list created or replaced
 Content: {}
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: format-e-list
delete:

 Tags:

```

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_delete

**Parameters:**

- **Name:** format-e-list-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** int32

**Responses:**

- '204':
  - Description:** No Content
  - Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_options

**Parameters:**

- **Name:** format-e-list-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** int32

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_head

**Parameters:**

- **Name:** format-e-list-nas-port-type
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - enum:**
      - config
      - nonconfig
      - all
    - Default:** config
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults

**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged  
**Default:** report-all

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**patch:**

**Tags:**  
  - data  
  - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_patch

**Parameters:**  
  - **Name:** format-e-list-nas-port-type  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
  **Type:** string  
  **Format:** int32

**Request Body:**  
  **Content:**  
  **application/yang-data+json:**  
  **Schema:**  
  **Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas-port\_format-e-list\_format-e-list-nas-port-type'

**Required/Optional:** true

**Responses:**  
  '204':  
    **Description:** list format-e-list updated  
    **Content:** {}  
  '400':  
    **Description:** Bad Request



```

 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-e-list

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port/format-e-list={format-

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_fomat\_e\_list\_format\_e\_list\_nas\_port\_type\_nas\_port\_type\_get

**Parameters:**

- **Name:** format-e-list-nas-port-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** int32

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**enum:**

- config
- nonconfig
- all

**Default:** config

- **Name:** depth

```

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type'

 '204':
 Description: No Content

```

```

 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_put

```

**Parameters:**

```

- Name: format-e-list-nas-port-type
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: int32

```

**Request Body:**

```

Content:
 application/yang-data+json:
 Schema:
 Reference:

```

```
'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format-e-list_format-e-list-nas-port-type_nas-port-type'
```

```
Required/Optional: true
```

**Responses:**

```

'201':
 Description: leaf nas-port-type created or replaced
 Content: {}
'204':
 Description: No Content
 Content: {}
'400':

```

```

 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-type
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_delete

```

```

Parameters:
- Name: format-e-list-nas-port-type
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: int32

Responses:
 '204':
 Description: No Content
 Content: {}
 security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_options

```

```

Parameters:
- Name: format-e-list-nas-port-type
 In: path

```

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** int32

**Responses:**

**'200':**

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data

- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_nas\_port\_type\_head

**Parameters:**

- **Name:** format-e-list-nas-port-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** int32

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**enum:**

- config

- nonconfig

- all

**Default:** config

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

```

 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

```

**Responses:**

```

'200':
 Description: OK
 Content: {}

```

**security:**

```

- basicAuth: []

```

**patch:****Tags:**

```

- data
- patch

```

**Operation ID:**

```
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_patch
```

**Parameters:**

```

- Name: format-e-list-nas-port-type
 In: path
 Required/Optional: true

```

```

Style: simple
Explode: false
Schema:
 Type: string
 Format: int32
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type'

 Required/Optional: true

Responses:
 '204':
 Description: leaf nas-port-type updated
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-type

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port/format-e-list={format-

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas-port\_format-e-list\_format-e-list-nas-port-type\_format-e-get

**Parameters:**

- **Name:** format-e-list-nas-port-type
- In:** path
- Required/Optional:** true

**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** int32

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **enum:**  
    - config  
    - nonconfig  
    - all  
    **Default:** config

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** integer  
    **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true



**Schema:**

**Type:** string  
**Format:** enumeration  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged  
**Default:** report-all

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
 Schema:  
 Reference:

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port\_format-e-list\_format-e-list-nas-port-type\_format-e'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
 - put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_format\_e\_put

**Parameters:**

- **Name:** format-e-list-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false

```

Schema:
 Type: string
 Format: int32
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e'

 Required/Optional: true

Responses:
 '201':
 Description: leaf format-e created or replaced
 Content: {}
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-e
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_delete

Parameters:
- Name: format-e-list-nas-port-type
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:

```

**Type:** string  
**Format:** int32

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_format\_e\_options

**Parameters:**

- **Name:** format-e-list-nas-port-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** int32

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_format\_e\_head

**Parameters:**

- **Name:** format-e-list-nas-port-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** int32

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **enum:**  
    - config  
    - nonconfig  
    - all  
    **Default:** config

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** integer  
    **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **enum:**  
    - report-all  
    - trim  
    - explicit  
    - report-all-tagged

**Default:** report-all

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_format\_e\_patch

**Parameters:**

- **Name:** format-e-list-nas-port-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** int32

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas-port\_format-e-list\_format-e-list-nas-port-type\_format-e'

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf format-e updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

```

 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: format-e

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port/format-e

get:

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_get

**Parameters:**

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - enum:**
      - config
      - nonconfig
      - all
    - Default:** config
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false

```
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e'
'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
put:

Tags:
- data
```

- put

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_put

**Request Body:**

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas-port\_format-e'

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf format-e created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** format-e

**delete:**

**Tags:**

- data

- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_delete

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- basicAuth: []

**options:**

**Tags:**

- data



- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_options

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- basicAuth: []

**head:**

**Tags:**

- data

- head

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_head

**Parameters:**

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**enum:**

- config

- nonconfig

- all

**Default:** config

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged  
   **Default:** report-all

**Responses:**

**'200':**  
   **Description:** OK  
   **Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_patch

**Request Body:**

**Content:**  
   **application/yang-data+json:**  
     **Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas-port\_format-e'  
   **Required/Optional:** true

**Responses:**

**'204':**  
   **Description:** leaf format-e updated  
   **Content:** {}  
**'400':**  
   **Description:** Bad Request  
   **Content:** {}  
**'401':**  
   **Description:** Unauthorized  
   **Content:** {}  
**'404':**

```

 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-e

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port/value

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_value_get

Parameters:
- Name: content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true

```

**Schema:**

**Type:** string  
**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string  
**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string  
**Format:** enumeration

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Default:** report-all

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port\_value'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

```
 Content: {}
 security:
 - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_value_put
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port_value'
 Required/Optional: true

Responses:
 '201':
 Description: leaf value created or replaced
 Content: {}
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: value
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_value_delete

Responses:
 '204':
 Description: No Content
```

```
 Content: {}
 security:
 - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_value_options

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_value_head

Parameters:
- Name: content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
```

```

 Schema:
 Type: string
 Format: string
 - Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
 - Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_value_patch

Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port_value'
 Required/Optional: true

Responses:
 '204':
 Description: leaf value updated
 Content: {}
 '400':

```

```

 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-ip

**get:**

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_ip\_get

**Parameters:**

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**enum:**

- config
- nonconfig
- all

**Default:** config

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16



- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged
    - Default:** report-all

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:****'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-ip'****'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found

```

 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_ip_put
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-ip'
 Required/Optional: true

Responses:
 '201':
 Description: leaf nas-ip created or replaced
 Content: {}
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-ip
delete:

Tags:
- data
- delete

```

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_ip\_delete

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
- options

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_ip\_options

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_ip\_head

**Parameters:**

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**enum:**

- config  
- nonconfig  
- all

**Default:** config

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**enum:**

- report-all

- trim

- explicit

- report-all-tagged

**Default:** report-all

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data

- patch

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_ip\_patch

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas-ip'

**Required/Optional:** true

**Responses:**

```
'204':
 Description: leaf nas-ip updated
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-ip
```

## /data/cnbng-cp:profile/radius/server-group

options:

```
Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_server_group_options

Responses:
'200':
 Description: OK
 Content: {}
security:
- basicAuth: []
```

## /data/cnbng-cp:profile/radius/server-group={server-group-group-name}

get:

```
Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_server_group_server_group_group_name_get

Parameters:
- Name: server-group-group-name
 In: path
```

**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **enum:**  
    - config  
    - nonconfig  
    - all  
    **Default:** config

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** integer  
    **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form

```

Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name'
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
put:

Tags:
 - data
 - put
Operation ID: data_cnbng_cp_profile_radius_server_group_server_group_group_name_put

Parameters:
 - Name: server-group-group-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:

```

```

 Type: string
 Format: string
- Name: insert
 In: query
 Description: controlling the order when adding new list elements
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - first
 - last
 - before
 - after
 Default: first
- Name: point
 In: query
 Description: used to specify the insertion point
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name'
 Required/Optional: true

Responses:
 '201':
 Description: list server-group created or replaced
 Content: {}
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}

```



```
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: server-group
delete:

 Tags:
 - data
 - delete
 Operation ID: data_cnbng_cp_profile_radius_server_group_server_group_group_name_delete

Parameters:
- Name: server-group-group-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
 '204':
 Description: No Content
 Content: {}
 security:
 - basicAuth: []
options:

 Tags:
 - data
 - options
 Operation ID: data_cnbng_cp_profile_radius_server_group_server_group_group_name_options

Parameters:
- Name: server-group-group-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - basicAuth: []
```

**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_head

**Parameters:**

- **Name:** server-group-group-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - enum:**
      - config
      - nonconfig
      - all
    - Default:** config
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false

```

Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_server_group_server_group_group_name_patch

Parameters:
- Name: server-group-group-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_radius_server_group_server_group_group_name'
 Required/Optional: true

Responses:
 '204':

```

```

 Description: list server-group updated
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: server-group

```

## /data/cnbng-cp:profile/radius/server-group={server-group-group-name}/group-name

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_group\_name\_get

**Parameters:**

- **Name:** server-group-group-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - enum:**
      - config

```
- nonconfig
- all
 Default: config
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all
```

**Responses:**

```
'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:
```

```

'#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_group-name'

 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 put:

 Tags:
 - data
 - put
 Operation ID:
 data_cnbng_cp_profile_radius_server_group_server_group_group_name_group_name_put

 Parameters:
 - Name: server-group-group-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_group-name'

 Required/Optional: true

 Responses:
 '201':
 Description: leaf group-name created or replaced
 Content: {}
 '204':

```

```

 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: group-name
delete:

 Tags:
 - data
 - delete
 Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_group_name_delete

 Parameters:
 - Name: server-group-group-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

 Responses:
 '204':
 Description: No Content
 Content: {}
 security:
 - basicAuth: []
options:

 Tags:
 - data
 - options
 Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_group_name_options

 Parameters:
 - Name: server-group-group-name

```

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string

**Responses:**  
   '200':  
     **Description:** OK  
     **Content:** {}  
**security:**  
   - **basicAuth:** []

**head:**

**Tags:**  
   - data  
   - head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_group\_name\_head

**Parameters:**

- **Name:** server-group-group-name  
   **In:** path  
   **Required/Optional:** true  
   **Style:** simple  
   **Explode:** false  
   **Schema:**  
     **Type:** string  
     **Format:** string
- **Name:** content  
   **In:** query  
   **Description:** controlling descendant nodes in response  
   **Required/Optional:** false  
   **Style:** form  
   **Explode:** true  
   **Schema:**  
     **Type:** string  
     **Format:** enumeration  
     **enum:**  
       - config  
       - nonconfig  
       - all  
     **Default:** config
- **Name:** depth  
   **In:** query  
   **Description:** limit the depth of nodes in response  
   **Required/Optional:** false  
   **Style:** form  
   **Explode:** true  
   **Schema:**  
     **Type:** integer



```
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all
```

```
Responses:
 '200':
 Description: OK
 Content: {}
```

```
security:
- basicAuth: []
```

```
patch:
```

```
Tags:
- data
- patch
```

```
Operation ID:
```

```
data_cnbng_cp_profile_radius_server_group_server_group_group_name_group_name_patch
```

```
Parameters:
- Name: server-group-group-name
 In: path
 Required/Optional: true
```

```

Style: simple
Explode: false
Schema:
 Type: string
 Format: string
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_group-name'

 Required/Optional: true

Responses:
 '204':
 Description: leaf group-name updated
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
 - basicAuth: []
x-codegen-request-body-name: group-name

```

## /data/cnbng-cp:profile/radius/server-group={server-group-group-name}/server

**options:**

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_options

**Parameters:**

- **Name:** server-group-group-name
- In:** path
- Required/Optional:** true
- Style:** simple

**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**  
**'200':**  
**Description:** OK  
**Content:** {}  
**security:**  
- **basicAuth:** []

## /data/cnbng-cp:profile/radius/server-group={server-group-group-name}/server={s

**get:**

**Tags:**  
- data  
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_get

**Parameters:**

- **Name:** server-group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** server-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**enum:**  
- auth  
- acct  
**Default:** auth

- **Name:** server-ip  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** union

- **Name:** server-port  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - enum:**
    - config
    - nonconfig
    - all
  - Default:** config
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Default:** report-all

**Responses:**

'200':

**Description:** OK

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_server-group\_server-group-group-name\_server\_server-type\_server-ip\_server-port'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_put

**Parameters:**

- **Name:** server-group-group-name
- In:** path

```
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- Name: server-type
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: enumeration
 enum:
 - auth
 - acct
 Default: auth
- Name: server-ip
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: union
- Name: server-port
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: int32
- Name: insert
 In: query
 Description: controlling the order when adding new list elements
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - first
 - last
 - before
 - after
 Default: first
- Name: point
 In: query
 Description: used to specify the insertion point
 Required/Optional: false
```

```

Style: form
Explode: true
Schema:
 Type: string
 Format: string
Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port'

Required/Optional: true

Responses:
 '201':
 Description: list server created or replaced
 Content: {}
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: server
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_delete

Parameters:
- Name: server-group-group-name
 In: path
 Required/Optional: true
 Style: simple

```

```

Explode: false
Schema:
 Type: string
 Format: string
- Name: server-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - auth
 - acct
 Default: auth
- Name: server-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: union
- Name: server-port
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: int32

```

```

Responses:
 '204':
 Description: No Content
 Content: {}
security:
 - basicAuth: []

```

**options:**

```

Tags:
- data
- options

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_options

**Parameters:**

```

- Name: server-group-group-name
In: path
Required/Optional: true
Style: simple

```



```

Explode: false
Schema:
 Type: string
 Format: string
- Name: server-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - auth
 - acct
 Default: auth
- Name: server-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: union
- Name: server-port
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: int32

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_head

Parameters:
- Name: server-group-group-name
In: path
Required/Optional: true
Style: simple

```

```
Explode: false
Schema:
 Type: string
 Format: string
- Name: server-type
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: enumeration
 enum:
 - auth
 - acct
 Default: auth
- Name: server-ip
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: union
- Name: server-port
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: int32
- Name: content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
```

**Schema:**

**Type:** integer  
**Format:** uint16

**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

**Type:** string  
**Format:** string

**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

**Type:** string  
**Format:** string

**- Name:** with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

**Type:** string  
**Format:** enumeration  
**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Default:** report-all**Responses:****'200':****Description:** OK**Content:** {}**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_patch

**Parameters:**

- **Name:** server-group-group-name

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- Name: server-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - auth
 - acct
 Default: auth
- Name: server-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: union
- Name: server-port
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: int32

```

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port'
```

**Required/Optional:** true**Responses:****'204':****Description:** list server updated**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':**

```

 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: server

```

## /data/cnbng-cp:profile/radius/server-group={server-group-group-name}/server={s

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_type\_get

**Parameters:**

- **Name:** server-group-group-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** server-type
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - enum:**
      - auth
      - acct
    - Default:** auth
- **Name:** server-ip
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false

```

Schema:
 Type: string
 Format: union
- Name: server-port
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: int32
- Name: content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string

```

```

- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

```

**Responses:**

```

'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_type'
```

```

'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}

```

**security:**

```
- basicAuth: []
```

**put:****Tags:**

```
- data
- put
```

**Operation ID:**

```
data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_type_put
```

**Parameters:**

- **Name:** server-group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** server-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - enum:**
    - auth
    - acct
  - Default:** auth
- **Name:** server-ip  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** union
- **Name:** server-port  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** int32

**Request Body:**

- Content:**  
application/yang-data+json:  
  - Schema:**
  - Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_type'
```

**Required/Optional:** true

**Responses:**

- '201':  
  - Description:** leaf type created or replaced
  - Content:** {}
- '204':  
  - Description:** No Content



```

 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: type
delete:

```

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_type\_delete

**Parameters:**

- **Name:** server-group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** server-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - enum:**
    - auth
    - acct
  - Default:** auth
- **Name:** server-ip  
**In:** path  
**Required/Optional:** true  
**Style:** simple

```

 Explode: false
 Schema:
 Type: string
 Format: union
- Name: server-port
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: int32

Responses:
 '204':
 Description: No Content
 Content: {}
 security:
 - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_type_options

```

**Parameters:**

```

- Name: server-group-group-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: server-type
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: enumeration
 enum:
 - auth
 - acct
 Default: auth
- Name: server-ip
 In: path
 Required/Optional: true
 Style: simple

```

```

 Explode: false
 Schema:
 Type: string
 Format: union
 - Name: server-port
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: int32

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - basicAuth: []
head:

Tags:
- data
- head

Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_type_head

```

```

Parameters:
- Name: server-group-group-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: server-type
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: enumeration
 enum:
 - auth
 - acct
 Default: auth
- Name: server-ip
 In: path
 Required/Optional: true
 Style: simple

```

```
 Explode: false
 Schema:
 Type: string
 Format: union
- Name: server-port
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: int32
- Name: content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
```

**Format:** string  
**Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged  
**Default:** report-all

**Responses:**  
**'200':**  
**Description:** OK  
**Content:** {}  
**security:**  
 - **basicAuth:** []

**patch:**

**Tags:**  
 - data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_type\_patch

**Parameters:**

**Name:** server-group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
**Name:** server-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**enum:**  
 - auth  
 - acct  
**Default:** auth  
**Name:** server-ip

```

 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: union
- Name: server-port
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: int32
Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_type'

 Required/Optional: true

Responses:
 '204':
 Description: leaf type updated
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: type

```

**/data/cnbng-cp:profile/radius/server-group={server-group-group-name}/server={server-type},{server-ip},{server-port}/ip**

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_ip\_get

**Parameters:**

- **Name:** server-group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** server-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - enum:**
    - auth
    - acct
  - Default:** auth
- **Name:** server-ip  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** union
- **Name:** server-port  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration

```

 enum:
 - config
 - nonconfig
 - all
 Default: config
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

```

**Responses:**

```

'200':
 Description: OK
 Content:
 application/yang-data+json:

```



**Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_ip'
```

```
'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}
```

**security:**

```
- basicAuth: []
```

**put:****Tags:**

```
- data
- put
```

**Operation ID:**

```
data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_ip_put
```

**Parameters:**

```
- Name: server-group-group-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: server-type
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: enumeration
 enum:
 - auth
 - acct
```

```

 Default: auth
 - Name: server-ip
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: union
 - Name: server-port
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: int32
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_ip'

 Required/Optional: true

 Responses:
 '201':
 Description: leaf ip created or replaced
 Content: {}
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: ip
 delete:

```

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_ip\_delete

**Parameters:**

- **Name:** server-group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** server-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - enum:**
    - auth
    - acct
  - Default:** auth
- **Name:** server-ip  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** union
- **Name:** server-port  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** int32

**Responses:**

'204':

**Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_ip\_options

**Parameters:**

- **Name:** server-group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** server-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - enum:**
    - auth
    - acct
  - Default:** auth
- **Name:** server-ip  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** union
- **Name:** server-port  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** int32

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_ip\_head

**Parameters:**

- **Name:** server-group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** server-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - enum:**
    - auth
    - acct
  - Default:** auth
- **Name:** server-ip  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** union
- **Name:** server-port  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string

```
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
```

**security:**  
 - **basicAuth:** []  
**patch:**

**Tags:**  
 - data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_ip\_patch

**Parameters:**

- **Name:** server-group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** server-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**enum:**  
 - auth  
 - acct  
**Default:** auth

- **Name:** server-ip  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** union

- **Name:** server-port  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** int32

**Request Body:**

**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_ip'
```

**Required/Optional:** true

**Responses:**

```
'204':
 Description: leaf ip updated
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}
```

**security:**

```
- basicAuth: []
```

**x-codegen-request-body-name:** ip

## /data/cnbng-cp:profile/radius/server-group={server-group-group-name}/server={server-type},{server-ip},{server-port}/port

**get:**

**Tags:**

```
- data
- get
```

**Operation ID:**

```
data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_port_get
```

**Parameters:**

```
- Name: server-group-group-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: server-type
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
```



```
Schema:
 Type: string
 Format: enumeration
 enum:
 - auth
 - acct
 Default: auth
- Name: server-ip
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: union
- Name: server-port
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: int32
- Name: content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
```

**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true

**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true

**Schema:**  
**Type:** string  
**Format:** enumeration  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged  
**Default:** report-all

**Responses:**

'200':  
**Description:** OK  
**Content:**  
application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_server-group\_server-group-group-name\_server\_server-type\_server-ip\_server-port\_port'

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

'409':

**Description:** Conflict  
**Content:** {}  
**security:**  
- **basicAuth:** []  
**put:**

**Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_port\_put

**Parameters:**

- **Name:** server-group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** server-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**enum:**
  - auth
  - acct**Default:** auth
- **Name:** server-ip  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** union
- **Name:** server-port  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** int32

**Request Body:**

**Content:**  
application/yang-data+json:

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_port'
```

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf port created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** port

**delete:****Tags:**

- data  
- delete

**Operation ID:**

```
data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_port_delete
```

**Parameters:**

- **Name:** server-group-group-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** server-type

**In:** path

**Required/Optional:** true

**Style:** simple

```

Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - auth
 - acct
 Default: auth
- Name: server-ip
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: union
- Name: server-port
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: int32

Responses:
 '204':
 Description: No Content
 Content: {}
 security:
 - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_port_options

Parameters:
- Name: server-group-group-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: server-type
 In: path
 Required/Optional: true
 Style: simple

```

```

Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - auth
 - acct
 Default: auth
- Name: server-ip
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: union
- Name: server-port
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: int32

```

**Responses:**

```

'200':
 Description: OK
 Content: {}

```

**security:**

```

- basicAuth: []

```

**head:****Tags:**

```

- data
- head

```

**Operation ID:**

```

data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_port_head

```

**Parameters:**

```

- Name: server-group-group-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: server-type
 In: path
 Required/Optional: true
 Style: simple

```

```
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - auth
 - acct
 Default: auth
- Name: server-ip
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: union
- Name: server-port
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: int32
- Name: content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
```

**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string  
- **Name:** filter  
  **In:** query  
  **Description:** xpath expression to filter data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string  
- **Name:** with-defaults  
  **In:** query  
  **Description:** controlling default values in response  
  **Required/Optional:** false  
  **Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged  
  **Default:** report-all

**Responses:**

'200':  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_port\_patch

**Parameters:**

- **Name:** server-group-group-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string  
- **Name:** server-type



```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: enumeration
 enum:
 - auth
 - acct
 Default: auth
- Name: server-ip
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: union
- Name: server-port
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: int32
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_crbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_port'

Required/Optional: true

Responses:
 '204':
 Description: leaf port updated
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}

```

```

 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: port

```

## /data/cnbng-cp:profile/coa

get:

```

 Tags:
 - data
 - get
 Operation ID: data_cnbng_cp_profile_coa_get

 Parameters:
 - Name: content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
 - Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
 - Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
 - Name: filter
 In: query

```

**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged  
  **Default:** report-all

**Responses:**

'200':  
  **Description:** OK  
  **Content:**  
    **application/yang-data+json:**  
      **Schema:**  
        **Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_coa'

'204':  
  **Description:** No Content  
  **Content:** {}

'400':  
  **Description:** Bad Request  
  **Content:** {}

'401':  
  **Description:** Unauthorized  
  **Content:** {}

'404':  
  **Description:** Not Found  
  **Content:** {}

'405':  
  **Description:** Method Not Allowed  
  **Content:** {}

'409':  
  **Description:** Conflict  
  **Content:** {}

**security:**  
- **basicAuth:** []

**put:**

**Tags:**

```
- data
- put
Operation ID: data_cnbng_cp_profile_coa_put
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_coa'
 Required/Optional: true

Responses:
 '201':
 Description: container coa created or replaced
 Content: {}
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: coa
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_coa_post
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_coa-post'
 Required/Optional: true

Responses:
 '201':
 Description: container coa created
 Content: {}
 '204':
```

```
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: coa
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_coa_delete

Responses:
 '204':
 Description: No Content
 Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_coa_options

Responses:
 '200':
 Description: OK
 Content: {}
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_coa_head

Parameters:
```

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - enum:**
      - config
      - nonconfig
      - all
    - Default:** config
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - enum:**
      - report-all

```

- trim
- explicit
- report-all-tagged
Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_coa_patch
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_coa'
 Required/Optional: true

Responses:
 '204':
 Description: container coa updated
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
x-codegen-request-body-name: coa

```

## /data/cnbng-cp:profile/coa/server-key

```

get:

Tags:

```

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_coa\_server\_key\_get

**Parameters:**

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - enum:**
      - config
      - nonconfig
      - all
    - Default:** config
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**



**Type:** string  
**Format:** enumeration  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged  
**Default:** report-all

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_coa\_server-key'

**'204':**  
**Description:** No Content  
**Content:** {}

**'400':**  
**Description:** Bad Request  
**Content:** {}

**'401':**  
**Description:** Unauthorized  
**Content:** {}

**'404':**  
**Description:** Not Found  
**Content:** {}

**'405':**  
**Description:** Method Not Allowed  
**Content:** {}

**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
- put

**Operation ID:** data\_cnbng\_cp\_profile\_coa\_server\_key\_put

**Request Body:****Content:**

**application/yang-data+json:**

**Schema:**

**Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_coa\_server-key'

**Required/Optional:** true

**Responses:**

**'201':**  
**Description:** leaf server-key created or replaced  
**Content:** {}

```
'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: server-key
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_coa_server_key_delete

Responses:
'204':
 Description: No Content
 Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_coa_server_key_options

Responses:
'200':
 Description: OK
 Content: {}
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_coa_server_key_head
```

**Parameters:**

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - enum:**
      - config
      - nonconfig
      - all
    - Default:** config
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - enum:**

```

- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

```

**Responses:**

```

'200':
 Description: OK
 Content: {}

```

**security:**

```

- basicAuth: []

```

**patch:****Tags:**

```

- data
- patch

```

**Operation ID:** data\_cnbng\_cp\_profile\_coa\_server\_key\_patch

**Request Body:**

```

Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_coa_server-key'
Required/Optional: true

```

**Responses:**

```

'204':
 Description: leaf server-key updated
 Content: {}

```

```

'400':
 Description: Bad Request
 Content: {}

```

```

'401':
 Description: Unauthorized
 Content: {}

```

```

'404':
 Description: Not Found
 Content: {}

```

```

'405':
 Description: Method Not Allowed
 Content: {}

```

```

'409':
 Description: Conflict
 Content: {}

```

**security:**

```

- basicAuth: []

```

**x-codegen-request-body-name:** server-key

## /data/cnbng-cp:profile/coa/client

**options:**

**Tags:**  
- data  
- options  
**Operation ID:** data\_cnbng\_cp\_profile\_coa\_client\_options

**Responses:**  
**'200':**  
  **Description:** OK  
  **Content:** {}  
**security:**  
- **basicAuth:** []

## /data/cnbng-cp:profile/coa/client={client-ip}

**get:**

**Tags:**  
- data  
- get  
**Operation ID:** data\_cnbng\_cp\_profile\_coa\_client\_client\_ip\_get

**Parameters:**

- **Name:** client-ip  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** union
- **Name:** content  
  **In:** query  
  **Description:** controlling descendant nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **enum:**  
    - config  
    - nonconfig  
    - all  
    **Default:** config
- **Name:** depth  
  **In:** query  
  **Description:** limit the depth of nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** integer

```

 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_coa_client_client-ip'

'204':
 Description: No Content
 Content: {}

'400':
 Description: Bad Request
 Content: {}

'401':
 Description: Unauthorized
 Content: {}

'404':

```

```
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_coa_client_client_ip_put

Parameters:
- Name: client-ip
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: union
- Name: insert
 In: query
 Description: controlling the order when adding new list elements
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - first
 - last
 - before
 - after
 Default: first
- Name: point
 In: query
 Description: used to specify the insertion point
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
Request Body:
Content:
 application/yang-data+json:
```

**Schema:****Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_coa\_client\_client-ip'**Required/Optional:** true**Responses:**

'201':  
**Description:** list client created or replaced  
**Content:** {}

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

'409':  
**Description:** Conflict  
**Content:** {}

**security:**- **basicAuth:** []**x-codegen-request-body-name:** client**delete:****Tags:**- data  
- delete**Operation ID:** data\_cnbng\_cp\_profile\_coa\_client\_client\_ip\_delete**Parameters:**

- **Name:** client-ip  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** union

**Responses:**

'204':  
**Description:** No Content  
**Content:** {}

**security:**- **basicAuth:** []



**options:****Tags:**

- data
- options

**Operation ID:** data\_cnbng\_cp\_profile\_coa\_client\_client\_ip\_options**Parameters:**

- **Name:** client-ip
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** union

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_coa\_client\_client\_ip\_head**Parameters:**

- **Name:** client-ip
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** union
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - enum:**
      - config
      - nonconfig
      - all
    - Default:** config
- **Name:** depth

**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **enum:**  
    - report-all  
    - trim  
    - explicit  
    - report-all-tagged  
  **Default:** report-all

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
    - **basicAuth:** []

**patch:**

**Tags:**  
  - data  
  - patch

**Operation ID:** data\_cnbng\_cp\_profile\_coa\_client\_client\_ip\_patch

**Parameters:**

- **Name:** client-ip

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** union

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:** '#/components/schemas/data\_cnbng\_cp\_profile\_coa\_client\_client-ip'

**Required/Optional:** true

**Responses:**

'204':

**Description:** list client updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** client

## /data/cnbng-cp:profile/coa/client={client-ip}/ip

**get:**

**Tags:**

- data

- get

**Operation ID:** data\_cnbng\_cp\_profile\_coa\_client\_client\_ip\_ip\_get

**Parameters:**

- **Name:** client-ip
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** union
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - enum:**
      - config
      - nonconfig
      - all
    - Default:** config
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Default:** report-all

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_coa\_client\_client-ip\_ip'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Operation ID:** data\_cnbng\_cp\_profile\_coa\_client\_client-ip\_ip\_put

**Parameters:**

- **Name:** client-ip

**In:** path

**Required/Optional:** true

```

Style: simple
Explode: false
Schema:
 Type: string
 Format: union
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_coa_client_client-ip_ip'

Required/Optional: true

Responses:
 '201':
 Description: leaf ip created or replaced
 Content: {}
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ip
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_coa_client_client_ip_ip_delete

Parameters:
- Name: client-ip
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string

```

**Format:** union

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
- options

**Operation ID:** data\_cnbng\_cp\_profile\_coa\_client\_client\_ip\_ip\_options

**Parameters:**

- **Name:** client-ip

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** union

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_coa\_client\_client\_ip\_ip\_head

**Parameters:**

- **Name:** client-ip

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** union

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **enum:**  
  - config  
  - nonconfig  
  - all  
  **Default:** config

- **Name:** depth  
  **In:** query  
  **Description:** limit the depth of nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** integer  
    **Format:** uint16

- **Name:** fields  
  **In:** query  
  **Description:** optionally identify specific data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** filter  
  **In:** query  
  **Description:** xpath expression to filter data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** with-defaults  
  **In:** query  
  **Description:** controlling default values in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **enum:**  
    - report-all  
    - trim  
    - explicit  
    - report-all-tagged  
    **Default:** report-all

**Responses:**  
  '200':



```
 Description: OK
 Content: {}
 security:
 - basicAuth: []
 patch:

 Tags:
 - data
 - patch
 Operation ID: data_cnbng_cp_profile_coa_client_client_ip_ip_patch

 Parameters:
 - Name: client-ip
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: union
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng_cp_profile_coa_client_client_ip_ip'

 Required/Optional: true

 Responses:
 '204':
 Description: leaf ip updated
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: ip
```

## /data/cnbng-cp:profile/coa/client={client-ip}/server-key

get:

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_coa\_client\_client\_ip\_server\_key\_get

**Parameters:**

- **Name:** client-ip
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** union
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - enum:**
      - config
      - nonconfig
      - all
    - Default:** config
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query

```
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_coa_client_client-ip_server-key'
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
 - basicAuth: []
put:
```

**Tags:**

- data
- put

**Operation ID:** data\_cnbng\_cp\_profile\_coa\_client\_client\_ip\_server\_key\_put

**Parameters:**

- **Name:** client-ip
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** union

**Request Body:****Content:**

**application/yang-data+json:**

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_coa\_client\_client-ip\_server-key'

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf server-key created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** server-key

**delete:****Tags:**

- data
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_coa\_client\_client\_ip\_server\_key\_delete

**Parameters:**

- **Name:** client-ip  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** union

**Responses:**

'204':  
**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Operation ID:** data\_cnbng\_cp\_profile\_coa\_client\_client\_ip\_server\_key\_options

**Parameters:**

- **Name:** client-ip  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** union

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_coa\_client\_client\_ip\_server\_key\_head

**Parameters:**

- **Name:** client-ip  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

```
 Type: string
 Format: union
- Name: content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
```

```
enum:
- report-all
- trim
- explicit
- report-all-tagged
Default: report-all
```

```
Responses:
'200':
 Description: OK
 Content: {}
security:
- basicAuth: []
```

patch:

```
Tags:
- data
- patch
```

Operation ID: data\_cnbng\_cp\_profile\_coa\_client\_client\_ip\_server\_key\_patch

```
Parameters:
- Name: client-ip
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: union
```

```
Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:
```

```
'#/components/schemas/data_cnbng_cp_profile_coa_client_client-ip_server-key'
Required/Optional: true
```

```
Responses:
'204':
 Description: leaf server-key updated
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
```

**Description:** Conflict  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**x-codegen-request-body-name:** server-key

## /data/cnbng-cp:user-planes

**get:**

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_user\_planes\_get

**Parameters:**

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - enum:**
    - config
    - nonconfig
    - all
  - Default:** config
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response



```
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng-cp_user-planes'
'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
put:

Tags:
- data
```

- put

**Operation ID:** data\_cnbng\_cp\_user\_planes\_put

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:** '#/components/schemas/data\_cnbng-cp\_user-planes'

**Required/Optional:** true

**Responses:**

'201':

**Description:** container user-planes created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** user-planes

**Method:** Post

**Tags:**

- data

- post

**Operation ID:** data\_cnbng\_cp\_user\_planes\_post

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:** '#/components/schemas/data\_cnbng-cp\_user-planes-post'

**Required/Optional:** true

**Responses:**

'201':

**Description:** container user-planes created

**Content:** {}

'204':

**Description:** No Content

```
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: user-planes
delete:

 Tags:
 - data
 - delete
 Operation ID: data_cnbng_cp_user_planes_delete

 Responses:
 '204':
 Description: No Content
 Content: {}
 security:
 - basicAuth: []
options:

 Tags:
 - data
 - options
 Operation ID: data_cnbng_cp_user_planes_options

 Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - basicAuth: []
head:

 Tags:
 - data
 - head
 Operation ID: data_cnbng_cp_user_planes_head

 Parameters:
 - Name: content
```

- In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **enum:**  
  - config  
  - nonconfig  
  - all  
  **Default:** config
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **enum:**  
  - report-all  
  - trim  
  - explicit

```
- report-all-tagged
Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_user_planes_patch
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng-cp_user-planes'
 Required/Optional: true

Responses:
 '204':
 Description: container user-planes updated
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
x-codegen-request-body-name: user-planes
```

## /data/cnbng-cp:user-planes/user-plane

options:

```
Tags:
- data
- options
```

**Operation ID:** data\_cnbng\_cp\_user\_planes\_user\_plane\_options

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

## /data/cnbng-cp:user-planes/user-plane={user-plane-name}

**get:**

**Tags:**

- data

- get

**Operation ID:** data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_get

**Parameters:**

- **Name:** user-plane-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**enum:**

- config

- nonconfig

- all

**Default:** config

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged  
   **Default:** report-all

**Responses:**

'200':  
**Description:** OK  
**Content:**  
   application/yang-data+json:  
     **Schema:**  
       **Reference:**  
       '#/components/schemas/data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name'

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':

```

 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_put

Parameters:
- Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: insert
 In: query
 Description: controlling the order when adding new list elements
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - first
 - last
 - before
 - after
 Default: first
- Name: point
 In: query
 Description: used to specify the insertion point
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_user_planes_user_plane_user_plane_name'

```



**Required/Optional:** true

**Responses:**

'201':

**Description:** list user-plane created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** user-plane

**delete:**

**Tags:**

- data  
- delete

**Operation ID:** data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_delete

**Parameters:**

- **Name:** user-plane-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Operation ID:** data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_options

**Parameters:**

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

- '200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_head

**Parameters:**

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**enum:**  
  - config
  - nonconfig
  - all**Default:** config
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false

```
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
 - Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
 - Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
 - Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - basicAuth: []
patch:

Tags:
 - data
 - patch
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_patch

Parameters:
```

/data/cnbng-cp:user-planes/user-plane={user-plane-name}/name

```

- Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name'
 Required/Optional: true

Responses:
 '204':
 Description: list user-plane updated
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: user-plane

```

## /data/cnbng-cp:user-planes/user-plane={user-plane-name}/name

**get:**

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_name\_get

**Parameters:**

- **Name:** user-plane-name
- In:** path

**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **enum:**  
  - config  
  - nonconfig  
  - all  
  **Default:** config

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form

**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged  
**Default:** report-all

**Responses:**

'200':  
**Description:** OK  
**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name\_name'

'204':  
**Description:** No Content  
**Content:** {}  
'400':  
**Description:** Bad Request  
**Content:** {}  
'401':  
**Description:** Unauthorized  
**Content:** {}  
'404':  
**Description:** Not Found  
**Content:** {}  
'405':  
**Description:** Method Not Allowed  
**Content:** {}  
'409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
- put

**Operation ID:** data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_name\_put

**Parameters:**

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

```

 Type: string
 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_name'
 Required/Optional: true

 Responses:
 '201':
 Description: leaf name created or replaced
 Content: {}
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: name
delete:

 Tags:
 - data
 - delete
 Operation ID: data_cnbng_cp_user-planes_user-plane_user-plane-name_name_delete

 Parameters:
 - Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

 Responses:

```

```
 '204':
 Description: No Content
 Content: {}
 security:
 - basicAuth: []
 options:

 Tags:
 - data
 - options
 Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_name_options

 Parameters:
 - Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

 Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - basicAuth: []
 head:

 Tags:
 - data
 - head
 Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_name_head

 Parameters:
 - Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 - Name: content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
```



```
 enum:
 - config
 - nonconfig
 - all
 Default: config
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
security:
```

```

- basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_name_patch

Parameters:
- Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_user_planes_user_plane_user_plane_name_name'
 Required/Optional: true

Responses:
 '204':
 Description: leaf name updated
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: name

```

## /data/cnbng-cp:user-planes/user-plane={user-plane-name}/peer-address

```
get:
```

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_peer\_address\_get

**Parameters:**

- **Name:** user-plane-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - enum:**
      - config
      - nonconfig
      - all
    - Default:** config
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true

```

 Schema:
 Type: string
 Format: string
 - Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address'
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_user-planes_user-plane_user-plane-name_peer-address_put

```

```

Parameters:
- Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address'
 Required/Optional: true

Responses:
'201':
 Description: container peer-address created or replaced
 Content: {}
'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: peer-address
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_user-planes_user-plane_user-plane-name_peer-address_post

Parameters:
- Name: user-plane-name

```

/data/cnbng-cp:user-planes/user-plane={user-plane-name}/peer-address

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address-post'

Required/Optional: true

Responses:
 '201':
 Description: container peer-address created
 Content: {}
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: peer-address
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_peer_address_delete

Parameters:
- Name: user-plane-name
 In: path
 Required/Optional: true

```

```
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
 '204':
 Description: No Content
 Content: {}
 security:
 - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_peer_address_options

Parameters:
- Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_peer_address_head

Parameters:
- Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: content
```

- In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **enum:**  
    - config  
    - nonconfig  
    - all  
    **Default:** config
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** integer  
    **Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **enum:**  
    - report-all  
    - trim  
    - explicit



```
- report-all-tagged
Default: report-all
```

**Responses:**

```
'200':
 Description: OK
 Content: {}
```

**security:**

```
- basicAuth: []
```

**patch:****Tags:**

```
- data
- patch
```

**Operation ID:** data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_peer\_address\_patch

**Parameters:**

```
- Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
```

**Request Body:**

```
Content:
 application/yang-data+json:
 Schema:
 Reference:
```

```
'#/components/schemas/data_cnbng_cp_user-planes_user-plane_user-plane-name_peer-address'
```

```
Required/Optional: true
```

**Responses:**

```
'204':
 Description: container peer-address updated
 Content: {}
```

```
'400':
 Description: Bad Request
 Content: {}
```

```
'401':
 Description: Unauthorized
 Content: {}
```

```
'404':
 Description: Not Found
 Content: {}
```

```
'405':
 Description: Method Not Allowed
 Content: {}
```

```
'409':
 Description: Conflict
 Content: {}
```

```

security:
- basicAuth: []
x-codegen-request-body-name: peer-address

```

## /data/cnbng-cp:user-planes/user-plane={user-plane-name}/peer-address/ipv4

**get:**

**Tags:**

```

- data
- get

```

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_peer\_address\_ipv4\_get

**Parameters:**

```

- Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true

```

```

Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address_ipv4'

'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':

```

```

 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
put:

 Tags:
 - data
 - put
 Operation ID:
 data_cnbng_cp_user_planes_user_plane_user_plane_name_peer_address_ipv4_put

 Parameters:
 - Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address_ipv4'

 Required/Optional: true

 Responses:
 '201':
 Description: leaf ipv4 created or replaced
 Content: {}
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:

```

```
- basicAuth: []
x-codegen-request-body-name: ipv4
```

```
delete:
```

```
Tags:
```

```
- data
- delete
```

```
Operation ID:
```

```
data_cnbng_cp_user_planes_user_plane_user_plane_name_peer_address_ipv4_delete
```

```
Parameters:
```

```
- Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
```

```
Responses:
```

```
'204':
```

```
 Description: No Content
```

```
 Content: {}
```

```
security:
```

```
- basicAuth: []
```

```
options:
```

```
Tags:
```

```
- data
- options
```

```
Operation ID:
```

```
data_cnbng_cp_user_planes_user_plane_user_plane_name_peer_address_ipv4_options
```

```
Parameters:
```

```
- Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
```

```
Responses:
```

```
'200':
```

```
 Description: OK
```

```
 Content: {}
```

```
security:
```

```
- basicAuth: []
```

```
head:
```

```
Tags:
```

```
- data
```

- head

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_peer\_address\_ipv4\_head

**Parameters:**

- **Name:** user-plane-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**enum:**

- config

- nonconfig

- all

**Default:** config

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

```

 Format: string
 - Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_peer_address_ipv4_patch

Parameters:
- Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_user_planes_user_plane_user_plane_name_peer_address_ipv4'

 Required/Optional: true

Responses:
 '204':
 Description: leaf ipv4 updated
 Content: {}
 '400':

```

```

 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ipv4

```

## /data/cnbng-cp:user-planes/user-plane={user-plane-name}/flowctrl-group

**get:**

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_flowctrl\_group\_get

**Parameters:**

- **Name:** user-plane-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**enum:**

- config
- nonconfig
- all

**Default:** config

- **Name:** depth



**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** integer  
   **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged  
   **Default:** report-all

**Responses:**

'200':  
**Description:** OK  
**Content:**  
   **application/yang-data+json:**  
     **Schema:**  
       **Reference:**

'#/components/schemas/data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name\_flowctrl-group'

'204':  
**Description:** No Content  
**Content:** {}

```

 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
put:

 Tags:
 - data
 - put
 Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_flowctrl_group_put

```

**Parameters:**

```

- Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

```

**Request Body:**

```

Content:
 application/yang-data+json:
 Schema:
 Reference:

```

```

'#/components/schemas/data_cnbng_cp_user_planes_user_plane_user_plane_name_flowctrl-group'
 Required/Optional: true

```

**Responses:**

```

'201':
 Description: leaf flowctrl-group created or replaced
 Content: {}
'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':

```

```
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: flowctrl-group
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_flowctrl_group_delete

Parameters:
- Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
 '204':
 Description: No Content
 Content: {}
 security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_flowctrl_group_options

Parameters:
- Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
```

**Format:** string

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_flowctrl\_group\_head

**Parameters:**

- **Name:** user-plane-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**enum:**

- config
- nonconfig
- all

**Default:** config

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

```
 Explode: true
 Schema:
 Type: string
 Format: string
 - Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
 - Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - basicAuth: []
patch:

Tags:
 - data
 - patch
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_flowctrl_group_patch

Parameters:
 - Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
Request Body:
```

```

Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_flowctrl-group'
 Required/Optional: true

Responses:
 '204':
 Description: leaf flowctrl-group updated
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: flowctrl-group

```

## /data/cnbng-cp:user-planes/user-plane={user-plane-name}/offline

get:

Tags:

- data
- get

Operation ID: data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_offline\_get

Parameters:

- Name: user-plane-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- Name: content

In: query

Description: controlling descendant nodes in response

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **enum:**  
  - config  
  - nonconfig  
  - all  
  **Default:** config

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged  
  **Default:** report-all

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name\_offline'

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**put:****Tags:**

- data

- put

**Operation ID:** data\_cnbng\_cp\_user-planes\_user-plane\_user-plane-name\_offline\_put**Parameters:**- **Name:** user-plane-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name\_offline'

**Required/Optional:** true



```
Responses:
 '201':
 Description: leaf offline created or replaced
 Content: {}
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: offline
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_offline_delete

Parameters:
- Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
 '204':
 Description: No Content
 Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
```

**Operation ID:** data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_offline\_options

**Parameters:**

- **Name:** user-plane-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_offline\_head

**Parameters:**

- **Name:** user-plane-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string
- **Name:** content
- In:** query
- Description:** controlling descendant nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
  - Type:** string
  - Format:** enumeration
  - enum:**
    - config
    - nonconfig
    - all
  - Default:** config
- **Name:** depth
- In:** query
- Description:** limit the depth of nodes in response
- Required/Optional:** false
- Style:** form

```
 Explode: true
 Schema:
 Type: integer
 Format: uint16
 - Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
 - Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
 - Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - basicAuth: []
patch:

Tags:
 - data
 - patch
Operation ID: data_cnbng_cp_user_planes_user_plane_user_plane_name_offline_patch

Parameters:
 - Name: user-plane-name
```

```

 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_offline'
 Required/Optional: true

 Responses:
 '204':
 Description: leaf offline updated
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: offline

```

## /data/cnbng-cp:user-planes/user-plane={user-plane-name}/port-id

options:

Tags:

- data
- options

Operation ID: data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_options

Parameters:

- Name: user-plane-name
  - In: path
  - Required/Optional: true

```

Style: simple
Explode: false
Schema:
 Type: string
 Format: string

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - basicAuth: []

```

## /data/cnbng-cp:user-planes/user-plane={user-plane-name}/port-id={port-id-id}

**get:**

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_port_id_port_id_id_get

Parameters:
- Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: port-id-id
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig

```

```

 - all
 Default: config
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

```

**Responses:**

```

'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

```

```

'#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id'

```

```

'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_port_id_port_id_id_put

Parameters:
- Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: port-id-id
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: insert
 In: query
 Description: controlling the order when adding new list elements
 Required/Optional: false
 Style: form
 Explode: true
 Schema:

```

```

 Type: string
 Format: enumeration
 enum:
 - first
 - last
 - before
 - after
 Default: first
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:
'#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id'

 Required/Optional: true

Responses:
 '201':
 Description: list port-id created or replaced
 Content: {}
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: port-id
delete:

```



**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_port\_id\_id\_delete

**Parameters:**

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** port-id-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string

**Responses:**

'204':

**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_port\_id\_id\_options

**Parameters:**

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** port-id-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

**Type:** string  
**Format:** string

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_port\_id\_id\_head

**Parameters:**

- **Name:** user-plane-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** port-id-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**enum:**

- config  
- nonconfig  
- all

**Default:** config

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

```
 Explode: true
 Schema:
 Type: integer
 Format: uint16
 - Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
 - Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
 - Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - basicAuth: []
patch:

Tags:
 - data
 - patch
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_port_id_port_id_id_patch

Parameters:
```

```

- Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: port-id-id
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id'

 Required/Optional: true

Responses:
 '204':
 Description: list port-id updated
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: port-id

```

**/data/cnbng-cp:user-planes/user-plane={user-plane-name}/port-id={port-id-id}/id**

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_port\_id\_id\_id\_get

**Parameters:**

- **Name:** user-plane-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** port-id-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - enum:**
      - config
      - nonconfig
      - all
    - Default:** config
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true

**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**enum:**  
  - report-all
  - trim
  - explicit
  - report-all-tagged**Default:** report-all

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name\_port-id\_port-id-id\_id'

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

'409':

```

 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
put:

 Tags:
 - data
 - put
 Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_port_id_port_id_id_id_put

 Parameters:
 - Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 - Name: port-id-id
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_user_planes_user_plane_user_plane_name_port_id_port_id_id_id'

 Required/Optional: true

 Responses:
 '201':
 Description: leaf id created or replaced
 Content: {}
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found

```

```

 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: id
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_port_id_port_id_id_id_delete

Parameters:
- Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: port-id-id
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
 '204':
 Description: No Content
 Content: {}
 security:
 - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_port_id_port_id_id_id_options

Parameters:
- Name: user-plane-name
 In: path
 Required/Optional: true

```



```
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 - Name: port-id-id
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_port_id_port_id_id_id_head

Parameters:
- Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: port-id-id
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
```

**Format:** enumeration  
**enum:**  
- config  
- nonconfig  
- all  
**Default:** config

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged  
  **Default:** report-all

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []  
**patch:**

**Tags:**  
 - data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_port\_id\_id\_id\_patch

**Parameters:**

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

**Type:** string  
**Format:** string

- **Name:** port-id-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
 application/yang-data+json:  
**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_port\_id\_id\_id'

**Required/Optional:** true

**Responses:**

'204':  
**Description:** leaf id updated  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

'409':

**Description:** Conflict  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**x-codegen-request-body-name:** id

## /data/cnbng-cp:user-planes/user-plane={user-plane-name}/port-id={port-id-id}/subs

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_port\_id\_id\_subscriber\_profile\_get

**Parameters:**

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** port-id-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - enum:**
    - config
    - nonconfig
    - all
  - Default:** config
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false

```

Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

```

**Responses:**

```

'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

```

```
'#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id_subscriber-profile'
```

```

'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request

```

```

 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 put:

 Tags:
 - data
 - put
 Operation ID:
 data_cnbng_cp_user_planes_user_plane_user_plane_name_port_id_port_id_id_subscriber_profile_put

 Parameters:
 - Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 - Name: port-id-id
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_user_planes_user_plane_user_plane_name_port_id_port_id_id_subscriber_profile'

 Required/Optional: true

 Responses:
 '201':
 Description: leaf subscriber-profile created or replaced

```

```

 Content: {}
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: subscriber-profile
delete:

```

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_port\_id\_id\_subscriber\_profile\_delete

**Parameters:**

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** port-id-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**

- '204':  
  **Description:** No Content  
  **Content:** {}

**security:**  
- **basicAuth:** []

**options:**

**Tags:**  
- data  
- options

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_port\_id\_id\_subscriber\_profile\_options

**Parameters:**

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** port-id-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**  
- **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_port\_id\_id\_subscriber\_profile\_head

**Parameters:**

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** port-id-id



```
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- Name: content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
```

**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged  
   **Default:** report-all

**Responses:**  
   '200':  
     **Description:** OK  
     **Content:** {}  
   **security:**  
     - **basicAuth:** []

**patch:**

**Tags:**  
   - data  
   - patch

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_port\_id\_id\_subscriber\_profile\_patch

**Parameters:**  
   - **Name:** user-plane-name  
     **In:** path  
     **Required/Optional:** true  
     **Style:** simple  
     **Explode:** false  
     **Schema:**  
       **Type:** string  
       **Format:** string  
   - **Name:** port-id-id  
     **In:** path  
     **Required/Optional:** true  
     **Style:** simple  
     **Explode:** false  
     **Schema:**  
       **Type:** string  
       **Format:** string

**Request Body:**

**Content:**  
   **application/yang-data+json:**  
     **Schema:**  
       **Reference:**

'#/components/schemas/data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_port\_id\_id\_subscriber\_profile'

**Required/Optional:** true

**Responses:**

```

'204':
 Description: leaf subscriber-profile updated
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: subscriber-profile

```

## /data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-profile

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_profile\_get

**Parameters:**

- **Name:** user-plane-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**enum:**

- config
  - nonconfig
  - all**Default:** config
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged
    - Default:** report-all

**Responses:**

'200':

**Description:** OK**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

```
'#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-profile'
```

```
'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}
```

**security:**

```
- basicAuth: []
```

**put:****Tags:**

```
- data
- put
```

**Operation ID:**

```
data_cnbng_cp_user-planes_user-plane_user-plane-name_subscriber-profile_put
```

**Parameters:**

```
- Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
```

**Request Body:**

```
Content:
 application/yang-data+json:
 Schema:
```

**Reference:**

```
'#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-profile'
```

```
Required/Optional: true
```

**Responses:**

```
'201':
 Description: leaf subscriber-profile created or replaced
 Content: {}
```

```

 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: subscriber-profile
delete:

 Tags:
 - data
 - delete
 Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_profile_delete

 Parameters:
 - Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

 Responses:
 '204':
 Description: No Content
 Content: {}
 security:
 - basicAuth: []
options:

 Tags:
 - data
 - options
 Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_profile_options

 Parameters:

```

```
- Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_profile_head

Parameters:
- Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
```

```

 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

```

**Responses:**

```

'200':
 Description: OK
 Content: {}

```

**security:**

```

- basicAuth: []

```

**patch:****Tags:**

```

- data
- patch

```

**Operation ID:**

```

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_profile_patch

```

**Parameters:**

```

- Name: user-plane-name
 In: path

```



```

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:
'#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-profile'

Required/Optional: true

Responses:
'204':
 Description: leaf subscriber-profile updated
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: subscriber-profile

```

## /data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy

**get:**

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_user-planes_user-plane_user-plane-name_subscriber_redundancy_get

Parameters:
- Name: user-plane-name
 In: path
 Required/Optional: true

```

**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **enum:**  
    - config  
    - nonconfig  
    - all  
  **Default:** config

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true

**Schema:**

**Type:** string  
**Format:** enumeration  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged  
**Default:** report-all

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
 Schema:  
 Reference:

'#/components/schemas/data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
 - put

**Operation ID:**

data\_cnbng\_cp\_user-planes\_user-plane\_user-plane-name\_subscriber\_redundancy\_put

**Parameters:**

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

```

 Type: string
 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy'

 Required/Optional: true

 Responses:
 '201':
 Description: container subscriber-redundancy created or replaced
 Content: {}
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: subscriber-redundancy
 Method: Post

 Tags:
 - data
 - post
 Operation ID:
 data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_post

 Parameters:
 - Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

```

```
Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_user-planes_user-plane_user-plane-name_subscriber-redundancy-post'

 Required/Optional: true

Responses:
'201':
 Description: container subscriber-redundancy created
 Content: {}
'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: subscriber-redundancy
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_user-planes_user-plane_user-plane-name_subscriber_redundancy_delete

Parameters:
- Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

Responses:
```

```

 '204':
 Description: No Content
 Content: {}
 security:
 - basicAuth: []
 options:

 Tags:
 - data
 - options
 Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_options

 Parameters:
 - Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

 Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - basicAuth: []
 head:

 Tags:
 - data
 - head
 Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_head

 Parameters:
 - Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 - Name: content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string

```

```
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
'200':
 Description: OK
 Content: {}
```

```

 security:
 - basicAuth: []
 patch:

 Tags:
 - data
 - patch
 Operation ID:
 data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_patch

 Parameters:
 - Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy'

 Required/Optional: true

 Responses:
 '204':
 Description: container subscriber-redundancy updated
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: subscriber-redundancy

```



## /data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundanc

options:

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_options

**Parameters:**

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

## /data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundanc

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_get

**Parameters:**

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple

```

Explode: false
Schema:
 Type: string
 Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:

```

**Type:** string  
**Format:** enumeration  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged  
**Default:** report-all

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
- put

**Operation ID:**

data\_cnbng\_cp\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name\_put

**Parameters:**

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

```

 Type: string
 Format: string
 - Name: group-group-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 - Name: insert
 In: query
 Description: controlling the order when adding new list elements
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - first
 - last
 - before
 - after
 Default: first
 - Name: point
 In: query
 Description: used to specify the insertion point
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string

```

**Request Body:****Content:**

```
application/yang-data+json:
```

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name'
```

```
Required/Optional: true
```

**Responses:**

```
'201':
```

```
 Description: list group created or replaced
```

```
 Content: {}
```

```
'204':
```

```
 Description: No Content
```

```
 Content: {}
```

```
'400':
```

```
 Description: Bad Request
```

```
 Content: {}
```

```
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: group
delete:
```

**Tags:**

```
- data
- delete
```

**Operation ID:**

```
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_delete
```

**Parameters:**

```
- Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: group-group-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
```

**Responses:**

```
'204':
 Description: No Content
 Content: {}
```

```
security:
- basicAuth: []
```

**options:****Tags:**

```
- data
- options
```

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_options

**Parameters:**

- **Name:** user-plane-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** group-group-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_head

**Parameters:**

- **Name:** user-plane-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** group-group-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string

- Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - enum:**
      - config
      - nonconfig
      - all
    - Default:** config
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - enum:**

```

- report-all
- trim
- explicit
- report-all-tagged
Default: report-all

```

**Responses:**

```

'200':
 Description: OK
 Content: {}

```

**security:**

```

- basicAuth: []

```

**patch:****Tags:**

```

- data
- patch

```

**Operation ID:**

```
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_patch
```

**Parameters:**

```

- Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

```

```

- Name: group-group-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

```

**Request Body:**

```

Content:
 application/yang-data+json:
 Schema:
 Reference:

```

```
'#/components/schemas/data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name'
```

```
Required/Optional: true
```

**Responses:**

```

'204':
 Description: list group updated
 Content: {}

```

```

'400':
 Description: Bad Request
 Content: {}

```



```

'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: group

```

## /data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundanc

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_group\_name\_get

**Parameters:**

- **Name:** user-plane-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** group-group-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**

**Type:** string  
**Format:** enumeration  
**enum:**  
- config  
- nonconfig  
- all  
**Default:** config

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged  
**Default:** report-all

**Responses:**  
**'200':**  
**Description:** OK

```

 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_group-name'

 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 put:

 Tags:
 - data
 - put
 Operation ID:
 data_cnbng_cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_group-name_put

 Parameters:
 - Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 - Name: group-group-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 Request Body:

```

```

Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_group-name'

Required/Optional: true

Responses:
 '201':
 Description: leaf group-name created or replaced
 Content: {}
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: group-name
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_user-planes_user-plane_user-plane-name_subscriber_redundancy_group_group_group_name_group_name_delete

Parameters:
- Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: group-group-name
 In: path

```

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Responses:**

**'204':**

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data

- options

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_group\_name\_options

**Parameters:**

- **Name:** user-plane-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** group-group-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Responses:**

**'200':**

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data

- head

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_group\_name\_head

**Parameters:**

- **Name:** user-plane-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** group-group-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - enum:**
      - config
      - nonconfig
      - all
    - Default:** config
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**enum:**

- report-all

- trim

- explicit

- report-all-tagged

**Default:** report-all

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data

- patch

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_group\_name\_patch

**Parameters:**

- **Name:** user-plane-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** group-group-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

```

 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_group-name'

 Required/Optional: true

 Responses:
 '204':
 Description: leaf group-name updated
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: group-name

```

## /data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/

get:

```

 Tags:
 - data
 - get
 Operation ID:
 data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_disable_get

 Parameters:
 - Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string

```



```
 Format: string
- Name: group-group-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
```

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Default:** report-all

**Responses:**

'200':

**Description:** OK

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name\_disable'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name\_disable\_put

**Parameters:**

- **Name:** user-plane-name

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- Name: group-group-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_disable'

Required/Optional: true

Responses:
'201':
 Description: leaf disable created or replaced
 Content: {}
'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: disable
delete:

Tags:

```

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_disable\_delete

**Parameters:**

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**

- '204':  
  **Description:** No Content  
  **Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_disable\_options

**Parameters:**

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

**Type:** string  
**Format:** string

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_disable\_head

**Parameters:**

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - enum:**
    - config
    - nonconfig
    - all
  - Default:** config
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false

```

Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

```

**Responses:**

```

'200':
 Description: OK
 Content: {}

```

**security:**

```

- basicAuth: []

```

**patch:****Tags:**

```

- data
- patch

```

**Operation ID:**

```

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_disable_patch

```

**Parameters:**

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string

**Request Body:**

- Content:**
  - application/yang-data+json:**
    - Schema:**
    - Reference:**

```
'#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_disable'
```

**Required/Optional:** true

**Responses:**

- '204':
  - Description:** leaf disable updated
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':
  - Description:** Unauthorized
  - Content:** {}
- '404':
  - Description:** Not Found
  - Content:** {}
- '405':
  - Description:** Method Not Allowed
  - Content:** {}
- '409':
  - Description:** Conflict
  - Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** disable

## /data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/

**get:****Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_standby\_mode\_get

**Parameters:**

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**enum:**  
  - config
  - nonconfig
  - all**Default:** config
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
- **Name:** fields



**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged  
**Default:** report-all

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name\_standby-mode'

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found

```

 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_standby_mode_put

Parameters:
- Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: group-group-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_standby_mode'

 Required/Optional: true

Responses:
 '201':
 Description: leaf standby-mode created or replaced
 Content: {}
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request

```

```

 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: standby-mode
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_standby\_mode\_delete

**Parameters:**

```

- Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: group-group-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

```

**Responses:**

```

'204':
 Description: No Content
 Content: {}

```

**security:**

```

- basicAuth: []

```

**options:****Tags:**

```

- data

```

- options

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_standby\_mode\_options

**Parameters:**

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_standby\_mode\_head

**Parameters:**

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string

```
 Format: string
- Name: content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
```

- report-all
- trim
- explicit
- report-all-tagged

**Default:** report-all

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_standby\_mode\_patch

**Parameters:**

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_standby-mode'

**Required/Optional:** true

**Responses:**

**'204':**  
**Description:** leaf standby-mode updated  
**Content:** {}

**'400':**  
**Description:** Bad Request  
**Content:** {}

```

'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}

```

**security:**

```
- basicAuth: []
```

```
x-codegen-request-body-name: standby-mode
```

```
?
```

```

/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/preferred-role-active
: get:

```

**Tags:**

```
- data
- get
```

**Operation ID:**

```
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_preferred_role_active_get
```

**Parameters:**

```
- Name: user-plane-name
```

```
In: path
```

```
Required/Optional: true
```

```
Style: simple
```

```
Explode: false
```

**Schema:**

```
Type: string
```

```
Format: string
```

```
- Name: group-group-name
```

```
In: path
```

```
Required/Optional: true
```

```
Style: simple
```

```
Explode: false
```

**Schema:**

```
Type: string
```

```
Format: string
```

```
- Name: content
```

```
In: query
```

```
Description: controlling descendant nodes in response
```

```
Required/Optional: false
```

```
Style: form
```

```
Explode: true
```

**Schema:**

```
Type: string
```

```
Format: enumeration
```

```
enum:
```

- config
  - nonconfig
  - all
  - Default:** config
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged
    - Default:** report-all

**Responses:**

- '200':
  - Description:** OK
  - Content:**
    - application/yang-data+json:
    - Schema:**



**Reference:**

```
'#/components/schemas/data_cnbng_cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_preferred-role-active'
```

```
'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}
```

**security:**

```
- basicAuth: []
```

**put:****Tags:**

```
- data
- put
```

**Operation ID:**

```
data_cnbng_cp_user-planes_user-plane_user-plane-name_subscriber_redundancy_group_group_group-name_preferred_role_active_put
```

**Parameters:**

```
- Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: group-group-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
```

**Request Body:**

```
Content:
 application/yang-data+json:
 Schema:
```

**Reference:**

```
'#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_preferred-role-active'
```

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf preferred-role-active created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** preferred-role-active

**delete:****Tags:**

- data  
- delete

**Operation ID:**

```
data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_preferred-role-active_delete
```

**Parameters:**

- **Name:** user-plane-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** group-group-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string  
**Format:** string

**Responses:****'204':**

**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_preferred\_role\_active\_options

**Parameters:**

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:****'200':**

**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_preferred\_role\_active\_head

**Parameters:**

- **Name:** user-plane-name

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- Name: group-group-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form

```

**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string  
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged  
  **Default:** report-all

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}

**security:**  
- **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_preferred\_role\_active\_patch

**Parameters:**

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string  
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Request Body:**  
**Content:**

```

 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_preferred-role-active'

 Required/Optional: true

 Responses:
 '204':
 Description: leaf preferred-role-active updated
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: preferred-role-active

```

## /data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name\_revertive-timer\_get

**Parameters:**

- **Name:** user-plane-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** group-group-name
  - In:** path

**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **enum:**  
  - config  
  - nonconfig  
  - all  
  **Default:** config

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form

**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged  
**Default:** report-all

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name\_revertive-timer'

'204':  
**Description:** No Content  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':  
**Description:** Not Found  
**Content:** {}  
 '405':  
**Description:** Method Not Allowed  
**Content:** {}  
 '409':  
**Description:** Conflict  
**Content:** {}

**security:**  
 - **basicAuth:** []

**put:**

**Tags:**  
 - data  
 - put  
**Operation ID:**

data\_cnbng\_cp\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name\_revertive-timer\_put

**Parameters:**

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple



```

 Explode: false
 Schema:
 Type: string
 Format: string
 - Name: group-group-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_revertive-timer'

 Required/Optional: true

 Responses:
 '201':
 Description: leaf revertive-timer created or replaced
 Content: {}
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: revertive-timer
delete:

 Tags:
 - data
 - delete
 Operation ID:
 data_cnbng_cp_user-planes_user-plane_user-plane-name_subscriber_redundancy_group_group-group-name_revertive_timer_delete

```

**Parameters:**

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string

**Responses:**

- '204':  
**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_revertive\_timer\_options

**Parameters:**

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string

**Responses:**

'200':

**Description:** OK**Content:** {}**security:**- **basicAuth:** []**head:****Tags:**- data  
- head**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_revertive\_timer\_head

**Parameters:**- **Name:** user-plane-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** group-group-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**enum:**- config  
- nonconfig  
- all**Default:** config- **Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

```

 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

```

**Responses:**

```

'200':
 Description: OK
 Content: {}

```

**security:**

```

- basicAuth: []

```

**patch:****Tags:**

```

- data
- patch

```

**Operation ID:**

```

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_revertive_timer_patch

```

**Parameters:**

```

- Name: user-plane-name
 In: path

```

```

 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 - Name: group-group-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_revertive-timer'

 Required/Optional: true

 Responses:
 '204':
 Description: leaf revertive-timer updated
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: revertive-timer

```

## /data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundanc

get:

Tags:

- data
- get

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_peer\_identifier\_get

**Parameters:**

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - enum:**
    - config
    - nonconfig
    - all
  - Default:** config
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

```

 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

```

**Responses:**

```

'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:

```

```

'#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_peer-identifier'

```

```

'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict

```

```

 Content: {}
 security:
 - basicAuth: []
put:

```

**Tags:**

```

- data
- put

```

**Operation ID:**

```
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_peer_identifier_put
```

**Parameters:**

```

- Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: group-group-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

```

**Request Body:**

```

Content:
 application/yang-data+json:
 Schema:

```

**Reference:**

```
'#/components/schemas/data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_peer_identifier'
```

```
Required/Optional: true
```

**Responses:**

```

'201':
 Description: leaf peer-identifier created or replaced
 Content: {}
'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found

```



```

 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: peer-identifier
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_peer\_identifier\_delete

**Parameters:**

```

- Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: group-group-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

```

**Responses:**

```

'204':
 Description: No Content
 Content: {}

```

```

 security:
 - basicAuth: []

```

**options:****Tags:**

```

- data
- options

```

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_peer\_identifier\_options

**Parameters:**

```

- Name: user-plane-name

```

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string

**Responses:**

**'200':**  
   **Description:** OK  
   **Content:** {}

**security:**

**- basicAuth:** []

**head:****Tags:**

- data  
 - head

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_peer\_identifier\_head

**Parameters:**

**- Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form

**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**enum:**  
- config  
- nonconfig  
- all  
**Default:** config

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged  
**Default:** report-all

**Responses:**

```

 '200':
 Description: OK
 Content: {}
 security:
 - basicAuth: []
 patch:

 Tags:
 - data
 - patch
 Operation ID:
 data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_peer_identifier_patch

```

**Parameters:**

```

- Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: group-group-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string

```

**Request Body:**

```

 Content:
 application/yang-data+json:
 Schema:
 Reference:

```

```

'#/components/schemas/data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_peer_identifier'

```

```

 Required/Optional: true

```

**Responses:**

```

'204':
 Description: leaf peer-identifier updated
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}

```

```

'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: peer-identifier

```

## /data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundanc

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_port\_id\_map\_get

**Parameters:**

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - enum:**
    - config
    - nonconfig
    - all
  - Default:** config

- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged
    - Default:** report-all

**Responses:**

'200':

**Description:** OK**Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name\_port-id-map'

'204':

```

 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
put:

 Tags:
 - data
 - put
 Operation ID:
 data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_port_id_map_put

 Parameters:
 - Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 - Name: group-group-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_port_id_map'

 Required/Optional: true

```

**Responses:**

'201':  
**Description:** container port-id-map created or replaced  
**Content:** {}

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

'409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** port-id-map

**Method:** Post

**Tags:**

- data  
 - post

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_port\_id\_map\_post

**Parameters:**

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**



```

Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-map-post'

 Required/Optional: true

Responses:
 '201':
 Description: container port-id-map created
 Content: {}
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: port-id-map
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_user-planes_user-plane_user-plane-name_subscriber_redundancy_group_group_group-name_port_id_map_delete

Parameters:
- Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: group-group-name
 In: path

```

**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string

**Responses:**  
   **'204':**  
     **Description:** No Content  
     **Content:** {}  
   **security:**  
     - **basicAuth:** []

**options:**

**Tags:**  
 - data  
 - options

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_port\_id\_map\_options

**Parameters:**

- **Name:** user-plane-name  
   **In:** path  
   **Required/Optional:** true  
   **Style:** simple  
   **Explode:** false  
   **Schema:**  
     **Type:** string  
     **Format:** string  
 - **Name:** group-group-name  
   **In:** path  
   **Required/Optional:** true  
   **Style:** simple  
   **Explode:** false  
   **Schema:**  
     **Type:** string  
     **Format:** string

**Responses:**  
   **'200':**  
     **Description:** OK  
     **Content:** {}  
   **security:**  
     - **basicAuth:** []

**head:**

**Tags:**  
 - data  
 - head

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_port\_id\_map\_head

**Parameters:**

- **Name:** user-plane-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** group-group-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - enum:**
      - config
      - nonconfig
      - all
    - Default:** config
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**enum:**

- report-all

- trim

- explicit

- report-all-tagged

**Default:** report-all

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data

- patch

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_port\_id\_map\_patch

**Parameters:**

- **Name:** user-plane-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** group-group-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

```

 Format: string
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-map'

 Required/Optional: true

 Responses:
 '204':
 Description: container port-id-map updated
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: port-id-map
?
/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/port-name
: options:

 Tags:
 - data
 - options
 Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_port_id_map_port_name_options

 Parameters:
 - Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 - Name: group-group-name

```

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**

**'200':**  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

?

/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/{port-name={port-name-port-id-name}},{port-name={port-id}}

**get:**

**Tags:**

- data  
- get

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_port\_id\_map\_port\_name\_port\_name\_port\_id\_name\_port\_name\_port\_id\_name\_port\_id\_name\_get

**Parameters:**

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** port-name-port-id-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** port-name-port-id  
**In:** path  
**Required/Optional:** true

```
Style: simple
Explode: false
Schema:
 Type: integer
 Format: uint32
- Name: content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
```

**Schema:**

**Type:** string  
**Format:** enumeration  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged  
**Default:** report-all

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
 Schema:  
 Reference:

#/components/schemas/data-cnbng-cp-user-planes-user-plane-user-plane-name-subscriber-redundancy-group-group-name-port-id-map-port-name-port-name-port-name-port-name-port-name-port-name-port-name-port-name-port-name-port-name

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
 - put

**Operation ID:**

data-cnbng-cp-user-planes-user-plane-user-plane-name-subscriber-redundancy-group-group-name-port-id-map-port-name-port-name-port-name-port-name-port-name-port-name-port-name-port-name-port-name-port-name

**Parameters:**

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false



```
Schema:
 Type: string
 Format: string
- Name: group-group-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: port-name-port-id-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: port-name-port-id
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: integer
 Format: uint32
- Name: insert
 In: query
 Description: controlling the order when adding new list elements
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - first
 - last
 - before
 - after
 Default: first
- Name: point
 In: query
 Description: used to specify the insertion point
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
Request Body:
```

```

Content:
 application/yang-data+json:
 Schema:
 Reference:
 #/components/schemas/cnbng-cp-user-planes-user-plane-user-plane-name-subscriber-redundancy-group-group-name-port-id-map-port-name-port-name-port-name-port-name-port-name-port-name-port-name-port-name-port-name-port-name
 Required/Optional: true

Responses:
 '201':
 Description: list port-name created or replaced
 Content: {}
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: port-name
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_name_port_id_map_port_name_port_name_port_name_port_name_port_name_port_name_port_name_delete

Parameters:
- Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: group-group-name
 In: path

```

```

Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- Name: port-name-port-id-name
 In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- Name: port-name-port-id
 In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: integer
 Format: uint32

```

**Responses:**

```

'204':
 Description: No Content
 Content: {}

```

**security:**

```

- basicAuth: []

```

**options:****Tags:**

```

- data
- options

```

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_port\_id\_map\_port\_name\_port\_name\_port\_id\_name\_port\_name\_port\_id\_options

**Parameters:**

```

- Name: user-plane-name
 In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- Name: group-group-name
 In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

```

```

 Type: string
 Format: string
 - Name: port-name-port-id-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 - Name: port-name-port-id
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: integer
 Format: uint32

```

**Responses:**

```

'200':
 Description: OK
 Content: {}

```

**security:**

```

- basicAuth: []

```

**head:****Tags:**

```

- data
- head

```

**Operation ID:**

```

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_port_id_map_port_name_port_name_port_id_name_port_name_port_id_head

```

**Parameters:**

```

- Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: group-group-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: port-name-port-id-name
 In: path

```

**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** port-name-port-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** uint32

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **enum:**  
    - config  
    - nonconfig  
    - all  
  **Default:** config

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true

**Schema:****Type:** string**Format:** string**- Name:** with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**enum:**

- report-all

- trim

- explicit

- report-all-tagged

**Default:** report-all**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**patch:****Tags:**

- data

- patch

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_port\_id\_map\_port\_name\_port\_name\_port\_id\_name\_port\_name\_port\_id\_patch

**Parameters:****- Name:** user-plane-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** group-group-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** port-name-port-id-name**In:** path**Required/Optional:** true

```

 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 - Name: port-name-port-id
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: integer
 Format: uint32
 Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 #/components/schemas/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/port-name-port-id/port-name-port-id
 Required/Optional: true

 Responses:
 '204':
 Description: list port-name updated
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: port-name
?
/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/port-name-port-id/port-name-port-id/port-name-port-id/port-name-port-id
: get:

 Tags:
 - data
 - get
 Operation ID:
 data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/port-name-port-id/port-name-port-id/port-name-port-id/port-name-port-id

```

**Parameters:**

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** port-name-port-id-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** port-name-port-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** uint32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - enum:**
    - config
    - nonconfig
    - all
  - Default:** config
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response



```

Required/Optional: false
Style: form
Explode: true
Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: filter
 In: query
 Description: xpath expression to filter data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

```

**Responses:**

```

'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 #/components/schemas/data-cp-user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map
'204':
 Description: No Content
 Content: {}
'400':

```

```

 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_name_port_id_map_port_name_port_name_port_id_map_port_name_port_id_map_port

```

**Parameters:**

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** port-name-port-id-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** port-name-port-id  
**In:** path  
**Required/Optional:** true

```

Style: simple
Explode: false
Schema:
 Type: integer
 Format: uint32
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 #/components/schemas/data-cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/port-id-map
 #/components/schemas/data-cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/port-id-map

 Required/Optional: true

Responses:
 '201':
 Description: leaf port-id-name created or replaced
 Content: {}
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
 - basicAuth: []
x-codegen-request-body-name: port-id-name
delete:

 Tags:
 - data
 - delete
Operation ID:
 data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_name_port_id_map_port_id_map_port_id_map_port_id_map_port_id_map_port_id_map_delete

Parameters:
 - Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple

```

```

Explode: false
Schema:
 Type: string
 Format: string
- Name: group-group-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- Name: port-name-port-id-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string
- Name: port-name-port-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: integer
 Format: uint32

```

**Responses:**

```

'204':
 Description: No Content
 Content: {}

```

**security:**

```

- basicAuth: []

```

**options:****Tags:**

```

- data
- options

```

**Operation ID:**

```

data_cnbng_cp_user_planes_user_plane={user-plane-name}_subscriber_redundancy_group={group-group-name}_port_id={port-name-port-id}_port_id={port-name-port-id}_port_id={port-name-port-id}_port_id={port-name-port-id}_options

```

**Parameters:**

```

- Name: user-plane-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
 Type: string
 Format: string

```

- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** port-name-port-id-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** port-name-port-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** uint32

**Responses:**

'200':

**Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data/cnbng-cp/user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/port-name/port-id/port-id-map

**Parameters:**

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple

```

 Explode: false
 Schema:
 Type: string
 Format: string
- Name: port-name-port-id-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: port-name-port-id
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: integer
 Format: uint32
- Name: content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: string

```

- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged
    - Default:** report-all

**Responses:**

'200':

**Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cpbng\_cp\_user\_planes\_user\_plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/patch

**Parameters:**

- **Name:** user-plane-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** group-group-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false

```

Schema:
 Type: string
 Format: string
- Name: port-name-port-id-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: port-name-port-id
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: integer
 Format: uint32
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 #/components/schemas/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/port-name-port-id-name/port-id-name
 Required/Optional: true

Responses:
 '204':
 Description: leaf port-id-name updated
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: port-id-name
?
/data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/port-name-port-id-name/port-id-name

```



: get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_name\_port\_id\_map\_port\_name\_port\_name\_port\_id\_name\_port\_name\_port\_id\_port\_id\_get

**Parameters:**

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** port-name-port-id-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** port-name-port-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** uint32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - enum:**
    - config

- nonconfig
- all
- Default:** config
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged
    - Default:** report-all

**Responses:**

- '200':
  - Description:** OK
  - Content:**
    - application/yang-data+json:
    - Schema:**
    - Reference:**

```

#/components/schemas/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/port-id-map

```

```

'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}

```

**security:**

```
- basicAuth: []
```

**put:**

**Tags:**

```
- data
- put
```

**Operation ID:**

```

data/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/port-id-map/port-id-map

```

**Parameters:**

```

- Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: group-group-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: port-name-port-id-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false

```

```

Schema:
 Type: string
 Format: string
- Name: port-name-port-id
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: integer
 Format: uint32
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference:
 #/components/schemas/data-cp-user-planes-user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/port-name-port-id
 Required/Optional: true

Responses:
 '201':
 Description: leaf port-id created or replaced
 Content: {}
 '204':
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: port-id
delete:

Tags:
- data
- delete
Operation ID:
data-cp-user-planes-user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/port-name-port-id/delete

```

**Parameters:**

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** port-name-port-id-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** port-name-port-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** uint32

**Responses:**

- '204':  
  - Description:** No Content
  - Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map

**Parameters:**

- **Name:** user-plane-name  
**In:** path

```

 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 - Name: group-group-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 - Name: port-name-port-id-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
 - Name: port-name-port-id
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: integer
 Format: uint32

```

**Responses:**

```

 '200':
 Description: OK
 Content: {}

```

**security:**

```

 - basicAuth: []

```

**head:****Tags:**

```

 - data
 - head

```

**Operation ID:**

```

data_cnbng_cp_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_port_id_map_port_name_port_name_port_id_name_port_name_port_id_port_id_head

```

**Parameters:**

```

 - Name: user-plane-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:

```

```
 Type: string
 Format: string
- Name: group-group-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: port-name-port-id-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: port-name-port-id
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: integer
 Format: uint32
- Name: content
 In: query
 Description: controlling descendant nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
- Name: depth
 In: query
 Description: limit the depth of nodes in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: integer
 Format: uint16
- Name: fields
 In: query
 Description: optionally identify specific data nodes in response
```

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged  
   **Default:** report-all

**Responses:**

**'200':**  
   **Description:** OK  
   **Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_user\_planes\_user\_plane={user-plane-name}\_subscriber\_redundancy\_group={group-group-name}\_port\_id={port-id}\_map

**Parameters:**

**- Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string



```

 Format: string
- Name: group-group-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: port-name-port-id-name
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: string
 Format: string
- Name: port-name-port-id
 In: path
 Required/Optional: true
 Style: simple
 Explode: false
 Schema:
 Type: integer
 Format: uint32
Request Body:
Content:
 application/yang-data+json:
 Schema:
 Reference:
 #/components/schemas/cnbng-cp:user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/port-name-port-id-port-id
 Required/Optional: true

Responses:
'204':
 Description: leaf port-id updated
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict

```

```

 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: port-id

```

## /data/cnbng-cp:coverage

**get:**

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_coverage\_get

**Parameters:**

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - enum:**
      - config
      - nonconfig
      - all
    - Default:** config
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false

```
Style: form
Explode: true
Schema:
 Type: string
 Format: string
- Name: with-defaults
 In: query
 Description: controlling default values in response
 Required/Optional: false
 Style: form
 Explode: true
 Schema:
 Type: string
 Format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all

Responses:
'200':
 Description: OK
 Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng-cp_coverage'
'204':
 Description: No Content
 Content: {}
'400':
 Description: Bad Request
 Content: {}
'401':
 Description: Unauthorized
 Content: {}
'404':
 Description: Not Found
 Content: {}
'405':
 Description: Method Not Allowed
 Content: {}
'409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
```

**Operation ID:** data\_cnbng\_cp\_coverage\_put

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:** '#/components/schemas/data\_cnbng-cp\_coverage'

**Required/Optional:** true

**Responses:**

**'201':**

**Description:** container coverage created or replaced

**Content:** {}

**'204':**

**Description:** No Content

**Content:** {}

**'400':**

**Description:** Bad Request

**Content:** {}

**'401':**

**Description:** Unauthorized

**Content:** {}

**'404':**

**Description:** Not Found

**Content:** {}

**'405':**

**Description:** Method Not Allowed

**Content:** {}

**'409':**

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** coverage

**Method:** Post

**Tags:**

- data

- post

**Operation ID:** data\_cnbng\_cp\_coverage\_post

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:** '#/components/schemas/data\_cnbng-cp\_coverage-post'

**Required/Optional:** true

**Responses:**

**'201':**

**Description:** container coverage created

**Content:** {}

**'204':**

**Description:** No Content

```
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: coverage
delete:

 Tags:
 - data
 - delete
 Operation ID: data_cnbng_cp_coverage_delete

 Responses:
 '204':
 Description: No Content
 Content: {}
 security:
 - basicAuth: []
options:

 Tags:
 - data
 - options
 Operation ID: data_cnbng_cp_coverage_options

 Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - basicAuth: []
head:

 Tags:
 - data
 - head
 Operation ID: data_cnbng_cp_coverage_head

 Parameters:
 - Name: content
```

- In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **enum:**  
  - config  
  - nonconfig  
  - all  
  **Default:** config
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **enum:**  
  - report-all  
  - trim  
  - explicit

```
- report-all-tagged
Default: report-all

Responses:
 '200':
 Description: OK
 Content: {}
 security:
 - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_coverage_patch
Request Body:
 Content:
 application/yang-data+json:
 Schema:
 Reference: '#/components/schemas/data_cnbng-cp_coverage'
 Required/Optional: true

Responses:
 '204':
 Description: container coverage updated
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
 security:
 - basicAuth: []
 x-codegen-request-body-name: coverage
```

## /data/cnbng-cp:coverage/container-stop

```
get:

Tags:
- data
- get
```

**Operation ID:** data\_cnbng\_cp\_coverage\_container\_stop\_get

**Parameters:**

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - enum:**
      - config
      - nonconfig
      - all
    - Default:** config
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string



**Format:** enumeration

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Default:** report-all

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:** '#/components/schemas/data\_cnbng-cp\_coverage\_container-stop'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Operation ID:** data\_cnbng\_cp\_coverage\_container\_stop\_put

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:** '#/components/schemas/data\_cnbng-cp\_coverage\_container-stop'

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf container-stop created or replaced

**Content:** {}

'204':

```
 Description: No Content
 Content: {}
 '400':
 Description: Bad Request
 Content: {}
 '401':
 Description: Unauthorized
 Content: {}
 '404':
 Description: Not Found
 Content: {}
 '405':
 Description: Method Not Allowed
 Content: {}
 '409':
 Description: Conflict
 Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: container-stop
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_coverage_container_stop_delete

Responses:
 '204':
 Description: No Content
 Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_coverage_container_stop_options

Responses:
 '200':
 Description: OK
 Content: {}
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_coverage_container_stop_head

Parameters:
```

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - enum:**
      - config
      - nonconfig
      - all
    - Default:** config
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - enum:**
      - report-all

```

- trim
- explicit
- report-all-tagged
Default: report-all

```

**Responses:**

```

'200':
 Description: OK
 Content: {}

```

**security:**

```

- basicAuth: []

```

**patch:****Tags:**

```

- data
- patch

```

**Operation ID:** data\_cnbng\_cp\_coverage\_container\_stop\_patch

**Request Body:****Content:**

```

application/yang-data+json:

```

**Schema:**

```

Reference: '#/components/schemas/data_cnbng-cp_coverage_container-stop'

```

```

Required/Optional: true

```

**Responses:**

```

'204':
 Description: leaf container-stop updated
 Content: {}

```

```

'400':
 Description: Bad Request
 Content: {}

```

```

'401':
 Description: Unauthorized
 Content: {}

```

```

'404':
 Description: Not Found
 Content: {}

```

```

'405':
 Description: Method Not Allowed
 Content: {}

```

```

'409':
 Description: Conflict
 Content: {}

```

**security:**

```

- basicAuth: []

```

```

x-codegen-request-body-name: container-stop

```

## Components

**schemas:**

```

data:
 Type: object
 Properties:
 ietf-restconf:data:
 Type: object
 Properties: {}
 Description: This resource represents the combined configuration and state
 data resources that can be accessed by a client and cannot be created
 or deleted by the client. See RESTCONF RFC 8040 for further information.
 x-yang:
 Type: datastore
data-post:
 Type: object
 Properties:
 cnbng-cp:profile:
 Reference: '#/components/schemas/datapost_cnbngcpprofile'
 cnbng-cp:user-planes:
 Reference: '#/components/schemas/datapost_cnbngcpuserplanes'
 cnbng-cp:coverage:
 Reference: '#/components/schemas/datapost_cnbngcpcoverage'
data-put-patch:
 Type: object
 Properties:
 ietf-restconf:data:
 Reference: '#/components/schemas/dataputpatch_ietfrestconfdata'
data_cnbng-cp_coverage:
 Type: object
 Properties:
 cnbng-cp:coverage:
 Reference: '#/components/schemas/datapost_cnbngcpcoverage'
data_cnbng-cp_coverage-post:
 Type: object
 Properties:
 cnbng-cp:container-stop:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_coverage_container-stop:
 Type: object
 Properties:
 cnbng-cp:container-stop:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile:
 Type: object
 Properties:
 cnbng-cp:profile:

```

```

 Reference: '#/components/schemas/datapost_cnbngcpprofile'
data_cnbng-cp_profile-post:
 Type: object
 Properties:
 cnbng-cp:dhcp:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_dhcp'
 x-yang:
 Type: list
 cnbng-cp:pppoe:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_pppoe'
 x-yang:
 Type: list
 cnbng-cp:aaa:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_aaa'
 x-yang:
 Type: list
 cnbng-cp:server-group:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_servergroup'
 x-yang:
 Type: list
 cnbng-cp:attribute-format:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_attributeformat'
 x-yang:
 Type: list
 cnbng-cp:subscriber:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_subscriber'
 x-yang:
 Type: list
 cnbng-cp:feature-template:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_featuretemplate'

```

```

 x-yang:
 Type: list
 cnbng-cp:l2tp:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_l2tp'
 x-yang:
 Type: list
 cnbng-cp:radius:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_radius'
 cnbng-cp:coa:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_coa'
data_cnbng-cp_profile_aaa_aaa-name:
 Type: object
 Properties:
 cnbng-cp:aaa:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_aaa'
 x-yang:
 Type: list
data_cnbng-cp_profile_aaa_aaa-name_accounting:
 Type: object
 Properties:
 cnbng-cp:accounting:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_authentication'
data_cnbng-cp_profile_aaa_aaa-name_accounting-post:
 Type: object
 Properties:
 cnbng-cp:method-order:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: union
 x-yang:
 Type: leaf-list

data_cnbng-cp_profile_aaa_aaa-name_accounting_method-order_method-order-id:
 Type: object
 Properties:
 cnbng-cp:method-order:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: union
 x-yang:
 Type: leaf-list

```

```

data_cnbng-cp_profile_aaa_aaa-name_authentication:
 Type: object
 Properties:
 cnbng-cp:authentication:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_authentication'
data_cnbng-cp_profile_aaa_aaa-name_authentication-post:
 Type: object
 Properties:
 cnbng-cp:method-order:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: union
 x-yang:
 Type: leaf-list

data_cnbng-cp_profile_aaa_aaa-name_authentication_method-order_method-order-id:

 Type: object
 Properties:
 cnbng-cp:method-order:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: union
 x-yang:
 Type: leaf-list
data_cnbng-cp_profile_aaa_aaa-name_authorization:
 Type: object
 Properties:
 cnbng-cp:authorization:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_authorization'
data_cnbng-cp_profile_aaa_aaa-name_authorization-post:
 Type: object
 Properties:
 cnbng-cp:type:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_authorization_type'
 cnbng-cp:username:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_authorization_username'

 cnbng-cp:password:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_aaa_aaa-name_authorization_password:
 Type: object
 Properties:
 cnbng-cp:password:

```



```

 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_aaa_aaa-name_authorization_type:
 Type: object
 Properties:
 cnbng-cp:type:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_authorization_type'
data_cnbng-cp_profile_aaa_aaa-name_authorization_type-post:
 Type: object
 Properties:
 cnbng-cp:subscriber:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_authentication'
data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber:
 Type: object
 Properties:
 cnbng-cp:subscriber:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_authentication'
data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber-post:
 Type: object
 Properties:
 cnbng-cp:method-order:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: union
 x-yang:
 Type: leaf-list

data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber_method-order_method-order-id:

 Type: object
 Properties:
 cnbng-cp:method-order:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: union
 x-yang:
 Type: leaf-list
data_cnbng-cp_profile_aaa_aaa-name_authorization_username:
 Type: object
 Properties:
 cnbng-cp:username:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_authorization_username'
data_cnbng-cp_profile_aaa_aaa-name_authorization_username-post:
 Type: object

```

```

Properties:
 cnbng-cp:value:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 cnbng-cp:format:
 Type: string
 Description: (leaf)
 format: leafref
 x-yang:
 Type: leaf
 cnbng-cp:identifier:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - addr
 - circuit-id-tag
 - client-mac-address
 - client-mac-address-custom1
 - client-mac-address-custom2
 - client-mac-address-ietf
 - client-mac-address-raw
 - dhcp-client-id
 - dhcp-client-id-spl
 - dhcp-user-class
 - dhcp-vendor-class
 - dhcpv4-client-id-spl
 - dhcpv4-vendor-class
 - dhcpv6-client-id-ent-ident
 - dhcpv6-interface-id
 - dhcpv6-vendor-class-string
 - inner-vlan-id
 - outer-vlan-id
 - physical-adapter
 - physical-chassis
 - physical-port
 - physical-slot
 - physical-subslot
 - port-type
 - pppoe-session-id
 - remote-id-tag
 - service-name
 - username
 - user-plane
 Default: addr
 x-yang:
 Type: leaf
data_cnbng-cp_profile_aaa_aaa-name_authorization_username_format:
Type: object
Properties:
 cnbng-cp:format:
 Type: string
 Description: (leaf)
 format: leafref

```

```

 x-yang:
 Type: leaf
data_cnbng-cp_profile_aaa_aaa-name_authorization_username_identifier:
 Type: object
 Properties:
 cnbng-cp:identifier:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - addr
 - circuit-id-tag
 - client-mac-address
 - client-mac-address-custom1
 - client-mac-address-custom2
 - client-mac-address-ietf
 - client-mac-address-raw
 - dhcp-client-id
 - dhcp-client-id-spl
 - dhcp-user-class
 - dhcp-vendor-class
 - dhcpv4-client-id-spl
 - dhcpv4-vendor-class
 - dhcpv6-client-id-ent-ident
 - dhcpv6-interface-id
 - dhcpv6-vendor-class-string
 - inner-vlan-id
 - outer-vlan-id
 - physical-adapter
 - physical-chassis
 - physical-port
 - physical-slot
 - physical-subslot
 - port-type
 - pppoe-session-id
 - remote-id-tag
 - service-name
 - username
 - user-plane
 Default: addr
 x-yang:
 Type: leaf
data_cnbng-cp_profile_aaa_aaa-name_authorization_username_value:
 Type: object
 Properties:
 cnbng-cp:value:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_aaa_aaa-name_name:
 Type: object
 Properties:
 cnbng-cp:name:
 Type: string
 Description: (leaf)

```

```

 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_attribute-format_attribute-format-name:
 Type: object
 Properties:
 cnbng-cp:attribute-format:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_attributeformat'
 x-yang:
 Type: list
data_cnbng-cp_profile_attribute-format_attribute-format-name_format-order_format-order-id:
 Type: object
 Properties:
 cnbng-cp:format-order:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: union
 x-yang:
 Type: leaf-list
data_cnbng-cp_profile_attribute-format_attribute-format-name_format-string:
 Type: object
 Properties:
 cnbng-cp:format-string:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_attribute-format_attribute-format-name_name:
 Type: object
 Properties:
 cnbng-cp:name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_coa:
 Type: object
 Properties:
 cnbng-cp:coa:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_coa'
data_cnbng-cp_profile_coa-post:

```

```
Type: object
Properties:
 cnbng-cp:server-key:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 cnbng-cp:client:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_coa_client'
 x-yang:
 Type: list
data_cnbng-cp_profile_coa_client_client-ip:
Type: object
Properties:
 cnbng-cp:client:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_coa_client'
 x-yang:
 Type: list
data_cnbng-cp_profile_coa_client_client-ip_ip:
Type: object
Properties:
 cnbng-cp:ip:
 Type: string
 Description: (leaf)
 format: union
 x-yang:
 Type: leaf
data_cnbng-cp_profile_coa_client_client-ip_server-key:
Type: object
Properties:
 cnbng-cp:server-key:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_coa_server-key:
Type: object
Properties:
 cnbng-cp:server-key:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
```

```

 Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name:
 Type: object
 Properties:
 cnbng-cp:dhcp:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_dhcp'
 x-yang:
 Type: list
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4:
 Type: object
 Properties:
 cnbng-cp:ipv4:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4-post:
 Type: object
 Properties:
 cnbng-cp:mode:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - server
 - proxy
 Default: server
 x-yang:
 Type: leaf
 cnbng-cp:server:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server'
 cnbng-cp:class:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_class'
 x-yang:
 Type: list
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name:
 Type: object
 Properties:
 cnbng-cp:class:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_class'
 x-yang:
 Type: list
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_class-name:
 Type: object

```

```
Properties:
 cnbng-cp:class-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches:
Type: object
Properties:
 cnbng-cp:matches:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_matches'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches-post:
Type: object
Properties:
 cnbng-cp:match:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_matches_match'
 x-yang:
 Type: list
 cnbng-cp:match-type:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - any
 - all
 Default: any
 x-yang:
 Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match-type:
Type: object
Properties:
 cnbng-cp:match-type:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - any
 - all
 Default: any
 x-yang:
 Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key:
Type: object
```

**Properties:****cnbng-cp:match:****Type:** array**Description:** (list)**Items:****Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ipv4\_matches\_match'**x-yang:****Type:** list**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_matches\_match\_match-key\_ascii\_ascii-id:****Type:** object**Properties:****cnbng-cp:ascii:****Type:** array**Items:****Type:** string**Description:** (leaf-list)**format:** string**x-yang:****Type:** leaf-list**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_matches\_match\_match-key\_hex\_hex-id:****Type:** object**Properties:****cnbng-cp:hex:****Type:** array**Items:****Type:** string**Description:** (leaf-list)**format:** string**x-yang:****Type:** leaf-list**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_matches\_match\_match-key\_key:****Type:** object**Properties:****cnbng-cp:key:****Type:** string**Description:** (leaf)**format:** enumeration**enum:**

- dhcpv4-circuit-id
- dhcpv4-remote-id
- dhcpv4-vendor-class
- dhcpv4-user-class

**Default:** dhcpv4-circuit-id**x-yang:****Type:** leaf**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server:****Type:** object



**Properties:****cnbng-cp:server:****Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ipv4\_server'**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server-post:****Type:** object**Properties:****cnbng-cp:pool-name:****Type:** string**Description:** (leaf)**format:** string**x-yang:****Type:** leaf**cnbng-cp:dns-servers:****Type:** array**Items:****Type:** string**Description:** (leaf-list)**format:** string**x-yang:****Type:** leaf-list**cnbng-cp:ntp-servers:****Type:** array**Items:****Type:** string**Description:** (leaf-list)**format:** string**x-yang:****Type:** leaf-list**cnbng-cp:netbios-name-server:****Type:** array**Items:****Type:** string**Description:** (leaf-list)**format:** string**x-yang:****Type:** leaf-list**cnbng-cp:domain-name:****Type:** string**Description:** (leaf)**format:** string**x-yang:****Type:** leaf**cnbng-cp:boot-filename:****Type:** string**Description:** (leaf)**format:** string**x-yang:****Type:** leaf**cnbng-cp:next-server:****Type:** string

```

 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
cnbng-cp:netbios-node-type:
 Reference:
'#/components/schemas/datapost_cnbngcpprofile_ipv4_server_netbiosnodetype'
cnbng-cp:lease:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_lease'
cnbng-cp:static-ip-key:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_staticipkey'

cnbng-cp:hold-time:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_holdtime'
cnbng-cp:option-codes:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_optioncodes'

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_boot-filename:

Type: object
Properties:
 cnbng-cp:boot-filename:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_dns-servers_dns-servers-id:

Type: object
Properties:
 cnbng-cp:dns-servers:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: string
 x-yang:
 Type: leaf-list

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_domain-name:

Type: object
Properties:
 cnbng-cp:domain-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_hold-time:**

**Type:** object

**Properties:**

**cnbng-cp:hold-time:**

**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ipv4\_server\_holdtime'

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_hold-time-post:**

**Type:** object

**Properties:**

**cnbng-cp:minutes:**

**Type:** integer

**Description:** (leaf)

**format:** uint32

**x-yang:**

**Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_hold-time\_minutes:**

**Type:** object

**Properties:**

**cnbng-cp:minutes:**

**Type:** integer

**Description:** (leaf)

**format:** uint32

**x-yang:**

**Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_lease:**

**Type:** object

**Properties:**

**cnbng-cp:lease:**

**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ipv4\_server\_lease'

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_lease-post:**

**Type:** object

**Properties:**

**cnbng-cp:days:**

**Type:** integer

**Description:** (leaf)

**format:** uint32

**x-yang:**

**Type:** leaf

**cnbng-cp:hours:**

**Type:** integer

**Description:** (leaf)

**format:** uint32

**x-yang:**

**Type:** leaf

**cnbng-cp:minutes:**

**Type:** integer  
**Description:** (leaf)  
**format:** uint32  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_lease\_days:**

**Type:** object  
**Properties:**  
**cnbng-cp:days:**  
**Type:** integer  
**Description:** (leaf)  
**format:** uint32  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_lease\_hours:**

**Type:** object  
**Properties:**  
**cnbng-cp:hours:**  
**Type:** integer  
**Description:** (leaf)  
**format:** uint32  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_lease\_minutes:**

**Type:** object  
**Properties:**  
**cnbng-cp:minutes:**  
**Type:** integer  
**Description:** (leaf)  
**format:** uint32  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-name-server\_netbios-name-server-id:**

**Type:** object  
**Properties:**  
**cnbng-cp:netbios-name-server:**  
**Type:** array  
**Items:**  
**Type:** string  
**Description:** (leaf-list)  
**format:** string  
**x-yang:**  
**Type:** leaf-list

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type:**

**Type:** object

**Properties:**

**cnbng-cp:netbios-node-type:**

**Reference:**

'#/components/schemas/datapost\_cnbngcpprofile\_ipv4\_server\_netbiosnodetype'

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type-post:**

**Type:** object

**Properties:**

**cnbng-cp:broadcast-node:**

**Type:** string

**Description:** (leaf)

**format:** '[null]'

**x-yang:**

**Type:** leaf

**cnbng-cp:hybrid-node:**

**Type:** string

**Description:** (leaf)

**format:** '[null]'

**x-yang:**

**Type:** leaf

**cnbng-cp:mixed-node:**

**Type:** string

**Description:** (leaf)

**format:** '[null]'

**x-yang:**

**Type:** leaf

**cnbng-cp:peer-to-peer-node:**

**Type:** string

**Description:** (leaf)

**format:** '[null]'

**x-yang:**

**Type:** leaf

**cnbng-cp:hexadecimal:**

**Type:** string

**Description:** (leaf)

**format:** string

**x-yang:**

**Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_broadcast-node:**

**Type:** object

**Properties:**

**cnbng-cp:broadcast-node:**

**Type:** string

**Description:** (leaf)

**format:** '[null]'

**x-yang:**

**Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_hexadecimal:**

**Type:** object  
**Properties:**  
 cnbng-cp:hexadecimal:  
**Type:** string  
**Description:** (leaf)  
**format:** string  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_hybrid-node:**

**Type:** object  
**Properties:**  
 cnbng-cp:hybrid-node:  
**Type:** string  
**Description:** (leaf)  
**format:** '[null]'  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_mixed-node:**

**Type:** object  
**Properties:**  
 cnbng-cp:mixed-node:  
**Type:** string  
**Description:** (leaf)  
**format:** '[null]'  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_peer-to-peer-node:**

**Type:** object  
**Properties:**  
 cnbng-cp:peer-to-peer-node:  
**Type:** string  
**Description:** (leaf)  
**format:** '[null]'  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_next-server:**

**Type:** object  
**Properties:**  
 cnbng-cp:next-server:  
**Type:** string  
**Description:** (leaf)  
**format:** string  
**x-yang:**

**Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_ntp-servers\_ntp-servers-id:**

**Type:** object

**Properties:**

**cnbng-cp:**ntp-servers:

**Type:** array

**Items:**

**Type:** string

**Description:** (leaf-list)

**format:** string

**x-yang:**

**Type:** leaf-list

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_option-codes:**

**Type:** object

**Properties:**

**cnbng-cp:**option-codes:

**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ipv4\_server\_optioncodes'

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_option-codes-post:**

**Type:** object

**Properties:**

**cnbng-cp:**option-code:

**Type:** array

**Description:** (list)

**Items:**

**Reference:**

'#/components/schemas/datapost\_cnbngcpprofile\_ipv4\_server\_optioncodes\_optioncode'

**x-yang:**

**Type:** list

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_option-codes\_option-code\_option-code\_option-code:**

**Type:** object

**Properties:**

**cnbng-cp:**option-code:

**Type:** array

**Description:** (list)

**Items:**

**Reference:**

'#/components/schemas/datapost\_cnbngcpprofile\_ipv4\_server\_optioncodes\_optioncode'

**x-yang:**

**Type:** list

?

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_option-codes\_option-code\_option-code\_option-code\_ascii-string**

: type: object

**Properties:**

**cnbng-cp:**ascii-string:

```

 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 ?
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_force-insert
: type: object
Properties:
 cnbng-cp:force-insert:
 Type: string
 Description: (leaf)
 format: boolean
 x-yang:
 Type: leaf
 ?
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_hex-string
: type: object
Properties:
 cnbng-cp:hex-string:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 ?
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_ip-address_ip-address-id
: type: object
Properties:
 cnbng-cp:ip-address:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: string
 x-yang:
 Type: leaf-list
 ?
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_option-code
: type: object
Properties:
 cnbng-cp:option-code:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_pool-name:

```



**Type:** object  
**Properties:**  
 cnbng-cp:pool-name:  
   **Type:** string  
   **Description:** (leaf)  
   **format:** string  
   **x-yang:**  
     **Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_static-ip-key:**

**Type:** object  
**Properties:**  
 cnbng-cp:static-ip-key:  
   **Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ipv4\_server\_staticipkey'

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_static-ip-key-post:**

**Type:** object  
**Properties:**  
 cnbng-cp:identifier:  
   **Type:** string  
   **Description:** (leaf)  
   **format:** enumeration  
   **enum:**  
     - client-mac-address  
   **Default:** client-mac-address  
   **x-yang:**  
     **Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_static-ip-key\_identifier:**

**Type:** object  
**Properties:**  
 cnbng-cp:identifier:  
   **Type:** string  
   **Description:** (leaf)  
   **format:** enumeration  
   **enum:**  
     - client-mac-address  
   **Default:** client-mac-address  
   **x-yang:**  
     **Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_mode:**

**Type:** object  
**Properties:**  
 cnbng-cp:mode:  
   **Type:** string  
   **Description:** (leaf)  
   **format:** enumeration  
   **enum:**  
     - server  
     - proxy

```

 Default: server
 x-yang:
 Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server:
 Type: object
 Properties:
 cnbng-cp:server:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server-post:
 Type: object
 Properties:
 cnbng-cp:pool-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 cnbng-cp:dns-servers:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: string
 x-yang:
 Type: leaf-list
 cnbng-cp:ntp-servers:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: string
 x-yang:
 Type: leaf-list
 cnbng-cp:netbios-name-server:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: string
 x-yang:
 Type: leaf-list
 cnbng-cp:domain-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 cnbng-cp:boot-filename:
 Type: string
 Description: (leaf)
 format: string

```

```

 x-yang:
 Type: leaf
 cnbng-cp:next-server:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 cnbng-cp:netbios-node-type:
 Reference:
 '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_netbiosnodetype'
 cnbng-cp:lease:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_lease'
 cnbng-cp:static-ip-key:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_staticipkey'

 cnbng-cp:hold-time:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_holdtime'
 cnbng-cp:option-codes:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_optioncodes'

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_boot-filename:
 Type: object
 Properties:
 cnbng-cp:boot-filename:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_dns-servers_dns-servers-id:
 Type: object
 Properties:
 cnbng-cp:dns-servers:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: string
 x-yang:
 Type: leaf-list

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_domain-name:
 Type: object
 Properties:
 cnbng-cp:domain-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

```

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time:
 Type: object
 Properties:
 cnbng-cp:hold-time:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_holdtime'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time-post:
 Type: object
 Properties:
 cnbng-cp:minutes:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time_minutes:
 Type: object
 Properties:
 cnbng-cp:minutes:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease:
 Type: object
 Properties:
 cnbng-cp:lease:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_lease'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease-post:
 Type: object
 Properties:
 cnbng-cp:days:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
 cnbng-cp:hours:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
 cnbng-cp:minutes:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_days:
 Type: object

```

```

Properties:
 cnbng-cp:days:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_hours:
Type: object
Properties:
 cnbng-cp:hours:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_minutes:
Type: object
Properties:
 cnbng-cp:minutes:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-name-server_netbios-name-server-id:

Type: object
Properties:
 cnbng-cp:netbios-name-server:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: string
 x-yang:
 Type: leaf-list
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type:
Type: object
Properties:
 cnbng-cp:netbios-node-type:
 Reference:
 '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_netbiosnodetype'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type-post:

Type: object
Properties:
 cnbng-cp:broadcast-node:
 Type: string
 Description: (leaf)
 format: '[null]'

```

```

 x-yang:
 Type: leaf
cnbng-cp:hybrid-node:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf
cnbng-cp:mixed-node:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf
cnbng-cp:peer-to-peer-node:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf
cnbng-cp:hexadecimal:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_broadcast-node:

Type: object
Properties:
 cnbng-cp:broadcast-node:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hexadecimal:

Type: object
Properties:
 cnbng-cp:hexadecimal:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hybrid-node:

Type: object
Properties:

```

```

cnbng-cp:hybrid-node:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_netbios-node-type\_mixed-node:**

```

Type: object
Properties:
 cnbng-cp:mixed-node:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_netbios-node-type\_peer-to-peer-node:**

```

Type: object
Properties:
 cnbng-cp:peer-to-peer-node:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_next-server:**

```

Type: object
Properties:
 cnbng-cp:next-server:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_ntp-servers\_ntp-servers-id:**

```

Type: object
Properties:
 cnbng-cp:ntp-servers:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: string
 x-yang:
 Type: leaf-list

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes:**

```

Type: object
Properties:

```

**cnbng-cp:option-codes:**  
**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ipv4\_server\_optioncodes'

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes-post:**

**Type:** object

**Properties:**

**cnbng-cp:option-code:**

**Type:** array

**Description:** (list)

**Items:**

**Reference:**

'#/components/schemas/datapost\_cnbngcpprofile\_ipv4\_server\_optioncodes\_optioncode'

**x-yang:**

**Type:** list

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code-option-code:**

**Type:** object

**Properties:**

**cnbng-cp:option-code:**

**Type:** array

**Description:** (list)

**Items:**

**Reference:**

'#/components/schemas/datapost\_cnbngcpprofile\_ipv4\_server\_optioncodes\_optioncode'

**x-yang:**

**Type:** list

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code-option-code\_ascii-string:**

**Type:** object

**Properties:**

**cnbng-cp:ascii-string:**

**Type:** string

**Description:** (leaf)

**format:** string

**x-yang:**

**Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code-option-code\_force-insert:**

**Type:** object

**Properties:**

**cnbng-cp:force-insert:**

**Type:** string

**Description:** (leaf)

**format:** boolean

**x-yang:**

**Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code-option-code\_hex-string:**

**Type:** object

**Properties:**



```

cnbng-cp:hex-string:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code\_option-code\_ip-address\_ip-address-id**

```

Type: object
Properties:
 cnbng-cp:ip-address:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: string
 x-yang:
 Type: leaf-list

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code\_option-code\_option-code**

```

Type: object
Properties:
 cnbng-cp:option-code:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_pool-name**

```

Type: object
Properties:
 cnbng-cp:pool-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_static-ip-key**

```

Type: object
Properties:
 cnbng-cp:static-ip-key:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_staticipkey'

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_static-ip-key-post**

```

Type: object
Properties:
 cnbng-cp:identifier:
 Type: string
 Description: (leaf)
 format: enumeration

```

```

 enum:
 - client-mac-address
 Default: client-mac-address
 x-yang:
 Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_static-ip-key_identifier:

Type: object
Properties:
 cnbng-cp:identifier:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - client-mac-address
 Default: client-mac-address
 x-yang:
 Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6:
Type: object
Properties:
 cnbng-cp:ipv6:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv6'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6-post:
Type: object
Properties:
 cnbng-cp:mode:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - server
 - proxy
 Default: server
 x-yang:
 Type: leaf
 cnbng-cp:server:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv6_server'
 cnbng-cp:class:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv6_class'
 x-yang:
 Type: list
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name:
Type: object
Properties:
 cnbng-cp:class:
 Type: array
 Description: (list)
 Items:

```

**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ipv6\_class'  
**x-yang:**  
**Type:** list

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_class-name:**

**Type:** object  
**Properties:**  
**cnbng-cp: class-name:**  
**Type:** string  
**Description:** (leaf)  
**format:** string  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_matches:**

**Type:** object  
**Properties:**  
**cnbng-cp: matches:**  
**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ipv6\_matches'

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_matches-post:**

**Type:** object  
**Properties:**  
**cnbng-cp: match:**  
**Type:** array  
**Description:** (list)  
**Items:**  
**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ipv6\_matches\_match'  
**x-yang:**  
**Type:** list  
**cnbng-cp: match-type:**  
**Type:** string  
**Description:** (leaf)  
**format:** enumeration  
**enum:**  
- any  
- all  
**Default:** any  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_matches\_match-type:**

**Type:** object  
**Properties:**  
**cnbng-cp: match-type:**  
**Type:** string  
**Description:** (leaf)  
**format:** enumeration  
**enum:**  
- any  
- all

**Default:** any  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_matches\_match\_match-key:**

**Type:** object  
**Properties:**  
**cnbng-cp:match:**  
**Type:** array  
**Description:** (list)  
**Items:**  
**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ipv6\_matches\_match'  
**x-yang:**  
**Type:** list

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_matches\_match\_match-key\_ascii\_ascii-id:**

**Type:** object  
**Properties:**  
**cnbng-cp:ascii:**  
**Type:** array  
**Items:**  
**Type:** string  
**Description:** (leaf-list)  
**format:** string  
**x-yang:**  
**Type:** leaf-list

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_matches\_match\_match-key\_hex\_hex-id:**

**Type:** object  
**Properties:**  
**cnbng-cp:hex:**  
**Type:** array  
**Items:**  
**Type:** string  
**Description:** (leaf-list)  
**format:** string  
**x-yang:**  
**Type:** leaf-list

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_matches\_match\_match-key\_key:**

**Type:** object  
**Properties:**  
**cnbng-cp:key:**  
**Type:** string  
**Description:** (leaf)  
**format:** enumeration  
**enum:**  
 - dhcpv6-interface-id  
 - dhcpv6-remote-id  
 - dhcpv6-vendor-class

```

- dhcpv6-user-class
Default: dhcpv6-interface-id
x-yang:
 Type: leaf

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server:**

```

Type: object
Properties:
 cnbng-cp:server:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv6_server'

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server-post:**

```

Type: object
Properties:
 cnbng-cp:iana-pool-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 cnbng-cp:iapd-pool-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 cnbng-cp:dns-servers:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: string
 x-yang:
 Type: leaf-list
 cnbng-cp:domain-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 cnbng-cp:preference:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
 cnbng-cp:aftr-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:

```

```

 Type: leaf
 cnbng-cp:rapid-commit:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf
 cnbng-cp:lease:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_lease'
 cnbng-cp:static-ip-key:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_staticipkey'

 cnbng-cp:hold-time:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_holdtime'

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_aftr-name:**

```

Type: object
Properties:
 cnbng-cp:aftr-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_dns-servers\_dns-servers-id:**

```

Type: object
Properties:
 cnbng-cp:dns-servers:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: string
 x-yang:
 Type: leaf-list

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_domain-name:**

```

Type: object
Properties:
 cnbng-cp:domain-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_hold-time:**

```

Type: object

```

**Properties:****cnbng-cp**:hold-time:**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ipv4\_server\_holdtime'**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_hold-time-post:****Type:** object**Properties:****cnbng-cp**:minutes:**Type:** integer**Description:** (leaf)**format:** uint32**x-yang:****Type:** leaf**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_hold-time\_minutes:****Type:** object**Properties:****cnbng-cp**:minutes:**Type:** integer**Description:** (leaf)**format:** uint32**x-yang:****Type:** leaf**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_iana-pool-name:****Type:** object**Properties:****cnbng-cp**:iana-pool-name:**Type:** string**Description:** (leaf)**format:** string**x-yang:****Type:** leaf**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_iapd-pool-name:****Type:** object**Properties:****cnbng-cp**:iapd-pool-name:**Type:** string**Description:** (leaf)**format:** string**x-yang:****Type:** leaf**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_lease:****Type:** object**Properties:****cnbng-cp**:lease:

**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ipv4\_server\_lease'

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_lease-post:**

**Type:** object  
**Properties:**  
 cnbng-cp:days:  
   **Type:** integer  
   **Description:** (leaf)  
   **format:** uint32  
   **x-yang:**  
     **Type:** leaf  
 cnbng-cp:hours:  
   **Type:** integer  
   **Description:** (leaf)  
   **format:** uint32  
   **x-yang:**  
     **Type:** leaf  
 cnbng-cp:minutes:  
   **Type:** integer  
   **Description:** (leaf)  
   **format:** uint32  
   **x-yang:**  
     **Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_lease\_days:**

**Type:** object  
**Properties:**  
 cnbng-cp:days:  
   **Type:** integer  
   **Description:** (leaf)  
   **format:** uint32  
   **x-yang:**  
     **Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_lease\_hours:**

**Type:** object  
**Properties:**  
 cnbng-cp:hours:  
   **Type:** integer  
   **Description:** (leaf)  
   **format:** uint32  
   **x-yang:**  
     **Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_lease\_minutes:**

**Type:** object  
**Properties:**  
 cnbng-cp:minutes:  
   **Type:** integer



**Description:** (leaf)  
**format:** uint32  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_preference:**

**Type:** object  
**Properties:**  
**cnbng-cp:preference:**  
**Type:** integer  
**Description:** (leaf)  
**format:** uint32  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_rapid-commit:**

**Type:** object  
**Properties:**  
**cnbng-cp:rapid-commit:**  
**Type:** string  
**Description:** (leaf)  
**format:** '[null]'  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_static-ip-key:**

**Type:** object  
**Properties:**  
**cnbng-cp:static-ip-key:**  
**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ipv4\_server\_staticipkey'

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_static-ip-key-post:**

**Type:** object  
**Properties:**  
**cnbng-cp:identifier:**  
**Type:** string  
**Description:** (leaf)  
**format:** enumeration  
**enum:**  
 - client-mac-address  
**Default:** client-mac-address  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_static-ip-key\_identifier:**

**Type:** object  
**Properties:**  
**cnbng-cp:identifier:**

```

 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - client-mac-address
 Default: client-mac-address
 x-yang:
 Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_mode:
Type: object
Properties:
 cnbng-cp:mode:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - server
 - proxy
 Default: server
 x-yang:
 Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server:
Type: object
Properties:
 cnbng-cp:server:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv6_server'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server-post:
Type: object
Properties:
 cnbng-cp:iana-pool-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 cnbng-cp:iapd-pool-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 cnbng-cp:dns-servers:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: string
 x-yang:
 Type: leaf-list
 cnbng-cp:domain-name:
 Type: string
 Description: (leaf)

```

```

 format: string
 x-yang:
 Type: leaf
 cnbng-cp:preference:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
 cnbng-cp:aftr-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 cnbng-cp:rapid-commit:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf
 cnbng-cp:lease:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_lease'
 cnbng-cp:static-ip-key:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_staticipkey'

 cnbng-cp:hold-time:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_holdtime'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_aftr-name:
 Type: object
 Properties:
 cnbng-cp:aftr-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_dns-servers_dns-servers-id:
 Type: object
 Properties:
 cnbng-cp:dns-servers:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: string
 x-yang:
 Type: leaf-list
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_domain-name:
 Type: object

```

```

Properties:
 cnbng-cp:domain-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time:
Type: object
Properties:
 cnbng-cp:hold-time:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_holdtime'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time-post:
Type: object
Properties:
 cnbng-cp:minutes:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time_minutes:
Type: object
Properties:
 cnbng-cp:minutes:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iana-pool-name:
Type: object
Properties:
 cnbng-cp:iana-pool-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iapd-pool-name:
Type: object
Properties:
 cnbng-cp:iapd-pool-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease:
Type: object
Properties:

```

```
 cnbng-cp:lease:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_lease'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease-post:
 Type: object
 Properties:
 cnbng-cp:days:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
 cnbng-cp:hours:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
 cnbng-cp:minutes:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_days:
 Type: object
 Properties:
 cnbng-cp:days:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_hours:
 Type: object
 Properties:
 cnbng-cp:hours:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_minutes:
 Type: object
 Properties:
 cnbng-cp:minutes:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_preference:
```

```

Type: object
Properties:
 cnbng-cp:preference:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_rapid-commit:
Type: object
Properties:
 cnbng-cp:rapid-commit:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key:
Type: object
Properties:
 cnbng-cp:static-ip-key:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_staticipkey'

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key-post:
Type: object
Properties:
 cnbng-cp:identifier:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - client-mac-address
 Default: client-mac-address
 x-yang:
 Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key_identifier:

Type: object
Properties:
 cnbng-cp:identifier:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - client-mac-address
 Default: client-mac-address
 x-yang:
 Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_name:
Type: object
Properties:
 cnbng-cp:name:

```

```

 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_feature-template_feature-template-name:
 Type: object
 Properties:
 cnbng-cp:feature-template:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_featuretemplate'
 x-yang:
 Type: list
data_cnbng-cp_profile_feature-template_feature-template-name_http-policy:
 Type: object
 Properties:
 cnbng-cp:http-policy:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4:
 Type: object
 Properties:
 cnbng-cp:ipv4:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_1'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4-post:
 Type: object
 Properties:
 cnbng-cp:mtu:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
 cnbng-cp:ingress-acl:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 cnbng-cp:egress-acl:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

```

```

cnbng-cp:disable-unreachables:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf
cnbng-cp:verify-unicast-source:
 Reference: '#/components/schemas/datapost_cnbngcppprofile_ipv4_1_verifyunicastsource'

```

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv4\_disable-unreachables:**

```

Type: object
Properties:
 cnbng-cp:disable-unreachables:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf

```

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv4\_egress-acl:**

```

Type: object
Properties:
 cnbng-cp:egress-acl:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

```

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv4\_ingress-acl:**

```

Type: object
Properties:
 cnbng-cp:ingress-acl:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

```

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv4\_mtu:**

```

Type: object
Properties:
 cnbng-cp:mtu:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf

```

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv4\_verify-unicast-source:**



**Type:** object  
**Properties:**  
 cnbng-cp:verify-unicast-source:  
**Reference:** '#/components/schemas/datapost\_cnbngcprofile\_ipv4\_1\_verifyunicastsource'

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv4\_verify-unicast-source-post:**

**Type:** object  
**Properties:**  
 cnbng-cp:reachable-via-rx:  
**Type:** string  
**Description:** (leaf)  
**format:** '[null]'  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv4\_verify-unicast-source\_reachable-via-rx:**

**Type:** object  
**Properties:**  
 cnbng-cp:reachable-via-rx:  
**Type:** string  
**Description:** (leaf)  
**format:** '[null]'  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv6:**

**Type:** object  
**Properties:**  
 cnbng-cp:ipv6:  
**Reference:** '#/components/schemas/datapost\_cnbngcprofile\_ipv4\_1'

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv6-post:**

**Type:** object  
**Properties:**  
 cnbng-cp:mtu:  
**Type:** integer  
**Description:** (leaf)  
**format:** uint32  
**x-yang:**  
**Type:** leaf  
 cnbng-cp:ingress-acl:  
**Type:** string  
**Description:** (leaf)  
**format:** string  
**x-yang:**  
**Type:** leaf  
 cnbng-cp:egress-acl:  
**Type:** string  
**Description:** (leaf)  
**format:** string

```

 x-yang:
 Type: leaf
 cnbng-cp:disable-unreachables:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf
 cnbng-cp:verify-unicast-source:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_1_verifyunicastsource'

```

#### data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv6\_disable-unreachables:

```

Type: object
Properties:
 cnbng-cp:disable-unreachables:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf

```

#### data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv6\_egress-acl:

```

Type: object
Properties:
 cnbng-cp:egress-acl:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

```

#### data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv6\_ingress-acl:

```

Type: object
Properties:
 cnbng-cp:ingress-acl:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

```

#### data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv6\_mtu:

```

Type: object
Properties:
 cnbng-cp:mtu:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf

```

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ipv6\_verify-unicast-source:**

**Type:** object

**Properties:**

**cnbng-cp:verify-unicast-source:**

**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ipv4\_1\_verifyunicastsource'

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ipv6\_verify-unicast-source-post:**

**Type:** object

**Properties:**

**cnbng-cp:reachable-via-rx:**

**Type:** string

**Description:** (leaf)

**format:** '[null]'

**x-yang:**

**Type:** leaf

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ipv6\_verify-unicast-source\_reachable-via-rx:**

**Type:** object

**Properties:**

**cnbng-cp:reachable-via-rx:**

**Type:** string

**Description:** (leaf)

**format:** '[null]'

**x-yang:**

**Type:** leaf

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_name:**

**Type:** object

**Properties:**

**cnbng-cp:name:**

**Type:** string

**Description:** (leaf)

**format:** string

**x-yang:**

**Type:** leaf

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp:**

**Type:** object

**Properties:**

**cnbng-cp:ppp:**

**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ppp'

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp-post:**

**Type:** object

**Properties:**

**cnbng-cp:authentication:**

**Type:** array

**Items:**

**Type:** string

**Description:** (leaf-list)

**format:** enumeration

```

 enum:
 - pap
 - chap
 Default: pap
 x-yang:
 Type: leaf-list
cnbng-cp:chap:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_chap'
cnbng-cp:service-type:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - outbound
 Default: outbound
 x-yang:
 Type: leaf
cnbng-cp:ipcp:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp'
cnbng-cp:ipv6cp:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipv6cp'
cnbng-cp:lcp:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_lcp'
cnbng-cp:max-bad-auth:
 Type: integer
 Description: (leaf)
 format: byte
 x-yang:
 Type: leaf
cnbng-cp:max-configure:
 Type: integer
 Description: (leaf)
 format: byte
 x-yang:
 Type: leaf
cnbng-cp:max-failure:
 Type: integer
 Description: (leaf)
 format: byte
 x-yang:
 Type: leaf
cnbng-cp:pap:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_pap'
cnbng-cp:timeout:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_timeout'
cnbng-cp:keepalive:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_keepalive'

```

**data\_cnbng\_cp\_profile\_feature-template\_feature-template\_name\_ppp\_authentication\_authentication-id:**

```

Type: object
Properties:

```

```
cnbng-cp:authentication:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: enumeration
 enum:
 - pap
 - chap
 Default: pap
 x-yang:
 Type: leaf-list
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap:
 Type: object
 Properties:
 cnbng-cp:chap:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_chap'

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap-post:
 Type: object
 Properties:
 cnbng-cp:hostname:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 cnbng-cp:password:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_hostname:
 Type: object
 Properties:
 cnbng-cp:hostname:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_password:
 Type: object
 Properties:
 cnbng-cp:password:
 Type: string
 Description: (leaf)
```

```

 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp:
 Type: object
 Properties:
 cnbng-cp:ipcp:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp'

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp-post:

 Type: object
 Properties:
 cnbng-cp:dns:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp_dns'
 cnbng-cp:peer-address-pool:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 cnbng-cp:renegotiation:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp_renegotiation'

 cnbng-cp:wins:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp_dns'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns:

 Type: object
 Properties:
 cnbng-cp:dns:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp_dns'

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns-post:

 Type: object
 Properties:
 cnbng-cp:primary-address:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 cnbng-cp:secondary-address:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_primary-address:

 Type: object

```

**Properties:**  
**cnbng-cp:primary-address:**  
**Type:** string  
**Description:** (leaf)  
**format:** string  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_dns\_secondary-address:**

**Type:** object  
**Properties:**  
**cnbng-cp:secondary-address:**  
**Type:** string  
**Description:** (leaf)  
**format:** string  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_peer-address-pool:**

**Type:** object  
**Properties:**  
**cnbng-cp:peer-address-pool:**  
**Type:** string  
**Description:** (leaf)  
**format:** string  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_renegotiation:**

**Type:** object  
**Properties:**  
**cnbng-cp:renegotiation:**  
**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ppp\_ipcp\_renegotiation'

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_renegotiation-post:**

**Type:** object  
**Properties:**  
**cnbng-cp:ignore:**  
**Type:** string  
**Description:** (leaf)  
**format:** '[null]'  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_renegotiation\_ignore:**

**Type:** object  
**Properties:**  
**cnbng-cp:ignore:**

**Type:** string  
**Description:** (leaf)  
**format:** '[null]'  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_wins:**

**Type:** object  
**Properties:**  
**cnbng-cp:wins:**  
**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ppp\_ipcp\_dns'

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_wins-post:**

**Type:** object  
**Properties:**  
**cnbng-cp:primary-address:**  
**Type:** string  
**Description:** (leaf)  
**format:** string  
**x-yang:**  
**Type:** leaf  
**cnbng-cp:secondary-address:**  
**Type:** string  
**Description:** (leaf)  
**format:** string  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_wins\_primary-address:**

**Type:** object  
**Properties:**  
**cnbng-cp:primary-address:**  
**Type:** string  
**Description:** (leaf)  
**format:** string  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_wins\_secondary-address:**

**Type:** object  
**Properties:**  
**cnbng-cp:secondary-address:**  
**Type:** string  
**Description:** (leaf)  
**format:** string  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipv6cp:**



**Type:** object  
**Properties:**  
 cnbng-cp:ipv6cp:  
 Reference: '#/components/schemas/datapost\_cnbngcpprofile\_ppp\_ipv6cp'

data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipv6cp-post:

**Type:** object  
**Properties:**  
 cnbng-cp:renegotiation:  
 Reference: '#/components/schemas/datapost\_cnbngcpprofile\_ppp\_ipcp\_renegotiation'

data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipv6cp\_renegotiation:

**Type:** object  
**Properties:**  
 cnbng-cp:renegotiation:  
 Reference: '#/components/schemas/datapost\_cnbngcpprofile\_ppp\_ipcp\_renegotiation'

data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipv6cp\_renegotiation-post:

**Type:** object  
**Properties:**  
 cnbng-cp:ignore:  
 Type: string  
 Description: (leaf)  
 format: '[null]'  
 x-yang:  
 Type: leaf

data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipv6cp\_renegotiation\_ignore:

**Type:** object  
**Properties:**  
 cnbng-cp:ignore:  
 Type: string  
 Description: (leaf)  
 format: '[null]'  
 x-yang:  
 Type: leaf

data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_keepalive:

**Type:** object  
**Properties:**  
 cnbng-cp:keepalive:  
 Reference: '#/components/schemas/datapost\_cnbngcpprofile\_ppp\_keepalive'

data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_keepalive-post:

**Type:** object  
**Properties:**

```

cnbng-cp:disable:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf
cnbng-cp:interval:
 Type: integer
 Description: (leaf)
 format: byte
 x-yang:
 Type: leaf
cnbng-cp:retry:
 Type: integer
 Description: (leaf)
 format: byte
 x-yang:
 Type: leaf

```

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_keepalive\_disable:**

```

Type: object
Properties:
 cnbng-cp:disable:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf

```

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_keepalive\_interval:**

```

Type: object
Properties:
 cnbng-cp:interval:
 Type: integer
 Description: (leaf)
 format: byte
 x-yang:
 Type: leaf

```

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_keepalive\_retry:**

```

Type: object
Properties:
 cnbng-cp:retry:
 Type: integer
 Description: (leaf)
 format: byte
 x-yang:
 Type: leaf

```

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_lcp:**

```

Type: object

```

```

Properties:
 cnbng-cp:lcp:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_lcp'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp-post:

Type: object
Properties:
 cnbng-cp:delay:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_lcp_delay'
 cnbng-cp:renegotiation:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp_renegotiation'

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay:

Type: object
Properties:
 cnbng-cp:delay:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_lcp_delay'

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay-post:

Type: object
Properties:
 cnbng-cp:seconds:
 Type: integer
 Description: (leaf)
 format: byte
 x-yang:
 Type: leaf
 cnbng-cp:milliseconds:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_milliseconds:

Type: object
Properties:
 cnbng-cp:milliseconds:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_seconds:

Type: object
Properties:
 cnbng-cp:seconds:

```

**Type:** integer  
**Description:** (leaf)  
**format:** byte  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_lcp\_renegotiation:**

**Type:** object  
**Properties:**  
**cnbng-cp:renegotiation:**  
**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ppp\_ipcp\_renegotiation'

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_lcp\_renegotiation-post:**

**Type:** object  
**Properties:**  
**cnbng-cp:ignore:**  
**Type:** string  
**Description:** (leaf)  
**format:** '[null]'  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_lcp\_renegotiation\_ignore:**

**Type:** object  
**Properties:**  
**cnbng-cp:ignore:**  
**Type:** string  
**Description:** (leaf)  
**format:** '[null]'  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_max-bad-auth:**

**Type:** object  
**Properties:**  
**cnbng-cp:max-bad-auth:**  
**Type:** integer  
**Description:** (leaf)  
**format:** byte  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_max-configure:**

**Type:** object  
**Properties:**  
**cnbng-cp:max-configure:**  
**Type:** integer  
**Description:** (leaf)

```

 format: byte
 x-yang:
 Type: leaf

```

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_max-failure:**

```

Type: object
Properties:
 cnbng-cp:max-failure:
 Type: integer
 Description: (leaf)
 format: byte
 x-yang:
 Type: leaf

```

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_pap:**

```

Type: object
Properties:
 cnbng-cp:pap:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_pap'

```

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_pap-post:**

```

Type: object
Properties:
 cnbng-cp:accept-null-password:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf

```

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_pap\_accept-null-password:**

```

Type: object
Properties:
 cnbng-cp:accept-null-password:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf

```

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_service-type:**

```

Type: object
Properties:
 cnbng-cp:service-type:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - outbound
 Default: outbound
 x-yang:

```

**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout:**

**Type:** object

**Properties:**

**cnbng-cp:timeout:**

**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ppp\_timeout'

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout-post:**

**Type:** object

**Properties:**

**cnbng-cp:absolute:**

**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ipv4\_server\_holdtime'

**cnbng-cp:authentication:**

**Type:** integer

**Description:** (leaf)

**format:** byte

**x-yang:**

**Type:** leaf

**cnbng-cp:retry:**

**Type:** integer

**Description:** (leaf)

**format:** byte

**x-yang:**

**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout\_absolute:**

**Type:** object

**Properties:**

**cnbng-cp:absolute:**

**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ipv4\_server\_holdtime'

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout\_absolute-post:**

**Type:** object

**Properties:**

**cnbng-cp:minutes:**

**Type:** integer

**Description:** (leaf)

**format:** uint32

**x-yang:**

**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout\_absolute\_minutes:**

**Type:** object

**Properties:**

**cnbng-cp:minutes:**

**Type:** integer

**Description:** (leaf)

**format:** uint32

**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout\_authentication:**

**Type:** object  
**Properties:**  
**cnbng-cp:authentication:**  
**Type:** integer  
**Description:** (leaf)  
**format:** byte  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout\_retry:**

**Type:** object  
**Properties:**  
**cnbng-cp:retry:**  
**Type:** integer  
**Description:** (leaf)  
**format:** byte  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_qos:**

**Type:** object  
**Properties:**  
**cnbng-cp:qos:**  
**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_qos'

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_qos-post:**

**Type:** object  
**Properties:**  
**cnbng-cp:in-policy:**  
**Type:** string  
**Description:** (leaf)  
**format:** string  
**x-yang:**  
**Type:** leaf  
**cnbng-cp:out-policy:**  
**Type:** string  
**Description:** (leaf)  
**format:** string  
**x-yang:**  
**Type:** leaf  
**cnbng-cp:merge-level:**  
**Type:** integer  
**Description:** (leaf)  
**format:** uint32  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_qos\_in-policy:**

**Type:** object  
**Properties:**  
 cnbng-cp:in-policy:  
   **Type:** string  
   **Description:** (leaf)  
   **format:** string  
   **x-yang:**  
     **Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_qos\_merge-level:**

**Type:** object  
**Properties:**  
 cnbng-cp:merge-level:  
   **Type:** integer  
   **Description:** (leaf)  
   **format:** uint32  
   **x-yang:**  
     **Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_qos\_out-policy:**

**Type:** object  
**Properties:**  
 cnbng-cp:out-policy:  
   **Type:** string  
   **Description:** (leaf)  
   **format:** string  
   **x-yang:**  
     **Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_service-accounting:**

**Type:** object  
**Properties:**  
 cnbng-cp:service-accounting:  
   **Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_serviceaccounting'

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_service-accounting-post:**

**Type:** object  
**Properties:**  
 cnbng-cp:enable:  
   **Type:** string  
   **Description:** (leaf)  
   **format:** '[null]'  
   **x-yang:**  
     **Type:** leaf  
 cnbng-cp:aaa-profile:  
   **Type:** string  
   **Description:** (leaf)  
   **format:** leafref  
   **x-yang:**



**Type:** leaf  
**cnbng-cp:periodic-interval:**  
**Type:** integer  
**Description:** (leaf)  
**format:** uint32  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_service-accounting\_aaa-profile:**

**Type:** object  
**Properties:**  
**cnbng-cp:aaa-profile:**  
**Type:** string  
**Description:** (leaf)  
**format:** leafref  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_service-accounting\_enable:**

**Type:** object  
**Properties:**  
**cnbng-cp:enable:**  
**Type:** string  
**Description:** (leaf)  
**format:** '[null]'  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_service-accounting\_periodic-interval:**

**Type:** object  
**Properties:**  
**cnbng-cp:periodic-interval:**  
**Type:** integer  
**Description:** (leaf)  
**format:** uint32  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_session-accounting:**

**Type:** object  
**Properties:**  
**cnbng-cp:session-accounting:**  
**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_sessionaccounting'

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_session-accounting-post:**

**Type:** object  
**Properties:**  
**cnbng-cp:enable:**

```

 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf
 cnbng-cp:aaa-profile:
 Type: string
 Description: (leaf)
 format: leafref
 x-yang:
 Type: leaf
 cnbng-cp:periodic-interval:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
 cnbng-cp:dual-stack-delay:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf

```

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_session-accounting\_aaa-profile:**

```

Type: object
Properties:
 cnbng-cp:aaa-profile:
 Type: string
 Description: (leaf)
 format: leafref
 x-yang:
 Type: leaf

```

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_session-accounting\_dual-stack-delay:**

```

Type: object
Properties:
 cnbng-cp:dual-stack-delay:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf

```

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_session-accounting\_enable:**

```

Type: object
Properties:
 cnbng-cp:enable:
 Type: string
 Description: (leaf)

```

```

 format: '[null]'
 x-yang:
 Type: leaf

```

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_session-accounting\_periodic-interval:**

```

Type: object
Properties:
 cnbng-cp:periodic-interval:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf

```

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_vrf-name:**

```

Type: object
Properties:
 cnbng-cp:vrf-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

```

**data\_cnbng-cp\_profile\_l2tp\_l2tp-name:**

```

Type: object
Properties:
 cnbng-cp:l2tp:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_l2tp'
 x-yang:
 Type: list

```

**data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_authentication:**

```

Type: object
Properties:
 cnbng-cp:authentication:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf

```

**data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_congestion-control:**

```

Type: object
Properties:
 cnbng-cp:congestion-control:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf

```

**data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_domain\_domain-name:**

```

Type: object
Properties:
 cnbng-cp:domain:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_domain'
 x-yang:
 Type: list
data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_name:
Type: object
Properties:
 cnbng-cp:name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_tun-assign-id:
Type: object
Properties:
 cnbng-cp:tun-assign-id:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_dsl-info-forwarding:
Type: object
Properties:
 cnbng-cp:dsl-info-forwarding:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_encrypt-avp:
Type: object
Properties:
 cnbng-cp:encrypt-avp:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_force-lcp-renegotiation:
Type: object
Properties:
 cnbng-cp:force-lcp-renegotiation:
 Type: string
 Description: (leaf)

```

```

 format: '[null]'
 x-yang:
 Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_hello-interval:
 Type: object
 Properties:
 cnbng-cp:hello-interval:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_hostname:
 Type: object
 Properties:
 cnbng-cp:hostname:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_ip-tos:
 Type: object
 Properties:
 cnbng-cp:ip-tos:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_iptos'
data_cnbng-cp_profile_12tp_12tp-name_ip-tos-post:
 Type: object
 Properties:
 cnbng-cp:value:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
 cnbng-cp:reflect:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_ip-tos_reflect:
 Type: object
 Properties:
 cnbng-cp:reflect:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_ip-tos_value:

```

```

Type: object
Properties:
 cnbng-cp:value:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_ipv4:
Type: object
Properties:
 cnbng-cp:ipv4:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_2'
data_cnbng-cp_profile_l2tp_l2tp-name_ipv4-post:
Type: object
Properties:
 cnbng-cp:df-bit:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - set
 - reflect
 Default: set
 x-yang:
 Type: leaf
 cnbng-cp:source:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 cnbng-cp:destination:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_2_destination'
 x-yang:
 Type: list
data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip:
Type: object
Properties:
 cnbng-cp:destination:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_2_destination'
 x-yang:
 Type: list
data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip_dest-ip:

```

**Type:** object  
**Properties:**  
 cnbng-cp:dest-ip:  
   **Type:** string  
   **Description:** (leaf)  
   **format:** string  
   **x-yang:**  
     **Type:** leaf

**data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_ipv4\_destination\_destination-dest-ip\_weight:**

**Type:** object  
**Properties:**  
 cnbng-cp:weight:  
   **Type:** integer  
   **Description:** (leaf)  
   **format:** uint16  
   **x-yang:**  
     **Type:** leaf

**data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_ipv4\_df-bit:**

**Type:** object  
**Properties:**  
 cnbng-cp:df-bit:  
   **Type:** string  
   **Description:** (leaf)  
   **format:** enumeration  
   **enum:**  
     - set  
     - reflect  
   **Default:** set  
   **x-yang:**  
     **Type:** leaf

**data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_ipv4\_source:**

**Type:** object  
**Properties:**  
 cnbng-cp:source:  
   **Type:** string  
   **Description:** (leaf)  
   **format:** string  
   **x-yang:**  
     **Type:** leaf

**data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_mode:**

**Type:** object  
**Properties:**  
 cnbng-cp:mode:  
   **Type:** string  
   **Description:** (leaf)  
   **format:** enumeration  
   **enum:**  
     - lac  
     - lns  
   **Default:** lac

```

 x-yang:
 Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_mtu:
 Type: object
 Properties:
 cnbng-cp:mtu:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_name:
 Type: object
 Properties:
 cnbng-cp:name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_password:
 Type: object
 Properties:
 cnbng-cp:password:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_receive-window:
 Type: object
 Properties:
 cnbng-cp:receive-window:
 Type: integer
 Description: (leaf)
 format: uint16
 x-yang:
 Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit:
 Type: object
 Properties:
 cnbng-cp:retransmit:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_retransmit'
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit-post:
 Type: object
 Properties:
 cnbng-cp:initial:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_retransmit_initial'
 cnbng-cp:timeout:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_retransmit_initial_timeout'

 cnbng-cp:retries:

```



```

 Type: integer
 Description: (leaf)
 format: uint16
 x-yang:
 Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial:
 Type: object
 Properties:
 cnbng-cp:initial:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_retransmit_initial'
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial-post:
 Type: object
 Properties:
 cnbng-cp:timeout:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_retransmit_initial_timeout'

 cnbng-cp:retries:
 Type: integer
 Description: (leaf)
 format: uint16
 x-yang:
 Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_retries:
 Type: object
 Properties:
 cnbng-cp:retries:
 Type: integer
 Description: (leaf)
 format: uint16
 x-yang:
 Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout:
 Type: object
 Properties:
 cnbng-cp:timeout:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_retransmit_initial_timeout'
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout-post:
 Type: object
 Properties:
 cnbng-cp:max:
 Type: integer
 Description: (leaf)
 format: byte
 x-yang:
 Type: leaf
 cnbng-cp:min:
 Type: integer
 Description: (leaf)
 format: byte
 x-yang:
 Type: leaf

```

```

data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout_max:
 Type: object
 Properties:
 cnbng-cp:max:
 Type: integer
 Description: (leaf)
 format: byte
 x-yang:
 Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout_min:
 Type: object
 Properties:
 cnbng-cp:min:
 Type: integer
 Description: (leaf)
 format: byte
 x-yang:
 Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_retries:
 Type: object
 Properties:
 cnbng-cp:retries:
 Type: integer
 Description: (leaf)
 format: uint16
 x-yang:
 Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout:
 Type: object
 Properties:
 cnbng-cp:timeout:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_retransmit_initial_timeout'

data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout-post:
 Type: object
 Properties:
 cnbng-cp:max:
 Type: integer
 Description: (leaf)
 format: byte
 x-yang:
 Type: leaf
 cnbng-cp:min:
 Type: integer
 Description: (leaf)
 format: byte
 x-yang:
 Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout_max:
 Type: object
 Properties:
 cnbng-cp:max:

```

```

 Type: integer
 Description: (leaf)
 format: byte
 x-yang:
 Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_retransmit_timeout_min:
 Type: object
 Properties:
 cnbng-cp:min:
 Type: integer
 Description: (leaf)
 format: byte
 x-yang:
 Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_rx-connect-speed:
 Type: object
 Properties:
 cnbng-cp:rx-connect-speed:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_tcp:
 Type: object
 Properties:
 cnbng-cp:tcp:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_tcp'
data_cnbng-cp_profile_12tp_12tp-name_tcp-post:
 Type: object
 Properties:
 cnbng-cp:adjust-mss:
 Type: integer
 Description: (leaf)
 format: uint16
 x-yang:
 Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_tcp_adjust-mss:
 Type: object
 Properties:
 cnbng-cp:adjust-mss:
 Type: integer
 Description: (leaf)
 format: uint16
 x-yang:
 Type: leaf

data_cnbng-cp_profile_12tp_12tp-name_terminate-from_terminate-from-hostname:
 Type: object
 Properties:
 cnbng-cp:terminate-from:

```

**Type:** array  
**Description:** (list)  
**Items:**  
    **Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_terminatefrom'  
**x-yang:**  
    **Type:** list

**data\_cnbng-cp\_profile\_12tp\_12tp-name\_terminate-from\_terminate-from-hostname\_hostname:**

**Type:** object  
**Properties:**  
    **cnbng-cp:hostname:**  
      **Type:** string  
      **Description:** (leaf)  
      **format:** string  
      **x-yang:**  
        **Type:** leaf

**data\_cnbng-cp\_profile\_12tp\_12tp-name\_tunnel:**

**Type:** object  
**Properties:**  
    **cnbng-cp:tunnel:**  
      **Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_tunnel'

**data\_cnbng-cp\_profile\_12tp\_12tp-name\_tunnel-load-balancing:**

**Type:** object  
**Properties:**  
    **cnbng-cp:tunnel-load-balancing:**  
      **Type:** string  
      **Description:** (leaf)  
      **format:** enumeration  
      **enum:**  
      - weighted  
      - equal  
      **Default:** weighted  
      **x-yang:**  
        **Type:** leaf

**data\_cnbng-cp\_profile\_12tp\_12tp-name\_tunnel-post:**

**Type:** object  
**Properties:**  
    **cnbng-cp:session-limit:**  
      **Type:** integer  
      **Description:** (leaf)  
      **format:** uint32  
      **x-yang:**  
        **Type:** leaf  
    **cnbng-cp:timeout:**  
      **Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_tunnel\_timeout'

**data\_cnbng-cp\_profile\_12tp\_12tp-name\_tunnel\_session-limit:**

**Type:** object  
**Properties:**  
    **cnbng-cp:session-limit:**  
      **Type:** integer  
      **Description:** (leaf)

```

 format: uint32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_tunnel_timeout:
 Type: object
 Properties:
 cnbng-cp:timeout:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_tunnel_timeout'
data_cnbng-cp_profile_12tp_12tp-name_tunnel_timeout-post:
 Type: object
 Properties:
 cnbng-cp:no-session:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_tunnel_timeout_no-session:
 Type: object
 Properties:
 cnbng-cp:no-session:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_tx-connect-speed:
 Type: object
 Properties:
 cnbng-cp:tx-connect-speed:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_vrf:
 Type: object
 Properties:
 cnbng-cp:vrf:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name:
 Type: object
 Properties:
 cnbng-cp:pppoe:
 Type: array
 Description: (list)
 Items:

```

```

 Reference: '#/components/schemas/datapost_cnbngcpprofile_pppoe'
 x-yang:
 Type: list
data_cnbng-cp_profile_pppoe_pppoe-name_ac-cookie:
Type: object
Properties:
 cnbng-cp:ac-cookie:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_ac-name:
Type: object
Properties:
 cnbng-cp:ac-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_ctrl-pkt-priority:
Type: object
Properties:
 cnbng-cp:ctrl-pkt-priority:
 Type: integer
 Description: (leaf)
 format: byte
 x-yang:
 Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload:
Type: object
Properties:
 cnbng-cp:max-payload:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_maxpayload'
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload-post:
Type: object
Properties:
 cnbng-cp:deny:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf
 cnbng-cp:minimum:
 Type: integer
 Description: (leaf)
 format: uint16
 x-yang:
 Type: leaf
 cnbng-cp:maximum:

```

```

 Type: integer
 Description: (leaf)
 format: uint16
 x-yang:
 Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_deny:
 Type: object
 Properties:
 cnbng-cp:deny:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_maximum:
 Type: object
 Properties:
 cnbng-cp:maximum:
 Type: integer
 Description: (leaf)
 format: uint16
 x-yang:
 Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_minimum:
 Type: object
 Properties:
 cnbng-cp:minimum:
 Type: integer
 Description: (leaf)
 format: uint16
 x-yang:
 Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_mtu:
 Type: object
 Properties:
 cnbng-cp:mtu:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_name:
 Type: object
 Properties:
 cnbng-cp:name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_service-name_service-name-id:
```

```

Type: object
Properties:
 cnbng-cp:service-name:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: string
 x-yang:
 Type: leaf-list
data_cnbng-cp_profile_pppoe_pppoe-name_service-selection-disable:
Type: object
Properties:
 cnbng-cp:service-selection-disable:
 Type: string
 Description: (leaf)
 format: boolean
 x-yang:
 Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit:
Type: object
Properties:
 cnbng-cp:session-limit:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionlimit'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit-post:
Type: object
Properties:
 cnbng-cp:max:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionlimit_max'
 cnbng-cp:mac:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionlimit_max'
 cnbng-cp:circuit-id:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionlimit_max'
 cnbng-cp:outer-vlan:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionlimit_max'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id:
Type: object
Properties:
 cnbng-cp:circuit-id:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionlimit_max'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id-post:
Type: object
Properties:
 cnbng-cp:value:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
 cnbng-cp:threshold:
 Type: integer

```



```

 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_threshold:
Type: object
Properties:
 cnbng-cp:threshold:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_value:
Type: object
Properties:
 cnbng-cp:value:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac:
Type: object
Properties:
 cnbng-cp:mac:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionlimit_max'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac-post:
Type: object
Properties:
 cnbng-cp:value:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
 cnbng-cp:threshold:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_threshold:
Type: object
Properties:
 cnbng-cp:threshold:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf

```

```

data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_value:
 Type: object
 Properties:
 cnbng-cp:value:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max:
 Type: object
 Properties:
 cnbng-cp:max:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionlimit_max'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max-post:
 Type: object
 Properties:
 cnbng-cp:value:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
 cnbng-cp:threshold:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_threshold:
 Type: object
 Properties:
 cnbng-cp:threshold:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_value:
 Type: object
 Properties:
 cnbng-cp:value:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan:
 Type: object
 Properties:
 cnbng-cp:outer-vlan:

```

```

 Reference: '#/components/schemas/datapost_cnbngcppprofile_sessionlimit_max'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan-post:
 Type: object
 Properties:
 cnbng-cp:value:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
 cnbng-cp:threshold:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_threshold:
 Type: object
 Properties:
 cnbng-cp:threshold:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_value:
 Type: object
 Properties:
 cnbng-cp:value:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_timeout-completion:
 Type: object
 Properties:
 cnbng-cp:timeout-completion:
 Type: integer
 Description: (leaf)
 format: uint16
 x-yang:
 Type: leaf
data_cnbng-cp_profile_radius:
 Type: object
 Properties:
 cnbng-cp:radius:
 Reference: '#/components/schemas/datapost_cnbngcppprofile_radius'
data_cnbng-cp_profile_radius-post:
 Type: object
 Properties:
```

```

cnbng-cp:server:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_server'
 x-yang:
 Type: list
cnbng-cp:algorithm:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - first-server
 - round-robin
 Default: first-server
 x-yang:
 Type: leaf
cnbng-cp:deadtime:
 Type: string
 Description: (leaf)
 format: int32
 x-yang:
 Type: leaf
cnbng-cp:detect-dead-server:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_detectdeadserver'

cnbng-cp:max-retry:
 Type: string
 Description: (leaf)
 format: int32
 x-yang:
 Type: leaf
cnbng-cp:timeout:
 Type: string
 Description: (leaf)
 format: int32
 x-yang:
 Type: leaf
cnbng-cp:attribute:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_attribute'
cnbng-cp:accounting:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_accounting'
cnbng-cp:server-group:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_servergroup'
 x-yang:
 Type: list
data_cnbng-cp_profile_radius_accounting:
 Type: object
 Properties:

```

```
 cnbng-cp:accounting:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_accounting'
data_cnbng-cp_profile_radius_accounting-post:
Type: object
Properties:
 cnbng-cp:algorithm:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - first-server
 - round-robin
 Default: first-server
 x-yang:
 Type: leaf
 cnbng-cp:deadtime:
 Type: string
 Description: (leaf)
 format: int32
 x-yang:
 Type: leaf
 cnbng-cp:detect-dead-server:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_detectdeadserver'

 cnbng-cp:max-retry:
 Type: string
 Description: (leaf)
 format: int32
 x-yang:
 Type: leaf
 cnbng-cp:timeout:
 Type: string
 Description: (leaf)
 format: int32
 x-yang:
 Type: leaf
 cnbng-cp:attribute:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_attribute'
data_cnbng-cp_profile_radius_accounting_algorithm:
Type: object
Properties:
 cnbng-cp:algorithm:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - first-server
 - round-robin
 Default: first-server
 x-yang:
 Type: leaf
data_cnbng-cp_profile_radius_accounting_attribute:
```

```

Type: object
Properties:
 cnbng-cp:attribute:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_attribute'
data_cnbng-cp_profile_radius_accounting_attribute-post:
Type: object
Properties:
 cnbng-cp:called-station-id:
 Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
 cnbng-cp:calling-station-id:
 Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
 cnbng-cp:nas-identifier:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 cnbng-cp:nas-identifier-format:
 Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasidentifierformat'
 cnbng-cp:nas-port-id:
 Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
 cnbng-cp:nas-port:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasport'

 cnbng-cp:nas-ip:
 Type: string
 Description: (leaf)
 format: union
 x-yang:
 Type: leaf
data_cnbng-cp_profile_radius_accounting_attribute_called-station-id:
Type: object
Properties:
 cnbng-cp:called-station-id:
 Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
data_cnbng-cp_profile_radius_accounting_attribute_called-station-id-post:

Type: object
Properties:
 cnbng-cp:format:
 Type: array
 Description: (list)
 Items:
 Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
 x-yang:
 Type: list
 cnbng-cp:format-name:

```

```

 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 cnbng-cp:value:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

```

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_called-station-id\_format-name:**

```

Type: object
Properties:
 cnbng-cp:format-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

```

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_called-station-id\_format\_format-nas-port-type:**

```

Type: object
Properties:
 cnbng-cp:format:
 Type: array
 Description: (list)
 Items:
 Reference:
 '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
 x-yang:
 Type: list

```

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_called-station-id\_format\_format-nas-port-type\_format-name:**

```

Type: object
Properties:
 cnbng-cp:format-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

```

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_called-station-id\_format\_format-nas-port-type\_nas-port-type:**

```

Type: object
Properties:
 cnbng-cp:nas-port-type:
 Type: string

```

```

 Description: (leaf)
 format: int32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_value:
 Type: object
 Properties:
 cnbng-cp:value:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id:
 Type: object
 Properties:
 cnbng-cp:calling-station-id:
 Reference:
 '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id-post:
 Type: object
 Properties:
 cnbng-cp:format:
 Type: array
 Description: (list)
 Items:
 Reference:
 '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
 x-yang:
 Type: list
 cnbng-cp:format-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 cnbng-cp:value:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format-name:
 Type: object
 Properties:
 cnbng-cp:format-name:
 Type: string
 Description: (leaf)
 format: string

```



**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_calling-station-id\_format\_format-nas-port-type:**

**Type:** object  
**Properties:**  
**cnbng-cp:format:**  
**Type:** array  
**Description:** (list)  
**Items:**  
**Reference:**

'#/components/schemas/datapost\_cnbngcpprofile\_radius\_attribute\_calledstationid\_format'

**x-yang:**  
**Type:** list

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_calling-station-id\_format\_format-nas-port-type\_format-name:**

**Type:** object  
**Properties:**  
**cnbng-cp:format-name:**  
**Type:** string  
**Description:** (leaf)  
**format:** string  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_calling-station-id\_format\_format-nas-port-type\_nas-port-type:**

**Type:** object  
**Properties:**  
**cnbng-cp:nas-port-type:**  
**Type:** string  
**Description:** (leaf)  
**format:** int32  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_calling-station-id\_value:**

**Type:** object  
**Properties:**  
**cnbng-cp:value:**  
**Type:** string  
**Description:** (leaf)  
**format:** string  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-identifier:**

**Type:** object  
**Properties:**  
**cnbng-cp:nas-identifier:**  
**Type:** string

```

 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format:

Type: object
Properties:
 cnbng-cp:nas-identifier-format:
 Reference:
 '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasidentifierformat'
data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format-post:

Type: object
Properties:
 cnbng-cp:format:
 Type: array
 Description: (list)
 Items:
 Reference:
 '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
 x-yang:
 Type: list
 cnbng-cp:format-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format-name:

Type: object
Properties:
 cnbng-cp:format-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type:

Type: object
Properties:
 cnbng-cp:format:
 Type: array
 Description: (list)
 Items:
 Reference:
 '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
 x-yang:

```

**Type:** list

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format\_format\_format-nas-port-type\_format-name:**

**Type:** object

**Properties:**

**cnbng-cp:**format-name:

**Type:** string

**Description:** (leaf)

**format:** string

**x-yang:**

**Type:** leaf

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format\_format\_format-nas-port-type\_nas-port-type:**

**Type:** object

**Properties:**

**cnbng-cp:**nas-port-type:

**Type:** string

**Description:** (leaf)

**format:** int32

**x-yang:**

**Type:** leaf

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-ip:**

**Type:** object

**Properties:**

**cnbng-cp:**nas-ip:

**Type:** string

**Description:** (leaf)

**format:** union

**x-yang:**

**Type:** leaf

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port:**

**Type:** object

**Properties:**

**cnbng-cp:**nas-port:

**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_radius\_attribute\_nasport'

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port-id:**

**Type:** object

**Properties:**

**cnbng-cp:**nas-port-id:

**Reference:**

'#/components/schemas/datapost\_cnbngcpprofile\_radius\_attribute\_calledstationid'

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port-id-post:**

**Type:** object

**Properties:**

**cnbng-cp:**format:

**Type:** array

**Description:** (list)

**Items:**

**Reference:**

'#/components/schemas/datapost\_cnbngcpprofile\_radius\_attribute\_calledstationid\_format'

```

 x-yang:
 Type: list
 cnbng-cp:format-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 cnbng-cp:value:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format-name:
 Type: object
 Properties:
 cnbng-cp:format-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type:
 Type: object
 Properties:
 cnbng-cp:format:
 Type: array
 Description: (list)
 Items:
 Reference:
 '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
 x-yang:
 Type: list

data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_format-name:
 Type: object
 Properties:
 cnbng-cp:format-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_nas-port-type:
 Type: object
 Properties:

```

```

 cnbng-cp:nas-port-type:
 Type: string
 Description: (leaf)
 format: int32
 x-yang:
 Type: leaf
 data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_value:
 Type: object
 Properties:
 cnbng-cp:value:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 data_cnbng-cp_profile_radius_accounting_attribute_nas-port-post:
 Type: object
 Properties:
 cnbng-cp:format-e-list:
 Type: array
 Description: (list)
 Items:
 Reference:
 '#/components/schemas/datapost_cnbngcprofile_radius_attribute_nasport_formatelist'
 x-yang:
 Type: list
 cnbng-cp:format-e:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 cnbng-cp:value:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
 data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e:
 Type: object
 Properties:
 cnbng-cp:format-e:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

 data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type:
 Type: object
 Properties:

```

```

cnbng-cp:format-e-list:
 Type: array
 Description: (list)
 Items:
 Reference:
 '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasport_formatelist'
 x-yang:
 Type: list

data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e:

Type: object
Properties:
 cnbng-cp:format-e:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type:

Type: object
Properties:
 cnbng-cp:nas-port-type:
 Type: string
 Description: (leaf)
 format: int32
 x-yang:
 Type: leaf

data_cnbng-cp_profile_radius_accounting_attribute_nas-port_value:
Type: object
Properties:
 cnbng-cp:value:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf

data_cnbng-cp_profile_radius_accounting_deadtime:
Type: object
Properties:
 cnbng-cp:deadtime:
 Type: string
 Description: (leaf)
 format: int32
 x-yang:
 Type: leaf

data_cnbng-cp_profile_radius_accounting_detect-dead-server:
Type: object
Properties:
 cnbng-cp:detect-dead-server:

```

**Reference:** '#/components/schemas/datapost\_cnbngcppprofile\_radius\_detectdeadserver'

**data\_cnbng-cp\_profile\_radius\_accounting\_detect-dead-server-post:**

**Type:** object

**Properties:**

**cnbng-cp:response-timeout:**

**Type:** string

**Description:** (leaf)

**format:** int32

**x-yang:**

**Type:** leaf

**data\_cnbng-cp\_profile\_radius\_accounting\_detect-dead-server\_response-timeout:**

**Type:** object

**Properties:**

**cnbng-cp:response-timeout:**

**Type:** string

**Description:** (leaf)

**format:** int32

**x-yang:**

**Type:** leaf

**data\_cnbng-cp\_profile\_radius\_accounting\_max-retry:**

**Type:** object

**Properties:**

**cnbng-cp:max-retry:**

**Type:** string

**Description:** (leaf)

**format:** int32

**x-yang:**

**Type:** leaf

**data\_cnbng-cp\_profile\_radius\_accounting\_timeout:**

**Type:** object

**Properties:**

**cnbng-cp:timeout:**

**Type:** string

**Description:** (leaf)

**format:** int32

**x-yang:**

**Type:** leaf

**data\_cnbng-cp\_profile\_radius\_algorithm:**

**Type:** object

**Properties:**

**cnbng-cp:algorithm:**

**Type:** string

**Description:** (leaf)

**format:** enumeration

**enum:**

- first-server

- round-robin

**Default:** first-server

**x-yang:**

```

 Type: leaf
data_cnbng-cp_profile_radius_attribute:
 Type: object
 Properties:
 cnbng-cp:attribute:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_attribute'
data_cnbng-cp_profile_radius_attribute-post:
 Type: object
 Properties:
 cnbng-cp:called-station-id:
 Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
 cnbng-cp:calling-station-id:
 Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
 cnbng-cp:nas-identifier:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 cnbng-cp:nas-identifier-format:
 Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasidentifierformat'
 cnbng-cp:nas-port-id:
 Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
 cnbng-cp:nas-port:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasport'

 cnbng-cp:nas-ip:
 Type: string
 Description: (leaf)
 format: union
 x-yang:
 Type: leaf
data_cnbng-cp_profile_radius_attribute_called-station-id:
 Type: object
 Properties:
 cnbng-cp:called-station-id:
 Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
data_cnbng-cp_profile_radius_attribute_called-station-id-post:
 Type: object
 Properties:
 cnbng-cp:format:
 Type: array
 Description: (list)
 Items:
 Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
 x-yang:
 Type: list

```



```

 cnbng-cp:format-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 cnbng-cp:value:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 data_cnbng-cp_profile_radius_attribute_called-station-id_format-name:
 Type: object
 Properties:
 cnbng-cp:format-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type:
 Type: object
 Properties:
 cnbng-cp:format:
 Type: array
 Description: (list)
 Items:
 Reference:
 '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
 x-yang:
 Type: list
 data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_format-name:
 Type: object
 Properties:
 cnbng-cp:format-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_nas-port-type:
 Type: object
 Properties:
 cnbng-cp:nas-port-type:
 Type: string
 Description: (leaf)

```

```

 format: int32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_radius_attribute_called-station-id_value:
 Type: object
 Properties:
 cnbng-cp:value:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_radius_attribute_calling-station-id:
 Type: object
 Properties:
 cnbng-cp:calling-station-id:
 Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
data_cnbng-cp_profile_radius_attribute_calling-station-id-post:
 Type: object
 Properties:
 cnbng-cp:format:
 Type: array
 Description: (list)
 Items:
 Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
 x-yang:
 Type: list
 cnbng-cp:format-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 cnbng-cp:value:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_radius_attribute_calling-station-id_format-name:
 Type: object
 Properties:
 cnbng-cp:format-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type:

```

```

Type: object
Properties:
 cnbng-cp:format:
 Type: array
 Description: (list)
 Items:
 Reference:
 '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
 x-yang:
 Type: list

data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_format-name:

Type: object
Properties:
 cnbng-cp:format-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_nas-port-type:

Type: object
Properties:
 cnbng-cp:nas-port-type:
 Type: string
 Description: (leaf)
 format: int32
 x-yang:
 Type: leaf

data_cnbng-cp_profile_radius_attribute_calling-station-id_value:
Type: object
Properties:
 cnbng-cp:value:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

data_cnbng-cp_profile_radius_attribute_nas-identifier:
Type: object
Properties:
 cnbng-cp:nas-identifier:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

data_cnbng-cp_profile_radius_attribute_nas-identifier-format:
Type: object

```

```

Properties:
 cnbng-cp:nas-identifier-format:
 Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasidentifierformat'
 data_cnbng-cp_profile_radius_attribute_nas-identifier-format-post:
 Type: object
 Properties:
 cnbng-cp:format:
 Type: array
 Description: (list)
 Items:
 Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
 x-yang:
 Type: list
 cnbng-cp:format-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format-name:
Type: object
Properties:
 cnbng-cp:format-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type:
Type: object
Properties:
 cnbng-cp:format:
 Type: array
 Description: (list)
 Items:
 Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
 x-yang:
 Type: list

data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_format-name:
Type: object
Properties:
 cnbng-cp:format-name:
 Type: string
 Description: (leaf)
 format: string

```

```

 x-yang:
 Type: leaf

data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_nas-port-type:
 Type: object
 Properties:
 cnbng-cp:nas-port-type:
 Type: string
 Description: (leaf)
 format: int32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_radius_attribute_nas-ip:
 Type: object
 Properties:
 cnbng-cp:nas-ip:
 Type: string
 Description: (leaf)
 format: union
 x-yang:
 Type: leaf
data_cnbng-cp_profile_radius_attribute_nas-port:
 Type: object
 Properties:
 cnbng-cp:nas-port:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasport'

data_cnbng-cp_profile_radius_attribute_nas-port-id:
 Type: object
 Properties:
 cnbng-cp:nas-port-id:
 Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
data_cnbng-cp_profile_radius_attribute_nas-port-id-post:
 Type: object
 Properties:
 cnbng-cp:format:
 Type: array
 Description: (list)
 Items:
 Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
 x-yang:
 Type: list
 cnbng-cp:format-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 cnbng-cp:value:

```

```

 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_radius_attribute_nas-port-id_format-name:
 Type: object
 Properties:
 cnbng-cp:format-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type:
 Type: object
 Properties:
 cnbng-cp:format:
 Type: array
 Description: (list)
 Items:
 Reference:
 '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
 x-yang:
 Type: list
data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_format-name:
 Type: object
 Properties:
 cnbng-cp:format-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_nas-port-type:
 Type: object
 Properties:
 cnbng-cp:nas-port-type:
 Type: string
 Description: (leaf)
 format: int32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_radius_attribute_nas-port-id_value:
 Type: object
 Properties:
 cnbng-cp:value:

```

```

 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_radius_attribute_nas-port-post:
 Type: object
 Properties:
 cnbng-cp:format-e-list:
 Type: array
 Description: (list)
 Items:
 Reference:
 '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasport_formatelist'
 x-yang:
 Type: list
 cnbng-cp:format-e:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 cnbng-cp:value:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_radius_attribute_nas-port_format-e:
 Type: object
 Properties:
 cnbng-cp:format-e:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type:
 Type: object
 Properties:
 cnbng-cp:format-e-list:
 Type: array
 Description: (list)
 Items:
 Reference:
 '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasport_formatelist'
 x-yang:
 Type: list

data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e:

```

**Type:** object  
**Properties:**  
  **cnbng-cp:format-e:**  
    **Type:** string  
    **Description:** (leaf)  
    **format:** string  
    **x-yang:**  
      **Type:** leaf

**data\_cnbng-cp\_profile\_radius\_attribute\_nas-port\_format-e-list\_format-e-list-nas-port-type\_nas-port-type:**

**Type:** object  
**Properties:**  
  **cnbng-cp:nas-port-type:**  
    **Type:** string  
    **Description:** (leaf)  
    **format:** int32  
    **x-yang:**  
      **Type:** leaf

**data\_cnbng-cp\_profile\_radius\_attribute\_nas-port\_value:**

**Type:** object  
**Properties:**  
  **cnbng-cp:value:**  
    **Type:** integer  
    **Description:** (leaf)  
    **format:** uint32  
    **x-yang:**  
      **Type:** leaf

**data\_cnbng-cp\_profile\_radius\_deadtime:**

**Type:** object  
**Properties:**  
  **cnbng-cp:deadtime:**  
    **Type:** string  
    **Description:** (leaf)  
    **format:** int32  
    **x-yang:**  
      **Type:** leaf

**data\_cnbng-cp\_profile\_radius\_detect-dead-server:**

**Type:** object  
**Properties:**  
  **cnbng-cp:detect-dead-server:**  
    **Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_radius\_detectdeadserver'

**data\_cnbng-cp\_profile\_radius\_detect-dead-server-post:**

**Type:** object  
**Properties:**  
  **cnbng-cp:response-timeout:**  
    **Type:** string  
    **Description:** (leaf)  
    **format:** int32  
    **x-yang:**  
      **Type:** leaf



**data\_cnbng-cp\_profile\_radius\_detect-dead-server\_response-timeout:**

**Type:** object

**Properties:**

**cnbng-cp:response-timeout:**

**Type:** string

**Description:** (leaf)

**format:** int32

**x-yang:**

**Type:** leaf

**data\_cnbng-cp\_profile\_radius\_max-retry:**

**Type:** object

**Properties:**

**cnbng-cp:max-retry:**

**Type:** string

**Description:** (leaf)

**format:** int32

**x-yang:**

**Type:** leaf

**data\_cnbng-cp\_profile\_radius\_server-group\_server-group-group-name:**

**Type:** object

**Properties:**

**cnbng-cp:server-group:**

**Type:** array

**Description:** (list)

**Items:**

**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_radius\_servergroup'

**x-yang:**

**Type:** list

**data\_cnbng-cp\_profile\_radius\_server-group\_server-group-group-name\_group-name:**

**Type:** object

**Properties:**

**cnbng-cp:group-name:**

**Type:** string

**Description:** (leaf)

**format:** string

**x-yang:**

**Type:** leaf

**data\_cnbng-cp\_profile\_radius\_server-group\_server-group-group-name\_server\_server-type\_server-ip\_server-port:**

**Type:** object

**Properties:**

**cnbng-cp:server:**

**Type:** array

**Description:** (list)

**Items:**

**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_radius\_server\_1'

**x-yang:**

**Type:** list

`data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_ip:`

**Type:** object  
**Properties:**  
 cnbng-cp:ip:  
**Type:** string  
**Description:** (leaf)  
**format:** leafref  
**x-yang:**  
**Type:** leaf

`data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_port:`

**Type:** object  
**Properties:**  
 cnbng-cp:port:  
**Type:** string  
**Description:** (leaf)  
**format:** leafref  
**x-yang:**  
**Type:** leaf

`data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_type:`

**Type:** object  
**Properties:**  
 cnbng-cp:type:  
**Type:** string  
**Description:** (leaf)  
**format:** enumeration  
**enum:**  
 - auth  
 - acct  
**Default:** auth  
**x-yang:**  
**Type:** leaf

`data_cnbng-cp_profile_radius_server_server-ip_server-port:`

**Type:** object  
**Properties:**  
 cnbng-cp:server:  
**Type:** array  
**Description:** (list)  
**Items:**  
**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_radius\_server'  
**x-yang:**  
**Type:** list

`data_cnbng-cp_profile_radius_server_server-ip_server-port_ip:`

**Type:** object  
**Properties:**  
 cnbng-cp:ip:  
**Type:** string  
**Description:** (leaf)  
**format:** union

```
 x-yang:
 Type: leaf
data_cnbng-cp_profile_radius_server_server-ip_server-port_port:
 Type: object
 Properties:
 cnbng-cp:port:
 Type: string
 Description: (leaf)
 format: int32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_radius_server_server-ip_server-port_priority:
 Type: object
 Properties:
 cnbng-cp:priority:
 Type: string
 Description: (leaf)
 format: int32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_radius_server_server-ip_server-port_secret:
 Type: object
 Properties:
 cnbng-cp:secret:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_radius_server_server-ip_server-port_type:
 Type: object
 Properties:
 cnbng-cp:type:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - auth
 - acct
 Default: auth
 x-yang:
 Type: leaf
data_cnbng-cp_profile_radius_timeout:
 Type: object
 Properties:
 cnbng-cp:timeout:
 Type: string
 Description: (leaf)
 format: int32
 x-yang:
 Type: leaf
data_cnbng-cp_profile_server-group_server-group-name:
```

```

Type: object
Properties:
 cnbng-cp:server-group:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_servergroup'
 x-yang:
 Type: list
data_cnbng-cp_profile_server-group_server-group-name_name:
Type: object
Properties:
 cnbng-cp:name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_server-group_server-group-name_radius-group:
Type: object
Properties:
 cnbng-cp:radius-group:
 Type: string
 Description: (leaf)
 format: leafref
 x-yang:
 Type: leaf
data_cnbng-cp_profile_subscriber_subscriber-name:
Type: object
Properties:
 cnbng-cp:subscriber:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_subscriber'
 x-yang:
 Type: list
data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile:
Type: object
Properties:
 cnbng-cp:aaa:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_aaa_1'
 x-yang:
 Type: list
data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_aaa-option:

```

**Type:** object  
**Properties:**  
 cnbng-cp:aaa-option:  
   **Type:** string  
   **Description:** (leaf)  
   **format:** enumeration  
   **enum:**  
   - authenticate  
   - authorize  
   **Default:** authenticate  
 x-yang:  
   **Type:** leaf

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_aaa\_aaa-aaa-option\_aaa-profile\_profile:**

**Type:** object  
**Properties:**  
 cnbng-cp:profile:  
   **Type:** string  
   **Description:** (leaf)  
   **format:** leafref  
 x-yang:  
   **Type:** leaf

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_activate-feature-templates\_activate-feature-templates-id:**

**Type:** object  
**Properties:**  
 cnbng-cp:activate-feature-templates:  
   **Type:** array  
   **Items:**  
     **Type:** string  
     **Description:** (leaf-list)  
     **format:** leafref  
 x-yang:  
   **Type:** leaf-list

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_apply-all-class:**

**Type:** object  
**Properties:**  
 cnbng-cp:apply-all-class:  
   **Type:** string  
   **Description:** (leaf)  
   **format:** '[null]'  
 x-yang:  
   **Type:** leaf

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name:**

**Type:** object  
**Properties:**  
 cnbng-cp:class:  
   **Type:** array  
   **Description:** (list)  
   **Items:**

**Reference:** '#/components/schemas/datapost\_cnbngcppprofile\_class'  
**x-yang:**  
**Type:** list

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_aaa\_aaa-aaa-option\_aaa-profile:**

**Type:** object  
**Properties:**  
**cnbng-cp:aaa:**  
**Type:** array  
**Description:** (list)  
**Items:**  
**Reference:** '#/components/schemas/datapost\_cnbngcppprofile\_aaa\_1'  
**x-yang:**  
**Type:** list

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_aaa\_aaa-aaa-option\_aaa-profile\_aaa-option:**

**Type:** object  
**Properties:**  
**cnbng-cp:aaa-option:**  
**Type:** string  
**Description:** (leaf)  
**format:** enumeration  
**enum:**  
- authenticate  
- authorize  
**Default:** authenticate  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_aaa\_aaa-aaa-option\_aaa-profile\_profile:**

**Type:** object  
**Properties:**  
**cnbng-cp:profile:**  
**Type:** string  
**Description:** (leaf)  
**format:** leafref  
**x-yang:**  
**Type:** leaf

?

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_activate-feature-templates\_activate-feature-templates-id**

**: type:** object  
**Properties:**  
**cnbng-cp:activate-feature-templates:**  
**Type:** array  
**Items:**  
**Type:** string  
**Description:** (leaf-list)  
**format:** leafref  
**x-yang:**  
**Type:** leaf-list

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_class-name:**

**Type:** object  
**Properties:**  
  **cnbng-cp: class-name:**  
    **Type:** string  
    **Description:** (leaf)  
    **format:** string  
    **x-yang:**  
      **Type:** leaf

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches:**

**Type:** object  
**Properties:**  
  **cnbng-cp: matches:**  
    **Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_matches'

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches-post:**

**Type:** object  
**Properties:**  
  **cnbng-cp: match:**  
    **Type:** array  
    **Description:** (list)  
    **Items:**  
      **Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_matches\_match'  
    **x-yang:**  
      **Type:** list  
  **cnbng-cp: match-type:**  
    **Type:** string  
    **Description:** (leaf)  
    **format:** enumeration  
    **enum:**  
    - any  
    - all  
    **Default:** any  
    **x-yang:**  
      **Type:** leaf

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match-type:**

**Type:** object  
**Properties:**  
  **cnbng-cp: match-type:**  
    **Type:** string  
    **Description:** (leaf)  
    **format:** enumeration  
    **enum:**  
    - any  
    - all  
    **Default:** any  
    **x-yang:**

**Type:** leaf

**data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match\_match-key:**

**Type:** object

**Properties:**

**cnbng-cp:match:**

**Type:** array

**Description:** (list)

**Items:**

**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_matches\_match'

**x-yang:**

**Type:** list

**data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match\_match-key\_ascii\_ascii-id:**

**Type:** object

**Properties:**

**cnbng-cp:ascii:**

**Type:** array

**Items:**

**Type:** string

**Description:** (leaf-list)

**format:** string

**x-yang:**

**Type:** leaf-list

**data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match\_match-key\_key:**

**Type:** object

**Properties:**

**cnbng-cp:key:**

**Type:** string

**Description:** (leaf)

**format:** enumeration

**enum:**

- protocol
- username
- source-mac
- circuit-id
- remote-id

**Default:** protocol

**x-yang:**

**Type:** leaf

**data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match\_match-key\_regex\_regex-id:**

**Type:** object

**Properties:**

**cnbng-cp:regex:**

**Type:** array

**Items:**

**Type:** string

**Description:** (leaf-list)



```

 format: string
 x-yang:
 Type: leaf-list

```

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match\_match-key\_type\_type-id:**

```

Type: object
Properties:
 cnbng-cp:type:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: enumeration
 enum:
 - dhcp
 - ppp
 Default: dhcp
 x-yang:
 Type: leaf-list

```

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_dhcp-profile:**

```

Type: object
Properties:
 cnbng-cp:dhcp-profile:
 Type: string
 Description: (leaf)
 format: leafref
 x-yang:
 Type: leaf

```

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name:**

```

Type: object
Properties:
 cnbng-cp:event:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_event'
 x-yang:
 Type: list

```

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_aaa\_aaa-aaa-option\_aaa-profile:**

```

Type: object
Properties:
 cnbng-cp:aaa:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_aaa_1'
 x-yang:
 Type: list

```

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_aaa\_aaa-aaa-option\_aaa-profile\_aaa-option:**

**Type:** object  
**Properties:**  
 cnbng-cp:aaa-option:  
**Type:** string  
**Description:** (leaf)  
**format:** enumeration  
**enum:**  
 - authenticate  
 - authorize  
**Default:** authenticate  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_aaa\_aaa-aaa-option\_aaa-profile\_profile:**

**Type:** object  
**Properties:**  
 cnbng-cp:profile:  
**Type:** string  
**Description:** (leaf)  
**format:** leafref  
**x-yang:**  
**Type:** leaf

?

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_activate-feature-templates\_activate-feature-templates-id**

**: type:** object  
**Properties:**  
 cnbng-cp:activate-feature-templates:  
**Type:** array  
**Items:**  
**Type:** string  
**Description:** (leaf-list)  
**format:** leafref  
**x-yang:**  
**Type:** leaf-list

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_apply-all-class:**

**Type:** object  
**Properties:**  
 cnbng-cp:apply-all-class:  
**Type:** string  
**Description:** (leaf)  
**format:** '[null]'  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name:**

**Type:** object  
**Properties:**

```

 cnbng-cp:class:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_class_1'
 x-yang:
 Type: list
 ?
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile

: type: object
Properties:
 cnbng-cp:aaa:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_aaa_1'
 x-yang:
 Type: list
 ?
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_aaa-option

: type: object
Properties:
 cnbng-cp:aaa-option:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - authenticate
 - authorize
 Default: authenticate
 x-yang:
 Type: leaf
 ?
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile

: type: object
Properties:
 cnbng-cp:profile:
 Type: string
 Description: (leaf)
 format: leafref
 x-yang:
 Type: leaf
 ?
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_activate-feature-templates_activate-feature-templates-id

: type: object
Properties:
 cnbng-cp:activate-feature-templates:
 Type: array
 Items:
 Type: string

```

**Description:** (leaf-list)  
**format:** leafref  
**x-yang:**  
**Type:** leaf-list

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_class-name:**

**Type:** object  
**Properties:**  
**cnbng-cp: class-name:**  
**Type:** string  
**Description:** (leaf)  
**format:** string  
**x-yang:**  
**Type:** leaf

?

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_deactivate-feature-templates\_deactivate-feature-templates-id**

**type:** object  
**Properties:**  
**cnbng-cp: deactivate-feature-templates:**  
**Type:** array  
**Items:**  
**Type:** string  
**Description:** (leaf-list)  
**format:** leafref  
**x-yang:**  
**Type:** leaf-list

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches:**

**Type:** object  
**Properties:**  
**cnbng-cp: matches:**  
**Reference:** '#/components/schemas/datapost\_cnbngcppprofile\_matches'

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches-post:**

**Type:** object  
**Properties:**  
**cnbng-cp: match:**  
**Type:** array  
**Description:** (list)  
**Items:**  
**Reference:** '#/components/schemas/datapost\_cnbngcppprofile\_matches\_match'  
**x-yang:**  
**Type:** list  
**cnbng-cp: match-type:**  
**Type:** string  
**Description:** (leaf)  
**format:** enumeration  
**enum:**  
 - any  
 - all

**Default:** any  
**x-yang:**  
**Type:** leaf

**data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches\_match-type:**

**Type:** object  
**Properties:**  
**cnbng-cp:match-type:**  
**Type:** string  
**Description:** (leaf)  
**format:** enumeration  
**enum:**  
 - any  
 - all  
**Default:** any  
**x-yang:**  
**Type:** leaf

**data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches\_match\_match-key:**

**Type:** object  
**Properties:**  
**cnbng-cp:match:**  
**Type:** array  
**Description:** (list)  
**Items:**  
**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_matches\_match'  
**x-yang:**  
**Type:** list

?

**data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches\_match\_match-key\_ascii\_ascii-id**

**type:** object  
**Properties:**  
**cnbng-cp:ascii:**  
**Type:** array  
**Items:**  
**Type:** string  
**Description:** (leaf-list)  
**format:** string  
**x-yang:**  
**Type:** leaf-list

**data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches\_match\_match-key\_key:**

**Type:** object  
**Properties:**  
**cnbng-cp:key:**  
**Type:** string  
**Description:** (leaf)  
**format:** enumeration  
**enum:**  
 - protocol

```

- username
- source-mac
- circuit-id
- remote-id
Default: protocol
x-yang:
 Type: leaf
?
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_regex_regex-id

: type: object
Properties:
 cnbng-cp:regex:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: string
 x-yang:
 Type: leaf-list
?
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_type_type-id

: type: object
Properties:
 cnbng-cp:type:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: enumeration
 enum:
 - dhcp
 - ppp
 Default: dhcp
 x-yang:
 Type: leaf-list
?
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_deactivate-feature-templates_deactivate-feature-templates-id

: type: object
Properties:
 cnbng-cp:deactivate-feature-templates:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: leafref
 x-yang:
 Type: leaf-list

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_event-name:

Type: object
Properties:

```

```
cnbng-cp:event-name:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - session-activate
 Default: session-activate
 x-yang:
 Type: leaf
data_cnbng-cp_profile_subscriber_subscriber-name_l2tp-profile:
 Type: object
 Properties:
 cnbng-cp:l2tp-profile:
 Type: string
 Description: (leaf)
 format: leafref
 x-yang:
 Type: leaf
data_cnbng-cp_profile_subscriber_subscriber-name_name:
 Type: object
 Properties:
 cnbng-cp:name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_profile_subscriber_subscriber-name_pppoe-profile:
 Type: object
 Properties:
 cnbng-cp:pppoe-profile:
 Type: string
 Description: (leaf)
 format: leafref
 x-yang:
 Type: leaf
data_cnbng-cp_profile_subscriber_subscriber-name_session-type:
 Type: object
 Properties:
 cnbng-cp:session-type:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - ipv4
 - ipv6
 - ipv4v6
 Default: ipv4
 x-yang:
 Type: leaf
data_cnbng-cp_user-planes:
 Type: object
```

```

Properties:
 cnbng-cp:user-planes:
 Reference: '#/components/schemas/datapost_cnbngcpuserplanes'
data_cnbng-cp_user-planes-post:
Type: object
Properties:
 cnbng-cp:user-plane:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpuserplanes_userplane'
 x-yang:
 Type: list
data_cnbng-cp_user-planes_user-plane_user-plane-name:
Type: object
Properties:
 cnbng-cp:user-plane:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpuserplanes_userplane'
 x-yang:
 Type: list
data_cnbng-cp_user-planes_user-plane_user-plane-name_flowctrl-group:
Type: object
Properties:
 cnbng-cp:flowctrl-group:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_user-planes_user-plane_user-plane-name_name:
Type: object
Properties:
 cnbng-cp:name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_user-planes_user-plane_user-plane-name_offline:
Type: object
Properties:
 cnbng-cp:offline:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf
data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address:

```



```

Type: object
Properties:
 cnbng-cp:peer-address:
 Reference: '#/components/schemas/datapost_cnbngcpuserplanes_peeraddress'
data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address-post:

Type: object
Properties:
 cnbng-cp:ipv4:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address_ipv4:

Type: object
Properties:
 cnbng-cp:ipv4:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id:

Type: object
Properties:
 cnbng-cp:port-id:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpuserplanes_portid'
 x-yang:
 Type: list
data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id_id:

Type: object
Properties:
 cnbng-cp:id:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id_subscriber-profile:

Type: object
Properties:
 cnbng-cp:subscriber-profile:
 Type: string

```

```

 Description: (leaf)
 format: leafref
 x-yang:
 Type: leaf
data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-profile:

Type: object
Properties:
 cnbng-cp:subscriber-profile:
 Type: string
 Description: (leaf)
 format: leafref
 x-yang:
 Type: leaf

data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy:

Type: object
Properties:
 cnbng-cp:subscriber-redundancy:
 Reference: '#/components/schemas/datapost_cnbngcpuserplanes_subscriberredundancy'

data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy-post:

Type: object
Properties:
 cnbng-cp:group:
 Type: array
 Description: (list)
 Items:
 Reference:
 '#/components/schemas/datapost_cnbngcpuserplanes_subscriberredundancy_group'
 x-yang:
 Type: list

data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name:

Type: object
Properties:
 cnbng-cp:group:
 Type: array
 Description: (list)
 Items:
 Reference:
 '#/components/schemas/datapost_cnbngcpuserplanes_subscriberredundancy_group'
 x-yang:
 Type: list

data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-name_disable:

Type: object
Properties:
 cnbng-cp:disable:

```

**Type:** string  
**Description:** (leaf)  
**format:** '[null]'  
**x-yang:**  
**Type:** leaf

**data\_cnbng\_cp\_user\_planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name\_group-name:**

**Type:** object  
**Properties:**  
**cnbng-cp:group-name:**  
**Type:** string  
**Description:** (leaf)  
**format:** string  
**x-yang:**  
**Type:** leaf

**data\_cnbng\_cp\_user\_planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name\_peer-identifier:**

**Type:** object  
**Properties:**  
**cnbng-cp:peer-identifier:**  
**Type:** string  
**Description:** (leaf)  
**format:** string  
**x-yang:**  
**Type:** leaf

**data\_cnbng\_cp\_user\_planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name\_port-id-map:**

**Type:** object  
**Properties:**  
**cnbng-cp:port-id-map:**  
**Reference:**

'#/components/schemas/datapost\_cnbngcpuserplanes\_subscriberredundancy\_portidmap'

**data\_cnbng\_cp\_user\_planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name\_port-id-map-port:**

**Type:** object  
**Properties:**  
**cnbng-cp:port-name:**  
**Type:** array  
**Description:** (list)  
**Items:**  
**Reference:**

'#/components/schemas/datapost\_cnbngcpuserplanes\_subscriberredundancy\_portidmap\_portname'

**x-yang:**  
**Type:** list

?

**data\_cnbng\_cp\_user\_planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name\_port-id-map\_port-rate\_port-rate-port-id-name\_port-rate-port-id**

**type:** object  
**Properties:**  
**cnbng-cp:port-name:**

```

 Type: array
 Description: (list)
 Items:
 Reference:
 '#/components/schemas/datapost_cnbngcpuserplanes_subscriberredundancy_portidmap_portname'
 x-yang:
 Type: list
 ?
data_cnbng_cp_user_planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-map_port-rate_port-rate-port-id-rate_port-rate-port-id_port-id
: type: object
Properties:
 cnbng-cp:port-id:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
 ?
data_cnbng_cp_user_planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-map_port-rate_port-rate-port-id-rate_port-rate-port-id_port-id-rate
: type: object
Properties:
 cnbng-cp:port-id-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf

data_cnbng_cp_user_planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_preferred-role-active:
Type: object
Properties:
 cnbng-cp:preferred-role-active:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf

data_cnbng_cp_user_planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_revertive-timer:
Type: object
Properties:
 cnbng-cp:revertive-timer:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf

data_cnbng_cp_user_planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_standby-mode:

```

```

Type: object
Properties:
 cnbng-cp:standby-mode:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - hot
 - warm
 Default: hot
 x-yang:
 Type: leaf
operations:
 Type: object
 Properties:
 ietf-restconf:operations:
 Type: object
 Properties: {}
 Description: This resource is a container that provides access to the
data-model-specific
 RPC operations supported by the server. See RESTCONF RFC 8040 for further
 information.
 x-yang:
 Type: operations
root:
 Type: object
 Properties:
 ietf-restconf:restconf:
 Reference: '#/components/schemas/root_ietfrestconfrestconf'
yang-library-version:
 Type: object
 Properties:
 ietf-restconf:yang-library-version:
 Type: object
 Properties: {}
 Description: This leaf identifies the revision date of the 'ietf-yang-library'
 YANG module that is implemented by this server. See RESTCONF RFC 8040
 for further information.
 x-yang:
 Type: leaf
datapost_cnbngcpprofile_ipv4_server_netbiosnodetype:
 Type: object
 Properties:
 broadcast-node:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf
 hybrid-node:
 Type: string
 Description: (leaf)
 format: '[null]'

```

```
 x-yang:
 Type: leaf
 mixed-node:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf
 peer-to-peer-node:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf
 hexadecimal:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 Description: (non-presence)
 example: null
datapost_cnbngcprofile_ipv4_server_lease:
 Type: object
 Properties:
 days:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
 hours:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
 minutes:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
 Description: (non-presence)
 example: null
datapost_cnbngcprofile_ipv4_server_staticipkey:
 Type: object
 Properties:
 identifier:
 Type: string
 Description: (leaf)
```

```

 format: enumeration
 enum:
 - client-mac-address
 Default: client-mac-address
 x-yang:
 Type: leaf
 Description: (non-presence)
 example: null
datapost_cnbngcpprofile_ipv4_server_holdtime:
Type: object
Properties:
 minutes:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
 Description: (non-presence)
 example: null
datapost_cnbngcpprofile_ipv4_server_optioncodes_optioncode:
Type: object
Properties:
 option-code:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
 ascii-string:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 hex-string:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 ip-address:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: string
 x-yang:
 Type: leaf-list
 force-insert:
 Type: string
 Description: (leaf)
 format: boolean

```

```

 x-yang:
 Type: leaf
 example: null
 datapost_cnbngcpprofile_ipv4_server_optioncodes:
 Type: object
 Properties:
 option-code:
 Type: array
 Description: (list)
 Items:
 Reference:
 '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_optioncodes_optioncode'
 x-yang:
 Type: list
 Description: (non-presence)
 example: null
 datapost_cnbngcpprofile_ipv4_server:
 Type: object
 Properties:
 pool-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 dns-servers:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: string
 x-yang:
 Type: leaf-list
 ntp-servers:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: string
 x-yang:
 Type: leaf-list
 netbios-name-server:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: string
 x-yang:
 Type: leaf-list
 domain-name:
 Type: string
 Description: (leaf)

```



```

 format: string
 x-yang:
 Type: leaf
 boot-filename:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 next-server:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 netbios-node-type:
 Reference:
 '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_netbiosnodetype'
 lease:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_lease'
 static-ip-key:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_staticipkey'

 hold-time:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_holdtime'
 option-codes:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_optioncodes'

 Description: (non-presence)
 example: null
datapost_cnbngcpprofile_ipv4_matches_match:
 Type: object
 Properties:
 key:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 Default: dhcpv4-circuit-id
 x-yang:
 Type: leaf
 ascii:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: string
 x-yang:
 Type: leaf-list

```

```

 hex:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: string
 x-yang:
 Type: leaf-list
 example: null
 datapost_cnbngcpprofile_ipv4_matches:
 Type: object
 Properties:
 match:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_matches_match'
 x-yang:
 Type: list
 match-type:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - any
 - all
 Default: any
 x-yang:
 Type: leaf
 Description: (presence)
 example: null
 datapost_cnbngcpprofile_ipv4_class:
 Type: object
 Properties:
 class-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 matches:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_matches'
 server:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server'
 example: null
 datapost_cnbngcpprofile_ipv4:
 Type: object
 Properties:
 mode:
 Type: string
 Description: (leaf)
 format: enumeration

```

```
 enum:
 - server
 - proxy
 Default: server
 x-yang:
 Type: leaf
 server:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server'
 class:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_class'
 x-yang:
 Type: list
 Description: (non-presence)
 example: null
datapost_cnbngcpprofile_ipv6_server:
 Type: object
 Properties:
 iana-pool-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 iapd-pool-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 dns-servers:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: string
 x-yang:
 Type: leaf-list
 domain-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 preference:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
```

```

aftr-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
rapid-commit:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf
lease:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_lease'
static-ip-key:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_staticipkey'

hold-time:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_holdtime'
Description: (non-presence)
example: null
datapost_cnbngcpprofile_ipv6_matches_match:
Type: object
Properties:
 key:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - dhcpv6-interface-id
 - dhcpv6-remote-id
 - dhcpv6-vendor-class
 - dhcpv6-user-class
 Default: dhcpv6-interface-id
 x-yang:
 Type: leaf
ascii:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: string
 x-yang:
 Type: leaf-list
hex:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: string
 x-yang:
 Type: leaf-list

```

```
example: null
datapost_cnbngcpprofile_ipv6_matches:
 Type: object
 Properties:
 match:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv6_matches_match'
 x-yang:
 Type: list
 match-type:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - any
 - all
 Default: any
 x-yang:
 Type: leaf
 Description: (presence)
 example: null
datapost_cnbngcpprofile_ipv6_class:
 Type: object
 Properties:
 class-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 matches:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv6_matches'
 server:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv6_server'
 example: null
datapost_cnbngcpprofile_ipv6:
 Type: object
 Properties:
 mode:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - server
 - proxy
 Default: server
 x-yang:
 Type: leaf
 server:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv6_server'
```

```

class:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv6_class'
 x-yang:
 Type: list
 Description: (non-presence)
 example: null
datapost_cnbngcpprofile_dhcp:
 Type: object
 Properties:
 name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 ipv4:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4'
 ipv6:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv6'
 example: null
datapost_cnbngcpprofile_maxpayload:
 Type: object
 Properties:
 deny:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf
 Minimum:
 Type: integer
 Description: (leaf)
 format: uint16
 x-yang:
 Type: leaf
 Maximum:
 Type: integer
 Description: (leaf)
 format: uint16
 x-yang:
 Type: leaf
 Description: (non-presence)
 example: null
datapost_cnbngcpprofile_sessionlimit_max:
 Type: object
 Properties:
 value:
 Type: integer

```

```
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
 threshold:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
Description: (non-presence)
example: null
datapost_cnbngcpprofile_sessionlimit:
Type: object
Properties:
 max:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionlimit_max'
 mac:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionlimit_max'
 circuit-id:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionlimit_max'
 outer-vlan:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionlimit_max'
Description: (non-presence)
example: null
datapost_cnbngcpprofile_pppoe:
Type: object
Properties:
 name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 mtu:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
 ctrl-pkt-priority:
 Type: integer
 Description: (leaf)
 format: byte
 x-yang:
 Type: leaf
 service-selection-disable:
 Type: string
 Description: (leaf)
 format: boolean
 x-yang:
```

```

 Type: leaf
max-payload:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_maxpayload'
service-name:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: string
 x-yang:
 Type: leaf-list
ac-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
ac-cookie:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
session-limit:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionlimit'
timeout-completion:
 Type: integer
 Description: (leaf)
 format: uint16
 x-yang:
 Type: leaf
example: null
datapost_cnbngcpprofile_authentication:
 Type: object
 Properties:
 method-order:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: union
 x-yang:
 Type: leaf-list
 Description: (non-presence)
 example: null
datapost_cnbngcpprofile_authorization_type:
 Type: object
 Properties:
 subscriber:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_authentication'
 Description: (non-presence)

```



```
example: null
datapost_cnbngcpprofile_authorization_username:
 Type: object
 Properties:
 value:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 format:
 Type: string
 Description: (leaf)
 format: leafref
 x-yang:
 Type: leaf
 identifier:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - addr
 - circuit-id-tag
 - client-mac-address
 - client-mac-address-custom1
 - client-mac-address-custom2
 - client-mac-address-ietf
 - client-mac-address-raw
 - dhcp-client-id
 - dhcp-client-id-spl
 - dhcp-user-class
 - dhcp-vendor-class
 - dhcpv4-client-id-spl
 - dhcpv4-vendor-class
 - dhcpv6-client-id-ent-ident
 - dhcpv6-interface-id
 - dhcpv6-vendor-class-string
 - inner-vlan-id
 - outer-vlan-id
 - physical-adapter
 - physical-chassis
 - physical-port
 - physical-slot
 - physical-subslot
 - port-type
 - pppoe-session-id
 - remote-id-tag
 - service-name
 - username
 - user-plane
 Default: addr
 x-yang:
 Type: leaf
 Description: (non-presence)
 example: null
datapost_cnbngcpprofile_authorization:
 Type: object
```

```

Properties:
 Type:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_authorization_type'
 username:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_authorization_username'

 password:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 Description: (non-presence)
 example: null
datapost_cnbngcpprofile_aaa:
 Type: object
 Properties:
 name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 authentication:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_authentication'
 authorization:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_authorization'
 accounting:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_authentication'
 example: null
datapost_cnbngcpprofile_servergroup:
 Type: object
 Properties:
 name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 radius-group:
 Type: string
 Description: (leaf)
 format: leafref
 x-yang:
 Type: leaf
 example: null
datapost_cnbngcpprofile_attributeformat:
 Type: object
 Properties:
 name:
 Type: string
 Description: (leaf)

```

```
 format: string
 x-yang:
 Type: leaf
 format-string:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 format-order:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: union
 x-yang:
 Type: leaf-list
 example: null
datapost_cnbngcppprofile_aaa_1:
 Type: object
 Properties:
 aaa-option:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - authenticate
 - authorize
 Default: authenticate
 x-yang:
 Type: leaf
 profile:
 Type: string
 Description: (leaf)
 format: leafref
 x-yang:
 Type: leaf
 example: null
datapost_cnbngcppprofile_matches_match:
 Type: object
 Properties:
 key:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - protocol
 - username
 - source-mac
 - circuit-id
 - remote-id
 Default: protocol
 x-yang:
```

```

 Type: leaf
Type:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: enumeration
 enum:
 - dhcp
 - ppp
 Default: dhcp
 x-yang:
 Type: leaf-list
ascii:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: string
 x-yang:
 Type: leaf-list
regex:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: string
 x-yang:
 Type: leaf-list
example: null
datapost_cnbngcpprofile_matches:
Type: object
Properties:
 match:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_matches_match'
 x-yang:
 Type: list
 match-type:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - any
 - all
 Default: any
 x-yang:
 Type: leaf
Description: (non-presence)
example: null

```

```
datapost_cnbngcppprofile_class:
 Type: object
 Properties:
 class-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 matches:
 Reference: '#/components/schemas/datapost_cnbngcppprofile_matches'
 activate-feature-templates:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: leafref
 x-yang:
 Type: leaf-list
 aaa:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcppprofile_aaa_1'
 x-yang:
 Type: list
 example: null
datapost_cnbngcppprofile_class_1:
 Type: object
 Properties:
 class-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 matches:
 Reference: '#/components/schemas/datapost_cnbngcppprofile_matches'
 deactivate-feature-templates:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: leafref
 x-yang:
 Type: leaf-list
 activate-feature-templates:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
```

```

 format: leafref
 x-yang:
 Type: leaf-list
 aaa:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_aaa_1'
 x-yang:
 Type: list
 example: null
datapost_cnbngcpprofile_event:
 Type: object
 Properties:
 event-name:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - session-activate
 Default: session-activate
 x-yang:
 Type: leaf
 aaa:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_aaa_1'
 x-yang:
 Type: list
 deactivate-feature-templates:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: leafref
 x-yang:
 Type: leaf-list
 activate-feature-templates:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: leafref
 x-yang:
 Type: leaf-list
 apply-all-class:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf

```

```
class:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_class_1'
 x-yang:
 Type: list
example: null
datapost_cnbngcpprofile_subscriber:
 Type: object
 Properties:
 name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 dhcp-profile:
 Type: string
 Description: (leaf)
 format: leafref
 x-yang:
 Type: leaf
 pppoe-profile:
 Type: string
 Description: (leaf)
 format: leafref
 x-yang:
 Type: leaf
 session-type:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - ipv4
 - ipv6
 - ipv4v6
 Default: ipv4
 x-yang:
 Type: leaf
 l2tp-profile:
 Type: string
 Description: (leaf)
 format: leafref
 x-yang:
 Type: leaf
 aaa:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_aaa_1'
 x-yang:
```

```

 Type: list
activate-feature-templates:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: leafref
 x-yang:
 Type: leaf-list
class:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_class'
 x-yang:
 Type: list
apply-all-class:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf
event:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_event'
 x-yang:
 Type: list
example: null
datapost_cnbngcpprofile_ipv4_1_verifyunicastsources:
 Type: object
 Properties:
 reachable-via-rx:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf
 Description: (non-presence)
 example: null
datapost_cnbngcpprofile_ipv4_1:
 Type: object
 Properties:
 mtu:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
 ingress-acl:

```



```

 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
egress-acl:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
disable-unreachables:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf
verify-unicast-source:
 Reference: '#/components/schemas/datapost_cnbngcprofile_ipv4_1_verifyunicastsource'

Description: (non-presence)
example: null
datapost_cnbngcprofile_qos:
Type: object
Properties:
 in-policy:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 out-policy:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 merge-level:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
Description: (non-presence)
example: null
datapost_cnbngcprofile_sessionaccounting:
Type: object
Properties:
 enable:
 Type: string
 Description: (leaf)
 format: '[null]'
```

```

 x-yang:
 Type: leaf
 aaa-profile:
 Type: string
 Description: (leaf)
 format: leafref
 x-yang:
 Type: leaf
 periodic-interval:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
 dual-stack-delay:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
 Description: (non-presence)
 example: null
datapost_cnbngcpprofile_serviceaccounting:
 Type: object
 Properties:
 enable:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf
 aaa-profile:
 Type: string
 Description: (leaf)
 format: leafref
 x-yang:
 Type: leaf
 periodic-interval:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
 Description: (non-presence)
 example: null
datapost_cnbngcpprofile_ppp_chap:
 Type: object
 Properties:
 hostname:
 Type: string
 Description: (leaf)

```

```

 format: string
 x-yang:
 Type: leaf
 password:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 Description: (non-presence)
 example: null
datapost_cnbngcpprofile_ppp_ipcp_dns:
 Type: object
 Properties:
 primary-address:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 secondary-address:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 Description: (non-presence)
 example: null
datapost_cnbngcpprofile_ppp_ipcp_renegotiation:
 Type: object
 Properties:
 ignore:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf
 Description: (non-presence)
 example: null
datapost_cnbngcpprofile_ppp_ipcp:
 Type: object
 Properties:
 dns:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp_dns'
 peer-address-pool:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 renegotiation:

```

```

 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp_renegotiation'

 wins:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp_dns'
 Description: (non-presence)
 example: null
 datapost_cnbngcpprofile_ppp_ipv6cp:
 Type: object
 Properties:
 renegotiation:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp_renegotiation'

 Description: (non-presence)
 example: null
 datapost_cnbngcpprofile_ppp_lcp_delay:
 Type: object
 Properties:
 seconds:
 Type: integer
 Description: (leaf)
 format: byte
 x-yang:
 Type: leaf
 milliseconds:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
 Description: (non-presence)
 example: null
 datapost_cnbngcpprofile_ppp_lcp:
 Type: object
 Properties:
 delay:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_lcp_delay'
 renegotiation:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp_renegotiation'

 Description: (non-presence)
 example: null
 datapost_cnbngcpprofile_ppp_pap:
 Type: object
 Properties:
 accept-null-password:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf
 Description: (non-presence)
 example: null

```

```
datapost_cnbngcpprofile_ppp_timeout:
 Type: object
 Properties:
 absolute:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_holdtime'
 authentication:
 Type: integer
 Description: (leaf)
 format: byte
 x-yang:
 Type: leaf
 retry:
 Type: integer
 Description: (leaf)
 format: byte
 x-yang:
 Type: leaf
 Description: (non-presence)
 example: null
datapost_cnbngcpprofile_ppp_keepalive:
 Type: object
 Properties:
 disable:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf
 interval:
 Type: integer
 Description: (leaf)
 format: byte
 x-yang:
 Type: leaf
 retry:
 Type: integer
 Description: (leaf)
 format: byte
 x-yang:
 Type: leaf
 Description: (non-presence)
 example: null
datapost_cnbngcpprofile_ppp:
 Type: object
 Properties:
 authentication:
 Type: array
 Items:
 Type: string
 Description: (leaf-list)
 format: enumeration
```

```

 enum:
 - pap
 - chap
 Default: pap
 x-yang:
 Type: leaf-list
chap:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_chap'
service-type:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - outbound
 Default: outbound
 x-yang:
 Type: leaf
ipcp:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp'
ipv6cp:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipv6cp'
lcp:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_lcp'
max-bad-auth:
 Type: integer
 Description: (leaf)
 format: byte
 x-yang:
 Type: leaf
max-configure:
 Type: integer
 Description: (leaf)
 format: byte
 x-yang:
 Type: leaf
max-failure:
 Type: integer
 Description: (leaf)
 format: byte
 x-yang:
 Type: leaf
pap:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_pap'
timeout:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_timeout'
keepalive:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_keepalive'
Description: (non-presence)
example: null
datapost_cnbngcpprofile_featuretemplate:
 Type: object
 Properties:

```

```

name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
vrf-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
ipv4:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_1'
ipv6:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_1'
http-policy:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
qos:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_qos'
session-accounting:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionaccounting'
service-accounting:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_serviceaccounting'
ppp:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp'
example: null
datapost_cnbngcpprofile_tcp:
 Type: object
 Properties:
 adjust-mss:
 Type: integer
 Description: (leaf)
 format: uint16
 x-yang:
 Type: leaf
 Description: (non-presence)
 example: null
datapost_cnbngcpprofile_retransmit_initial_timeout:
 Type: object
 Properties:
 max:
 Type: integer
 Description: (leaf)
 format: byte
 x-yang:
 Type: leaf

```

```

 min:
 Type: integer
 Description: (leaf)
 format: byte
 x-yang:
 Type: leaf
 Description: (non-presence)
 example: null
datapost_cnbngcpprofile_retransmit_initial:
 Type: object
 Properties:
 timeout:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_retransmit_initial_timeout'

 retries:
 Type: integer
 Description: (leaf)
 format: uint16
 x-yang:
 Type: leaf
 Description: (non-presence)
 example: null
datapost_cnbngcpprofile_retransmit:
 Type: object
 Properties:
 initial:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_retransmit_initial'
 timeout:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_retransmit_initial_timeout'

 retries:
 Type: integer
 Description: (leaf)
 format: uint16
 x-yang:
 Type: leaf
 Description: (non-presence)
 example: null
datapost_cnbngcpprofile_terminatefrom:
 Type: object
 Properties:
 hostname:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 example: null
datapost_cnbngcpprofile_domain:
 Type: object
 Properties:
 name:

```



```
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 tun-assign-id:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 example: null
datapost_cnbngcpprofile_iptos:
 Type: object
 Properties:
 value:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
 reflect:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf
 Description: (non-presence)
 example: null
datapost_cnbngcpprofile_tunnel_timeout:
 Type: object
 Properties:
 no-session:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
 Description: (non-presence)
 example: null
datapost_cnbngcpprofile_tunnel:
 Type: object
 Properties:
 session-limit:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
 timeout:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_tunnel_timeout'
```

```

Description: (non-presence)
example: null
datapost_cnbngcpprofile_ipv4_2_destination:
Type: object
Properties:
 dest-ip:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 weight:
 Type: integer
 Description: (leaf)
 format: uint16
 x-yang:
 Type: leaf
example: null
datapost_cnbngcpprofile_ipv4_2:
Type: object
Properties:
 df-bit:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - set
 - reflect
 Default: set
 x-yang:
 Type: leaf
 source:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 destination:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_2_destination'
 x-yang:
 Type: list
Description: (non-presence)
example: null
datapost_cnbngcpprofile_l2tp:
Type: object
Properties:
 name:
 Type: string
 Description: (leaf)

```

```
 format: string
 x-yang:
 Type: leaf
mode:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - lac
 - lns
 Default: lac
 x-yang:
 Type: leaf
encrypt-avp:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf
dsl-info-forwarding:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf
hostname:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
mtu:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
hello-interval:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
tcp:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_tcp'
retransmit:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_retransmit'
receive-window:
 Type: integer
 Description: (leaf)
 format: uint16
 x-yang:
```

```

 Type: leaf
terminate-from:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_terminatefrom'
 x-yang:
 Type: list
domain:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_domain'
 x-yang:
 Type: list
vrf:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
authentication:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf
ip-tos:
 Reference: '#/components/schemas/datapost_cnbngcpprofile iptos'
tunnel:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_tunnel'
ipv4:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_2'
congestion-control:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf
tx-connect-speed:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
rx-connect-speed:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf

```

```
tunnel-load-balancing:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - weighted
 - equal
 Default: weighted
 x-yang:
 Type: leaf
password:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
force-lcp-renegotiation:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf
example: null
datapost_cnbngcpprofile_radius_server:
 Type: object
 Properties:
 ip:
 Type: string
 Description: (leaf)
 format: union
 x-yang:
 Type: leaf
 port:
 Type: string
 Description: (leaf)
 format: int32
 x-yang:
 Type: leaf
 Type:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - auth
 - acct
 Default: auth
 x-yang:
 Type: leaf
secret:
 Type: string
 Description: (leaf)
 format: string
```

```

 x-yang:
 Type: leaf
 priority:
 Type: string
 Description: (leaf)
 format: int32
 x-yang:
 Type: leaf
 example: null
datapost_cnbngcpprofile_radius_detectdeadserver:
 Type: object
 Properties:
 response-timeout:
 Type: string
 Description: (leaf)
 format: int32
 x-yang:
 Type: leaf
 Description: (non-presence)
 example: null
datapost_cnbngcpprofile_radius_attribute_calledstationid_format:
 Type: object
 Properties:
 nas-port-type:
 Type: string
 Description: (leaf)
 format: int32
 x-yang:
 Type: leaf
 format-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 example: null
datapost_cnbngcpprofile_radius_attribute_calledstationid:
 Type: object
 Properties:
 format:
 Type: array
 Description: (list)
 Items:
 Reference:
 '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
 x-yang:
 Type: list
 format-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:

```

```

 Type: leaf
 value:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 Description: (non-presence)
 example: null
datapost_cnbngcpprofile_radius_attribute_nasidentifierformat:
 Type: object
 Properties:
 format:
 Type: array
 Description: (list)
 Items:
 Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
 x-yang:
 Type: list
 format-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 Description: (non-presence)
 example: null
datapost_cnbngcpprofile_radius_attribute_nasport_formatelist:
 Type: object
 Properties:
 nas-port-type:
 Type: string
 Description: (leaf)
 format: int32
 x-yang:
 Type: leaf
 format-e:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 example: null
datapost_cnbngcpprofile_radius_attribute_nasport:
 Type: object
 Properties:
 format-e-list:
 Type: array
 Description: (list)
 Items:
 Reference:

```

```

'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasport_formatelist'
 x-yang:
 Type: list
 format-e:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 value:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
 Description: (non-presence)
 example: null
 datapost_cnbngcpprofile_radius_attribute:
 Type: object
 Properties:
 called-station-id:
 Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
 calling-station-id:
 Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
 nas-identifier:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 nas-identifier-format:
 Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasidentifierformat'
 nas-port-id:
 Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
 nas-port:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasport'

 nas-ip:
 Type: string
 Description: (leaf)
 format: union
 x-yang:
 Type: leaf
 Description: (non-presence)
 example: null
 datapost_cnbngcpprofile_radius_accounting:
 Type: object
 Properties:
 algorithm:

```



```

 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - first-server
 - round-robin
 Default: first-server
 x-yang:
 Type: leaf
deadtime:
 Type: string
 Description: (leaf)
 format: int32
 x-yang:
 Type: leaf
detect-dead-server:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_detectdeadserver'

max-retry:
 Type: string
 Description: (leaf)
 format: int32
 x-yang:
 Type: leaf
timeout:
 Type: string
 Description: (leaf)
 format: int32
 x-yang:
 Type: leaf
attribute:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_attribute'
 Description: (non-presence)
 example: null
datapost_cnbngcpprofile_radius_server_1:
Type: object
Properties:
 Type:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - auth
 - acct
 Default: auth
 x-yang:
 Type: leaf
 ip:
 Type: string
 Description: (leaf)
 format: leafref
 x-yang:
```

```

 Type: leaf
port:
 Type: string
 Description: (leaf)
 format: leafref
 x-yang:
 Type: leaf
example: null
datapost_cnbngcpprofile_radius_servergroup:
Type: object
Properties:
 group-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 server:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_server_1'
 x-yang:
 Type: list
example: null
datapost_cnbngcpprofile_radius:
Type: object
Properties:
 server:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_server'
 x-yang:
 Type: list
 algorithm:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - first-server
 - round-robin
 Default: first-server
 x-yang:
 Type: leaf
 deadtime:
 Type: string
 Description: (leaf)
 format: int32
 x-yang:
 Type: leaf
 detect-dead-server:

```

```
Reference: '#/components/schemas/datapost_cnbngcprofile_radius_detectdeadserver'

max-retry:
 Type: string
 Description: (leaf)
 format: int32
 x-yang:
 Type: leaf
timeout:
 Type: string
 Description: (leaf)
 format: int32
 x-yang:
 Type: leaf
attribute:
 Reference: '#/components/schemas/datapost_cnbngcprofile_radius_attribute'
accounting:
 Reference: '#/components/schemas/datapost_cnbngcprofile_radius_accounting'
server-group:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcprofile_radius_servergroup'
 x-yang:
 Type: list
Description: (non-presence)
example: null
datapost_cnbngcprofile_coa_client:
 Type: object
 Properties:
 ip:
 Type: string
 Description: (leaf)
 format: union
 x-yang:
 Type: leaf
 server-key:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 example: null
datapost_cnbngcprofile_coa:
 Type: object
 Properties:
 server-key:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
```

```
client:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_coa_client'
 x-yang:
 Type: list
 Description: (non-presence)
 example: null
datapost_cnbngcpprofile:
 Type: object
 Properties:
 dhcp:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_dhcp'
 x-yang:
 Type: list
 pppoe:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_pppoe'
 x-yang:
 Type: list
 aaa:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_aaa'
 x-yang:
 Type: list
 server-group:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_servergroup'
 x-yang:
 Type: list
 attribute-format:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_attributeformat'
 x-yang:
 Type: list
 subscriber:
 Type: array
 Description: (list)
 Items:
```

```

 Reference: '#/components/schemas/datapost_cnbngcpprofile_subscriber'
 x-yang:
 Type: list
 feature-template:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_featuretemplate'
 x-yang:
 Type: list
 l2tp:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_l2tp'
 x-yang:
 Type: list
 radius:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_radius'
 coa:
 Reference: '#/components/schemas/datapost_cnbngcpprofile_coa'
 Description: (non-presence)
 example: null
datapost_cnbngcpuserplanes_peeraddress:
 Type: object
 Properties:
 ipv4:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 Description: (non-presence)
 example: null
datapost_cnbngcpuserplanes_portid:
 Type: object
 Properties:
 id:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 subscriber-profile:
 Type: string
 Description: (leaf)
 format: leafref
 x-yang:
 Type: leaf
 example: null
datapost_cnbngcpuserplanes_subscriberredundancy_portidmap_portname:

```

```

Type: object
Properties:
 port-id-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 port-id:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
 example: null
datapost_cnbngcpuserplanes_subscriberredundancy_portidmap:
Type: object
Properties:
 port-name:
 Type: array
 Description: (list)
 Items:
 Reference:
 '#/components/schemas/datapost_cnbngcpuserplanes_subscriberredundancy_portidmap_portname'
 x-yang:
 Type: list
 Description: (non-presence)
 example: null
datapost_cnbngcpuserplanes_subscriberredundancy_group:
Type: object
Properties:
 group-name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 disable:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf
 standby-mode:
 Type: string
 Description: (leaf)
 format: enumeration
 enum:
 - hot
 - warm
 Default: hot
 x-yang:

```

```

 Type: leaf
 preferred-role-active:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf
 revertive-timer:
 Type: integer
 Description: (leaf)
 format: uint32
 x-yang:
 Type: leaf
 peer-identifier:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 port-id-map:
 Reference:
'#/components/schemas/datapost_cnbngcuserplanes_subscriberredundancy_portidmap'
 example: null
 datapost_cnbngcuserplanes_subscriberredundancy:
 Type: object
 Properties:
 group:
 Type: array
 Description: (list)
 Items:
 Reference:
'#/components/schemas/datapost_cnbngcuserplanes_subscriberredundancy_group'
 x-yang:
 Type: list
 Description: (non-presence)
 example: null
 datapost_cnbngcuserplanes_userplane:
 Type: object
 Properties:
 name:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 peer-address:
 Reference: '#/components/schemas/datapost_cnbngcuserplanes_peeraddress'
 flowctrl-group:
 Type: string
 Description: (leaf)
 format: string
 x-yang:

```

```

 Type: leaf
offline:
 Type: string
 Description: (leaf)
 format: '[null]'
 x-yang:
 Type: leaf
port-id:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpuserplanes_portid'
 x-yang:
 Type: list
subscriber-profile:
 Type: string
 Description: (leaf)
 format: leafref
 x-yang:
 Type: leaf
subscriber-redundancy:
 Reference: '#/components/schemas/datapost_cnbngcpuserplanes_subscriberredundancy'

example: null
datapost_cnbngcpuserplanes:
 Type: object
 Properties:
 user-plane:
 Type: array
 Description: (list)
 Items:
 Reference: '#/components/schemas/datapost_cnbngcpuserplanes_userplane'
 x-yang:
 Type: list
 Description: (non-presence)
 example: null
datapost_cnbngcpcoverage:
 Type: object
 Properties:
 container-stop:
 Type: string
 Description: (leaf)
 format: string
 x-yang:
 Type: leaf
 Description: (non-presence)
 example: null
dataputpatch_ietfrestconfdata:
 Type: object
 Properties:
 cnbng-cp:profile:
 Reference: '#/components/schemas/datapost_cnbngcpprofile'

```



```

cnbng-cp:user-planes:
 Reference: '#/components/schemas/datapost_cnbngcpuserplanes'
cnbng-cp:coverage:
 Reference: '#/components/schemas/datapost_cnbngcpcoverage'
Description: 'This is root module for Cisco Cloud-Native BNG Control-Plane
configuration.
This module contains definitions for the following management objects:
Endpoint and Interfaces
Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'
example: null
root_ietfrestconfrestconf:
Type: object
Properties:
 data:
 Type: object
 Properties: {}
 operations:
 Type: object
 Properties: {}
 yang-library-version:
 Type: string
Description: This is the RESTCONF root resource for the RESTCONF datastore and
operation resources. See RESTCONF RFC 8040 for further information.
example: null
responses:
 '200':
 Description: OK
 content: {}
 '201':
 Description: Created
 content: {}
 '204':
 Description: No Content
 content: {}
 '400':
 Description: Bad Request
 content: {}
 '401':
 Description: Unauthorized
 content: {}
 '404':
 Description: Not Found
 content: {}
 '405':
 Description: Method Not Allowed
 content: {}
 '409':
 Description: Conflict
 content: {}
parameters:
 content:
 name: content

```

```
 in: query
 Description: controlling descendant nodes in response
 Required: false
 style: form
 explode: true
 schema:
 Type: string
 format: enumeration
 enum:
 - config
 - nonconfig
 - all
 Default: config
depth:
 name: depth
 in: query
 Description: limit the depth of nodes in response
 Required: false
 style: form
 explode: true
 schema:
 Type: integer
 format: uint16
fields:
 name: fields
 in: query
 Description: optionally identify specific data nodes in response
 Required: false
 style: form
 explode: true
 schema:
 Type: string
 format: string
filter:
 name: filter
 in: query
 Description: xpath expression to filter data nodes in response
 Required: false
 style: form
 explode: true
 schema:
 Type: string
 format: string
with-defaults:
 name: with-defaults
 in: query
 Description: controlling default values in response
 Required: false
 style: form
 explode: true
 schema:
 Type: string
```

```
 format: enumeration
 enum:
 - report-all
 - trim
 - explicit
 - report-all-tagged
 Default: report-all
insert:
 name: insert
 in: query
 Description: controlling the order when adding new list elements
 Required: false
 style: form
 explode: true
 schema:
 Type: string
 format: enumeration
 enum:
 - first
 - last
 - before
 - after
 Default: first
point:
 name: point
 in: query
 Description: used to specify the insertion point
 Required: false
 style: form
 explode: true
 schema:
 Type: string
 format: string
aaa-aaa-option:
 name: aaa-aaa-option
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: string
 format: enumeration
 enum:
 - authenticate
 - authorize
 Default: authenticate
aaa-name:
 name: aaa-name
 in: path
 Required: true
 style: simple
 explode: false
 schema:
```

```
 Type: string
 format: string
aaa-profile:
 name: aaa-profile
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: string
 format: leafref
activate-feature-templates-id:
 name: activate-feature-templates-id
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: string
 format: leafref
ascii-id:
 name: ascii-id
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: string
 format: string
attribute-format-name:
 name: attribute-format-name
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: string
 format: string
authentication-id:
 name: authentication-id
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: string
 format: enumeration
 enum:
 - pap
 - chap
 Default: pap
class-class-name:
```

```
 name: class-class-name
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: string
 format: string
client-ip:
 name: client-ip
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: string
 format: union
deactivate-feature-templates-id:
 name: deactivate-feature-templates-id
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: string
 format: leafref
destination-dest-ip:
 name: destination-dest-ip
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: string
 format: string
dhcp-name:
 name: dhcp-name
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: string
 format: string
dns-servers-id:
 name: dns-servers-id
 in: path
 Required: true
 style: simple
 explode: false
 schema:
```

```
 Type: string
 format: string
domain-name:
 name: domain-name
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: string
 format: string
event-event-name:
 name: event-event-name
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: string
 format: enumeration
 enum:
 - session-activate
 Default: session-activate
feature-template-name:
 name: feature-template-name
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: string
 format: string
format-e-list-nas-port-type:
 name: format-e-list-nas-port-type
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: string
 format: int32
format-nas-port-type:
 name: format-nas-port-type
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: string
 format: int32
format-order-id:
 name: format-order-id
```

```
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: string
 format: union
group-group-name:
 name: group-group-name
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: string
 format: string
hex-id:
 name: hex-id
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: string
 format: string
ip-address-id:
 name: ip-address-id
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: string
 format: string
l2tp-name:
 name: l2tp-name
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: string
 format: string
match-key:
 name: match-key
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: string
```

```
 format: enumeration
 enum:
 - dhcpv4-circuit-id
 - dhcpv4-remote-id
 - dhcpv4-vendor-class
 - dhcpv4-user-class
 Default: dhcpv4-circuit-id
method-order-id:
 name: method-order-id
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: string
 format: union
netbios-name-server-id:
 name: netbios-name-server-id
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: string
 format: string
ntp-servers-id:
 name: ntp-servers-id
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: string
 format: string
option-code-option-code:
 name: option-code-option-code
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: integer
 format: uint32
port-id-id:
 name: port-id-id
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: string
 format: string
```



```
port-name-port-id:
 name: port-name-port-id
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: integer
 format: uint32
port-name-port-id-name:
 name: port-name-port-id-name
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: string
 format: string
pppoe-name:
 name: pppoe-name
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: string
 format: string
regex-id:
 name: regex-id
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: string
 format: string
server-group-group-name:
 name: server-group-group-name
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: string
 format: string
server-group-name:
 name: server-group-name
 in: path
 Required: true
 style: simple
 explode: false
```

```
 schema:
 Type: string
 format: string
server-ip:
 name: server-ip
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: string
 format: union
server-port:
 name: server-port
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: string
 format: int32
server-type:
 name: server-type
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: string
 format: enumeration
 enum:
 - auth
 - acct
 Default: auth
service-name-id:
 name: service-name-id
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: string
 format: string
subscriber-name:
 name: subscriber-name
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: string
 format: string
```

```

terminate-from-hostname:
 name: terminate-from-hostname
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: string
 format: string
type-id:
 name: type-id
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: string
 format: enumeration
 enum:
 - dhcp
 - ppp
 Default: dhcp
user-plane-name:
 name: user-plane-name
 in: path
 Required: true
 style: simple
 explode: false
 schema:
 Type: string
 format: string
requestBodies:
 data-post:
 Description: 'This is root module for Cisco Cloud-Native BNG Control-Plane
configuration.
This module contains definitions for the following management objects: Endpoint
Endpoint and Interfaces
Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data-post'
 Required: true
 data-put-patch:
 Description: 'This is root module for Cisco Cloud-Native BNG Control-Plane
configuration.
This module contains definitions for the following management objects: Endpoint
Endpoint and Interfaces
Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data-put-patch'
 Required: true

```

```

data_cnbng-cp_coverage:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_coverage'
 Required: true
data_cnbng-cp_coverage-post:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_coverage-post'
 Required: true
data_cnbng-cp_coverage_container-stop:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_coverage_container-stop'
 Required: true
data_cnbng-cp_profile:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile'
 Required: true
data_cnbng-cp_profile-post:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile-post'
 Required: true
data_cnbng-cp_profile_aaa_aaa-name:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name'
 Required: true
data_cnbng-cp_profile_aaa_aaa-name_accounting:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting'

 Required: true
data_cnbng-cp_profile_aaa_aaa-name_accounting-post:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting-post'
 Required: true

data_cnbng-cp_profile_aaa_aaa-name_accounting_method-order_method-order-id:
 content:

```

```

 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting_method-order_method-order-id'

 Required: true
 data_cnbng-cp_profile_aaa_aaa-name_authentication:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authentication'
 Required: true
 data_cnbng-cp_profile_aaa_aaa-name_authentication-post:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authentication-post'
 Required: true

 data_cnbng-cp_profile_aaa_aaa-name_authentication_method-order_method-order-id:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authentication_method-order_method-order-id'
 Required: true
 data_cnbng-cp_profile_aaa_aaa-name_authorization:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization'
 Required: true
 data_cnbng-cp_profile_aaa_aaa-name_authorization-post:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization-post'
 Required: true
 data_cnbng-cp_profile_aaa_aaa-name_authorization_password:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_password'
 Required: true
 data_cnbng-cp_profile_aaa_aaa-name_authorization_type:
 content:
 application/yang-data+json:
 schema:

```

```

 Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_type'
 Required: true
 data_cnbng-cp_profile_aaa_aaa-name_authorization_type-post:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_type-post'
 Required: true
 data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber'
 Required: true
 data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber-post:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber-post'
 Required: true

data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber_method-order_method-order-id:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber_method-order_method-order-id'
 Required: true
 data_cnbng-cp_profile_aaa_aaa-name_authorization_username:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_username'
 Required: true
 data_cnbng-cp_profile_aaa_aaa-name_authorization_username-post:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_username-post'
 Required: true
 data_cnbng-cp_profile_aaa_aaa-name_authorization_username_format:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_username_format'

```

```

 Required: true
 data_cnbng-cp_profile_aaa_aaa-name_authorization_username_identifier:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_username_identifier'

 Required: true
 data_cnbng-cp_profile_aaa_aaa-name_authorization_username_value:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_username_value'

 Required: true
 data_cnbng-cp_profile_aaa_aaa-name_name:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_name'

 Required: true
 data_cnbng-cp_profile_attribute-format_attribute-format-name:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_attribute-format_attribute-format-name'

 Required: true

 data_cnbng-cp_profile_attribute-format_attribute-format-name_format-order_format-order-id:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_attribute-format_attribute-format-name_format-order_format-order-id'

 Required: true

 data_cnbng-cp_profile_attribute-format_attribute-format-name_format-string:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_attribute-format_attribute-format-name_format-string'

 Required: true
 data_cnbng-cp_profile_attribute-format_attribute-format-name_name:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_attribute-format_attribute-format-name_name'

```

```

Required: true
data_cnbng-cp_profile_coa:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_coa'
 Required: true
data_cnbng-cp_profile_coa-post:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_coa-post'
 Required: true
data_cnbng-cp_profile_coa_client_client-ip:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_coa_client_client-ip'
 Required: true
data_cnbng-cp_profile_coa_client_client-ip_ip:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_coa_client_client-ip_ip'
 Required: true
data_cnbng-cp_profile_coa_client_client-ip_server-key:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_coa_client_client-ip_server-key'
 Required: true
data_cnbng-cp_profile_coa_server-key:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_coa_server-key'
 Required: true
data_cnbng-cp_profile_dhcp_dhcp-name:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name'
 Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4'
 Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4-post:
 content:
 application/yang-data+json:

```



```

 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4-post'

 Required: true
 data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name'
 Required: true

 data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_class-name:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_class-name'

 Required: true
 data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches'

 Required: true
 data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches-post:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches-post'

 Required: true
 data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match-type:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match-type'

 Required: true
 data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key:
 content:
 application/yang-data+json:
 schema:

```

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key'
```

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_matches\_match\_match-key\_ascii\_ascii-id:**

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_ascii_ascii-id'
```

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_matches\_match\_match-key\_hex\_hex-id:**

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_hex_hex-id'
```

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_matches\_match\_match-key\_key:**

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_key'
```

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server:**

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server'
```

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server-post:**

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server-post'
```

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_boot-filename:**

**content:**

```
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_boot-filename'

 Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_dns-servers_dns-servers-id:

 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_dns-servers_dns-servers-id'

 Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_domain-name:

 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_domain-name'

 Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_hold-time:

 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_hold-time'

 Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_hold-time-post:

 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_hold-time-post'

 Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_hold-time_minutes:

 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_hold-time_minutes'

 Required: true
```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_lease:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_lease'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_lease-post:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_lease-post'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_lease\_days:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_lease\_days'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_lease\_hours:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_lease\_hours'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_lease\_minutes:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_lease\_minutes'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-name-server\_netbios-name-server-id:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-name-server\_netbios-name-server-id'

**Required:** true

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type'

**Required:** true

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type-post:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type-post'

**Required:** true

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_broadcast-node:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_broadcast-node'

**Required:** true

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_hexadecimal:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_hexadecimal'

**Required:** true

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_hybrid-node:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_hybrid-node'

**Required:** true

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_mixed-node:**

**content:**

application/yang-data+json:

```

 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_mixed-node'

 Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_peer-to-peer-node:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_peer-to-peer-node'

 Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_next-server:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_next-server'

 Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_ntp-servers_ntp-servers-id:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_ntp-servers_ntp-servers-id'

 Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes'

 Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes-post:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes-post'

 Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code:

```

```

content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cring-op_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code'

 Required: true
 ?
 data_cring-op_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_ascii-string

: content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cring-op_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_ascii-string'

 Required: true
 ?
 data_cring-op_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_force-insert

: content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cring-op_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_force-insert'

 Required: true
 ?
 data_cring-op_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_hex-string

: content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cring-op_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_hex-string'

 Required: true
 ?
 data_cring-op_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_ip-address_ip-address-id

: content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cring-op_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_ip-address_ip-address-id'

 Required: true
 ?
 data_cring-op_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_option-code

: content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cring-op_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_option-code'

 Required: true

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_pool-name:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_pool-name'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_static-ip-key:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_static-ip-key'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_static-ip-key-post:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_static-ip-key-post'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_static-ip-key\_identifier:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_static-ip-key\_identifier'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_mode:**

**content:**

application/yang-data+json:

**schema:**

**Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_mode'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server:**

**content:**

application/yang-data+json:

**schema:**

**Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server-post:**

**content:**



```

 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server-post'
 Required: true
 data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_boot-filename:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_boot-filename'
 Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_dns-servers_dns-servers-id:

 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_dns-servers_dns-servers-id'
 Required: true
 data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_domain-name:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_domain-name'
 Required: true
 data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time'
 Required: true
 data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time-post:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time-post'
 Required: true
 data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time_minutes:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time_minutes'
 Required: true
 data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease:
 content:
 application/yang-data+json:
 schema:
 Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease'
 Required: true
 data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease-post:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease-post'
 Required: true
 data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_days:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_days'
 Required: true
 data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_hours:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_hours'
 Required: true
 data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_minutes:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_minutes'
 Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-name-server_netbios-name-server-id:

 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-name-server_netbios-name-server-id'

 Required: true
 data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type'
 Required: true
 data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type-post:

 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type-post'

```

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_netbios-node-type\_broadcast-node:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_netbios-node-type\_broadcast-node'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_netbios-node-type\_hexadecimal:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_netbios-node-type\_hexadecimal'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_netbios-node-type\_hybrid-node:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_netbios-node-type\_hybrid-node'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_netbios-node-type\_mixed-node:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_netbios-node-type\_mixed-node'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_netbios-node-type\_peer-to-peer-node:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_netbios-node-type\_peer-to-peer-node'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_next-server:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_next-server'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_ntp-servers\_ntp-servers-id:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_ntp-servers\_ntp-servers-id'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes-post:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes-post'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code-option-code:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code-option-code'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code-option-code\_ascii-string:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code-option-code\_ascii-string'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code-option-code\_force-insert:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code-option-code\_force-insert'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code\_option-code\_hex-string:**

**content:**  
application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code\_option-code\_hex-string'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code\_option-code\_ip-address\_ip-address-id:**

**content:**  
application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code\_option-code\_ip-address\_ip-address-id'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code\_option-code\_option-code:**

**content:**  
application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code\_option-code\_option-code'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_pool-name:**

**content:**  
application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_pool-name'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_static-ip-key:**

**content:**  
application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_static-ip-key'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_static-ip-key-post:**

**content:**  
application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_static-ip-key-post'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_static-ip-key\_identifier:**

**content:**  
application/yang-data+json:

**schema:**

**Reference:**

```

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_static-ip-key_identifier'

 Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6'
 Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6-post:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6-post'

 Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name'
 Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_class-name:

 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_class-name'

 Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches:

 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches'

 Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches-post:

 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches-post'

 Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match-type:

 content:

```

```

 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match-type'

 Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key:

 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key'

 Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_ascii_ascii-id:

 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_ascii_ascii-id'

 Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_hex_hex-id:

 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_hex_hex-id'

 Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_key:

 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_key'

 Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server:

 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server'

 Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server-post:

```

```

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server-post'

 Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_aftr-name:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_aftr-name'

 Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_dns-servers_dns-servers-id:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_dns-servers_dns-servers-id'

 Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_domain-name:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_domain-name'

 Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_hold-time:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_hold-time'

 Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_hold-time-post:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_hold-time-post'

```



**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_hold-time\_minutes:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_hold-time\_minutes'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_iana-pool-name:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_iana-pool-name'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_iapd-pool-name:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_iapd-pool-name'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_lease:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_lease'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_lease-post:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_lease-post'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_lease\_days:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_days'
```

```
Required: true
```

```
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_hours:
```

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_hours'
```

```
Required: true
```

```
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_minutes:
```

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_minutes'
```

```
Required: true
```

```
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_preference:
```

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_preference'
```

```
Required: true
```

```
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_rapid-commit:
```

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_rapid-commit'
```

```
Required: true
```

```
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_static-ip-key:
```

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_static-ip-key'
```

```
Required: true
```

```
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_static-ip-key-post:
```

```

content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_static-ip-key-post'

 Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_static-ip-key_identifier:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_static-ip-key_identifier'

 Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_mode:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_mode'

 Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server'

 Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server-post:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server-post'

 Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_aftr-name:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_aftr-name'

 Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_dns-servers_dns-servers-id:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_dns-servers_dns-servers-id'

 Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_domain-name:

```

```

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_domain-name'
 Required: true
 data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time'
 Required: true
 data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time-post:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time-post'
 Required: true
 data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time_minutes:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time_minutes'
 Required: true
 data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iana-pool-name:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iana-pool-name'
 Required: true
 data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iapd-pool-name:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iapd-pool-name'
 Required: true
 data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease'
 Required: true
 data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease-post:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease-post'
 Required: true

```

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_days:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_days'
 Required: true
 data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_hours:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_hours'
 Required: true
 data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_minutes:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_minutes'
 Required: true
 data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_preference:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_preference'
 Required: true
 data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_rapid-commit:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_rapid-commit'
 Required: true
 data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key'
 Required: true
 data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key-post:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key-post'
 Required: true
 data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key_identifier:
 content:
 application/yang-data+json:
 schema:
 Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key_identifier'

 Required: true
 data_cnbng-cp_profile_dhcp_dhcp-name_name:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_name'
 Required: true
 data_cnbng-cp_profile_feature-template_feature-template-name:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name'
 Required: true
 data_cnbng-cp_profile_feature-template_feature-template-name_http-policy:

 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_http-policy'

 Required: true
 data_cnbng-cp_profile_feature-template_feature-template-name_ipv4:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4'
 Required: true
 data_cnbng-cp_profile_feature-template_feature-template-name_ipv4-post:

 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4-post'

 Required: true

 data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_disable-unreachables:

 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_disable-unreachables'

 Required: true

 data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_egress-acl:

 content:
 application/yang-data+json:

```

```

 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_egress-acl'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_ingress-acl:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_ingress-acl'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_mtu:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_mtu'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source-post:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source-post'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source_reachable-via-rx:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source_reachable-via-rx'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ipv6:

 content:
 application/yang-data+json:
 schema:

```

```

 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6'
 Required: true
 data_cnbng-cp_profile_feature-template_feature-template-name_ipv6-post:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6-post'

 Required: true

 data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_disable-unreachables:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_disable-unreachables'

 Required: true

 data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_egress-acl:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_egress-acl'

 Required: true

 data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_ingress-acl:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_ingress-acl'

 Required: true
 data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_mtu:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_mtu'

 Required: true

 data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source:

 content:
 application/yang-data+json:
 schema:
 Reference:

```



```

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source-post:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source-post'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source_reachable-via-rx:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source_reachable-via-rx'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_name:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_name'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp-post:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp-post'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_authentication_authentication-id:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_authentication_authentication-id'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap:

```

```

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap-post:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap-post'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_hostname:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_hostname'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_password:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_password'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp-post:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp-post'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns:

```

```
content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns'

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns-post:

content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns-post'

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_primary-address:

content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_primary-address'

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_secondary-address:

content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_secondary-address'

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_peer-address-pool:

content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_peer-address-pool'

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation:

content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation'

Required: true
```

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_renegotiation-post:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_renegotiation-post'

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_renegotiation\_ignore:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_renegotiation\_ignore'

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_wins:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_wins'

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_wins-post:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_wins-post'

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_wins\_primary-address:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_wins\_primary-address'

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_wins\_secondary-address:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_secondary-address'

 Required: true
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp:

 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp-post:

 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp-post'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation:

 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation-post:

 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation-post'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation_ignore:

 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation_ignore'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive:

 content:
 application/yang-data+json:
```

```

 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive-post:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive-post'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_disable:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_disable'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_interval:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_interval'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_retry:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_retry'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp-post:

 content:
 application/yang-data+json:

```

```

 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp-post'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay-post:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay-post'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_milliseconds:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_milliseconds'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_seconds:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_seconds'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation-post:
```

```

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation-post'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation_ignore:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation_ignore'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-bad-auth:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-bad-auth'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-configure:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-configure'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-failure:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-failure'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap-post:

```



```

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap-post'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap_accept-null-password:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap_accept-null-password'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_service-type:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_service-type'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout-post:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout-post'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute'

 Required: true
```

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout\_absolute-post:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout\_absolute-post'

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout\_absolute\_minutes:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout\_absolute\_minutes'

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout\_authentication:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout\_authentication'

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout\_retry:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout\_retry'

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_qos:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_qos'

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_qos-post:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_qos-post'

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_qos\_in-policy:**

```

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_qos_in-policy'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_qos_merge-level:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_qos_merge-level'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_qos_out-policy:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_qos_out-policy'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting-post:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting-post'

 Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_aaa-profile:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_aaa-profile'

```

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_service-accounting\_enable:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_service-accounting\_enable'

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_service-accounting\_periodic-interval:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_service-accounting\_periodic-interval'

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_session-accounting:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_session-accounting'

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_session-accounting-post:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_session-accounting-post'

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_session-accounting\_aaa-profile:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_session-accounting\_aaa-profile'

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_session-accounting\_dual-stack-delay:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_dual-stack-delay'
```

```
Required: true
```

```
data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_enable:
```

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_enable'
```

```
Required: true
```

```
data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_periodic-interval:
```

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_periodic-interval'
```

```
Required: true
```

```
data_cnbng-cp_profile_feature-template_feature-template-name_vrf-name:
```

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_vrf-name'
```

```
Required: true
```

```
data_cnbng-cp_profile_l2tp_l2tp-name:
```

**content:**

```
application/yang-data+json:
```

**schema:**

```
Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name'
```

```
Required: true
```

```
data_cnbng-cp_profile_l2tp_l2tp-name_authentication:
```

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_authentication'
```

```
Required: true
```

```
data_cnbng-cp_profile_l2tp_l2tp-name_congestion-control:
```

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_congestion-control'
```

```
Required: true
```

```
data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name:
```

**content:**

```
application/yang-data+json:
```

**schema:**

```

Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name'
Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_name:
content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_name'
 Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_tun-assign-id:
content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_tun-assign-id'

Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_dsl-info-forwarding:
content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_dsl-info-forwarding'
 Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_encrypt-avp:
content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_encrypt-avp'

Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_force-lcp-renegotiation:
content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_force-lcp-renegotiation'
 Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_hello-interval:
content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_hello-interval'
 Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_hostname:
content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_hostname'

Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos:
content:

```

```

 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos'
 Required: true
 data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos-post:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos-post'

 Required: true
 data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos_reflect:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos_reflect'
 Required: true
 data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos_value:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos_value'
 Required: true
 data_cnbng-cp_profile_l2tp_l2tp-name_ipv4:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4'
 Required: true
 data_cnbng-cp_profile_l2tp_l2tp-name_ipv4-post:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4-post'

 Required: true
 data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip'
 Required: true
 data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip_dest-ip:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip_dest-ip'

```

**Required:** true

**data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_ipv4\_destination\_destination-dest-ip\_weight:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_ipv4\_destination\_destination-dest-ip\_weight'

**Required:** true

**data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_ipv4\_df-bit:**

**content:**

application/yang-data+json:

**schema:**

**Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_ipv4\_df-bit'

**Required:** true

**data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_ipv4\_source:**

**content:**

application/yang-data+json:

**schema:**

**Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_ipv4\_source'

**Required:** true

**data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_mode:**

**content:**

application/yang-data+json:

**schema:**

**Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_mode'

**Required:** true

**data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_mtu:**

**content:**

application/yang-data+json:

**schema:**

**Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_mtu'

**Required:** true

**data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_name:**

**content:**

application/yang-data+json:

**schema:**

**Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_name'

**Required:** true

**data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_password:**

**content:**

application/yang-data+json:

**schema:**

**Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_password'

**Required:** true

**data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_receive-window:**

**content:**

application/yang-data+json:

**schema:**



```

Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_receive-window'
Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit:
content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit'

Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit-post:
content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit-post'
Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial:
content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial'
Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial-post:
content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial-post'
Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_retries:
content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_retries'
Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout:
content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout'
Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout-post:
content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout-post'

Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout_max:
content:

```

```

 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout_max'
 Required: true
 data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout_min:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout_min'
 Required: true
 data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_retries:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_retries'
 Required: true
 data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout'
 Required: true
 data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout-post:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout-post'
 Required: true
 data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout_max:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout_max'
 Required: true
 data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout_min:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout_min'
 Required: true
 data_cnbng-cp_profile_l2tp_l2tp-name_rx-connect-speed:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_rx-connect-speed'
 Required: true
 data_cnbng-cp_profile_l2tp_l2tp-name_tcp:

```

```

content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tcp'
 Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_tcp-post:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tcp-post'

 Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_tcp_adjust-mss:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tcp_adjust-mss'
 Required: true

data_cnbng-cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname'

 Required: true

data_cnbng-cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname_hostname:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname_hostname'

 Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_tunnel:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel'
 Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_tunnel-load-balancing:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel-load-balancing'
 Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_tunnel-post:
 content:
 application/yang-data+json:

```

```

 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel-post'

 Required: true
 data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_session-limit:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_session-limit'
 Required: true
 data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout'
 Required: true
 data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout-post:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout-post'
 Required: true
 data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout_no-session:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout_no-session'
 Required: true
 data_cnbng-cp_profile_l2tp_l2tp-name_tx-connect-speed:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tx-connect-speed'
 Required: true
 data_cnbng-cp_profile_l2tp_l2tp-name_vrf:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_vrf'
 Required: true
 data_cnbng-cp_profile_pppoe_pppoe-name:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name'
 Required: true
 data_cnbng-cp_profile_pppoe_pppoe-name_ac-cookie:
 content:
 application/yang-data+json:

```

```

 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_ac-cookie'

 Required: true
 data_cnbng-cp_profile_pppoe_pppoe-name_ac-name:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_ac-name'

 Required: true
 data_cnbng-cp_profile_pppoe_pppoe-name_ctrl-pkt-priority:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_ctrl-pkt-priority'
 Required: true
 data_cnbng-cp_profile_pppoe_pppoe-name_max-payload:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload'
 Required: true
 data_cnbng-cp_profile_pppoe_pppoe-name_max-payload-post:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload-post'
 Required: true
 data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_deny:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_deny'
 Required: true
 data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_maximum:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_maximum'
 Required: true
 data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_minimum:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_minimum'
 Required: true
 data_cnbng-cp_profile_pppoe_pppoe-name_mtu:

```

```

content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_mtu'
 Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_name:
content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_name'
 Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_service-name_service-name-id:
content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_service-name_service-name-id'
 Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_service-selection-disable:
content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_service-selection-disable'
 Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit:
content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit'
 Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit-post:
content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit-post'
 Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id:
content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id'
 Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id-post:
content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id-post'
 Required: true

```

```

data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_threshold:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_threshold'

 Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_value:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_value'

 Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac'
 Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac-post:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac-post'
 Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_threshold:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_threshold'
 Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_value:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_value'
 Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max'
 Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max-post:
 content:
 application/yang-data+json:

```

```

 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max-post'
 Required: true
 data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_threshold:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_threshold'
 Required: true
 data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_value:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_value'
 Required: true
 data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan'
 Required: true
 data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan-post:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan-post'
 Required: true
 data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_threshold:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_threshold'
 Required: true
 data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_value:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_value'
 Required: true
 data_cnbng-cp_profile_pppoe_pppoe-name_timeout-completion:
 content:
 application/yang-data+json:
 schema:
 Reference:

```



```

'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_timeout-completion'
 Required: true
 data_cnbng-cp_profile_radius:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_radius'
 Required: true
 data_cnbng-cp_profile_radius-post:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_radius-post'
 Required: true
 data_cnbng-cp_profile_radius_accounting:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_radius_accounting'
 Required: true
 data_cnbng-cp_profile_radius_accounting-post:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_radius_accounting-post'

 Required: true
 data_cnbng-cp_profile_radius_accounting_algorithm:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_algorithm'
 Required: true
 data_cnbng-cp_profile_radius_accounting_attribute:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute'
 Required: true
 data_cnbng-cp_profile_radius_accounting_attribute-post:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute-post'
 Required: true
 data_cnbng-cp_profile_radius_accounting_attribute_called-station-id:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id'

```

```

Required: true
data_cnbng-cp_profile_radius_accounting_attribute_called-station-id-post:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id-post'

 Required: true

data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format-name:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format-name'

 Required: true

data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type'

 Required: true

data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_format-name:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_format-name'

 Required: true

data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_nas-port-type:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_nas-port-type'

 Required: true

data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_value:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_value'

```

```
Required: true
data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id:
content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id'

Required: true
data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id-post:
content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id-post'

Required: true
data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format-name:
content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format-name'

Required: true
data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type:
content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type'

Required: true
data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_format-name:
content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_format-name'

Required: true
data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_nas-port-type:
content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_nas-port-type'
```

**Required:** true

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_calling-station-id\_value:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_calling-station-id\_value'

**Required:** true

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-identifier:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-identifier'

**Required:** true

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format'

**Required:** true

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format-post:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format-post'

**Required:** true

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format\_format-name:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format\_format-name'

**Required:** true

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format\_format\_format-nas-port-type:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format\_format\_format-nas-port-type'

**Required:** true

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format\_format\_format-nas-port-type\_format-name:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format\_format\_format-nas-port-type\_format-name'

**Required:** true

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format\_format\_format-nas-port-type\_nas-port-type:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format\_format\_format-nas-port-type\_nas-port-type'

**Required:** true

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-ip:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-ip'

**Required:** true

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port'

**Required:** true

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port-id:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port-id'

**Required:** true

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port-id-post:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port-id-post'

**Required:** true

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port-id\_format-name:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port-id\_format-name'

**Required:** true

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port-id\_format\_format-nas-port-type:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port-id\_format\_format-nas-port-type'

**Required:** true

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port-id\_format\_format-nas-port-type\_format-name:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port-id\_format\_format-nas-port-type\_format-name'

**Required:** true

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port-id\_format\_format-nas-port-type\_nas-port-type:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port-id\_format\_format-nas-port-type\_nas-port-type'

**Required:** true

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port-id\_value:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port-id\_value'

**Required:** true

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port-post:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port-post'

**Required:** true

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port\_format-e:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port\_format-e'

**Required:** true

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port\_format-e-list\_format-e-list-nas-port-type:**

```

content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type'

 Required: true

data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e'

 Required: true

data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type'

 Required: true

data_cnbng-cp_profile_radius_accounting_attribute_nas-port_value:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_value'

 Required: true

data_cnbng-cp_profile_radius_accounting_deadtime:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_radius_accounting_deadtime'

 Required: true

data_cnbng-cp_profile_radius_accounting_detect-dead-server:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_accounting_detect-dead-server'

 Required: true

data_cnbng-cp_profile_radius_accounting_detect-dead-server-post:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_accounting_detect-dead-server-post'

 Required: true

```

```

data_cnbng-cp_profile_radius_accounting_detect-dead-server_response-timeout:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_accounting_detect-dead-server_response-timeout'

 Required: true
data_cnbng-cp_profile_radius_accounting_max-retry:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_accounting_max-retry'

 Required: true
data_cnbng-cp_profile_radius_accounting_timeout:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_radius_accounting_timeout'

 Required: true
data_cnbng-cp_profile_radius_algorithm:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_radius_algorithm'

 Required: true
data_cnbng-cp_profile_radius_attribute:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_radius_attribute'

 Required: true
data_cnbng-cp_profile_radius_attribute-post:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_radius_attribute-post'

 Required: true
data_cnbng-cp_profile_radius_attribute_called-station-id:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id'

 Required: true
data_cnbng-cp_profile_radius_attribute_called-station-id-post:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id-post'

```



```

Required: true
data_cnbng-cp_profile_radius_attribute_called-station-id_format-name:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id_format-name'

Required: true

data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type'

Required: true

data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_format-name:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_format-name'

Required: true

data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_nas-port-type:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_nas-port-type'

Required: true
data_cnbng-cp_profile_radius_attribute_called-station-id_value:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id_value'
Required: true
data_cnbng-cp_profile_radius_attribute_calling-station-id:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id'
Required: true
data_cnbng-cp_profile_radius_attribute_calling-station-id-post:
 content:
 application/yang-data+json:

```

```

 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id-post'
 Required: true
 data_cnbng-cp_profile_radius_attribute_calling-station-id_format-name:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id_format-name'

 Required: true

 data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type'

 Required: true

 data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_format-name:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_format-name'

 Required: true

 data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_nas-port-type:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_nas-port-type'

 Required: true

 data_cnbng-cp_profile_radius_attribute_calling-station-id_value:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id_value'
 Required: true
 data_cnbng-cp_profile_radius_attribute_nas-identifier:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier'
 Required: true

```

```

data_cnbng-cp_profile_radius_attribute_nas-identifier-format:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format'
 Required: true
data_cnbng-cp_profile_radius_attribute_nas-identifier-format-post:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format-post'
 Required: true
data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format-name:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format-name'
 Required: true

data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type'
 Required: true

data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_format-name:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_format-name'
 Required: true

data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_nas-port-type:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_nas-port-type'
 Required: true
data_cnbng-cp_profile_radius_attribute_nas-ip:
 content:
 application/yang-data+json:

```

```

 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-ip'

 Required: true
 data_cnbng-cp_profile_radius_attribute_nas-port:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port'

 Required: true
 data_cnbng-cp_profile_radius_attribute_nas-port-id:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id'
 Required: true
 data_cnbng-cp_profile_radius_attribute_nas-port-id-post:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id-post'
 Required: true
 data_cnbng-cp_profile_radius_attribute_nas-port-id_format-name:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id_format-name'
 Required: true
 data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type'
 Required: true
 data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_format-name:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_format-name'
 Required: true
 data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_nas-port-type:
 content:

```

```

 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_nas-port-type'

 Required: true
 data_cnbng-cp_profile_radius_attribute_nas-port-id_value:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id_value'
 Required: true
 data_cnbng-cp_profile_radius_attribute_nas-port-post:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-post'
 Required: true
 data_cnbng-cp_profile_radius_attribute_nas-port_format-e:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port_format-e'
 Required: true
 data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type'
 Required: true
 data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e'
 Required: true
 data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type'

```

```

Required: true
data_cnbng-cp_profile_radius_attribute_nas-port_value:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port_value'
 Required: true
data_cnbng-cp_profile_radius_deadtime:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_radius_deadtime'
 Required: true
data_cnbng-cp_profile_radius_detect-dead-server:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_radius_detect-dead-server'
 Required: true
data_cnbng-cp_profile_radius_detect-dead-server-post:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_detect-dead-server-post'
 Required: true
data_cnbng-cp_profile_radius_detect-dead-server_response-timeout:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_detect-dead-server_response-timeout'
 Required: true
data_cnbng-cp_profile_radius_max-retry:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_radius_max-retry'
 Required: true
data_cnbng-cp_profile_radius_server-group_server-group-group-name:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name'
 Required: true
data_cnbng-cp_profile_radius_server-group_server-group-group-name_group-name:
 content:
 application/yang-data+json:
 schema:

```

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_group-name'
```

**Required:** true

**data\_cnbng-cp\_profile\_radius\_server-group\_server-group-group-name\_server\_server-type\_server-ip\_server-port:**

```
content:
 application/yang-data+json:
 schema:
```

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port'
```

**Required:** true

**data\_cnbng-cp\_profile\_radius\_server-group\_server-group-group-name\_server\_server-type\_server-ip\_server-port\_ip:**

```
content:
 application/yang-data+json:
 schema:
```

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_ip'
```

**Required:** true

**data\_cnbng-cp\_profile\_radius\_server-group\_server-group-group-name\_server\_server-type\_server-ip\_server-port\_port:**

```
content:
 application/yang-data+json:
 schema:
```

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_port'
```

**Required:** true

**data\_cnbng-cp\_profile\_radius\_server-group\_server-group-group-name\_server\_server-type\_server-ip\_server-port\_type:**

```
content:
 application/yang-data+json:
 schema:
```

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_type'
```

**Required:** true

**data\_cnbng-cp\_profile\_radius\_server\_server-ip\_server-port:**

```
content:
 application/yang-data+json:
 schema:
```

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port'
```

**Required:** true

**data\_cnbng-cp\_profile\_radius\_server\_server-ip\_server-port\_ip:**

```
content:
 application/yang-data+json:
 schema:
```

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port_ip'
```

```

Required: true
data_cnbng-cp_profile_radius_server_server-ip_server-port_port:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port_port'
 Required: true
data_cnbng-cp_profile_radius_server_server-ip_server-port_priority:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port_priority'
 Required: true
data_cnbng-cp_profile_radius_server_server-ip_server-port_secret:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port_secret'
 Required: true
data_cnbng-cp_profile_radius_server_server-ip_server-port_type:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port_type'
 Required: true
data_cnbng-cp_profile_radius_timeout:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_radius_timeout'
 Required: true
data_cnbng-cp_profile_server-group_server-group-name:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_server-group_server-group-name'
 Required: true
data_cnbng-cp_profile_server-group_server-group-name_name:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_server-group_server-group-name_name'
 Required: true
data_cnbng-cp_profile_server-group_server-group-name_radius-group:
 content:
 application/yang-data+json:
 schema:
 Reference:

```



```

'#/components/schemas/data_cnbng-cp_profile_server-group_server-group-name_radius-group'
 Required: true
 data_cnbng-cp_profile_subscriber_subscriber-name:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name'

 Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile:

 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile'

 Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_aaa-option:

 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'

 Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_profile:

 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_profile'

 Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_activate-feature-templates_activate-feature-templates-id:

 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_activate-feature-templates_activate-feature-templates-id'

 Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_apply-all-class:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_apply-all-class'
 Required: true

```

```

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name'

 Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile'

 Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_aaa-option:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'

 Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile'

 Required: true
 ?
 data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_activate-feature-templates_activate-feature-templates-id

 : content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_activate-feature-templates_activate-feature-templates-id'

 Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_class-name:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_class-name'

```

**Required:** true

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches'

**Required:** true

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches-post:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches-post'

**Required:** true

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match-type:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match-type'

**Required:** true

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match\_match-key:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match\_match-key'

**Required:** true

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match\_match-key\_ascii\_ascii-id:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match\_match-key\_ascii\_ascii-id'

**Required:** true

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match\_match-key\_key:**

**content:**

application/yang-data+json:

```

 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_key'

 Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_regex_regex-id:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_regex_regex-id'

 Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_type_type-id:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_type_type-id'

 Required: true
data_cnbng-cp_profile_subscriber_subscriber-name_dhcp-profile:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_dhcp-profile'
 Required: true
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name'

 Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile'

 Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_aaa-option:

 content:
 application/yang-data+json:
 schema:

```

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'
```

```
Required: true
```

```
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_profile:
```

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_profile'
```

```
Required: true
```

```
?
```

```
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_activate-feature-templates_activate-feature-templates-id
```

```
: content:
```

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_activate-feature-templates_activate-feature-templates-id'
```

```
Required: true
```

```
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_apply-all-class:
```

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_apply-all-class'
```

```
Required: true
```

```
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name:
```

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name'
```

```
Required: true
```

```
?
```

```
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile
```

```
: content:
```

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile'
```

```
Required: true
```

```
?
```

```
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_aaa-option
```

```
: content:
```

```

 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aa_aa-aaa-option_aa-profile_aa-option'

 Required: true
 ?
data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aa_aa-aaa-option_aa-profile_profile

 : content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aa_aa-aaa-option_aa-profile_profile'

 Required: true
 ?
data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_activate-feature-templates_activate-feature-templates-id

 : content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_activate-feature-templates_activate-feature-templates-id'

 Required: true

data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_class-name:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_class-name'

 Required: true
 ?
data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_deactivate-feature-templates_deactivate-feature-templates-id

 : content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_deactivate-feature-templates_deactivate-feature-templates-id'

 Required: true

data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches'

 Required: true

data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches-post:

```

```

content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbg-op_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches-post'

 Required: true

data_cnbg-op_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match-type:

content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbg-op_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match-type'

 Required: true

data_cnbg-op_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key:

content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbg-op_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key'

 Required: true
 ?
 data_cnbg-op_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_ascii_ascii-id

 : content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbg-op_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_ascii_ascii-id'

 Required: true

data_cnbg-op_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_key:

content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbg-op_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_key'

 Required: true
 ?
 data_cnbg-op_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_regex_regex-id

 : content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbg-op_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_regex_regex-id'

 Required: true

```

```

?
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_type_type-id

: content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_type_type-id'

 Required: true
?
data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_deactivate-feature-templates_deactivate-feature-templates-id

: content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_deactivate-feature-templates_deactivate-feature-templates-id'

 Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_event-name:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_event-name'

 Required: true
data_cnbng-cp_profile_subscriber_subscriber-name_l2tp-profile:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_l2tp-profile'

 Required: true
data_cnbng-cp_profile_subscriber_subscriber-name_name:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_name'

 Required: true
data_cnbng-cp_profile_subscriber_subscriber-name_pppoe-profile:
 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_pppoe-profile'

 Required: true
data_cnbng-cp_profile_subscriber_subscriber-name_session-type:
 content:
 application/yang-data+json:
 schema:
 Reference:

```



```

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_session-type'
 Required: true
 data_cnbng-cp_user-planes:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_user-planes'
 Required: true
 data_cnbng-cp_user-planes-post:
 content:
 application/yang-data+json:
 schema:
 Reference: '#/components/schemas/data_cnbng-cp_user-planes-post'
 Required: true
 data_cnbng-cp_user-planes_user-plane_user-plane-name:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name'
 Required: true
 data_cnbng-cp_user-planes_user-plane_user-plane-name_flowctrl-group:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_flowctrl-group'
 Required: true
 data_cnbng-cp_user-planes_user-plane_user-plane-name_name:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_name'
 Required: true
 data_cnbng-cp_user-planes_user-plane_user-plane-name_offline:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_offline'
 Required: true
 data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address:
 content:
 application/yang-data+json:
 schema:
 Reference:
'#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address'
 Required: true
 data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address-post:
 content:
 application/yang-data+json:
 schema:

```

**Reference:**

```
'#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address-post'
```

**Required:** true

**data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name\_peer-address\_ipv4:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

```
'#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_peer-address_ipv4'
```

**Required:** true

**data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name\_port-id\_port-id-id:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

```
'#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id'
```

**Required:** true

**data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name\_port-id\_port-id-id\_id:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

```
'#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id_id'
```

**Required:** true

**data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name\_port-id\_port-id-id\_subscriber-profile:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

```
'#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_port-id_port-id-id_subscriber-profile'
```

**Required:** true

**data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name\_subscriber-profile:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

```
'#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-profile'
```

**Required:** true

**data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

```
'#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy'
```

**Required:** true

**data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy-post:**

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy-post'
```

**Required:** true

**data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name:**

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name'
```

**Required:** true

**data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name\_disable:**

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_disable'
```

**Required:** true

**data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name\_group-name:**

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_group-name'
```

**Required:** true

**data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name\_peer-identifier:**

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_peer-identifier'
```

**Required:** true

**data\_cnbng-cp\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name\_port-id-map:**

```

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-qp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-ic-map'

 Required: true

data_cnbng-qp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-ic-map-post:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-qp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-ic-map-post'

 Required: true
 ?
data_cnbng-qp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-ic-map_port-rate_port-rate-port-ic-rate_port-rate-port-id

 : content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-qp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-ic-map_port-rate_port-rate-port-ic-rate_port-rate-port-id'

 Required: true
 ?
data_cnbng-qp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-ic-map_port-rate_port-rate-port-ic-rate_port-rate-port-id_port-ic-rate

 : content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-qp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-ic-map_port-rate_port-rate-port-ic-rate_port-rate-port-id_port-ic-rate'

 Required: true
 ?
data_cnbng-qp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-ic-map_port-rate_port-rate-port-ic-rate_port-rate-port-id_port-ic-rate

 : content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-qp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-ic-map_port-rate_port-rate-port-ic-rate_port-rate-port-id_port-ic-rate'

 Required: true

data_cnbng-qp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_preferred-role-active:

 content:
 application/yang-data+json:
 schema:
 Reference:
 '#/components/schemas/data_cnbng-qp_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_preferred-role-active'

 Required: true

```

**data\_cnbng\_cp\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name\_revertive-timer:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name\_revertive-timer'

**Required:** true

**data\_cnbng\_cp\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name\_standby-mode:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy\_group\_group-group-name\_standby-mode'

**Required:** true

**securitySchemes:**

**basicAuth:**

**Type:** http

**scheme:** basic

