



# cnbng\_cp

---

- [OpenAPI, on page 1](#)
- [Info, on page 1](#)
- [Servers, on page 1](#)
- [tags, on page 1](#)
- [Paths, on page 2](#)
- [Components, on page 3750](#)

## OpenAPI

OpenAPI Version: 3.0.1

## Info

**Title:** cnbng-cp

**Description:** 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.'

This module contains definitions for the following management objects: Endpoint and Interfaces

Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Version:** '2020-12-12'

## Servers

**URL:** /restconf

## tags

- **Name:** root  
**Description:** root resources
- **Name:** operations

**Description:** operations resources

- **Name:** data
- Description:** data resources
- **Name:** get
- Description:** get resources
- **Name:** head
- Description:** head resources
- **Name:** post
- Description:** post resources
- **Name:** patch
- Description:** patch resources
- **Name:** put
- Description:** put resources
- **Name:** options
- Description:** options resources
- **Name:** delete
- Description:** delete resources

## Paths

/

**get:**

**Tags:**

- root
- get

**Summary:** 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.'

**This module contains definitions for the following management objects:**

Endpoint

and Interfaces

Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Description:** 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.'

**This module contains definitions for the following management objects:**

Endpoint

and Interfaces

Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Operation ID:** root\_get

**Responses:**

'200':

**Description:** 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.'

**This module contains definitions for the following management objects:**

Endpoint and Interfaces

Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Content:**

application/yang-data+json:

```

    Schema:
      Reference: '#/components/schemas/root'
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  head:

  Tags:
  - root
  - head
  Summary: 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.

  This module contains definitions for the following management objects:
  Endpoint
  and Interfaces
  Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'
  Description: 'This is root module for Cisco Cloud-Native BNG Control-Plane
  configuration.

  This module contains definitions for the following management objects:
  Endpoint
  and Interfaces
  Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'
  Operation ID: root_head

  Responses:
    '200':
      Description: OK
      Content: {}
  security:
  - basicAuth: []

```

## /operations

```

get:

  Tags:

```

```
- operations
- get
```

**Summary:** 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.'

**This module contains definitions for the following management objects:**

```
Endpoint
  and Interfaces
  Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'
```

**Description:** 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.'

**This module contains definitions for the following management objects:**

```
Endpoint
  and Interfaces
  Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'
```

**Operation ID:** operations\_get

**Responses:**

'200':

**Description:** 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.'

**This module contains definitions for the following management**

**objects:**

```
Endpoint and Interfaces
  Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'
```

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:** '#/components/schemas/operations'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

## /yang-library-version

get:

**Tags:**

- yang-library-version
- get

**Summary:** 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.'

**This module contains definitions for the following management objects:**

Endpoint  
and Interfaces  
Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Description:** 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.'

**This module contains definitions for the following management objects:**

Endpoint  
and Interfaces  
Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Operation ID:** yang\_library\_version\_get

**Responses:**

'200':

**Description:** 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.'

**This module contains definitions for the following management objects:**

Endpoint and Interfaces  
Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:** '#/components/schemas/yang-library-version'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**head:**

**Tags:**

- yang-library-version
- head

**Summary:** 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.'

**This module contains definitions for the following management objects:**

Endpoint  
and Interfaces  
Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Description:** 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.'

**This module contains definitions for the following management objects:**

Endpoint  
and Interfaces  
Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Operation ID:** yang\_library\_version\_head

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**  
- **basicAuth:** []

## /data

**get:**

**Tags:**

- data  
- get

**Summary:** 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.'

**This module contains definitions for the following management objects:**

Endpoint  
and Interfaces  
Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Description:** 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.'

**This module contains definitions for the following management objects:**

Endpoint  
and Interfaces  
Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Operation ID:** data\_get

**Responses:**

'200':  
**Description:** 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.'

**This module contains definitions for the following management objects:**

Endpoint and Interfaces  
Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Content:**  
**application/yang-data+json:**

**Schema:**  
**Reference:** '#/components/schemas/data'

'204':  
**Description:** No Content

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.

  This module contains definitions for the following management objects:
Endpoint
  and Interfaces
  Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'
  Description: 'This is root module for Cisco Cloud-Native BNG Control-Plane
configuration.
  This module contains definitions for the following management objects:
Endpoint
  and Interfaces
  Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'
  Operation ID: data_put
  Request Body:
  Description: 'This is root module for Cisco Cloud-Native BNG Control-Plane
configuration.
  This module contains definitions for the following management
objects: Endpoint
  and Interfaces
  Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'
  Content:
  application/yang-data+json:
  Schema:
  Reference: '#/components/schemas/data-put-patch'
  Required/Optional: true

  Responses:
  '201':
  Description: 'This is root module for Cisco Cloud-Native BNG Control-Plane
configuration.
  This module contains definitions for the following management
objects:

```

```

    Endpoint and Interfaces
    Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'
Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: data
Method: Post

Tags:
- data
- post
Summary: 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.

This module contains definitions for the following management objects:
Endpoint
and Interfaces
Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'
Description: 'This is root module for Cisco Cloud-Native BNG Control-Plane
configuration.
This module contains definitions for the following management objects:
Endpoint
and Interfaces
Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'
Operation ID: data_post
Request Body:
  Description: 'This is root module for Cisco Cloud-Native BNG Control-Plane
configuration.
  This module contains definitions for the following management
objects: Endpoint
and Interfaces
Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data-post'
    Required/Optional: true

Responses:
'201':
  Description: 'This is root module for Cisco Cloud-Native BNG Control-Plane

```



```

        configuration.
        This module contains definitions for the following management
objects:
        Endpoint and Interfaces
        Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'
        Content: {}
        '400':
        Description: Bad Request
        Content: {}
        '401':
        Description: Unauthorized
        Content: {}
        '404':
        Description: Not Found
        Content: {}
        '405':
        Description: Method Not Allowed
        Content: {}
        '409':
        Description: Conflict
        Content: {}
        security:
        - basicAuth: []
        x-codegen-request-body-name: data
    head:

    Tags:
    - data
    - head
    Summary: 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.

    This module contains definitions for the following management objects:
Endpoint
    and Interfaces
    Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'
    Description: 'This is root module for Cisco Cloud-Native BNG Control-Plane
configuration.
    This module contains definitions for the following management objects:
Endpoint
    and Interfaces
    Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'
    Operation ID: data_head

    Responses:
    '200':
    Description: OK
    Content: {}
    security:
    - basicAuth: []
patch:

    Tags:
    - data
    - patch
    Summary: 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.

```

**This module contains definitions for the following management objects:**

Endpoint  
and Interfaces  
Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Description:** 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.'

**This module contains definitions for the following management objects:**

Endpoint  
and Interfaces  
Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Operation ID:** data\_patch

**Request Body:**

**Description:** 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.'

**This module contains definitions for the following management**

**objects:** Endpoint  
and Interfaces  
Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:** '#/components/schemas/data-put-patch'

**Required/Optional:** true

**Responses:**

'204':

**Description:** 'This is root module for Cisco Cloud-Native BNG Control-Plane configuration.'

**This module contains definitions for the following management**  
**objects:**

Endpoint and Interfaces  
Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** data

## /data/cnbng-cp:profile

get:

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_get

**Parameters:**

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults

**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
   - report-all  
   - trim  
   - explicit  
   - report-all-tagged

**Responses:**

**'200':**  
   **Description:** OK  
   **Content:**  
     **application/yang-data+json:**  
       **Schema:**  
         **Reference:** '#/components/schemas/data\_cnbng-cp\_profile'  
**'204':**  
   **Description:** No Content  
   **Content:** {}  
**'400':**  
   **Description:** Bad Request  
   **Content:** {}  
**'401':**  
   **Description:** Unauthorized  
   **Content:** {}  
**'404':**  
   **Description:** Not Found  
   **Content:** {}  
**'405':**  
   **Description:** Method Not Allowed  
   **Content:** {}  
**'409':**  
   **Description:** Conflict  
   **Content:** {}

**security:**  
 - **basicAuth:** []

**put:**

**Tags:**  
 - data  
 - put  
**Operation ID:** data\_cnbng\_cp\_profile\_put  
**Request Body:**  
   **Content:**  
     **application/yang-data+json:**  
       **Schema:**  
         **Reference:** '#/components/schemas/data\_cnbng-cp\_profile'

**Required/Optional:** true

**Responses:**

'201':  
  **Description:** container profile created or replaced  
  **Content:** {}  
'204':  
  **Description:** No Content  
  **Content:** {}  
'400':  
  **Description:** Bad Request  
  **Content:** {}  
'401':  
  **Description:** Unauthorized  
  **Content:** {}  
'404':  
  **Description:** Not Found  
  **Content:** {}  
'405':  
  **Description:** Method Not Allowed  
  **Content:** {}  
'409':  
  **Description:** Conflict  
  **Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** profile

**Method:** Post

**Tags:**

- data  
- post

**Operation ID:** data\_cnbng\_cp\_profile\_post

**Request Body:**

**Content:**  
  **application/yang-data+json:**  
    **Schema:**  
      **Reference:** '#/components/schemas/data\_cnbng-cp\_profile-post'  
    **Required/Optional:** true

**Responses:**

'201':  
  **Description:** container profile created  
  **Content:** {}  
'204':  
  **Description:** No Content  
  **Content:** {}  
'400':  
  **Description:** Bad Request  
  **Content:** {}  
'401':  
  **Description:** Unauthorized

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: profile
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_delete

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_options

  Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_head

  Parameters:
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:

```

**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**  
**'200':**  
**Description:** OK

```

    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile'
      Required/Optional: true

Responses:
  '204':
    Description: container profile updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
x-codegen-request-body-name: profile

```

## /data/cnbng-cp:profile/dhcp

```

options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_options

Responses:
  '200':
    Description: OK
    Content: {}

```



```
security:  
- basicAuth: []
```

## /data/cnbng-cp:profile/dhcp={dhcp-name}

get:

**Tags:**

```
- data  
- get
```

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_get

**Parameters:**

```
- Name: dhcp-name  
  In: path  
  Required/Optional: true  
  Style: simple  
  Explode: false  
  Schema:  
    Type: string  
    Format: string  
- Name: content  
  In: query  
  Description: controlling descendant nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: string  
    Format: enumeration  
    Default: config  
    enum:  
    - config  
    - nonconfig  
    - all  
- Name: depth  
  In: query  
  Description: limit the depth of nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: integer  
    Format: uint16  
- Name: fields  
  In: query  
  Description: optionally identify specific data nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:
```

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

```
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name'
    Required/Optional: true

Responses:
'201':
  Description: list dhcp created or replaced
  Content: {}
```

```

    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: dhcp
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_delete

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '204':
      Description: No Content
      Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_options

  Parameters:
  - Name: dhcp-name

```

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
    - **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_head

**Parameters:**

- **Name:** dhcp-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** content  
  **In:** query  
  **Description:** controlling descendant nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
    - config  
    - nonconfig  
    - all
- **Name:** depth  
  **In:** query  
  **Description:** limit the depth of nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** integer  
    **Format:** uint16

- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_patch

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false

```

Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name'
Required/Optional: true

Responses:
'204':
  Description: list dhcp updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: dhcp

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/name

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_name_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
Schema:
  Type: string
  Format: string

```

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**



- report-all
- trim
- explicit
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_name'**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:****- basicAuth:** []**put:****Tags:**

- data
- put

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_name\_put**Parameters:****- Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:****Schema:**

**Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_name'  
**Required/Optional:** true

**Responses:**

**'201':**  
**Description:** leaf name created or replaced  
**Content:** {}

**'204':**  
**Description:** No Content  
**Content:** {}

**'400':**  
**Description:** Bad Request  
**Content:** {}

**'401':**  
**Description:** Unauthorized  
**Content:** {}

**'404':**  
**Description:** Not Found  
**Content:** {}

**'405':**  
**Description:** Method Not Allowed  
**Content:** {}

**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** name

**delete:****Tags:**

- data  
 - delete

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_name\_delete

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

**'204':**  
**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_name\_options**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_name\_head**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response

```

    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: integer
      Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_name_patch

```

**Parameters:**

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Request Body:**

**Content:**

- application/yang-data+json:**
  - Schema:**
    - Reference:** '#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_name'

**Required/Optional:** true

**Responses:**

- '204':
  - Description:** leaf name updated
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':
  - Description:** Unauthorized
  - Content:** {}
- '404':
  - Description:** Not Found
  - Content:** {}
- '405':
  - Description:** Method Not Allowed
  - Content:** {}
- '409':
  - Description:** Conflict
  - Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** name

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4

**get:**

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_get

**Parameters:**

- **Name:** dhcp-name
- In:** path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form

```

```
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4'

  '204':
    Description: No Content
    Content: {}

  '400':
    Description: Bad Request
    Content: {}

  '401':
    Description: Unauthorized
    Content: {}

  '404':
    Description: Not Found
    Content: {}

  '405':
    Description: Method Not Allowed
    Content: {}

  '409':
    Description: Conflict
    Content: {}

  security:
  - basicAuth: []

put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_put

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
```

```

    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4'
        Required/Optional: true

  Responses:
    '201':
      Description: container ipv4 created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ipv4
Method: Post

  Tags:
  - data
  - post
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_post

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:

```



**application/yang-data+json:****Schema:****Reference:** '#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4-post'**Required/Optional:** true**Responses:****'201':****Description:** container ipv4 created**Content:** {}**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:****- basicAuth:** []**x-codegen-request-body-name:** ipv4**delete:****Tags:****- data**  
**- delete****Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_delete**Parameters:****- Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Responses:****'204':****Description:** No Content**Content:** {}**security:**

```

- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all

```

- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data

```

- patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4'
      Required/Optional: true

Responses:
  '204':
    Description: container ipv4 updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ipv4

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/mode

**get:**

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_mode_get

```

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_mode'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_mode\_put

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

```
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_mode'

Required/Optional: true

Responses:
'201':
  Description: leaf mode created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: mode
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_mode_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
```

**Format:** string

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
- options

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_mode\_options

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_mode\_head

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true



**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**  
'200':

```

    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_mode_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_mode'

Required/Optional: true

Responses:
'204':
  Description: leaf mode updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: mode

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server

get:

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_get

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all

- trim

- explicit

- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_put

**Parameters:**

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false

**Schema:**

- Type:** string
- Format:** string

**Request Body:****Content:**

**application/yang-data+json:**

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server'

**Required/Optional:** true

**Responses:**

'201':

**Description:** container server created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** server

**Method:** Post

**Tags:**

- data
- post

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_post

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Request Body:**

**Content:**  
  **application/yang-data+json:**  
    **Schema:**  
      **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server-post'

**Required/Optional:** true

**Responses:**

'201':  
  **Description:** container server created  
  **Content:** {}  
'204':  
  **Description:** No Content  
  **Content:** {}  
'400':  
  **Description:** Bad Request  
  **Content:** {}  
'401':  
  **Description:** Unauthorized  
  **Content:** {}  
'404':  
  **Description:** Not Found  
  **Content:** {}  
'405':  
  **Description:** Method Not Allowed  
  **Content:** {}  
'409':  
  **Description:** Conflict  
  **Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** server

**delete:****Tags:**

- data  
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_delete

**Parameters:**

- **Name:** dhcp-name  
**In:** path

```
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '204':
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_options

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_head

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
```

```

In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all

```



- trim
- explicit
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_patch**Parameters:**

- **Name:** dhcp-name

**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server'

**Required/Optional:** true**Responses:****'204':****Description:** container server updated**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}

```

security:
- basicAuth: []
x-codegen-request-body-name: server

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/pool-name

get:

**Tags:**

```

- data
- get

```

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_pool\_name\_get

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```

```

Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_pool-name'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict

```

```

    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_pool_name_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_pool_name'
    Required/Optional: true

Responses:
'201':
  Description: leaf pool-name created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: pool-name
delete:

```

**Tags:**

- data
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_pool\_name\_delete**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:****'204':****Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_pool\_name\_options**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:****'200':****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_pool\_name\_head**Parameters:**

- **Name:** dhcp-name

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false

```

**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_pool\_name\_patch

**Parameters:**  
- **Name:** dhcp-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string

**Request Body:**  
**Content:**  
  **application/yang-data+json:**  
    **Schema:**

**Reference:**  
  '#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_pool-name'  
  **Required/Optional:** true

**Responses:**  
  '204':  
    **Description:** leaf pool-name updated  
    **Content:** {}  
  '400':  
    **Description:** Bad Request  
    **Content:** {}  
  '401':  
    **Description:** Unauthorized  
    **Content:** {}  
  '404':  
    **Description:** Not Found

```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: pool-name

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/dns-servers

### options:

```

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_dns_servers_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/dns-servers={dns-servers-id}

### get:

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_dns_servers_dns_servers_id_get

Parameters:
- Name: dhcp-name

```



```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: dns-servers-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form

```

```

    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_dns-servers_dns-servers-id'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:
  - data

```

- put

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_dns\_servers\_dns\_servers\_id\_put

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** dns-servers-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** insert

**In:** query

**Description:** controlling the order when adding new list elements

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** first

**enum:**

- first

- last

- before

- after

- **Name:** point

**In:** query

**Description:** used to specify the insertion point

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_dns\_servers\_dns\_servers\_id'

**Required/Optional:** true

**Responses:**

'201':  
**Description:** leaf-list dns-servers created or replaced  
**Content:** {}

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

'409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** dns-servers

**delete:****Tags:**

- data  
 - delete

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_dns\_servers\_dns\_servers\_id\_delete

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** dns-servers-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

```
    '204':
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_dns_servers_dns_servers_id_options

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: dns-servers-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_dns_servers_dns_servers_id_head

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
```

- **Name:** dns-servers-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
    - config  
    - nonconfig  
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** integer  
    **Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_dns\_servers\_dns\_servers\_id\_patch

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** dns-servers-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_dns-servers\_dns-servers-id'

**Required/Optional:** true

**Responses:**

```

'204':
  Description: leaf-list dns-servers updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: dns-servers

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/ntp-servers

### options:

```

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_ntp_servers_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'200':
  Description: OK
  Content: {}
security:
- basicAuth: []

```



## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/ntp-servers={n tp-servers-id}

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_ntp\_servers\_ntp\_servers\_id\_get

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** ntp-servers-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16

- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

- '200':
  - Description:** OK
  - Content:**
    - application/yang-data+json:**
      - Schema:**
      - Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_ntp-servers_ntp-servers-id'
```

- '204':
  - Description:** No Content
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':
  - Description:** Unauthorized
  - Content:** {}
- '404':

```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_ntp_servers_ntp_servers_id_put

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: ntp-servers-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: insert
    In: query
    Description: controlling the order when adding new list elements
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: first
      enum:
      - first
      - last
      - before
      - after
  - Name: point
    In: query
    Description: used to specify the insertion point

```

```

    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_ntp-servers_ntp-servers-id'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf-list ntp-servers created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: ntp-servers
delete:

  Tags:
    - data
    - delete
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_ntp_servers_ntp_servers_id_delete

  Parameters:
    - Name: dhcp-name
      In: path
      Required/Optional: true
      Style: simple

```

```
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: ntp-servers-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_ntp_servers_ntp_servers_id_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: ntp-servers-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:
```

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_ntp\_servers\_ntp\_servers\_id\_head

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** ntp-servers-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_ntp_servers_ntp_servers_id_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: ntp-servers-id
  In: path
  Required/Optional: true

```

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_ntp-servers_ntp-servers-id'

  Required/Optional: true

Responses:
  '204':
    Description: leaf-list ntp-servers updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: ntp-servers

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-name-s erver

**options:**

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios\_name\_server\_options

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple



**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
**security:**  
  - **basicAuth:** []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-name-server={netbios-name-server-id}

**get:**

**Tags:**  
  - data  
  - get

**Operation ID:**  
data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios\_name\_server\_netbios\_name\_server\_id\_get

**Parameters:**

- **Name:** dhcp-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** netbios-name-server-id  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** content  
  **In:** query  
  **Description:** controlling descendant nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config

```

    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:

```

**Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_netbios-name-server_netbios-name-server-id'
```

```
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
```

**security:**

```
- basicAuth: []
```

**put:****Tags:**

```
- data
- put
```

**Operation ID:**

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_name_server_netbios_name_server_id_put
```

**Parameters:**

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: netbios-name-server-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
```

```

Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: first
  enum:
    - first
    - last
    - before
    - after
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-name-server_netbios-name-server-id'

Required/Optional: true

Responses:
  '201':
    Description: leaf-list netbios-name-server created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []

```

**x-codegen-request-body-name:** netbios-name-server  
**delete:**

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios\_name\_server\_netbios\_name\_server\_id\_delete

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** netbios-name-server-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string

**Responses:**

**'204':**  
**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios\_name\_server\_netbios\_name\_server\_id\_options

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** netbios-name-server-id  
**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Responses:**

**'200':**

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data

- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios\_name\_server\_netbios\_name\_server\_id\_head

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** netbios-name-server-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config

- nonconfig

- all

- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data

- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios\_name\_server\_netbios\_name\_server\_id\_patch

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** netbios-name-server-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Request Body:**

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios-name-server\_netbios-name-server-id'

**Required/Optional:** true

**Responses:**

- '204':
  - Description:** leaf-list netbios-name-server updated
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':
  - Description:** Unauthorized
  - Content:** {}
- '404':
  - Description:** Not Found
  - Content:** {}
- '405':
  - Description:** Method Not Allowed
  - Content:** {}
- '409':
  - Description:** Conflict
  - Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** netbios-name-server



## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/domain-name

get:

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_domain\_name\_get

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all

- trim

- explicit

- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_domain-name'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_domain\_name\_put

**Parameters:**

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false

**Schema:**

- Type:** string
- Format:** string

**Request Body:****Content:**

**application/yang-data+json:**

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_domain\_name'

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf domain-name created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** domain-name

**delete:****Tags:**

- data
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_domain\_name\_delete

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

'204':  
**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_domain\_name\_options

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_domain\_name\_head

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

```
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
```

**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_domain\_name\_patch

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
 application/yang-data+json:  
**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_domain-name'  
**Required/Optional:** true

**Responses:**

'204':  
**Description:** leaf domain-name updated  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':  
**Description:** Not Found  
**Content:** {}  
 '405':  
**Description:** Method Not Allowed  
**Content:** {}  
 '409':

**Description:** Conflict  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**x-codegen-request-body-name:** domain-name

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/boot-filename:

get:

**Tags:**  
 - data  
 - get  
**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_boot\_filename\_get

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
 - config  
 - nonconfig  
 - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:
      '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_boot-filename'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}

```



```

    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_boot_filename_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_boot-filename'
    Required/Optional: true

Responses:
'201':
  Description: leaf boot-filename created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []

```

**x-codegen-request-body-name:** boot-filename

**delete:**

**Tags:**

- data
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_boot\_filename\_delete

**Parameters:**

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

**'204':**

- Description:** No Content
- Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_boot\_filename\_options

**Parameters:**

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

**'200':**

- Description:** OK
- Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_boot\_filename\_head

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults

**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

**'200':**  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_boot\_filename\_patch

**Parameters:**

- **Name:** dhcp-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
  **Type:** string  
  **Format:** string

**Request Body:**

**Content:**  
  **application/yang-data+json:**  
  **Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_boot-filename'  
  **Required/Optional:** true

**Responses:**

**'204':**  
  **Description:** leaf boot-filename updated  
  **Content:** {}

**'400':**  
  **Description:** Bad Request  
  **Content:** {}

**'401':**  
  **Description:** Unauthorized

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: boot-filename

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/next-server

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_next_server_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form

```

```

Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_next-server'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':

```

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_next_server_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_next-server'
    Required/Optional: true

Responses:
  '201':
    Description: leaf next-server created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}

```

```

    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: next-server
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_next_server_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_next_server_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'200':
  Description: OK
  Content: {}

```



```
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_next_server_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
```

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**  
   **'200':**  
     **Description:** OK  
     **Content:** {}  
**security:**  
   - **basicAuth:** []

**patch:**

**Tags:**  
   - data  
   - patch

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_next\_server\_patch

**Parameters:**  
   - **Name:** dhcp-name  
     **In:** path  
     **Required/Optional:** true  
     **Style:** simple  
     **Explode:** false  
     **Schema:**  
       **Type:** string  
       **Format:** string

**Request Body:**  
   **Content:**  
     **application/yang-data+json:**  
       **Schema:**  
         **Reference:**  
         '#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_next-server'  
         **Required/Optional:** true

**Responses:**  
   **'204':**

```

    Description: leaf next-server updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: next-server

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-node-t ype

get:

**Tags:**

```
- data
- get
```

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios\_node\_type\_get

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config
- nonconfig
- all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':

**Description:** OK**Content:**

application/yang-data+json:

**Schema:****Reference:**

```

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_put

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type'
    Required/Optional: true

  Responses:
  '201':
    Description: container netbios-node-type created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}

```

```

    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: netbios-node-type
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_post

```

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Request Body:**

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios-node-type-post'

```

```

Required/Optional: true

```

**Responses:**

```

'201':
  Description: container netbios-node-type created
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request

```

```
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: netbios-node-type
delete:
```

```
Tags:
- data
- delete
```

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios\_node\_type\_delete

**Parameters:**

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

**Responses:**

```
'204':
  Description: No Content
  Content: {}
```

```
security:
- basicAuth: []
```

**options:**

```
Tags:
- data
- options
```

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios\_node\_type\_options

**Parameters:**

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
```

**Schema:**

**Type:** string  
**Format:** string

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios\_node\_type\_head

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config  
- nonconfig  
- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response



**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
    - report-all  
    - trim  
    - explicit  
    - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
    - **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios\_node\_type\_patch

**Parameters:**  
- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string

```

    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type'
      Required/Optional: true

Responses:
  '204':
    Description: container netbios-node-type updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: netbios-node-type

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-node-type/broadcast-node

**get:**

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_broadcast_node_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

- Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all

```

enum:
- report-all
- trim
- explicit
- report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_broadcast-node'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

```

security:
- basicAuth: []

```

**put:**

```

Tags:
- data
- put
Operation ID:

```

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_broadcast_node_put

```

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Request Body:**

```

Content:

```

```

    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_broadcast-node'

      Required/Optional: true

    Responses:
      '201':
        Description: leaf broadcast-node created or replaced
        Content: {}
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: broadcast-node
  delete:

    Tags:
      - data
      - delete
    Operation ID:
      data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_broadcast_node_delete

    Parameters:
      - Name: dhcp-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string

    Responses:
      '204':
        Description: No Content

```

```

    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_broadcast_node_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_broadcast_node_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config

```

```
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
security:
- basicAuth: []
```

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios\_node\_type\_broadcast\_node\_patch

**Parameters:**

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_netbios-node-type\_broadcast-node'

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf broadcast-node updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** broadcast-node



## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-node-type/hybrid-node

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios\_node\_type\_hybrid\_node\_get

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string

```

    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hybrid-node'
```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hybrid_node_put

    Parameters:
      - Name: dhcp-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
            '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios-node-type_hybrid-node'

            Required/Optional: true

    Responses:
      '201':
        Description: leaf hybrid-node created or replaced
        Content: {}
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: hybrid-node

```

**delete:****Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios\_node\_type\_hybrid\_node\_delete

**Parameters:**

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

- '204':
  - Description:** No Content
  - Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios\_node\_type\_hybrid\_node\_options

**Parameters:**

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios\_node\_type\_hybrid\_node\_head

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults

**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
   **Description:** OK  
   **Content:** {}

**security:**  
 - **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios\_node\_type\_hybrid\_node\_patch

**Parameters:**

- **Name:** dhcp-name  
   **In:** path  
   **Required/Optional:** true  
   **Style:** simple  
   **Explode:** false  
   **Schema:**  
     **Type:** string  
     **Format:** string

**Request Body:**

**Content:**  
   **application/yang-data+json:**  
     **Schema:**  
       **Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios-node-type\_hybrid-node'

**Required/Optional:** true

**Responses:**

**'204':**  
   **Description:** leaf hybrid-node updated  
   **Content:** {}

**'400':**  
   **Description:** Bad Request  
   **Content:** {}

```

'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hybrid-node

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-node-type/mixed-node

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios\_node\_type\_mixed\_node\_get

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config
- nonconfig
- all

- **Name:** depth

**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** integer  
     **Format:** uint16  
**- Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** enumeration  
     **Default:** report-all  
     **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
     **application/yang-data+json:**  
         **Schema:**  
             **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_netbios-node-type\_mixed-node'

**'204':**  
**Description:** No Content



```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_mixed_node_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios-node-type_mixed-node'

Required/Optional: true

Responses:
  '201':
    Description: leaf mixed-node created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request

```

```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: mixed-node
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_mixed_node_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_mixed_node_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false

```

**Schema:**

**Type:** string  
**Format:** string

**Responses:****'200':**

**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios\_node\_type\_mixed\_node\_head

**Parameters:**

- **Name:** dhcp-name

**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string

- **Name:** content

**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:**

- config
- nonconfig
- all

- **Name:** depth

**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16

- **Name:** fields

**In:** query**Description:** optionally identify specific data nodes in response

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
   **Description:** OK  
   **Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios\_node\_type\_mixed\_node\_patch

**Parameters:**

**- Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string

```

    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_mixed-node'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf mixed-node updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: mixed-node

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-node-type/peer-to-peer-node

```

get:

  Tags:
    - data
    - get
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_peer_to_peer_node_get

  Parameters:
    - Name: dhcp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:

```

```
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
```

**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
 Schema:  
 Reference:

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_netbios-node-type\_peer-to-peer-node'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**  
 - **basicAuth:** []

**put:**

**Tags:**  
 - data  
 - put

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios\_node\_type\_peer\_to\_peer\_node\_put

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

```

Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_peer-to-peer-node'

    Required/Optional: true

Responses:
  '201':
    Description: leaf peer-to-peer-node created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: peer-to-peer-node
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_peer_to_peer_node_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:

```



```

    '204':
      Description: No Content
      Content: {}
      security:
        - basicAuth: []
      options:

      Tags:
        - data
        - options
      Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_peer_to_peer_node_options

```

```

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

```

Responses:
'200':
  Description: OK
  Content: {}
  security:
    - basicAuth: []
  head:

```

```

      Tags:
        - data
        - head
      Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_peer_to_peer_node_head

```

```

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:

```

```

    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK

```

```

    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_peer_to_peer_node_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios-node-type_peer-to-peer-node'

Required/Optional: true

Responses:
'204':
  Description: leaf peer-to-peer-node updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: peer-to-peer-node

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/netbios-node-t ype/hexadecimal

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios\_node\_type\_hexadecimal\_get

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string

```

    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hexadecimal'

'204':
  Description: No Content
  Content: {}

'400':
  Description: Bad Request
  Content: {}

'401':
  Description: Unauthorized
  Content: {}

'404':
  Description: Not Found
  Content: {}

'405':
  Description: Method Not Allowed
  Content: {}

'409':
  Description: Conflict
  Content: {}

```

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Operation ID:
      data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_netbios_node_type_hexadecimal_put

    Parameters:
      - Name: dhcp-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp_name_ipv4_server_netbios-node-type_hexadecimal'

            Required/Optional: true

    Responses:
      '201':
        Description: leaf hexadecimal created or replaced
        Content: {}
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: hexadecimal

```

**delete:****Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios\_node\_type\_hexadecimal\_delete

**Parameters:**

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

'204':

**Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios\_node\_type\_hexadecimal\_options

**Parameters:**

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

'200':

**Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios\_node\_type\_hexadecimal\_head

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults



**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**  
 '200':  
**Description:** OK  
**Content:** {}  
**security:**  
 - **basicAuth:** []

**patch:**

**Tags:**  
 - data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_netbios\_node\_type\_hexadecimal\_patch

**Parameters:**  
 - **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false

**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
 application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_netbios-node-type\_hexadecimal'

**Required/Optional:** true

**Responses:**  
 '204':  
**Description:** leaf hexadecimal updated  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}

```

'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hexadecimal

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/lease

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response

```

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** integer  
     **Format:** uint16  
**- Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** enumeration  
     **Default:** report-all  
     **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
     **application/yang-data+json:**  
         **Schema:**  
         **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_lease'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request

```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease'
    Required/Optional: true

Responses:
  '201':
    Description: container lease created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':

```

```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: lease
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_post

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease-post'
    Required/Optional: true

Responses:
  '201':
    Description: container lease created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed

```

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: lease
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'200':
  Description: OK
  Content: {}
  security:
  - basicAuth: []

```

**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_lease\_head

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form

**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string  
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}

**security:**  
- **basicAuth:** []

**patch:**

**Tags:**

- data  
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_lease\_patch

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Request Body:**

**Content:**  
  **application/yang-data+json:**  
    **Schema:**

**Reference:**

  '#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_lease'  
  **Required/Optional:** true

**Responses:**

'204':  
  **Description:** container lease updated  
  **Content:** {}



```

'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: lease

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/lease/days

get:

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_lease\_days\_get

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all

```

- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_days'
  '204':
    Description: No Content

```

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_days_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_days'
      Required/Optional: true

Responses:
  '201':
    Description: leaf days created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':

```

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: days
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_days_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_days_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_lease\_days\_head**Parameters:****- Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:**

- config
- nonconfig
- all

**- Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []

```

**patch:****Tags:**

```

- data
- patch

```

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_lease\_days\_patch

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Request Body:**

```

Content:
  application/yang-data+json:
    Schema:

```

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_days'
```

```
Required/Optional: true
```

**Responses:**

```
'204':
```

```
Description: leaf days updated
```

```
Content: {}
```

```
'400':
```

```
Description: Bad Request
```

```
Content: {}
```

```
'401':
```

```
Description: Unauthorized
```

```
Content: {}
```

```
'404':
```

```
Description: Not Found
```

```
Content: {}
```

```
'405':
```

```
Description: Method Not Allowed
```

```
Content: {}
```

```
'409':
```

```
Description: Conflict
```

```
Content: {}
```

**security:**

```
- basicAuth: []
```

```
x-codegen-request-body-name: days
```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/lease/hours

**get:****Tags:**

```
- data
```

```
- get
```

```
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_hours_get
```

**Parameters:**

```
- Name: dhcp-name
```

```
In: path
```

```
Required/Optional: true
```

```
Style: simple
```

```
Explode: false
```

**Schema:**

```
Type: string
```

```
Format: string
```

```
- Name: content
```

```
In: query
```

```
Description: controlling descendant nodes in response
```

```
Required/Optional: false
```

```
Style: form
```

```
Explode: true
```

```

Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```
'200':
```



```

    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_hours'
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_hours_put

    Parameters:
      - Name: dhcp-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_hours'
          Required/Optional: true

    Responses:
      '201':
        Description: leaf hours created or replaced

```

```

    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hours
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_hours_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_hours_options

Parameters:

```

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_hours_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
```

```

    Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_hours_patch

Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple

```

```

Explode: false
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_hours'
      Required/Optional: true

Responses:
  '204':
    Description: leaf hours updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: hours

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/lease/minutes:

```

get:

Tags:
  - data
  - get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_minutes_get

Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:

```

```

    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration

```

**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_lease\_minutes'

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**put:****Tags:**- data  
- put**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_lease\_minutes\_put**Parameters:**- **Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:**

```

    application/yang-data+json:
      Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_lease_minutes'
      Required/Optional: true

Responses:
  '201':
    Description: leaf minutes created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: minutes
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_minutes_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:

```



```
- basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_minutes_options

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_lease_minutes_head

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: config
      enum:
      - config
      - nonconfig
```

```

    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
```

- data  
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_lease\_minutes\_patch

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_lease\_minutes'  
**Required/Optional:** true

**Responses:**

'204':  
**Description:** leaf minutes updated  
**Content:** {}  
'400':  
**Description:** Bad Request  
**Content:** {}  
'401':  
**Description:** Unauthorized  
**Content:** {}  
'404':  
**Description:** Not Found  
**Content:** {}  
'405':  
**Description:** Method Not Allowed  
**Content:** {}  
'409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** minutes

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/static-ip-key:

**get:**

**Tags:**

- data  
- get

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_static\_ip\_key\_get

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults

```
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_static-ip-key'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_put

Parameters:
- Name: dhcp-name
  In: path
```

```

    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_static-ip-key'
        Required/Optional: true

  Responses:
    '201':
      Description: container static-ip-key created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: static-ip-key
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_post

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

```

    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_static-ip-key-post'
    Required/Optional: true

Responses:
  '201':
    Description: container static-ip-key created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: static-ip-key
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:

```

```

    '204':
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_options

```

```

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

```

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []

```

head:

```

Tags:
- data
- head

```

Operation ID: data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_static\_ip\_key\_head

```

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string

```



```
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
```

```

    security:
      - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static_ip_key_patch

  Parameters:
    - Name: dhcp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_static-ip-key'
            Required/Optional: true

  Responses:
    '204':
      Description: container static-ip-key updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: static-ip-key

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/static-ip-key/identifier

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_static\_ip\_key\_identifier\_get

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter

**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
   **application/yang-data+json:**  
     **Schema:**  
       **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_static-ip-key\_identifier'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_static\_ip\_key\_identifier\_put

**Parameters:**

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_static-ip-key\_identifier'

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf identifier created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** identifier

**delete:**

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_static\_ip\_key\_identifier\_delete

**Parameters:**

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

- '204':
  - Description:** No Content
  - Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_static\_ip\_key\_identifier\_options

**Parameters:**

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_static\_ip\_key\_identifier\_head

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_static\_ip\_key\_identifier\_patch

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_static-ip-key-identifier'

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf identifier updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized



```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: identifier

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form

```

```

Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':

```

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option-codes'
    Required/Optional: true

Responses:
  '201':
    Description: container option-codes created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}

```

```

    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: option-codes
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_post

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_post'
    Required/Optional: true

Responses:
'201':
  Description: container option-codes created
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':

```

```
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: option-codes
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
security:
- basicAuth: []
head:

Tags:
```

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_head

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string

```

    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option-codes'
    Required/Optional: true

Responses:
  '204':
    Description: container option-codes updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}

```

```

    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: option-codes

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code

options:

Tags:

- data
- options

Operation ID:

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_options

Parameters:

- Name: dhcp-name
- In: path
- Required/Optional: true
- Style: simple
- Explode: false
- Schema:
  - Type: string
  - Format: string

Responses:

```

'200':
  Description: OK
  Content: {}

```

security:

- basicAuth: []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code={option-code-option-code}

get:



**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_get

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** option-code-option-code  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** uint32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true

```

Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':

```

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data

- put

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_put

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** option-code-option-code

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** uint32

- **Name:** insert

**In:** query

**Description:** controlling the order when adding new list elements

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** first

**enum:**

- first

- last

- before

- after

- **Name:** point

**In:** query

**Description:** used to specify the insertion point

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

```

    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code'

  Required/Optional: true

Responses:
  '201':
    Description: list option-code created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: option-code
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

```
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_options
```

```
Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
```

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_head

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** option-code-option-code  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** uint32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** filter

**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** string

- **Name:** with-defaults

**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all

**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**  
- **basicAuth:** []

**patch:**

**Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_patch

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** option-code-option-code  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

```

    Type: integer
    Format: uint32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code'

  Required/Optional: true

Responses:
  '204':
    Description: list option-code updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: option-code

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code={option-code-option-code}/option-code

get:

Tags:

- data
- get

Operation ID:

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_option\_code\_get

Parameters:

- Name: dhcp-name
- In: path
- Required/Optional: true
- Style: simple



```
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
```

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code-option-code\_option-code'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data

- put

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_option\_code\_put

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** option-code-option-code
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** uint32

**Request Body:**

- Content:**
  - application/yang-data+json:**
    - Schema:**
      - Reference:**
        - '#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code-option-code\_option-code'

**Required/Optional:** true

**Responses:**

- '201':
  - Description:** leaf option-code created or replaced
  - Content:** {}
- '204':
  - Description:** No Content
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':
  - Description:** Unauthorized
  - Content:** {}
- '404':
  - Description:** Not Found
  - Content:** {}
- '405':
  - Description:** Method Not Allowed
  - Content:** {}
- '409':
  - Description:** Conflict
  - Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** option-code

**delete:****Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_delete

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** option-code-option-code  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** uint32

**Responses:**

- '204':  
  **Description:** No Content  
  **Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_options

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** option-code-option-code  
**In:** path  
**Required/Optional:** true

**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** integer  
   **Format:** uint32

**Responses:**  
 '200':  
   **Description:** OK  
   **Content:** {}

**security:**  
 - **basicAuth:** []

**head:**

**Tags:**  
 - data  
 - head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_option\_code\_head

**Parameters:**

- **Name:** dhcp-name  
   **In:** path  
   **Required/Optional:** true  
   **Style:** simple  
   **Explode:** false  
   **Schema:**  
     **Type:** string  
     **Format:** string
- **Name:** option-code-option-code  
   **In:** path  
   **Required/Optional:** true  
   **Style:** simple  
   **Explode:** false  
   **Schema:**  
     **Type:** integer  
     **Format:** uint32
- **Name:** content  
   **In:** query  
   **Description:** controlling descendant nodes in response  
   **Required/Optional:** false  
   **Style:** form  
   **Explode:** true  
   **Schema:**  
     **Type:** string  
     **Format:** enumeration  
     **Default:** config  
     **enum:**  
       - config  
       - nonconfig  
       - all
- **Name:** depth

```

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch

```

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_option\_code\_patch

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** option-code-option-code  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** uint32

**Request Body:**

- Content:**  
  - application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code-option-code\_option-code'

**Required/Optional:** true**Responses:**

- '204':  
  - Description:** leaf option-code updated
  - Content:** {}
- '400':  
  - Description:** Bad Request
  - Content:** {}
- '401':  
  - Description:** Unauthorized
  - Content:** {}
- '404':  
  - Description:** Not Found
  - Content:** {}
- '405':  
  - Description:** Method Not Allowed
  - Content:** {}
- '409':  
  - Description:** Conflict
  - Content:** {}

**security:**

- **basicAuth:** []
- x-codegen-request-body-name:** option-code

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code={option-code-option-code}/ascii-string

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ascii\_string\_get

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** option-code-option-code
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** uint32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer



```

    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_dhcp=[dhcp-name]/ipv4_server_option-codes_option-code_option-code-option-code_ascii-string'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}

```

```

    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ascii_string_put

```

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32

```

**Request Body:**

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ascii_string'

```

```

Required/Optional: true

```

**Responses:**

```

'201':
  Description: leaf ascii-string created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}

```

```

'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ascii-string
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ascii\_string\_delete

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32

```

**Responses:**

```

'204':
  Description: No Content
  Content: {}

```

**security:**

```

- basicAuth: []

```

options:

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ascii\_string\_options

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** option-code-option-code
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** uint32

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ascii\_string\_head

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** option-code-option-code
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false

```

Schema:
  Type: integer
  Format: uint32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string

```

**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ascii\_string\_patch

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** option-code-option-code  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** uint32

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option-code-option-code\_ascii-string'

**Required/Optional:** true

**Responses:**

**'204':**  
**Description:** leaf ascii-string updated  
**Content:** {}

**'400':**

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ascii-string

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code={option-code-option-code}/hex-string

**get:**

```

Tags:
- data
- get

```

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_hex\_string\_get

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
- Name: content
  In: query
  Description: controlling descendant nodes in response

```

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```



**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_hex-string'

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:****- basicAuth:** []**put:****Tags:****- data****- put****Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_hex\_string\_put

**Parameters:****- Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** option-code-option-code**In:** path**Required/Optional:** true**Style:** simple**Explode:** false

```

Schema:
  Type: integer
  Format: uint32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_hex-string'

Required/Optional: true

Responses:
  '201':
    Description: leaf hex-string created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hex-string
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_hex_string_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

```

    Type: string
    Format: string
  - Name: option-code-option-code
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: uint32

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_hex_string_options

```

```

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:

```

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_hex\_string\_head

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** option-code-option-code
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** uint32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**

**Type:** string  
**Format:** string  
**Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string  
**Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_hex\_string\_patch

**Parameters:**

**Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
**Name:** option-code-option-code  
**In:** path  
**Required/Optional:** true

```

Style: simple
Explode: false
Schema:
  Type: integer
  Format: uint32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_hex-string'

  Required/Optional: true

Responses:
  '204':
    Description: leaf hex-string updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: hex-string

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code={option-code-option-code}/ip-address

### options:

#### Tags:

- data
- options

#### Operation ID:

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ip\_address\_options

#### Parameters:

- **Name:** dhcp-name

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: option-code-option-code
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: uint32

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
?
/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code={option-code-option-code}/ip-address={ip-address-id}
: get:

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
- Name: ip-address-id
  In: path
  Required/Optional: true

```

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true

```



**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
 Schema:  
 Reference:

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code-option-code\_ip\_address\_ip\_address-id'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
 - put

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ip\_address\_ip\_address\_id\_put

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false

```

Schema:
  Type: string
  Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
- Name: ip-address-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_ip-address_ip-address-id'

  Required/Optional: true

Responses:

```

```

'201':
  Description: leaf-list ip-address created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ip-address
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ip\_address\_ip\_address\_id\_delete

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
- Name: ip-address-id
  In: path
  Required/Optional: true

```

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_options

```

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
- Name: ip-address-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Responses:**

```

'200':
  Description: OK
  Content: {}
security:
- basicAuth: []

```

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ip\_address\_ip\_address\_id\_head

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** option-code-option-code  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** uint32
- **Name:** ip-address-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**
  - config
  - nonconfig
  - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form

**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**
  - report-all
  - trim
  - explicit
  - report-all-tagged

**Responses:**

'200':  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ip\_address\_ip\_address\_id\_patch

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** option-code-option-code  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** uint32
- **Name:** ip-address-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_ip-address_ip-address-id'
```

**Required/Optional:** true**Responses:**

'204':

**Description:** leaf-list ip-address updated**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}

```

security:
- basicAuth: []
x-codegen-request-body-name: ip-address

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/option-codes/option-code={option-code-option-code}/force-insert

get:

**Tags:**

```

- data
- get

```

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_force\_insert\_get

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false

```



```

Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_force-insert'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request

```

```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_force_insert_put

```

```

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_option_codes_option_code_option_code_option_code_force_insert'

      Required/Optional: true

Responses:
  '201':
    Description: leaf force-insert created or replaced

```

```

    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: force-insert
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_force\_insert\_delete

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32

```

**Responses:**

```

'204':
  Description: No Content
  Content: {}

```

**security:**  
 - **basicAuth:** []  
**options:**

**Tags:**  
 - data  
 - options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_force\_insert\_options

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
 - **Name:** option-code-option-code  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** uint32

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []

**head:**

**Tags:**  
 - data  
 - head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_force\_insert\_head

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
 - **Name:** option-code-option-code

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** uint32

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false

**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**patch:**

**Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_force\_insert\_patch

**Parameters:**

- **Name:** dhcp-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string  
- **Name:** option-code-option-code  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** integer  
    **Format:** uint32

**Request Body:**

**Content:**  
  **application/yang-data+json:**  
    **Schema:**  
      **Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_force\_insert'

**Required/Optional:** true

**Responses:**

```

'204':
  Description: leaf force-insert updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: force-insert

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/hold-time

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:

```

- config
- nonconfig
- all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':

**Description:** OK**Content:**

application/yang-data+json:

**Schema:****Reference:**



```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time'
```

```
'204':
```

```
  Description: No Content
```

```
  Content: {}
```

```
'400':
```

```
  Description: Bad Request
```

```
  Content: {}
```

```
'401':
```

```
  Description: Unauthorized
```

```
  Content: {}
```

```
'404':
```

```
  Description: Not Found
```

```
  Content: {}
```

```
'405':
```

```
  Description: Method Not Allowed
```

```
  Content: {}
```

```
'409':
```

```
  Description: Conflict
```

```
  Content: {}
```

```
security:
```

```
- basicAuth: []
```

```
put:
```

```
Tags:
```

```
- data
```

```
- put
```

```
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_put
```

```
Parameters:
```

```
- Name: dhcp-name
```

```
  In: path
```

```
  Required/Optional: true
```

```
  Style: simple
```

```
  Explode: false
```

```
  Schema:
```

```
    Type: string
```

```
    Format: string
```

```
Request Body:
```

```
  Content:
```

```
    application/yang-data+json:
```

```
      Schema:
```

```
        Reference:
```

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time'
```

```
  Required/Optional: true
```

```
Responses:
```

```
'201':
```

```
  Description: container hold-time created or replaced
```

```
  Content: {}
```

```
'204':
```

```
  Description: No Content
```

```
  Content: {}
```

```
'400':
```

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hold-time
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_post

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold-time-post'
    Required/Optional: true

Responses:
  '201':
    Description: container hold-time created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized

```

```
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hold-time
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

**Responses:****'200':****Description:** OK**Content:** {}**security:**- **basicAuth:** []**head:****Tags:**- data  
- head**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_hold\_time\_head**Parameters:**- **Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:**- config  
- nonconfig  
- all- **Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16- **Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string

```
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
```

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time'
  Required/Optional: true

Responses:
  '204':
    Description: container hold-time updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hold-time
```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/server/hold-time/minutes

get:

Tags:

- data
- get

Operation ID: data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_hold\_time\_minutes\_get

Parameters:

- Name: dhcp-name
  - In: path
  - Required/Optional: true
  - Style: simple
  - Explode: false
  - Schema:
    - Type: string
    - Format: string
- Name: content
  - In: query
  - Description: controlling descendant nodes in response
  - Required/Optional: false
  - Style: form
  - Explode: true

**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
  **In:** query  
  **Description:** limit the depth of nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** integer  
    **Format:** uint16

- **Name:** fields  
  **In:** query  
  **Description:** optionally identify specific data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** filter  
  **In:** query  
  **Description:** xpath expression to filter data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** with-defaults  
  **In:** query  
  **Description:** controlling default values in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** report-all  
    **enum:**  
    - report-all  
    - trim  
    - explicit  
    - report-all-tagged

**Responses:**  
  '200':

```

    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time_minutes'
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_minutes_put

    Parameters:
      - Name: dhcp-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time_minutes'
          Required/Optional: true

    Responses:
      '201':

```



```
    Description: leaf minutes created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: minutes
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_minutes_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
```

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_hold\_time\_minutes\_options

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_server\_hold\_time\_minutes\_head

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form

```
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_server_hold_time_minutes_patch

Parameters:
```

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time_minutes'
      Required/Optional: true

Responses:
  '204':
    Description: leaf minutes updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: minutes

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class

**options:**

**Tags:**

- data
- options

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_options

**Parameters:**

- **Name:** dhcp-name
- In:** path

**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string

**Responses:**  
 '200':  
   **Description:** OK  
   **Content:** {}  
**security:**  
 - **basicAuth:** []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}

get:

**Tags:**  
 - data  
 - get  
**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_name\_get

**Parameters:**  
 - **Name:** dhcp-name  
   **In:** path  
   **Required/Optional:** true  
   **Style:** simple  
   **Explode:** false  
   **Schema:**  
     **Type:** string  
     **Format:** string  
 - **Name:** class-class-name  
   **In:** path  
   **Required/Optional:** true  
   **Style:** simple  
   **Explode:** false  
   **Schema:**  
     **Type:** string  
     **Format:** string  
 - **Name:** content  
   **In:** query  
   **Description:** controlling descendant nodes in response  
   **Required/Optional:** false  
   **Style:** form  
   **Explode:** true  
   **Schema:**  
     **Type:** string  
     **Format:** enumeration  
     **Default:** config  
     **enum:**

- config
- nonconfig
- all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':

**Description:** OK**Content:**

application/yang-data+json:

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

```

    Type: string
    Format: enumeration
    Default: first
    enum:
    - first
    - last
    - before
    - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name'
      Required/Optional: true

Responses:
  '201':
    Description: list class created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: class
delete:

Tags:

```



- data
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_delete

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

- '204':
  - Description:** No Content
  - Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_options

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string

**Format:** string

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_head

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** class-class-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config  
- nonconfig  
- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

```

    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_patch

Parameters:
- Name: dhcp-name
  In: path

```

```

    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name'
            Required/Optional: true

  Responses:
    '204':
      Description: list class updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: class

```

**/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/class-name**

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_class\_name\_get

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-name_class-name'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict

```

```

    Content: {}
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_class_name_put

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_class-name'

    Required/Optional: true

  Responses:
  '201':
    Description: leaf class-name created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}

```

```

    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: class-name
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_class_name_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_class_name_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple

```



```

    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_class_name_head

Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration

```

```

    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_class_name_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_class-name'

Required/Optional: true

Responses:
'204':
  Description: leaf class-name updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict

```

```

    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: class-name

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches

get:

Tags:

```

- data
- get

```

Operation ID:

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_get

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false

```

```

Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-name_matches'
```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request

```

```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_put

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_matches'

    Required/Optional: true

  Responses:
  '201':
    Description: container matches created or replaced
    Content: {}

```

```

    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: matches
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_post

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_matches-post'

```

**Required/Optional:** true

**Responses:**

'201':  
**Description:** container matches created  
**Content:** {}

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

'409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** matches

**delete:**

**Tags:**

- data  
 - delete

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_delete

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string



**Responses:**

'204':

**Description:** No Content**Content:** {}**security:****- basicAuth:** []**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_options

**Parameters:****- Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** class-class-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Responses:**

'200':

**Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_head

**Parameters:****- Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string

- Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_patch

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** class-class-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_matches'

**Required/Optional:** true

**Responses:**

```
'204':
  Description: container matches updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
```

**security:**

```
- basicAuth: []
x-codegen-request-body-name: matches
```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/match

**options:****Tags:**

```
- data
- options
```

**Operation ID:**

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_options
```

**Parameters:**

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
```

**Format:** string

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/match={match-key}

**get:**

**Tags:**

- data  
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_match\_key\_get

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** class-class-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** match-key

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** dhcpv4-circuit-id

**enum:**

- dhcpv4-circuit-id  
- dhcpv4-remote-id  
- dhcpv4-vendor-class

- dhcpv4-user-class
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all

```

enum:
- report-all
- trim
- explicit
- report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key'
```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

**security:**

```
- basicAuth: []
```

**put:****Tags:**

```
- data
- put
```

**Operation ID:**

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_put
```

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name

```

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: dhcpv4-circuit-id
  enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- Name: insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: first
  enum:
    - first
    - last
    - before
    - after
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key'

Required/Optional: true

```



**Responses:**

```

'201':
  Description: list match created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

**security:**

```
- basicAuth: []
```

```
x-codegen-request-body-name: match
```

**delete:****Tags:**

```
- data
- delete
```

**Operation ID:**

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_delete
```

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path

```

**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** dhcpv4-circuit-id  
   **enum:**  
     - dhcpv4-circuit-id  
     - dhcpv4-remote-id  
     - dhcpv4-vendor-class  
     - dhcpv4-user-class

**Responses:**  
   '204':  
     **Description:** No Content  
     **Content:** {}  
   **security:**  
     - **basicAuth:** []

**options:**

**Tags:**  
   - data  
   - options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_match\_key\_options

**Parameters:**  
   - **Name:** dhcp-name  
     **In:** path  
     **Required/Optional:** true  
     **Style:** simple  
     **Explode:** false  
     **Schema:**  
       **Type:** string  
       **Format:** string  
   - **Name:** class-class-name  
     **In:** path  
     **Required/Optional:** true  
     **Style:** simple  
     **Explode:** false  
     **Schema:**  
       **Type:** string  
       **Format:** string  
   - **Name:** match-key  
     **In:** path  
     **Required/Optional:** true  
     **Style:** simple  
     **Explode:** false  
     **Schema:**  
       **Type:** string  
       **Format:** enumeration  
       **Default:** dhcpv4-circuit-id

```

enum:
- dhcpv4-circuit-id
- dhcpv4-remote-id
- dhcpv4-vendor-class
- dhcpv4-user-class

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []

```

**head:****Tags:**

```

- data
- head

```

**Operation ID:**

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_head
```

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
- Name: content
  In: query

```

**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit

- report-all-tagged

**Responses:**

'200':  
 Description: OK  
 Content: {}

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_match\_key\_patch

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** class-class-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** match-key

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** dhcpv4-circuit-id

**enum:**

- dhcpv4-circuit-id  
 - dhcpv4-remote-id  
 - dhcpv4-vendor-class  
 - dhcpv4-user-class

**Request Body:**

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class-class-name\_matches\_match\_match-key'

**Required/Optional:** true

**Responses:**

'204':  
**Description:** list match updated  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':  
**Description:** Not Found  
**Content:** {}  
 '405':  
**Description:** Method Not Allowed  
**Content:** {}  
 '409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** match

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/match={match-key}/key

**get:**

**Tags:**

- data  
 - get

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_match\_key\_key\_get

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
 - **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple

```

Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response

```

```

    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_key'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
put:

```



**Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_match\_key\_key\_put

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** dhcpv4-circuit-id  
**enum:**
  - dhcpv4-circuit-id
  - dhcpv4-remote-id
  - dhcpv4-vendor-class
  - dhcpv4-user-class

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class-class-name\_matches\_match\_match-key\_key'

**Required/Optional:** true**Responses:**

'201':

**Description:** leaf key created or replaced**Content:** {}

'204':

**Description:** No Content**Content:** {}

```

'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: key
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_match\_key\_key\_delete

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id

```

**enum:**

- dhcpv4-circuit-id
- dhcpv4-remote-id
- dhcpv4-vendor-class
- dhcpv4-user-class

**Responses:****'204':****Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_match\_key\_key\_options

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** dhcpv4-circuit-id  
**enum:**
  - dhcpv4-circuit-id
  - dhcpv4-remote-id
  - dhcpv4-vendor-class
  - dhcpv4-user-class

**Responses:****'200':**

**Description:** OK  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**head:**  
  
**Tags:**  
 - data  
 - head  
**Operation ID:**  
 data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_match\_key\_key\_head

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** dhcpv4-circuit-id  
   **enum:**  
     - dhcpv4-circuit-id  
     - dhcpv4-remote-id  
     - dhcpv4-vendor-class  
     - dhcpv4-user-class
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration

```
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
security:
```

- **basicAuth:** []  
**patch:**

**Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_match\_key\_key\_patch

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** dhcpv4-circuit-id  
**enum:**
  - dhcpv4-circuit-id
  - dhcpv4-remote-id
  - dhcpv4-vendor-class
  - dhcpv4-user-class

**Request Body:****Content:**

**application/yang-data+json:**

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class-class-name\_matches\_match\_match-key\_key'

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf key updated

**Content:** {}

```

'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: key

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/match={match-key}/ascii

options:

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_options

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** match-key  
**In:** path

**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** dhcpv4-circuit-id  
   **enum:**  
   - dhcpv4-circuit-id  
   - dhcpv4-remote-id  
   - dhcpv4-vendor-class  
   - dhcpv4-user-class

**Responses:**  
   '200':  
     **Description:** OK  
     **Content:** {}  
**security:**  
   - **basicAuth:** []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/match={match-key}/ascii={ascii-id}

**get:**

**Tags:**  
   - data  
   - get

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii\_id\_get

**Parameters:**

- **Name:** dhcp-name  
   **In:** path  
   **Required/Optional:** true  
   **Style:** simple  
   **Explode:** false  
   **Schema:**  
     **Type:** string  
     **Format:** string  
 - **Name:** class-class-name  
   **In:** path  
   **Required/Optional:** true  
   **Style:** simple  
   **Explode:** false  
   **Schema:**  
     **Type:** string  
     **Format:** string  
 - **Name:** match-key  
   **In:** path



```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: dhcpv4-circuit-id
  enum:
  - dhcpv4-circuit-id
  - dhcpv4-remote-id
  - dhcpv4-vendor-class
  - dhcpv4-user-class
- Name: ascii-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter

```

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all

- trim

- explicit

- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-name\_matches\_match\_match-key\_ascii\_ascii-id'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii\_id\_put

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** dhcpv4-circuit-id
  - enum:**
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- **Name:** ascii-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** insert  
**In:** query  
**Description:** controlling the order when adding new list elements  
**Required/Optional:** false  
**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** first

**enum:**

- first
- last
- before
- after

- **Name:** point

**In:** query

**Description:** used to specify the insertion point

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-name\_matches\_match\_match-key\_ascii\_ascii-id'

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf-list ascii created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** ascii

**delete:****Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_name\_ipv4\_class\_class\_name\_matches\_match\_key\_ascii\_ascii\_id\_delete

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** dhcpv4-circuit-id  
**enum:**
  - dhcpv4-circuit-id
  - dhcpv4-remote-id
  - dhcpv4-vendor-class
  - dhcpv4-user-class
- **Name:** ascii-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:****'204':****Description:** No Content**Content:** {}**security:**

- **basicAuth:** []  
**options:**

**Tags:**

- data  
 - options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii\_id\_options

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** dhcpv4-circuit-id  
**enum:**
  - dhcpv4-circuit-id
  - dhcpv4-remote-id
  - dhcpv4-vendor-class
  - dhcpv4-user-class
- **Name:** ascii-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []  
**head:**

**Tags:**

- data  
 - head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii\_id\_head

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** dhcpv4-circuit-id  
**enum:**  
 - dhcpv4-circuit-id  
 - dhcpv4-remote-id  
 - dhcpv4-vendor-class  
 - dhcpv4-user-class

- **Name:** ascii-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```



**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii\_id\_patch

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** dhcpv4-circuit-id  
**enum:**
  - dhcpv4-circuit-id
  - dhcpv4-remote-id
  - dhcpv4-vendor-class
  - dhcpv4-user-class
- **Name:** ascii-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string

```

    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-name_matches_match_match-key_ascii_ascii-id'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf-list ascii updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: ascii

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/match={match-key}/hex

```

options:

  Tags:
    - data
    - options
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_matches_match_match_key_hex_options

  Parameters:
    - Name: dhcp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false

```

```

Schema:
  Type: string
  Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/match={match-key}/hex={hex-id}

get:

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_hex_hex_id_get

```

```

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false

```

```

Schema:
  Type: string
  Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
- Name: hex-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```

**Schema:**

**Type:** integer  
**Format:** uint16

**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

**Type:** string  
**Format:** string

**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

**Type:** string  
**Format:** string

**- Name:** with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-name_matches_match_match-key_hex_hex-id'
```

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':**

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

```

**Tags:**

```

- data
- put

```

**Operation ID:**

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_hex_hex_id_put
```

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class

```

- **Name:** hex-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** insert  
**In:** query  
**Description:** controlling the order when adding new list elements  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** first  
    **enum:**  
    - first  
    - last  
    - before  
    - after
- **Name:** point  
**In:** query  
**Description:** used to specify the insertion point  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-name\_matches\_match\_match-key\_hex\_hex-id'

**Required/Optional:** true**Responses:**

'201':

**Description:** leaf-list hex created or replaced**Content:** {}

'204':

**Description:** No Content**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hex
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

```
data_cnbng_cp_profile_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_hex_hex_id_delete
```

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
  enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class

```



- **Name:** hex-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_match\_key\_hex\_hex\_id\_options

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** dhcpv4-circuit-id  
  **enum:**  
  - dhcpv4-circuit-id  
  - dhcpv4-remote-id

```

    - dhcpv4-vendor-class
    - dhcpv4-user-class
- Name: hex-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []

```

**head:****Tags:**

```

- data
- head

```

**Operation ID:**

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_match_key_hex_hex_id_head
```

**Parameters:**

```

- Name: dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: dhcpv4-circuit-id
  enum:

```

- dhcpv4-circuit-id
- dhcpv4-remote-id
- dhcpv4-vendor-class
- dhcpv4-user-class
- **Name:** hex-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

'200':  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_match\_key\_hex\_hex\_id\_patch

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string  
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string  
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

```

    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- Name: hex-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match_match-key_hex_hex-id'

    Required/Optional: true

Responses:
  '204':
    Description: leaf-list hex updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hex

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/matches/match-type

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_name\_matches\_match\_type\_get

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16

- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_matches\_match-type'

'204':  
**Description:** No Content  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':

```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_matches_match_type_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_matches_match-type'

Required/Optional: true

Responses:
  '201':
    Description: leaf match-type created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request

```



```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: match-type
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_type\_delete

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Responses:**

```

'204':
  Description: No Content
  Content: {}

```

**security:**

```

- basicAuth: []

```

**options:****Tags:**

```

- data
- options

```

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_type\_options

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_type\_head

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_matches\_match\_type\_patch

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
**application/yang-data+json:**

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class-class-name\_matches\_match-type'

**Required/Optional:** true

**Responses:**

**'204':**  
**Description:** leaf match-type updated  
**Content:** {}

**'400':**  
**Description:** Bad Request  
**Content:** {}

**'401':**  
**Description:** Unauthorized

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: match-type

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_name\_server\_get

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string

```

    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:

```

```

    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server'

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:

```

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-name_server'
```

**Required/Optional:** true

**Responses:**

'201':

**Description:** container server created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** server

**Method:** Post

**Tags:**

- data

- post

**Operation ID:**

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_server_post
```

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** class-class-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false



```

    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server-post'

    Required/Optional: true

  Responses:
    '201':
      Description: container server created
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: server
delete:

  Tags:
  - data
  - delete
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_delete

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string

```

```

    Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_options

Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head

```

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_name\_server\_head

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string

- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:****'200':****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_patch

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false

```

Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server'

Required/Optional: true

Responses:
  '204':
    Description: container server updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: server

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/pool-name

```

get:

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_pool_name_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple

```

```

Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string

```

```

    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_pool-name'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_pool_name_put

```

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Request Body:**

- Content:**
  - application/yang-data+json:**
    - Schema:**
    - Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_pool-name'
```

**Required/Optional:** true

**Responses:**

- '201':
  - Description:** leaf pool-name created or replaced
  - Content:** {}
- '204':
  - Description:** No Content
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':
  - Description:** Unauthorized
  - Content:** {}
- '404':
  - Description:** Not Found
  - Content:** {}
- '405':
  - Description:** Method Not Allowed
  - Content:** {}
- '409':
  - Description:** Conflict
  - Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** pool-name

**delete:**



**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_pool\_name\_delete

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string

**Responses:**

'204':

**Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_pool\_name\_options

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

**Type:** string  
**Format:** string

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []

**head:****Tags:**

- data  
 - head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_pool\_name\_head

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**
  - config
  - nonconfig
  - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form

```

Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_pool_name_patch

Parameters:

```

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_pool-name'

    Required/Optional: true

Responses:
  '204':
    Description: leaf pool-name updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: pool-name

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/dns-servers

### options:

#### Tags:

- data
- options

#### Operation ID:

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_name\_server\_dns\_servers\_options

#### Parameters:

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

#### Responses:

'200':  
  **Description:** OK  
  **Content:** {}

#### security:

- basicAuth: []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/dns-servers={dns-servers-id}

### get:

#### Tags:

- data
- get

#### Operation ID:

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_name\_server\_dns\_servers\_dns\_servers\_id\_get

#### Parameters:

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** dns-servers-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
    - config  
    - nonconfig  
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** integer  
    **Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form

```

Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-name_server_dns-servers_dns-servers-id'
```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}

```

**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**  
 - **basicAuth:** []

**put:**

**Tags:**

- data  
 - put

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_dns\_servers\_dns\_servers\_id\_put

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** dns-servers-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** insert  
**In:** query  
**Description:** controlling the order when adding new list elements  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** first  
**enum:**  
 - first  
 - last  
 - before



```

- after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_dns-servers_dns-servers-id'

Required/Optional: true

Responses:
'201':
  Description: leaf-list dns-servers created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: dns-servers
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_dns_servers_dns_servers-id_delete

```

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** dns-servers-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

- '204':
  - Description:** No Content
  - Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_dns\_servers\_dns\_servers\_id\_options

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true

```

    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: dns-servers-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_dns_servers_dns_servers_id_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: dns-servers-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

- Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all

```

enum:
- report-all
- trim
- explicit
- report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content: {}
security:
- basicAuth: []

```

**patch:****Tags:**

```

- data
- patch

```

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_dns\_servers\_dns\_servers\_id\_patch

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: dns-servers-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Request Body:**

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class-class-name\_server\_dns-servers\_dns-servers-id'

```

Required/Optional: true

```

**Responses:**

```

'204':
  Description: leaf-list dns-servers updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: dns-servers

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/ntp-servers

**options:****Tags:**

```

- data
- options

```

**Operation ID:**

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_server_ntp_servers_options
```

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

**Type:** string  
**Format:** string

**Responses:**

'200':  
**Description:** OK  
**Content:** {}  
**security:**  
- **basicAuth:** []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/ntp-servers={ntp-servers-id}

**get:****Tags:**

- data  
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_ntp\_servers\_ntp\_servers\_id\_get

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** ntp-servers-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false

```

Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```



**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-name\_server\_ntp-servers\_ntp-servers-id'

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:****- basicAuth:** []**put:****Tags:****- data****- put****Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_name\_server\_ntp\_servers\_ntp\_servers\_id\_put

**Parameters:****- Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** class-class-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:**

```

    Type: string
    Format: string
- Name: ntp-servers-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-name_server_ntp-servers_ntp-servers-id'
```

```
Required/Optional: true
```

#### Responses:

```

'201':
  Description: leaf-list ntp-servers created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}

```

```
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ntp-servers
delete:
```

**Tags:**

```
- data
- delete
```

**Operation ID:**

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_ntp_servers_ntp_servers_id_delete
```

**Parameters:**

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: ntp-servers-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

**Responses:**

```
'204':
  Description: No Content
```

**Content:** {}  
**security:**  
 - **basicAuth:** []  
**options:**

**Tags:**  
 - data  
 - options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_ntp\_servers\_ntp\_servers\_id\_options

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
 - **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
 - **Name:** ntp-servers-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []

**head:**

**Tags:**  
 - data  
 - head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_ntp\_servers\_ntp\_servers\_id\_head

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** ntp-servers-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form

**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string  
- **Name:** filter  
  **In:** query  
  **Description:** xpath expression to filter data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string  
- **Name:** with-defaults  
  **In:** query  
  **Description:** controlling default values in response  
  **Required/Optional:** false  
  **Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

'200':  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_ntp\_servers\_ntp\_servers\_id\_patch

**Parameters:**

- **Name:** dhcp-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string  
- **Name:** class-class-name

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: ntp-servers-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_ntp-servers_ntp-servers-id'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf-list ntp-servers updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ntp-servers

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/netbios-name-server

### options:

#### Tags:

- data
- options

#### Operation ID:

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_name\_server\_netbios\_name\_server\_options

#### Parameters:

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string

#### Responses:

'200':  
**Description:** OK  
**Content:** {}

#### security:

- basicAuth: []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/netbios-name-server={netbios-name-server-id}

### get:

#### Tags:

- data
- get

#### Operation ID:

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_name\_server\_netbios\_name\_server\_netbios\_name\_server\_id\_get

#### Parameters:



- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** netbios-name-server-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form

```

Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-name-server_netbios-name-server-id'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}

```

```

    '409':
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
  put:

```

**Tags:**

```

- data
- put

```

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_name\_server\_netbios\_name\_server\_id\_put

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: netbios-name-server-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before

```

```

    - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_server_netbios_name_server_netbios_name_server_id'

      Required/Optional: true

Responses:
  '201':
    Description: leaf-list netbios-name-server created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: netbios-name-server
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_server_netbios_name_server_netbios_name_server_id_delete

```

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** netbios-name-server-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string

**Responses:**

- '204':  
  - Description:** No Content
  - Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_name\_server\_netbios\_name\_server\_id\_options

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true

**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** netbios-name-server-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string

**Responses:**

**'200':**  
   **Description:** OK  
   **Content:** {}

**security:**

**- basicAuth:** []

**head:****Tags:**

- data  
 - head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_name\_server\_netbios\_name\_server\_id\_head

**Parameters:**

**- Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** netbios-name-server-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string

```
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
```

```

enum:
- report-all
- trim
- explicit
- report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content: {}
  security:
- basicAuth: []

```

**patch:****Tags:**

```

- data
- patch

```

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_name\_server\_netbios\_name\_server\_id\_patch

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: netbios-name-server-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Request Body:**

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_name\_server\_netbios\_name\_server\_id'

```

Required/Optional: true

```



**Responses:**

```

'204':
  Description: leaf-list netbios-name-server updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: netbios-name-server

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/domain-name

**get:**

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_domain_name_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

- Type:** string
  - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration

**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
 Schema:  
 Reference:

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_domain-name'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**  
 - **basicAuth:** []

**put:**

**Tags:**  
 - data  
 - put

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_domain\_name\_put

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
 - **Name:** class-class-name

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_domain-name'

Required/Optional: true

Responses:
  '201':
    Description: leaf domain-name created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: domain-name
delete:

Tags:
  - data
  - delete
Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_domain_name_delete

Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true

```

```
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_domain_name_options
```

```
Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

```
Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
```

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_domain\_name\_head

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form

```

Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_domain_name_patch

Parameters:
- Name: dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name

```

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_domain-name'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf domain-name updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: domain-name

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/boot-filename

```

get:

  Tags:
    - data
    - get
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_boot_filename_get

  Parameters:

```



- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_boot-filename'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:

```

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_boot\_filename\_put

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false

**Schema:**

- Type:** string
- Format:** string

- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false

**Schema:**

- Type:** string
- Format:** string

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class-class-name\_server\_boot\_filename'

**Required/Optional:** true**Responses:**

- '201':
  - Description:** leaf boot-filename created or replaced
  - Content:** {}
- '204':
  - Description:** No Content
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':
  - Description:** Unauthorized
  - Content:** {}
- '404':
  - Description:** Not Found
  - Content:** {}
- '405':
  - Description:** Method Not Allowed
  - Content:** {}
- '409':
  - Description:** Conflict
  - Content:** {}

```

security:
- basicAuth: []
x-codegen-request-body-name: boot-filename
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_boot_filename_delete

```

```

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

```

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

```

```

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_boot_filename_options

```

```

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

```
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_boot_filename_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
```

```

    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:

```

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_boot\_filename\_patch

**Parameters:**

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false

**Schema:**

**Type:** string  
**Format:** string

- **Name:** class-class-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false

**Schema:**

**Type:** string  
**Format:** string

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class-class-name\_server\_boot\_filename'

**Required/Optional:** true**Responses:**

'204':

**Description:** leaf boot-filename updated**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**

```
- basicAuth: []
x-codegen-request-body-name: boot-filename
```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/next-server

get:

**Tags:**

```
- data
- get
```

**Operation ID:**

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_next_server_get
```

**Parameters:**

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
```



**Schema:**

**Type:** integer  
**Format:** uint16

**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

**Type:** string  
**Format:** string

**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

**Type:** string  
**Format:** string

**- Name:** with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_next-server'

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':**

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_next_server_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_next-server'

    Required/Optional: true

Responses:
  '201':
    Description: leaf next-server created or replaced
    Content: {}
  '204':
    Description: No Content

```

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: next-server
delete:

```

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_next\_server\_delete

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

- '204':
  - Description:** No Content
  - Content:** {}

**security:**

- basicAuth: []

options:

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_next\_server\_options

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_next\_server\_head

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**

```
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
```

**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_next\_server\_patch

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class-class-name\_server\_next-server'

**Required/Optional:** true

**Responses:**

'204':  
**Description:** leaf next-server updated  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

```

'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: next-server

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/netbios-node-type

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_get

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form

```

Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
  - config
  - nonconfig
  - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

```

**Responses:**



```

    '200':
      Description: OK
      Content:
        application/yang-data+json:
          Schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type'

    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

```

    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type'

  Required/Optional: true

Responses:
  '201':
    Description: container netbios-node-type created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: netbios-node-type
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_post

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

```

- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type-post'

    Required/Optional: true

Responses:
  '201':
    Description: container netbios-node-type created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: netbios-node-type
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_delete

Parameters:
- Name: dhcp-name

```

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_options

```

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**  
 - **basicAuth:** []  
**head:**

**Tags:**

- data  
 - head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_head

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string

- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** config  
   **enum:**  
     - config  
     - nonconfig  
     - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** integer  
   **Format:** uint16

- **Name:** fields  
**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_patch

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

```

    Type: string
    Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type'

    Required/Optional: true

  Responses:
    '204':
      Description: container netbios-node-type updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: netbios-node-type

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/netbios-node-type/broadcast-node

get:

```

  Tags:
  - data
  - get

```

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_broadcast\_node\_get

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** string



- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

- '200':
  - Description:** OK
  - Content:**
    - application/yang-data+json:
    - Schema:**
    - Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-name\_server\_netbios-node-type\_broadcast-node'

- '204':
  - Description:** No Content
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':
  - Description:** Unauthorized
  - Content:** {}
- '404':
  - Description:** Not Found
  - Content:** {}
- '405':
  - Description:** Method Not Allowed
  - Content:** {}
- '409':
  - Description:** Conflict
  - Content:** {}

**security:**

- basicAuth: []  
put:

**Tags:**

- data  
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_broadcast\_node\_put

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_broadcast-node'

**Required/Optional:** true

**Responses:**

'201':  
**Description:** leaf broadcast-node created or replaced  
**Content:** {}

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':

**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**x-codegen-request-body-name:** broadcast-node  
**delete:**

**Tags:**

- data  
 - delete

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_broadcast\_node\_delete

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
 - **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

**'204':**  
**Description:** No Content  
**Content:** {}

**security:**  
 - **basicAuth:** []

**options:****Tags:**

- data  
 - options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_broadcast\_node\_options

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true

**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string  
 - **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string

**Responses:**

'200':  
   **Description:** OK  
   **Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_broadcast\_node\_head

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string  
 - **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string  
 - **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

```

    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

Responses:
  '200':
    Description: OK

```

**Content:** {}  
**security:**  
 - **basicAuth:** []  
**patch:**

**Tags:**  
 - data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_broadcast\_node\_patch

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_broadcast-node'

**Required/Optional:** true

**Responses:**

'204':  
**Description:** leaf broadcast-node updated  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':  
**Description:** Not Found  
**Content:** {}  
 '405':  
**Description:** Method Not Allowed

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: broadcast-node

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/netbios-node-type/hybrid-node

get:

**Tags:**

```
- data
- get
```

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_hybrid\_node\_get

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all

```

- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':

**Description:** OK**Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_hybrid-node'

'204':



```

    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hybrid_node_put

```

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Request Body:**

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios-node-type_hybrid-node'

```

```

Required/Optional: true

```

**Responses:**

'201':  
**Description:** leaf hybrid-node created or replaced  
**Content:** {}

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

'409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** hybrid-node

**delete:****Tags:**

- data  
 - delete

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_hybrid\_node\_delete

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

'204':

**Description:** No Content**Content:** {}**security:**- **basicAuth:** []**options:****Tags:**- data  
- options**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_hybrid\_node\_options

**Parameters:**- **Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** class-class-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Responses:**

'200':

**Description:** OK**Content:** {}**security:**- **basicAuth:** []**head:****Tags:**- data  
- head**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_hybrid\_node\_head

**Parameters:**- **Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false

```

Schema:
  Type: string
  Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string

```

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**  
'200':  
**Description:** OK  
**Content:** {}  
**security:**  
- **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_hybrid\_node\_patch

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

**Type:** string  
**Format:** string

- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_hybrid-node'

**Required/Optional:** true

**Responses:**

'204':  
**Description:** leaf hybrid-node updated  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':  
**Description:** Not Found  
**Content:** {}  
 '405':  
**Description:** Method Not Allowed  
**Content:** {}  
 '409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** hybrid-node

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/netbios-node-type/mixed-node

**get:**

**Tags:**

- data  
 - get

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_name\_server\_netbios\_node\_type\_mixed\_node\_get

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
 - **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple

```
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_mixed-node'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**  
 - **basicAuth:** []

**put:**

**Tags:**  
 - data  
 - put  
**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_mixed\_node\_put

**Parameters:**  
 - **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**



```

    Type: string
    Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_mixed-node'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf mixed-node created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: mixed-node
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_mixed_node_delete

```

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

- '204':
  - Description:** No Content
  - Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_mixed\_node\_options

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

- '200':

**Description:** OK  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_mixed\_node\_head

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16

- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':

**Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_mixed\_node\_patch

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple

```

    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_mixed-node'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf mixed-node updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: mixed-node

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/netbios-node-type/peer-to-peer-node

get:

Tags:

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_peer\_to\_peer\_node\_get

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_peer-to-peer-node'
```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict

```

**Content:** {}  
**security:**  
 - **basicAuth:** []  
**put:**

**Tags:**

- data  
 - put

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_peer\_to\_peer\_node\_put

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
 - **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
 application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_peer\_to\_peer\_node'

**Required/Optional:** true

**Responses:**

'201':  
**Description:** leaf peer-to-peer-node created or replaced  
**Content:** {}  
 '204':  
**Description:** No Content  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':  
**Description:** Not Found



```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: peer-to-peer-node
delete:

```

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_peer\_to\_peer\_node\_delete

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

```

  '204':
    Description: No Content
    Content: {}

```

```

  security:
  - basicAuth: []

```

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_peer\_to\_peer\_node\_options

**Parameters:**

- **Name:** dhcp-name

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head

Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_peer_to_peer_node_head

```

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form

```

**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

```

    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_peer_to_peer_node_patch

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_peer_to_peer_node'

  Required/Optional: true

  Responses:
  '204':
    Description: leaf peer-to-peer-node updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}

```

```

'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: peer-to-peer-node

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/netbios-node-type/hexadecimal

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_hexadecimal\_get

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config

- nonconfig
- all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':

**Description:** OK**Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_hexadecimal'

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_netbios_node_type_hexadecimal_put

```

```

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_netbios-node-type_hexadecimal'

```

**Required/Optional:** true

**Responses:**

'201':  
**Description:** leaf hexadecimal created or replaced  
**Content:** {}

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

'409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** hexadecimal

**delete:**

**Tags:**

- data  
 - delete

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_hexadecimal\_delete

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string



**Format:** string

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_hexadecimal\_options

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** class-class-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_hexadecimal\_head

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:

```

**Type:** string  
**Format:** string  
**Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**  
**'200':**  
**Description:** OK  
**Content:** {}  
**security:**  
 - **basicAuth:** []

**patch:**

**Tags:**  
 - data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_netbios\_node\_type\_hexadecimal\_patch

**Parameters:**

**Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
**Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
 application/yang-data+json:  
**Schema:**

**Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type_hexadecimal'
```

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf hexadecimal updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** hexadecimal

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/lease

**get:****Tags:**

- data  
- get

**Operation ID:**

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_get
```

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** class-class-name

**In:** path

**Required/Optional:** true

```
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
```

**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
 Schema:  
 Reference:

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_lease'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_lease\_put

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

```

    Type: string
    Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease'

    Required/Optional: true

  Responses:
    '201':
      Description: container lease created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: lease
  Method: Post

  Tags:
  - data
  - post
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_post

  Parameters:

```

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-name_server_lease-post'

      Required/Optional: true

Responses:
  '201':
    Description: container lease created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: lease
delete:

```



**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_lease\_delete

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

'204':

**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_lease\_options

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**

**Type:** string  
**Format:** string

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_lease\_head

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** class-class-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config  
- nonconfig  
- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

```
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_patch

Parameters:
```

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease'

    Required/Optional: true

Responses:
  '204':
    Description: container lease updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: lease

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/lease/days

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_name\_server\_lease\_days\_get

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16

- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

- '200':
  - Description:** OK
  - Content:**
    - application/yang-data+json:**
      - Schema:**
      - Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_days'
```

- '204':
  - Description:** No Content
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':
  - Description:** Unauthorized
  - Content:** {}
- '404':

```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_days_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_days'

Required/Optional: true

Responses:
  '201':
    Description: leaf days created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request

```

```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: days
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_days_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options

```



**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_lease\_days\_options

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}
- security:**
  - **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_lease\_days\_head

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content

- In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
 - config  
 - nonconfig  
 - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all

- trim
- explicit
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:** {}**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_lease\_days\_patch

**Parameters:**

- **Name:** dhcp-name

**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string

- **Name:** class-class-name

**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class-class-name\_server\_lease\_days'

**Required/Optional:** true**Responses:****'204':****Description:** leaf days updated**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}

```

'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: days

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/lease/hours

get:

Tags:

```
- data
- get
```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_hours_get
```

Parameters:

- Name: dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- Name: class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- Name: content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

```

    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

Responses:
'200':
  Description: OK
  Content:
    application/yang-data+json:
```

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_hours'
```

```
'204':
```

```
  Description: No Content
```

```
  Content: {}
```

```
'400':
```

```
  Description: Bad Request
```

```
  Content: {}
```

```
'401':
```

```
  Description: Unauthorized
```

```
  Content: {}
```

```
'404':
```

```
  Description: Not Found
```

```
  Content: {}
```

```
'405':
```

```
  Description: Method Not Allowed
```

```
  Content: {}
```

```
'409':
```

```
  Description: Conflict
```

```
  Content: {}
```

```
security:
```

```
- basicAuth: []
```

```
put:
```

```
Tags:
```

```
- data
```

```
- put
```

```
Operation ID:
```

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_hours_put
```

```
Parameters:
```

```
- Name: dhcp-name
```

```
  In: path
```

```
  Required/Optional: true
```

```
  Style: simple
```

```
  Explode: false
```

```
  Schema:
```

```
    Type: string
```

```
    Format: string
```

```
- Name: class-class-name
```

```
  In: path
```

```
  Required/Optional: true
```

```
  Style: simple
```

```
  Explode: false
```

```
  Schema:
```

```
    Type: string
```

```
    Format: string
```

```
Request Body:
```

```
  Content:
```

```
    application/yang-data+json:
```

```
      Schema:
```

**Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_hours'
```

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf hours created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** hours

**delete:****Tags:**

- data  
- delete

**Operation ID:**

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_hours_delete
```

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** class-class-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string  
**Format:** string

**Responses:**

**'204':**  
**Description:** No Content  
**Content:** {}

**security:**  
- **basicAuth:** []

**options:**

**Tags:**  
- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_lease\_hours\_options

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**  
- **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_lease\_hours\_head

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true



```
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

```

    Type: string
    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_hours_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:

```

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_hours'
```

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf hours updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** hours

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/lease/minutes

**get:****Tags:**

- data  
- get

**Operation ID:**

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_minutes_get
```

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** class-class-name

**In:** path

**Required/Optional:** true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true

```

**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
 Schema:  
 Reference:

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_lease\_minutes'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
 - put

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_lease\_minutes\_put

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

```

    Type: string
    Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_minutes'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf minutes created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: minutes
delete:

  Tags:
  - data
  - delete
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_minutes_delete

```

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

- '204':
  - Description:** No Content
  - Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_lease\_minutes\_options

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

- '200':

```

    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_minutes_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields

```



```

In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_lease_minutes_patch

Parameters:
- Name: dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false

```

```

    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_minutes'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf minutes updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: minutes

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/static-ip-key

get:

Tags:  
- data

- get

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_name\_server\_static\_ip\_key\_get

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** class-class-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config

- nonconfig

- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_static-ip-key'

'204':  
**Description:** No Content  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':  
**Description:** Not Found  
**Content:** {}  
 '405':  
**Description:** Method Not Allowed  
**Content:** {}  
 '409':  
**Description:** Conflict  
**Content:** {}

**security:**

```

- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static_ip_key_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_static-ip-key'

Required/Optional: true

Responses:
'201':
  Description: container static-ip-key created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed

```

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: static-ip-key
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static_ip_key_post

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static-ip-key-post'

Required/Optional: true

Responses:
  '201':
    Description: container static-ip-key created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized

```

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: static-ip-key
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_static\_ip\_key\_delete

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Responses:**

```

'204':
  Description: No Content
  Content: {}

```

**security:**

```

- basicAuth: []

```

**options:****Tags:**

```

- data
- options

```

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_static\_ip\_key\_options

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string

**Responses:**

- '200':  
    **Description:** OK  
    **Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_static\_ip\_key\_head

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response



**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

'200':  
 Description: OK  
 Content: {}

**security:**

- basicAuth: []

**patch:****Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_static\_ip\_key\_patch

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_static-ip-key'

**Required/Optional:** true

**Responses:**

'204':  
 Description: container static-ip-key updated  
 Content: {}

'400':  
 Description: Bad Request  
 Content: {}

'401':  
 Description: Unauthorized  
 Content: {}

'404':

```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: static-ip-key

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/static-ip-key/identifier

get:

**Tags:**

```
- data
- get
```

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_static\_ip\_key\_identifier\_get

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration

```

```

    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:

```

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_static-ip-key_identifier'
```

```
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
```

**security:**

```
- basicAuth: []
```

**put:****Tags:**

```
- data
- put
```

**Operation ID:**

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_static_ip_key_identifier_put
```

**Parameters:**

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
```

**Schema:**

```
  Type: string
  Format: string
```

```
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
```

**Schema:**

```
  Type: string
  Format: string
```

**Request Body:**

```
Content:
  application/yang-data+json:
```

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-name_server_static-ip-key_identifier'
```

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf identifier created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** identifier

**delete:****Tags:**

- data  
- delete

**Operation ID:**

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_server_static_ip_key_identifier_delete
```

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** class-class-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

**'204':**  
**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_static\_ip\_key\_identifier\_options

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_static\_ip\_key\_identifier\_head

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
    - config  
    - nonconfig  
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** integer  
    **Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false



```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

```

```

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []

```

**patch:**

```

Tags:
- data
- patch

```

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_static\_ip\_key\_identifier\_patch

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Request Body:**

```

Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_static-ip-key_identifier'

Required/Optional: true

Responses:
  '204':
    Description: leaf identifier updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: identifier

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes

```

get:

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_option-codes'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_put

**Parameters:**

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true

```

    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes'

    Required/Optional: true

  Responses:
    '201':
      Description: container option-codes created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: option-codes
  Method: Post

  Tags:
  - data
  - post
  Operation ID:

```

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_post

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string

**Request Body:**

- Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes-post'

**Required/Optional:** true

**Responses:**

- '201':  
**Description:** container option-codes created  
**Content:** {}
- '204':  
**Description:** No Content  
**Content:** {}
- '400':  
**Description:** Bad Request  
**Content:** {}
- '401':  
**Description:** Unauthorized  
**Content:** {}
- '404':  
**Description:** Not Found  
**Content:** {}
- '405':  
**Description:** Method Not Allowed  
**Content:** {}
- '409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** option-codes  
**delete:**

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_delete

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_options

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Responses:**

**'200':**

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data

- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_head

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** class-class-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config

- nonconfig

- all

- **Name:** depth



**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_name\_server\_option\_codes\_patch

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Request Body:**

- Content:**
  - application/yang-data+json:**
    - Schema:**
    - Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_name\_server\_option\_codes'

**Required/Optional:** true**Responses:**

- '204':
  - Description:** container option-codes updated
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':
  - Description:** Unauthorized
  - Content:** {}
- '404':
  - Description:** Not Found
  - Content:** {}
- '405':
  - Description:** Method Not Allowed
  - Content:** {}
- '409':
  - Description:** Conflict
  - Content:** {}

**security:**

- **basicAuth:** []
- x-codegen-request-body-name:** option-codes

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code

**options:**

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_options

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**

'200':  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

?

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code={option-code-option-code}

**: get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_get

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple

```

Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: option-code-option-code
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: integer
  Format: uint32
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string

```

- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_option-codes\_option-code\_option-code\_option-code'

'204':  
**Description:** No Content  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':  
**Description:** Not Found  
**Content:** {}  
 '405':  
**Description:** Method Not Allowed  
**Content:** {}  
 '409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []  
**put:**

**Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_put

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** option-code-option-code  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** uint32
- **Name:** insert  
**In:** query  
**Description:** controlling the order when adding new list elements  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** first
  - enum:**
    - first
    - last
    - before
    - after
- **Name:** point  
**In:** query  
**Description:** used to specify the insertion point

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option_codes_option-code_option-code_option-code'

Required/Optional: true

Responses:
'201':
  Description: list option-code created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: option-code
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_delete

Parameters:
- Name: dhcp-name
In: path
Required/Optional: true

```

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32

```

**Responses:**

```

'204':
  Description: No Content
  Content: {}

```

**security:**

```

- basicAuth: []

```

**options:****Tags:**

```

- data
- options

```

**Operation ID:**

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_options

```

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```



**Format:** string

- **Name:** option-code-option-code
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** uint32

**Responses:**

'200':

- Description:** OK
- Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_head

**Parameters:**

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string
- **Name:** class-class-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string
- **Name:** option-code-option-code
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** uint32
- **Name:** content
- In:** query
- Description:** controlling descendant nodes in response

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

'200':

**Description:** OK  **Content:** {}**security:**- **basicAuth:** []**patch:****Tags:**- data  
- patch**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_patch

**Parameters:**- **Name:** dhcp-name  **In:** path  **Required/Optional:** true  **Style:** simple  **Explode:** false  **Schema:**    **Type:** string    **Format:** string- **Name:** class-class-name  **In:** path  **Required/Optional:** true  **Style:** simple  **Explode:** false  **Schema:**    **Type:** string    **Format:** string- **Name:** option-code-option-code  **In:** path  **Required/Optional:** true  **Style:** simple  **Explode:** false  **Schema:**    **Type:** integer    **Format:** uint32**Request Body:****Content:**  **application/yang-data+json:**    **Schema:**      **Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class-class-name\_server\_option\_codes\_option\_code\_option\_code\_option\_code'

**Required/Optional:** true**Responses:**

'204':

**Description:** list option-code updated

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: option-code
?
/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code={option-code-option-code}/option-code
: get:

  Tags:
  - data
  - get
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_option_code_get

```

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** option-code-option-code  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

**Type:** integer  
**Format:** uint32

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration

**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
 Schema:  
 Reference:

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_option\_code'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**  
 - **basicAuth:** []

**put:**

**Tags:**  
 - data  
 - put

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_option\_code\_put

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

```

- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp:profile_dhcp={dhcp-name}_ipv4_class={class-class-name}_server_option-codes_option-code_option-code-option-code_option-code'

    Required/Optional: true

Responses:
'201':
  Description: leaf option-code created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: option-code
delete:

```

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_option\_code\_delete

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** option-code-option-code
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** uint32

**Responses:**

- '204':
  - Description:** No Content
  - Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_option\_code\_options

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false



```

Schema:
  Type: string
  Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head

Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_option_code_head

```

```

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code

```

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: integer
  Format: uint32
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false

```

**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**patch:**

**Tags:**  
  - data  
  - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_option\_code\_patch

**Parameters:**

- **Name:** dhcp-name  
    **In:** path  
    **Required/Optional:** true  
    **Style:** simple  
    **Explode:** false  
    **Schema:**  
      **Type:** string  
      **Format:** string
- **Name:** class-class-name  
    **In:** path  
    **Required/Optional:** true  
    **Style:** simple  
    **Explode:** false  
    **Schema:**  
      **Type:** string  
      **Format:** string
- **Name:** option-code-option-code  
    **In:** path  
    **Required/Optional:** true  
    **Style:** simple  
    **Explode:** false  
    **Schema:**  
      **Type:** integer  
      **Format:** uint32

**Request Body:**  
  **Content:**

```

    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_option_code'

      Required/Optional: true

    Responses:
      '204':
        Description: leaf option-code updated
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: option-code
  ?
  /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code={option-code-option-code}/ascii-string
  : get:

    Tags:
      - data
      - get
    Operation ID:
      data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ascii_string_get

    Parameters:
      - Name: dhcp-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string
      - Name: class-class-name
        In: path
        Required/Optional: true
        Style: simple

```

```
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
```

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ascii\_string'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data

- put

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ascii\_string\_put

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** option-code-option-code  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** uint32

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_ascii-string'
```

**Required/Optional:** true**Responses:**

'201':

**Description:** leaf ascii-string created or replaced**Content:** {}

'204':

**Description:** No Content**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**x-codegen-request-body-name:** ascii-string  
**delete:**

**Tags:**

- data  
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ascii\_string\_delete

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** option-code-option-code  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** uint32

**Responses:**

**'204':**  
**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data



- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ascii\_string\_options

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** option-code-option-code  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** uint32

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ascii\_string\_head

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string

- Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** option-code-option-code
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** uint32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
   **Description:** OK  
   **Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ascii\_string\_patch

**Parameters:**

**- Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string

```

- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ascii_string'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf ascii-string updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: ascii-string
?
/data/cnbng-cp:profile/dhcp=(dhcp-name)/ipv4/class=(class-class-name)/server/option-codes/option-code=(option-code-option-code)/hex-string
: get:

  Tags:
  - data
  - get
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_hex_string_get

  Parameters:
  - Name: dhcp-name
    In: path

```

**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** option-code-option-code  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** uint32

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_hex-string'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict

```

**Content:** {}  
**security:**  
 - **basicAuth:** []  
**put:**

**Tags:**  
 - data  
 - put

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_hex\_string\_put

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
 - **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
 - **Name:** option-code-option-code  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** uint32

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_hex\_string'

**Required/Optional:** true

**Responses:**

'201':  
**Description:** leaf hex-string created or replaced  
**Content:** {}  
 '204':  
**Description:** No Content  
**Content:** {}

```

'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hex-string
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_hex_string_delete
```

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32

```



**Responses:**

'204':

**Description:** No Content**Content:** {}**security:**- **basicAuth:** []**options:****Tags:**- data  
- options**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_hex\_string\_options

**Parameters:**- **Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** class-class-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** option-code-option-code**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** uint32**Responses:**

'200':

**Description:** OK**Content:** {}**security:**- **basicAuth:** []**head:****Tags:**- data  
- head**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_hex\_string\_head

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** option-code-option-code
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** uint32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query

**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**patch:**

**Tags:**  
  - data  
  - patch

**Operation ID:**  
data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_hex\_string\_patch

**Parameters:**  
- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

```

    Type: string
    Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: option-code-option-code
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: uint32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_hex-string'

    Required/Optional: true

Responses:
  '204':
    Description: leaf hex-string updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: hex-string
?
/data/cnbng-cp:profile/dhcp=(dhcp-name)/ipv4/class=(class-class-name)/server/option-codes/option-code=(option-code-option-code)/ip-address
: options:

```

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ip\_address\_options

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** option-code-option-code  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** uint32

**Responses:**

- '200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

?

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code={option-code-option-code}/ip-address={ip-address-id}

: get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ip\_address\_ip\_address\_id\_get

**Parameters:**

- **Name:** dhcp-name  
**In:** path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
- Name: ip-address-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer

```

```

    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

#!/comments/schemas/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code/option-code/option-code/ip-address/ip-address-id'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}

```

```

'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

```

security:
- basicAuth: []

```

```

put:

```

```

Tags:

```

```

- data
- put

```

```

Operation ID:

```

```

data_cnbg_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_ip_address_ip_address_id_put

```

```

Parameters:

```

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
- Name: ip-address-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```



- **Name:** insert  
**In:** query  
**Description:** controlling the order when adding new list elements  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** first  
  **enum:**  
  - first  
  - last  
  - before  
  - after

- **Name:** point  
**In:** query  
**Description:** used to specify the insertion point  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

**Request Body:**  
**Content:**  
  **application/yang-data+json:**  
  **Schema:**  
  **Reference:**

~~"/components/schemas/data-cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code/option-code/option-code/ip-address/ip-address-id"~~

**Required/Optional:** true

**Responses:**  
'201':  
  **Description:** leaf-list ip-address created or replaced  
  **Content:** {}  
'204':  
  **Description:** No Content  
  **Content:** {}  
'400':  
  **Description:** Bad Request  
  **Content:** {}  
'401':  
  **Description:** Unauthorized  
  **Content:** {}  
'404':  
  **Description:** Not Found  
  **Content:** {}  
'405':  
  **Description:** Method Not Allowed  
  **Content:** {}  
'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** ip-address

**delete:**

**Tags:**

- data  
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ip\_address\_ip\_address\_id\_delete

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** class-class-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** option-code-option-code

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** uint32

- **Name:** ip-address-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []  
**options:**

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ip\_address\_ip\_address\_id\_options

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** option-code-option-code  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** uint32
- **Name:** ip-address-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cring\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ip\_address\_ip\_address\_id\_head

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** option-code-option-code
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** uint32
- **Name:** ip-address-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all

- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data

- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ip\_address\_ip\_address\_id\_patch

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** option-code-option-code  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** uint32
- **Name:** ip-address-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string

**Request Body:**

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

"/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_ip\_address\_ip\_address\_id"

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf-list ip-address updated

**Content:** {}

'400':

**Description:** Bad Request

```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ip-address
?
/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv4/class={class-class-name}/server/option-codes/option-code={option-code-option-code}/force-insert
: get:

  Tags:
  - data
  - get
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_class_name_server_option_codes_option_code_option_code_option_code_force_insert_get

```

**Parameters:**

- **Name:** dhcp-name  
In: path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** class-class-name  
In: path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** option-code-option-code  
In: path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** uint32
- **Name:** content

```

In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
  - config
  - nonconfig
  - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all

```



- trim
- explicit
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_server_option_codes_option_code_option_code_option_code_force_insert'
```

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Operation ID:**

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class_name_server_option_codes_option_code_option_code_option_code_force_insert_put
```

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true

```

    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: option-code-option-code
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_force-insert'

    Required/Optional: true

Responses:
  '201':
    Description: leaf force-insert created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: force-insert
delete:

Tags:
- data
- delete
Operation ID:

```

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_force\_insert\_delete

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** option-code-option-code  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** uint32

**Responses:**

- '204':  
    **Description:** No Content  
    **Content:** {}  
**security:**  
    - **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_force\_insert\_options

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** option-code-option-code  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** uint32

**Responses:**

- '200':  
    **Description:** OK  
    **Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_force\_insert\_head

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** option-code-option-code  
**In:** path  
**Required/Optional:** true  
**Style:** simple

**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** uint32

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
    - config  
    - nonconfig  
    - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv4\_class\_class\_class\_name\_server\_option\_codes\_option\_code\_option\_code\_option\_code\_force\_insert\_patch

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
 - **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
 - **Name:** option-code-option-code  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** uint32

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv4_class_class-class-name_server_option-code option-code option-code-option-code_force-insert'
```

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf force-insert updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** force-insert

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6

**get:**

**Tags:**

- data  
- get

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_get

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
 - config  
 - nonconfig  
 - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

'200':



```
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6'

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6'
    Required/Optional: true

Responses:
'201':
  Description: container ipv6 created or replaced
  Content: {}
```

```

    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ipv6
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_post

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_post'

Required/Optional: true

Responses:
    '201':
      Description: container ipv6 created
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':

```

```
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ipv6
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
```

```

    Schema:
      Type: string
      Format: string

  Responses:
    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_head

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: config
      enum:
        - config
        - nonconfig
        - all
  - Name: depth
    In: query
    Description: limit the depth of nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false

```

```
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
```

```

Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6'
    Required/Optional: true

Responses:
  '204':
    Description: container ipv6 updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ipv6

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/mode

```

get:

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_mode_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false

```

```
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
```

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_mode'

'204':  
**Description:** No Content  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':  
**Description:** Not Found  
**Content:** {}  
 '405':  
**Description:** Method Not Allowed  
**Content:** {}  
 '409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
 - put

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_mode\_put

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_mode'

**Required/Optional:** true

**Responses:**



```
'201':
  Description: leaf mode created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: mode
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_mode_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_mode_options
```

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_mode\_head

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true

**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
  **In:** query  
  **Description:** optionally identify specific data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** filter  
  **In:** query  
  **Description:** xpath expression to filter data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** with-defaults  
  **In:** query  
  **Description:** controlling default values in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** report-all  
    **enum:**  
    - report-all  
    - trim  
    - explicit  
    - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}

**security:**  
  - **basicAuth:** []

**patch:**

**Tags:**  
  - data  
  - patch

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_mode\_patch

**Parameters:**  
  - **Name:** dhcp-name  
    **In:** path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_mode'

Required/Optional: true

Responses:
  '204':
    Description: leaf mode updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: mode

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple

```

```
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv6\_server'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data  
- put

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_put

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

```
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_server'
      Required/Optional: true

Responses:
  '201':
    Description: container server created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: server
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_post

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
```

```

Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_server-post'
Required/Optional: true

Responses:
  '201':
    Description: container server created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: server
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

```



**Tags:**

- data
- options

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_options

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_head

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query

**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** integer  
     **Format:** uint16  
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string  
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string  
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** enumeration  
     **Default:** report-all  
     **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**  
     '200':  
         **Description:** OK  
         **Content:** {}  
**security:**  
     - **basicAuth:** []

**patch:**

**Tags:**  
     - data  
     - patch

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_patch

```

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server'
      Required/Optional: true

Responses:
'204':
  Description: container server updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: server

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/iana-pool-name

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iana_pool_name_get

Parameters:

```

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
    - config  
    - nonconfig  
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** integer  
    **Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

**'200':**

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv6\_server\_iana-pool-name'

**'204':**

**Description:** No Content

**Content:** {}

**'400':**

**Description:** Bad Request

**Content:** {}

**'401':**

**Description:** Unauthorized

**Content:** {}

**'404':**

**Description:** Not Found

**Content:** {}

**'405':**

**Description:** Method Not Allowed

**Content:** {}

**'409':**

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_iana\_pool\_name\_put

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

```

    Explode: false
    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_server_iana-pool-name'
          Required/Optional: true

    Responses:
      '201':
        Description: leaf iana-pool-name created or replaced
        Content: {}
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: iana-pool-name
  delete:

    Tags:
      - data
      - delete
    Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iana_pool_name_delete

    Parameters:
      - Name: dhcp-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string

```

**Format:** string

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
- options

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_iana\_pool\_name\_options

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_iana\_pool\_name\_head

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
 - config  
 - nonconfig  
 - all

**- Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

**Type:** integer  
**Format:** uint16

**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

**Type:** string  
**Format:** string

**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

**Type:** string  
**Format:** string

**- Name:** with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:****'200':**



```

      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iana_pool_name_patch

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_iana-pool-name'
        Required/Optional: true

  Responses:
    '204':
      Description: leaf iana-pool-name updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: iana-pool-name

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/iapd-pool-name

get:

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_iapd\_pool\_name\_get

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config
- nonconfig
- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter

**In:** query

```

Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iapd-pool-name'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

```

**Tags:**

- data
- put

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_iapd\_pool\_name\_put

**Parameters:**

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Request Body:****Content:**

**application/yang-data+json:**

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_iapd-pool-name'

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf iapd-pool-name created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** iapd-pool-name

**delete:****Tags:**

- data
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_iapd\_pool\_name\_delete

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

'204':  
**Description:** No Content  
**Content:** {}  
**security:**  
- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_iapd\_pool\_name\_options

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

'200':  
**Description:** OK  
**Content:** {}  
**security:**  
- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_iapd\_pool\_name\_head

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple

```
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []

**patch:**

**Tags:**

- data  
 - patch

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_iapd\_pool\_name\_patch

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_iapd-pool-name'  
**Required/Optional:** true

**Responses:**

**'204':**  
**Description:** leaf iapd-pool-name updated  
**Content:** {}

**'400':**  
**Description:** Bad Request  
**Content:** {}

**'401':**  
**Description:** Unauthorized  
**Content:** {}

**'404':**  
**Description:** Not Found  
**Content:** {}

**'405':**  
**Description:** Method Not Allowed

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: iapd-pool-name

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/dns-servers

### options:

```

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_dns_servers_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'200':
  Description: OK
  Content: {}
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/dns-servers={dns-servers-id}

### get:

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_dns_servers_dns_servers_id_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple

```



```
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: dns-servers-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
```

```

    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_dns-servers_dns-servers-id'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_dns_servers_dns_servers_id_put

```

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** dns-servers-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** insert  
**In:** query  
**Description:** controlling the order when adding new list elements  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** first
  - enum:**
    - first
    - last
    - before
    - after
- **Name:** point  
**In:** query  
**Description:** used to specify the insertion point  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** string

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_server\_dns-servers\_dns-servers-id'

**Required/Optional:** true**Responses:**

'201':

**Description:** leaf-list dns-servers created or replaced

```

    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: dns-servers
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_dns_servers_dns_servers_id_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: dns-servers-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:

```

- **basicAuth:** []  
**options:**

**Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_dns\_servers\_dns\_servers\_id\_options

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string  
- **Name:** dns-servers-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**

'200':  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_dns\_servers\_dns\_servers\_id\_head

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string  
- **Name:** dns-servers-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple

```

Explode: false
Schema:
  Type: string
  Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:

```

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_dns\_servers\_dns\_servers\_id\_patch

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false

**Schema:**

**Type:** string  
**Format:** string

- **Name:** dns-servers-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false

**Schema:**

**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
 application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_dns-servers\_dns-servers-id'

**Required/Optional:** true

**Responses:**

**'204':**  
**Description:** leaf-list dns-servers updated  
**Content:** {}

**'400':**

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: dns-servers

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/domain-name

**get:**

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_domain_name_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth

```



**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

'200':

**Description:** OK**Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_server\_domain-name'

'204':

**Description:** No Content**Content:** {}

```

    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_domain_name_put

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_domain_name'
        Required/Optional: true

  Responses:
    '201':
      Description: leaf domain-name created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized

```

```
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: domain-name
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_domain_name_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_domain_name_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_domain\_name\_head**Parameters:****- Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:**

- config
- nonconfig
- all

**- Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string

```

    Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_domain_name_patch

Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_server_domain-name'
  Required/Optional: true

Responses:
  '204':
    Description: leaf domain-name updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: domain-name
```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/preference

get:

Tags:

- data
- get

Operation ID: data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_preference\_get

Parameters:

- Name: dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- Name: content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**  
**'200':**  
**Description:** OK

```

    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_preference'
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_preference_put

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_preference'
        Required/Optional: true

  Responses:
    '201':
      Description: leaf preference created or replaced
      Content: {}

```



```
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: preference
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_preference_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_preference_options

Parameters:
- Name: dhcp-name
```

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
     **Type:** string  
     **Format:** string

**Responses:**

**'200':**  
     **Description:** OK  
     **Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
 - head

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_preference\_head

**Parameters:**

- **Name:** dhcp-name

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
     **Type:** string  
     **Format:** string

- **Name:** content

**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** enumeration  
     **Default:** config  
     **enum:**  
     - config  
     - nonconfig  
     - all

- **Name:** depth

**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** integer  
     **Format:** uint16

- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:****'200':****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_preference\_patch**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false

```

Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_server_preference'
      Required/Optional: true

Responses:
  '204':
    Description: leaf preference updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: preference

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/aftr-name

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_aftr_name_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

- Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all

```

enum:
- report-all
- trim
- explicit
- report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_server_aftr-name'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

**security:**

```

- basicAuth: []

```

**put:****Tags:**

```

- data
- put

```

```

Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_aftr_name_put

```

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Request Body:**

```

  Content:
    application/yang-data+json:

```

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_server_aftr-name'
```

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf aftr-name created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** aftr-name

**delete:****Tags:**

- data  
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_aftr\_name\_delete

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_aftr\_name\_options

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_aftr\_name\_head

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth



**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_aftr\_name\_patch

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_aftr-name'  
**Required/Optional:** true

**Responses:**

'204':  
**Description:** leaf aftr-name updated  
**Content:** {}  
'400':  
**Description:** Bad Request  
**Content:** {}  
'401':  
**Description:** Unauthorized  
**Content:** {}  
'404':  
**Description:** Not Found  
**Content:** {}  
'405':  
**Description:** Method Not Allowed  
**Content:** {}  
'409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []  
**x-codegen-request-body-name:** aftr-name

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/rapid-commit

**get:**

**Tags:**

- data  
- get

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_rapid\_commit\_get

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv6\_server\_rapid-commit'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_rapid\_commit\_put

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_server_rapid-commit'
      Required/Optional: true

Responses:
  '201':
    Description: leaf rapid-commit created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: rapid-commit
delete:

Tags:
  - data
  - delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_rapid_commit_delete

Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string

```

**Format:** string

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
- options

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_rapid\_commit\_options

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_rapid\_commit\_head

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**  
'200':

```

    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_rapid_commit_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_rapid-commit'
    Required/Optional: true

Responses:
'204':
  Description: leaf rapid-commit updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: rapid-commit

```



## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/lease

get:

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_lease\_get

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all

- trim

- explicit

- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_server\_lease'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_lease\_put

**Parameters:**

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false

**Schema:**

- Type:** string
- Format:** string

**Request Body:****Content:**

**application/yang-data+json:**

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_lease'

**Required/Optional:** true

**Responses:**

'201':

**Description:** container lease created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** lease

**Method:** Post

**Tags:**

- data
- post

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_lease\_post

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv6\_server\_lease-post'

**Required/Optional:** true

**Responses:**

'201':  
**Description:** container lease created  
**Content:** {}  
'204':  
**Description:** No Content  
**Content:** {}  
'400':  
**Description:** Bad Request  
**Content:** {}  
'401':  
**Description:** Unauthorized  
**Content:** {}  
'404':  
**Description:** Not Found  
**Content:** {}  
'405':  
**Description:** Method Not Allowed  
**Content:** {}  
'409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** lease

**delete:****Tags:**

- data  
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_lease\_delete

**Parameters:**

- **Name:** dhcp-name  
**In:** path

```
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '204':
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_options

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_head

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
```

```

In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all

```

- trim
- explicit
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:** {}**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_lease\_patch**Parameters:**

- **Name:** dhcp-name

**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_server\_lease'

**Required/Optional:** true**Responses:****'204':****Description:** container lease updated**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}

```

security:
- basicAuth: []
x-codegen-request-body-name: lease

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/lease/days

get:

**Tags:**

```

- data
- get

```

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_lease\_days\_get

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```



```

Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_days'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict

```

```

    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_days_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_days'
      Required/Optional: true

Responses:
  '201':
    Description: leaf days created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: days
delete:

```

**Tags:**

- data
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_lease\_days\_delete

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_lease\_days\_options

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_lease\_days\_head

**Parameters:**

- **Name:** dhcp-name

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false

```

**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**  
   '200':  
     **Description:** OK  
     **Content:** {}  
   **security:**  
     - **basicAuth:** []

**patch:**

**Tags:**  
   - data  
   - patch

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_lease\_days\_patch

**Parameters:**  
   - **Name:** dhcp-name  
     **In:** path  
     **Required/Optional:** true  
     **Style:** simple  
     **Explode:** false  
     **Schema:**  
       **Type:** string  
       **Format:** string

**Request Body:**  
   **Content:**  
     **application/yang-data+json:**  
       **Schema:**

**Reference:**  
     '#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv6\_server\_lease\_days'  
     **Required/Optional:** true

**Responses:**  
   '204':  
     **Description:** leaf days updated  
     **Content:** {}  
   '400':  
     **Description:** Bad Request  
     **Content:** {}  
   '401':  
     **Description:** Unauthorized  
     **Content:** {}  
   '404':  
     **Description:** Not Found

```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: days

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/lease/hours

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_hours_get

```

Parameters:

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer

```

```

    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_hours'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':

```

```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_hours_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_hours'
    Required/Optional: true

Responses:
  '201':
    Description: leaf hours created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}

```



```
    '409':
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: hours
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_hours_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_hours_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'200':
  Description: OK
  Content: {}
  security:
    - basicAuth: []
head:
```

**Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_lease\_hours\_head

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

```

    Type: string
    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_hours_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_server_lease_hours'
    Required/Optional: true

Responses:
  '204':
    Description: leaf hours updated
    Content: {}
  '400':
    Description: Bad Request

```

/data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/lease/minutes:

```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hours

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/lease/minutes:

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_minutes_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query

```

**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

'200':

**Description:** OK**Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_server\_lease\_minutes'

'204':

**Description:** No Content**Content:** {}

'400':

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_minutes_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_minutes'
    Required/Optional: true

Responses:
  '201':
    Description: leaf minutes created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}

```

```
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: minutes
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_minutes_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_minutes_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
```

```

    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_lease_minutes_head

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: config
      enum:
        - config
        - nonconfig
        - all
  - Name: depth
    In: query
    Description: limit the depth of nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string

```



- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':

**Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_lease\_minutes\_patch**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_lease\_minutes'

**Required/Optional:** true

**Responses:**

'204':  
**Description:** leaf minutes updated  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

'409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** minutes

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/static-ip-key:

**get:**

**Tags:**

- data  
 - get

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_static\_ip\_key\_get

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

```
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
```

```

    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
    Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key'
  Required/Optional: true

Responses:
  '201':
    Description: container static-ip-key created or replaced
    Content: {}
  '204':

```

```

    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: static-ip-key
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_post

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static-ip-key-post'
    Required/Optional: true

Responses:
  '201':
    Description: container static-ip-key created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request

```

```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: static-ip-key
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false

```

**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_static\_ip\_key\_head

**Parameters:**

- **Name:** dhcp-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** content  
  **In:** query  
  **Description:** controlling descendant nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
    - config  
    - nonconfig  
    - all
- **Name:** depth  
  **In:** query  
  **Description:** limit the depth of nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** integer  
    **Format:** uint16
- **Name:** fields  
  **In:** query  
  **Description:** optionally identify specific data nodes in response  
  **Required/Optional:** false

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_patch

Parameters:
- Name: dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:

```



```

Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key'
      Required/Optional: true

Responses:
  '204':
    Description: container static-ip-key updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: static-ip-key

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/static-ip-key/identifier

```

get:
  Tags:
  - data
  - get
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_identifier_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query

```

**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** enumeration  
     **Default:** config  
     **enum:**  
         - config  
         - nonconfig  
         - all

**- Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** integer  
     **Format:** uint16

**- Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string

**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string

**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** enumeration  
     **Default:** report-all  
     **enum:**  
         - report-all  
         - trim  
         - explicit

- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_server\_static-ip-key\_identifier'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**put:**

**Tags:**

- data

- put

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_static\_ip\_key\_identifier\_put

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key_identifier'
```

**Required/Optional:** true

**Responses:**

```
'201':
  Description: leaf identifier created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
```

**security:**

- basicAuth: []

**x-codegen-request-body-name:** identifier

**delete:**

**Tags:**

- data  
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_static\_ip\_key\_identifier\_delete

**Parameters:**

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

**Responses:**

```
'204':
  Description: No Content
  Content: {}
```

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_static\_ip\_key\_identifier\_options

**Parameters:**

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

'200':

**Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_static\_ip\_key\_identifier\_head

**Parameters:**

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string
- **Name:** content
- In:** query
- Description:** controlling descendant nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig

```

- all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:

```

```

- data
- patch
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static_ip_key_identifier_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_static-ip-key_identifier'

  Required/Optional: true

Responses:
'204':
  Description: leaf identifier updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: identifier

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/hold-time

```

get:

Tags:
- data

```

- get

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_hold\_time\_get

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string



```

    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_put

Parameters:

```

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time'
        Required/Optional: true

Responses:
  '201':
    Description: container hold-time created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hold-time
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_post

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple

```

```
    Explode: false
    Schema:
      Type: string
      Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_server_hold-time-post'
      Required/Optional: true

Responses:
  '201':
    Description: container hold-time created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hold-time
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

**Responses:****'204':****Description:** No Content**Content:** {}**security:****- basicAuth:** []**options:****Tags:**

- data
- options

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_hold\_time\_options**Parameters:****- Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_hold\_time\_head**Parameters:****- Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**  
**'200':**  
**Description:** OK

```

    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold_time_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_server_hold-time'
      Required/Optional: true

Responses:
  '204':
    Description: container hold-time updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hold-time

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/server/hold-time/minutes

get:

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_hold\_time\_minutes\_get

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter

**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** string

- **Name:** with-defaults

**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_server\_hold-time\_minutes'

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

'409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:**



**Tags:**

- data
- put

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_hold\_time\_minutes\_put

**Parameters:**

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false

**Schema:**

- Type:** string
- Format:** string

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv6\_server\_hold-time\_minutes'

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf minutes created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** minutes

**delete:****Tags:**

- data

- delete

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_hold\_time\_minutes\_delete

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

'204':  
**Description:** No Content  
**Content:** {}

**security:**  
- **basicAuth:** []

**options:**

**Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_hold\_time\_minutes\_options

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**  
- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_hold\_time\_minutes\_head

**Parameters:**

- **Name:** dhcp-name

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
    - config  
    - nonconfig  
    - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** integer  
    **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false

**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
   **Description:** OK  
   **Content:** {}  
**security:**  
   - **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_server\_hold\_time\_minutes\_patch

**Parameters:**

- **Name:** dhcp-name  
   **In:** path  
   **Required/Optional:** true  
   **Style:** simple  
   **Explode:** false  
   **Schema:**  
     **Type:** string  
     **Format:** string

**Request Body:**

**Content:**  
   **application/yang-data+json:**  
     **Schema:**  
       **Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv6\_server\_hold-time\_minutes'

**Required/Optional:** true

**Responses:**

**'204':**  
   **Description:** leaf minutes updated  
   **Content:** {}  
**'400':**  
   **Description:** Bad Request  
   **Content:** {}  
**'401':**  
   **Description:** Unauthorized  
   **Content:** {}  
**'404':**

```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: minutes

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class

**options:**

```

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_options

```

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Responses:**

```

'200':
  Description: OK
  Content: {}
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}

**get:**

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_name_get
Parameters:
- Name: dhcp-name
  In: path

```

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```

```

Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_put

```

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** insert  
**In:** query  
**Description:** controlling the order when adding new list elements  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** first
  - enum:**
    - first
    - last
    - before
    - after
- **Name:** point  
**In:** query  
**Description:** used to specify the insertion point  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name'

**Required/Optional:** true**Responses:**

'201':

**Description:** list class created or replaced



```

    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: class
delete:

  Tags:
  - data
  - delete
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_delete

```

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Responses:**

```

  '204':
    Description: No Content
    Content: {}
  security:

```

```

- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_head

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple

```

```
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Operation ID:** data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_patch

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

**Type:** string  
**Format:** string

- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class-class-name'

**Required/Optional:** true

**Responses:**

**'204':**  
**Description:** list class updated  
**Content:** {}

**'400':**  
**Description:** Bad Request

```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: class

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/class-name

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_class\_name\_get

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** class-class-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

```

Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_class-name'

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_class_name_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-name\_class-name'

**Required/Optional:** true**Responses:**

'201':

**Description:** leaf class-name created or replaced**Content:** {}

'204':

**Description:** No Content**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**

- basicAuth: []

**x-codegen-request-body-name:** class-name**delete:****Tags:**- data  
- delete**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_name\_class\_name\_delete

**Parameters:**- **Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** class-class-name**In:** path



**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Responses:**

**'204':**

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data

- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_class\_name\_options

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** class-class-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Responses:**

**'200':**

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data

- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_class\_name\_head

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_class_name_patch

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:

```

```

Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_class-name'

Required/Optional: true

Responses:
  '204':
    Description: leaf class-name updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: class-name

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches

```

get:

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_matches'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_put

**Parameters:**

- **Name:** dhcp-name
- In:** path
- Required/Optional:** true

```

    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches'

    Required/Optional: true

  Responses:
    '201':
      Description: container matches created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: matches
  Method: Post

  Tags:
  - data
  - post
  Operation ID:

```

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_post

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Request Body:**

- Content:**
  - application/yang-data+json:**
    - Schema:**
    - Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_matches-post'

**Required/Optional:** true

**Responses:**

- '201':
  - Description:** container matches created
  - Content:** {}
- '204':
  - Description:** No Content
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':
  - Description:** Unauthorized
  - Content:** {}
- '404':
  - Description:** Not Found
  - Content:** {}
- '405':
  - Description:** Method Not Allowed
  - Content:** {}
- '409':
  - Description:** Conflict
  - Content:** {}

**security:**

- **basicAuth:** []



**x-codegen-request-body-name:** matches  
**delete:**

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_delete

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_options

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple

```

    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_head

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: config
      enum:
      - config
      - nonconfig
      - all
  - Name: depth
    In: query
    Description: limit the depth of nodes in response

```

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_patch

```

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Request Body:**

- Content:**
  - application/yang-data+json:**
    - Schema:**
    - Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-name_matches'
```

**Required/Optional:** true

**Responses:**

- '204':
  - Description:** container matches updated
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':
  - Description:** Unauthorized
  - Content:** {}
- '404':
  - Description:** Not Found
  - Content:** {}
- '405':
  - Description:** Method Not Allowed
  - Content:** {}
- '409':
  - Description:** Conflict
  - Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** matches

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches/match

### options:

#### Tags:

- data
- options

#### Operation ID:

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_name\_matches\_match\_options

#### Parameters:

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string

#### Responses:

'200':  
**Description:** OK  
**Content:** {}

#### security:

- basicAuth: []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches/match={match-key}

### get:

#### Tags:

- data
- get

#### Operation ID:

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_name\_matches\_match\_match\_key\_get

#### Parameters:

- **Name:** dhcp-name

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: dhcpv4-circuit-id
  enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields

```

**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_matches\_match\_match-key'

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found

```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_put

```

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** match-key
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** dhcpv4-circuit-id
    - enum:**
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
- **Name:** insert
  - In:** query
  - Description:** controlling the order when adding new list elements
  - Required/Optional:** false



```

Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: first
  enum:
    - first
    - last
    - before
    - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key'

  Required/Optional: true

Responses:
  '201':
    Description: list match created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []

```

**x-codegen-request-body-name:** match  
**delete:**

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key\_delete

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** dhcpv4-circuit-id
  - enum:**
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class

**Responses:**

**'204':**

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key\_options

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** dhcpv4-circuit-id  
**enum:**
  - dhcpv4-circuit-id
  - dhcpv4-remote-id
  - dhcpv4-vendor-class
  - dhcpv4-user-class

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key\_head

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response

```

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**  
   '200':  
     **Description:** OK  
     **Content:** {}

**security:**  
   - **basicAuth:** []

**patch:**

**Tags:**  
   - data  
   - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key\_patch

**Parameters:**

**- Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string

```

    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class

```

**Request Body:****Content:**

```
application/yang-data+json:
```

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key'
```

```
Required/Optional: true
```

**Responses:**

```

'204':
  Description: list match updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

```
security:
```

```
- basicAuth: []
x-codegen-request-body-name: match
```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches/match={match-key}/key

get:

**Tags:**

```
- data
- get
```

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key\_key\_get

**Parameters:**

```
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
```

```

Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
  - config
  - nonconfig
  - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

```

**Responses:**



```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_key'

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_key_put

```

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

```

    Format: string
  - Name: match-key
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      Default: dhcpv4-circuit-id
      enum:
        - dhcpv4-circuit-id
        - dhcpv4-remote-id
        - dhcpv4-vendor-class
        - dhcpv4-user-class
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-name_matches_match_match-key_key'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf key created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: key
delete:

  Tags:
  - data

```

- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key\_key\_delete

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** match-key
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** dhcpv4-circuit-id
    - enum:**
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key\_key\_options

**Parameters:**

- **Name:** dhcp-name

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: dhcpv4-circuit-id
  enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []

```

**head:****Tags:**

```

- data
- head

```

**Operation ID:**

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_key_head

```

**Parameters:**

```

- Name: dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

```

- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** dhcpv4-circuit-id
  - enum:**
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string

```

    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []

```

**patch:****Tags:**

```

- data
- patch

```

**Operation ID:**

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_key_patch

```

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple

```

```

Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: dhcpv4-circuit-id
  enum:
  - dhcpv4-circuit-id
  - dhcpv4-remote-id
  - dhcpv4-vendor-class
  - dhcpv4-user-class
Request Body:
Content:
  application/yang-data+json:
    Schema:
    Reference:
    '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_key'

Required/Optional: true

Responses:
'204':
  Description: leaf key updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: key

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches/match={match-key}/ascii

### options:

#### Tags:

- data
- options

#### Operation ID:

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_name\_matches\_match\_match\_key\_ascii\_options

### Parameters:

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** dhcpv4-circuit-id
  - enum:**
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class

### Responses:

'200':  
**Description:** OK  
**Content:** {}

### security:

- basicAuth: []



## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches/match={match-key}/ascii={ascii-id}

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii\_id\_get

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** dhcpv4-circuit-id
  - enum:**
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- **Name:** ascii-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content

- In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
 - config  
 - nonconfig  
 - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all

- trim
- explicit
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii\_id'

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii\_id\_put

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: dhcpv4-circuit-id
  enum:
  - dhcpv4-circuit-id
  - dhcpv4-remote-id
  - dhcpv4-vendor-class
  - dhcpv4-user-class
- Name: ascii-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: first
  enum:
  - first
  - last
  - before
  - after
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:

```

**application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_matches\_match\_match-key\_ascii\_ascii-id'

**Required/Optional:** true**Responses:**

'201':

**Description:** leaf-list ascii created or replaced**Content:** {}

'204':

**Description:** No Content**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**x-codegen-request-body-name:** ascii**delete:****Tags:**- data  
- delete**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii\_id\_delete

**Parameters:**- **Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** class-class-name**In:** path**Required/Optional:** true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: dhcpv4-circuit-id
  enum:
  - dhcpv4-circuit-id
  - dhcpv4-remote-id
  - dhcpv4-vendor-class
  - dhcpv4-user-class
- Name: ascii-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

```

**Responses:**

```

'204':
  Description: No Content
  Content: {}

```

**security:**

```

- basicAuth: []

```

**options:****Tags:**

```

- data
- options

```

**Operation ID:**

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_ascii_ascii_id_options

```

**Parameters:**

```

- Name: dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
In: path

```

**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string  
 - **Name:** match-key  
   **In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** dhcpv4-circuit-id  
   **enum:**  
     - dhcpv4-circuit-id  
     - dhcpv4-remote-id  
     - dhcpv4-vendor-class  
     - dhcpv4-user-class  
 - **Name:** ascii-id  
   **In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string

**Responses:**  
 '200':  
   **Description:** OK  
   **Content:** {}  
**security:**  
 - **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii\_id\_head

**Parameters:**

- **Name:** dhcp-name  
   **In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string  
 - **Name:** class-class-name

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: dhcpv4-circuit-id
  enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- Name: ascii-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields

```



**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all

- trim

- explicit

- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data

- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii\_id\_patch

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

```

Schema:
  Type: string
  Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
- Name: ascii-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Request Body:****Content:**

```
application/yang-data+json:
```

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_ascii_ascii-id'
```

```
Required/Optional: true
```

**Responses:**

```
'204':
```

```
  Description: leaf-list ascii updated
```

```
  Content: {}
```

```
'400':
```

```
  Description: Bad Request
```

```
  Content: {}
```

```
'401':
```

```
  Description: Unauthorized
```

```
  Content: {}
```

```
'404':
```

```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ascii

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches/match={match-key}/hex

**options:**

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key\_hex\_options

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** match-key
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** dhcpv4-circuit-id

```

enum:
- dhcpv4-circuit-id
- dhcpv4-remote-id
- dhcpv4-vendor-class
- dhcpv4-user-class

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches/match={match-key}/hex={hex-id}

**get:****Tags:**

```

- data
- get

```

**Operation ID:**

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_hex_hex_id_get
```

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id

```

```
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
- Name: hex-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
```

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_matches\_match\_match-key\_hex\_hex-id'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data

- put

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key\_hex\_hex\_id\_put

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** match-key
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** dhcpv4-circuit-id
    - enum:**
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
- **Name:** hex-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** insert
  - In:** query
  - Description:** controlling the order when adding new list elements
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** first
    - enum:**
      - first
      - last

```

    - before
    - after
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_hex_hex-id'

Required/Optional: true

Responses:
  '201':
    Description: leaf-list hex created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: hex
delete:

Tags:
  - data
  - delete
Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_match_key_hex_hex_id_delete

```



**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** dhcpv4-circuit-id
  - enum:**
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- **Name:** hex-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string

**Responses:**

**'204':**  
**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key\_hex\_hex\_id\_options

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** dhcpv4-circuit-id
  - enum:**
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- **Name:** hex-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key\_hex\_hex\_id\_head

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** dhcpv4-circuit-id
  - enum:**
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- **Name:** hex-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config

```

    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []

```

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_match\_key\_hex\_hex\_id\_patch

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** dhcpv4-circuit-id  
**enum:**
  - dhcpv4-circuit-id
  - dhcpv4-remote-id
  - dhcpv4-vendor-class
  - dhcpv4-user-class
- **Name:** hex-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class-class-name\_matches\_match\_match-key\_hex\_hex-id'

**Required/Optional:** true

**Responses:**

'204':  
**Description:** leaf-list hex updated  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':  
**Description:** Not Found  
**Content:** {}  
 '405':  
**Description:** Method Not Allowed  
**Content:** {}  
 '409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []  
**x-codegen-request-body-name:** hex

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/matches/match-type

**get:**

**Tags:**

- data  
 - get

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_name\_matches\_match\_type\_get

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
 - **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false

**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** content  
  **In:** query  
  **Description:** controlling descendant nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
      - config  
      - nonconfig  
      - all
- **Name:** depth  
  **In:** query  
  **Description:** limit the depth of nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** integer  
    **Format:** uint16
- **Name:** fields  
  **In:** query  
  **Description:** optionally identify specific data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** filter  
  **In:** query  
  **Description:** xpath expression to filter data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** with-defaults  
  **In:** query  
  **Description:** controlling default values in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string

**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
 Schema:  
 Reference:

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_matches\_match-type'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**  
 - **basicAuth:** []

**put:**

**Tags:**  
 - data  
 - put  
**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_type\_put

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string



```

- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match-type'

    Required/Optional: true

Responses:
  '201':
    Description: leaf match-type created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: match-type
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_type_delete

Parameters:
- Name: dhcp-name
  In: path

```

```

    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_matches_match_type_options

```

```

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

```

Responses:
  '200':
    Description: OK
    Content: {}
  security:

```

- basicAuth: []

head:

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_type\_head

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false

**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
   **Description:** OK  
   **Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_matches\_match\_type\_patch

**Parameters:**

**- Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string

```

- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match-type'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf match-type updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: match-type

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server

get:

Tags:

- data
- get

Operation ID:

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_get

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
    - config  
    - nonconfig  
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** integer  
    **Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

```

**Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_put

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server'

**Required/Optional:** true

**Responses:**

- '201':
  - Description:** container server created or replaced
  - Content:** {}
- '204':
  - Description:** No Content
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':
  - Description:** Unauthorized
  - Content:** {}
- '404':
  - Description:** Not Found
  - Content:** {}
- '405':
  - Description:** Method Not Allowed
  - Content:** {}
- '409':
  - Description:** Conflict



```

    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: server
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_post

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server-post'

Required/Optional: true

Responses:
'201':
  Description: container server created
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found

```

```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: server
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true

```

```

    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_head

Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string

```

```

    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

```

    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_patch

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server'

  Required/Optional: true

  Responses:
  '204':
    Description: container server updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':

```

**Description:** Conflict  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**x-codegen-request-body-name:** server

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/iana-pool-name

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_iana\_pool\_name\_get

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** config  
   **enum:**  
     - config  
     - nonconfig  
     - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** integer  
   **Format:** uint16  
**- Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
   **application/yang-data+json:**  
     **Schema:**  
       **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_iana-pool-name'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iana_pool_name_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_iana-pool-name'

    Required/Optional: true

Responses:
  '201':
    Description: leaf iana-pool-name created or replaced

```



```

    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: iana-pool-name
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

```

data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iana_pool_name_delete

```

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Responses:**

```

'204':
  Description: No Content
  Content: {}

```

**security:**  
 - **basicAuth:** []  
**options:**

**Tags:**  
 - data  
 - options

**Operation ID:**  
 data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_iana\_pool\_name\_options

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**  
 '200':  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []  
**head:**

**Tags:**  
 - data  
 - head

**Operation ID:**  
 data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_iana\_pool\_name\_head

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** class-class-name

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false

**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**  
   '200':  
     **Description:** OK  
     **Content:** {}  
   **security:**  
     - **basicAuth:** []

**patch:**

**Tags:**  
   - data  
   - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_iana\_pool\_name\_patch

**Parameters:**  
   - **Name:** dhcp-name  
     **In:** path  
     **Required/Optional:** true  
     **Style:** simple  
     **Explode:** false  
     **Schema:**  
       **Type:** string  
       **Format:** string  
   - **Name:** class-class-name  
     **In:** path  
     **Required/Optional:** true  
     **Style:** simple  
     **Explode:** false  
     **Schema:**  
       **Type:** string  
       **Format:** string

**Request Body:**

**Content:**  
   **application/yang-data+json:**  
     **Schema:**  
       **Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class-class-name\_server\_iana-pool-name'

**Required/Optional:** true

**Responses:**

```

'204':
  Description: leaf iana-pool-name updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: iana-pool-name

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/iapd-pool-name

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_iapd\_pool\_name\_get

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** class-class-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_iapd-pool-name'

'204':  
**Description:** No Content  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':  
**Description:** Not Found  
**Content:** {}  
 '405':  
**Description:** Method Not Allowed  
**Content:** {}  
 '409':  
**Description:** Conflict  
**Content:** {}

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_iapd\_pool\_name\_put

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_iapd-pool-name'

Required/Optional: true

Responses:
  '201':
    Description: leaf iapd-pool-name created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: iapd-pool-name
delete:

Tags:
  - data
  - delete
Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iapd_pool_name_delete

Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple

```



```
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_iapd_pool_name_options
```

```
Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

```
Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:
```

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_iapd\_pool\_name\_head

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form

```

Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

```

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []

```

**patch:**

```

Tags:
- data
- patch

```

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_iapd\_pool\_name\_patch

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name

```

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_iapd-pool-name'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf iapd-pool-name updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: iapd-pool-name

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/dns-servers

```

options:
  Tags:
    - data
    - options
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_dns_servers_options

```

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}
- security:**
  - **basicAuth:** []

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/dns-servers={dns-servers-id}

**get:****Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_name\_server\_dns\_servers\_dns\_servers\_id\_get

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false

```

Schema:
  Type: string
  Format: string
- Name: dns-servers-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string

```

```

- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-name_server_dns-servers_dns-servers-id'
```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

**security:**

```
- basicAuth: []
```

**put:****Tags:**

```
- data
- put
```

**Operation ID:**

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_name_server_dns_servers_dns_servers_id_put
```

**Parameters:**

- **Name:** dhcp-name
    - In:** path
    - Required/Optional:** true
    - Style:** simple
    - Explode:** false
    - Schema:**
      - Type:** string
      - Format:** string
  - **Name:** class-class-name
    - In:** path
    - Required/Optional:** true
    - Style:** simple
    - Explode:** false
    - Schema:**
      - Type:** string
      - Format:** string
  - **Name:** dns-servers-id
    - In:** path
    - Required/Optional:** true
    - Style:** simple
    - Explode:** false
    - Schema:**
      - Type:** string
      - Format:** string
  - **Name:** insert
    - In:** query
    - Description:** controlling the order when adding new list elements
    - Required/Optional:** false
    - Style:** form
    - Explode:** true
    - Schema:**
      - Type:** string
      - Format:** enumeration
      - Default:** first
      - enum:**
        - first
        - last
        - before
        - after
  - **Name:** point
    - In:** query
    - Description:** used to specify the insertion point
    - Required/Optional:** false
    - Style:** form
    - Explode:** true
    - Schema:**
      - Type:** string
      - Format:** string
- Request Body:**
- Content:**
- application/yang-data+json:



**Schema:****Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_dns-servers_dns-servers-id'
```

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf-list dns-servers created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** dns-servers

**delete:****Tags:**

- data  
- delete

**Operation ID:**

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_dns_servers_dns_servers_id_delete
```

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** class-class-name

**In:** path

**Required/Optional:** true

**Style:** simple

```

    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: dns-servers-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_name_server_dns_servers_dns_servers_id_options

```

```

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: dns-servers-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Responses:**

'200':

**Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_name\_server\_dns\_servers\_dns\_servers\_id\_head

**Parameters:****- Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** class-class-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** dns-servers-id**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:**

- config

```

    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

```

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_dns\_servers\_dns\_servers\_id\_patch

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** dns-servers-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string

**Request Body:**

**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class-class-name\_server\_dns\_servers\_dns\_servers-id'

**Required/Optional:** true

**Responses:**

'204':  
**Description:** leaf-list dns-servers updated  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':  
**Description:** Not Found

```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: dns-servers

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/domain-name

get:

Tags:

```
- data
- get
```

Operation ID:

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_domain_name_get
```

Parameters:

- Name: dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- Name: class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- Name: content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

```

    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
    Type: integer
    Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
    Type: string
    Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
    Type: string
    Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

**Responses:**

'200':

**Description:** OK**Content:**

application/yang-data+json:

**Schema:****Reference:**

```

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_domain-name'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_domain_name_put

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
  application/yang-data+json:
    Schema:
    Reference:
  '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_domain-name'

```



**Required/Optional:** true

**Responses:**

'201':  
**Description:** leaf domain-name created or replaced  
**Content:** {}

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

'409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** domain-name

**delete:**

**Tags:**

- data  
 - delete

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_domain\_name\_delete

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** class-class-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Responses:****'204':****Description:** No Content**Content:** {}**security:****- basicAuth:** []**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_domain\_name\_options

**Parameters:****- Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** class-class-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_domain\_name\_head

**Parameters:****- Name:** dhcp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false

**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** class-class-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** content  
  **In:** query  
  **Description:** controlling descendant nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
    - config  
    - nonconfig  
    - all
- **Name:** depth  
  **In:** query  
  **Description:** limit the depth of nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** integer  
    **Format:** uint16
- **Name:** fields  
  **In:** query  
  **Description:** optionally identify specific data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** filter  
  **In:** query  
  **Description:** xpath expression to filter data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**patch:**

**Tags:**  
  - data  
  - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_domain\_name\_patch

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Request Body:**

**Content:**  
  **application/yang-data+json:**  
  **Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class-class-name\_server\_domain-name'

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf domain-name updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** domain-name

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/preference

**get:**

**Tags:**

- data  
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_name\_server\_preference\_get

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** class-class-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

```

Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string

```

**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_preference'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
 - put

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_preference\_put

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

```

- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_preference'

    Required/Optional: true

Responses:
  '201':
    Description: leaf preference created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: preference
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_preference_delete

Parameters:
- Name: dhcp-name
  In: path

```



```
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_preference_options

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
```

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_preference\_head

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form

```

Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_preference_patch

Parameters:
- Name: dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name

```

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-name_server_preference'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf preference updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: preference

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/aftr-name

get:

Tags:

- data
- get

Operation ID:

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_name\_server\_aftr\_name\_get

Parameters:

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_aftr-name'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:

```

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_aftr\_name\_put

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false

**Schema:**

- Type:** string
- Format:** string

- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false

**Schema:**

- Type:** string
- Format:** string

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class-class-name\_server\_aftr-name'

**Required/Optional:** true**Responses:**

- '201':
  - Description:** leaf aftr-name created or replaced
  - Content:** {}
- '204':
  - Description:** No Content
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':
  - Description:** Unauthorized
  - Content:** {}
- '404':
  - Description:** Not Found
  - Content:** {}
- '405':
  - Description:** Method Not Allowed
  - Content:** {}
- '409':
  - Description:** Conflict
  - Content:** {}

```

    security:
      - basicAuth: []
    x-codegen-request-body-name: aftr-name
  delete:

    Tags:
      - data
      - delete
    Operation ID:
      data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_aftr_name_delete

    Parameters:
      - Name: dhcp-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string
      - Name: class-class-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string

    Responses:
      '204':
        Description: No Content
        Content: {}
    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Operation ID:
      data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_aftr_name_options

    Parameters:
      - Name: dhcp-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string
      - Name: class-class-name
        In: path

```



**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Responses:**

**'200':**

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data

- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_name\_server\_aftr\_name\_head

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** class-class-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config

- nonconfig

- all

- **Name:** depth

```

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch

```

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_name\_server\_aftr\_name\_patch

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-name\_server\_aftr-name'

**Required/Optional:** true**Responses:**

'204':  
**Description:** leaf aftr-name updated  
**Content:** {}  
'400':  
**Description:** Bad Request  
**Content:** {}  
'401':  
**Description:** Unauthorized  
**Content:** {}  
'404':  
**Description:** Not Found  
**Content:** {}  
'405':  
**Description:** Method Not Allowed  
**Content:** {}  
'409':  
**Description:** Conflict  
**Content:** {}

**security:**- **basicAuth:** []**x-codegen-request-body-name:** aftr-name

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/rapid-commit

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_name\_server\_rapid\_commit\_get

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16

- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_rapid-commit'

'204':  
**Description:** No Content  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':

```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_rapid_commit_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_rapid-commit'

    Required/Optional: true

Responses:
  '201':
    Description: leaf rapid-commit created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request

```

```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: rapid-commit
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_rapid\_commit\_delete

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Responses:**

```

'204':
  Description: No Content
  Content: {}

```

**security:**

```

- basicAuth: []

```

**options:****Tags:**

```

- data

```

- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_rapid\_commit\_options

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

'200':
 

- Description:** OK
- Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_rapid\_commit\_head

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string



- Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all

```

    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

  Responses:
    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_rapid_commit_patch

  Parameters:
    - Name: dhcp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
    - Name: class-class-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_rapid-commit'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf rapid-commit updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':

```

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: rapid-commit

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/lease

**get:**

**Tags:**

```
- data
- get
```

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_lease\_get

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:

```

```

    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK

```

```

    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease'

    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_put

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:

```

```

    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease'

    Required/Optional: true

  Responses:
    '201':
      Description: container lease created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: lease
  Method: Post

  Tags:
  - data
  - post
  Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_post

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple

```

```

Explode: false
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease-post'

Required/Optional: true

Responses:
  '201':
    Description: container lease created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: lease
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_delete

Parameters:
- Name: dhcp-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:

```

```

    Type: string
    Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_options

Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data

```



- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_name\_server\_lease\_head

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** class-class-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config

- nonconfig

- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':

**Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_lease\_patch

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false

```

Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease'

Required/Optional: true

Responses:
  '204':
    Description: container lease updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: lease

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/lease/days

```

get:

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_days_get

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple

```

```

Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string

```

```

    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_days'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_days_put

```

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Request Body:**

- Content:**
  - application/yang-data+json:**
    - Schema:**
    - Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_days'
```

**Required/Optional:** true

**Responses:**

- '201':
  - Description:** leaf days created or replaced
  - Content:** {}
- '204':
  - Description:** No Content
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':
  - Description:** Unauthorized
  - Content:** {}
- '404':
  - Description:** Not Found
  - Content:** {}
- '405':
  - Description:** Method Not Allowed
  - Content:** {}
- '409':
  - Description:** Conflict
  - Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** days

**delete:**

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_lease\_days\_delete

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string

**Responses:**

'204':

**Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_lease\_days\_options

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

**Type:** string  
**Format:** string

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**  
- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_lease\_days\_head

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**
  - config
  - nonconfig
  - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form



```

Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_days_patch

Parameters:

```

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-name_server_lease_days'

      Required/Optional: true

Responses:
  '204':
    Description: leaf days updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: days

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/lease/hours

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_name\_server\_lease\_hours\_get

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16

- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

- '200':
  - Description:** OK
  - Content:**
    - application/yang-data+json:**
      - Schema:**
      - Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_hours'
```

- '204':
  - Description:** No Content
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':
  - Description:** Unauthorized
  - Content:** {}
- '404':

```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_hours_put

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class-class-name_server_lease_hours'

    Required/Optional: true

Responses:
  '201':
    Description: leaf hours created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request

```

```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: hours
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_hours_delete

Parameters:
- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options

```

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_lease\_hours\_options

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_lease\_hours\_head

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**



- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_lease\_hours\_patch

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

**Type:** string  
**Format:** string

- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
**application/yang-data+json:**

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_lease\_hours'

**Required/Optional:** true

**Responses:**

'204':  
**Description:** leaf hours updated  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hours

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/lease/minutes

get:

Tags:

- data
- get

Operation ID:

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_lease\_minutes\_get

Parameters:

- Name: dhcp-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- Name: class-class-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- Name: content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**  
**'200':**  
**Description:** OK  
**Content:**

```

    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_minutes'

      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Operation ID:
      data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_minutes_put

    Parameters:
      - Name: dhcp-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string
      - Name: class-class-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string
    Request Body:
      Content:
        application/yang-data+json:

```

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_minutes'
```

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf minutes created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** minutes

**delete:****Tags:**

- data  
- delete

**Operation ID:**

```
data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_minutes_delete
```

**Parameters:**

- **Name:** dhcp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** class-class-name

**In:** path

**Required/Optional:** true

**Style:** simple

```

    Explode: false
    Schema:
      Type: string
      Format: string

    Responses:
      '204':
        Description: No Content
        Content: {}
      security:
      - basicAuth: []
    options:

    Tags:
    - data
    - options
    Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_minutes_options

    Parameters:
    - Name: dhcp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
    - Name: class-class-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string

    Responses:
      '200':
        Description: OK
        Content: {}
      security:
      - basicAuth: []
    head:

    Tags:
    - data
    - head
    Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_lease_minutes_head

    Parameters:
    - Name: dhcp-name

```

```
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
```

**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string  
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}

**security:**  
- **basicAuth:** []

**patch:**

**Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_lease\_minutes\_patch

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string  
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Request Body:**

**Content:**



```

    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_minutes'

      Required/Optional: true

    Responses:
      '204':
        Description: leaf minutes updated
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: minutes

```

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/static-ip-key

```

get:

  Tags:
    - data
    - get
  Operation ID:
    data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static_ip_key_get

  Parameters:
    - Name: dhcp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
    - Name: class-class-name

```

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false

```

**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_static-ip-key'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**  
- **basicAuth:** []

**put:**

**Tags:**  
- data  
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_static\_ip\_key\_put

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple

```

    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_static-ip-key'

        Required/Optional: true

  Responses:
    '201':
      Description: container static-ip-key created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: static-ip-key
Method: Post

  Tags:
  - data
  - post
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static_ip_key_post

```

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

**Type:** string  
**Format:** string

- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_static-ip-key-post'

**Required/Optional:** true

**Responses:**

'201':  
**Description:** container static-ip-key created  
**Content:** {}  
'204':  
**Description:** No Content  
**Content:** {}  
'400':  
**Description:** Bad Request  
**Content:** {}  
'401':  
**Description:** Unauthorized  
**Content:** {}  
'404':  
**Description:** Not Found  
**Content:** {}  
'405':  
**Description:** Method Not Allowed  
**Content:** {}  
'409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** static-ip-key

**delete:****Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_static\_ip\_key\_delete

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**

- '204':  
  **Description:** No Content  
  **Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_static\_ip\_key\_options

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true

**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:**  
data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_static\_ip\_key\_head

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all
- **Name:** depth  
**In:** query

**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** integer  
     **Format:** uint16  
**- Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** enumeration  
     **Default:** report-all  
     **enum:**  
         - report-all  
         - trim  
         - explicit  
         - report-all-tagged

**Responses:**  
     '200':  
         **Description:** OK  
         **Content:** {}  
**security:**  
     - **basicAuth:** []

**patch:**

**Tags:**  
     - data  
     - patch  
**Operation ID:**



data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_static\_ip\_key\_patch

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_static-ip-key'

**Required/Optional:** true

**Responses:**

'204':  
**Description:** container static-ip-key updated  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':  
**Description:** Not Found  
**Content:** {}  
 '405':  
**Description:** Method Not Allowed  
**Content:** {}  
 '409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** static-ip-key

## /data/cnbng-cp:profile/dhcp={dhcp-name}/ipv6/class={class-class-name}/server/static-ip-key/identifier

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_name\_server\_static\_ip\_key\_identifier\_get

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer

```

    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_static-ip-key_identifier'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}

```

```

    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static_ip_key_identifier_put

  Parameters:
  - Name: dhcp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_dhcp_dhcp_name_ipv6_class_class_class_name_server_static_ip_key_identifier'

        Required/Optional: true

  Responses:
    '201':
      Description: leaf identifier created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}

```

```

'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: identifier
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_static\_ip\_key\_identifier\_delete

**Parameters:**

```

- Name: dhcp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Responses:**

```

'204':
  Description: No Content
  Content: {}

```

```

security:
- basicAuth: []

```

options:

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_static\_ip\_key\_identifier\_options

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_static\_ip\_key\_identifier\_head

**Parameters:**

- **Name:** dhcp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false

```
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
```

**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class\_class\_name\_server\_static\_ip\_key\_identifier\_patch

**Parameters:**

- **Name:** dhcp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp\_name\_ipv6\_class\_class-class-name\_server\_static-ip-key\_identifier'

**Required/Optional:** true

**Responses:**

**'204':**  
**Description:** leaf identifier updated  
**Content:** {}

**'400':**



```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: identifier

```

## /data/cnbng-cp:profile/pppoe

**options:**

```

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_pppoe_options

```

**Responses:**

```

  '200':
    Description: OK
    Content: {}
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/pppoe={pppoe-name}

**get:**

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_get

```

**Parameters:**

```

- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

- Type:** string
  - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration

**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:** '#/components/schemas/data\_cnbng\_cp\_profile\_pppoe\_pppoe-name'  
**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
- put

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_put

**Parameters:**

- **Name:** pppoe-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
- **Name:** insert  
**In:** query  
**Description:** controlling the order when adding new list elements

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: first
  enum:
    - first
    - last
    - before
    - after
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name'
    Required/Optional: true

Responses:
'201':
  Description: list pppoe created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []

```

**x-codegen-request-body-name:** pppoe

**delete:**

**Tags:**

- data
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_delete

**Parameters:**

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

**'204':**

- Description:** No Content
- Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_options

**Parameters:**

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

**'200':**

- Description:** OK
- Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_head

**Parameters:**

- **Name:** pppoe-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
    - config  
    - nonconfig  
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** integer  
    **Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** with-defaults  
**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_patch

**Parameters:**

- **Name:** pppoe-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_pppoe\_pppoe-name'

**Required/Optional:** true

**Responses:**

'204':

**Description:** list pppoe updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

```

    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: pppoe

```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/name

**get:**

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_name_get

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```



**Schema:**

- Type:** integer
- Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

- '200':
  - Description:** OK
  - Content:**
    - application/yang-data+json:**
      - Schema:**
      - Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_name'
- '204':
  - Description:** No Content
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':
  - Description:** Unauthorized

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_name_put

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_name'

Required/Optional: true

Responses:
  '201':
    Description: leaf name created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':

```

```
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: name
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_name_delete

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_name_options

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
security:
```

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_name\_head

**Parameters:**

- **Name:** pppoe-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config  
- nonconfig  
- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

```
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_name_patch

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_name'

Required/Optional: true

Responses:
  '204':
    Description: leaf name updated
```

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: name

```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/mtu

**get:**

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_mtu_get

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig

```

```
- all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_mtu'

'204':
```

```

    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_mtu_put

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_mtu'

  Required/Optional: true

Responses:
  '201':
    Description: leaf mtu created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}

```



```
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: mtu
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_mtu_delete

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_mtu_options

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
```

**Format:** string

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_mtu\_head

**Parameters:**

- **Name:** pppoe-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config  
- nonconfig  
- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
  **In:** query  
  **Description:** xpath expression to filter data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** with-defaults  
  **In:** query  
  **Description:** controlling default values in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** report-all  
    **enum:**  
    - report-all  
    - trim  
    - explicit  
    - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}

**security:**  
  - **basicAuth:** []

**patch:**

**Tags:**  
  - data  
  - patch

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_mtu\_patch

**Parameters:**  
  - **Name:** pppoe-name  
    **In:** path  
    **Required/Optional:** true  
    **Style:** simple  
    **Explode:** false  
    **Schema:**  
      **Type:** string  
      **Format:** string

**Request Body:**  
  **Content:**  
    application/yang-data+json:

**Schema:****Reference:** '#/components/schemas/data\_cnbng\_cp\_profile\_pppoe\_pppoe-name\_mtu'**Required/Optional:** true**Responses:**

'204':

**Description:** leaf mtu updated**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**x-codegen-request-body-name:** mtu

## /data/cnbng-cp:profile/pppoe={pppoe-name}/ctrl-pkt-priority

**get:****Tags:**- data  
- get**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_ctrl\_pkt\_priority\_get**Parameters:**- **Name:** pppoe-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form

**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

```

    '200':
      Description: OK
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_ctrl-pkt-priority'
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ctrl_pkt_priority_put

  Parameters:
    - Name: pppoe-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_ctrl-pkt-priority'
      Required/Optional: true

  Responses:
    '201':

```

```
    Description: leaf ctrl-pkt-priority created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ctrl-pkt-priority
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ctrl_pkt_priority_delete

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ctrl_pkt_priority_options
```

**Parameters:**

- **Name:** pppoe-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_ctrl\_pkt\_priority\_head

**Parameters:**

- **Name:** pppoe-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**



```
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ctrl_pkt_priority_patch

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
```

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_ctrl-pkt-priority'
        Required/Optional: true

Responses:
  '204':
    Description: leaf ctrl-pkt-priority updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ctrl-pkt-priority

```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/service-selection-disabl e

**get:**

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_service\_selection\_disable\_get

**Parameters:**

- **Name:** pppoe-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false

```
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
```

**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
 Schema:  
 Reference:

'#/components/schemas/data\_cnbng\_cp\_profile\_pppoe\_pppoe-name\_service-selection-disable'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
 - put

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_service\_selection\_disable\_put

**Parameters:**

- **Name:** pppoe-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

```

Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_service-selection-disable'
      Required/Optional: true

Responses:
  '201':
    Description: leaf service-selection-disable created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: service-selection-disable
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_selection_disable_delete

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content

```

```

    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_selection_disable_options

```

```

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

```

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

```

```

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_selection_disable_head

```

```

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config

```

```
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
```

**Responses:**

```
'200':
  Description: OK
  Content: {}
```

**security:**

```
- basicAuth: []
```

**patch:****Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_service\_selection\_disable\_patch

**Parameters:**

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Request Body:****Content:**

**application/yang-data+json:**

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_pppoe\_pppoe-name\_service-selection-disable'

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf service-selection-disable updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** service-selection-disable

## /data/cnbng-cp:profile/pppoe={pppoe-name}/max-payload

**get:**



**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_max\_payload\_get

**Parameters:**

- **Name:** pppoe-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**

```

    Type: string
    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_put

```

```
Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload'
    Required/Optional: true

Responses:
'201':
  Description: container max-payload created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: max-payload
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_post

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
```

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload-post'
        Required/Optional: true

Responses:
  '201':
    Description: container max-payload created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: max-payload
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_delete

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

```
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_options

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_head

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
```

**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
    - config  
    - nonconfig  
    - all

- **Name:** depth  
  **In:** query  
  **Description:** limit the depth of nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** integer  
    **Format:** uint16

- **Name:** fields  
  **In:** query  
  **Description:** optionally identify specific data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** filter  
  **In:** query  
  **Description:** xpath expression to filter data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** with-defaults  
  **In:** query  
  **Description:** controlling default values in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** report-all  
    **enum:**  
      - report-all  
      - trim  
      - explicit  
      - report-all-tagged

**Responses:**

'200':

```
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_patch

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_max_payload'
      Required/Optional: true

  Responses:
  '204':
    Description: container max-payload updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: max-payload
```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/max-payload/deny

get:

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_max\_payload\_deny\_get

**Parameters:**

- **Name:** pppoe-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query



```
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_deny'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:
```

**Tags:**

- data
- put

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_max\_payload\_deny\_put**Parameters:**

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_max\_payload\_deny'

**Required/Optional:** true**Responses:**

'201':

**Description:** leaf deny created or replaced**Content:** {}

'204':

**Description:** No Content**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** deny**delete:****Tags:**

- data
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_max\_payload\_deny\_delete

**Parameters:**

- **Name:** pppoe-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

'204':  
**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_max\_payload\_deny\_options

**Parameters:**

- **Name:** pppoe-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_max\_payload\_deny\_head

**Parameters:**

- **Name:** pppoe-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

```

    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration

```

**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_max\_payload\_deny\_patch

**Parameters:**

- **Name:** pppoe-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_pppoe\_pppoe-name\_max-payload\_deny'

**Required/Optional:** true

**Responses:**

**'204':**  
**Description:** leaf deny updated  
**Content:** {}

**'400':**  
**Description:** Bad Request  
**Content:** {}

**'401':**  
**Description:** Unauthorized  
**Content:** {}

**'404':**  
**Description:** Not Found  
**Content:** {}

**'405':**  
**Description:** Method Not Allowed  
**Content:** {}

**'409':**

**Description:** Conflict  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**x-codegen-request-body-name:** deny

## /data/cnbng-cp:profile/pppoe={pppoe-name}/max-payload/minimum

**get:**

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_max\_payload\_minimum\_get

**Parameters:**

- **Name:** pppoe-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_minimum'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}

```

```
    '409':
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_minimum_put

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_minimum'
          Required/Optional: true

  Responses:
    '201':
      Description: leaf minimum created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
```



**x-codegen-request-body-name:** minimum

**delete:**

**Tags:**

- data
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_max\_payload\_minimum\_delete

**Parameters:**

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

**'204':**

- Description:** No Content
- Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_max\_payload\_minimum\_options

**Parameters:**

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

**'200':**

- Description:** OK
- Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_max\_payload\_minimum\_head

**Parameters:**

- **Name:** pppoe-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

**'200':**

**Description:** OK

**Content:** {}

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_max\_payload\_minimum\_patch

**Parameters:**

- **Name:** pppoe-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_pppoe\_pppoe-name\_max-payload\_minimum'

**Required/Optional:** true

**Responses:**

**'204':**

**Description:** leaf minimum updated

**Content:** {}

**'400':**

**Description:** Bad Request

**Content:** {}

**'401':**

**Description:** Unauthorized

**Content:** {}

```

'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: minimum

```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/max-payload/maximum

**get:**

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_max\_payload\_maximum\_get

**Parameters:**

- **Name:** pppoe-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true

**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**
  - report-all
  - trim
  - explicit
  - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**  
'#/components/schemas/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_max-payload\_maximum'

**'204':**  
**Description:** No Content  
**Content:** {}

**'400':**  
**Description:** Bad Request  
**Content:** {}

**'401':**  
**Description:** Unauthorized

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_maximum_put

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_maximum'
  Required/Optional: true

Responses:
  '201':
    Description: leaf maximum created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':

```

```
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: maximum
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_maximum_delete

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_maximum_options

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
security:
```

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_max\_payload\_maximum\_head

**Parameters:**

- **Name:** pppoe-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config  
- nonconfig  
- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false



```

    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_maximum_patch

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_max_payload_maximum'
    Required/Optional: true

Responses:
  '204':
    Description: leaf maximum updated
```

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: maximum

```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/service-name

### options:

```

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_name_options

```

### Parameters:

```

- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

### Responses:

```

'200':
  Description: OK
  Content: {}
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/service-name={service-name-id}

### get:

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_service\_name\_service\_name\_id\_get

**Parameters:**

- **Name:** pppoe-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** service-name-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_service-name_service-name-id'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

```
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_name_service_name_id_put

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: service-name-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
```

```

    application/yang-data+json:
      Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_service-name_service-name-id'
      Required/Optional: true

Responses:
  '201':
    Description: leaf-list service-name created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: service-name
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_service_name_service_name_id_delete

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: service-name-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false

```

**Schema:**

**Type:** string  
**Format:** string

**Responses:****'204':**

**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_service\_name\_service\_name\_id\_options

**Parameters:**

- **Name:** pppoe-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

**Type:** string  
**Format:** string

- **Name:** service-name-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

**Type:** string  
**Format:** string

**Responses:****'200':**

**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_service\_name\_service\_name\_id\_head

**Parameters:**

- **Name:** pppoe-name  
**In:** path  
**Required/Optional:** true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: service-name-id
  In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:

```



```
    Type: string
    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

  Responses:
    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_service_name_service_name_id_patch

Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: service-name-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
```

**Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_service-name_service-name-id'
  Required/Optional: true
```

**Responses:**

```
'204':
  Description: leaf-list service-name updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: service-name
```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/ac-name

**get:**

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_ac\_name\_get

**Parameters:**

- **Name:** pppoe-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true

**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**  
'200':

```

    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_ac-name'
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_name_put

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_ac-name'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf ac-name created or replaced

```

```
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ac-name
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_name_delete

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_name_options

  Parameters:
```

```

- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_name_head

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer

```

```
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_name_patch

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
```

```

Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_ac-name'

Required/Optional: true

Responses:
  '204':
    Description: leaf ac-name updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ac-name

```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/ac-cookie

**get:**

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_cookie_get

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```



```
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
```

**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
 Schema:  
 Reference:

'#/components/schemas/data\_cnbng\_cp\_profile\_pppoe\_pppoe-name\_ac-cookie'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
 - put

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_ac\_cookie\_put

**Parameters:**

- **Name:** pppoe-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**

```
application/yang-data+json:
  Schema:
    Reference:
      '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_ac-cookie'
    Required/Optional: true

Responses:
  '201':
    Description: leaf ac-cookie created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: ac-cookie
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_cookie_delete

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
```

```
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_cookie_options

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_ac_cookie_head

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
```

- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data

- patch

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_ac\_cookie\_patch

**Parameters:**

- **Name:** pppoe-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_pppoe\_pppoe-name\_ac-cookie'  
**Required/Optional:** true

**Responses:**

'204':  
**Description:** leaf ac-cookie updated  
**Content:** {}  
'400':  
**Description:** Bad Request  
**Content:** {}  
'401':  
**Description:** Unauthorized  
**Content:** {}  
'404':  
**Description:** Not Found  
**Content:** {}  
'405':  
**Description:** Method Not Allowed  
**Content:** {}  
'409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** ac-cookie

## /data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit

**get:**

**Tags:**

- data  
- get

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_get

**Parameters:**

- **Name:** pppoe-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_pppoe\_pppoe-name\_session-limit'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_put

**Parameters:**

- **Name:** pppoe-name

**In:** path

**Required/Optional:** true



```
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit'
    Required/Optional: true

Responses:
  '201':
    Description: container session-limit created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: session-limit
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_post

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
```

```

    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit-post'
        Required/Optional: true

  Responses:
    '201':
      Description: container session-limit created
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: session-limit
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_delete

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '204':

```

**Description:** No Content  
**Content:** {}  
**security:**  
- **basicAuth:** []  
**options:**

**Tags:**  
- data  
- options  
**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_options

**Parameters:**  
- **Name:** pppoe-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**  
**'200':**  
**Description:** OK  
**Content:** {}  
**security:**  
- **basicAuth:** []  
**head:**

**Tags:**  
- data  
- head  
**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_head

**Parameters:**  
- **Name:** pppoe-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config

```

    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []

```

**patch:****Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_patch

**Parameters:**

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_pppoe\_pppoe-name\_session-limit'

**Required/Optional:** true

**Responses:**

'204':

**Description:** container session-limit updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** session-limit

## /data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/max

**get:**

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_max\_get

**Parameters:**

- **Name:** pppoe-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

```

    Type: string
    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_put

```

**Parameters:**

- **Name:** pppoe-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Request Body:**

**Content:**  
  **application/yang-data+json:**  
    **Schema:**  
      **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_session-limit\_max'  
**Required/Optional:** true

**Responses:**

'201':  
  **Description:** container max created or replaced  
  **Content:** {}  
'204':  
  **Description:** No Content  
  **Content:** {}  
'400':  
  **Description:** Bad Request  
  **Content:** {}  
'401':  
  **Description:** Unauthorized  
  **Content:** {}  
'404':  
  **Description:** Not Found  
  **Content:** {}  
'405':  
  **Description:** Method Not Allowed  
  **Content:** {}  
'409':  
  **Description:** Conflict  
  **Content:** {}

**security:**

- **basicAuth:** []  
**x-codegen-request-body-name:** max

**Method:** Post

**Tags:**

- data  
- post

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_max\_post

**Parameters:**

- **Name:** pppoe-name  
**In:** path  
**Required/Optional:** true



```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_max-post'
    Required/Optional: true

Responses:
  '201':
    Description: container max created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: max
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_delete

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

**Format:** string

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
- options

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_max\_options

**Parameters:**

- **Name:** pppoe-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_max\_head

**Parameters:**

- **Name:** pppoe-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
    - config  
    - nonconfig  
    - all

- **Name:** depth  
  **In:** query  
  **Description:** limit the depth of nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** integer  
    **Format:** uint16

- **Name:** fields  
  **In:** query  
  **Description:** optionally identify specific data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** filter  
  **In:** query  
  **Description:** xpath expression to filter data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** with-defaults  
  **In:** query  
  **Description:** controlling default values in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** report-all  
    **enum:**  
      - report-all  
      - trim  
      - explicit  
      - report-all-tagged

**Responses:**  
  '200':

```

    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_patch

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max'
      Required/Optional: true

Responses:
  '204':
    Description: container max updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
x-codegen-request-body-name: max

```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/max/value:

get:

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_max\_value\_get

**Parameters:**

- **Name:** pppoe-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all

- trim

- explicit

- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_session-limit\_max\_value'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_max\_value\_put

**Parameters:**

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Request Body:****Content:**

**application/yang-data+json:**

**Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_session-limit\_max\_value'

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf value created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** value

**delete:****Tags:**

- data
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_max\_value\_delete

/data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/max/value:

**Parameters:**

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

'204':

- Description:** No Content
- Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_max\_value\_options

**Parameters:**

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

'200':

- Description:** OK
- Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_max\_value\_head

**Parameters:**

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false



```
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
```

**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_max\_value\_patch

**Parameters:**

- **Name:** pppoe-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_pppoe\_pppoe-name\_session-limit\_max\_value'  
**Required/Optional:** true

**Responses:**

**'204':**  
**Description:** leaf value updated  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}

```

'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value

```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/max/thresh old

get:

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_max\_threshold\_get

**Parameters:**

- **Name:** pppoe-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
    - config  
    - nonconfig  
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
   **Description:** OK  
   **Content:**  
     **application/yang-data+json:**  
       **Schema:**  
         **Reference:**  
         '#/components/schemas/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_session-limit\_max\_threshold'  
**'204':**  
   **Description:** No Content  
   **Content:** {}  
**'400':**  
   **Description:** Bad Request  
   **Content:** {}  
**'401':**  
   **Description:** Unauthorized  
   **Content:** {}  
**'404':**  
   **Description:** Not Found  
   **Content:** {}  
**'405':**  
   **Description:** Method Not Allowed

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_threshold_put

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_threshold'
    Required/Optional: true

Responses:
'201':
  Description: leaf threshold created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

```

security:
- basicAuth: []
x-codegen-request-body-name: threshold
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_threshold_delete

```

```

Parameters:
- Name: pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

```

```

Responses:
'204':
Description: No Content
Content: {}

```

```

security:
- basicAuth: []
options:

```

```

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_max_threshold_options

```

```

Parameters:
- Name: pppoe-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
Type: string
Format: string

```

```

Responses:
'200':
Description: OK
Content: {}

```

```

security:
- basicAuth: []
head:

```

```

Tags:

```

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_max\_threshold\_head

**Parameters:**

- **Name:** pppoe-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** string  
**Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_max\_threshold\_patch

**Parameters:**

**Name:** pppoe-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_pppoe\_pppoe-name\_session-limit\_max\_threshold'

**Required/Optional:** true

**Responses:**

**'204':**  
**Description:** leaf threshold updated  
**Content:** {}  
**'400':**



```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: threshold

```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/mac

**get:**

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_get

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth

```

```

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac'
  '204':
    Description: No Content
    Content: {}

```

```
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_put

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac'
    Required/Optional: true

Responses:
'201':
  Description: container mac created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
```

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: mac
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_post

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_mac-post'
    Required/Optional: true

Responses:
  '201':
    Description: container mac created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}

```

```
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: mac
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_delete

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_options

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'200':
  Description: OK
  Content: {}
```

```

    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_head

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: config
      enum:
        - config
        - nonconfig
        - all
  - Name: depth
    In: query
    Description: limit the depth of nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response

```

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_patch

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_mac'
    Required/Optional: true

Responses:
  '204':

```

```

    Description: container mac updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: mac

```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/mac/value:

**get:**

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_value_get

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config

```



```

    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_session-limit\_mac\_value'

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

```

security:
- basicAuth: []

```

put:

Tags:

```

- data
- put

```

Operation ID: data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_mac\_value\_put

Parameters:

```

- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:

```

Reference:

```

'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_mac_value'
  Required/Optional: true

```

Responses:

```

'201':
  Description: leaf value created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request

```

```
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: value
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_value_delete

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_value_options

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
```

**Schema:**

**Type:** string  
**Format:** string

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_mac\_value\_head

**Parameters:**

- **Name:** pppoe-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**
  - config
  - nonconfig
  - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false

```
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_mac_value_patch

Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
Request Body:
```

```

Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_mac_value'
      Required/Optional: true

Responses:
  '204':
    Description: leaf value updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value

```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/mac/thresh old

get:

Tags:

- data
- get

Operation ID: data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_mac\_threshold\_get

Parameters:

- Name: pppoe-name
  - In: path
  - Required/Optional: true
  - Style: simple
  - Explode: false
  - Schema:
    - Type: string
    - Format: string
- Name: content
  - In: query

**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit

- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_session-limit\_mac\_threshold'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**put:**

**Tags:**

- data

- put

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_mac\_threshold\_put

**Parameters:**

- **Name:** pppoe-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_session-limit\_mac\_threshold'



**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf threshold created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** threshold

**delete:**

**Tags:**

- data  
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_mac\_threshold\_delete

**Parameters:**

- **Name:** pppoe-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_mac\_threshold\_options

**Parameters:**

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

Operation ID: data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_mac\_threshold\_head

**Parameters:**

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string
- **Name:** content
- In:** query
- Description:** controlling descendant nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth

**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_mac\_threshold\_patch

**Parameters:**

- **Name:** pppoe-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_pppoe\_pppoe-name\_session-limit\_mac\_threshold'  
**Required/Optional:** true

**Responses:**

'204':  
**Description:** leaf threshold updated  
**Content:** {}  
'400':  
**Description:** Bad Request  
**Content:** {}  
'401':  
**Description:** Unauthorized  
**Content:** {}  
'404':  
**Description:** Not Found  
**Content:** {}  
'405':  
**Description:** Method Not Allowed  
**Content:** {}  
'409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** threshold

## /data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/circuit-id

**get:**

**Tags:**

- data  
- get

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_circuit\_id\_get

**Parameters:**

- **Name:** pppoe-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** with-defaults  
**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_pppoe\_pppoe-name\_session-limit\_circuit-id'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_circuit\_id\_put

**Parameters:**

- **Name:** pppoe-name

**In:** path

**Required/Optional:** true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_circuit-id'
      Required/Optional: true

Responses:
  '201':
    Description: container circuit-id created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: circuit-id
Method: Post

Tags:
  - data
  - post
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_post

Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string

```

```

    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_circuit-id-post'

  Required/Optional: true

Responses:
  '201':
    Description: container circuit-id created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: circuit-id
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_delete

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```



**Responses:**  
  '204':  
    **Description:** No Content  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []  
**options:**

**Tags:**  
- data  
- options  
**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_circuit\_id\_options

**Parameters:**  
- **Name:** pppoe-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []  
**head:**

**Tags:**  
- data  
- head  
**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_circuit\_id\_head

**Parameters:**  
- **Name:** pppoe-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string  
- **Name:** content  
  **In:** query  
  **Description:** controlling descendant nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**

```

    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK

```

```
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_patch

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_circuit-id'
    Required/Optional: true

Responses:
'204':
  Description: container circuit-id updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: circuit-id
```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/circuit-id /value

get:

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_circuit\_id\_value\_get

**Parameters:**

- **Name:** pppoe-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter

**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string  
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_session-limit\_circuit-id\_value'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_circuit\_id\_value\_put

**Parameters:**

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Request Body:**

- Content:**
  - application/yang-data+json:**
    - Schema:**
    - Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_session-limit\_circuit-id\_value'

**Required/Optional:** true

**Responses:**

- '201':
  - Description:** leaf value created or replaced
  - Content:** {}
- '204':
  - Description:** No Content
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':
  - Description:** Unauthorized
  - Content:** {}
- '404':
  - Description:** Not Found
  - Content:** {}
- '405':
  - Description:** Method Not Allowed
  - Content:** {}
- '409':
  - Description:** Conflict
  - Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** value

**delete:**

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_circuit\_id\_value\_delete

**Parameters:**

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

'204':

**Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_circuit\_id\_value\_options

**Parameters:**

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

'200':

**Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_circuit\_id\_value\_head

**Parameters:**

- **Name:** pppoe-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response



**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

**'200':**

**Description:** OK

**Content:** {}

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_circuit\_id\_value\_patch

**Parameters:**

- **Name:** pppoe-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_pppoe\_pppoe-name\_session-limit\_circuit-id\_value'

**Required/Optional:** true

**Responses:**

**'204':**

**Description:** leaf value updated

**Content:** {}

**'400':**

**Description:** Bad Request

**Content:** {}

**'401':**

**Description:** Unauthorized

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value

```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/circuit-id/threshold

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_circuit\_id\_threshold\_get

**Parameters:**

- **Name:** pppoe-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config
- nonconfig
- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

```

Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_threshold'
```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}

```

```

    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_threshold_put

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_session-limit_circuit-id_threshold'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf threshold created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}

```

```
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: threshold
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_threshold_delete

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_circuit_id_threshold_options

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

**Responses:****'200':****Description:** OK**Content:** {}**security:**- **basicAuth:** []**head:****Tags:**- data  
- head**Operation ID:**

data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_circuit\_id\_threshold\_head

**Parameters:**- **Name:** pppoe-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:**- config  
- nonconfig  
- all- **Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16- **Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

**Type:** string  
**Format:** string  
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string  
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_circuit\_id\_threshold\_patch

**Parameters:**

- **Name:** pppoe-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
**application/yang-data+json:**

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_threshold'
```

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf threshold updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** threshold

## /data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/outer-vlan

**get:****Tags:**

- data  
- get

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_outer\_vlan\_get

**Parameters:**

- **Name:** pppoe-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false



```
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
```

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
 Schema:  
 Reference:

'#/components/schemas/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_session-limit\_outer-vlan'

'204':  
**Description:** No Content  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':  
**Description:** Not Found  
**Content:** {}  
 '405':  
**Description:** Method Not Allowed  
**Content:** {}  
 '409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
 - put

**Operation ID:** data\_cnbng-cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_outer\_vlan\_put

**Parameters:**

- **Name:** pppoe-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
 application/yang-data+json:  
 Schema:  
 Reference:

'#/components/schemas/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_session-limit\_outer-vlan'

**Required/Optional:** true

**Responses:**

```

'201':
  Description: container outer-vlan created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: outer-vlan
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_post

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_post'

  Required/Optional: true

Responses:
'201':
  Description: container outer-vlan created
  Content: {}

```

```

    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: outer-vlan
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_delete

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_options

Parameters:

```

```
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_head

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
```

**Format:** uint16

- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_outer\_vlan\_patch

**Parameters:**

- **Name:** pppoe-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple

```

Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan'
      Required/Optional: true

Responses:
  '204':
    Description: container outer-vlan updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: outer-vlan

```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/outer-vlan /value

**get:**

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_outer\_vlan\_value\_get

**Parameters:**

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false

```

Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string

```



**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
 Schema:  
 Reference:

'#/components/schemas/data\_cnbng\_cp\_profile\_pppoe\_pppoe-name\_session-limit\_outer-vlan\_value'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**  
 - **basicAuth:** []

**put:**

**Tags:**

- data  
 - put

**Operation ID:** data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_outer\_vlan\_value\_put

**Parameters:**

- **Name:** pppoe-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_session-limit\_outer-vlan\_value'

**Required/Optional:** true**Responses:**

'201':

**Description:** leaf value created or replaced**Content:** {}

'204':

**Description:** No Content**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**

- basicAuth: []

**x-codegen-request-body-name:** value**delete:****Tags:**- data  
- delete**Operation ID:**

data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_outer\_vlan\_value\_delete

**Parameters:**- **Name:** pppoe-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Responses:**

```
    '204':
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID:
  data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_value_options

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID:
  data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_value_head

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
```

```

    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

```

    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID:
  data_cnbng_cp_profile_pppoe_pppoe_name_session_limit_outer_vlan_value_patch

  Parameters:
  - Name: pppoe-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_value'

    Required/Optional: true

  Responses:
  '204':
    Description: leaf value updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: value

```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/session-limit/outer-vlan/threshold

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_outer\_vlan\_threshold\_get

**Parameters:**

- **Name:** pppoe-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter

**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string  
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_session-limit\_outer-vlan\_threshold'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_outer\_vlan\_threshold\_put

**Parameters:**

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Request Body:**

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_pppoe\_pppoe-name\_session-limit\_outer-vlan\_threshold'

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf threshold created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** threshold

**delete:**



**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_outer\_vlan\_threshold\_delete

**Parameters:**

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

'204':

**Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_outer\_vlan\_threshold\_options

**Parameters:**

- **Name:** pppoe-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

'200':

**Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_outer\_vlan\_threshold\_head

**Parameters:**

- **Name:** pppoe-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_pppoe\_pppoe\_name\_session\_limit\_outer\_vlan\_threshold\_patch

**Parameters:**

- **Name:** pppoe-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_session-limit\_outer-vlan\_threshold'

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf threshold updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: threshold

```

## /data/cnbng-cp:profile/pppoe={pppoe-name}/timeout-completion

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_timeout_completion_get

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form

```

**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
  **In:** query  
  **Description:** optionally identify specific data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** filter  
  **In:** query  
  **Description:** xpath expression to filter data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** with-defaults  
  **In:** query  
  **Description:** controlling default values in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** report-all  
    **enum:**  
    - report-all  
    - trim  
    - explicit  
    - report-all-tagged

**Responses:**

**'200':**  
  **Description:** OK  
  **Content:**  
    **application/yang-data+json:**  
      **Schema:**  
      **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_pppoe\_pppoe-name\_timeout-completion'

**'204':**  
  **Description:** No Content  
  **Content:** {}

**'400':**  
  **Description:** Bad Request  
  **Content:** {}

**'401':**

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_timeout_completion_put

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_timeout-completion'
    Required/Optional: true

Responses:
  '201':
    Description: leaf timeout-completion created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}

```

```
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: timeout-completion
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_timeout_completion_delete

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_timeout_completion_options

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'200':
  Description: OK
  Content: {}
```

```
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_timeout_completion_head

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
```



```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_pppoe_pppoe_name_timeout_completion_patch

Parameters:
- Name: pppoe-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_pppoe_pppoe_name_timeout_completion'
    Required/Optional: true

Responses:
  '204':

```

```

    Description: leaf timeout-completion updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: timeout-completion

```

## /data/cnbng-cp:profile/aaa

### options:

```

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_aaa_options

```

### Responses:

```

  '200':
    Description: OK
    Content: {}
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/aaa={aaa-name}

### get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_get

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true

```

```
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
```

**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:** '#/components/schemas/data\_cnbng\_cp\_profile\_aaa\_aaa-name'

**'204':**  
**Description:** No Content  
**Content:** {}

**'400':**  
**Description:** Bad Request  
**Content:** {}

**'401':**  
**Description:** Unauthorized  
**Content:** {}

**'404':**  
**Description:** Not Found  
**Content:** {}

**'405':**  
**Description:** Method Not Allowed  
**Content:** {}

**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
- put

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_put

**Parameters:**

- **Name:** aaa-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** insert  
**In:** query  
**Description:** controlling the order when adding new list elements  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** first  
  **enum:**  
  - first  
  - last  
  - before  
  - after

- **Name:** point  
**In:** query  
**Description:** used to specify the insertion point  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

**Request Body:**  
**Content:**  
  **application/yang-data+json:**  
    **Schema:**  
      **Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_aaa\_aaa-name'  
**Required/Optional:** true

**Responses:**  
'201':  
  **Description:** list aaa created or replaced  
  **Content:** {}  
'204':  
  **Description:** No Content  
  **Content:** {}  
'400':  
  **Description:** Bad Request  
  **Content:** {}  
'401':  
  **Description:** Unauthorized  
  **Content:** {}  
'404':  
  **Description:** Not Found  
  **Content:** {}  
'405':  
  **Description:** Method Not Allowed  
  **Content:** {}  
'409':  
  **Description:** Conflict

```
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: aaa
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_delete

  Parameters:
  - Name: aaa-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_options

  Parameters:
  - Name: aaa-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
```

- head

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_head

**Parameters:**

- **Name:** aaa-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

- Type:** string
- Format:** enumeration
- Default:** report-all
- enum:**
  - report-all
  - trim
  - explicit
  - report-all-tagged

**Responses:**

**'200':**

- Description:** OK
- Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_patch

**Parameters:**

- **Name:** aaa-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

- Type:** string
- Format:** string

**Request Body:**

**Content:**

- application/yang-data+json:**
  - Schema:**
    - Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_aaa\_aaa-name'

**Required/Optional:** true

**Responses:**

**'204':**

- Description:** list aaa updated
- Content:** {}

**'400':**

- Description:** Bad Request
- Content:** {}



```
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: aaa
```

## /data/cnbng-cp:profile/aaa={aaa-name}/name

get:

```
Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_name_get

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
```

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** integer  
     **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** enumeration  
     **Default:** report-all  
     **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
     **application/yang-data+json:**  
         **Schema:**  
             **Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_aaa\_aaa-name\_name'

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request

```
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_name_put

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name_name'
    Required/Optional: true

Responses:
  '201':
    Description: leaf name created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
```

```
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: name
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_name_delete

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_name_options

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
```

**Description:** OK  
**Content:** {}  
**security:**  
- **basicAuth:** []  
**head:**

**Tags:**  
- data  
- head  
**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_name\_head

**Parameters:**

- **Name:** aaa-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter

**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** string

- **Name:** with-defaults

**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all

**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**  
- **basicAuth:** []

**patch:**

**Tags:**

- data  
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_name\_patch

**Parameters:**

- **Name:** aaa-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**

**Reference:** '#/components/schemas/data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_name'  
**Required/Optional:** true

**Responses:**

- '204':
  - Description:** leaf name updated
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':
  - Description:** Unauthorized
  - Content:** {}
- '404':
  - Description:** Not Found
  - Content:** {}
- '405':
  - Description:** Method Not Allowed
  - Content:** {}
- '409':
  - Description:** Conflict
  - Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** name

## /data/cnbng-cp:profile/aaa={aaa-name}/authentication

**get:**

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authentication\_get

**Parameters:**

- **Name:** aaa-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config

```

    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:

```



**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authentication'  
  '204':  
    Description: No Content  
    Content: {}  
  '400':  
    Description: Bad Request  
    Content: {}  
  '401':  
    Description: Unauthorized  
    Content: {}  
  '404':  
    Description: Not Found  
    Content: {}  
  '405':  
    Description: Method Not Allowed  
    Content: {}  
  '409':  
    Description: Conflict  
    Content: {}  
security:  
- basicAuth: []  
put:  
  
Tags:  
- data  
- put  
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authentication_put  
  
Parameters:  
- Name: aaa-name  
  In: path  
  Required/Optional: true  
  Style: simple  
  Explode: false  
  Schema:  
    Type: string  
    Format: string  
Request Body:  
Content:  
  application/yang-data+json:  
    Schema:  
      Reference:  
      '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authentication'  
      Required/Optional: true  
  
Responses:  
  '201':  
    Description: container authentication created or replaced  
    Content: {}  
  '204':  
    Description: No Content  
    Content: {}
```

```

    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: authentication
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authentication_post

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name_authentication-post'
      Required/Optional: true

Responses:
  '201':
    Description: container authentication created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':

```

```
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: authentication
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authentication_delete

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authentication_options

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

**Responses:****'200':****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authentication\_head**Parameters:**

- **Name:** aaa-name

**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string

- **Name:** content

**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:**

- config
- nonconfig
- all

- **Name:** depth

**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16

- **Name:** fields

**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

```
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authentication_patch

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
```

**Reference:**  
 '#/components/schemas/data\_cnbng\_cp\_profile\_aaa\_aaa-name\_authentication'  
**Required/Optional:** true

**Responses:**

- '204':  
**Description:** container authentication updated  
**Content:** {}
- '400':  
**Description:** Bad Request  
**Content:** {}
- '401':  
**Description:** Unauthorized  
**Content:** {}
- '404':  
**Description:** Not Found  
**Content:** {}
- '405':  
**Description:** Method Not Allowed  
**Content:** {}
- '409':  
**Description:** Conflict  
**Content:** {}

**security:**  
 - **basicAuth:** []

**x-codegen-request-body-name:** authentication

## /data/cnbng-cp:profile/aaa={aaa-name}/authentication/method-order:

**options:**

**Tags:**

- data
- options

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authentication\_method\_order\_options

**Parameters:**

- **Name:** aaa-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

- '200':  
**Description:** OK  
**Content:** {}

```

security:
- basicAuth: []

```

## /data/cnbng-cp:profile/aaa={aaa-name}/authentication/method-order={method-order-id}

get:

**Tags:**

```

- data
- get

```

**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authentication\_method\_order\_method\_order\_id\_get

**Parameters:**

```

- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: method-order-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```

**Schema:****Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** report-all**enum:**

- report-all

- trim

- explicit

- report-all-tagged

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_aaa\_aaa-name\_authentication\_method-order\_method-order-id'

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':**



```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_authentication_method_order_method_order_id_put

```

**Parameters:**

```

- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: method-order-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
    - first
    - last
    - before
    - after

```

```

- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authentication_method-order_method-order-id'

    Required/Optional: true

Responses:
  '201':
    Description: leaf-list method-order created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: method-order
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_authentication_method_order_method_order_id_delete

Parameters:
- Name: aaa-name

```

```
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: method-order-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: union

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_authentication_method_order_method_order_id_options

Parameters:
- Name: aaa-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: method-order-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: union

Responses:
  '200':
    Description: OK
    Content: {}
  security:
```

- **basicAuth:** []  
**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authentication\_method\_order\_method\_order\_id\_head

**Parameters:**

- **Name:** aaa-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** method-order-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** union
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false

```
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_authentication_method_order_method_order_id_patch

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

```

- Name: method-order-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authentication_method-order_method-order-id'

    Required/Optional: true

Responses:
  '204':
    Description: leaf-list method-order updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: method-order

```

## /data/cnbng-cp:profile/aaa={aaa-name}/authorization

**get:**

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_get

**Parameters:**

- **Name:** aaa-name

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false

**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
   **Description:** OK  
   **Content:**  
     **application/yang-data+json:**  
       **Schema:**  
       **Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_aaa\_aaa-name\_authorization'

**'204':**  
   **Description:** No Content  
   **Content:** {}  
**'400':**  
   **Description:** Bad Request  
   **Content:** {}  
**'401':**  
   **Description:** Unauthorized  
   **Content:** {}  
**'404':**  
   **Description:** Not Found  
   **Content:** {}  
**'405':**  
   **Description:** Method Not Allowed  
   **Content:** {}  
**'409':**  
   **Description:** Conflict  
   **Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data  
- put

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_put

**Parameters:**

- **Name:** aaa-name  
   **In:** path  
   **Required/Optional:** true  
   **Style:** simple  
   **Explode:** false



```
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization'
      Required/Optional: true

Responses:
  '201':
    Description: container authorization created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: authorization
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_post

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
```

```

Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization-post'
      Required/Optional: true

Responses:
  '201':
    Description: container authorization created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: authorization
delete:

Tags:
- data
- delete
Operation ID: data_cnbng-cp_profile_aaa_aaa_name_authorization_delete

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}

```

```
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_options

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_head

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
```

```
- all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
```

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_patch

**Parameters:**

- **Name:** aaa-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Request Body:**

- Content:**
  - application/yang-data+json:**
    - Schema:**
      - Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_aaa\_aaa-name\_authorization'

- Required/Optional:** true

**Responses:**

- '204':
  - Description:** container authorization updated
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':
  - Description:** Unauthorized
  - Content:** {}
- '404':
  - Description:** Not Found
  - Content:** {}
- '405':
  - Description:** Method Not Allowed
  - Content:** {}
- '409':
  - Description:** Conflict
  - Content:** {}

**security:**

- **basicAuth:** []
- x-codegen-request-body-name:** authorization

## /data/cnbng-cp:profile/aaa={aaa-name}/authorization/type

**get:**

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_type\_get

**Parameters:**

- **Name:** aaa-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults

**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

**'200':**  
  **Description:** OK  
  **Content:**  
    **application/yang-data+json:**  
      **Schema:**  
      **Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_aaa\_aaa-name\_authorization\_type'

**'204':**  
  **Description:** No Content  
  **Content:** {}  
**'400':**  
  **Description:** Bad Request  
  **Content:** {}  
**'401':**  
  **Description:** Unauthorized  
  **Content:** {}  
**'404':**  
  **Description:** Not Found  
  **Content:** {}  
**'405':**  
  **Description:** Method Not Allowed  
  **Content:** {}  
**'409':**  
  **Description:** Conflict  
  **Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
- put

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_type\_put

**Parameters:**

- **Name:** aaa-name  
  **In:** path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_type'
      Required/Optional: true

Responses:
  '201':
    Description: container type created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: type
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_post

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```



```
    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_type-post'
          Required/Optional: true

  Responses:
    '201':
      Description: container type created
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: type
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_delete

  Parameters:
  - Name: aaa-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
```

```

    '204':
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_options

  Parameters:
  - Name: aaa-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_head

  Parameters:
  - Name: aaa-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration

```

```
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
security:
```

```

- basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_patch

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name_authorization_type'
      Required/Optional: true

Responses:
  '204':
    Description: container type updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: type

```

## /data/cnbng-cp:profile/aaa={aaa-name}/authorization/type/subscribe r

get:

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_type\_subscriber\_get

**Parameters:**

- **Name:** aaa-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true

**Schema:****Type:** string**Format:** string**- Name:** with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** report-all**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_aaa\_aaa-name\_authorization\_type\_subscriber'

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:****- basicAuth:** []**put:****Tags:**

- data
- put

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_type\_subscriber\_put

```

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber'
      Required/Optional: true

Responses:
'201':
  Description: container subscriber created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: subscriber
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_post

Parameters:
- Name: aaa-name
  In: path

```

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber-post'

Required/Optional: true

Responses:
  '201':
    Description: container subscriber created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: subscriber
delete:

Tags:
  - data
  - delete
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_delete

Parameters:
  - Name: aaa-name
    In: path
    Required/Optional: true
    Style: simple

```



**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**  
  **'204':**  
    **Description:** No Content  
    **Content:** {}  
  **security:**  
    - **basicAuth:** []

**options:**

**Tags:**  
- data  
- options

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_type\_subscriber\_options

**Parameters:**  
- **Name:** aaa-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string

**Responses:**  
  **'200':**  
    **Description:** OK  
    **Content:** {}  
  **security:**  
    - **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_type\_subscriber\_head

**Parameters:**  
- **Name:** aaa-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string  
- **Name:** content  
  **In:** query  
  **Description:** controlling descendant nodes in response

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
    - config  
    - nonconfig  
    - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
    - report-all  
    - trim  
    - explicit  
    - report-all-tagged

**Responses:**

'200':  
  **Description:** OK  
  **Content:** {}

**security:**  
- **basicAuth:** []

**patch:**

**Tags:**

- data  
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_type\_subscriber\_patch

**Parameters:**

- **Name:** aaa-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**

**Type:** string  
  **Format:** string

**Request Body:**

**Content:**  
  **application/yang-data+json:**  
    **Schema:**

**Reference:**

      '#/components/schemas/data\_cnbng-cp\_profile\_aaa\_aaa-name\_authorization\_type\_subscriber'  
      **Required/Optional:** true

**Responses:**

'204':  
  **Description:** container subscriber updated  
  **Content:** {}

'400':  
  **Description:** Bad Request  
  **Content:** {}

'401':  
  **Description:** Unauthorized  
  **Content:** {}

'404':  
  **Description:** Not Found  
  **Content:** {}

'405':  
  **Description:** Method Not Allowed  
  **Content:** {}

'409':  
  **Description:** Conflict  
  **Content:** {}

**security:**

```
- basicAuth: []
x-codegen-request-body-name: subscriber
```

## /data/cnbng-cp:profile/aaa={aaa-name}/authorization/type/subscribe r/method-order

options:

**Tags:**

```
- data
- options
```

**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_type\_subscriber\_method\_order\_options

**Parameters:**

```
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

**Responses:**

```
'200':
  Description: OK
  Content: {}
```

**security:**

```
- basicAuth: []
```

## /data/cnbng-cp:profile/aaa={aaa-name}/authorization/type/subscribe r/method-order={method-order-id}

get:

**Tags:**

```
- data
- get
```

**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_type\_subscriber\_method\_order\_method\_order\_id\_get

**Parameters:**

```
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
```

- Type:** string
  - Format:** string
- **Name:** method-order-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** union
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_aaa\_aaa-name\_authorization\_type\_subscriber\_method-order\_method-order-id'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_type\_subscriber\_method\_order\_method\_order\_id\_put

**Parameters:**

```

- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: method-order-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber_method-order_method-order-id'

  Required/Optional: true

Responses:
  '201':
    Description: leaf-list method-order created or replaced
    Content: {}

```

```

    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: method-order
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_aaa_aaa_name_authorization_type_subscriber_method_order_method_order_id_delete

  Parameters:
  - Name: aaa-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: method-order-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: union

  Responses:
    '204':
      Description: No Content
      Content: {}
  security:

```



- basicAuth: []  
options:

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_type\_subscriber\_method\_order\_method\_order\_id\_options

**Parameters:**

- **Name:** aaa-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** method-order-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** union

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- basicAuth: []

head:

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_type\_subscriber\_method\_order\_method\_order\_id\_head

**Parameters:**

- **Name:** aaa-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** method-order-id  
**In:** path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: union
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form

```

**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**  
**'200':**  
**Description:** OK  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**patch:**

**Tags:**  
 - data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_type\_subscriber\_method\_order\_method\_order\_id\_patch

**Parameters:**  
 - **Name:** aaa-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
 - **Name:** method-order-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** union

**Request Body:**  
**Content:**  
 application/yang-data+json:  
**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_aaa\_aaa-name\_authorization\_type\_subscriber\_method-order\_method-order-id'

**Required/Optional:** true

**Responses:**  
**'204':**

```

    Description: leaf-list method-order updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: method-order

```

## /data/cnbng-cp:profile/aaa={aaa-name}/authorization/username

**get:**

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_get

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config

```

```

    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_username'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

```

security:
- basicAuth: []

```

put:

Tags:

```

- data
- put

```

Operation ID: data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_username\_put

Parameters:

```

- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:

```

Reference:

```

'#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name_authorization_username'
  Required/Optional: true

```

Responses:

```

'201':
  Description: container username created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request

```

```
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: username
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_post

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name_authorization_username-post'
      Required/Optional: true

Responses:
  '201':
    Description: container username created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
```

```
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: username
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_delete

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_options

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
```



```
'200':
  Description: OK
  Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_head

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
```

- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':

**Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_username\_patch**Parameters:**

- **Name:** aaa-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_username'

**Required/Optional:** true

**Responses:**

'204':

**Description:** container username updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** username

## /data/cnbng-cp:profile/aaa={aaa-name}/authorization/username/value

**get:**

**Tags:**

- data

- get

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_username\_value\_get

**Parameters:**

- **Name:** aaa-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

```

    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:

```

```
    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_aaa_aaa-name_authorization_username_value'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_aaa_aaa-name_authorization_username_value_put

  Parameters:
  - Name: aaa-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_aaa_aaa-name_authorization_username_value'
    Required/Optional: true

  Responses:
  '201':
    Description: leaf value created or replaced
    Content: {}
  '204':
```

```

    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_value_delete

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_value_options

Parameters:
- Name: aaa-name

```

```
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_value_head

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
```

- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_username\_value\_patch

**Parameters:**

- **Name:** aaa-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false



```

Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_username_value'
        Required/Optional: true

Responses:
  '204':
    Description: leaf value updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value

```

## /data/cnbng-cp:profile/aaa={aaa-name}/authorization/username/format

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_format_get

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

- Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all

```
enum:  
- report-all  
- trim  
- explicit  
- report-all-tagged
```

**Responses:**

```
'200':  
  Description: OK  
  Content:  
    application/yang-data+json:  
      Schema:  
      Reference:
```

```
'#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name_authorization_username_format'
```

```
'204':  
  Description: No Content  
  Content: {}  
'400':  
  Description: Bad Request  
  Content: {}  
'401':  
  Description: Unauthorized  
  Content: {}  
'404':  
  Description: Not Found  
  Content: {}  
'405':  
  Description: Method Not Allowed  
  Content: {}  
'409':  
  Description: Conflict  
  Content: {}
```

**security:**

```
- basicAuth: []
```

**put:****Tags:**

```
- data  
- put
```

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_username\_format\_put

**Parameters:**

```
- Name: aaa-name  
  In: path  
  Required/Optional: true  
  Style: simple  
  Explode: false  
  Schema:  
    Type: string  
    Format: string
```

**Request Body:**

```
Content:  
  application/yang-data+json:
```

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_aaa_aaa-name_authorization_username_format'
```

```
Required/Optional: true
```

**Responses:**

```
'201':
```

```
Description: leaf format created or replaced
```

```
Content: {}
```

```
'204':
```

```
Description: No Content
```

```
Content: {}
```

```
'400':
```

```
Description: Bad Request
```

```
Content: {}
```

```
'401':
```

```
Description: Unauthorized
```

```
Content: {}
```

```
'404':
```

```
Description: Not Found
```

```
Content: {}
```

```
'405':
```

```
Description: Method Not Allowed
```

```
Content: {}
```

```
'409':
```

```
Description: Conflict
```

```
Content: {}
```

**security:**

```
- basicAuth: []
```

```
x-codegen-request-body-name: format
```

**delete:****Tags:**

```
- data  
- delete
```

```
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_format_delete
```

**Parameters:**

```
- Name: aaa-name
```

```
In: path
```

```
Required/Optional: true
```

```
Style: simple
```

```
Explode: false
```

**Schema:**

```
Type: string
```

```
Format: string
```

**Responses:**

```
'204':
```

```
Description: No Content
```

```
Content: {}
```

**security:**

```
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_format_options

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'200':
  Description: OK
  Content: {}
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_format_head

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
```

```

- all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:

```

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_username\_format\_patch

**Parameters:**

- **Name:** aaa-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false

**Schema:**

- Type:** string
- Format:** string

**Request Body:**

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_username\_format'

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf format updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** format

## /data/cnbng-cp:profile/aaa={aaa-name}/authorization/username/ident ifier

**get:**

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_username\_identifier\_get

**Parameters:**

- **Name:** aaa-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string



```

    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_aaa_aaa-name_authorization_username_identifier'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_username_identifier_put

```

**Parameters:**

- **Name:** aaa-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Request Body:**

**Content:**  
  **application/yang-data+json:**  
    **Schema:**  
      **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_aaa\_aaa-name\_authorization\_username\_identifier'

**Required/Optional:** true

**Responses:**

'201':  
  **Description:** leaf identifier created or replaced  
  **Content:** {}  
'204':  
  **Description:** No Content  
  **Content:** {}  
'400':  
  **Description:** Bad Request  
  **Content:** {}  
'401':  
  **Description:** Unauthorized  
  **Content:** {}  
'404':  
  **Description:** Not Found  
  **Content:** {}  
'405':  
  **Description:** Method Not Allowed  
  **Content:** {}  
'409':  
  **Description:** Conflict  
  **Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** identifier

**delete:****Tags:**

- data  
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_username\_identifier\_delete

**Parameters:**

- **Name:** aaa-name

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**  
  **'204':**  
    **Description:** No Content  
    **Content:** {}  
  **security:**  
    - **basicAuth:** []

**options:**

**Tags:**  
- data  
- options

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_username\_identifier\_options

**Parameters:**  
- **Name:** aaa-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string

**Responses:**  
  **'200':**  
    **Description:** OK  
    **Content:** {}  
  **security:**  
    - **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_username\_identifier\_head

**Parameters:**  
- **Name:** aaa-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string

- Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all

```

enum:
- report-all
- trim
- explicit
- report-all-tagged

```

```

Responses:
'200':
  Description: OK
  Content: {}
security:
- basicAuth: []

```

patch:

```

Tags:
- data
- patch

```

Operation ID:

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_username\_identifier\_patch

```

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Request Body:

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

'#/components/schemas/data\_cnbng\_cp\_profile\_aaa\_aaa-name\_authorization\_username\_identifier'

```

Required/Optional: true

```

Responses:

```

'204':
  Description: leaf identifier updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}

```

```

    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: identifier

```

## /data/cnbng-cp:profile/aaa={aaa-name}/authorization/password

get:

```

  Tags:
  - data
  - get
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_password_get

  Parameters:
  - Name: aaa-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: config
      enum:
      - config
      - nonconfig
      - all
  - Name: depth
    In: query
    Description: limit the depth of nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response

```

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
   **Description:** OK  
   **Content:**  
     application/yang-data+json:  
       **Schema:**  
       **Reference:**  
       '#/components/schemas/data\_cnbng-cp\_profile\_aaa\_aaa-name\_authorization\_password'  
**'204':**  
   **Description:** No Content  
   **Content:** {}  
**'400':**  
   **Description:** Bad Request  
   **Content:** {}  
**'401':**  
   **Description:** Unauthorized  
   **Content:** {}  
**'404':**  
   **Description:** Not Found  
   **Content:** {}  
**'405':**  
   **Description:** Method Not Allowed

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_password_put

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name_authorization_password'
    Required/Optional: true

Responses:
  '201':
    Description: leaf password created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:

```



```
- basicAuth: []
x-codegen-request-body-name: password
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_password_delete

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_password_options

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_authorization_password_head
```

**Parameters:**

- **Name:** aaa-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults

**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  **'200':**  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_password\_patch

**Parameters:**  
- **Name:** aaa-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string

**Request Body:**  
**Content:**  
  **application/yang-data+json:**  
    **Schema:**  
      **Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_authorization\_password'  
  **Required/Optional:** true

**Responses:**  
  **'204':**  
    **Description:** leaf password updated  
    **Content:** {}  
  **'400':**  
    **Description:** Bad Request  
    **Content:** {}  
  **'401':**  
    **Description:** Unauthorized

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: password

```

## /data/cnbng-cp:profile/aaa={aaa-name}/accounting

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_get

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form

```

**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
  **In:** query  
  **Description:** optionally identify specific data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** filter  
  **In:** query  
  **Description:** xpath expression to filter data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** with-defaults  
  **In:** query  
  **Description:** controlling default values in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** report-all  
    **enum:**  
    - report-all  
    - trim  
    - explicit  
    - report-all-tagged

**Responses:**

**'200':**  
  **Description:** OK  
  **Content:**  
    **application/yang-data+json:**  
      **Schema:**  
      **Reference:**  
      '#/components/schemas/data\_cnbng-cp\_profile\_aaa\_aaa-name\_accounting'

**'204':**  
  **Description:** No Content  
  **Content:** {}

**'400':**  
  **Description:** Bad Request  
  **Content:** {}

**'401':**

```
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_put

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting'

  Required/Optional: true

Responses:
  '201':
    Description: container accounting created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
```

```
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: accounting
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_post

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name_accounting-post'
      Required/Optional: true

Responses:
'201':
  Description: container accounting created
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
```

```

    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: accounting
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_delete

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_options

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
- basicAuth: []
head:

Tags:
```



- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_accounting\_head

**Parameters:**

- **Name:** aaa-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_accounting\_patch

**Parameters:**

- **Name:** aaa-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:** '#/components/schemas/data\_cnbng\_cp\_profile\_aaa\_aaa-name\_accounting'

**Required/Optional:** true

**Responses:**

'204':

**Description:** container accounting updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

```

'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: accounting

```

## /data/cnbng-cp:profile/aaa={aaa-name}/accounting/method-order

options:

```

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_method_order_options

```

Parameters:

```

- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

Responses:

```

'200':
  Description: OK
  Content: {}
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/aaa={aaa-name}/accounting/method-order={method-order-id}

get:

```

Tags:
- data

```

- get

**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_accounting\_method\_order\_method\_order\_id\_get

**Parameters:**

- **Name:** aaa-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** method-order-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** union

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config

- nonconfig

- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_aaa\_aaa-name\_accounting\_method-order\_method-order-id'

'204':  
**Description:** No Content  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':  
**Description:** Not Found  
**Content:** {}  
 '405':  
**Description:** Method Not Allowed  
**Content:** {}  
 '409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data  
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_accounting\_method\_order\_method\_order\_id\_put

**Parameters:**

- **Name:** aaa-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** method-order-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** union

- **Name:** insert

**In:** query

**Description:** controlling the order when adding new list elements

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** first

**enum:**

- first  
- last  
- before  
- after

- **Name:** point

**In:** query

**Description:** used to specify the insertion point

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

application/yang-data+json:

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_aaa_aaa-name_accounting_method-order_method-order-id'
```

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf-list method-order created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** method-order

**delete:****Tags:**

- data  
- delete

**Operation ID:**

```
data_cnbng_cp_profile_aaa_aaa_name_accounting_method_order_method_order_id_delete
```

**Parameters:**

- **Name:** aaa-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** method-order-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string  
**Format:** union

**Responses:**

**'204':**  
**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_accounting\_method\_order\_method\_order\_id\_options

**Parameters:**

- **Name:** aaa-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** method-order-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** union

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_accounting\_method\_order\_method\_order\_id\_head

**Parameters:**

- **Name:** aaa-name  
**In:** path  
**Required/Optional:** true



```
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: method-order-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

**Type:** string  
**Format:** string  
**Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_accounting\_method\_order\_method\_order\_id\_patch

**Parameters:**

**Name:** aaa-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
**Name:** method-order-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** union

**Request Body:**

**Content:**  
 application/yang-data+json:  
**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_aaa\_aaa-name\_accounting\_method-order\_method-order-id'

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf-list method-order updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** method-order

## /data/cnbng-cp:profile/aaa={aaa-name}/accounting/service

**get:****Tags:**

- data  
- get

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_accounting\_service\_get

**Parameters:**

- **Name:** aaa-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

- Type:** string
- Format:** enumeration
- Default:** config
- enum:**
  - config
  - nonconfig
  - all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

- Type:** integer
- Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

- Type:** string
- Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

- Type:** string
- Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

- Type:** string
- Format:** enumeration
- Default:** report-all
- enum:**
  - report-all
  - trim
  - explicit
  - report-all-tagged

**Responses:**

```
'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting_service'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_service_put

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
    Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting_service'
  Required/Optional: true

Responses:
'201':
```

```

    Description: container service created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: service
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_service_post

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name_accounting_service-post'
    Required/Optional: true

Responses:
  '201':
    Description: container service created
    Content: {}
  '204':
    Description: No Content

```

```
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: service
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_service_delete

  Parameters:
  - Name: aaa-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_service_options

  Parameters:
  - Name: aaa-name
    In: path
    Required/Optional: true
```

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_service_head

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query

```



**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_accounting\_service\_patch

**Parameters:**  
- **Name:** aaa-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string

```

    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting_service'
      Required/Optional: true

Responses:
  '204':
    Description: container service updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: service

```

## /data/cnbng-cp:profile/aaa={aaa-name}/accounting/service/acct-start-async

get:

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_accounting_service_acct_start_async_get

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_aaa\_aaa-name\_accounting\_service\_acct-start-async'

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_accounting\_service\_acct\_start\_async\_put

**Parameters:**

- **Name:** aaa-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Request Body:****Content:****application/yang-data+json:**

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting_service_acct-start-async'
```

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf acct-start-async created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** acct-start-async

**delete:****Tags:**

- data  
- delete

**Operation ID:**

```
data_cnbng_cp_profile_aaa_aaa_name_accounting_service_acct_start_async_delete
```

**Parameters:**

- **Name:** aaa-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Responses:**

'204':

**Description:** No Content

**Content:** {}

```

    security:
      - basicAuth: []
  options:

  Tags:
    - data
    - options
  Operation ID:
    data_cnbng_cp_profile_aaa_aaa_name_accounting_service_acct_start_async_options

  Parameters:
    - Name: aaa-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string

  Responses:
    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
    - data
    - head
  Operation ID:
    data_cnbng_cp_profile_aaa_aaa_name_accounting_service_acct_start_async_head

  Parameters:
    - Name: aaa-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
    - Name: content
      In: query
      Description: controlling descendant nodes in response
      Required/Optional: false
      Style: form
      Explode: true
      Schema:
        Type: string
        Format: enumeration
        Default: config
        enum:

```

```

    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
security:
  - basicAuth: []
patch:

```

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_accounting\_service\_acct\_start\_async\_patch

**Parameters:**

- **Name:** aaa-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_aaa\_aaa-name\_accounting\_service\_acct-start-async'

**Required/Optional:** true**Responses:**

'204':

**Description:** leaf acct-start-async updated**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**

- basicAuth: []

**x-codegen-request-body-name:** acct-start-async**/data/cnbng-cp:profile/aaa={aaa-name}/accounting/service/acct-inte rim-async**

get:



**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_accounting\_service\_acct\_interim\_async\_get

**Parameters:**

- **Name:** aaa-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true

```

    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

  Responses:
    '200':
      Description: OK
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting_service_acct-interim-async'

    '204':
      Description: No Content
      Content: {}

    '400':
      Description: Bad Request
      Content: {}

    '401':
      Description: Unauthorized
      Content: {}

    '404':
      Description: Not Found
      Content: {}

    '405':
      Description: Method Not Allowed
      Content: {}

    '409':
      Description: Conflict
      Content: {}

  security:
  - basicAuth: []

  put:

  Tags:
  - data
  - put

```

**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_accounting\_service\_acct\_interim\_async\_put

**Parameters:**

- **Name:** aaa-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_aaa\_aaa-name\_accounting\_service\_acct-interim-async'

**Required/Optional:** true**Responses:**

'201':  
**Description:** leaf acct-interim-async created or replaced  
**Content:** {}  
'204':  
**Description:** No Content  
**Content:** {}  
'400':  
**Description:** Bad Request  
**Content:** {}  
'401':  
**Description:** Unauthorized  
**Content:** {}  
'404':  
**Description:** Not Found  
**Content:** {}  
'405':  
**Description:** Method Not Allowed  
**Content:** {}  
'409':  
**Description:** Conflict  
**Content:** {}

**security:**- **basicAuth:** []**x-codegen-request-body-name:** acct-interim-async**delete:****Tags:**- data  
- delete**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_accounting\_service\_acct\_interim\_async\_delete

**Parameters:**

- **Name:** aaa-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

- '204':
  - Description:** No Content
  - Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_accounting\_service\_acct\_interim\_async\_options

**Parameters:**

- **Name:** aaa-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_accounting\_service\_acct\_interim\_async\_head

**Parameters:**

- **Name:** aaa-name
- In:** path
- Required/Optional:** true
- Style:** simple

**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
    - config  
    - nonconfig  
    - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_accounting\_service\_acct\_interim\_async\_patch

**Parameters:**

- **Name:** aaa-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_aaa\_aaa-name\_accounting\_service\_acct-interim-async'

**Required/Optional:** true

**Responses:**

**'204':**  
**Description:** leaf acct-interim-async updated  
**Content:** {}

**'400':**  
**Description:** Bad Request  
**Content:** {}

**'401':**  
**Description:** Unauthorized  
**Content:** {}

**'404':**  
**Description:** Not Found  
**Content:** {}

```

'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: acct-interim-async

```

## /data/cnbng-cp:profile/aaa={aaa-name}/accounting/service/acct-stop-async

get:

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_accounting\_service\_acct\_stop\_async\_get

**Parameters:**

- **Name:** aaa-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**
  - config
  - nonconfig
  - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_aaa\_aaa-name\_accounting\_service\_acct-stop-async'

'204':  
**Description:** No Content  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':



```
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_service_acct_stop_async_put
```

```
Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name_accounting_service_acct-stop-async'
```

```
  Required/Optional: true
```

```
Responses:
'201':
  Description: leaf acct-stop-async created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
```

```

    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: acct-stop-async
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_accounting_service_acct_stop_async_delete

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_accounting_service_acct_stop_async_options

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}

```

**security:**  
- **basicAuth:** []  
**head:**

**Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_accounting\_service\_acct\_stop\_async\_head

**Parameters:**

- **Name:** aaa-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_accounting\_service\_acct\_stop\_async\_patch

**Parameters:**

- **Name:** aaa-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_aaa\_aaa-name\_accounting\_service\_acct-stop-async'

**Required/Optional:** true

**Responses:**

```

'204':
  Description: leaf acct-stop-async updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: acct-stop-async

```

**/data/cnbng-cp:profile/aaa={aaa-name}/accounting/session****get:****Tags:**

```

- data
- get

```

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_accounting\_session\_get

**Parameters:**

```

- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration

```

```

    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:

```

```

    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting_session'
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_session_put

  Parameters:
  - Name: aaa-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting_session'
        Required/Optional: true

  Responses:
    '201':
      Description: container session created or replaced
      Content: {}
    '204':
      Description: No Content
```

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: session
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_session_post

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name_accounting_session-post'
      Required/Optional: true

Responses:
  '201':
    Description: container session created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}

```



```
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: session
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_session_delete

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_session_options

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
```

**Format:** string

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_accounting\_session\_head

**Parameters:**

- **Name:** aaa-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config  
- nonconfig  
- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
  **In:** query  
  **Description:** xpath expression to filter data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** with-defaults  
  **In:** query  
  **Description:** controlling default values in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** report-all  
    **enum:**  
      - report-all  
      - trim  
      - explicit  
      - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}

**security:**  
  - **basicAuth:** []

**patch:**

**Tags:**  
  - data  
  - patch

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_accounting\_session\_patch

**Parameters:**  
  - **Name:** aaa-name  
    **In:** path  
    **Required/Optional:** true  
    **Style:** simple  
    **Explode:** false  
    **Schema:**  
      **Type:** string  
      **Format:** string

**Request Body:**  
  **Content:**  
    application/yang-data+json:

```

    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting_session'
      Required/Optional: true

  Responses:
    '204':
      Description: container session updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: session

```

## /data/cnbng-cp:profile/aaa={aaa-name}/accounting/session/acct-stat-async

get:

```

  Tags:
  - data
  - get
  Operation ID:
    data_cnbng_cp_profile_aaa_aaa_name_accounting_session_acct_start_async_get

  Parameters:
  - Name: aaa-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false

```

**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_aaa\_aaa-name\_accounting\_session\_acct-start-async'

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:****- basicAuth:** []**put:****Tags:**

- data

- put

**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_accounting\_session\_acct\_start\_async\_put

**Parameters:****- Name:** aaa-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_aaa\_aaa-name\_accounting\_session\_acct-start-async'

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf acct-start-async created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** acct-start-async

**delete:**

**Tags:**

- data  
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_accounting\_session\_acct\_start\_async\_delete

**Parameters:**

- **Name:** aaa-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_accounting\_session\_acct\_start\_async\_options

**Parameters:**

- **Name:** aaa-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_accounting\_session\_acct\_start\_async\_head

**Parameters:**

- **Name:** aaa-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string
- **Name:** content
- In:** query
- Description:** controlling descendant nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth



```

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch

```

**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_accounting\_session\_acct\_start\_async\_patch

**Parameters:**

- **Name:** aaa-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_aaa\_aaa-name\_accounting\_session\_acct-start-async'

**Required/Optional:** true**Responses:**

'204':  
**Description:** leaf acct-start-async updated  
**Content:** {}  
'400':  
**Description:** Bad Request  
**Content:** {}  
'401':  
**Description:** Unauthorized  
**Content:** {}  
'404':  
**Description:** Not Found  
**Content:** {}  
'405':  
**Description:** Method Not Allowed  
**Content:** {}  
'409':  
**Description:** Conflict  
**Content:** {}

**security:**- **basicAuth:** []**x-codegen-request-body-name:** acct-start-async**/data/cnbng-cp:profile/aaa={aaa-name}/accounting/session/acct-inte-async****get:****Tags:**- data  
- get**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_accounting\_session\_acct\_interim\_async\_get

**Parameters:**

- **Name:** aaa-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

'200':  
  **Description:** OK  
  **Content:**  
    **application/yang-data+json:**  
      **Schema:**  
      **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_aaa\_aaa-name\_accounting\_session\_acct-interim-async'

'204':  
  **Description:** No Content  
  **Content:** {}  
'400':  
  **Description:** Bad Request  
  **Content:** {}  
'401':  
  **Description:** Unauthorized  
  **Content:** {}  
'404':  
  **Description:** Not Found  
  **Content:** {}  
'405':  
  **Description:** Method Not Allowed  
  **Content:** {}  
'409':  
  **Description:** Conflict  
  **Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_accounting\_session\_acct\_interim\_async\_put

**Parameters:**

```

- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting_session_acct-interim-async'

    Required/Optional: true

Responses:
  '201':
    Description: leaf acct-interim-async created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: acct-interim-async
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_aaa_aaa_name_accounting_session_acct_interim_async_delete

Parameters:
- Name: aaa-name
  In: path

```

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Responses:**

**'204':**

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data

- options

**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_accounting\_session\_acct\_interim\_async\_options

**Parameters:**

- **Name:** aaa-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Responses:**

**'200':**

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data

- head

**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_accounting\_session\_acct\_interim\_async\_head

**Parameters:**

- **Name:** aaa-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_accounting\_session\_acct\_interim\_async\_patch

**Parameters:**

- **Name:** aaa-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_aaa\_aaa-name\_accounting\_session\_acct-interim-async'

**Required/Optional:** true

**Responses:**

**'204':**  
**Description:** leaf acct-interim-async updated  
**Content:** {}

**'400':**  
**Description:** Bad Request  
**Content:** {}

**'401':**  
**Description:** Unauthorized  
**Content:** {}

**'404':**  
**Description:** Not Found  
**Content:** {}

**'405':**  
**Description:** Method Not Allowed  
**Content:** {}

**'409':**



**Description:** Conflict  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**x-codegen-request-body-name:** acct-interim-async

## /data/cnbng-cp:profile/aaa={aaa-name}/accounting/session/acct-stop-async

get:

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_accounting\_session\_acct\_stop\_async\_get

**Parameters:**

- **Name:** aaa-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false

**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
   **application/yang-data+json:**  
     **Schema:**  
       **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_aaa\_aaa-name\_accounting\_session\_acct-stop-async'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_aaa_aaa_name_accounting_session_acct_stop_async_put

```

**Parameters:**

```

- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Request Body:**

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng_cp_profile_aaa_aaa_name_accounting_session_acct-stop-async'
```

```
Required/Optional: true
```

**Responses:**

```

'201':
  Description: leaf acct-stop-async created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict

```

```

    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: acct-stop-async
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_accounting_session_acct_stop_async_delete

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_aaa_aaa_name_accounting_session_acct_stop_async_options

Parameters:
- Name: aaa-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

```

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_aaa\_aaa\_name\_accounting\_session\_acct\_stop\_async\_head

**Parameters:**

- **Name:** aaa-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true

```

    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

  Responses:
    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID:
  data_cnbng_cp_profile_aaa_aaa_name_accounting_session_acct_stop_async_patch

  Parameters:
  - Name: aaa-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting_session_acct-stop-async'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf acct-stop-async updated

```

```
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: acct-stop-async
```

## /data/cnbng-cp:profile/server-group

options:

```
Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_server_group_options
```

Responses:

```
'200':
  Description: OK
  Content: {}
security:
- basicAuth: []
```

## /data/cnbng-cp:profile/server-group={server-group-name}

get:

```
Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_get
```

Parameters:

```
- Name: server-group-name
  In: path
  Required/Optional: true
  Style: simple
```

```

Explode: false
Schema:
  Type: string
  Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:

```



**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_server-group\_server-group-name'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
- put

**Operation ID:** data\_cnbng\_cp\_profile\_server\_group\_server\_group\_name\_put

**Parameters:**

- **Name:** server-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

```

- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_server-group_server-group-name'
      Required/Optional: true

Responses:
  '201':
    Description: list server-group created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict

```

```
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: server-group
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_server_group_server_group_name_delete

  Parameters:
  - Name: server-group-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_server_group_server_group_name_options

  Parameters:
  - Name: server-group-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
```

- head

**Operation ID:** data\_cnbng\_cp\_profile\_server\_group\_server\_group\_name\_head

**Parameters:**

- **Name:** server-group-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string

```
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_patch

Parameters:
- Name: server-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_server-group_server-group-name'
      Required/Optional: true

Responses:
  '204':
    Description: list server-group updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
```

```

'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: server-group

```

## /data/cnbng-cp:profile/server-group={server-group-name}/name

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_name_get

Parameters:
- Name: server-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response

```

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

'200':  
  **Description:** OK  
  **Content:**  
    **application/yang-data+json:**  
      **Schema:**  
      **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_server-group\_server-group-name\_name'

'204':  
  **Description:** No Content  
  **Content:** {}

'400':  
  **Description:** Bad Request

```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_name_put

Parameters:
- Name: server-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_server-group_server-group-name_name'
    Required/Optional: true

Responses:
  '201':
    Description: leaf name created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':

```



```
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: name
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_name_delete

Parameters:
- Name: server-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_name_options

Parameters:
- Name: server-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
```

**Description:** OK  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**head:**

**Tags:**  
 - data  
 - head  
**Operation ID:** data\_cnbng\_cp\_profile\_server\_group\_server\_group\_name\_name\_head

**Parameters:**

- **Name:** server-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**
  - config
  - nonconfig
  - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** filter

```

In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_name_patch

Parameters:
- Name: server-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_server-group_server-group-name_name'
    Required/Optional: true

```

**Responses:**

- '204':
  - Description:** leaf name updated
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':
  - Description:** Unauthorized
  - Content:** {}
- '404':
  - Description:** Not Found
  - Content:** {}
- '405':
  - Description:** Method Not Allowed
  - Content:** {}
- '409':
  - Description:** Conflict
  - Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** name

## /data/cnbng-cp:profile/server-group={server-group-name}/radius-gro up

**get:**

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_server\_group\_server\_group\_name\_radius\_group\_get

**Parameters:**

- **Name:** server-group-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config

```

    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:**

**Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_server-group_server-group-name_radius-group'
```

```
'204':
```

```
  Description: No Content
```

```
  Content: {}
```

```
'400':
```

```
  Description: Bad Request
```

```
  Content: {}
```

```
'401':
```

```
  Description: Unauthorized
```

```
  Content: {}
```

```
'404':
```

```
  Description: Not Found
```

```
  Content: {}
```

```
'405':
```

```
  Description: Method Not Allowed
```

```
  Content: {}
```

```
'409':
```

```
  Description: Conflict
```

```
  Content: {}
```

```
security:
```

```
- basicAuth: []
```

```
put:
```

```
Tags:
```

```
- data
```

```
- put
```

```
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_radius_group_put
```

```
Parameters:
```

```
- Name: server-group-name
```

```
  In: path
```

```
  Required/Optional: true
```

```
  Style: simple
```

```
  Explode: false
```

```
  Schema:
```

```
    Type: string
```

```
    Format: string
```

```
Request Body:
```

```
Content:
```

```
  application/yang-data+json:
```

```
    Schema:
```

```
      Reference:
```

```
'#/components/schemas/data_cnbng_cp_profile_server-group_server-group-name_radius-group'
```

```
  Required/Optional: true
```

```
Responses:
```

```
'201':
```

```
  Description: leaf radius-group created or replaced
```

```
  Content: {}
```

```
'204':
```

```
  Description: No Content
```

```
  Content: {}
```

```
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: radius-group
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_radius_group_delete

Parameters:
- Name: server-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_server_group_server_group_name_radius_group_options

Parameters:
- Name: server-group-name
  In: path
  Required/Optional: true
```

**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string

**Responses:**  
   '200':  
     **Description:** OK  
     **Content:** {}  
   **security:**  
     - **basicAuth:** []

**head:**

**Tags:**  
   - data  
   - head

**Operation ID:** data\_cnbng\_cp\_profile\_server\_group\_server\_group\_name\_radius\_group\_head

**Parameters:**

- **Name:** server-group-name  
   **In:** path  
   **Required/Optional:** true  
   **Style:** simple  
   **Explode:** false  
   **Schema:**  
     **Type:** string  
     **Format:** string
- **Name:** content  
   **In:** query  
   **Description:** controlling descendant nodes in response  
   **Required/Optional:** false  
   **Style:** form  
   **Explode:** true  
   **Schema:**  
     **Type:** string  
     **Format:** enumeration  
     **Default:** config  
     **enum:**  
       - config  
       - nonconfig  
       - all
- **Name:** depth  
   **In:** query  
   **Description:** limit the depth of nodes in response  
   **Required/Optional:** false  
   **Style:** form  
   **Explode:** true  
   **Schema:**  
     **Type:** integer  
     **Format:** uint16
- **Name:** fields



**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_server\_group\_server\_group\_name\_radius\_group\_patch

**Parameters:**  
- **Name:** server-group-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false

```

Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_server-group_server-group-name_radius-group'
      Required/Optional: true

Responses:
  '204':
    Description: leaf radius-group updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: radius-group

```

## /data/cnbng-cp:profile/attribute-format

```

options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_attribute_format_options

Responses:
  '200':
    Description: OK
    Content: {}
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/attribute-format={attribute-format-name}

get:

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_attribute\_format\_attribute\_format\_name\_get

**Parameters:**

- **Name:** attribute-format-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all

- trim

- explicit

- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_attribute-format\_attribute-format-name'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Operation ID:** data\_cnbng\_cp\_profile\_attribute\_format\_attribute\_format\_name\_put

**Parameters:**

- **Name:** attribute-format-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** insert
  - In:** query
  - Description:** controlling the order when adding new list elements
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** first
    - enum:**
      - first
      - last
      - before
      - after
- **Name:** point
  - In:** query
  - Description:** used to specify the insertion point
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_attribute-format\_attribute-format-name'

**Required/Optional:** true

**Responses:**

'201':

**Description:** list attribute-format created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

```

    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: attribute-format
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_delete

  Parameters:
  - Name: attribute-format-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '204':
      Description: No Content
      Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_options

  Parameters:
  - Name: attribute-format-name
    In: path
    Required/Optional: true
    Style: simple

```

```
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_attribute_format_attribute_format_name_head

Parameters:
- Name: attribute-format-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
```

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string

**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string

**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**  
   '200':  
     **Description:** OK  
     **Content:** {}  
   **security:**  
     - **basicAuth:** []

**patch:**

**Tags:**  
   - data  
   - patch

**Operation ID:** data\_cnbng\_cp\_profile\_attribute\_format\_attribute\_format\_name\_patch

**Parameters:**  
   **- Name:** attribute-format-name  
   **In:** path  
   **Required/Optional:** true  
   **Style:** simple  
   **Explode:** false  
   **Schema:**  
     **Type:** string  
     **Format:** string



```

Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_attribute-format_attribute-format-name'
      Required/Optional: true

Responses:
  '204':
    Description: list attribute-format updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: attribute-format

```

## /data/cnbng-cp:profile/attribute-format={attribute-format-name}/na me

get:

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_attribute\_format\_attribute\_format\_name\_name\_get

**Parameters:**

- **Name:** attribute-format-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query

- Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
 - config  
 - nonconfig  
 - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit

- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_attribute-format\_attribute-format-name\_name'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**put:**

**Tags:**

- data

- put

**Operation ID:** data\_cnbng\_cp\_profile\_attribute\_format\_attribute\_format\_name\_name\_put

**Parameters:**

- **Name:** attribute-format-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_attribute-format\_attribute-format-name\_name'

**Required/Optional:** true

**Responses:**

'201':  
**Description:** leaf name created or replaced  
**Content:** {}

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

'409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** name

**delete:****Tags:**

- data  
 - delete

**Operation ID:** data\_cnbng\_cp\_profile\_attribute\_format\_attribute\_format\_name\_name\_delete

**Parameters:**

- **Name:** attribute-format-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

'204':  
**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:** data\_cnbng\_cp\_profile\_attribute\_format\_attribute\_format\_name\_name\_options

**Parameters:**

- **Name:** attribute-format-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_attribute\_format\_attribute\_format\_name\_name\_head

**Parameters:**

- **Name:** attribute-format-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_attribute\_format\_attribute\_format\_name\_name\_patch

```

Parameters:
- Name: attribute-format-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_attribute-format_attribute-format-name_name'
      Required/Optional: true

Responses:
'204':
  Description: leaf name updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: name

```

## /data/cnbng-cp:profile/attribute-format={attribute-format-name}/format-string

get:

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_attribute_format_attribute_format_name_format_string_get

```

**Parameters:**

- **Name:** attribute-format-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
    - config  
    - nonconfig  
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** integer  
    **Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** with-defaults  
**In:** query



**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_attribute-format\_attribute-format-name\_format-string'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_attribute\_format\_attribute\_format\_name\_format\_string\_put

**Parameters:**

- **Name:** attribute-format-name
- In:** path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_attribute-format_attribute-format-name_format-string'

Required/Optional: true

Responses:
  '201':
    Description: leaf format-string created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: format-string
delete:

Tags:
  - data
  - delete
Operation ID:
  data_cnbng_cp_profile_attribute_format_attribute_format_name_format_string_delete

Parameters:
  - Name: attribute-format-name
    In: path
    Required/Optional: true
    Style: simple

```

**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**  
  **'204':**  
    **Description:** No Content  
    **Content:** {}  
  **security:**  
    - **basicAuth:** []

**options:**

**Tags:**  
- data  
- options

**Operation ID:**  
data\_cnbng\_cp\_profile\_attribute\_format\_attribute\_format\_name\_format\_string\_options

**Parameters:**  
- **Name:** attribute-format-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string

**Responses:**  
  **'200':**  
    **Description:** OK  
    **Content:** {}  
  **security:**  
    - **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:**  
data\_cnbng\_cp\_profile\_attribute\_format\_attribute\_format\_name\_format\_string\_head

**Parameters:**  
- **Name:** attribute-format-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string  
- **Name:** content  
  **In:** query

- Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
 - config  
 - nonconfig  
 - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit

- report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_attribute\_format\_attribute\_format\_name\_format\_string\_patch

**Parameters:**

- **Name:** attribute-format-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_attribute-format\_attribute-format-name\_format-string'

**Required/Optional:** true

**Responses:**

'204':  
**Description:** leaf format-string updated  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

'409':  
**Description:** Conflict  
**Content:** {}

```

security:
- basicAuth: []
x-codegen-request-body-name: format-string

```

## /data/cnbng-cp:profile/attribute-format={attribute-format-name}/format-order

### options:

```

Tags:
- data
- options

```

### Operation ID:

```
data_cnbng_cp_profile_attribute_format_attribute_format_name_format_order_options
```

### Parameters:

```

- Name: attribute-format-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

### Responses:

```

'200':
  Description: OK
  Content: {}

```

```

security:
- basicAuth: []

```

## /data/cnbng-cp:profile/attribute-format={attribute-format-name}/format-order={format-order-id}

### get:

```

Tags:
- data
- get

```

### Operation ID:

```
data_cnbng_cp_profile_attribute_format_attribute_format_name_format_order_format_order_id_get
```

### Parameters:

```

- Name: attribute-format-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

- Type:** string
  - Format:** string
- **Name:** format-order-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** union
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults

**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

'200':  
  **Description:** OK  
  **Content:**  
    **application/yang-data+json:**  
      **Schema:**  
      **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_attribute-format\_attribute-format-name\_format-order\_format-order-id'

'204':  
  **Description:** No Content  
  **Content:** {}  
'400':  
  **Description:** Bad Request  
  **Content:** {}  
'401':  
  **Description:** Unauthorized  
  **Content:** {}  
'404':  
  **Description:** Not Found  
  **Content:** {}  
'405':  
  **Description:** Method Not Allowed  
  **Content:** {}  
'409':  
  **Description:** Conflict  
  **Content:** {}

**security:**  
- **basicAuth:** []

**put:**

**Tags:**  
- data  
- put  
**Operation ID:**

data\_cnbng\_cp\_profile\_attribute\_format\_attribute\_format\_name\_format\_order\_format\_order\_id\_put

**Parameters:**



```

- Name: attribute-format-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: format-order-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_attribute-format_attribute-format-name_format-order_format-order-id'

  Required/Optional: true

Responses:
  '201':
    Description: leaf-list format-order created or replaced
    Content: {}

```

```

    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format-order
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_attribute_format_attribute_format_name_format_order_format_order_id_delete

```

**Parameters:**

```

- Name: attribute-format-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: format-order-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union

```

**Responses:**

```

    '204':
      Description: No Content
      Content: {}
  security:

```

- basicAuth: []  
options:

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_attribute\_format\_attribute\_format\_name\_format\_order\_format\_order\_id\_options

**Parameters:**

- **Name:** attribute-format-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** format-order-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** union

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- basicAuth: []

head:

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_attribute\_format\_attribute\_format\_name\_format\_order\_format\_order\_id\_head

**Parameters:**

- **Name:** attribute-format-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** format-order-id  
**In:** path

- Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
     **Type:** string  
     **Format:** union
- **Name:** content
 

**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** enumeration  
     **Default:** config  
     **enum:**  
       - config  
       - nonconfig  
       - all
  - **Name:** depth
 

**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** integer  
     **Format:** uint16
  - **Name:** fields
 

**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string
  - **Name:** filter
 

**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string
  - **Name:** with-defaults
 

**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form

**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**  
**'200':**  
**Description:** OK  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**patch:**

**Tags:**  
 - data  
 - patch

**Operation ID:**  
 data\_cnbng\_cp\_profile\_attribute\_format\_attribute\_format\_name\_format\_order\_format\_order\_id\_patch

**Parameters:**  
 - **Name:** attribute-format-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
 - **Name:** format-order-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** union

**Request Body:**  
**Content:**  
 application/yang-data+json  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_attribute-format\_attribute-format-name\_format-order\_format-order-id'

**Required/Optional:** true

**Responses:**  
**'204':**

```

    Description: leaf-list format-order updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-order

```

## /data/cnbng-cp:profile/subscriber

### options:

```

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_subscriber_options

```

### Responses:

```

  '200':
    Description: OK
    Content: {}
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}

### get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_get

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true

```

```
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
```

**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_subscriber\_subscriber-name'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
- put

**Operation ID:** data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_put

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string



```
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name'
    Required/Optional: true

Responses:
'201':
  Description: list subscriber created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
```

```

    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: subscriber
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_delete

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_options

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
- basicAuth: []
head:

Tags:
```

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_head

**Parameters:**

- **Name:** subscriber-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_patch

**Parameters:**

- **Name:** subscriber-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_subscriber\_subscriber-name'

**Required/Optional:** true

**Responses:**

'204':

**Description:** list subscriber updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

```

'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: subscriber

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/name

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_name_get

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response

```

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** integer  
     **Format:** uint16  
**- Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** enumeration  
     **Default:** report-all  
     **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
     **application/yang-data+json:**  
         **Schema:**  
         **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_name'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request

```
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_name_put

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_name'
      Required/Optional: true

Responses:
  '201':
    Description: leaf name created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
```

```
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: name
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_name_delete

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_name_options

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
```



**Description:** OK  
**Content:** {}  
**security:**  
- **basicAuth:** []  
**head:**

**Tags:**  
- data  
- head  
**Operation ID:** data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_name\_head

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter

**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** string

- **Name:** with-defaults

**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_name\_patch

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_name'  
**Required/Optional:** true

**Responses:**

- '204':
  - Description:** leaf name updated
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':
  - Description:** Unauthorized
  - Content:** {}
- '404':
  - Description:** Not Found
  - Content:** {}
- '405':
  - Description:** Method Not Allowed
  - Content:** {}
- '409':
  - Description:** Conflict
  - Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** name

## /data/cnbng-cp:profile/subscriber={subscriber-name}/dhcp-profile

**get:**

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_dhcp\_profile\_get

**Parameters:**

- **Name:** subscriber-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config

```

    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:

```

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_dhcp-profile'  
  '204':  
    Description: No Content  
    Content: {}  
  '400':  
    Description: Bad Request  
    Content: {}  
  '401':  
    Description: Unauthorized  
    Content: {}  
  '404':  
    Description: Not Found  
    Content: {}  
  '405':  
    Description: Method Not Allowed  
    Content: {}  
  '409':  
    Description: Conflict  
    Content: {}  
security:  
- basicAuth: []  
put:  
  
Tags:  
- data  
- put  
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_dhcp_profile_put  
  
Parameters:  
- Name: subscriber-name  
  In: path  
  Required/Optional: true  
  Style: simple  
  Explode: false  
  Schema:  
    Type: string  
    Format: string  
Request Body:  
Content:  
  application/yang-data+json:  
    Schema:  
      Reference:  
      '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_dhcp-profile'  
      Required/Optional: true  
  
Responses:  
  '201':  
    Description: leaf dhcp-profile created or replaced  
    Content: {}  
  '204':  
    Description: No Content  
    Content: {}
```

```
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: dhcp-profile
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_dhcp_profile_delete

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_dhcp_profile_options

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
```

```
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_dhcp_profile_head

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
```

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**  
   '200':  
     **Description:** OK  
     **Content:** {}  
**security:**  
   - **basicAuth:** []

**patch:**

**Tags:**  
   - data  
   - patch

**Operation ID:** data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_dhcp\_profile\_patch

**Parameters:**  
- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string



```

Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_dhcp-profile'
      Required/Optional: true

Responses:
  '204':
    Description: leaf dhcp-profile updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: dhcp-profile

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/pppoe-profile:

```

get:

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_pppoe_profile_get

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query

```

**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** enumeration  
     **Default:** config  
     **enum:**  
     - config  
     - nonconfig  
     - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** integer  
     **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** enumeration  
     **Default:** report-all  
     **enum:**  
     - report-all  
     - trim  
     - explicit

- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_pppoe-profile'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**put:**

**Tags:**

- data

- put

**Operation ID:** data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_pppoe\_profile\_put

**Parameters:**

- **Name:** subscriber-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_pppoe-profile'

**Required/Optional:** true

**Responses:**

'201':  
  **Description:** leaf pppoe-profile created or replaced  
  **Content:** {}  
'204':  
  **Description:** No Content  
  **Content:** {}  
'400':  
  **Description:** Bad Request  
  **Content:** {}  
'401':  
  **Description:** Unauthorized  
  **Content:** {}  
'404':  
  **Description:** Not Found  
  **Content:** {}  
'405':  
  **Description:** Method Not Allowed  
  **Content:** {}  
'409':  
  **Description:** Conflict  
  **Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** pppoe-profile

**delete:****Tags:**

- data  
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_pppoe\_profile\_delete

**Parameters:**

- **Name:** subscriber-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string

**Responses:**

'204':  
  **Description:** No Content  
  **Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data

- options

**Operation ID:** data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_pppoe\_profile\_options

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_pppoe\_profile\_head

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false

```

Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_pppoe_profile_patch

Parameters:

```

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_pppoe-profile'
        Required/Optional: true

Responses:
  '204':
    Description: leaf pppoe-profile updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: pppoe-profile

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/session-type

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_session_type_get

Parameters:
- Name: subscriber-name
  In: path

```

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form

```



```
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_session-type'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_session_type_put

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
```

```

    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_session-type'
        Required/Optional: true

  Responses:
    '201':
      Description: leaf session-type created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: session-type
delete:

  Tags:
    - data
    - delete
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_session_type_delete

  Parameters:
    - Name: subscriber-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string

  Responses:

```

```
'204':
  Description: No Content
  Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_session_type_options

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'200':
  Description: OK
  Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_session_type_head

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
```

```

    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_session_type_patch

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_session_type'
      Required/Optional: true

Responses:
'204':
  Description: leaf session-type updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: session-type

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/l2tp-profile

```
get:
```

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_l2tp\_profile\_get

**Parameters:**

- **Name:** subscriber-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true

```
Schema:
  Type: string
  Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_l2tp-profile'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_l2tp_profile_put
```

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Request Body:**

**Content:**  
  **application/yang-data+json:**  
    **Schema:**  
      **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_l2tp-profile'

**Required/Optional:** true

**Responses:**

'201':  
  **Description:** leaf l2tp-profile created or replaced  
  **Content:** {}  
'204':  
  **Description:** No Content  
  **Content:** {}  
'400':  
  **Description:** Bad Request  
  **Content:** {}  
'401':  
  **Description:** Unauthorized  
  **Content:** {}  
'404':  
  **Description:** Not Found  
  **Content:** {}  
'405':  
  **Description:** Method Not Allowed  
  **Content:** {}  
'409':  
  **Description:** Conflict  
  **Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** l2tp-profile

**delete:****Tags:**

- data  
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_l2tp\_profile\_delete

**Parameters:**

- **Name:** subscriber-name  
**In:** path



```
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '204':
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_l2tp_profile_options

  Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_l2tp_profile_head

  Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
```

**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** enumeration  
     **Default:** config  
     **enum:**  
         - config  
         - nonconfig  
         - all

- **Name:** depth

**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** integer  
     **Format:** uint16

- **Name:** fields

**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string

- **Name:** filter

**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string

- **Name:** with-defaults

**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** enumeration  
     **Default:** report-all  
     **enum:**  
         - report-all

- trim
- explicit
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_l2tp\_profile\_patch**Parameters:**

- **Name:** subscriber-name

**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_l2tp-profile'

**Required/Optional:** true**Responses:****'204':****Description:** leaf l2tp-profile updated**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}

```

security:
- basicAuth: []
x-codegen-request-body-name: l2tp-profile

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/aaa

**options:**

```

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_aaa_options

```

**Parameters:**

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Responses:**

```

'200':
  Description: OK
  Content: {}
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/aaa={aaa-aaa-option},{aaa-profile}

**get:**

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_get

```

**Parameters:**

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

- **Name:** aaa-aaa-option  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** authenticate
  - enum:**
    - authenticate
    - authorize
- **Name:** aaa-profile  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** leafref
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string

- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_aaa\_aaa-aaa-option\_aaa-profile'

'204':  
**Description:** No Content  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':  
**Description:** Not Found  
**Content:** {}  
 '405':  
**Description:** Method Not Allowed  
**Content:** {}  
 '409':  
**Description:** Conflict  
**Content:** {}

**security:**

- basicAuth: []  
put:

**Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_put

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** aaa-aaa-option  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** authenticate
  - enum:**
    - authenticate
    - authorize
- **Name:** aaa-profile  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** leafref
- **Name:** insert  
**In:** query  
**Description:** controlling the order when adding new list elements  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** first
  - enum:**
    - first
    - last
    - before
    - after
- **Name:** point

**In:** query  
**Description:** used to specify the insertion point  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string  
**Request Body:**  
**Content:**  
  application/yang-data+json:  
  **Schema:**  
  **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_aaa\_aaa-aaa-option\_aaa-profile'

**Required/Optional:** true

**Responses:**

'201':  
  **Description:** list aaa created or replaced  
  **Content:** {}  
'204':  
  **Description:** No Content  
  **Content:** {}  
'400':  
  **Description:** Bad Request  
  **Content:** {}  
'401':  
  **Description:** Unauthorized  
  **Content:** {}  
'404':  
  **Description:** Not Found  
  **Content:** {}  
'405':  
  **Description:** Method Not Allowed  
  **Content:** {}  
'409':  
  **Description:** Conflict  
  **Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** aaa

**delete:**

**Tags:**

- data  
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_delete

**Parameters:**

- **Name:** subscriber-name

**In:** path



```

    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: aaa-aaa-option
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      Default: authenticate
      enum:
        - authenticate
        - authorize
  - Name: aaa-profile
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: leafref

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_options

Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: aaa-aaa-option
    In: path
    Required/Optional: true

```

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: authenticate
  enum:
    - authenticate
    - authorize
- Name: aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: leafref

Responses:
  '200':
    Description: OK
    Content: {}
security:
  - basicAuth: []
head:

Tags:
  - data
  - head
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_head

Parameters:
- Name: subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: authenticate
  enum:
    - authenticate
    - authorize

```

- **Name:** aaa-profile
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** leafref
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_patch

**Parameters:**

- **Name:** subscriber-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** aaa-aaa-option

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** authenticate

**enum:**

- authenticate
- authorize

- **Name:** aaa-profile

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

```

    Type: string
    Format: leafref
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile'

  Required/Optional: true

Responses:
  '204':
    Description: list aaa updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: aaa

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/aaa={aaa-aaa-option},{aaa-profile}/aaa-option

```

get:

  Tags:
  - data
  - get
  Operation ID:
    data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_get

  Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple

```

```

Explode: false
Schema:
  Type: string
  Format: string
- Name: aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: authenticate
  enum:
    - authenticate
    - authorize
- Name: aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: leafref
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form

```

```

Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}

```

```

    '409':
      Description: Conflict
      Content: {}
      security:
      - basicAuth: []
    put:

      Tags:
      - data
      - put
      Operation ID:
      data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_put

      Parameters:
      - Name: subscriber-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string
      - Name: aaa-aaa-option
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: enumeration
          Default: authenticate
          enum:
          - authenticate
          - authorize
      - Name: aaa-profile
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: leafref
      Request Body:
      Content:
      application/yang-data+json:
      Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa-aaa-option_aaa-profile_aaa-option'

      Required/Optional: true

      Responses:
      '201':

```



```

    Description: leaf aaa-option created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: aaa-option
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_delete

```

**Parameters:**

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: authenticate
  enum:
  - authenticate
  - authorize

```

```

- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_options

```

**Parameters:**

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: authenticate
    enum:
      - authenticate
      - authorize
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref

```

**Responses:**

'200':

**Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_aaa\_option\_head

**Parameters:****- Name:** subscriber-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** aaa-aaa-option**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** enumeration**Default:** authenticate**enum:**

- authenticate
- authorize

**- Name:** aaa-profile**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** leafref**- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string

**Format:** enumeration  
**Default:** config  
**enum:**  
 - config  
 - nonconfig  
 - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** integer  
   **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
   - report-all  
   - trim  
   - explicit  
   - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []  
**patch:**

**Tags:**  
 - data  
 - patch

**Operation ID:**  
 data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_aaa\_option\_patch

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

**Type:** string  
**Format:** string

- **Name:** aaa-aaa-option  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** authenticate  
**enum:**  
 - authenticate  
 - authorize

- **Name:** aaa-profile  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

**Type:** string  
**Format:** leafref

**Request Body:**

**Content:**  
 application/yang-data+json:

**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_aaa\_aaa-aaa-option\_aaa-profile\_aaa-option'

**Required/Optional:** true

**Responses:**

'204':  
**Description:** leaf aaa-option updated  
**Content:** {}  
 '400':

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: aaa-option

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/aaa={aaa-aaa-option},{aaa-profile}/profile

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_profile\_get

**Parameters:**

- **Name:** subscriber-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** aaa-aaa-option
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** authenticate
    - enum:**
      - authenticate
      - authorize

- **Name:** aaa-profile
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** leafref
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_aaa\_aaa-aaa-option\_aaa-profile\_profile'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_profile\_put

**Parameters:**

- **Name:** subscriber-name
- In:** path



```

    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: authenticate
    enum:
      - authenticate
      - authorize
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_profile'

```

```

    Required/Optional: true

```

**Responses:**

```

'201':
  Description: leaf profile created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':

```

```

    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: profile
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_aaa_aaa_aaa_option_aaa_profile_profile_delete

```

**Parameters:**

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: authenticate
    enum:
    - authenticate
    - authorize
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref

```

**Responses:**

```

  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []

```

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_profile\_options

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** aaa-aaa-option  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** authenticate
  - enum:**
    - authenticate
    - authorize
- **Name:** aaa-profile  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** leafref

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_profile\_head

**Parameters:**

- **Name:** subscriber-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** aaa-aaa-option
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** authenticate
    - enum:**
      - authenticate
      - authorize
- **Name:** aaa-profile
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** leafref
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16

- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':

**Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_profile\_patch

**Parameters:**

- **Name:** subscriber-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple

```

    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: aaa-aaa-option
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      Default: authenticate
      enum:
        - authenticate
        - authorize
  - Name: aaa-profile
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: leafref
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_profile'

    Required/Optional: true

Responses:
  '204':
    Description: leaf profile updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}

```

```
security:  
- basicAuth: []  
x-codegen-request-body-name: profile
```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/activate-featu re-templates

options:

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_activate\_feature\_templates\_options

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/subscriber={subscriber-name}/activate-featu re-templates={activate-feature-templates-id}

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id\_get

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false

```

Schema:
  Type: string
  Format: string
- Name: activate-feature-templates-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string

```



- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

'200':  
  **Description:** OK  
  **Content:**  
  **application/yang-data+json:**  
  **Schema:**  
  **Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_activate-feature-templates\_activate-feature-templates-id'

'204':  
  **Description:** No Content  
  **Content:** {}  
'400':  
  **Description:** Bad Request  
  **Content:** {}  
'401':  
  **Description:** Unauthorized  
  **Content:** {}  
'404':  
  **Description:** Not Found  
  **Content:** {}  
'405':  
  **Description:** Method Not Allowed  
  **Content:** {}  
'409':  
  **Description:** Conflict  
  **Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data  
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_activate\_feature\_templates\_activate\_feature\_templates\_id\_put

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** activate-feature-templates-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** leafref
- **Name:** insert  
**In:** query  
**Description:** controlling the order when adding new list elements  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** first
  - enum:**
    - first
    - last
    - before
    - after
- **Name:** point  
**In:** query  
**Description:** used to specify the insertion point  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** string

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_activate-feature-templates\_activate-feature-templates-id'

**Required/Optional:** true**Responses:**

'201':

**Description:** leaf-list activate-feature-templates created or replaced

```

    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: activate-feature-templates
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id\_delete

**Parameters:**

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: activate-feature-templates-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref

```

**Responses:**

```

  '204':
    Description: No Content
    Content: {}

```

**security:**  
 - **basicAuth:** []  
**options:**

**Tags:**  
 - data  
 - options

**Operation ID:**  
 data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id\_options

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string  
 - **Name:** activate-feature-templates-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** leafref

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []  
**head:**

**Tags:**  
 - data  
 - head

**Operation ID:**  
 data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id\_head

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string  
 - **Name:** activate-feature-templates-id

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** leafref

- **Name:** content  
  **In:** query  
  **Description:** controlling descendant nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
      - config  
      - nonconfig  
      - all
- **Name:** depth  
  **In:** query  
  **Description:** limit the depth of nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** integer  
    **Format:** uint16
- **Name:** fields  
  **In:** query  
  **Description:** optionally identify specific data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** filter  
  **In:** query  
  **Description:** xpath expression to filter data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** with-defaults  
  **In:** query  
  **Description:** controlling default values in response  
  **Required/Optional:** false

**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**patch:**

**Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id\_patch

**Parameters:**

- **Name:** subscriber-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string  
- **Name:** activate-feature-templates-id  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** leafref

**Request Body:**

**Content:**  
  **application/yang-data+json:**  
    **Schema:**  
      **Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_activate-feature-templates\_activate-feature-templates-id'

**Required/Optional:** true

**Responses:**

```
'204':
  Description: leaf-list activate-feature-templates updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: activate-feature-templates
```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/class

options:

```
Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_class_options
```

Parameters:

```
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

Responses:

```
'200':
  Description: OK
  Content: {}
security:
- basicAuth: []
```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_get

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16



- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name'

'204':  
**Description:** No Content  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':

```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_put

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
    - first
    - last
    - before
    - after
- Name: point
  In: query
  Description: used to specify the insertion point

```

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_class_class-class-name'

Required/Optional: true

Responses:
'201':
  Description: list class created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: class
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_delete

Parameters:
- Name: subscriber-name
In: path
Required/Optional: true
Style: simple

```

```

    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_options

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

```

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_head

**Parameters:**

- **Name:** subscriber-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**

**Type:** string  
**Format:** string  
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string  
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_patch

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name'

  Required/Optional: true

Responses:
  '204':
    Description: list class updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: class

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/class-name

```

get:

  Tags:
- data
- get
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_class_name_get

  Parameters:
- Name: subscriber-name
  In: path

```

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```



```

Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_class-name'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put

```

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_name\_class\_name\_put

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

- Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_name\_class\_name'

**Required/Optional:** true**Responses:**

- '201':  
**Description:** leaf class-name created or replaced  
**Content:** {}
- '204':  
**Description:** No Content  
**Content:** {}
- '400':  
**Description:** Bad Request  
**Content:** {}
- '401':  
**Description:** Unauthorized  
**Content:** {}
- '404':  
**Description:** Not Found  
**Content:** {}
- '405':  
**Description:** Method Not Allowed  
**Content:** {}
- '409':  
**Description:** Conflict  
**Content:** {}

**security:**

```
- basicAuth: []
x-codegen-request-body-name: class-name
delete:
```

**Tags:**

```
- data
- delete
```

**Operation ID:**

```
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_class_name_delete
```

**Parameters:**

```
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

**Responses:**

```
'204':
  Description: No Content
  Content: {}
```

**security:**

```
- basicAuth: []
```

**options:****Tags:**

```
- data
- options
```

**Operation ID:**

```
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_class_name_options
```

**Parameters:**

```
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
```

**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_class\_name\_head

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all
- **Name:** depth  
**In:** query

**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_class\_name\_patch

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string

**Request Body:**

- Content:**  
  - application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_class-name'

**Required/Optional:** true

**Responses:**

- '204':  
  - Description:** leaf class-name updated
  - Content:** {}
- '400':  
  - Description:** Bad Request
  - Content:** {}
- '401':  
  - Description:** Unauthorized
  - Content:** {}
- '404':  
  - Description:** Not Found
  - Content:** {}
- '405':  
  - Description:** Method Not Allowed
  - Content:** {}
- '409':  
  - Description:** Conflict
  - Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** class-name

## /data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/matches

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_get

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16

- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches'

'204':  
**Description:** No Content  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':



```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_put

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_class_class-class-name_matches'

Required/Optional: true

Responses:
'201':
  Description: container matches created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request

```

```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: matches
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_post

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_class_class-class-name_matches-post'

Required/Optional: true

Responses:
  '201':
    Description: container matches created

```

```
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: matches
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_delete

  Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
```

- **basicAuth:** []  
**options:**

**Tags:**

- data  
 - options

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_options

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
 - head

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_head

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple

**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
    - config  
    - nonconfig  
    - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_patch

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false

**Schema:**  
**Type:** string  
**Format:** string

- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false

**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
 application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches'

**Required/Optional:** true

**Responses:**

**'204':**  
**Description:** container matches updated  
**Content:** {}

**'400':**

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: matches

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/matches/match

**options:**

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_options

**Parameters:**

- **Name:** subscriber-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

- '200':
  - Description:** OK

```

    Content: {}
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/matches/match={match-key}

get:

Tags:

```

- data
- get

```

Operation ID:

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_get

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false

```



**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match\_match-key'

'204':  
**Description:** No Content  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':  
**Description:** Not Found  
**Content:** {}  
 '405':  
**Description:** Method Not Allowed  
**Content:** {}  
 '409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
 - put

**Operation ID:**

data\_cnbng-cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_put

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
 - **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

**Type:** string  
**Format:** string  
**Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** dhcpv4-circuit-id  
**enum:**  
- dhcpv4-circuit-id  
- dhcpv4-remote-id  
- dhcpv4-vendor-class  
- dhcpv4-user-class  
**Name:** insert  
**In:** query  
**Description:** controlling the order when adding new list elements  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** first  
**enum:**  
- first  
- last  
- before  
- after  
**Name:** point  
**In:** query  
**Description:** used to specify the insertion point  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**  
**Content:**  
application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match\_match-key'

**Required/Optional:** true

**Responses:**

'201':

**Description:** list match created or replaced

**Content:** {}

'204':

```

    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: match
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

```

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_delete

```

**Parameters:**

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

**Format:** enumeration  
**Default:** dhcpv4-circuit-id  
**enum:**  
- dhcpv4-circuit-id  
- dhcpv4-remote-id  
- dhcpv4-vendor-class  
- dhcpv4-user-class

**Responses:****'204':****Description:** No Content**Content:** {}**security:****- basicAuth:** []**options:****Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_options

**Parameters:****- Name:** subscriber-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** class-class-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** match-key**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** enumeration**Default:** dhcpv4-circuit-id**enum:**

- dhcpv4-circuit-id  
- dhcpv4-remote-id  
- dhcpv4-vendor-class  
- dhcpv4-user-class

**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_head

**Parameters:****- Name:** subscriber-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** class-class-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** match-key**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** enumeration**Default:** dhcpv4-circuit-id**enum:**

- dhcpv4-circuit-id
- dhcpv4-remote-id
- dhcpv4-vendor-class
- dhcpv4-user-class

**- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**  
**'200':**  
**Description:** OK

**Content:** {}  
**security:**  
 - **basicAuth:** []  
**patch:**

**Tags:**  
 - data  
 - patch

**Operation ID:**  
 data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_patch

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** dhcpv4-circuit-id  
**enum:**
  - dhcpv4-circuit-id
  - dhcpv4-remote-id
  - dhcpv4-vendor-class
  - dhcpv4-user-class

**Request Body:**

**Content:**  
 application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class-class-name\_matches\_match\_match-key'

**Required/Optional:** true

**Responses:**

'204':



```

  Description: list match updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: match

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/matches/match={match-key}/key

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_key\_get

**Parameters:**

- **Name:** subscriber-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** dhcpv4-circuit-id
  - enum:**
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

```

    Type: string
    Format: string
  - Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_key'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_key_put

```

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** dhcpv4-circuit-id  
    **enum:**  
    - dhcpv4-circuit-id  
    - dhcpv4-remote-id  
    - dhcpv4-vendor-class  
    - dhcpv4-user-class

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_key'
```

**Required/Optional:** true**Responses:**

'201':

**Description:** leaf key created or replaced**Content:** {}

'204':

**Description:** No Content**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: key
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_key\_delete

**Parameters:**

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class

```

- dhcpv4-user-class

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_name\_matches\_match\_match\_key\_key\_options

**Parameters:**

- **Name:** subscriber-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** class-class-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** match-key

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** dhcpv4-circuit-id

**enum:**

- dhcpv4-circuit-id  
- dhcpv4-remote-id  
- dhcpv4-vendor-class  
- dhcpv4-user-class

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- basicAuth: []  
head:

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_key\_head

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** dhcpv4-circuit-id  
**enum:**
  - dhcpv4-circuit-id
  - dhcpv4-remote-id
  - dhcpv4-vendor-class
  - dhcpv4-user-class
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**
  - config
  - nonconfig

```

    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:

```



- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_key\_patch

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** dhcpv4-circuit-id  
  **enum:**
  - dhcpv4-circuit-id
  - dhcpv4-remote-id
  - dhcpv4-vendor-class
  - dhcpv4-user-class

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class-class-name\_matches\_match\_match-key\_key'

**Required/Optional:** true**Responses:**

- '204':  
  **Description:** leaf key updated  
  **Content:** {}
- '400':  
  **Description:** Bad Request  
  **Content:** {}
- '401':

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: key

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/matches/match={match-key}/type

**options:**

```

Tags:
- data
- options

```

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_type\_options

**Parameters:**

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

**Type:** string  
**Format:** enumeration  
**Default:** dhcpv4-circuit-id  
**enum:**  
 - dhcpv4-circuit-id  
 - dhcpv4-remote-id  
 - dhcpv4-vendor-class  
 - dhcpv4-user-class

**Responses:**  
 '200':  
**Description:** OK  
**Content:** {}  
**security:**  
 - basicAuth: []

## /data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/matches/match={match-key}/type={type-id}

get:

**Tags:**  
 - data  
 - get  
**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_type\_type\_id\_get

**Parameters:**  
 - **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
 - **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
 - **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

- Type:** string
  - Format:** enumeration
  - Default:** dhcpv4-circuit-id
  - enum:**
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- **Name:** type-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** dhcp
    - enum:**
      - dhcp
      - ppp
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter

**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string  
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match\_match-key\_type\_type-id'

'204':  
**Description:** No Content  
**Content:** {}  
'400':  
**Description:** Bad Request  
**Content:** {}  
'401':  
**Description:** Unauthorized  
**Content:** {}  
'404':  
**Description:** Not Found  
**Content:** {}  
'405':  
**Description:** Method Not Allowed  
**Content:** {}  
'409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_name\_matches\_match\_key\_type\_type\_id\_put

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** dhcpv4-circuit-id
  - enum:**
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- **Name:** type-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** dhcp
  - enum:**
    - dhcp
    - ppp
- **Name:** insert  
**In:** query

**Description:** controlling the order when adding new list elements

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** first

**enum:**

- first
- last
- before
- after

- **Name:** point

**In:** query

**Description:** used to specify the insertion point

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match\_match-key\_type\_type-id'

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf-list type created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**  
 - **basicAuth:** []  
**x-codegen-request-body-name:** type  
**delete:**

**Tags:**  
 - data  
 - delete

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_type\_type\_id\_delete

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** dhcpv4-circuit-id  
**enum:**
  - dhcpv4-circuit-id
  - dhcpv4-remote-id
  - dhcpv4-vendor-class
  - dhcpv4-user-class
- **Name:** type-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** dhcp  
**enum:**
  - dhcp



- ppp

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_name\_matches\_match\_match\_key\_type\_type\_id\_options

**Parameters:**

- **Name:** subscriber-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** class-class-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** match-key

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** dhcpv4-circuit-id

**enum:**

- dhcpv4-circuit-id  
- dhcpv4-remote-id  
- dhcpv4-vendor-class  
- dhcpv4-user-class

- **Name:** type-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** dhcp  
**enum:**  
 - dhcp  
 - ppp

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []

**head:****Tags:**

- data  
 - head

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_type\_type\_id\_head

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** dhcpv4-circuit-id  
**enum:**  
 - dhcpv4-circuit-id  
 - dhcpv4-remote-id  
 - dhcpv4-vendor-class  
 - dhcpv4-user-class
- **Name:** type-id

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** dhcp  
  **enum:**  
  - dhcp  
  - ppp

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

'200':  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_type\_type\_id\_patch

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** dhcpv4-circuit-id  
**enum:**  
 - dhcpv4-circuit-id  
 - dhcpv4-remote-id  
 - dhcpv4-vendor-class  
 - dhcpv4-user-class

**Name:** type-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** dhcp  
**enum:**  
 - dhcp  
 - ppp

**Request Body:**  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match\_match-key\_type\_type-id'

**Required/Optional:** true

**Responses:**

**'204':**  
**Description:** leaf-list type updated  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** type

## /data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/matches/match={match-key}/ascii

### options:

#### Tags:

- data
- options

#### Operation ID:

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_name\_matches\_match\_match\_key\_ascii\_options

### Parameters:

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** dhcpv4-circuit-id
  - enum:**
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class

### Responses:

'200':

**Description:** OK

**Content:** {}

### security:

- **basicAuth:** []

## /data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/matches/match={match-key}/ascii={ascii-id}

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii\_id\_get

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** dhcpv4-circuit-id
  - enum:**
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- **Name:** ascii-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content

- In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
 - config  
 - nonconfig  
 - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all



- trim
- explicit
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

#/components/schemas/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class-class-name\_matches\_match\_match-key\_ascii\_ascii-id'

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii\_id\_put

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: dhcpv4-circuit-id
  enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- Name: ascii-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: first
  enum:
    - first
    - last
    - before
    - after
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
  Content:

```

**application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match\_match-key\_ascii\_ascii-id'

**Required/Optional:** true**Responses:**

'201':

**Description:** leaf-list ascii created or replaced**Content:** {}

'204':

**Description:** No Content**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**x-codegen-request-body-name:** ascii**delete:****Tags:**- data  
- delete**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii\_id\_delete

**Parameters:**- **Name:** subscriber-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** class-class-name**In:** path**Required/Optional:** true

**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** dhcpv4-circuit-id  
   **enum:**  
     - dhcpv4-circuit-id  
     - dhcpv4-remote-id  
     - dhcpv4-vendor-class  
     - dhcpv4-user-class  
**- Name:** ascii-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string

**Responses:**  
   **'204':**  
     **Description:** No Content  
     **Content:** {}  
**security:**  
   - **basicAuth:** []

**options:**

**Tags:**  
   - data  
   - options

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii\_id\_options

**Parameters:**  
**- Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** class-class-name  
**In:** path

**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string  
 - **Name:** match-key  
   **In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** dhcpv4-circuit-id  
   **enum:**  
     - dhcpv4-circuit-id  
     - dhcpv4-remote-id  
     - dhcpv4-vendor-class  
     - dhcpv4-user-class  
 - **Name:** ascii-id  
   **In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string

**Responses:**  
 '200':  
   **Description:** OK  
   **Content:** {}  
**security:**  
 - **basicAuth:** []

**head:**

**Tags:**  
 - data  
 - head

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii\_id\_head

**Parameters:**

- **Name:** subscriber-name  
   **In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string  
 - **Name:** class-class-name

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: dhcpv4-circuit-id
  enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- Name: ascii-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields

```

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all

- trim

- explicit

- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data

- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii\_id\_patch

**Parameters:**

- **Name:** subscriber-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

```

Schema:
  Type: string
  Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
- Name: ascii-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Request Body:****Content:**

```
application/yang-data+json:
```

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_ascii_ascii-id'
```

```
Required/Optional: true
```

**Responses:**

```

'204':
  Description: leaf-list ascii updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':

```



```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ascii

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/matches/match={match-key}/regex

**options:**

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_regex\_options

**Parameters:**

- **Name:** subscriber-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** match-key
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** dhcpv4-circuit-id

```

enum:
  - dhcpv4-circuit-id
  - dhcpv4-remote-id
  - dhcpv4-vendor-class
  - dhcpv4-user-class

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/matches/match={match-key}/regex={regex-id}

**get:****Tags:**

```

- data
- get

```

**Operation ID:**

```
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_regex_regex_id_get
```

**Parameters:**

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id

```

```
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
- Name: regex-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
```

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match\_match-key\_regex\_regex-id'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data

- put

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_regex\_regex\_id\_put

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** dhcpv4-circuit-id
  - enum:**
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- **Name:** regex-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** insert  
**In:** query  
**Description:** controlling the order when adding new list elements  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** first
  - enum:**
    - first
    - last

```

    - before
    - after
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_regex_regex-id'

Required/Optional: true

Responses:
  '201':
    Description: leaf-list regex created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: regex
delete:

Tags:
  - data
  - delete
Operation ID:
  data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_match_key_regex_regex_id_delete

```

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** dhcpv4-circuit-id
  - enum:**
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- **Name:** regex-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string

**Responses:**

**'204':**  
**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_regex\_regex\_id\_options

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** dhcpv4-circuit-id
  - enum:**
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- **Name:** regex-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head



**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_regex\_regex\_id\_head

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** dhcpv4-circuit-id
  - enum:**
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- **Name:** regex-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config

```

    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []

```

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_regex\_regex\_id\_patch

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** dhcpv4-circuit-id  
**enum:**
  - dhcpv4-circuit-id
  - dhcpv4-remote-id
  - dhcpv4-vendor-class
  - dhcpv4-user-class
- **Name:** regex-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match\_match-key\_regex\_regex-id'

**Required/Optional:** true

**Responses:**

'204':  
**Description:** leaf-list regex updated  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

'409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** regex

## /data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/matches/match-type

**get:**

**Tags:**

- data  
 - get

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_name\_matches\_match\_type\_get

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple

**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
    - config  
    - nonconfig  
    - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match-type'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**  
 - **basicAuth:** []

**put:**

**Tags:**  
 - data  
 - put  
**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_type\_put

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

```

    Type: string
    Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match-type'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf match-type created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: match-type
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_matches_match_type_delete

```

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string

**Responses:**

- '204':  
    **Description:** No Content  
    **Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_type\_options

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string

**Responses:**

- '200':



**Description:** OK  
**Content:** {}  
**security:**  
- **basicAuth:** []  
**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_type\_head

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16

- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_matches\_match\_type\_patch

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple

```

    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match-type'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf match-type updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: match-type

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/activate-feature-templates

options:

Tags:

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_activate\_feature\_templates\_options

**Parameters:**

- **Name:** subscriber-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/activate-feature-templates={activate-feature-templates-id}

: get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id\_get

**Parameters:**

- **Name:** subscriber-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple

```
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: activate-feature-templates-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
```

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_activate-feature-templates\_activate-feature-templates-id'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data

- put

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id\_put

**Parameters:**

- **Name:** subscriber-name
    - In:** path
    - Required/Optional:** true
    - Style:** simple
    - Explode:** false
    - Schema:**
      - Type:** string
      - Format:** string
  - **Name:** class-class-name
    - In:** path
    - Required/Optional:** true
    - Style:** simple
    - Explode:** false
    - Schema:**
      - Type:** string
      - Format:** string
  - **Name:** activate-feature-templates-id
    - In:** path
    - Required/Optional:** true
    - Style:** simple
    - Explode:** false
    - Schema:**
      - Type:** string
      - Format:** leafref
  - **Name:** insert
    - In:** query
    - Description:** controlling the order when adding new list elements
    - Required/Optional:** false
    - Style:** form
    - Explode:** true
    - Schema:**
      - Type:** string
      - Format:** enumeration
      - Default:** first
      - enum:**
        - first
        - last
        - before
        - after
  - **Name:** point
    - In:** query
    - Description:** used to specify the insertion point
    - Required/Optional:** false
    - Style:** form
    - Explode:** true
    - Schema:**
      - Type:** string
      - Format:** string
- Request Body:**  
**Content:**

```

    application/yang-data+json:
      Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_class_class-class-name_activate-feature-templates_activate-feature-templates-id'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf-list activate-feature-templates created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: activate-feature-templates
delete:

  Tags:
  - data
  - delete
  Operation ID:
    data_cnbng_cp_profile_subscriber_subscriber-name_class_class-class-name_activate-feature-templates_activate-feature-templates-id_delete

  Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: class-class-name
    In: path
    Required/Optional: true

```



```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: activate-feature-templates-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: leafref

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_activate_feature_templates_activate_feature_templates_id_options

```

```

Parameters:
- Name: subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: activate-feature-templates-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string

```

**Format:** leafref

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id\_head

**Parameters:**

- **Name:** subscriber-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** class-class-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** activate-feature-templates-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** leafref

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

```
- config
- nonconfig
- all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:
```

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id\_patch

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** activate-feature-templates-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** leafref

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class-class-name\_activate\_feature\_templates\_activate\_feature\_templates\_id'

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf-list activate-feature-templates updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: activate-feature-templates

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/aaa

**options:**

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_aaa\_options

**Parameters:**

- **Name:** subscriber-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/aaa={aaa-aaa-option},{aaa-profile}

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_get

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** aaa-aaa-option  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** authenticate
  - enum:**
    - authenticate
    - authorize
- **Name:** aaa-profile  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** leafref
- **Name:** content  
**In:** query

**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit

- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_aaa\_aaa-aaa-option\_aaa-profile'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**put:**

**Tags:**

- data

- put

**Operation ID:**

data\_cnbng-cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_put

**Parameters:**

- **Name:** subscriber-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** class-class-name

**In:** path

**Required/Optional:** true

**Style:** simple



```
Explode: false
Schema:
  Type: string
  Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: authenticate
    enum:
      - authenticate
      - authorize
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
```

'#/components/schemas/data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_aaa\_aaa-aaa-option\_aaa-profile'

**Required/Optional:** true

**Responses:**

'201':

**Description:** list aaa created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** aaa

**delete:**

**Tags:**

- data  
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_delete

**Parameters:**

- **Name:** subscriber-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** class-class-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

```

    Type: string
    Format: string
  - Name: aaa-aaa-option
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      Default: authenticate
      enum:
        - authenticate
        - authorize
  - Name: aaa-profile
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: leafref

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_options

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

```

    Type: string
    Format: string
  - Name: aaa-aaa-option
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      Default: authenticate
      enum:
        - authenticate
        - authorize
  - Name: aaa-profile
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: leafref

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []

```

**head:****Tags:**

```

- data
- head

```

**Operation ID:**

```
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_head
```

**Parameters:**

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

```
    Type: string
    Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: authenticate
    enum:
      - authenticate
      - authorize
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

**Type:** string  
**Format:** string  
**Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string  
**Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_patch

**Parameters:**

**Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
**Name:** class-class-name  
**In:** path  
**Required/Optional:** true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: authenticate
    enum:
      - authenticate
      - authorize
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile'

Required/Optional: true

Responses:
  '204':
    Description: list aaa updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict

```

```

    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: aaa

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/aaa={aaa-aaa-option},{aaa-profile}/aaa-option

get:

Tags:

```

- data
- get

```

Operation ID:

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_aaa\_option\_get

Parameters:

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: authenticate
    enum:
      - authenticate
      - authorize
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false

```



**Schema:**  
**Type:** string  
**Format:** leafref

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**
  - config
  - nonconfig
  - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string

**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
 Schema:  
 Reference:

'#/components/schemas/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_aaa\_option'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**  
 - **basicAuth:** []

**put:**

**Tags:**  
 - data  
 - put  
**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_aaa\_option\_put

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string

```

    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: authenticate
    enum:
      - authenticate
      - authorize
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'
```

```
Required/Optional: true
```

#### Responses:

```

'201':
  Description: leaf aaa-option created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':

```

```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: aaa-option
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

```
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_delete
```

**Parameters:**

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: authenticate
    enum:
      - authenticate
      - authorize
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple

```

**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** leafref

**Responses:**

**'204':**  
**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_aaa\_option\_options

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** aaa-aaa-option  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** authenticate  
**enum:**  
- authenticate  
- authorize

- **Name:** aaa-profile  
**In:** path  
**Required/Optional:** true  
**Style:** simple

**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** leafref

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_aaa\_option\_head

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** aaa-aaa-option  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** authenticate  
  **enum:**  
  - authenticate  
  - authorize
- **Name:** aaa-profile  
**In:** path  
**Required/Optional:** true  
**Style:** simple

**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** leafref

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_aaa\_option\_patch

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** aaa-aaa-option  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** authenticate  
**enum:**  
 - authenticate  
 - authorize
- **Name:** aaa-profile



```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: leafref
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'

Required/Optional: true

Responses:
'204':
  Description: leaf aaa-option updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: aaa-option

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/class={class-class-name}/aaa={aaa-aaa-option},{aaa-profile}/profile

get:

Tags:

- data
- get

Operation ID:

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_profile\_get

**Parameters:**

- **Name:** subscriber-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** aaa-aaa-option
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** authenticate
    - enum:**
      - authenticate
      - authorize
- **Name:** aaa-profile
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** leafref
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth

**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

'200':

**Description:** OK**Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_aaa\_aaa-aaa-option\_aaa-profile\_profile'

'204':

**Description:** No Content

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  put:

```

**Tags:**

```

- data
- put

```

**Operation ID:**

```

data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_put

```

**Parameters:**

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: authenticate

```

```

    enum:
      - authenticate
      - authorize
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile'

Required/Optional: true

Responses:
  '201':
    Description: leaf profile created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: profile
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_delete

```

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** aaa-aaa-option  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** authenticate
  - enum:**
    - authenticate
    - authorize
- **Name:** aaa-profile  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** leafref

**Responses:**

- '204':  
**Description:** No Content  
**Content:** {}
- security:**
  - **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_profile\_options

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** aaa-aaa-option  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** authenticate
  - enum:**
    - authenticate
    - authorize
- **Name:** aaa-profile  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** leafref

**Responses:**

- '200':
    - Description:** OK
    - Content:** {}
- security:**
- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_profile\_head

**Parameters:**

- **Name:** subscriber-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** aaa-aaa-option
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** authenticate
    - enum:**
      - authenticate
      - authorize
- **Name:** aaa-profile
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** leafref
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth



```

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch

```

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_profile\_patch

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** aaa-aaa-option  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** authenticate
  - enum:**
    - authenticate
    - authorize
- **Name:** aaa-profile  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** leafref

**Request Body:**

**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile'
```

**Required/Optional:** true

**Responses:**

**'204':**  
**Description:** leaf profile updated

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: profile

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/apply-all-class

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_apply_all_class_get

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig

```

- all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':

**Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_apply-all-class'

'204':

```
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_apply_all_class_put

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_apply_all_class'
    Required/Optional: true

Responses:
  '201':
    Description: leaf apply-all-class created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
```

```

    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: apply-all-class
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_apply_all_class_delete

```

```

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_apply_all_class_options

```

```

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

**Type:** string  
**Format:** string

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_apply\_all\_class\_head

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form

```

    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_apply_all_class_patch

Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
Request Body:

```



```

Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_apply-all-class'
      Required/Optional: true

Responses:
  '204':
    Description: leaf apply-all-class updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: apply-all-class

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/event

```

options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_subscriber_subscriber_name_event_options

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':

```

```

    Description: OK
    Content: {}
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}

get:

Tags:

- data
- get

Operation ID:

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_get

Parameters:

- Name: subscriber-name
  - In: path
  - Required/Optional: true
  - Style: simple
  - Explode: false
  - Schema:
    - Type: string
    - Format: string
- Name: event-event-name
  - In: path
  - Required/Optional: true
  - Style: simple
  - Explode: false
  - Schema:
    - Type: string
    - Format: enumeration
    - Default: session-activate
    - enum:
      - session-activate
- Name: content
  - In: query
  - Description: controlling descendant nodes in response
  - Required/Optional: false
  - Style: form
  - Explode: true
  - Schema:
    - Type: string
    - Format: enumeration
    - Default: config
    - enum:
      - config
      - nonconfig
      - all
- Name: depth

**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

'200':

**Description:** OK**Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-name'

'204':

**Description:** No Content

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_put

  Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: event-event-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      Default: session-activate
      enum:
      - session-activate
  - Name: insert
    In: query
    Description: controlling the order when adding new list elements
    Required/Optional: false
    Style: form
    Explode: true
    Schema:

```

```

    Type: string
    Format: enumeration
    Default: first
    enum:
    - first
    - last
    - before
    - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-name'

    Required/Optional: true

Responses:
  '201':
    Description: list event created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: event
delete:

```

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_delete

**Parameters:**

- **Name:** subscriber-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** event-event-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** session-activate
    - enum:**
      - session-activate

**Responses:**

- '204':
  - Description:** No Content
  - Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_options

**Parameters:**

- **Name:** subscriber-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** event-event-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple

**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** session-activate  
  **enum:**  
    - session-activate

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
    - **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:**  
data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_head

**Parameters:**

- **Name:** subscriber-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** event-event-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** session-activate  
    **enum:**  
      - session-activate
- **Name:** content  
  **In:** query  
  **Description:** controlling descendant nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**

- config
- nonconfig
- all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':

**Description:** OK**Content:** {}**security:**

- basicAuth: []

**patch:**



**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_name\_patch

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** session-activate  
  **enum:**  
  - session-activate

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event-name'

**Required/Optional:** true**Responses:**

'204':

**Description:** list event updated**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**x-codegen-request-body-name:** event

## /data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-name}/event-name

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_event\_name\_get

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** session-activate  
**enum:**
  - session-activate
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**
  - config
  - nonconfig
  - all

- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':

**Description:** OK**Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_event-name'

'204':

```

    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_event_name_put

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_event_event-event-name_event-name'
```

**Required/Optional:** true

**Responses:**

'201':  
  **Description:** leaf event-name created or replaced  
  **Content:** {}  
'204':  
  **Description:** No Content  
  **Content:** {}  
'400':  
  **Description:** Bad Request  
  **Content:** {}  
'401':  
  **Description:** Unauthorized  
  **Content:** {}  
'404':  
  **Description:** Not Found  
  **Content:** {}  
'405':  
  **Description:** Method Not Allowed  
  **Content:** {}  
'409':  
  **Description:** Conflict  
  **Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** event-name

**delete:**

**Tags:**

- data  
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_event\_name\_delete

**Parameters:**

- **Name:** subscriber-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string  
- **Name:** event-event-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration

**Default:** session-activate  
**enum:**  
 - session-activate

**Responses:**

**'204':**  
**Description:** No Content  
**Content:** {}  
**security:**  
 - **basicAuth:** []

**options:**

**Tags:**  
 - data  
 - options

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_event\_name\_options

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** session-activate  
**enum:**  
 - session-activate

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}  
**security:**  
 - **basicAuth:** []

**head:**

**Tags:**  
 - data  
 - head

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_event\_name\_head

**Parameters:**

- **Name:** subscriber-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** event-event-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** session-activate
    - enum:**
      - session-activate
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_event\_name\_patch

**Parameters:**

- **Name:** subscriber-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** event-event-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**



```

    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_event-name'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf event-name updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: event-name

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/aaa

```

options:

  Tags:
    - data
    - options
  Operation ID:
    data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_options

  Parameters:
    - Name: subscriber-name
      In: path

```

```

    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: event-event-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      Default: session-activate
      enum:
        - session-activate

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/aaa={aaa-aaa-option},{aaa-profile}

get:

```

Tags:
  - data
  - get
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_get

Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: event-event-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false

```

**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** session-activate  
**enum:**  
 - session-activate

- **Name:** aaa-aaa-option  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** authenticate  
**enum:**  
 - authenticate  
 - authorize

- **Name:** aaa-profile  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** leafref

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
 - config  
 - nonconfig  
 - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false

**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
   **application/yang-data+json:**  
     **Schema:**  
       **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_aaa\_aaa-aaa-option\_aaa-profile'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []

```

put:

**Tags:**

```

- data
- put

```

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_put

**Parameters:**

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: authenticate
    enum:
      - authenticate
      - authorize
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

**Type:** string  
**Format:** leafref  
**Name:** insert  
**In:** query  
**Description:** controlling the order when adding new list elements  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** first  
**enum:**  
 - first  
 - last  
 - before  
 - after

**Name:** point  
**In:** query  
**Description:** used to specify the insertion point  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_aaa\_aaa-aaa-option\_aaa-profile'

**Required/Optional:** true**Responses:**

'201':

**Description:** list aaa created or replaced**Content:** {}

'204':

**Description:** No Content**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: aaa
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_delete

**Parameters:**

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: authenticate
    enum:
      - authenticate
      - authorize
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false

```

**Schema:**

**Type:** string  
**Format:** leafref

**Responses:****'204':**

**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_options

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** session-activate  
**enum:**
  - session-activate
- **Name:** aaa-aaa-option  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** authenticate  
**enum:**
  - authenticate
  - authorize
- **Name:** aaa-profile  
**In:** path



**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** leafref

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
**security:**  
  - **basicAuth:** []

**head:**

**Tags:**  
  - data  
  - head

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_head

**Parameters:**

- **Name:** subscriber-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** event-event-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** session-activate  
    **enum:**  
    - session-activate

- **Name:** aaa-aaa-option  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** authenticate  
    **enum:**  
    - authenticate

- authorize
  - **Name:** aaa-profile
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** leafref
- content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- with-defaults
  - In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_patch

**Parameters:**

- **Name:** subscriber-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** event-event-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** session-activate

**enum:**

- session-activate

- **Name:** aaa-aaa-option

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** authenticate  
**enum:**  
 - authenticate  
 - authorize

- **Name:** aaa-profile

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string  
**Format:** leafref

**Request Body:**

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_aaa\_aaa-aaa-option\_aaa-profile'

**Required/Optional:** true

**Responses:**

'204':

**Description:** list aaa updated  
**Content:** {}

'400':

**Description:** Bad Request  
**Content:** {}

'401':

**Description:** Unauthorized  
**Content:** {}

'404':

**Description:** Not Found  
**Content:** {}

'405':

**Description:** Method Not Allowed  
**Content:** {}

'409':

**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** aaa

## /data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/aaa={aaa-aaa-option},{aaa-profile}/aaa-option

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_aaa\_option\_get

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** session-activate
  - enum:**
    - session-activate
- **Name:** aaa-aaa-option  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** authenticate
  - enum:**
    - authenticate
    - authorize
- **Name:** aaa-profile  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string

- Format:** leafref
- **Name:** content
    - In:** query
    - Description:** controlling descendant nodes in response
    - Required/Optional:** false
    - Style:** form
    - Explode:** true
    - Schema:**
      - Type:** string
      - Format:** enumeration
      - Default:** config
      - enum:**
        - config
        - nonconfig
        - all
  - **Name:** depth
    - In:** query
    - Description:** limit the depth of nodes in response
    - Required/Optional:** false
    - Style:** form
    - Explode:** true
    - Schema:**
      - Type:** integer
      - Format:** uint16
  - **Name:** fields
    - In:** query
    - Description:** optionally identify specific data nodes in response
    - Required/Optional:** false
    - Style:** form
    - Explode:** true
    - Schema:**
      - Type:** string
      - Format:** string
  - **Name:** filter
    - In:** query
    - Description:** xpath expression to filter data nodes in response
    - Required/Optional:** false
    - Style:** form
    - Explode:** true
    - Schema:**
      - Type:** string
      - Format:** string
  - **Name:** with-defaults
    - In:** query
    - Description:** controlling default values in response
    - Required/Optional:** false
    - Style:** form
    - Explode:** true
    - Schema:**
      - Type:** string
      - Format:** enumeration
      - Default:** report-all

```

enum:
- report-all
- trim
- explicit
- report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'
```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

```

security:
- basicAuth: []

```

**put:**

```

Tags:
- data
- put

```

**Operation ID:**

```
data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_aaa-option_put
```

**Parameters:**

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name

```

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** session-activate  
**enum:**  
 - session-activate

- **Name:** aaa-aaa-option  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** authenticate  
**enum:**  
 - authenticate  
 - authorize

- **Name:** aaa-profile  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** leafref

**Request Body:**

**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_aaa\_aaa-aaa-option\_aaa-profile\_aaa-option'

**Required/Optional:** true

**Responses:**

'201':  
**Description:** leaf aaa-option created or replaced  
**Content:** {}  
 '204':  
**Description:** No Content  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':



```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: aaa-option
delete:

```

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_aaa\_option\_delete

**Parameters:**

- **Name:** subscriber-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** event-event-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** session-activate
    - enum:**
      - session-activate
- **Name:** aaa-aaa-option
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** authenticate
    - enum:**
      - authenticate
      - authorize
- **Name:** aaa-profile

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** leafref

**Responses:**

**'204':**  
   **Description:** No Content  
   **Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
 - options

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_aaa\_option\_options

**Parameters:**

- **Name:** subscriber-name  
   **In:** path  
   **Required/Optional:** true  
   **Style:** simple  
   **Explode:** false  
   **Schema:**  
     **Type:** string  
     **Format:** string

- **Name:** event-event-name  
   **In:** path  
   **Required/Optional:** true  
   **Style:** simple  
   **Explode:** false  
   **Schema:**  
     **Type:** string  
     **Format:** enumeration  
     **Default:** session-activate  
     **enum:**  
       - session-activate

- **Name:** aaa-aaa-option  
   **In:** path  
   **Required/Optional:** true  
   **Style:** simple  
   **Explode:** false  
   **Schema:**  
     **Type:** string  
     **Format:** enumeration  
     **Default:** authenticate  
     **enum:**

- authenticate
- authorize
- **Name:** aaa-profile
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** leafref

**Responses:**

'200':

- Description:** OK
- Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_aaa\_option\_head

**Parameters:**

- **Name:** subscriber-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string
- **Name:** event-event-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** session-activate
  - enum:**
    - session-activate
- **Name:** aaa-aaa-option
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string

- Format:** enumeration
  - Default:** authenticate
  - enum:**
    - authenticate
    - authorize
- **Name:** aaa-profile
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** leafref
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**

**Type:** string  
**Format:** string  
**Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**  
**'200':**  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []

**patch:**

**Tags:**  
 - data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_aaa\_option\_patch

**Parameters:**

**Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
**Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** session-activate  
**enum:**  
 - session-activate  
**Name:** aaa-aaa-option

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** authenticate  
**enum:**  
 - authenticate  
 - authorize

- **Name:** aaa-profile  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** leafref

**Request Body:**

**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_aaa\_aaa-aaa-option\_aaa-profile\_aaa-option'

**Required/Optional:** true

**Responses:**

'204':  
**Description:** leaf aaa-option updated  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':  
**Description:** Not Found  
**Content:** {}  
 '405':  
**Description:** Method Not Allowed  
**Content:** {}  
 '409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** aaa-option

## /data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/aaa={aaa-aaa-option},{aaa-profile}/profile

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_profile\_get

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** session-activate
  - enum:**
    - session-activate
- **Name:** aaa-aaa-option  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** authenticate
  - enum:**
    - authenticate
    - authorize
- **Name:** aaa-profile  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string

- Format:** leafref
- **Name:** content
    - In:** query
    - Description:** controlling descendant nodes in response
    - Required/Optional:** false
    - Style:** form
    - Explode:** true
    - Schema:**
      - Type:** string
      - Format:** enumeration
      - Default:** config
      - enum:**
        - config
        - nonconfig
        - all
  - **Name:** depth
    - In:** query
    - Description:** limit the depth of nodes in response
    - Required/Optional:** false
    - Style:** form
    - Explode:** true
    - Schema:**
      - Type:** integer
      - Format:** uint16
  - **Name:** fields
    - In:** query
    - Description:** optionally identify specific data nodes in response
    - Required/Optional:** false
    - Style:** form
    - Explode:** true
    - Schema:**
      - Type:** string
      - Format:** string
  - **Name:** filter
    - In:** query
    - Description:** xpath expression to filter data nodes in response
    - Required/Optional:** false
    - Style:** form
    - Explode:** true
    - Schema:**
      - Type:** string
      - Format:** string
  - **Name:** with-defaults
    - In:** query
    - Description:** controlling default values in response
    - Required/Optional:** false
    - Style:** form
    - Explode:** true
    - Schema:**
      - Type:** string
      - Format:** enumeration
      - Default:** report-all



```

enum:
- report-all
- trim
- explicit
- report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_profile'
```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

```

security:
- basicAuth: []

```

**put:**

```

Tags:
- data
- put

```

**Operation ID:**

```
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_aaa_aaa_aaa_option_aaa_profile_profile_put
```

**Parameters:**

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name

```

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** session-activate  
   **enum:**  
     - session-activate  
**- Name:** aaa-aaa-option  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** authenticate  
   **enum:**  
     - authenticate  
     - authorize

**- Name:** aaa-profile  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** leafref

**Request Body:**

**Content:**  
   **application/yang-data+json:**  
     **Schema:**  
       **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_aaa\_aaa-aaa-option\_aaa-profile\_profile'

**Required/Optional:** true

**Responses:**

**'201':**  
   **Description:** leaf profile created or replaced  
   **Content:** {}  
**'204':**  
   **Description:** No Content  
   **Content:** {}  
**'400':**  
   **Description:** Bad Request  
   **Content:** {}  
**'401':**  
   **Description:** Unauthorized  
   **Content:** {}  
**'404':**

```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: profile
delete:

```

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_profile\_delete

**Parameters:**

- **Name:** subscriber-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** event-event-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** session-activate
    - enum:**
      - session-activate
- **Name:** aaa-aaa-option
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** authenticate
    - enum:**
      - authenticate
      - authorize
- **Name:** aaa-profile

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** leafref

**Responses:**

**'204':**  
  **Description:** No Content  
  **Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_profile\_options

**Parameters:**

- **Name:** subscriber-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** event-event-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** session-activate  
    **enum:**  
      - session-activate

- **Name:** aaa-aaa-option  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** authenticate  
    **enum:**

- authenticate
- authorize
- **Name:** aaa-profile
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** leafref

**Responses:**

'200':

- Description:** OK
- Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_profile\_head

**Parameters:**

- **Name:** subscriber-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string
- **Name:** event-event-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** session-activate
  - enum:**
    - session-activate
- **Name:** aaa-aaa-option
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string

- Format:** enumeration
  - Default:** authenticate
  - enum:**
    - authenticate
    - authorize
- **Name:** aaa-profile
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** leafref
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**

**Type:** string  
**Format:** string  
**Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**  
**'200':**  
**Description:** OK  
**Content:** {}  
**security:**  
 - **basicAuth:** []

**patch:**

**Tags:**  
 - data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_profile\_patch

**Parameters:**  
**Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
**Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** session-activate  
**enum:**  
 - session-activate  
**Name:** aaa-aaa-option

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false

**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** authenticate  
**enum:**  
 - authenticate  
 - authorize

- **Name:** aaa-profile

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false

**Schema:**  
**Type:** string  
**Format:** leafref

**Request Body:**

**Content:**  
 application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_aaa\_aaa-aaa-option\_aaa-profile\_profile'

**Required/Optional:** true

**Responses:**

'204':  
**Description:** leaf profile updated  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

'409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** profile



## /data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/deactivate-feature-templates

### options:

#### Tags:

- data
- options

#### Operation ID:

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_deactivate\_feature\_templates\_options

### Parameters:

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** session-activate  
  **enum:**  
  - session-activate

### Responses:

- '200':  
  **Description:** OK  
  **Content:** {}

#### security:

- **basicAuth:** []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/deactivate-feature-templates={deactivate-feature-templates-id}

: get:

#### Tags:

- data
- get

#### Operation ID:

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_deactivate\_feature\_templates\_deactivate\_feature\_templates\_id\_get

### Parameters:

- **Name:** subscriber-name

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: session-activate
  enum:
    - session-activate
- Name: deactivate-feature-templates-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: leafref
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response

```

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
   application/yang-data+json:  
     **Schema:**  
       **Reference:**

[#/components/schemas/data\\_cnbng-cp:profile\\_subscriber\\_subscriber-name\\_event\\_event-event-name\\_deactivate-feature-templates\\_deactivate-feature-templates-id'](#)

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data

- put

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_deactivate\_feature\_templates\_deactivate\_feature\_templates\_id\_put

**Parameters:**

- **Name:** subscriber-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** event-event-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** session-activate

**enum:**

- session-activate

- **Name:** deactivate-feature-templates-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** leafref

- **Name:** insert

**In:** query

**Description:** controlling the order when adding new list elements

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

```

    Default: first
    enum:
    - first
    - last
    - before
    - after
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_deactivate-feature-templates_deactivate-feature-templates-id'
Required/Optional: true

Responses:
'201':
  Description: leaf-list deactivate-feature-templates created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: deactivate-feature-templates
delete:

Tags:
- data

```

- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_deactivate\_feature\_templates\_deactivate\_feature\_templates\_id\_delete

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** session-activate
  - enum:**
    - session-activate
- **Name:** deactivate-feature-templates-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** leafref

**Responses:**

- '204':  
  - Description:** No Content
  - Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_deactivate\_feature\_templates\_deactivate\_feature\_templates\_id\_options

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple

```

    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: event-event-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      Default: session-activate
      enum:
        - session-activate
  - Name: deactivate-feature-templates-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: leafref

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
  - data
  - head
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_deactivate_feature_templates_deactivate_feature_templates_id_head

```

**Parameters:**

```

  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: event-event-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false

```

- Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** session-activate  
**enum:**  
- session-activate
- **Name:** deactivate-feature-templates-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** leafref
  - **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all
  - **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
  - **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
  - **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true



**Schema:**  
  **Type:** string  
  **Format:** string  
- **Name:** with-defaults  
  **In:** query  
  **Description:** controlling default values in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** report-all  
    **enum:**  
    - report-all  
    - trim  
    - explicit  
    - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Operation ID:**  
data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_deactivate\_feature\_templates\_deactivate\_feature\_templates\_id\_patch

**Parameters:**  
- **Name:** subscriber-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string  
- **Name:** event-event-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** session-activate  
    **enum:**  
    - session-activate

```

- Name: deactivate-feature-templates-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_deactivate-feature-templates_deactivate-feature-templates-id'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf-list deactivate-feature-templates updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: deactivate-feature-templates

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/activate-feature-templates

**options:**

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_activate\_feature\_templates\_options

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** session-activate
  - enum:**
    - session-activate

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

?

**/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/activate-feature-templates={activate-feature-templates-id}**  
**: get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id\_get

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false

- Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** session-activate  
**enum:**  
- session-activate
- **Name:** activate-feature-templates-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** leafref
  - **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all
  - **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
  - **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
  - **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true

```

Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_activate-feature-templates_activate-feature-templates-id'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put

```

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id\_put

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** session-activate
  - enum:**
    - session-activate
- **Name:** activate-feature-templates-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** leafref
- **Name:** insert  
**In:** query  
**Description:** controlling the order when adding new list elements  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** first
  - enum:**
    - first
    - last
    - before
    - after
- **Name:** point  
**In:** query  
**Description:** used to specify the insertion point  
**Required/Optional:** false  
**Style:** form  
**Explode:** true

```

Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_activate-feature-templates_activate-feature-templates-id'

Required/Optional: true

Responses:
  '201':
    Description: leaf-list activate-feature-templates created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: activate-feature-templates
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_activate-feature-templates_activate-feature-templates-id_delete

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

```

    Type: string
    Format: string
  - Name: event-event-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      Default: session-activate
      enum:
        - session-activate
  - Name: activate-feature-templates-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: leafref

```

**Responses:**

```

'204':
  Description: No Content
  Content: {}

```

**security:**

```

- basicAuth: []

```

**options:****Tags:**

```

- data
- options

```

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id\_options

**Parameters:**

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```



**Format:** enumeration  
**Default:** session-activate  
**enum:**  
 - session-activate  
**- Name:** activate-feature-templates-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** leafref

**Responses:**  
**'200':**  
**Description:** OK  
**Content:** {}  
**security:**  
 - **basicAuth:** []

**head:**

**Tags:**  
 - data  
 - head

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id\_head

**Parameters:**  
**- Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
**- Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** session-activate  
**enum:**  
 - session-activate  
**- Name:** activate-feature-templates-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false

```

Schema:
  Type: string
  Format: leafref
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string

```

**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id\_patch

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** session-activate  
**enum:**  
 - session-activate

- **Name:** activate-feature-templates-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** leafref

**Request Body:**

**Content:**  
 application/yang-data+json:

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_activate-feature-templates_activate-feature-templates-id'
```

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf-list activate-feature-templates updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** activate-feature-templates

## /data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/apply-all-class

**get:****Tags:**

- data  
- get

**Operation ID:**

```
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_apply_all_class_get
```

**Parameters:**

- **Name:** subscriber-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** event-event-name

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** session-activate  
  **enum:**  
    - session-activate

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
    - config  
    - nonconfig  
    - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_apply-all-class'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_apply\_all\_class\_put

**Parameters:**

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_apply-all-class'

      Required/Optional: true

Responses:
  '201':
    Description: leaf apply-all-class created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []

```

**x-codegen-request-body-name:** apply-all-class  
**delete:**

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_apply\_all\_class\_delete

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** session-activate
  - enum:**
    - session-activate

**Responses:**

**'204':**  
**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_apply\_all\_class\_options

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string



**Format:** string

- **Name:** event-event-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** session-activate

**enum:**

- session-activate

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_apply\_all\_class\_head

**Parameters:**

- **Name:** subscriber-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** event-event-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** session-activate

**enum:**

- session-activate

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

```

    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID:
  data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_apply_all_class_patch

  Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: event-event-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      Default: session-activate
      enum:
      - session-activate
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_apply-all-class'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf apply-all-class updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}

```

```

    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: apply-all-class

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class

### options:

#### Tags:

- data
- options

#### Operation ID:

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_options

#### Parameters:

- **Name:** subscriber-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** event-event-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** session-activate
    - enum:**
      - session-activate

#### Responses:

```

'200':
  Description: OK
  Content: {}

```

```

security:
- basicAuth: []

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_get

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** session-activate
  - enum:**
    - session-activate
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**

- config
- nonconfig
- all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':

**Description:** OK**Content:**

application/yang-data+json:

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name'
```

```

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  put:

```

**Tags:**

```
- data
- put
```

**Operation ID:**

```
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_put
```

**Parameters:**

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
    - session-activate
- Name: class-class-name
  In: path

```

**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** insert  
**In:** query  
**Description:** controlling the order when adding new list elements  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** first  
   **enum:**  
     - first  
     - last  
     - before  
     - after  
**- Name:** point  
**In:** query  
**Description:** used to specify the insertion point  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**Request Body:**  
**Content:**  
   **application/yang-data+json:**  
     **Schema:**  
       **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name'

**Required/Optional:** true

**Responses:**

**'201':**  
   **Description:** list class created or replaced  
   **Content:** {}  
**'204':**  
   **Description:** No Content  
   **Content:** {}  
**'400':**  
   **Description:** Bad Request  
   **Content:** {}  
**'401':**  
   **Description:** Unauthorized  
   **Content:** {}  
**'404':**



```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: class
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_delete

**Parameters:**

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Responses:**

```

'204':
  Description: No Content
  Content: {}

```

**security:**  
 - **basicAuth:** []  
**options:**

**Tags:**  
 - data  
 - options

**Operation ID:**  
 data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_options

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** session-activate  
**enum:**  
 - session-activate

- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []  
**head:**

**Tags:**  
 - data  
 - head

**Operation ID:**  
 data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_head

**Parameters:**

- **Name:** subscriber-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** event-event-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** session-activate
    - enum:**
      - session-activate
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16

- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_patch

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple

```

Explode: false
Schema:
  Type: string
  Format: string
- Name: event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: session-activate
  enum:
    - session-activate
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name'
```

```
Required/Optional: true
```

**Responses:**

```

'204':
  Description: list class updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

**security:**

```
- basicAuth: []
x-codegen-request-body-name: class
```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/class-name

get:

**Tags:**

```
- data
- get
```

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_class\_name\_get

**Parameters:**

```
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
```

**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**  
**'200':**  
**Description:** OK  
**Content:**

**application/yang-data+json:****Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_class-name'
```

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**put:****Tags:**

- data

- put

**Operation ID:**

```
data_cnbng-cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_class_name_put
```

**Parameters:**- **Name:** subscriber-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** event-event-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** enumeration**Default:** session-activate**enum:**



```

- session-activate
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_class-name'

Required/Optional: true

Responses:
'201':
  Description: leaf class-name created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: class-name
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_class_name_delete

Parameters:

```

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** session-activate
  - enum:**
    - session-activate
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string

**Responses:**

- '204':
  - Description:** No Content
  - Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_class\_name\_options

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** event-event-name

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: session-activate
  enum:
    - session-activate
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
  - data
  - head
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_class_name_head

```

**Parameters:**

```

- Name: subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: session-activate
  enum:

```

- session-activate
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
    - config  
    - nonconfig  
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** integer  
    **Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** with-defaults  
**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_class\_name\_patch

**Parameters:**

- **Name:** subscriber-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** event-event-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** session-activate

**enum:**

- session-activate

- **Name:** class-class-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

```

Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_class-name'

Required/Optional: true

Responses:
  '204':
    Description: leaf class-name updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: class-name

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches

```

get:

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_get

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true

```

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form

```

```

Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-name_class_class-name_matches'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}

```



```

    '409':
      Description: Conflict
      Content: {}
      security:
      - basicAuth: []
    put:

    Tags:
    - data
    - put
    Operation ID:
    data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_put

    Parameters:
    - Name: subscriber-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
    - Name: event-event-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: enumeration
        Default: session-activate
        enum:
        - session-activate
    - Name: class-class-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
    Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
          '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_event_event-event-name_class_class-class-name_matches'

    Required/Optional: true

    Responses:
    '201':

```

```

    Description: container matches created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: matches
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_post

```

**Parameters:**

- **Name:** subscriber-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** event-event-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** session-activate
    - enum:**
      - session-activate
- **Name:** class-class-name

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches-post'

  Required/Optional: true

Responses:
  '201':
    Description: container matches created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: matches
delete:

  Tags:
  - data
  - delete
Operation ID:
  data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_delete

Parameters:
  - Name: subscriber-name
    In: path

```

**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** session-activate  
   **enum:**  
     - session-activate  
**- Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string

**Responses:**

**'204':**  
   **Description:** No Content  
   **Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_options

**Parameters:**

**- Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** event-event-name  
**In:** path  
**Required/Optional:** true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: session-activate
  enum:
    - session-activate
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
  - data
  - head
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_head

```

**Parameters:**

```

- Name: subscriber-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: session-activate
  enum:
    - session-activate
- Name: class-class-name

```

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false

```

**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_patch

**Parameters:**

- **Name:** subscriber-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** event-event-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** session-activate  
    **enum:**  
    - session-activate

- **Name:** class-class-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string

```

    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches'

  Required/Optional: true

Responses:
  '204':
    Description: container matches updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: matches

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match

### options:

#### Tags:

- data
- options

#### Operation ID:

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_options

#### Parameters:

- **Name:** subscriber-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false



```

    Schema:
      Type: string
      Format: string
  - Name: event-event-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      Default: session-activate
      enum:
        - session-activate
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
?
/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}
: get:

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_get

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple

```

```

Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: session-activate
  enum:
    - session-activate
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: dhcpv4-circuit-id
  enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields

```

**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches\_match\_match-key'

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found

```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

```

**Tags:**

```

- data
- put

```

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_put

**Parameters:**

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

```

    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
    - first
    - last
    - before
    - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
    Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key'
```

```
Required/Optional: true
```

#### Responses:

```

'201':
  Description: list match created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':

```

```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: match
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

```

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_delete

```

**Parameters:**

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false

```

**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** dhcpv4-circuit-id  
**enum:**  
 - dhcpv4-circuit-id  
 - dhcpv4-remote-id  
 - dhcpv4-vendor-class  
 - dhcpv4-user-class

**Responses:****'204':****Description:** No Content**Content:** {}**security:**- **basicAuth:** []**options:****Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_options

**Parameters:**- **Name:** subscriber-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** event-event-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** enumeration**Default:** session-activate**enum:**

- session-activate

- **Name:** class-class-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** match-key

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** dhcpv4-circuit-id  
   **enum:**  
     - dhcpv4-circuit-id  
     - dhcpv4-remote-id  
     - dhcpv4-vendor-class  
     - dhcpv4-user-class

**Responses:**

**'200':**  
   **Description:** OK  
   **Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_head

**Parameters:**

- **Name:** subscriber-name  
   **In:** path  
   **Required/Optional:** true  
   **Style:** simple  
   **Explode:** false  
   **Schema:**  
     **Type:** string  
     **Format:** string

- **Name:** event-event-name  
   **In:** path  
   **Required/Optional:** true  
   **Style:** simple  
   **Explode:** false  
   **Schema:**  
     **Type:** string  
     **Format:** enumeration  
     **Default:** session-activate  
     **enum:**  
       - session-activate

- **Name:** class-class-name  
   **In:** path  
   **Required/Optional:** true  
   **Style:** simple  
   **Explode:** false



**Schema:**  
**Type:** string  
**Format:** string

- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** dhcpv4-circuit-id  
**enum:**
  - dhcpv4-circuit-id
  - dhcpv4-remote-id
  - dhcpv4-vendor-class
  - dhcpv4-user-class
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**
  - config
  - nonconfig
  - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false

**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
   **Description:** OK  
   **Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_patch

**Parameters:**

**- Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** session-activate

```

    enum:
      - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class

```

**Request Body:****Content:**

```
application/yang-data+json:
```

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key'
```

```
Required/Optional: true
```

**Responses:**

```
'204':
```

```
  Description: list match updated
```

```
  Content: {}
```

```
'400':
```

```
  Description: Bad Request
```

```
  Content: {}
```

```
'401':
```

```
  Description: Unauthorized
```

```
  Content: {}
```

```
'404':
```

```
  Description: Not Found
```

```
  Content: {}
```

```
'405':
```

```
  Description: Method Not Allowed
```

```
  Content: {}
```

```
'409':
```

```
  Description: Conflict
```

```
  Content: {}
```

```
security:
```

```

- basicAuth: []
x-codegen-request-body-name: match
?
/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}/key
: get:

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_key_get

```

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** session-activate
  - enum:**
    - session-activate
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** dhcpv4-circuit-id
  - enum:**
    - dhcpv4-circuit-id
    - dhcpv4-remote-id

- dhcpv4-vendor-class
- dhcpv4-user-class
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration

**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches\_match\_match-key\_key'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**  
 - **basicAuth:** []

**put:**

**Tags:**

- data  
 - put

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches\_match\_match-key\_key\_put

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

```

- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class

```

**Request Body:**

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_key'

```

```

Required/Optional: true

```

**Responses:**

```

'201':
  Description: leaf key created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':

```

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: key
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_key\_delete

**Parameters:**

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path

```



**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** dhcpv4-circuit-id  
  **enum:**  
  - dhcpv4-circuit-id  
  - dhcpv4-remote-id  
  - dhcpv4-vendor-class  
  - dhcpv4-user-class

**Responses:**  
  **'204':**  
    **Description:** No Content  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []  
**options:**

**Tags:**  
  - data  
  - options

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_key\_options

**Parameters:**

- **Name:** subscriber-name  
    **In:** path  
    **Required/Optional:** true  
    **Style:** simple  
    **Explode:** false  
    **Schema:**  
      **Type:** string  
      **Format:** string
- **Name:** event-event-name  
    **In:** path  
    **Required/Optional:** true  
    **Style:** simple  
    **Explode:** false  
    **Schema:**  
      **Type:** string  
      **Format:** enumeration  
      **Default:** session-activate  
      **enum:**  
      - session-activate
- **Name:** class-class-name  
    **In:** path  
    **Required/Optional:** true  
    **Style:** simple  
    **Explode:** false  
    **Schema:**

**Type:** string  
**Format:** string  
**Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** dhcpv4-circuit-id  
**enum:**  
 - dhcpv4-circuit-id  
 - dhcpv4-remote-id  
 - dhcpv4-vendor-class  
 - dhcpv4-user-class

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_key\_head

**Parameters:**

**Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
**Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** session-activate  
**enum:**  
 - session-activate  
**Name:** class-class-name  
**In:** path

**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** match-key  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** dhcpv4-circuit-id  
    **enum:**  
    - dhcpv4-circuit-id  
    - dhcpv4-remote-id  
    - dhcpv4-vendor-class  
    - dhcpv4-user-class
- **Name:** content  
  **In:** query  
  **Description:** controlling descendant nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
    - config  
    - nonconfig  
    - all
- **Name:** depth  
  **In:** query  
  **Description:** limit the depth of nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** integer  
    **Format:** uint16
- **Name:** fields  
  **In:** query  
  **Description:** optionally identify specific data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_key\_patch

**Parameters:**

- **Name:** subscriber-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** event-event-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

```

    Type: string
    Format: enumeration
    Default: session-activate
    enum:
    - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class

```

**Request Body:****Content:**

```
application/yang-data+json:
```

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_key'
```

```
Required/Optional: true
```

**Responses:**

```
'204':
```

```
  Description: leaf key updated
```

```
  Content: {}
```

```
'400':
```

```
  Description: Bad Request
```

```
  Content: {}
```

```
'401':
```

```
  Description: Unauthorized
```

```
  Content: {}
```

```
'404':
```

```
  Description: Not Found
```

```
  Content: {}
```

```
'405':
```

```
  Description: Method Not Allowed
```

```
  Content: {}
```

```
'409':
```

**Description:** Conflict  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**x-codegen-request-body-name:** key  
 ?  
**/data/cnbng\_cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}/type**  
**: options:**  
  
**Tags:**  
 - data  
 - options  
**Operation ID:**  
 data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_type\_options

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string
- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** session-activate  
   **enum:**  
     - session-activate
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** dhcpv4-circuit-id

```

enum:
- dhcpv4-circuit-id
- dhcpv4-remote-id
- dhcpv4-vendor-class
- dhcpv4-user-class

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []

```

?

```

/data/cnbng-cp/profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}/type={type-id}

```

: get:

**Tags:**

```

- data
- get

```

**Operation ID:**

```

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_type_type_id_get

```

**Parameters:**

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true

```

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: dhcpv4-circuit-id
  enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- Name: type-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: dhcp
  enum:
    - dhcp
    - ppp
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:

```



```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match-match-key_type_type-id'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict

```

**Content:** {}  
**security:**  
 - **basicAuth:** []  
**put:**

**Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_type\_type\_id\_put

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** session-activate
  - enum:**
    - session-activate
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** dhcpv4-circuit-id
  - enum:**
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class

- **Name:** type-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** dhcp
  - enum:**
    - dhcp
    - ppp
- **Name:** insert  
**In:** query  
**Description:** controlling the order when adding new list elements  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** first
  - enum:**
    - first
    - last
    - before
    - after
- **Name:** point  
**In:** query  
**Description:** used to specify the insertion point  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_type_type-id'
```

**Required/Optional:** true**Responses:**

'201':

**Description:** leaf-list type created or replaced**Content:** {}

'204':

**Description:** No Content**Content:** {}

'400':

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: type
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_type\_type\_id\_delete

**Parameters:**

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

```

    Format: string
  - Name: match-key
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      Default: dhcpv4-circuit-id
      enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
  - Name: type-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      Default: dhcp
      enum:
      - dhcp
      - ppp

```

**Responses:**

```

  '204':
    Description: No Content
    Content: {}

```

**security:**

```

  - basicAuth: []

```

**options:****Tags:**

```

  - data
  - options

```

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_type\_type\_id\_options

**Parameters:**

```

  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: event-event-name
    In: path

```

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: session-activate
  enum:
    - session-activate
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: dhcpv4-circuit-id
  enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- Name: type-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: dhcp
  enum:
    - dhcp
    - ppp

Responses:
  '200':
    Description: OK
    Content: {}
security:
  - basicAuth: []
head:

Tags:

```

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_type\_type\_id\_head

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** session-activate
  - enum:**
    - session-activate
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** dhcpv4-circuit-id
  - enum:**
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- **Name:** type-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false

```

Schema:
  Type: string
  Format: enumeration
  Default: dhcp
  enum:
    - dhcp
    - ppp
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false

```



**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**  
**'200':**  
**Description:** OK  
**Content:** {}  
**security:**  
- **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_type\_type\_id\_patch

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** session-activate  
**enum:**  
- session-activate

- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string

```

    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- Name: type-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcp
    enum:
    - dhcp
    - ppp

```

**Request Body:**

```

Content:
  application/yang-data+json:
    Schema:

```

**Reference:**

```

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_type_type-id'

```

```

Required/Optional: true

```

**Responses:**

```

'204':
  Description: leaf-list type updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':

```

**Description:** Conflict  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**x-codegen-request-body-name:** type  
 ?  
 /data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}/ascii  
**options:**  
**Tags:**  
 - data  
 - options  
**Operation ID:**  
 data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_options

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
 - **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** session-activate  
**enum:**  
 - session-activate  
 - **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
 - **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** dhcpv4-circuit-id

```

enum:
  - dhcpv4-circuit-id
  - dhcpv4-remote-id
  - dhcpv4-vendor-class
  - dhcpv4-user-class

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []

```

?

```

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}/ascii={ascii-id}

```

: get:

**Tags:**

```

- data
- get

```

**Operation ID:**

```

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_ascii_ascii_id_get

```

**Parameters:**

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true

```

**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** dhcpv4-circuit-id  
  **enum:**  
  - dhcpv4-circuit-id  
  - dhcpv4-remote-id  
  - dhcpv4-vendor-class  
  - dhcpv4-user-class

- **Name:** ascii-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all

- trim

- explicit

- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches\_match\_match-key\_ascii\_ascii-id'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii\_id\_put

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** session-activate
  - enum:**
    - session-activate
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** dhcpv4-circuit-id
  - enum:**
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- **Name:** ascii-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple

**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string  
- **Name:** insert  
**In:** query  
**Description:** controlling the order when adding new list elements  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** first  
  **enum:**  
  - first  
  - last  
  - before  
  - after  
- **Name:** point  
**In:** query  
**Description:** used to specify the insertion point  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string  
**Request Body:**  
**Content:**  
  **application/yang-data+json:**  
    **Schema:**  
      **Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches\_match\_match-key\_ascii\_ascii-id'

**Required/Optional:** true

**Responses:**

'201':  
  **Description:** leaf-list ascii created or replaced  
  **Content:** {}  
'204':  
  **Description:** No Content  
  **Content:** {}  
'400':  
  **Description:** Bad Request  
  **Content:** {}  
'401':  
  **Description:** Unauthorized  
  **Content:** {}  
'404':  
  **Description:** Not Found  
  **Content:** {}



```

'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ascii
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii\_id\_delete

**Parameters:**

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

**Format:** enumeration  
**Default:** dhcpv4-circuit-id  
**enum:**  
 - dhcpv4-circuit-id  
 - dhcpv4-remote-id  
 - dhcpv4-vendor-class  
 - dhcpv4-user-class  
**- Name:** ascii-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**  
**'204':**  
**Description:** No Content  
**Content:** {}  
**security:**  
 - **basicAuth:** []

**options:**

**Tags:**  
 - data  
 - options

**Operation ID:**

data\_crbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii\_id\_options

**Parameters:**  
**- Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
**- Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** session-activate  
**enum:**  
 - session-activate  
**- Name:** class-class-name  
**In:** path  
**Required/Optional:** true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
- Name: ascii-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []

```

**head:****Tags:**

```

- data
- head

```

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii\_id\_head

**Parameters:**

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path

```

**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** session-activate  
    **enum:**  
    - session-activate  
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string  
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** dhcpv4-circuit-id  
    **enum:**  
    - dhcpv4-circuit-id  
    - dhcpv4-remote-id  
    - dhcpv4-vendor-class  
    - dhcpv4-user-class  
- **Name:** ascii-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string  
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
    - config  
    - nonconfig  
    - all

- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data

- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_ascii\_ascii\_id\_patch

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** session-activate
  - enum:**
    - session-activate
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** dhcpv4-circuit-id
  - enum:**
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- **Name:** ascii-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

```

    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_ascii_ascii-id'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf-list ascii updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: ascii
?
/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}/regex
: options:

  Tags:
  - data
  - options
  Operation ID:
    data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_match_key_regex_options

  Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

```

- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** session-activate
  - enum:**
    - session-activate
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** dhcpv4-circuit-id
  - enum:**
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class

**Responses:**

- '200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match={match-key}/regex={regex-id}

: get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_regex\_regex\_id\_get

**Parameters:**

- **Name:** subscriber-name  
**In:** path



**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** session-activate  
  **enum:**  
    - session-activate

- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** dhcpv4-circuit-id  
  **enum:**  
    - dhcpv4-circuit-id  
    - dhcpv4-remote-id  
    - dhcpv4-vendor-class  
    - dhcpv4-user-class

- **Name:** regex-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form

```

Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

**Responses:**

```

    '200':
      Description: OK
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_regex_regex-id'

    '204':
      Description: No Content
      Content: {}

    '400':
      Description: Bad Request
      Content: {}

    '401':
      Description: Unauthorized
      Content: {}

    '404':
      Description: Not Found
      Content: {}

    '405':
      Description: Method Not Allowed
      Content: {}

    '409':
      Description: Conflict
      Content: {}

  security:
    - basicAuth: []

  put:

    Tags:
      - data
      - put

    Operation ID:
      data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_regex_regex-id-put

```

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string

- Format:** enumeration
  - Default:** session-activate
  - enum:**
    - session-activate
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** match-key
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** dhcpv4-circuit-id
    - enum:**
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
- **Name:** regex-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** insert
  - In:** query
  - Description:** controlling the order when adding new list elements
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** first
    - enum:**
      - first
      - last
      - before
      - after
- **Name:** point
  - In:** query
  - Description:** used to specify the insertion point
  - Required/Optional:** false

```

    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_regex_regex-id'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf-list regex created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: regex
delete:

  Tags:
    - data
    - delete
  Operation ID:
    data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_regex_regex-id_delete

  Parameters:
    - Name: subscriber-name
      In: path
      Required/Optional: true
      Style: simple

```

```

Explode: false
Schema:
  Type: string
  Format: string
- Name: event-event-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: session-activate
  enum:
  - session-activate
- Name: class-class-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: match-key
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: dhcpv4-circuit-id
  enum:
  - dhcpv4-circuit-id
  - dhcpv4-remote-id
  - dhcpv4-vendor-class
  - dhcpv4-user-class
- Name: regex-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

```

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_regex\_regex\_id\_options

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** session-activate
  - enum:**
    - session-activate
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** dhcpv4-circuit-id
  - enum:**
    - dhcpv4-circuit-id
    - dhcpv4-remote-id
    - dhcpv4-vendor-class
    - dhcpv4-user-class
- **Name:** regex-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple

**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_regex\_regex\_id\_head

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** session-activate  
  **enum:**  
  - session-activate
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** match-key  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false



**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** dhcpv4-circuit-id  
**enum:**  
- dhcpv4-circuit-id  
- dhcpv4-remote-id  
- dhcpv4-vendor-class  
- dhcpv4-user-class

- **Name:** regex-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false

**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
   **Description:** OK  
   **Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_match\_key\_regex\_regex\_id\_patch

**Parameters:**

**- Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** session-activate

```

    enum:
      - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: match-key
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
- Name: regex-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Request Body:**

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

'#/components/schemas/data/cnbng-cp/profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match/match-key/regex/regex-id'

```

```

Required/Optional: true

```

**Responses:**

```

'204':
  Description: leaf-list regex updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found

```

```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: regex

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/matches/match-type

get:

Tags:

- data
- get

Operation ID:

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_type\_get

Parameters:

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** session-activate
  - enum:**
    - session-activate
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** report-all
  - enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches\_match-type'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches\_match-type\_put

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** event-event-name  
**In:** path

**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** session-activate  
   **enum:**  
     - session-activate  
**- Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string

**Request Body:**

**Content:**  
   **application/yang-data+json:**  
     **Schema:**  
       **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches\_match-type'

**Required/Optional:** true

**Responses:**

**'201':**  
   **Description:** leaf match-type created or replaced  
   **Content:** {}  
**'204':**  
   **Description:** No Content  
   **Content:** {}  
**'400':**  
   **Description:** Bad Request  
   **Content:** {}  
**'401':**  
   **Description:** Unauthorized  
   **Content:** {}  
**'404':**  
   **Description:** Not Found  
   **Content:** {}  
**'405':**  
   **Description:** Method Not Allowed  
   **Content:** {}  
**'409':**  
   **Description:** Conflict  
   **Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** match-type

**delete:**

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_type\_delete

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** session-activate
  - enum:**
    - session-activate
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string

**Responses:**

**'204':**  
**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_type\_options

**Parameters:**

- **Name:** subscriber-name



```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: event-event-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      Default: session-activate
      enum:
        - session-activate
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head

Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_matches_match_type_head

```

**Parameters:**

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path

```

**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** session-activate  
    **enum:**  
    - session-activate  
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string  
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
    - config  
    - nonconfig  
    - all  
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** integer  
    **Format:** uint16  
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string  
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**  
   '200':  
     **Description:** OK  
     **Content:** {}  
   **security:**  
     - **basicAuth:** []

**patch:**

**Tags:**  
   - data  
   - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_matches\_match\_type\_patch

**Parameters:**

**- Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** enumeration

```

    Default: session-activate
    enum:
      - session-activate
  - Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match-type'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf match-type updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: match-type
?
/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/deactivate-feature-templates
: options:

  Tags:
  - data
  - options
  Operation ID:
  data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_deactivate_feature_templates_options

```

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** session-activate
  - enum:**
    - session-activate
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string

**Responses:**

- '200':  
  - Description:** OK
  - Content:** {}
- security:**
  - **basicAuth:** []

?

**/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/deactivate-feature-templates={deactivate-feature-templates-id}**  
**: get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_deactivate\_feature\_templates\_deactivate\_feature\_templates\_id\_get

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

- Type:** string
  - Format:** string
- **Name:** event-event-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** session-activate
    - enum:**
      - session-activate
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** deactivate-feature-templates-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** leafref
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16

- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

~~#/comments/stanzas/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/activate-feature-templates/activate-feature-templates-id'~~

'204':  
**Description:** No Content  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':

```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_deactivate_feature_templates_deactivate_feature_templates_id.put

```

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** session-activate
  - enum:**
    - session-activate
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** deactivate-feature-templates-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string



**Type:** string  
**Format:** leafref  
**Name:** insert  
**In:** query  
**Description:** controlling the order when adding new list elements  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** first  
**enum:**  
 - first  
 - last  
 - before  
 - after

**Name:** point  
**In:** query  
**Description:** used to specify the insertion point  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

[#/components/schemas/data-cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/deactivate-feature-templates\\_deactivate-feature-templates-id](#)

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf-list deactivate-feature-templates created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: deactivate-feature-templates
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_deactivate\_feature\_templates\_deactivate\_feature\_templates\_id\_delete

**Parameters:**

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: deactivate-feature-templates-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref

```

**Responses:**

'204':

**Description:** No Content**Content:** {}**security:**- **basicAuth:** []**options:****Tags:**- data  
- options**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_deactivate\_feature\_templates\_deactivate\_feature\_templates\_id\_options

**Parameters:**- **Name:** subscriber-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** event-event-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** enumeration**Default:** session-activate**enum:**

- session-activate

- **Name:** class-class-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** deactivate-feature-templates-id**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** leafref**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []

**head:**

**Tags:**  
 - data  
 - head

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_deactivate\_feature\_templates\_deactivate\_feature\_templates\_id\_head

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** session-activate  
**enum:**  
 - session-activate
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** deactivate-feature-templates-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** leafref
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_name\_class\_class\_name\_deactivate\_feature\_templates\_deactivate\_feature\_templates\_id\_patch

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
  - **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** session-activate  
**enum:**  
- session-activate
  - **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
  - **Name:** deactivate-feature-templates-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** leafref
- Request Body:**

**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_deactivate-feature-templates\_deactivate-feature-templates-id

**Required/Optional:** true

**Responses:**

'204':  
**Description:** leaf-list deactivate-feature-templates updated  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':  
**Description:** Not Found  
**Content:** {}  
 '405':  
**Description:** Method Not Allowed  
**Content:** {}  
 '409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** deactivate-feature-templates

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/activate-feature-templates

**options:**

**Tags:**

- data  
 - options

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_activate\_feature\_templates\_options

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
 - **Name:** event-event-name  
**In:** path  
**Required/Optional:** true

**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** session-activate  
   **enum:**  
     - session-activate  
**- Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string

**Responses:**  
   '200':  
     **Description:** OK  
     **Content:** {}  
**security:**  
   - **basicAuth:** []

?

~~/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/activate-feature-templates={activate-feature-templates-id}~~  
**: get:**

**Tags:**  
   - data  
   - get  
**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_name\_class\_class\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id\_get

**Parameters:**  
**- Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** session-activate  
   **enum:**



- session-activate
  - **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- activate-feature-templates-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** leafref
- content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data-cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/activate-feature-templates/activate-feature-templates-id'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id.put

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** session-activate
  - enum:**
    - session-activate
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** activate-feature-templates-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** leafref
- **Name:** insert  
**In:** query  
**Description:** controlling the order when adding new list elements  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** first

```

    enum:
      - first
      - last
      - before
      - after
  - Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data-cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/activate-feature-templates/activate-feature-templates-id'
  Required/Optional: true

  Responses:
    '201':
      Description: leaf-list activate-feature-templates created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: activate-feature-templates
delete:

  Tags:
  - data
  - delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id\_delete

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** session-activate
  - enum:**
    - session-activate
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** activate-feature-templates-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** leafref

**Responses:**

- '204':
  - Description:** No Content
  - Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_crbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id\_options

#### Parameters:

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** session-activate
  - enum:**
    - session-activate
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** activate-feature-templates-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** leafref

#### Responses:

'200':  
**Description:** OK  
**Content:** {}

#### security:

- **basicAuth:** []

#### head:

#### Tags:

- data
- head

#### Operation ID:

data\_crbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id\_head

**Parameters:**

- **Name:** subscriber-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** event-event-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** session-activate
    - enum:**
      - session-activate
- **Name:** class-class-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** activate-feature-templates-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** leafref
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth

**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** integer  
     **Format:** uint16

**- Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string

**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string

**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** enumeration  
     **Default:** report-all  
     **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**  
   '200':  
     **Description:** OK  
     **Content:** {}  
**security:**  
   - **basicAuth:** []

**patch:**

**Tags:**  
   - data  
   - patch



**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_name\_class\_class\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id\_patch

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** session-activate
  - enum:**
    - session-activate
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** activate-feature-templates-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** leafref

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

#/components/schemas/data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_name\_class\_class\_name\_activate\_feature\_templates\_activate\_feature\_templates\_id

**Required/Optional:** true**Responses:**

'204':

**Description:** leaf-list activate-feature-templates updated**Content:** {}

```

'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: activate-feature-templates

```

## /data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/aaa

### options:

#### Tags:

- data
- options

#### Operation ID:

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_aaa\_options

### Parameters:

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** session-activate
  - enum:**
    - session-activate

- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**

'200':  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

?

/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/aaa={aaa-aaa-option},{aaa-profile}

: **get:**

**Tags:**

- data  
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_get

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** session-activate  
  **enum:**  
  - session-activate

- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string

```

    Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: authenticate
    enum:
      - authenticate
      - authorize
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string

```

```

    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

**security:**  
- **basicAuth:** []

**put:**

**Tags:**

- data  
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_put

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** session-activate  
  **enum:**  
    - session-activate
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** aaa-aaa-option  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** authenticate  
  **enum:**  
    - authenticate  
    - authorize
- **Name:** aaa-profile  
**In:** path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: leafref
- Name: insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: first
  enum:
  - first
  - last
  - before
  - after
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile'

Required/Optional: true

Responses:
'201':
  Description: list aaa created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':

```

```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: aaa
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

```

data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_delete

```

**Parameters:**

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false

```



**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** authenticate  
**enum:**  
 - authenticate  
 - authorize

- **Name:** aaa-profile  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** leafref

**Responses:**

'204':  
**Description:** No Content  
**Content:** {}  
**security:**  
 - **basicAuth:** []

**options:****Tags:**

- data  
 - options

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_options

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** session-activate  
**enum:**  
 - session-activate

- **Name:** class-class-name  
**In:** path

**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string  
 - **Name:** aaa-aaa-option  
   **In:** path  
   **Required/Optional:** true  
   **Style:** simple  
   **Explode:** false  
   **Schema:**  
     **Type:** string  
     **Format:** enumeration  
     **Default:** authenticate  
     **enum:**  
       - authenticate  
       - authorize  
 - **Name:** aaa-profile  
   **In:** path  
   **Required/Optional:** true  
   **Style:** simple  
   **Explode:** false  
   **Schema:**  
     **Type:** string  
     **Format:** leafref

**Responses:**

'200':  
   **Description:** OK  
   **Content:** {}

**security:**  
 - **basicAuth:** []

**head:****Tags:**

- data  
 - head

**Operation ID:**

data\_cring\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_head

**Parameters:**

- **Name:** subscriber-name  
   **In:** path  
   **Required/Optional:** true  
   **Style:** simple  
   **Explode:** false  
   **Schema:**  
     **Type:** string  
     **Format:** string  
 - **Name:** event-event-name  
   **In:** path

**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** session-activate  
  **enum:**  
    - session-activate

- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** aaa-aaa-option  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** authenticate  
  **enum:**  
    - authenticate  
    - authorize

- **Name:** aaa-profile  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** leafref

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
    - config  
    - nonconfig  
    - all

- **Name:** depth  
**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_patch

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
    - Type:** string
    - Format:** string
  - **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** session-activate
    - enum:**
      - session-activate
  - **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
    - Type:** string
    - Format:** string
  - **Name:** aaa-aaa-option  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** authenticate
    - enum:**
      - authenticate
      - authorize
  - **Name:** aaa-profile  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
    - Type:** string
    - Format:** leafref
- Request Body:**  
**Content:**

```

    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile'

    Required/Optional: true

  Responses:
    '204':
      Description: list aaa updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: aaa
?
/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/aaa={aaa-aaa-option}, {aaa-profile}/aaa-option
: get:

  Tags:
  - data
  - get
  Operation ID:
data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_aaa-option_get

  Parameters:
  - Name: subscriber-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: event-event-name
    In: path
    Required/Optional: true
    Style: simple

```

**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** session-activate  
  **enum:**  
    - session-activate

- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** aaa-aaa-option  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** authenticate  
  **enum:**  
    - authenticate  
    - authorize

- **Name:** aaa-profile  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** leafref

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
    - config  
    - nonconfig  
    - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false

```

Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

```

**Responses:**

```

'200':
Description: OK
Content:
  application/yang-data+json:
  Schema:
  Reference:

```

```

'#/components/schemas/data-cnbng-cp-profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-qtion_aaa-profile_aaa-qtion'

```

```

'204':
Description: No Content
Content: {}
'400':
Description: Bad Request

```



```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

```

**Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_aaa\_option\_put

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** session-activate  
**enum:**  
  - session-activate
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** aaa-aaa-option

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** authenticate  
**enum:**  
 - authenticate  
 - authorize

- **Name:** aaa-profile

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

**Type:** string  
**Format:** leafref

**Request Body:**

**Content:**  
 application/yang-data+json:  
**Schema:**

**Reference:**

'#/components/schemas/data-cnbng-cp:profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_aaa\_aaa-aaa-option\_aaa-profile\_aaa-option'

**Required/Optional:** true

**Responses:**

'201':  
**Description:** leaf aaa-option created or replaced  
**Content:** {}  
 '204':  
**Description:** No Content  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':  
**Description:** Not Found  
**Content:** {}  
 '405':  
**Description:** Method Not Allowed  
**Content:** {}  
 '409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** aaa-option  
**delete:**

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_aaa\_option\_delete

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** session-activate
  - enum:**
    - session-activate
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** aaa-aaa-option  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** authenticate
  - enum:**
    - authenticate
    - authorize
- **Name:** aaa-profile  
**In:** path  
**Required/Optional:** true

**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** leafref

**Responses:**

**'204':**  
  **Description:** No Content  
  **Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Operation ID:**

data\_cring\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_aaa\_option\_options

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** session-activate  
  **enum:**  
  - session-activate
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** aaa-aaa-option  
**In:** path  
**Required/Optional:** true  
**Style:** simple

```

Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: authenticate
  enum:
    - authenticate
    - authorize
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
  - data
  - head
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_aaa_option_head

```

```

Parameters:
- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: class-class-name

```

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: aaa-aaa-option
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: authenticate
  enum:
    - authenticate
    - authorize
- Name: aaa-profile
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: leafref
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query

```

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_aaa\_option\_patch

**Parameters:**

- **Name:** subscriber-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

```

    Type: string
    Format: string
  - Name: event-event-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      Default: session-activate
      enum:
        - session-activate
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: aaa-aaa-option
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      Default: authenticate
      enum:
        - authenticate
        - authorize
  - Name: aaa-profile
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: leafref

```

**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

```

'#/components/schemas/data-cnbng-cp:profile_subscriber={subscriber-name}_event={event-event-name}_class={class-class-name}_aaa-aaa-option_aaa-profile_aaa-option'

```

**Required/Optional: true****Responses:****'204':****Description:** leaf aaa-option updated



```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: aaa-option
?
/data/cnbng-cp:profile/subscriber={subscriber-name}/event={event-event-name}/class={class-class-name}/aaa={aaa-aaa-option}, {aaa-profile}/profile
: get:

Tags:
- data
- get

Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_get

```

**Parameters:**

- **Name:** subscriber-name  
In: path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** event-event-name  
In: path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** session-activate  
  **enum:**  
    - session-activate
- **Name:** class-class-name  
In: path  
**Required/Optional:** true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: authenticate
    enum:
      - authenticate
      - authorize
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false

```

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:

```

```

'#/components/schemas/data-cnbng-cp:profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-qtion_aaa-profile_profile'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed

```

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []

```

put:

**Tags:**

```

- data
- put

```

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_profile\_put

**Parameters:**

```

- Name: subscriber-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: event-event-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: session-activate
    enum:
      - session-activate
- Name: class-class-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: aaa-aaa-option
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: authenticate
    enum:

```

```

    - authenticate
    - authorize
- Name: aaa-profile
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: leafref
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber_name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile'

      Required/Optional: true

Responses:
  '201':
    Description: leaf profile created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: profile
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_subscriber_subscriber_name_event_event_event_name_class_class_class_name_aaa_aaa_aaa_option_aaa_profile_profile_delete

Parameters:

```

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** session-activate
  - enum:**
    - session-activate
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** aaa-aaa-option  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** authenticate
  - enum:**
    - authenticate
    - authorize
- **Name:** aaa-profile  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** leafref

**Responses:**

'204':

**Description:** No Content**Content:** {}

**security:**  
 - **basicAuth:** []  
**options:**

**Tags:**  
 - data  
 - options

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_profile\_options

**Parameters:**

- **Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** session-activate  
**enum:**  
 - session-activate
- **Name:** class-class-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** aaa-aaa-option  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** authenticate  
**enum:**  
 - authenticate  
 - authorize
- **Name:** aaa-profile  
**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** leafref

**Responses:**

**'200':**

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data

- head

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_profile\_head

**Parameters:**

- **Name:** subscriber-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** event-event-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** session-activate

**enum:**

- session-activate

- **Name:** class-class-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** aaa-aaa-option

**In:** path

**Required/Optional:** true



**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** authenticate  
  **enum:**  
    - authenticate  
    - authorize

- **Name:** aaa-profile  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** leafref

- **Name:** content  
  **In:** query  
  **Description:** controlling descendant nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
      - config  
      - nonconfig  
      - all

- **Name:** depth  
  **In:** query  
  **Description:** limit the depth of nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** integer  
    **Format:** uint16

- **Name:** fields  
  **In:** query  
  **Description:** optionally identify specific data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** filter  
  **In:** query  
  **Description:** xpath expression to filter data nodes in response

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
   **Description:** OK  
   **Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_subscriber\_subscriber\_name\_event\_event\_event\_name\_class\_class\_class\_name\_aaa\_aaa\_aaa\_option\_aaa\_profile\_profile\_patch

**Parameters:**

**- Name:** subscriber-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** event-event-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** enumeration

```

    Default: session-activate
    enum:
      - session-activate
  - Name: class-class-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: aaa-aaa-option
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: enumeration
      Default: authenticate
      enum:
        - authenticate
        - authorize
  - Name: aaa-profile
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: leafref

```

**Request Body:**

```

Content:
  application/yang-data+json:
    Schema:

```

**Reference:**

```

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile'

```

```

Required/Optional: true

```

**Responses:**

```

'204':
  Description: leaf profile updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}

```

```

    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: profile

```

## /data/cnbng-cp:profile/feature-template

### options:

```

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_feature_template_options

  Responses:
    '200':
      Description: OK
      Content: {}
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}

### get:

```

  Tags:
  - data
  - get
  Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_get

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true

```

**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**  
'200':

```

    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name'
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng-cp_profile_feature_template_feature_template_name_put

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: insert
    In: query
    Description: controlling the order when adding new list elements
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: first

```

```
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name'
      Required/Optional: true

  Responses:
    '201':
      Description: list feature-template created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: feature-template
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_delete
```

**Parameters:**

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

- '204':
  - Description:** No Content
  - Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_options

**Parameters:**

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_head

**Parameters:**

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**



- Type:** string
  - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration

**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_patch

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:****Content:**

**application/yang-data+json:**

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name'

**Required/Optional:** true

**Responses:**

**'204':**  
**Description:** list feature-template updated  
**Content:** {}

**'400':**  
**Description:** Bad Request  
**Content:** {}

**'401':**  
**Description:** Unauthorized  
**Content:** {}

**'404':**  
**Description:** Not Found  
**Content:** {}

**'405':**  
**Description:** Method Not Allowed  
**Content:** {}

**'409':**

**Description:** Conflict  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**x-codegen-request-body-name:** feature-template

## /data/cnbng-cp:profile/feature-template={feature-template-name}/na me

get:

**Tags:**  
 - data  
 - get  
**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_name\_get

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**
  - config
  - nonconfig
  - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false

**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
   **Description:** OK  
   **Content:**  
     **application/yang-data+json:**  
       **Schema:**  
         **Reference:**  
         '#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_name'  
**'204':**  
   **Description:** No Content  
   **Content:** {}  
**'400':**  
   **Description:** Bad Request  
   **Content:** {}  
**'401':**  
   **Description:** Unauthorized  
   **Content:** {}  
**'404':**  
   **Description:** Not Found  
   **Content:** {}  
**'405':**  
   **Description:** Method Not Allowed  
   **Content:** {}

```
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_name_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_name'
    Required/Optional: true

Responses:
'201':
  Description: leaf name created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
```

**x-codegen-request-body-name:** name  
**delete:**

**Tags:**  
 - data  
 - delete

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_name\_delete

**Parameters:**  
 - **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**  
 '204':  
**Description:** No Content  
**Content:** {}

**security:**  
 - **basicAuth:** []

**options:**

**Tags:**  
 - data  
 - options

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_name\_options

**Parameters:**  
 - **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**  
 '200':  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []

**head:**

**Tags:**  
 - data  
 - head

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_name\_head

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_name\_patch

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_name'

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf name updated

**Content:** {}

'400':

**Description:** Bad Request



```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: name

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/vr f-name

get:

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_vrf\_name\_get

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query

**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
 Type: integer  
 Format: uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
 Type: string  
 Format: string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
 Type: string  
 Format: string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
 Type: string  
 Format: enumeration  
 Default: report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_vrf-name'

**'204':**  
**Description:** No Content  
**Content:** {}

```

    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_vrf_name_put

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_vrf-name'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf vrf-name created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}

```

```

    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: vrf-name
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_vrf_name_delete

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_vrf_name_options

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:

```

**Type:** string  
**Format:** string

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_vrf\_name\_head

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config  
- nonconfig  
- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
   **Description:** OK  
   **Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_vrf\_name\_patch

**Parameters:**

**- Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string

```

Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_vrf-name'

      Required/Optional: true

Responses:
  '204':
    Description: leaf vrf-name updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: vrf-name

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ip v4

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_get

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content

```

- In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
 - config  
 - nonconfig  
 - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all



- trim
- explicit
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ipv4'

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_put**Parameters:**

- **Name:** feature-template-name

**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

```

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4'
  Required/Optional: true

  Responses:
    '201':
      Description: container ipv4 created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ipv4
Method: Post

  Tags:
  - data
  - post
Operation ID: data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_post

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4-post'

    Required/Optional: true

```

```
Responses:
  '201':
    Description: container ipv4 created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ipv4
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_delete

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
```

- data
- options

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_options

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

- security:**
- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_head

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**
  - config
  - nonconfig
  - all
- **Name:** depth  
**In:** query

**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_patch

```

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv4'
    Required/Optional: true

Responses:
'204':
  Description: container ipv4 updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ipv4

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ip v4/mtu

get:

Tags:

- data
- get

Operation ID: data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_mtu\_get

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv4\_mtu'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_mtu\_put

**Parameters:**

- **Name:** feature-template-name
- In:** path



```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv4_mtu'

Required/Optional: true

Responses:
  '201':
    Description: leaf mtu created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: mtu
delete:

Tags:
  - data
  - delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_mtu_delete

Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple

```

```
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '204':
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_mtu_options

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_mtu_head

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
```

**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit

- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data

- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_mtu\_patch

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv4\_mtu'

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf mtu updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

```

security:
- basicAuth: []
x-codegen-request-body-name: mtu

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ip v4/ingress-acl

get:

**Tags:**

```

- data
- get

```

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_ingress\_acl\_get

**Parameters:**

```

- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false

```

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_ingress-acl'
```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed

```

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_ingress_acl_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv4_ingress-acl'

Required/Optional: true

Responses:
'201':
  Description: leaf ingress-acl created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict

```

```

    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ingress-acl
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_ingress_acl_delete

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_ingress_acl_options

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

```



**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_ingress\_acl\_head

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true

```

    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

  Responses:
    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_ingress_acl_patch

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv4_ingress-acl'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf ingress-acl updated

```

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ingress-acl

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ip v4/egress-acl

get:

```

  Tags:
  - data
  - get
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_egress_acl_get

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: config

```

```

    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:

```

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_egress-acl'
```

```
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
```

**security:**

```
- basicAuth: []
```

**put:****Tags:**

```
- data
- put
```

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_egress_acl_put
```

**Parameters:**

```
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

**Request Body:**

```
Content:
  application/yang-data+json:
    Schema:
```

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_egress-acl'
```

```
Required/Optional: true
```

**Responses:**

```
'201':
  Description: leaf egress-acl created or replaced
  Content: {}
```

```

    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: egress-acl
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_egress_acl_delete

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '204':
      Description: No Content
      Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_egress_acl_options

  Parameters:

```

```
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_egress_acl_head

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
```

```

    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []

```

**patch:****Tags:**

```

- data
- patch

```

**Operation ID:**

```

data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_egress_acl_patch

```

**Parameters:**

```

- Name: feature-template-name
  In: path

```



```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv4_egress-acl'

Required/Optional: true

Responses:
  '204':
    Description: leaf egress-acl updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: egress-acl

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ip v4/disable-unreachables

```

get:

Tags:
  - data
  - get
Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_disable_unreachables_get

Parameters:
  - Name: feature-template-name

```

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false

```

**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ipv4\_disable-unreachables'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
 - put

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_disable\_unreachables\_put

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple

```

    Explode: false
    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_disable-unreachables'

      Required/Optional: true

    Responses:
      '201':
        Description: leaf disable-unreachables created or replaced
        Content: {}
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: disable-unreachables
  delete:

    Tags:
      - data
      - delete
    Operation ID:
      data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_disable_unreachables_delete

    Parameters:
      - Name: feature-template-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false

```

**Schema:**

**Type:** string  
**Format:** string

**Responses:****'204':**

**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_disable\_unreachables\_options

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Responses:****'200':**

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_disable\_unreachables\_head

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

```

In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all

```

- trim
- explicit
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_disable\_unreachables\_patch

**Parameters:**

- **Name:** feature-template-name

**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ipv4\_disable-unreachables'

**Required/Optional:** true**Responses:****'204':****Description:** leaf disable-unreachables updated**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':**

**Description:** Conflict  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**x-codegen-request-body-name:** disable-unreachables

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ip v4/verify-unicast-source

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_verify\_unicast\_source\_get

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields



**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv4\_verify-unicast-source'

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found

```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source'

Required/Optional: true

Responses:
  '201':
    Description: container verify-unicast-source created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':

```

```

    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: verify-unicast-source
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_post

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_post'

Required/Optional: true

Responses:
'201':
  Description: container verify-unicast-source created
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed

```

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: verify-unicast-source
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_delete

```

```

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

```

Responses:
'204':
  Description: No Content
  Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_options

```

```

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

```

Responses:
'200':
  Description: OK

```

```
    Content: {}
  security:
  - basicAuth: []
head:
```

**Tags:**

- data
- head

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_head
```

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string

- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:****'200':****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_verify\_unicast\_source\_patch

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source'
```

**Required/Optional:** true

**Responses:**

'204':

**Description:** container verify-unicast-source updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** verify-unicast-source

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ip v4/verify-unicast-source/reachable-via-rx

**get:**

**Tags:**

- data

- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_verify\_unicast\_source\_reachable\_via\_rx\_get

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```



**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ipv4\_verify-unicast-source\_reachable-via-rx'

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:****- basicAuth:** []**put:****Tags:**

- data

- put

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_verify\_unicast\_source\_reachable\_via\_rx\_put

**Parameters:****- Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source_reachable-via-rx'
```

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf reachable-via-rx created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** reachable-via-rx

**delete:**

**Tags:**

- data  
- delete

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_ipv4_verify_unicast_source_reachable_via_rx_delete
```

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []  
**options:**

**Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_verify\_unicast\_source\_reachable\_via\_rx\_options

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_verify\_unicast\_source\_reachable\_via\_rx\_head

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config

```

    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []

```

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv4\_verify\_unicast\_source\_reachable\_via\_rx\_patch

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:****Content:**

**application/yang-data+json:**

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ipv4\_verify-unicast-source\_reachable-via-rx'

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf reachable-via-rx updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** reachable-via-rx

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ip v6

get:

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_get

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config
- nonconfig
- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter

**In:** query

```
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:
```

**Tags:**

- data
- put

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_put

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:****Content:**

**application/yang-data+json:**

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ipv6'

**Required/Optional:** true

**Responses:**

'201':

**Description:** container ipv6 created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** ipv6

**Method:** Post

**Tags:**

- data
- post

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_post



```
Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6-post'

    Required/Optional: true

Responses:
'201':
  Description: container ipv6 created
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ipv6
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_delete
```

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**

'204':  
  **Description:** No Content  
  **Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_options

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**

'200':  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_head

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false

```
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
```

**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_patch

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ipv6'  
**Required/Optional:** true

**Responses:**

**'204':**  
**Description:** container ipv6 updated  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ipv6

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ip v6/mtu

get:

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_mtu\_get

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all

- trim

- explicit

- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv6\_mtu'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

```

    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_mtu_put

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv6_mtu'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf mtu created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}

```

```

    '409':
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: mtu
  delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_mtu_delete

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_mtu_options

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []

```



**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_mtu\_head

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false

**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**  
   '200':  
     **Description:** OK  
     **Content:** {}

**security:**  
   - **basicAuth:** []

**patch:**

**Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_mtu\_patch

**Parameters:**

**- Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false

**Schema:**  
   **Type:** string  
   **Format:** string

**Request Body:**

**Content:**  
   **application/yang-data+json:**

**Schema:**  
     **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv6\_mtu'

**Required/Optional:** true

**Responses:**

```

'204':
  Description: leaf mtu updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: mtu

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ip v6/ingress-acl

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_ingress\_acl\_get

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string

```

    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:

```

```

    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv6_ingress-acl'

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_ingress_acl_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
    Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv6_ingress-acl'

  Required/Optional: true

Responses:
'201':

```

```

    Description: leaf ingress-acl created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ingress-acl
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_ingress_acl_delete

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:

```

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_ingress\_acl\_options

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}
  - security:**
    - **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_ingress\_acl\_head

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form

```

Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []

```

**patch:****Tags:**

```

- data
- patch

```

**Operation ID:**

```

data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_ingress_acl_patch

```

**Parameters:**



```

- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv6_ingress-acl'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf ingress-acl updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: ingress-acl

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ip v6/egress-acl

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_egress\_acl\_get

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv6\_egress-acl'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_egress\_acl\_put

**Parameters:**

- **Name:** feature-template-name
- In:** path

```

    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_egress-acl'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf egress-acl created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: egress-acl
delete:

  Tags:
    - data
    - delete
  Operation ID:
    data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_egress_acl_delete

  Parameters:
    - Name: feature-template-name
      In: path
      Required/Optional: true
      Style: simple

```

```
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_egress_acl_options

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_egress_acl_head

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
```

**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** config  
   **enum:**  
     - config  
     - nonconfig  
     - all

**- Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** integer  
   **Format:** uint16

**- Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string

**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string

**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit

- report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_egress\_acl\_patch

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ipv6\_egress-acl'

**Required/Optional:** true

**Responses:**

'204':  
**Description:** leaf egress-acl updated  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

'409':  
**Description:** Conflict  
**Content:** {}

```

security:
- basicAuth: []
x-codegen-request-body-name: egress-acl

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ip v6/disable-unreachables

get:

**Tags:**

```

- data
- get

```

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_disable\_unreachables\_get

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

```

- config
- nonconfig
- all

```

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false



```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_disable-unreachables'
```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed

```

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_disable_unreachables_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_disable-unreachables'

Required/Optional: true

Responses:
'201':
  Description: leaf disable-unreachables created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict

```

```
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: disable-unreachables
delete:
```

```
Tags:
- data
- delete
```

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_disable_unreachables_delete
```

**Parameters:**

```
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

**Responses:**

```
'204':
  Description: No Content
  Content: {}
```

```
security:
- basicAuth: []
```

**options:**

```
Tags:
- data
- options
```

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_disable_unreachables_options
```

**Parameters:**

```
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

**Responses:**

```
'200':
  Description: OK
  Content: {}
```

```
security:
- basicAuth: []
```

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_disable\_unreachables\_head

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_disable_unreachables_patch

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ipv6_disable-unreachables'

Required/Optional: true

```

**Responses:**

```

'204':
  Description: leaf disable-unreachables updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: disable-unreachables

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ip v6/verify-unicast-source

**get:****Tags:**

```
- data
- get
```

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_get
```

**Parameters:**

```

- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```

**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**  
'200':

```

    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source'

    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_put

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source'

    Required/Optional: true

```



**Responses:**

```

'201':
  Description: container verify-unicast-source created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

**security:**

```
- basicAuth: []
```

```
x-codegen-request-body-name: verify-unicast-source
```

```
Method: Post
```

**Tags:**

```
- data
- post
```

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_post
```

**Parameters:**

```
- Name: feature-template-name
```

```
In: path
```

```
Required/Optional: true
```

```
Style: simple
```

```
Explode: false
```

**Schema:**

```
Type: string
```

```
Format: string
```

**Request Body:**

```
Content:
```

```
application/yang-data+json:
```

```
Schema:
```

```
Reference:
```

```
'#/components/schemas/data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_post'
```

```
Required/Optional: true
```

**Responses:**

```

    '201':
      Description: container verify-unicast-source created
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: verify-unicast-source
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ipv6_verify_unicast_source_delete

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '204':
      Description: No Content
      Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data

```

- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_verify\_unicast\_source\_options

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_verify\_unicast\_source\_head

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth

**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** integer  
    **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** report-all  
    **enum:**  
    - report-all  
    - trim  
    - explicit  
    - report-all-tagged

**Responses:**  
    '200':  
        **Description:** OK  
        **Content:** {}  
**security:**  
    - **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_verify\_unicast\_source\_patch

**Parameters:**- **Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ipv6\_verify-unicast-source'

**Required/Optional:** true**Responses:**

'204':

**Description:** container verify-unicast-source updated**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**x-codegen-request-body-name:** verify-unicast-source

## /data/cnbng-cp:profile/feature-template={feature-template-name}/ip v6/verify-unicast-source/reachable-via-rx

**get:****Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_verify\_unicast\_source\_reachable\_via\_rx\_get

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true

```

Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source_reachable-via-rx'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put

```

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_verify\_unicast\_source\_reachable\_via\_rx\_put

**Parameters:**- **Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ipv6\_verify-unicast-source\_reachable-via-rx'

**Required/Optional:** true**Responses:**

'201':

**Description:** leaf reachable-via-rx created or replaced**Content:** {}

'204':

**Description:** No Content**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**x-codegen-request-body-name:** reachable-via-rx**delete:****Tags:**

- data

- delete

**Operation ID:**



data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_verify\_unicast\_source\_reachable\_via\_rx\_delete

**Parameters:**

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

- '204':
  - Description:** No Content
  - Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_verify\_unicast\_source\_reachable\_via\_rx\_options

**Parameters:**

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_verify\_unicast\_source\_reachable\_via\_rx\_head

**Parameters:**

- **Name:** feature-template-name

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
    - config  
    - nonconfig  
    - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false

**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**  
**'200':**  
**Description:** OK  
**Content:** {}  
**security:**  
- **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ipv6\_verify\_unicast\_source\_reachable\_via\_rx\_patch

**Parameters:**  
- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**  
**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ipv6\_verify-unicast-source\_reachable-via-rx'

**Required/Optional:** true

**Responses:**  
**'204':**  
**Description:** leaf reachable-via-rx updated  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: reachable-via-rx

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/htpr-policy

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_httpr\_policy\_get

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
    - config  
    - nonconfig  
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form

**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**
  - report-all
  - trim
  - explicit
  - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
  **application/yang-data+json:**  
  **Schema:**  
  **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_http-policy'

**'204':**  
**Description:** No Content  
**Content:** {}

**'400':**  
**Description:** Bad Request  
**Content:** {}

```

    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_http_policy_put

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_http-policy'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf http-policy created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}

```

```
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: http-pr-policy
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_http_policy_delete

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_http_policy_options

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_http\_policy\_head

**Parameters:****- Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:**

- config
- nonconfig
- all

**- Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**



```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_http_policy_patch

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:

```

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_http-policy'
```

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf http-policy updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** http-policy

**/data/cnbng-cp:profile/feature-template={feature-template-name}/qos****get:****Tags:**

- data  
- get

**Operation ID:** data\_cnbng-cp\_profile\_feature\_template\_feature\_template\_name\_qos\_get

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_qos'

'204':  
**Description:** No Content  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':  
**Description:** Not Found  
**Content:** {}  
 '405':  
**Description:** Method Not Allowed  
**Content:** {}  
 '409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
 - put

**Operation ID:** data\_cnbng-cp\_profile\_feature\_template\_feature\_template\_name\_qos\_put

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_qos'

**Required/Optional:** true

**Responses:**

```

'201':
  Description: container qos created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: qos
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_qos_post

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_qos-post'

Required/Optional: true

Responses:
'201':
  Description: container qos created
  Content: {}

```

```

    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: qos
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_qos_delete

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_qos_options

Parameters:

```

```
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_qos_head

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
```

```

    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_qos_patch

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true

```



```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_qos'
        Required/Optional: true

Responses:
  '204':
    Description: container qos updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: qos

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/qos/in-policy

```

get:

Tags:
  - data
  - get
Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_qos_in_policy_get

Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple

```

```

Explode: false
Schema:
  Type: string
  Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:

```

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_qos\_in-policy'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**  
 - **basicAuth:** []

**put:**

**Tags:**  
 - data  
 - put

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_qos\_in\_policy\_put

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string

```

    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_qos_in-policy'

  Required/Optional: true

Responses:
  '201':
    Description: leaf in-policy created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: in-policy
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_in_policy_delete

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Responses:**  
  '204':  
    **Description:** No Content  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []  
**options:**

**Tags:**  
- data  
- options

**Operation ID:**  
data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_qos\_in\_policy\_options

**Parameters:**  
- **Name:** feature-template-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []  
**head:**

**Tags:**  
- data  
- head

**Operation ID:**  
data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_qos\_in\_policy\_head

**Parameters:**  
- **Name:** feature-template-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string  
- **Name:** content  
  **In:** query  
  **Description:** controlling descendant nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**

```

    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK

```

```

    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_in_policy_patch

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_qos_in-policy'

Required/Optional: true

Responses:
'204':
  Description: leaf in-policy updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: in-policy

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/qos/out-policy

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_qos\_out\_policy\_get

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string



```

    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_qos_out-policy'

'204':
  Description: No Content
  Content: {}

'400':
  Description: Bad Request
  Content: {}

'401':
  Description: Unauthorized
  Content: {}

'404':
  Description: Not Found
  Content: {}

'405':
  Description: Method Not Allowed
  Content: {}

'409':
  Description: Conflict
  Content: {}

```

```

    security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_qos_out_policy_put

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_qos_out-policy'

    Required/Optional: true

  Responses:
  '201':
    Description: leaf out-policy created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: out-policy

```

**delete:****Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_qos\_out\_policy\_delete

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string

**Responses:**

'204':

**Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_qos\_out\_policy\_options

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string

**Responses:**

'200':

**Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_qos\_out\_policy\_head

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** with-defaults

**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**patch:**

**Tags:**  
  - data  
  - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_qos\_out\_policy\_patch

**Parameters:**  
  - **Name:** feature-template-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
  **Type:** string  
  **Format:** string

**Request Body:**  
  **Content:**  
  **application/yang-data+json:**  
  **Schema:**  
  **Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_qos\_out-policy'

**Required/Optional:** true

**Responses:**  
  '204':  
    **Description:** leaf out-policy updated  
    **Content:** {}  
  '400':  
    **Description:** Bad Request  
    **Content:** {}

```

'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: out-policy

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/qos/merge-level

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_qos\_merge\_level\_get

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config
- nonconfig
- all

- **Name:** depth

**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** integer  
   **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
   - report-all  
   - trim  
   - explicit  
   - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
   **application/yang-data+json:**  
     **Schema:**  
       **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_qos\_merge-level'

**'204':**  
**Description:** No Content

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_qos_merge_level_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_qos_merge-level'

Required/Optional: true

Responses:
  '201':
    Description: leaf merge-level created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request

```



```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: merge-level
delete:

```

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_qos\_merge\_level\_delete

**Parameters:**

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

- '204':
  - Description:** No Content
  - Content:** {}

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_qos\_merge\_level\_options

**Parameters:**

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false

**Schema:**

**Type:** string  
**Format:** string

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_qos\_merge\_level\_head

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config  
- nonconfig  
- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**  
   '200':  
     **Description:** OK  
     **Content:** {}

**security:**  
   - **basicAuth:** []

**patch:**

**Tags:**  
   - data  
   - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_qos\_merge\_level\_patch

**Parameters:**

**- Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string

```

    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_qos_merge-level'

  Required/Optional: true

Responses:
  '204':
    Description: leaf merge-level updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: merge-level

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/session-accounting

```

get:

  Tags:
  - data
  - get
  Operation ID:
    data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_get

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:

```

- Type:** string
  - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration

**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
 Schema:  
 Reference:

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_session-accounting'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**  
 - **basicAuth:** []

**put:**

**Tags:**  
 - data  
 - put

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_put

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

```

Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting'

Required/Optional: true

Responses:
  '201':
    Description: container session-accounting created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: session-accounting
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_post

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:

```

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_session-accounting-post'
```

**Required/Optional:** true

**Responses:**

'201':

**Description:** container session-accounting created

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** session-accounting

**delete:****Tags:**

- data  
- delete

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_delete
```

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Responses:**

'204':

**Description:** No Content

**Content:** {}



```
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_options

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_head

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
```

- config
- nonconfig
- all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':

**Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_patch

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_session-accounting'

**Required/Optional:** true

**Responses:**

'204':

**Description:** container session-accounting updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** session-accounting

## /data/cnbng-cp:profile/feature-template={feature-template-name}/session-accounting/enable

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_enable\_get

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string

```

    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_session-accounting_enable'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

```

    security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_enable_put

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_enable'

    Required/Optional: true

  Responses:
  '201':
    Description: leaf enable created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: enable

```

**delete:****Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_enable\_delete

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string

**Responses:**

'204':

**Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_enable\_options

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string

**Responses:**

'200':

**Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_enable\_head

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string



**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

**'200':**

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_enable\_patch

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_session-accounting\_enable'

**Required/Optional:** true

**Responses:**

**'204':**

**Description:** leaf enable updated

**Content:** {}

```

'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: enable

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/session-accounting/aaa-profile

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_aaa\_profile\_get

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

```
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
```

**Responses:**

'200':

**Description:** OK

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_aaa-profile'
```

```
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
```

**security:**

```
- basicAuth: []
```

**put:****Tags:**

```
- data
- put
```

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_aaa_profile_put
```

**Parameters:**

```
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

**Request Body:**

```
Content:
  application/yang-data+json:
    Schema:
```

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_aaa-profile'
```

```
Required/Optional: true
```

**Responses:**

```
'201':
  Description: leaf aaa-profile created or replaced
  Content: {}
```

```

    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: aaa-profile
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_aaa_profile_delete

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_aaa_profile_options

```

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string

**Responses:**

- '200':  
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_aaa\_profile\_head

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form

```

Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_aaa_profile_patch

Parameters:

```

```

- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_aaa-profile'

    Required/Optional: true

Responses:
  '204':
    Description: leaf aaa-profile updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: aaa-profile

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/session-accounting/periodic-interval

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_periodic\_interval\_get



**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_session-accounting\_periodic-interval'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_periodic\_interval\_put

**Parameters:**

```

- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_session-accounting_periodic-interval'

    Required/Optional: true

Responses:
  '201':
    Description: leaf periodic-interval created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: periodic-interval
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_periodic_interval_delete

Parameters:
- Name: feature-template-name

```

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**  
  **'204':**  
    **Description:** No Content  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**options:**

**Tags:**  
- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_periodic\_interval\_options

**Parameters:**  
- **Name:** feature-template-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string

**Responses:**  
  **'200':**  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_periodic\_interval\_head

**Parameters:**  
- **Name:** feature-template-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false

**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** content  
  **In:** query  
  **Description:** controlling descendant nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
      - config  
      - nonconfig  
      - all
- **Name:** depth  
  **In:** query  
  **Description:** limit the depth of nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** integer  
    **Format:** uint16
- **Name:** fields  
  **In:** query  
  **Description:** optionally identify specific data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** filter  
  **In:** query  
  **Description:** xpath expression to filter data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** with-defaults  
  **In:** query  
  **Description:** controlling default values in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string

**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_periodic\_interval\_patch

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_session-accounting\_periodic-interval'

**Required/Optional:** true

**Responses:**

**'204':**  
**Description:** leaf periodic-interval updated  
**Content:** {}

**'400':**  
**Description:** Bad Request  
**Content:** {}

**'401':**  
**Description:** Unauthorized  
**Content:** {}

**'404':**  
**Description:** Not Found  
**Content:** {}

```

'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: periodic-interval

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/session-accounting/dual-stack-delay

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_dual\_stack\_delay\_get

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true

**Schema:****Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** report-all**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_session-accounting\_dual-stack-delay'

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':**



```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

```

**Tags:**

```

- data
- put

```

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_dual\_stack\_delay\_put

**Parameters:**

```

- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Request Body:**

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_session-accounting\_dual-stack-delay'

```

Required/Optional: true

```

**Responses:**

```

'201':
  Description: leaf dual-stack-delay created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}

```

```

    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: dual-stack-delay
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_dual_stack_delay_delete

```

```

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '204':
      Description: No Content
      Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_session_accounting_dual_stack_delay_options

```

```

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string

```

**Format:** string

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_dual\_stack\_delay\_head

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config  
- nonconfig  
- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
   **Description:** OK  
   **Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_session\_accounting\_dual\_stack\_delay\_patch

**Parameters:**

**- Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string

```

Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_session-accounting_dual-stack-delay'

      Required/Optional: true

Responses:
  '204':
    Description: leaf dual-stack-delay updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: dual-stack-delay

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/service-accounting

```

get:

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_get

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

- Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all

```

enum:
- report-all
- trim
- explicit
- report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting'
```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

```

security:
- basicAuth: []

```

**put:**

```

Tags:
- data
- put

```

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_put
```

**Parameters:**

```

- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Request Body:**

```
Content:
```

```

    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_service-accounting'

    Required/Optional: true

Responses:
  '201':
    Description: container service-accounting created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: service-accounting
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_post

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:

```



**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting-post'
```

**Required/Optional:** true

**Responses:**

'201':

**Description:** container service-accounting created

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** service-accounting

**delete:****Tags:**

- data  
- delete

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_delete
```

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []  
**options:**

**Tags:**

- data  
 - options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_service\_accounting\_options

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
 - head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_service\_accounting\_head

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
 - config

```

    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

```

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_service\_accounting\_patch

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_service-accounting'

**Required/Optional:** true

**Responses:**

'204':

**Description:** container service-accounting updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** service-accounting

## /data/cnbng-cp:profile/feature-template={feature-template-name}/service-accounting/enable

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_service\_accounting\_enable\_get

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form

```

    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_enable'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:
  - data

```

```

- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_enable_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature_template_feature_template_name_service-accounting_enable'

    Required/Optional: true

Responses:
'201':
  Description: leaf enable created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: enable
delete:

Tags:
- data
- delete
Operation ID:

```

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_service\_accounting\_enable\_delete

**Parameters:**

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

'204':

- Description:** No Content
- Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_service\_accounting\_enable\_options

**Parameters:**

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

'200':

- Description:** OK
- Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_service\_accounting\_enable\_head

**Parameters:**

- **Name:** feature-template-name



**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false

**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**  
   '200':  
     **Description:** OK  
     **Content:** {}  
   **security:**  
     - **basicAuth:** []

**patch:**

**Tags:**  
   - data  
   - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_service\_accounting\_enable\_patch

**Parameters:**  
   - **Name:** feature-template-name  
     **In:** path  
     **Required/Optional:** true  
     **Style:** simple  
     **Explode:** false  
     **Schema:**  
       **Type:** string  
       **Format:** string

**Request Body:**

**Content:**  
   **application/yang-data+json:**  
     **Schema:**  
       **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_service-accounting\_enable'

**Required/Optional:** true

**Responses:**  
   '204':  
     **Description:** leaf enable updated  
     **Content:** {}  
   '400':  
     **Description:** Bad Request  
     **Content:** {}  
   '401':  
     **Description:** Unauthorized

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: enable

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/service-accounting/aaa-profile

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_service\_accounting\_aaa\_profile\_get

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query

**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** integer  
     **Format:** uint16  
**- Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** enumeration  
     **Default:** report-all  
     **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
     **application/yang-data+json:**  
         **Schema:**  
             **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_service-accounting\_aaa-profile'

**'204':**  
**Description:** No Content  
**Content:** {}

```

    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_aaa_profile_put

```

```

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_aaa_profile'

    Required/Optional: true

```

```

Responses:
'201':
  Description: leaf aaa-profile created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request

```

```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: aaa-profile
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_aaa_profile_delete

```

```

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_aaa_profile_options

```

```

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true

```

**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_service\_accounting\_aaa\_profile\_head

**Parameters:**

- **Name:** feature-template-name  
    **In:** path  
    **Required/Optional:** true  
    **Style:** simple  
    **Explode:** false  
    **Schema:**  
      **Type:** string  
      **Format:** string
- **Name:** content  
    **In:** query  
    **Description:** controlling descendant nodes in response  
    **Required/Optional:** false  
    **Style:** form  
    **Explode:** true  
    **Schema:**  
      **Type:** string  
      **Format:** enumeration  
      **Default:** config  
      **enum:**  
      - config  
      - nonconfig  
      - all
- **Name:** depth  
    **In:** query  
    **Description:** limit the depth of nodes in response  
    **Required/Optional:** false  
    **Style:** form  
    **Explode:** true  
    **Schema:**  
      **Type:** integer  
      **Format:** uint16

- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_service\_accounting\_aaa\_profile\_patch

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple



```

Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_aaa-profile'

  Required/Optional: true

Responses:
  '204':
    Description: leaf aaa-profile updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: aaa-profile

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/service-accounting/periodic-interval

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_service\_accounting\_periodic\_interval\_get

**Parameters:**

- **Name:** feature-template-name
- In:** path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form

```

**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_service-accounting\_periodic-interval'

'204':  
**Description:** No Content  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':  
**Description:** Not Found  
**Content:** {}  
 '405':  
**Description:** Method Not Allowed  
**Content:** {}  
 '409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
 - put

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_service\_accounting\_periodic\_interval\_put

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple

```

    Explode: false
    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_periodic-interval'

      Required/Optional: true

    Responses:
      '201':
        Description: leaf periodic-interval created or replaced
        Content: {}
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: periodic-interval
  delete:

    Tags:
      - data
      - delete
    Operation ID:
      data_cnbng_cp_profile_feature_template_feature_template_name_service_accounting_periodic_interval_delete

    Parameters:
      - Name: feature-template-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false

```

**Schema:**

**Type:** string  
**Format:** string

**Responses:****'204':**

**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_service\_accounting\_periodic\_interval\_options

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Responses:****'200':**

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_service\_accounting\_periodic\_interval\_head

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

- In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
 - config  
 - nonconfig  
 - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all

- trim
- explicit
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_service\_accounting\_periodic\_interval\_patch

**Parameters:**

- **Name:** feature-template-name

**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_service-accounting-periodic-interval'

**Required/Optional:** true**Responses:****'204':****Description:** leaf periodic-interval updated**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':**

**Description:** Conflict  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**x-codegen-request-body-name:** periodic-interval

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p

**get:**

**Tags:**  
 - data  
 - get  
**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_get

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false



**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
   **Description:** OK  
   **Content:**  
     application/yang-data+json:  
       **Schema:**  
       **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp'

**'204':**  
   **Description:** No Content  
   **Content:** {}  
**'400':**  
   **Description:** Bad Request  
   **Content:** {}  
**'401':**  
   **Description:** Unauthorized  
   **Content:** {}  
**'404':**  
   **Description:** Not Found  
   **Content:** {}  
**'405':**  
   **Description:** Method Not Allowed  
   **Content:** {}

```

    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp'
    Required/Optional: true

Responses:
'201':
  Description: container ppp created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []

```

```
x-codegen-request-body-name: ppp
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_post

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp-post'

  Required/Optional: true

Responses:
'201':
  Description: container ppp created
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ppp
delete:
```

**Tags:**

- data
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_delete**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

- '204':
  - Description:** No Content
  - Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_options**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_head**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

**'200':**

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_patch

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp'

**Required/Optional:** true

**Responses:**

**'204':**

**Description:** container ppp updated

**Content:** {}

**'400':**

**Description:** Bad Request

**Content:** {}

**'401':**

**Description:** Unauthorized

**Content:** {}

```

'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ppp

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/authentication

options:

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_authentication\_options

**Parameters:**

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/authentication={authentication-id}

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_pp\_authentication\_authentication\_id\_get

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** authentication-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** pap
  - enum:**
    - pap
    - chap
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form



```

Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_authentication_authentication-id'
```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}

```

**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**  
 - **basicAuth:** []

**put:**

**Tags:**

- data  
 - put

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_authentication\_authentication\_id\_put

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** authentication-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** pap

**enum:**

- pap  
 - chap

- **Name:** insert

**In:** query

**Description:** controlling the order when adding new list elements

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** first

**enum:**

- first  
 - last  
 - before  
 - after

- **Name:** point

**In:** query

**Description:** used to specify the insertion point

**Required/Optional:** false

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_authentication_authentication-id'

  Required/Optional: true

Responses:
  '201':
    Description: leaf-list authentication created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: authentication
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_authentication_authentication_id_delete

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple

```

**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string  
- **Name:** authentication-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** pap  
  **enum:**  
  - pap  
  - chap

**Responses:**  
  **'204':**  
    **Description:** No Content  
    **Content:** {}  
**security:**  
  - **basicAuth:** []

**options:**

**Tags:**  
- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_authentication\_authentication\_id\_options

**Parameters:**  
- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string  
- **Name:** authentication-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** pap  
  **enum:**  
  - pap  
  - chap

**Responses:**

'200':

**Description:** OK**Content:** {}**security:**- **basicAuth:** []**head:****Tags:**- data  
- head**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_authentication\_authentication\_id\_head

**Parameters:**- **Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** authentication-id**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** enumeration**Default:** pap**enum:**- pap  
- chap- **Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:**- config  
- nonconfig  
- all- **Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false

**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** integer  
   **Format:** uint16  
**- Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

'200':  
   **Description:** OK  
   **Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_authentication\_authentication\_id\_patch

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** authentication-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** pap
  - enum:**
    - pap
    - chap

**Request Body:**

- Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_authentication\_authentication-id'

**Required/Optional:** true

**Responses:**

- '204':  
**Description:** leaf-list authentication updated  
**Content:** {}
- '400':  
**Description:** Bad Request  
**Content:** {}
- '401':  
**Description:** Unauthorized  
**Content:** {}
- '404':  
**Description:** Not Found  
**Content:** {}
- '405':  
**Description:** Method Not Allowed  
**Content:** {}
- '409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** authentication

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/chap

get:

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_chap\_get

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter



**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
   **Description:** OK  
   **Content:**  
     application/yang-data+json:  
       **Schema:**  
       **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_chap'

**'204':**  
   **Description:** No Content  
   **Content:** {}  
**'400':**  
   **Description:** Bad Request  
   **Content:** {}  
**'401':**  
   **Description:** Unauthorized  
   **Content:** {}  
**'404':**  
   **Description:** Not Found  
   **Content:** {}  
**'405':**  
   **Description:** Method Not Allowed  
   **Content:** {}  
**'409':**  
   **Description:** Conflict  
   **Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_chap\_put

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_chap'

**Required/Optional:** true

**Responses:**

'201':

**Description:** container chap created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** chap

**Method:** Post

**Tags:**

- data
- post

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_chap\_post

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_chap-post'

**Required/Optional:** true

**Responses:**

'201':

**Description:** container chap created

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** chap

**delete:****Tags:**

- data

- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_chap\_delete

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data

- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_chap\_options

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data

- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_chap\_head

**Parameters:**

- **Name:** feature-template-name

```
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
```

**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**  
   '200':  
     **Description:** OK  
     **Content:** {}  
   **security:**  
     - **basicAuth:** []

**patch:**

**Tags:**  
   - data  
   - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_chap\_patch

**Parameters:**  
   - **Name:** feature-template-name  
     **In:** path  
     **Required/Optional:** true  
     **Style:** simple  
     **Explode:** false  
     **Schema:**  
       **Type:** string  
       **Format:** string

**Request Body:**

**Content:**  
   **application/yang-data+json:**  
     **Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_chap'

**Required/Optional:** true

**Responses:**  
   '204':  
     **Description:** container chap updated  
     **Content:** {}  
   '400':  
     **Description:** Bad Request  
     **Content:** {}  
   '401':  
     **Description:** Unauthorized  
     **Content:** {}

```

'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: chap

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/chap/hostname

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_chap\_hostname\_get

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false

**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** integer  
   **Format:** uint16  
**- Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
   **application/yang-data+json:**  
     **Schema:**  
       **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_chap\_hostname'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request



```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_hostname_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_chap_hostname'

Required/Optional: true

Responses:
  '201':
    Description: leaf hostname created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized

```

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: hostname
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_hostname_delete

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_hostname_options

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

```

**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_chap\_hostname\_head

**Parameters:****- Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:**

- config
- nonconfig
- all

**- Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true

**Schema:**

**Type:** string  
**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string  
**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_chap\_hostname\_patch

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string  
**Format:** string

**Request Body:**

**Content:**

```

    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_hostname'

      Required/Optional: true

    Responses:
      '204':
        Description: leaf hostname updated
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: hostname

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/chap/password

```

get:

  Tags:
  - data
  - get
  Operation ID:
    data_cnbng_cp_profile_feature_template_feature_template_name_ppp_chap_password_get

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content

```

- In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
 - config  
 - nonconfig  
 - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all

- trim
- explicit
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_chap\_password'

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_chap\_password\_put

**Parameters:**

- **Name:** feature-template-name

**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:****Schema:**

**Reference:**  
 '#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_chap\_password'

**Required/Optional:** true

**Responses:**

- '201':  
**Description:** leaf password created or replaced  
**Content:** {}
- '204':  
**Description:** No Content  
**Content:** {}
- '400':  
**Description:** Bad Request  
**Content:** {}
- '401':  
**Description:** Unauthorized  
**Content:** {}
- '404':  
**Description:** Not Found  
**Content:** {}
- '405':  
**Description:** Method Not Allowed  
**Content:** {}
- '409':  
**Description:** Conflict  
**Content:** {}

**security:**  
 - basicAuth: []

**x-codegen-request-body-name:** password

**delete:**

**Tags:**  
 - data  
 - delete

**Operation ID:**  
 data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_chap\_password\_delete

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

- '204':  
**Description:** No Content  
**Content:** {}

**security:**



- **basicAuth:** []  
**options:**

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_chap\_password\_options

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_chap\_password\_head

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config

```

    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

```

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_chap\_password\_patch

**Parameters:**

- **Name:** feature-template-name

**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_chap\_password'

**Required/Optional:** true**Responses:**

'204':

**Description:** leaf password updated**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** password

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/service-type

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_service\_type\_get

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form

```
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_service-type'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:
  - data
```

- put

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_service\_type\_put

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_service-type'

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf service-type created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** service-type

**delete:**

**Tags:**

- data

- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_service\_type\_delete

**Parameters:**

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

- '204':
  - Description:** No Content
  - Content:** {}
- security:**
  - **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_service\_type\_options

**Parameters:**

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}
- security:**
  - **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_service\_type\_head

**Parameters:**

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true

```



**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}  
**security:**  
 - **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_service\_type\_patch

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_service-type'

**Required/Optional:** true

**Responses:**

**'204':**  
**Description:** leaf service-type updated  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found

```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: service-type

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/ipcp

get:

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_get

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** config  
   **enum:**
  - config
  - nonconfig
  - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** integer

```

    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}

```

```

    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_put

```

**Parameters:**

```

- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Request Body:**

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipcp'

```

```

  Required/Optional: true

```

**Responses:**

```

'201':
  Description: container ipcp created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}

```

```

    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ipcp
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_post

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipcp-post'

Required/Optional: true

Responses:
'201':
  Description: container ipcp created
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed

```

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ipcp
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_delete

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_options

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'200':
  Description: OK
  Content: {}
security:

```

- basicAuth: []  
head:

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_head

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**
  - config
  - nonconfig
  - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response

```

    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_patch

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp'

    Required/Optional: true

```



```

Responses:
  '204':
    Description: container ipcp updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ipcp

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp/ipcp/dns

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_dns\_get

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration

```

    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:

```

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns'
```

```
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
```

**security:**

```
- basicAuth: []
```

**put:****Tags:**

```
- data
- put
```

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_put
```

**Parameters:**

```
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

**Request Body:**

```
Content:
  application/yang-data+json:
    Schema:
```

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns'
```

```
Required/Optional: true
```

**Responses:**

```
'201':
  Description: container dns created or replaced
```

```

    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: dns
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_post

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipcp_dns-post'

Required/Optional: true

Responses:
  '201':
    Description: container dns created
    Content: {}
  '204':

```

```
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: dns
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_delete

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_options

Parameters:
- Name: feature-template-name
```

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
     **Type:** string  
     **Format:** string

**Responses:**

'200':  
     **Description:** OK  
     **Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_dns\_head

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

    - config  
    - nonconfig  
    - all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

```

    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []

```

**patch:****Tags:**

```

- data
- patch

```

**Operation ID:**

```

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_patch

```

**Parameters:**

```

- Name: feature-template-name
  In: path
  Required/Optional: true

```

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns'

  Required/Optional: true

Responses:
  '204':
    Description: container dns updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: dns

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/ipcp/dns/primary-address

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_dns\_primary\_address\_get

**Parameters:**

- **Name:** feature-template-name



**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false

**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

**'200':**  
  **Description:** OK  
  **Content:**  
    **application/yang-data+json:**  
      **Schema:**  
      **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_dns\_primary-address'

**'204':**  
  **Description:** No Content  
  **Content:** {}  
**'400':**  
  **Description:** Bad Request  
  **Content:** {}  
**'401':**  
  **Description:** Unauthorized  
  **Content:** {}  
**'404':**  
  **Description:** Not Found  
  **Content:** {}  
**'405':**  
  **Description:** Method Not Allowed  
  **Content:** {}  
**'409':**  
  **Description:** Conflict  
  **Content:** {}

**security:**  
  - **basicAuth:** []

**put:**

**Tags:**  
  - data  
  - put

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_dns\_primary\_address\_put

**Parameters:**

- **Name:** feature-template-name  
  **In:** path  
  **Required/Optional:** true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_primary-address'

Required/Optional: true

Responses:
  '201':
    Description: leaf primary-address created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: primary-address
delete:

Tags:
  - data
  - delete
Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_primary_address_delete

Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple

```

**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**  
  **'204':**  
    **Description:** No Content  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**options:**

**Tags:**  
- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_dns\_primary\_address\_options

**Parameters:**  
- **Name:** feature-template-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string

**Responses:**  
  **'200':**  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_dns\_primary\_address\_head

**Parameters:**  
- **Name:** feature-template-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_dns\_primary\_address\_patch

**Parameters:**

- **Name:** feature-template-name

**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_dns\_primary-address'

**Required/Optional:** true**Responses:****'204':****Description:** leaf primary-address updated**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}

```

'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: primary-address

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/ipcp/dns/secondary-address

get:

**Tags:**

```
- data
- get
```

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_dns\_secondary\_address\_get

**Parameters:**

```

- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16

```

- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_dns\_secondary-address'

'204':  
**Description:** No Content  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':



```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

```

**Tags:**

```

- data
- put

```

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_secondary_address_put
```

**Parameters:**

```

- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Request Body:**

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_secondary_address'
```

```

Required/Optional: true

```

**Responses:**

```

'201':
  Description: leaf secondary-address created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}

```

```

    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: secondary-address
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_secondary_address_delete

```

```

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_secondary_address_options

```

```

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:

```

```

    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_dns_secondary_address_head

```

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**

**Type:** string  
**Format:** string  
**Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string  
**Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_dns\_secondary\_address\_patch

**Parameters:**

**Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
application/yang-data+json:

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_secondary-address'
```

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf secondary-address updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** secondary-address

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/ipcp/peer-address-pool

**get:****Tags:**

- data  
- get

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_peer_address_pool_get
```

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

- In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
 - config  
 - nonconfig  
 - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all

- trim
- explicit
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_peer-address-pool'

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_peer\_address\_pool\_put

**Parameters:**

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Request Body:****Content:****application/yang-data+json:**

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_peer-address-pool'
```

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf peer-address-pool created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** peer-address-pool

**delete:****Tags:**

- data  
- delete

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_peer_address_pool_delete
```

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Responses:**

'204':

**Description:** No Content



**Content:** {}  
**security:**  
 - **basicAuth:** []  
**options:**

**Tags:**  
 - data  
 - options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_peer\_address\_pool\_options

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []

**head:**

**Tags:**  
 - data  
 - head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_peer\_address\_pool\_head

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string

**Format:** enumeration  
**Default:** config  
**enum:**  
 - config  
 - nonconfig  
 - all

**- Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** integer  
   **Format:** uint16

**- Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string

**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string

**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
   - report-all  
   - trim  
   - explicit  
   - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

```

    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Operation ID:
      data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_peer_address_pool_patch

    Parameters:
      - Name: feature-template-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipcp_peer-address-pool'

            Required/Optional: true

    Responses:
      '204':
        Description: leaf peer-address-pool updated
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
  x-codegen-request-body-name: peer-address-pool

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/ipcp/renegotiation

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_renegotiation\_get

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string

```

    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation'

'204':
  Description: No Content
  Content: {}

'400':
  Description: Bad Request
  Content: {}

'401':
  Description: Unauthorized
  Content: {}

'404':
  Description: Not Found
  Content: {}

'405':
  Description: Method Not Allowed
  Content: {}

'409':
  Description: Conflict
  Content: {}

```

```

    security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_put

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation'

    Required/Optional: true

  Responses:
  '201':
    Description: container renegotiation created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: renegotiation

```

**Method:** Post

**Tags:**

- data
- post

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_renegotiation\_post

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_renegotiation-post'

**Required/Optional:** true

**Responses:**

'201':

**Description:** container renegotiation created

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** renegotiation

**delete:**

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_renegotiation\_delete

**Parameters:**

- **Name:** feature-template-name

**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Responses:****'204':****Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_renegotiation\_options

**Parameters:**

- **Name:** feature-template-name

**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Responses:****'200':****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_renegotiation\_head



**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_renegotiation\_patch

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_renegotiation'

**Required/Optional:** true

**Responses:**

'204':

**Description:** container renegotiation updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: renegotiation

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/ipcp/renegotiation/ignore

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_renegotiation\_ignore\_get

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth

**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
 Type: integer  
 Format: uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
 Type: string  
 Format: string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
 Type: string  
 Format: string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
 Type: string  
 Format: enumeration  
 Default: report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_renegotiation\_ignore'

'204':  
**Description:** No Content

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_ignore_put

```

```

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_ignore'

Required/Optional: true

```

```

Responses:
'201':
  Description: leaf ignore created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':

```

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ignore
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_ignore_delete

```

```

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_renegotiation_ignore_options

```

```

Parameters:
- Name: feature-template-name
  In: path

```

**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
    - **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_renegotiation\_ignore\_head

**Parameters:**

- **Name:** feature-template-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** content  
  **In:** query  
  **Description:** controlling descendant nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
      - config  
      - nonconfig  
      - all

- **Name:** depth  
  **In:** query  
  **Description:** limit the depth of nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** integer

**Format:** uint16

- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_renegotiation\_ignore\_patch

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true



```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation_ignore'

  Required/Optional: true

Responses:
  '204':
    Description: leaf ignore updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: ignore

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/ipcp/wins

```

get:

  Tags:
  - data
  - get
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_get

  Parameters:
  - Name: feature-template-name
    In: path

```

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form

```

**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_wins'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
 - put

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_wins\_put

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false

```

    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins'

    Required/Optional: true

  Responses:
    '201':
      Description: container wins created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: wins
  Method: Post

  Tags:
  - data
  - post
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_post

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string

```

```

    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins-post'

    Required/Optional: true

  Responses:
    '201':
      Description: container wins created
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: wins
delete:

  Tags:
    - data
    - delete
  Operation ID:
    data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_delete

  Parameters:
    - Name: feature-template-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string

```

**Responses:****'204':****Description:** No Content**Content:** {}**security:****- basicAuth:** []**options:****Tags:**- data  
- options**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_wins\_options

**Parameters:****- Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**- data  
- head**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_wins\_head

**Parameters:****- Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

```

    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

Responses:
  '200':
    Description: OK
```

```

    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_patch

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipcp_wins'

Required/Optional: true

Responses:
'204':
  Description: container wins updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: wins

```



## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/ipcp/wins/primary-address

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_wins\_primary\_address\_get

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_primary-address'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict

```

```

    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_primary_address_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_primary-address'

Required/Optional: true

Responses:
'201':
  Description: leaf primary-address created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:

```

- **basicAuth:** []  
**x-codegen-request-body-name:** primary-address  
**delete:**

**Tags:**

- data  
 - delete

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_wins\_primary\_address\_delete

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

'204':  
**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
 - options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_wins\_primary\_address\_options

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_wins\_primary\_address\_head

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form

**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string  
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}

**security:**  
- **basicAuth:** []

**patch:**

**Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_wins\_primary\_address\_patch

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false

**Schema:**  
  **Type:** string  
  **Format:** string

**Request Body:**

**Content:**  
  **application/yang-data+json:**

**Schema:**  
    **Reference:**

  '#/components/schemas/data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_wins\_primary\_address'

**Required/Optional:** true

**Responses:**

```

'204':
  Description: leaf primary-address updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: primary-address

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/ipcp/wins/secondary-address

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_wins\_secondary\_address\_get

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**

```

    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK

```



```

Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_secondary-address'

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_secondary_address_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_secondary-address'

  Required/Optional: true

Responses:

```

```

    '201':
      Description: leaf secondary-address created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: secondary-address
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

```

data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipcp_wins_secondary_address_delete

```

**Parameters:**

```

- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Responses:**

```

'204':
  Description: No Content
  Content: {}

```

**security:**

```

- basicAuth: []

```

**options:****Tags:**

```

- data

```

- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_wins\_secondary\_address\_options

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipcp\_wins\_secondary\_address\_head

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth

**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** integer  
     **Format:** uint16

- **Name:** fields

**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string

- **Name:** filter

**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string

- **Name:** with-defaults

**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** enumeration  
     **Default:** report-all  
     **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**  
     '200':  
         **Description:** OK  
         **Content:** {}  
**security:**  
     - **basicAuth:** []

**patch:**

**Tags:**  
     - data  
     - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_pp\_ipcp\_wins\_secondary\_address\_patch

**Parameters:**- **Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_pp\_ipcp\_wins\_secondary-address'

**Required/Optional:** true**Responses:**

'204':

**Description:** leaf secondary-address updated**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**x-codegen-request-body-name:** secondary-address**/data/cnbng-cp:profile/feature-template={feature-template-name}/pp/ipv6cp****get:****Tags:**

- data

- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipv6cp\_get

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string

```

    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_put

```

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:****Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipv6cp'

**Required/Optional:** true

**Responses:**

'201':

**Description:** container ipv6cp created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** ipv6cp

**Method:** Post

**Tags:**

- data

- post

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipv6cp\_post

**Parameters:**

- **Name:** feature-template-name



```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipv6cp-post'

    Required/Optional: true

  Responses:
    '201':
      Description: container ipv6cp created
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: ipv6cp
delete:

  Tags:
    - data
    - delete
  Operation ID:
    data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_delete

  Parameters:
    - Name: feature-template-name
      In: path
      Required/Optional: true

```

**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**

**'204':**  
  **Description:** No Content  
  **Content:** {}

**security:**  
- **basicAuth:** []

**options:**

**Tags:**  
- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipv6cp\_options

**Parameters:**

- **Name:** feature-template-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string

**Responses:**

**'200':**  
  **Description:** OK  
  **Content:** {}

**security:**  
- **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipv6cp\_head

**Parameters:**

- **Name:** feature-template-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string  
- **Name:** content

**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all

- trim
- explicit
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipv6cp\_patch

**Parameters:**

- **Name:** feature-template-name

**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipv6cp'

**Required/Optional:** true**Responses:****'204':****Description:** container ipv6cp updated**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict

```

    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ipv6cp

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/ipv6cp/renegotiation

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipv6cp\_renegotiation\_get

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
   **application/yang-data+json:**  
     **Schema:**  
       **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipv6cp\_renegotiation'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**

```

    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation'

    Required/Optional: true

Responses:
  '201':
    Description: container renegotiation created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':

```

```

    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: renegotiation
Method: Post

Tags:
  - data
  - post
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_post

Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation-post'

    Required/Optional: true

Responses:
  '201':
    Description: container renegotiation created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}

```



**security:**  
- **basicAuth:** []  
**x-codegen-request-body-name:** renegotiation  
**delete:**

**Tags:**  
- data  
- delete

**Operation ID:**  
data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipv6cp\_renegotiation\_delete

**Parameters:**  
- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**  
**'204':**  
**Description:** No Content  
**Content:** {}

**security:**  
- **basicAuth:** []  
**options:**

**Tags:**  
- data  
- options

**Operation ID:**  
data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipv6cp\_renegotiation\_options

**Parameters:**  
- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**  
**'200':**  
**Description:** OK  
**Content:** {}

**security:**  
- **basicAuth:** []  
**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipv6cp\_renegotiation\_head

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form

```

Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_patch

Parameters:
- Name: feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation'

    Required/Optional: true

Responses:

```

```

'204':
  Description: container renegotiation updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: renegotiation

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/ipv6cp/renegotiation/ignore

get:

Tags:

- data
- get

Operation ID:

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipv6cp\_renegotiation\_ignore\_get

Parameters:

- Name: feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- Name: content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**  
**'200':**  
**Description:** OK

```

    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation_ignore'

    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID:
    data_cnbng_cp_profile_feature_template_feature_template_name_ppp_ipv6cp_renegotiation_ignore_put

  Parameters:
    - Name: feature-template-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation_ignore'

    Required/Optional: true

  Responses:

```

```
'201':
  Description: leaf ignore created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
```

**security:**

- basicAuth: []

x-codegen-request-body-name: ignore

**delete:****Tags:**

- data  
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipv6cp\_renegotiation\_ignore\_delete

**Parameters:**

- Name: feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

**Schema:**

Type: string

Format: string

**Responses:**

'204':

Description: No Content

Content: {}

**security:**

- basicAuth: []

**options:****Tags:**

- data

- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipv6cp\_renegotiation\_ignore\_options

**Parameters:**

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipv6cp\_renegotiation\_ignore\_head

**Parameters:**

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string
- **Name:** content
- In:** query
- Description:** controlling descendant nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth



**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipv6cp\_renegotiation\_ignore\_patch

**Parameters:**- **Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_ipv6cp\_renegotiation\_ignore'

**Required/Optional:** true**Responses:**

'204':

**Description:** leaf ignore updated**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**x-codegen-request-body-name:** ignore**/data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/lcp****get:****Tags:**

- data

- get

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_get

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string

```

    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_put

```

```

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_lcp'

    Required/Optional: true

Responses:
'201':
  Description: container lcp created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: lcp
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_post

Parameters:
- Name: feature-template-name

```

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp-post'

Required/Optional: true

Responses:
  '201':
    Description: container lcp created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: lcp
delete:

Tags:
  - data
  - delete
Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delete

Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true

```

**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**  
  **'204':**  
    **Description:** No Content  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**options:**

**Tags:**  
- data  
- options

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_options

**Parameters:**  
- **Name:** feature-template-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string

**Responses:**  
  **'200':**  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_head

**Parameters:**  
- **Name:** feature-template-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string  
- **Name:** content

- In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
 - config  
 - nonconfig  
 - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all



- trim
- explicit
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_patch

**Parameters:**

- **Name:** feature-template-name

**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_lcp'

**Required/Optional:** true**Responses:****'204':****Description:** container lcp updated**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict

```

    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: lcp

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/lcp/delay

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_delay\_get

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config
- nonconfig
- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
   **application/yang-data+json:**  
     **Schema:**  
       **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_lcp\_delay'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**

```

    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_lcp_delay'

    Required/Optional: true

Responses:
  '201':
    Description: container delay created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':

```

```

    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: delay
Method: Post

Tags:
  - data
  - post
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_post

Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay-post'

    Required/Optional: true

Responses:
  '201':
    Description: container delay created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}

```

```

security:
- basicAuth: []
x-codegen-request-body-name: delay
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_delete
```

**Parameters:**

```

- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Responses:**

```

'204':
  Description: No Content
  Content: {}

```

**security:**

```

- basicAuth: []

```

**options:****Tags:**

```

- data
- options

```

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_options
```

**Parameters:**

```

- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []

```

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_delay\_head

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**

```

    Type: string
    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

  Responses:
    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_patch

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_lcp_delay'

    Required/Optional: true

  Responses:
    '204':
      Description: container delay updated
      Content: {}

```



```

'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: delay

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/lcp/delay/seconds

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_delay\_seconds\_get

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**

- config
- nonconfig
- all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':

**Description:** OK**Content:**

application/yang-data+json:

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_seconds'
```

```

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_seconds_put

```

```

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

```

Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_seconds'
```

```
  Required/Optional: true
```

```

Responses:
  '201':
    Description: leaf seconds created or replaced
    Content: {}
  '204':

```

```

    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: seconds
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_seconds_delete

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_seconds_options

Parameters:
- Name: feature-template-name

```

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:**  
data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_delay\_seconds\_head

**Parameters:**

- **Name:** feature-template-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** content  
  **In:** query  
  **Description:** controlling descendant nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
    - config  
    - nonconfig  
    - all

- **Name:** depth  
  **In:** query  
  **Description:** limit the depth of nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** integer

**Format:** uint16

- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':

**Description:** OK**Content:** {}**security:**- **basicAuth:** []**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_delay\_seconds\_patch

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_seconds'

  Required/Optional: true

Responses:
  '204':
    Description: leaf seconds updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: seconds

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/lcp/delay/milliseconds

```

get:

  Tags:
  - data
  - get
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_milliseconds_get

  Parameters:
  - Name: feature-template-name

```

- In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
     **Type:** string  
     **Format:** string
- **Name:** content
 

**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** enumeration  
     **Default:** config  
     **enum:**  
       - config  
       - nonconfig  
       - all
  - **Name:** depth
 

**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** integer  
     **Format:** uint16
  - **Name:** fields
 

**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string
  - **Name:** filter
 

**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string
  - **Name:** with-defaults
 

**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false



**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

**'200':**  
  **Description:** OK  
  **Content:**  
    **application/yang-data+json:**  
      **Schema:**  
      **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_lcp\_delay\_milliseconds'

**'204':**  
  **Description:** No Content  
  **Content:** {}  
**'400':**  
  **Description:** Bad Request  
  **Content:** {}  
**'401':**  
  **Description:** Unauthorized  
  **Content:** {}  
**'404':**  
  **Description:** Not Found  
  **Content:** {}  
**'405':**  
  **Description:** Method Not Allowed  
  **Content:** {}  
**'409':**  
  **Description:** Conflict  
  **Content:** {}

**security:**  
- **basicAuth:** []

**put:**

**Tags:**  
- data  
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_delay\_milliseconds\_put

**Parameters:**

- **Name:** feature-template-name  
  **In:** path  
  **Required/Optional:** true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_milliseconds'

    Required/Optional: true

Responses:
  '201':
    Description: leaf milliseconds created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: milliseconds
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_delay_milliseconds_delete

Parameters:
- Name: feature-template-name
In: path
Required/Optional: true
Style: simple

```

**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**  
  **'204':**  
    **Description:** No Content  
    **Content:** {}  
  **security:**  
    - **basicAuth:** []

**options:**

**Tags:**  
- data  
- options

**Operation ID:**  
data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_delay\_milliseconds\_options

**Parameters:**  
- **Name:** feature-template-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string

**Responses:**  
  **'200':**  
    **Description:** OK  
    **Content:** {}  
  **security:**  
    - **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:**  
data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_delay\_milliseconds\_head

**Parameters:**  
- **Name:** feature-template-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_delay\_milliseconds\_patch

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:****Content:**

**application/yang-data+json:**

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_lcp\_delay\_milliseconds'

**Required/Optional:** true

**Responses:**

'204':  
**Description:** leaf milliseconds updated  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

```

'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: milliseconds

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/lcp/renegotiation

get:

**Tags:**

```
- data
- get
```

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_renegotiation\_get

**Parameters:**

```

- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields

```

**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_lcp\_renegotiation'

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found

```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation'

Required/Optional: true

Responses:
'201':
  Description: container renegotiation created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed

```



```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: renegotiation
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_post

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation-post'

Required/Optional: true

Responses:
'201':
  Description: container renegotiation created
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':

```

```

    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: renegotiation
delete:

Tags:
  - data
  - delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_delete

Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
  - basicAuth: []
options:

Tags:
  - data
  - options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_options

Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '200':
    Description: OK
    Content: {}
security:
  - basicAuth: []
head:

```

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_renegotiation\_head

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form

**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string  
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_renegotiation\_patch

**Parameters:**  
- **Name:** feature-template-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string

**Request Body:**  
  **Content:**  
    **application/yang-data+json:**  
      **Schema:**

**Reference:**  
  '#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_lcp\_renegotiation'

**Required/Optional:** true

**Responses:**  
  '204':

```

    Description: container renegotiation updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: renegotiation

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/lcp/renegotiation/ignore

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_renegotiation\_ignore\_get

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string

- Format:** enumeration  
**Default:** config  
**enum:**  
 - config  
 - nonconfig  
 - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** integer  
   **Format:** uint16
  - **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string
  - **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string
  - **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
   - report-all  
   - trim  
   - explicit  
   - report-all-tagged

**Responses:**

- '200':**  
**Description:** OK  
**Content:**

```

    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation_ignore'

    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_ignore_put

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation_ignore'

    Required/Optional: true

  Responses:
    '201':

```

```

    Description: leaf ignore created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ignore
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_lcp_renegotiation_ignore_delete

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options

```



**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_renegotiation\_ignore\_options

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_renegotiation\_ignore\_head

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query

**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** integer  
     **Format:** uint16  
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string  
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string  
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** enumeration  
     **Default:** report-all  
     **enum:**  
         - report-all  
         - trim  
         - explicit  
         - report-all-tagged

**Responses:**  
     '200':  
         **Description:** OK  
         **Content:** {}  
**security:**  
     - **basicAuth:** []

**patch:**

**Tags:**  
     - data  
     - patch  
**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_lcp\_renegotiation\_ignore\_patch

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_lcp\_renegotiation\_ignore'

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf ignore updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** ignore

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/max-bad-auth

**get:**

**Tags:**

- data

- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_max\_bad\_auth\_get

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config

- nonconfig

- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

```

    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-bad-auth'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_bad_auth_put

```

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Request Body:**

**Content:**  
  **application/yang-data+json:**  
    **Schema:**  
      **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_max-bad-auth'

**Required/Optional:** true

**Responses:**

'201':  
  **Description:** leaf max-bad-auth created or replaced  
  **Content:** {}  
'204':  
  **Description:** No Content  
  **Content:** {}  
'400':  
  **Description:** Bad Request  
  **Content:** {}  
'401':  
  **Description:** Unauthorized  
  **Content:** {}  
'404':  
  **Description:** Not Found  
  **Content:** {}  
'405':  
  **Description:** Method Not Allowed  
  **Content:** {}  
'409':  
  **Description:** Conflict  
  **Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** max-bad-auth

**delete:****Tags:**

- data  
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_max\_bad\_auth\_delete

**Parameters:**

- **Name:** feature-template-name

```
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_bad_auth_options

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_bad_auth_head

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
```

- Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all



```

enum:
- report-all
- trim
- explicit
- report-all-tagged

```

```

Responses:
'200':
  Description: OK
  Content: {}
security:
- basicAuth: []

```

patch:

```

Tags:
- data
- patch

```

Operation ID:

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_max\_bad\_auth\_patch

```

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

```

Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:

```

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_max-bad-auth'

```

Required/Optional: true

```

```

Responses:
'204':
  Description: leaf max-bad-auth updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}

```

```

'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: max-bad-auth

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/max-configure

get:

**Tags:**

```
- data
- get
```

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_max\_configure\_get

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

```
- config
- nonconfig
- all
```

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_max-configure'

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found

```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_configure_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-configure'

Required/Optional: true

Responses:
  '201':
    Description: leaf max-configure created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed

```

```
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: max-configure
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_configure_delete

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_configure_options

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'200':
  Description: OK
  Content: {}
  security:
```

- **basicAuth:** []  
**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_max\_configure\_head

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_configure_patch

Parameters:
- Name: feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_max-configure'

Required/Optional: true

```

**Responses:**

```

'204':
  Description: leaf max-configure updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: max-configure

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/max-failure

**get:****Tags:**

```

- data
- get

```

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_failure_get
```

**Parameters:**

```

- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:

```



**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**  
**'200':**  
**Description:** OK

```

    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-failure'

    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID:
    data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_failure_put

  Parameters:
    - Name: feature-template-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_max-failure'

    Required/Optional: true

  Responses:

```

```
'201':
  Description: leaf max-failure created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: max-failure
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_failure_delete

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
```

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_max\_failure\_options

**Parameters:**

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_max\_failure\_head

**Parameters:**

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string
- **Name:** content
- In:** query
- Description:** controlling descendant nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth
- In:** query
- Description:** limit the depth of nodes in response
- Required/Optional:** false

```
    Style: form
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_max_failure_patch
```

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:****Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_max-failure'

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf max-failure updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** max-failure

**/data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/pap****get:****Tags:**

- data

- get

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_pap\_get

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_pap'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_pap\_put

**Parameters:**

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true



```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_pap'

  Required/Optional: true

Responses:
  '201':
    Description: container pap created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: pap
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_post

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false

```

```

Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap-post'

Required/Optional: true

Responses:
  '201':
    Description: container pap created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: pap
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_delete

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

**Format:** string

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_pap\_options

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_pap\_head

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

```

Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

**Responses:**

```

    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_patch

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_pap'

    Required/Optional: true

  Responses:
    '204':
      Description: container pap updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: pap

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/pap/accept-null-password

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_pap\_accept\_null\_password\_get

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap_accept-null-password'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict

```

```

    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_accept_null_password_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_pap_accept-null-password'

    Required/Optional: true

Responses:
'201':
  Description: leaf accept-null-password created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:

```



```
- basicAuth: []
x-codegen-request-body-name: accept-null-password
delete:
```

**Tags:**

```
- data
- delete
```

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_accept_null_password_delete
```

**Parameters:**

```
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

**Responses:**

```
'204':
  Description: No Content
  Content: {}
```

**security:**

```
- basicAuth: []
```

**options:****Tags:**

```
- data
- options
```

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_accept_null_password_options
```

**Parameters:**

```
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

**Responses:**

```
'200':
  Description: OK
  Content: {}
```

**security:**

```
- basicAuth: []
```

**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_pap\_accept\_null\_password\_head

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form

```

Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_pap_accept_null_password_patch

Parameters:
- Name: feature-template-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
      '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_pap_accept-null-password'

Required/Optional: true

Responses:

```

```

'204':
  Description: leaf accept-null-password updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: accept-null-password

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp/timeout

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_timeout\_get

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

```
    enum:
      - config
      - nonconfig
      - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged
```

**Responses:****'200':****Description:** OK**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout'
```

```
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
```

**security:**

```
- basicAuth: []
```

**put:****Tags:**

```
- data
- put
```

**Operation ID:**

```
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_put
```

**Parameters:**

```
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

**Request Body:**

```
Content:
  application/yang-data+json:
    Schema:
      Reference:
```

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout'
```

```
Required/Optional: true
```

**Responses:**

```
'201':
  Description: container timeout created or replaced
  Content: {}
```

```

    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: timeout
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_post

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_timeout-post'

    Required/Optional: true

Responses:
'201':
  Description: container timeout created
  Content: {}
'204':
  Description: No Content

```

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: timeout
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_delete

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_options

Parameters:
- Name: feature-template-name
  In: path

```



**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Responses:**

**'200':**

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data

- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_timeout\_head

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config

- nonconfig

- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':

**Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_timeout\_patch

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple

```

Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout'

  Required/Optional: true

Responses:
  '204':
    Description: container timeout updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: timeout

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/timeout/absolute

```

get:

  Tags:
  - data
  - get
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_get

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true

```

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true

```

**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout\_absolute'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_timeout\_absolute\_put

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

```

    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute'

    Required/Optional: true

  Responses:
    '201':
      Description: container absolute created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: absolute
  Method: Post

  Tags:
    - data
    - post
  Operation ID:
    data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_post

  Parameters:
    - Name: feature-template-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string

```

```
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_timeout_absolute-post'

Required/Optional: true

Responses:
'201':
  Description: container absolute created
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: absolute
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_delete

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
```

```

    '204':
      Description: No Content
      Content: {}
      security:
        - basicAuth: []
      options:

      Tags:
        - data
        - options
      Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_options

      Parameters:
      - Name: feature-template-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string

      Responses:
      '200':
        Description: OK
        Content: {}
      security:
        - basicAuth: []
      head:

      Tags:
        - data
        - head
      Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_head

      Parameters:
      - Name: feature-template-name
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: string
      - Name: content
        In: query
        Description: controlling descendant nodes in response
        Required/Optional: false
        Style: form
        Explode: true
        Schema:
          Type: string

```



**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**  
**'200':**  
**Description:** OK  
**Content:** {}

```

    security:
      - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Operation ID:
    data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_patch

  Parameters:
    - Name: feature-template-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_timeout_absolute'

    Required/Optional: true

  Responses:
    '204':
      Description: container absolute updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: absolute

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/timeout/absolute/minutes

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_timeout\_absolute\_minutes\_get

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute_minutes'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict

```

```

    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_absolute_minutes_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_absolute_minutes'
      Required/Optional: true

Responses:
'201':
  Description: leaf minutes created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:

```

- **basicAuth:** []  
**x-codegen-request-body-name:** minutes  
**delete:**

**Tags:**

- data  
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_timeout\_absolute\_minutes\_delete

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

'204':  
**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_timeout\_absolute\_minutes\_options

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_timeout\_absolute\_minutes\_head

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form

**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string  
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}

**security:**  
- **basicAuth:** []

**patch:**

**Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_timeout\_absolute\_minutes\_patch

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false

**Schema:**  
  **Type:** string  
  **Format:** string

**Request Body:**

**Content:**  
  **application/yang-data+json:**

**Schema:**

**Reference:**

    '#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout\_absolute\_minutes'

**Required/Optional:** true

**Responses:**



```

'204':
  Description: leaf minutes updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: minutes

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/timeout/authentication

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_timeout\_authentication\_get

**Parameters:**

- **Name:** feature-template-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**

```

    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK

```

```

    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_authentication'

    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID:
    data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_authentication_put

  Parameters:
    - Name: feature-template-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_authentication'

    Required/Optional: true

  Responses:

```

```

    '201':
      Description: leaf authentication created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: authentication
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_authentication_delete

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '204':
      Description: No Content
      Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data

```

- options

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_timeout\_authentication\_options

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_timeout\_authentication\_head

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth

**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** integer  
   **Format:** uint16

- **Name:** fields

**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string

- **Name:** filter

**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string

- **Name:** with-defaults

**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**  
   '200':  
     **Description:** OK  
     **Content:** {}  
   **security:**  
     - **basicAuth:** []

**patch:**

**Tags:**  
   - data  
   - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_timeout\_authentication\_patch

**Parameters:**- **Name:** feature-template-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_timeout\_authentication'

**Required/Optional:** true**Responses:**

'204':

**Description:** leaf authentication updated**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**x-codegen-request-body-name:** authentication

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/timeout/retry

**get:****Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_timeout\_retry\_get

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**



```

    Type: string
    Format: string
  - Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_timeout_retry'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_retry_put

```

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout\_retry'

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf retry created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** retry

**delete:****Tags:**

- data

- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_timeout\_retry\_delete

**Parameters:**

```
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_retry_options

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_timeout_retry_head

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
```

- Type:** string
  - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration

**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**  
 '200':  
   **Description:** OK  
   **Content:** {}  
**security:**  
 - **basicAuth:** []

**patch:**

**Tags:**  
 - data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_timeout\_retry\_patch

**Parameters:**  
 - **Name:** feature-template-name  
   **In:** path  
   **Required/Optional:** true  
   **Style:** simple  
   **Explode:** false  
   **Schema:**  
     **Type:** string  
     **Format:** string

**Request Body:**  
**Content:**  
 application/yang-data+json:  
   **Schema:**  
     **Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout\_retry'

**Required/Optional:** true

**Responses:**  
 '204':  
   **Description:** leaf retry updated  
   **Content:** {}  
 '400':  
   **Description:** Bad Request  
   **Content:** {}  
 '401':  
   **Description:** Unauthorized  
   **Content:** {}  
 '404':  
   **Description:** Not Found  
   **Content:** {}  
 '405':  
   **Description:** Method Not Allowed

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: retry

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/keepalive

get:

Tags:

```
- data
- get
```

Operation ID:

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_keepalive\_get

Parameters:

- Name: feature-template-name

In: path

Required/Optional: true

Style: simple

Explode: false

Schema:

Type: string

Format: string

- Name: content

In: query

Description: controlling descendant nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: string

Format: enumeration

Default: config

enum:

```
- config
- nonconfig
- all
```

- Name: depth

In: query

Description: limit the depth of nodes in response

Required/Optional: false

Style: form

Explode: true

Schema:

Type: integer

Format: uint16

- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_keepalive'

'204':  
**Description:** No Content  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':

```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_put

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_keepalive'

    Required/Optional: true

  Responses:
  '201':
    Description: container keepalive created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':

```



```

    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: keepalive
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_post

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive-post'

    Required/Optional: true

Responses:
  '201':
    Description: container keepalive created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}

```

```

    '409':
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: keepalive
  delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_delete

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID:
  data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_options

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []

```

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_keepalive\_head

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false

**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**  
   '200':  
     **Description:** OK  
     **Content:** {}  
   **security:**  
     - **basicAuth:** []

**patch:**

**Tags:**  
   - data  
   - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_keepalive\_patch

**Parameters:**  
   - **Name:** feature-template-name  
     **In:** path  
     **Required/Optional:** true  
     **Style:** simple  
     **Explode:** false  
     **Schema:**  
       **Type:** string  
       **Format:** string

**Request Body:**

**Content:**  
   **application/yang-data+json:**  
     **Schema:**  
       **Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_keepalive'

**Required/Optional:** true

**Responses:**

```

'204':
  Description: container keepalive updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: keepalive

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/keepalive/disable

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_keepalive\_disable\_get

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration  
**Default:** config  
**enum:**  
 - config  
 - nonconfig  
 - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** integer  
   **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
   - report-all  
   - trim  
   - explicit  
   - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**

```

    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_disable'

    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_disable_put

  Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_disable'

    Required/Optional: true

  Responses:
    '201':

```

```

    Description: leaf disable created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: disable
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_disable_delete

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:

```



data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_keepalive\_disable\_options

**Parameters:**

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}
- security:**
  - **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_keepalive\_disable\_head

**Parameters:**

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string
- **Name:** content
- In:** query
- Description:** controlling descendant nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth
- In:** query
- Description:** limit the depth of nodes in response
- Required/Optional:** false
- Style:** form

**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**
  - report-all
  - trim
  - explicit
  - report-all-tagged

**Responses:**

**'200':**  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_keepalive\_disable\_patch

**Parameters:**

```

- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_disable'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf disable updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: disable

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/keepalive/interval

```

get:

  Tags:
    - data
    - get
  Operation ID:
    data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_interval_get

```

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
    - config  
    - nonconfig  
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** integer  
    **Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** with-defaults  
**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_keepalive\_interval'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_keepalive\_interval\_put

**Parameters:**

- **Name:** feature-template-name
- In:** path

```

    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_interval'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf interval created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: interval
delete:

  Tags:
    - data
    - delete
  Operation ID:
    data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_interval_delete

  Parameters:
    - Name: feature-template-name
      In: path
      Required/Optional: true
      Style: simple

```

```
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_interval_options

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_interval_head

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
```

- In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
 - config  
 - nonconfig  
 - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all



- trim
- explicit
- report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_keepalive\_interval\_patch

**Parameters:**

- **Name:** feature-template-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Request Body:**

**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_keepalive\_interval'

**Required/Optional:** true

**Responses:**

'204':  
**Description:** leaf interval updated  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

'409':  
**Description:** Conflict

```

    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: interval

```

## /data/cnbng-cp:profile/feature-template={feature-template-name}/pp p/keepalive/retry

get:

**Tags:**

```
- data
- get
```

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_keepalive\_retry\_get

**Parameters:**

- **Name:** feature-template-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

```
- config
- nonconfig
- all
```

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
   **application/yang-data+json:**  
     **Schema:**  
       **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_keepalive\_retry'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**

```

    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_retry_put

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_keepalive_retry'

    Required/Optional: true

Responses:
  '201':
    Description: leaf retry created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':

```

```

    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: retry
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_retry_delete

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_retry_options

Parameters:
- Name: feature-template-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
- basicAuth: []
head:
```

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_feature\_template\_feature\_template\_name\_ppp\_keepalive\_retry\_head

**Parameters:**

- **Name:** feature-template-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form

```

    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID:
data_cnbng_cp_profile_feature_template_feature_template_name_ppp_keepalive_retry_patch

Parameters:
  - Name: feature-template-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_feature-template_feature-template-name_ppp_keepalive_retry'

    Required/Optional: true

Responses:
  '204':

```

```

    Description: leaf retry updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: retry

```

## /data/cnbng-cp:profile/l2tp

### options:

```

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_options

```

### Responses:

```

  '200':
    Description: OK
    Content: {}
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}

### get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true

```



```
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
```

**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:** '#/components/schemas/data\_cnbng\_cp\_profile\_l2tp\_l2tp-name'  
**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
- put

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_put

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

```
- Name: insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: first
  enum:
  - first
  - last
  - before
  - after
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name'
Required/Optional: true

Responses:
'201':
  Description: list l2tp created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
```

```
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: 12tp
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_12tp_12tp_name_delete

  Parameters:
  - Name: 12tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_12tp_12tp_name_options

  Parameters:
  - Name: 12tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
```

- head

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_head

**Parameters:**

- **Name:** l2tp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config

- nonconfig

- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_patch

**Parameters:**

- **Name:** l2tp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name'

**Required/Optional:** true

**Responses:**

'204':

**Description:** list l2tp updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

```

'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: l2tp

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/name

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_name_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response

```

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_name'

'204':
  Description: No Content
  Content: {}

'400':
  Description: Bad Request

```



```
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_name_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_name'
    Required/Optional: true

Responses:
  '201':
    Description: leaf name created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
```

```
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: name
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_name_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_name_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
```

**Description:** OK  
**Content:** {}  
**security:**  
- **basicAuth:** []  
**head:**

**Tags:**  
- data  
- head  
**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_name\_head

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter

**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** string

- **Name:** with-defaults

**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all

**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**  
- **basicAuth:** []

**patch:**

**Tags:**

- data  
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_name\_patch

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:** '#/components/schemas/data\_cnbng\_cp\_profile\_l2tp\_l2tp-name\_name'  
**Required/Optional:** true

**Responses:**

- '204':
  - Description:** leaf name updated
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':
  - Description:** Unauthorized
  - Content:** {}
- '404':
  - Description:** Not Found
  - Content:** {}
- '405':
  - Description:** Method Not Allowed
  - Content:** {}
- '409':
  - Description:** Conflict
  - Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** name

## /data/cnbng-cp:profile/l2tp={l2tp-name}/mode

**get:**

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_mode\_get

**Parameters:**

- **Name:** l2tp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config

- ```

    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

- ```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:

```

**Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_mode'

**'204':**  
**Description:** No Content  
**Content:** {}

**'400':**  
**Description:** Bad Request  
**Content:** {}

**'401':**  
**Description:** Unauthorized  
**Content:** {}

**'404':**  
**Description:** Not Found  
**Content:** {}

**'405':**  
**Description:** Method Not Allowed  
**Content:** {}

**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data  
- put

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_mode\_put

**Parameters:**

- **Name:** l2tp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_mode'

**Required/Optional:** true

**Responses:**

**'201':**  
**Description:** leaf mode created or replaced  
**Content:** {}

**'204':**  
**Description:** No Content  
**Content:** {}

**'400':**

```
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: mode
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mode_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_mode_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
```



**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_mode\_head

**Parameters:**

- **Name:** l2tp-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** content  
  **In:** query  
  **Description:** controlling descendant nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
    - config  
    - nonconfig  
    - all
- **Name:** depth  
  **In:** query  
  **Description:** limit the depth of nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** integer  
    **Format:** uint16
- **Name:** fields  
  **In:** query  
  **Description:** optionally identify specific data nodes in response  
  **Required/Optional:** false

**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
   **Description:** OK  
   **Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_mode\_patch

**Parameters:**

**- Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string

**Request Body:**

```

Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_mode'
    Required/Optional: true

Responses:
  '204':
    Description: leaf mode updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: mode

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/encrypt-avp

```

get:

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_encrypt_avp_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false

```

```

Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

- '200':
  - Description:** OK
  - Content:**
    - application/yang-data+json:**
      - Schema:**
      - Reference:**
- '#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_encrypt-avp'
- '204':
  - Description:** No Content
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':
  - Description:** Unauthorized
  - Content:** {}
- '404':
  - Description:** Not Found
  - Content:** {}
- '405':
  - Description:** Method Not Allowed
  - Content:** {}
- '409':
  - Description:** Conflict
  - Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_encrypt\_avp\_put

**Parameters:**

- **Name:** l2tp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Request Body:**

- Content:**
  - application/yang-data+json:**
    - Schema:**
    - Reference:**
- '#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_encrypt-avp'
- Required/Optional:** true

**Responses:**

```

    '201':
      Description: leaf encrypt-avp created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: encrypt-avp
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_encrypt_avp_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_encrypt_avp_options

```

**Parameters:**

- **Name:** l2tp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_encrypt\_avp\_head

**Parameters:**

- **Name:** l2tp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true

**Schema:****Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** report-all**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**patch:****Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_encrypt\_avp\_patch**Parameters:****- Name:** l2tp-name**In:** path



```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_encrypt-avp'
    Required/Optional: true

Responses:
  '204':
    Description: leaf encrypt-avp updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: encrypt-avp

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/dsl-info-forwarding

**get:**

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_dsl\_info\_forwarding\_get

**Parameters:**

- **Name:** l2tp-name
- In:** path
- Required/Optional:** true
- Style:** simple

**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
    - config  
    - nonconfig  
    - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_l2tp\_l2tp-name\_dsl-info-forwarding'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data  
- put

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_dsl\_info\_forwarding\_put

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_dsl-info-forwarding'

**Required/Optional:** true**Responses:**

'201':

**Description:** leaf dsl-info-forwarding created or replaced**Content:** {}

'204':

**Description:** No Content**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**x-codegen-request-body-name:** dsl-info-forwarding**delete:****Tags:**- data  
- delete**Operation ID:** data\_cnbng-cp\_profile\_l2tp\_l2tp\_name\_dsl\_info\_forwarding\_delete**Parameters:**- **Name:** l2tp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Responses:**

'204':

**Description:** No Content

```
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_dsl_info_forwarding_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_dsl_info_forwarding_head

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
```

- config
- nonconfig
- all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':

**Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_dsl\_info\_forwarding\_patch

**Parameters:**

- **Name:** l2tp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false

**Schema:**

- Type:** string
- Format:** string

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_dsl-info-forwarding'

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf dsl-info-forwarding updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** dsl-info-forwarding

## /data/cnbng-cp:profile/l2tp={l2tp-name}/hostname

**get:****Tags:**

- data

- get

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_hostname\_get

**Parameters:**

- **Name:** l2tp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string



```
    Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_hostname'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hostname_put

Parameters:
```

```

- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_hostname'

    Required/Optional: true

Responses:
  '201':
    Description: leaf hostname created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hostname
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hostname_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple

```

```
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hostname_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hostname_head

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
```

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []  
**patch:**

**Tags:**  
- data  
- patch  
**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_hostname\_patch

**Parameters:**  
- **Name:** l2tp-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string  
**Request Body:**  
  **Content:**  
    **application/yang-data+json:**  
      **Schema:**  
        **Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_hostname'  
  
  **Required/Optional:** true

**Responses:**  
  '204':  
    **Description:** leaf hostname updated  
    **Content:** {}  
  '400':  
    **Description:** Bad Request  
    **Content:** {}  
  '401':  
    **Description:** Unauthorized  
    **Content:** {}  
  '404':  
    **Description:** Not Found  
    **Content:** {}  
  '405':  
    **Description:** Method Not Allowed  
    **Content:** {}  
  '409':  
    **Description:** Conflict  
    **Content:** {}  
**security:**  
- **basicAuth:** []  
**x-codegen-request-body-name:** hostname

## /data/cnbng-cp:profile/l2tp={l2tp-name}/mtu

get:

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_mtu\_get

**Parameters:**

- **Name:** l2tp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query

**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

'200':  
  **Description:** OK  
  **Content:**  
    **application/yang-data+json:**  
      **Schema:**  
        **Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_mtu'

'204':  
  **Description:** No Content  
  **Content:** {}

'400':  
  **Description:** Bad Request  
  **Content:** {}

'401':  
  **Description:** Unauthorized  
  **Content:** {}

'404':  
  **Description:** Not Found  
  **Content:** {}

'405':  
  **Description:** Method Not Allowed  
  **Content:** {}

'409':  
  **Description:** Conflict  
  **Content:** {}

**security:**  
- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_mtu\_put

**Parameters:**

- **Name:** l2tp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:****Content:**

**application/yang-data+json:**

**Schema:**

**Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_mtu'

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf mtu created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** mtu

**delete:****Tags:**

- data
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_mtu\_delete



**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**

'204':  
  **Description:** No Content  
  **Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_mtu\_options

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**

'200':  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_mtu\_head

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

- Type:** string
  - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_mtu\_patch

**Parameters:**

- **Name:** l2tp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_mtu'

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf mtu updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**x-codegen-request-body-name:** mtu

## /data/cnbng-cp:profile/l2tp={l2tp-name}/hello-interval

**get:**

**Tags:**  
 - data  
 - get  
**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_hello\_interval\_get

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**
  - config
  - nonconfig
  - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_hello-interval'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}

```

```

    '409':
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hello_interval_put

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_hello-interval'
          Required/Optional: true

  Responses:
    '201':
      Description: leaf hello-interval created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []

```

```
x-codegen-request-body-name: hello-interval
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hello_interval_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hello_interval_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_hello_interval_head
```

**Parameters:**

- **Name:** l2tp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query



**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

**'200':**

**Description:** OK

**Content:** {}

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_hello\_interval\_patch

**Parameters:**

- **Name:** l2tp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_hello-interval'

**Required/Optional:** true

**Responses:**

**'204':**

**Description:** leaf hello-interval updated

**Content:** {}

**'400':**

**Description:** Bad Request

**Content:** {}

**'401':**

**Description:** Unauthorized

**Content:** {}

```

'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hello-interval

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/tcp

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```

**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
  **In:** query  
  **Description:** optionally identify specific data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** filter  
  **In:** query  
  **Description:** xpath expression to filter data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** with-defaults  
  **In:** query  
  **Description:** controlling default values in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** report-all  
    **enum:**  
    - report-all  
    - trim  
    - explicit  
    - report-all-tagged

**Responses:**

- '200':  
  **Description:** OK  
  **Content:**  
    **application/yang-data+json:**  
      **Schema:**  
        **Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_tcp'
- '204':  
  **Description:** No Content  
  **Content:** {}
- '400':  
  **Description:** Bad Request  
  **Content:** {}
- '401':  
  **Description:** Unauthorized

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tcp'
    Required/Optional: true

Responses:
  '201':
    Description: container tcp created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':

```

```
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: tcp
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_post

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tcp-post'

  Required/Optional: true

Responses:
  '201':
    Description: container tcp created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
```

```
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: tcp
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_delete

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_options

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
```

- head

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tcp\_head

**Parameters:**

- **Name:** l2tp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tcp\_patch

**Parameters:**

- **Name:** l2tp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:** '#/components/schemas/data\_cnbng\_cp\_profile\_l2tp\_l2tp-name\_tcp'

**Required/Optional:** true

**Responses:**

'204':

**Description:** container tcp updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}



```

'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: tcp

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/tcp/adjust-mss

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_adjust_mss_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response

```

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** integer  
   **Format:** uint16  
**- Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
   **application/yang-data+json:**  
     **Schema:**  
       **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_tcp\_adjust-mss'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request

```
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_adjust_mss_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_tcp_adjust-mss'
      Required/Optional: true

Responses:
  '201':
    Description: leaf adjust-mss created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
```

```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: adjust-mss
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_adjust_mss_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tcp_adjust_mss_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':

```

**Description:** OK  
**Content:** {}  
**security:**  
- **basicAuth:** []  
**head:**

**Tags:**  
- data  
- head  
**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tcp\_adjust\_mss\_head

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter

**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** string

- **Name:** with-defaults

**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tcp\_adjust\_mss\_patch

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_l2tp\_l2tp-name\_tcp\_adjust-mss'  
**Required/Optional:** true

**Responses:**

- '204':
  - Description:** leaf adjust-mss updated
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':
  - Description:** Unauthorized
  - Content:** {}
- '404':
  - Description:** Not Found
  - Content:** {}
- '405':
  - Description:** Method Not Allowed
  - Content:** {}
- '409':
  - Description:** Conflict
  - Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** adjust-mss

## /data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit

**get:**

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_get

**Parameters:**

- **Name:** l2tp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config

- enum:
    - config
    - nonconfig
    - all
- Name: depth
  - In: query
  - Description: limit the depth of nodes in response
  - Required/Optional: false
  - Style: form
  - Explode: true
  - Schema:
    - Type: integer
    - Format: uint16
- Name: fields
  - In: query
  - Description: optionally identify specific data nodes in response
  - Required/Optional: false
  - Style: form
  - Explode: true
  - Schema:
    - Type: string
    - Format: string
- Name: filter
  - In: query
  - Description: xpath expression to filter data nodes in response
  - Required/Optional: false
  - Style: form
  - Explode: true
  - Schema:
    - Type: string
    - Format: string
- Name: with-defaults
  - In: query
  - Description: controlling default values in response
  - Required/Optional: false
  - Style: form
  - Explode: true
  - Schema:
    - Type: string
    - Format: enumeration
    - Default: report-all
    - enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':

**Description:** OK**Content:**

application/yang-data+json:

**Schema:**



**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit'
```

```
'204':
```

```
  Description: No Content
```

```
  Content: {}
```

```
'400':
```

```
  Description: Bad Request
```

```
  Content: {}
```

```
'401':
```

```
  Description: Unauthorized
```

```
  Content: {}
```

```
'404':
```

```
  Description: Not Found
```

```
  Content: {}
```

```
'405':
```

```
  Description: Method Not Allowed
```

```
  Content: {}
```

```
'409':
```

```
  Description: Conflict
```

```
  Content: {}
```

```
security:
```

```
- basicAuth: []
```

```
put:
```

```
Tags:
```

```
- data
```

```
- put
```

```
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_put
```

```
Parameters:
```

```
- Name: l2tp-name
```

```
  In: path
```

```
  Required/Optional: true
```

```
  Style: simple
```

```
  Explode: false
```

```
  Schema:
```

```
    Type: string
```

```
    Format: string
```

```
Request Body:
```

```
  Content:
```

```
    application/yang-data+json:
```

```
      Schema:
```

```
        Reference:
```

```
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit'
```

```
      Required/Optional: true
```

```
Responses:
```

```
'201':
```

```
  Description: container retransmit created or replaced
```

```
  Content: {}
```

```
'204':
```

```
  Description: No Content
```

```
  Content: {}
```

```

'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: retransmit

```

**Method:** Post

**Tags:**

```

- data
- post

```

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_post

**Parameters:**

```

- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Request Body:**

```

Content:
  application/yang-data+json:
    Schema:

```

**Reference:**

```

'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_retransmit-post'
  Required/Optional: true

```

**Responses:**

```

'201':
  Description: container retransmit created
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':

```

```
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: retransmit
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_head**Parameters:****- Name:** l2tp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:**

- config
- nonconfig
- all

**- Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

```
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_patch

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
```

**Reference:**  
 '#/components/schemas/data\_cnbng\_cp\_profile\_l2tp\_l2tp-name\_retransmit'  
**Required/Optional:** true

**Responses:**

- '204':  
**Description:** container retransmit updated  
**Content:** {}
- '400':  
**Description:** Bad Request  
**Content:** {}
- '401':  
**Description:** Unauthorized  
**Content:** {}
- '404':  
**Description:** Not Found  
**Content:** {}
- '405':  
**Description:** Method Not Allowed  
**Content:** {}
- '409':  
**Description:** Conflict  
**Content:** {}

**security:**  
 - **basicAuth:** []

**x-codegen-request-body-name:** retransmit

## /data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/initial

**get:**

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_initial\_get

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true

**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
    - config  
    - nonconfig  
    - all

- **Name:** depth  
  **In:** query  
  **Description:** limit the depth of nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** integer  
    **Format:** uint16

- **Name:** fields  
  **In:** query  
  **Description:** optionally identify specific data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** filter  
  **In:** query  
  **Description:** xpath expression to filter data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** with-defaults  
  **In:** query  
  **Description:** controlling default values in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** report-all  
    **enum:**  
      - report-all  
      - trim  
      - explicit  
      - report-all-tagged

**Responses:**  
  '200':

```

    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial'
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_put

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial'
    Required/Optional: true

  Responses:
    '201':
      Description: container initial created or replaced

```



```
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: initial
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_post

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial-post'
    Required/Optional: true

Responses:
  '201':
    Description: container initial created
    Content: {}
  '204':
    Description: No Content
    Content: {}
```

```
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: initial
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
```

```
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_head

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
```

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

'200':  
   **Description:** OK  
   **Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_initial\_patch

**Parameters:**

**- Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string

```

Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial'
      Required/Optional: true

Responses:
  '204':
    Description: container initial updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: initial

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/initial/timeout

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query

```

- Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
 - config  
 - nonconfig  
 - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit

- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_retransmit\_initial\_timeout'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**put:**

**Tags:**

- data

- put

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_initial\_timeout\_put

**Parameters:**

- **Name:** l2tp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_retransmit\_initial\_timeout'

**Required/Optional:** true

**Responses:**

'201':  
**Description:** container timeout created or replaced  
**Content:** {}

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

'409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** timeout

**Method:** Post

**Tags:**

- data  
 - post

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_initial\_timeout\_post

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_initial\_timeout-post'

**Required/Optional:** true

**Responses:**

'201':



```
    Description: container timeout created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: timeout
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_options
```

**Parameters:**

- **Name:** l2tp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_initial\_timeout\_head

**Parameters:**

- **Name:** l2tp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form

```
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_patch

Parameters:
  - Name: l2tp-name
```

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout'
          Required/Optional: true

    Responses:
      '204':
        Description: container timeout updated
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: timeout

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/initial/timeout /max

get:

Tags:

- data
- get

Operation ID: data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_initial\_timeout\_max\_get

Parameters:

- Name: l2tp-name
- In: path

**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
    - config  
    - nonconfig  
    - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** integer  
    **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form

**Explode:** true

**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_retransmit\_initial\_timeout\_max'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data  
 - put

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_initial\_timeout\_max\_put

**Parameters:**

- **Name:** l2tp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

```

    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout_max'
          Required/Optional: true

  Responses:
    '201':
      Description: leaf max created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: max
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_max_delete

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

```

**Responses:****'204':****Description:** No Content**Content:** {}**security:****- basicAuth:** []**options:****Tags:**- data  
- options**Operation ID:**

data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_initial\_timeout\_max\_options

**Parameters:****- Name:** l2tp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**- data  
- head**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_initial\_timeout\_max\_head**Parameters:****- Name:** l2tp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**



**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**  
**'200':**  
**Description:** OK

```

    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_max_patch

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_timeout_max'
      Required/Optional: true

Responses:
  '204':
    Description: leaf max updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: max

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/initial/timeout /min

get:

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_initial\_timeout\_min\_get

**Parameters:**

- **Name:** l2tp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter

**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** string

- **Name:** with-defaults

**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_retransmit\_initial\_timeout\_min'

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

'409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_initial\_timeout\_min\_put

**Parameters:**

- **Name:** l2tp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Request Body:**

- Content:**
  - application/yang-data+json:**
    - Schema:**
      - Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_l2tp\_l2tp-name\_retransmit\_initial\_timeout\_min'

- Required/Optional:** true

**Responses:**

- '201':
  - Description:** leaf min created or replaced
  - Content:** {}
- '204':
  - Description:** No Content
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':
  - Description:** Unauthorized
  - Content:** {}
- '404':
  - Description:** Not Found
  - Content:** {}
- '405':
  - Description:** Method Not Allowed
  - Content:** {}
- '409':
  - Description:** Conflict
  - Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** min

**delete:****Tags:**

- data

- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_initial\_timeout\_min\_delete

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

'204':  
**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_initial\_timeout\_min\_options

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_initial\_timeout\_min\_head

**Parameters:**

- **Name:** l2tp-name

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false

**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**  
   '200':  
     **Description:** OK  
     **Content:** {}  
   **security:**  
     - **basicAuth:** []

**patch:**

**Tags:**  
   - data  
   - patch

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_initial\_timeout\_min\_patch

**Parameters:**  
   - **Name:** l2tp-name  
     **In:** path  
     **Required/Optional:** true  
     **Style:** simple  
     **Explode:** false  
     **Schema:**  
       **Type:** string  
       **Format:** string

**Request Body:**  
   **Content:**  
     **application/yang-data+json:**  
       **Schema:**

**Reference:**  
     '#/components/schemas/data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_initial\_timeout\_min'  
     **Required/Optional:** true

**Responses:**  
   '204':  
     **Description:** leaf min updated  
     **Content:** {}  
   '400':  
     **Description:** Bad Request  
     **Content:** {}  
   '401':  
     **Description:** Unauthorized  
     **Content:** {}  
   '404':



```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: min

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/initial/retries

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_retries_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:

```

```

    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_retries'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}

```

```
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_retries_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_retries'
    Required/Optional: true

Responses:
'201':
  Description: leaf retries created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
```

```
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: retries
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_retries_delete
```

```
Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_retries_options
```

```
Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
security:
```

```
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_initial_retries_head

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
```

**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**  
   **'200':**  
     **Description:** OK  
     **Content:** {}

**security:**  
   - **basicAuth:** []

**patch:**

**Tags:**

- data  
 - patch

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_initial\_retries\_patch

**Parameters:**

**- Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string

**Request Body:**

**Content:**  
   **application/yang-data+json:**  
     **Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_initial\_retries'  
     **Required/Optional:** true

**Responses:**

**'204':**  
   **Description:** leaf retries updated

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: retries

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/timeout

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig

```

- all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':

**Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_retransmit\_timeout'

'204':



```
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout'
    Required/Optional: true

Responses:
  '201':
    Description: container timeout created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
```

```

    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: timeout
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_post

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout-post'
  Required/Optional: true

Responses:
  '201':
    Description: container timeout created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':

```

```
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: timeout
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
```

**Description:** OK  
**Content:** {}  
**security:**  
- **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_timeout\_head

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**
  - config
  - nonconfig
  - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** filter

```

In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_patch

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout'
    Required/Optional: true

```

**Responses:**

```

'204':
  Description: container timeout updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

**security:**

```

- basicAuth: []
x-codegen-request-body-name: timeout

```

**/data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/timeout/max****get:****Tags:**

```

- data
- get

```

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_timeout\_max\_get

**Parameters:**

```

- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config

```

```
    enum:
      - config
      - nonconfig
      - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged
```

**Responses:****'200':****Description:** OK**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout_max'
```

```
'204':
```

```
  Description: No Content
```

```
  Content: {}
```

```
'400':
```

```
  Description: Bad Request
```

```
  Content: {}
```

```
'401':
```

```
  Description: Unauthorized
```

```
  Content: {}
```

```
'404':
```

```
  Description: Not Found
```

```
  Content: {}
```

```
'405':
```

```
  Description: Method Not Allowed
```

```
  Content: {}
```

```
'409':
```

```
  Description: Conflict
```

```
  Content: {}
```

```
security:
```

```
- basicAuth: []
```

```
put:
```

```
Tags:
```

```
- data
```

```
- put
```

```
Operation ID: data_cnbng-cp_profile_l2tp_l2tp_name_retransmit_timeout_max_put
```

```
Parameters:
```

```
- Name: l2tp-name
```

```
  In: path
```

```
  Required/Optional: true
```

```
  Style: simple
```

```
  Explode: false
```

```
  Schema:
```

```
    Type: string
```

```
    Format: string
```

```
Request Body:
```

```
Content:
```

```
  application/yang-data+json:
```

```
    Schema:
```

```
      Reference:
```

```
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout_max'
```

```
  Required/Optional: true
```

```
Responses:
```

```
'201':
```

```
  Description: leaf max created or replaced
```

```
  Content: {}
```

```
'204':
```

```
  Description: No Content
```

```
  Content: {}
```



```
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: max
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_max_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_max_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
```

```

    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_max_head

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response

```

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_timeout\_max\_patch

**Parameters:**  
- **Name:** l2tp-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_l2tp\_l2tp-name\_retransmit\_timeout\_max'

**Required/Optional:** true**Responses:**

'204':

**Description:** leaf max updated**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**

- basicAuth: []

**x-codegen-request-body-name:** max

## /data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/timeout/min

**get:****Tags:**

- data

- get

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_timeout\_min\_get**Parameters:**- **Name:** l2tp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** content**In:** query

**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit

- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_retransmit\_timeout\_min'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**put:**

**Tags:**

- data

- put

**Operation ID:** data\_cnbng-cp\_profile\_l2tp\_l2tp\_name\_retransmit\_timeout\_min\_put

**Parameters:**

- **Name:** l2tp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_retransmit\_timeout\_min'

**Required/Optional:** true

**Responses:**

- '201':
  - Description:** leaf min created or replaced
  - Content:** {}
- '204':
  - Description:** No Content
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':
  - Description:** Unauthorized
  - Content:** {}
- '404':
  - Description:** Not Found
  - Content:** {}
- '405':
  - Description:** Method Not Allowed
  - Content:** {}
- '409':
  - Description:** Conflict
  - Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** min

**delete:**

**Tags:**

- data
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_timeout\_min\_delete

**Parameters:**

- **Name:** l2tp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

- '204':
  - Description:** No Content
  - Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data

- options

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_timeout\_min\_options

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_timeout\_min\_head

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false



```
    Style: form
    Explode: true
    Schema:
      Type: integer
      Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_timeout_min_patch

Parameters:
```

```

- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout_min'
      Required/Optional: true

Responses:
  '204':
    Description: leaf min updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: min

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/retransmit/retries

**get:**

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_retries\_get

**Parameters:**

- **Name:** l2tp-name
- In:** path

**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
    - config  
    - nonconfig  
    - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_retransmit\_retries'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Operation ID:** data\_cnbng-cp\_profile\_l2tp\_l2tp\_name\_retransmit\_retries\_put

**Parameters:**

- **Name:** l2tp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string  
**Format:** string  
**Request Body:**  
**Content:**  
application/yang-data+json:  
**Schema:**  
**Reference:**  
'#/components/schemas/data\_cnbng\_cp\_profile\_l2tp\_l2tp-name\_retransmit\_retries'  
**Required/Optional:** true

**Responses:**

'201':  
**Description:** leaf retries created or replaced  
**Content:** {}  
'204':  
**Description:** No Content  
**Content:** {}  
'400':  
**Description:** Bad Request  
**Content:** {}  
'401':  
**Description:** Unauthorized  
**Content:** {}  
'404':  
**Description:** Not Found  
**Content:** {}  
'405':  
**Description:** Method Not Allowed  
**Content:** {}  
'409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** retries

**delete:****Tags:**

- data  
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_retransmit\_retries\_delete

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

```

    '204':
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_retries_options

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_retries_head

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration

```

```
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
security:
```

```

- basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_retries_patch

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_retransmit_retries'
      Required/Optional: true

Responses:
  '204':
    Description: leaf retries updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: retries

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/receive-window

```
get:
```



**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_receive\_window\_get

**Parameters:**

- **Name:** l2tp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true

**Schema:****Type:** string**Format:** string**- Name:** with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** report-all**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_receive-window'

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:****- basicAuth:** []**put:****Tags:**

- data
- put

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_receive\_window\_put

```
Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_receive-window'
      Required/Optional: true

Responses:
'201':
  Description: leaf receive-window created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: receive-window
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_receive_window_delete

Parameters:
- Name: l2tp-name
  In: path
```

**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**  
  **'204':**  
    **Description:** No Content  
    **Content:** {}  
  **security:**  
    - **basicAuth:** []

**options:**

**Tags:**  
- data  
- options

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_receive\_window\_options

**Parameters:**  
- **Name:** l2tp-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string

**Responses:**  
  **'200':**  
    **Description:** OK  
    **Content:** {}  
  **security:**  
    - **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_receive\_window\_head

**Parameters:**  
- **Name:** l2tp-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string  
- **Name:** content

**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all

- trim
- explicit
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:** {}**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_receive\_window\_patch**Parameters:**

- **Name:** l2tp-name

**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_l2tp\_l2tp-name\_receive-window'

**Required/Optional:** true**Responses:****'204':****Description:** leaf receive-window updated**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}

```
security:
- basicAuth: []
x-codegen-request-body-name: receive-window
```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/terminate-from

options:

```
Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'200':
  Description: OK
  Content: {}
security:
- basicAuth: []
```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/terminate-from={terminate-from-hostname}

get:

```
Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

- **Name:** terminate-from-hostname  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
    - config  
    - nonconfig  
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** integer  
    **Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response



**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

**'200':**

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_terminate-from\_terminate-from-hostname'

**'204':**

**Description:** No Content

**Content:** {}

**'400':**

**Description:** Bad Request

**Content:** {}

**'401':**

**Description:** Unauthorized

**Content:** {}

**'404':**

**Description:** Not Found

**Content:** {}

**'405':**

**Description:** Method Not Allowed

**Content:** {}

**'409':**

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_terminate\_from\_terminate\_from\_hostname\_put

**Parameters:**

- **Name:** l2tp-name

**In:** path

**Required/Optional:** true

**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** terminate-from-hostname  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** insert  
**In:** query  
**Description:** controlling the order when adding new list elements  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** first  
   **enum:**  
     - first  
     - last  
     - before  
     - after  
**- Name:** point  
**In:** query  
**Description:** used to specify the insertion point  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_terminate-from\_terminate-from-hostname'

**Required/Optional:** true**Responses:**

'201':

**Description:** list terminate-from created or replaced**Content:** {}

'204':

**Description:** No Content**Content:** {}

```
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: terminate-from
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: terminate-from-hostname
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
```

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_terminate\_from\_terminate\_from\_hostname\_options

**Parameters:**

- **Name:** l2tp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** terminate-from-hostname
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_terminate\_from\_terminate\_from\_hostname\_head

**Parameters:**

- **Name:** l2tp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** terminate-from-hostname
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string

- Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all

```

enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []

```

**patch:****Tags:**

```

- data
- patch

```

**Operation ID:**

```

data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_patch

```

**Parameters:**

```

- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: terminate-from-hostname
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Request Body:**

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_terminate-from_terminate-from-hostname'

```

```

Required/Optional: true

```

**Responses:**

```

'204':
  Description: list terminate-from updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':

```

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: terminate-from

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/terminate-from={terminate-from-hostname}/hostname

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_terminate\_from\_terminate\_from\_hostname\_hostname\_get

**Parameters:**

- **Name:** l2tp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** terminate-from-hostname
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

'200':  
  **Description:** OK



```
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname_hostname'

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_hostname_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: terminate-from-hostname
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
```

```

    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname_hostname'

    Required/Optional: true

Responses:
  '201':
    Description: leaf hostname created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hostname
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_hostname_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: terminate-from-hostname
  In: path
  Required/Optional: true

```

**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**  
  **'204':**  
    **Description:** No Content  
    **Content:** {}

**security:**  
- **basicAuth:** []

**options:**

**Tags:**  
- data  
- options

**Operation ID:**  
data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_terminate\_from\_terminate\_from\_hostname\_hostname\_options

**Parameters:**  
- **Name:** l2tp-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string  
- **Name:** terminate-from-hostname  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string

**Responses:**  
  **'200':**  
    **Description:** OK  
    **Content:** {}

**security:**  
- **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:**  
data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_terminate\_from\_terminate\_from\_hostname\_hostname\_head

**Parameters:**

- **Name:** l2tp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** terminate-from-hostname
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false

```
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_terminate_from_terminate_from_hostname_hostname_patch

Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: terminate-from-hostname
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
Request Body:
```

```

Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname_hostname'

Required/Optional: true

Responses:
  '204':
    Description: leaf hostname updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: hostname

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/domain

```

options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':

```

**Description:** OK  
**Content:** {}  
**security:**  
 - **basicAuth:** []

## /data/cnbng-cp:profile/l2tp={l2tp-name}/domain={domain-name}

get:

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_domain\_domain\_name\_get

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** domain-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true

**Schema:****Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** report-all**enum:**

- report-all

- trim

- explicit

- report-all-tagged

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_domain\_domain-name'

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized



```
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: domain-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
```

**Description:** used to specify the insertion point  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**Request Body:**  
**Content:**  
   **application/yang-data+json:**  
     **Schema:**  
       **Reference:**  
       '#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_domain\_domain-name'  
     **Required/Optional:** true

**Responses:**  
   '201':  
     **Description:** list domain created or replaced  
     **Content:** {}  
   '204':  
     **Description:** No Content  
     **Content:** {}  
   '400':  
     **Description:** Bad Request  
     **Content:** {}  
   '401':  
     **Description:** Unauthorized  
     **Content:** {}  
   '404':  
     **Description:** Not Found  
     **Content:** {}  
   '405':  
     **Description:** Method Not Allowed  
     **Content:** {}  
   '409':  
     **Description:** Conflict  
     **Content:** {}

**security:**  
 - **basicAuth:** []  
**x-codegen-request-body-name:** domain

**delete:**

**Tags:**  
 - data  
 - delete

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_domain\_domain\_name\_delete

**Parameters:**  
 - **Name:** l2tp-name  
   **In:** path  
   **Required/Optional:** true  
   **Style:** simple  
   **Explode:** false

```
Schema:
  Type: string
  Format: string
- Name: domain-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: domain-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
```

- head

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_domain\_domain\_name\_head

**Parameters:**

- **Name:** l2tp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** domain-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string

```
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_patch

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: domain-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
```

/data/cnbng-cp:profile/l2tp={l2tp-name}/domain={domain-name}/name:

```

    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name'
        Required/Optional: true

  Responses:
    '204':
      Description: list domain updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: domain

```

**/data/cnbng-cp:profile/l2tp={l2tp-name}/domain={domain-name}/name:**

**get:**

```

  Tags:
  - data
  - get
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_name_get

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

```

- **Name:** domain-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_domain\_domain-name\_name'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_domain\_domain\_name\_name\_put

**Parameters:**

- **Name:** l2tp-name

**In:** path

**Required/Optional:** true

**Style:** simple



```
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: domain-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_domain_domain-name_name'
          Required/Optional: true

  Responses:
    '201':
      Description: leaf name created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: name
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_name_delete

  Parameters:
```

```
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: domain-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_name_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: domain-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
```

```
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_name_head

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: domain-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
```

```

    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_name_patch

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: domain-name
  In: path

```

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_name'
    Required/Optional: true

Responses:
'204':
  Description: leaf name updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: name

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/domain={domain-name}/tun-a ssign-id

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_tun_assign_id_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true

```

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: domain-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:

```

```

    Type: string
    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

  Responses:
    '200':
      Description: OK
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_domain_domain-name_tun-assign-id'

    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_tun_assign_id_put

```

**Parameters:**

- **Name:** l2tp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** domain-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Request Body:**

- Content:**
  - application/yang-data+json:**
    - Schema:**
    - Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_tun-assign-id'
```

**Required/Optional:** true

**Responses:**

- '201':
  - Description:** leaf tun-assign-id created or replaced
  - Content:** {}
- '204':
  - Description:** No Content
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':
  - Description:** Unauthorized
  - Content:** {}
- '404':
  - Description:** Not Found
  - Content:** {}
- '405':
  - Description:** Method Not Allowed
  - Content:** {}
- '409':
  - Description:** Conflict
  - Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** tun-assign-id



**delete:****Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_domain\_domain\_name\_tun\_assign\_id\_delete

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** domain-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string

**Responses:**

'204':

**Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_domain\_domain\_name\_tun\_assign\_id\_options

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** domain-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false

**Schema:**

**Type:** string  
**Format:** string

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_domain\_domain\_name\_tun\_assign\_id\_head

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** domain-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**
  - config
  - nonconfig
  - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false

```
    Style: form
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_domain_domain_name_tun_assign_id_patch
```

**Parameters:**

- **Name:** l2tp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** domain-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Request Body:**

- Content:**
  - application/yang-data+json:**
    - Schema:**
    - Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_tun-assign-id'
```

**Required/Optional:** true

**Responses:**

- '204':
  - Description:** leaf tun-assign-id updated
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':
  - Description:** Unauthorized
  - Content:** {}
- '404':
  - Description:** Not Found
  - Content:** {}
- '405':
  - Description:** Method Not Allowed
  - Content:** {}
- '409':
  - Description:** Conflict
  - Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** tun-assign-id

## /data/cnbng-cp:profile/l2tp={l2tp-name}/vrf

get:

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_vrf\_get

**Parameters:**

- **Name:** l2tp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

application/yang-data+json:

**Schema:**

**Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_vrf'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**  
- data  
- put

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_vrf\_put

**Parameters:**  
- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**  
**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp\_name\_vrf'  
**Required/Optional:** true

**Responses:**  
'201':  
**Description:** leaf vrf created or replaced  
**Content:** {}  
'204':  
**Description:** No Content  
**Content:** {}  
'400':  
**Description:** Bad Request  
**Content:** {}  
'401':  
**Description:** Unauthorized  
**Content:** {}  
'404':  
**Description:** Not Found  
**Content:** {}  
'405':  
**Description:** Method Not Allowed  
**Content:** {}  
'409':  
**Description:** Conflict  
**Content:** {}

**security:**  
- **basicAuth:** []

**x-codegen-request-body-name:** vrf

**delete:**

**Tags:**  
- data  
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_vrf\_delete

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

'204':  
**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_vrf\_options

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_vrf\_head

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**



- Type:** string
  - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration

**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**  
- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_vrf\_patch

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_vrf'  
**Required/Optional:** true

**Responses:**

**'204':**  
**Description:** leaf vrf updated  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**

**Description:** Conflict  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**x-codegen-request-body-name:** vrf

## /data/cnbng-cp:profile/l2tp={l2tp-name}/authentication

get:

**Tags:**  
 - data  
 - get  
**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_authentication\_get

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**
  - config
  - nonconfig
  - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false

**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
   **Description:** OK  
   **Content:**  
     **application/yang-data+json:**  
       **Schema:**  
         **Reference:**  
         '#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_authentication'  
**'204':**  
   **Description:** No Content  
   **Content:** {}  
**'400':**  
   **Description:** Bad Request  
   **Content:** {}  
**'401':**  
   **Description:** Unauthorized  
   **Content:** {}  
**'404':**  
   **Description:** Not Found  
   **Content:** {}  
**'405':**  
   **Description:** Method Not Allowed  
   **Content:** {}

```
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_authentication_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_authentication'
      Required/Optional: true

Responses:
'201':
  Description: leaf authentication created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
```

**x-codegen-request-body-name:** authentication

**delete:**

**Tags:**

- data
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_authentication\_delete

**Parameters:**

- **Name:** l2tp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

**'204':**

- Description:** No Content
- Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_authentication\_options

**Parameters:**

- **Name:** l2tp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

**'200':**

- Description:** OK
- Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_authentication\_head

**Parameters:**

- **Name:** l2tp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_authentication\_patch

**Parameters:**

- **Name:** l2tp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_l2tp\_l2tp-name\_authentication'

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf authentication updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}



```

'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: authentication

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/ip-tos

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```

```

Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos'

'204':
  Description: No Content
  Content: {}

'400':
  Description: Bad Request
  Content: {}

'401':
  Description: Unauthorized

```

```
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos'

Required/Optional: true

Responses:
  '201':
    Description: container ip-tos created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
```

```

    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ip-tos
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_post

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_ip-tos-post'
    Required/Optional: true

Responses:
  '201':
    Description: container ip-tos created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict

```

```
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: ip-tos
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_delete

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_options

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
```

- head

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ip\_tos\_head

**Parameters:**

- **Name:** l2tp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string

```
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_patch

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos'

  Required/Optional: true

Responses:
  '204':
    Description: container ip-tos updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
```

```

'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ip-tos

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/ip-tos/value

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_value_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response

```



**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:****'200':****Description:** OK**Content:**  **application/yang-data+json:**    **Schema:**      **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_ip-tos\_value'

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request

```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_value_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_value'
  Required/Optional: true

Responses:
  '201':
    Description: leaf value created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':

```

```
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_value_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_value_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
```

**Description:** OK  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**head:**

**Tags:**  
 - data  
 - head  
**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ip\_tos\_value\_head

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**
  - config
  - nonconfig
  - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** filter

```

In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_value_patch

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
    Reference:
    '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_value'
    Required/Optional: true

```

**Responses:**

- '204':
  - Description:** leaf value updated
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':
  - Description:** Unauthorized
  - Content:** {}
- '404':
  - Description:** Not Found
  - Content:** {}
- '405':
  - Description:** Method Not Allowed
  - Content:** {}
- '409':
  - Description:** Conflict
  - Content:** {}

**security:**

- **basicAuth:** []
- x-codegen-request-body-name:** value

## /data/cnbng-cp:profile/l2tp={l2tp-name}/ip-tos/reflect

**get:**

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ip\_tos\_reflect\_get

**Parameters:**

- **Name:** l2tp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config

```
    enum:
      - config
      - nonconfig
      - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged
```

**Responses:****'200':****Description:** OK**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos_reflect'
```

```
'204':
```

```
  Description: No Content
```

```
  Content: {}
```

```
'400':
```

```
  Description: Bad Request
```

```
  Content: {}
```

```
'401':
```

```
  Description: Unauthorized
```

```
  Content: {}
```

```
'404':
```

```
  Description: Not Found
```

```
  Content: {}
```

```
'405':
```

```
  Description: Method Not Allowed
```

```
  Content: {}
```

```
'409':
```

```
  Description: Conflict
```

```
  Content: {}
```

```
security:
```

```
- basicAuth: []
```

```
put:
```

```
Tags:
```

```
- data
```

```
- put
```

```
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_reflect_put
```

```
Parameters:
```

```
- Name: l2tp-name
```

```
  In: path
```

```
  Required/Optional: true
```

```
  Style: simple
```

```
  Explode: false
```

```
  Schema:
```

```
    Type: string
```

```
    Format: string
```

```
Request Body:
```

```
Content:
```

```
  application/yang-data+json:
```

```
    Schema:
```

```
      Reference:
```

```
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos_reflect'
```

```
  Required/Optional: true
```

```
Responses:
```

```
'201':
```

```
  Description: leaf reflect created or replaced
```

```
  Content: {}
```

```
'204':
```

```
  Description: No Content
```

```
  Content: {}
```



```
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: reflect
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_reflect_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_reflect_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
```

```

    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ip_tos_reflect_head

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response

```

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ip\_tos\_reflect\_patch

**Parameters:**  
- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_ip-tos\_reflect'

**Required/Optional:** true**Responses:**

'204':

**Description:** leaf reflect updated**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**

- basicAuth: []

**x-codegen-request-body-name:** reflect

## /data/cnbng-cp:profile/l2tp={l2tp-name}/tunnel

**get:****Tags:**

- data

- get

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tunnel\_get**Parameters:**- **Name:** l2tp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** content**In:** query

**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit

- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_tunnel'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**put:**

**Tags:**

- data

- put

**Operation ID:** data\_cnbng-cp\_profile\_l2tp\_l2tp\_name\_tunnel\_put

**Parameters:**

- **Name:** l2tp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_tunnel'

**Required/Optional:** true

**Responses:**

'201':  
  **Description:** container tunnel created or replaced  
  **Content:** {}  
'204':  
  **Description:** No Content  
  **Content:** {}  
'400':  
  **Description:** Bad Request  
  **Content:** {}  
'401':  
  **Description:** Unauthorized  
  **Content:** {}  
'404':  
  **Description:** Not Found  
  **Content:** {}  
'405':  
  **Description:** Method Not Allowed  
  **Content:** {}  
'409':  
  **Description:** Conflict  
  **Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** tunnel

**Method:** Post

**Tags:**

- data  
- post

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tunnel\_post

**Parameters:**

- **Name:** l2tp-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string

**Request Body:**

**Content:**  
  **application/yang-data+json:**  
    **Schema:**  
      **Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_l2tp\_l2tp-name\_tunnel-post'

**Required/Optional:** true

**Responses:**

'201':  
  **Description:** container tunnel created

```

    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: tunnel
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_options

Parameters:

```



```
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_head

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
```

**Format:** uint16

- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tunnel\_patch

**Parameters:**

- **Name:** l2tp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple

```

Explode: false
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel'

Required/Optional: true

Responses:
'204':
  Description: container tunnel updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: tunnel

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/tunnel/session-limit

```

get:

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_session_limit_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

- Type:** string
  - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration

**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_tunnel\_session-limit'

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:****- basicAuth:** []**put:****Tags:****- data**  
**- put****Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tunnel\_session\_limit\_put**Parameters:****- Name:** l2tp-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:**

```

    application/yang-data+json:
      Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_tunnel_session-limit'
      Required/Optional: true

Responses:
  '201':
    Description: leaf session-limit created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: session-limit
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_session_limit_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:

```

```
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_session_limit_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_session_limit_head

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
```

- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data



```

- patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_session_limit_patch

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_session-limit'
        Required/Optional: true

Responses:
  '204':
    Description: leaf session-limit updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: session-limit

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/tunnel/timeout

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_get

```

**Parameters:**

- **Name:** l2tp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_l2tp\_l2tp-name\_tunnel\_timeout'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tunnel\_timeout\_put

**Parameters:**

- **Name:** l2tp-name

**In:** path

**Required/Optional:** true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout'
        Required/Optional: true

Responses:
  '201':
    Description: container timeout created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: timeout
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_post

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string

```

```
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_tunnel_timeout-post'
      Required/Optional: true

Responses:
  '201':
    Description: container timeout created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: timeout
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
```

**Description:** No Content  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**options:**

**Tags:**  
 - data  
 - options  
**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tunnel\_timeout\_options

**Parameters:**  
 - **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**  
 '200':  
**Description:** OK  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**head:**

**Tags:**  
 - data  
 - head  
**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tunnel\_timeout\_head

**Parameters:**  
 - **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
 - **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config

```
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
security:
- basicAuth: []
```

**patch:****Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tunnel\_timeout\_patch

**Parameters:**

- **Name:** l2tp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Request Body:****Content:**

**application/yang-data+json:**

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_l2tp\_l2tp-name\_tunnel\_timeout'

**Required/Optional:** true

**Responses:**

'204':

**Description:** container timeout updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** timeout

**/data/cnbng-cp:profile/l2tp={l2tp-name}/tunnel/timeout/no-session:****get:**



**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tunnel\_timeout\_no\_session\_get

**Parameters:**

- **Name:** l2tp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**

**Type:** string  
**Format:** string  
**Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_tunnel\_timeout\_no-session'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data  
- put

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tunnel\_timeout\_no\_session\_put

```

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_tunnel_timeout_no-session'
    Required/Optional: true

Responses:
'201':
  Description: leaf no-session created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: no-session
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_timeout_no_session_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true

```

**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**  
  **'204':**  
    **Description:** No Content  
    **Content:** {}

**security:**  
- **basicAuth:** []

**options:**

**Tags:**  
- data  
- options

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tunnel\_timeout\_no\_session\_options

**Parameters:**  
- **Name:** l2tp-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string

**Responses:**  
  **'200':**  
    **Description:** OK  
    **Content:** {}

**security:**  
- **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tunnel\_timeout\_no\_session\_head

**Parameters:**  
- **Name:** l2tp-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string  
- **Name:** content  
  **In:** query

**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit

- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data

- patch

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tunnel\_timeout\_no\_session\_patch

**Parameters:**

- **Name:** l2tp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tunnel\_timeout\_no-session'

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf no-session updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

```
- basicAuth: []  
x-codegen-request-body-name: no-session
```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4

get:

**Tags:**

```
- data  
- get
```

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_get

**Parameters:**

```
- Name: l2tp-name  
  In: path  
  Required/Optional: true  
  Style: simple  
  Explode: false  
  Schema:  
    Type: string  
    Format: string  
- Name: content  
  In: query  
  Description: controlling descendant nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: string  
    Format: enumeration  
    Default: config  
    enum:  
    - config  
    - nonconfig  
    - all  
- Name: depth  
  In: query  
  Description: limit the depth of nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: integer  
    Format: uint16  
- Name: fields  
  In: query  
  Description: optionally identify specific data nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:
```

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4'

'204':
  Description: No Content
  Content: {}

'400':
  Description: Bad Request
  Content: {}

'401':
  Description: Unauthorized
  Content: {}

'404':
  Description: Not Found
  Content: {}

'405':
  Description: Method Not Allowed
  Content: {}

'409':
  Description: Conflict
  Content: {}

```



```
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp_name_ipv4'
    Required/Optional: true

Responses:
'201':
  Description: container ipv4 created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ipv4
Method: Post

Tags:
```

- data  
- post

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_post

**Parameters:**

- **Name:** l2tp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_ipv4-post'

**Required/Optional:** true

**Responses:**

'201':

**Description:** container ipv4 created

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** ipv4

**delete:**

**Tags:**

- data  
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_delete

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**

'204':  
  **Description:** No Content  
  **Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_options

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**

'200':  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_head

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

- Type:** string
  - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_patch

**Parameters:**

- **Name:** l2tp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_ipv4'

**Required/Optional:** true

**Responses:**

'204':

**Description:** container ipv4 updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**x-codegen-request-body-name:** ipv4

## /data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/df-bit

**get:**

**Tags:**  
 - data  
 - get  
**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_df\_bit\_get

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**
  - config
  - nonconfig
  - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false

**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
   application/yang-data+json:  
     **Schema:**  
       **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_ipv4\_df-bit'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}

```

    '409':
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_df_bit_put

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_df-bit'
          Required/Optional: true

  Responses:
    '201':
      Description: leaf df-bit created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []

```



**x-codegen-request-body-name:** df-bit

**delete:**

**Tags:**

- data
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_df\_bit\_delete

**Parameters:**

- **Name:** l2tp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

**'204':**

- Description:** No Content
- Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_df\_bit\_options

**Parameters:**

- **Name:** l2tp-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

**'200':**

- Description:** OK
- Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_df\_bit\_head

**Parameters:**

- **Name:** l2tp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

**'200':**

**Description:** OK

**Content:** {}

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_df\_bit\_patch

**Parameters:**

- **Name:** l2tp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_df-bit'

**Required/Optional:** true

**Responses:**

**'204':**

**Description:** leaf df-bit updated

**Content:** {}

**'400':**

**Description:** Bad Request

**Content:** {}

**'401':**

**Description:** Unauthorized

**Content:** {}

```

'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: df-bit

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/source

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_source_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```

**Schema:**

**Type:** integer  
**Format:** uint16

**- Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string  
**Format:** string

**- Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string  
**Format:** string

**- Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

**'200':**

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_ipv4\_source'

**'204':**

**Description:** No Content

**Content:** {}

**'400':**

**Description:** Bad Request

**Content:** {}

**'401':**

**Description:** Unauthorized

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_source_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_source'
    Required/Optional: true

Responses:
  '201':
    Description: leaf source created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':

```

```
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: source
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_source_delete

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_source_options

  Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
  '200':
    Description: OK
    Content: {}
  security:
```

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_source\_head

**Parameters:**

- **Name:** l2tp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config  
- nonconfig  
- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false



```
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_source_patch

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_source'
    Required/Optional: true

Responses:
  '204':
    Description: leaf source updated
```

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: source

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/destination

### options:

```

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/destination={destination-dest-ip}

### get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_destination\_destination\_dest\_ip\_get

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** destination-dest-ip  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict

```

```

    Content: {}
  security:
  - basicAuth: []
  put:

```

**Tags:**

```

- data
- put

```

**Operation ID:**

```
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_put
```

**Parameters:**

```

- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: destination-dest-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string

```

**Request Body:**

```

Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip'

Required/Optional: true

Responses:
  '201':
    Description: list destination created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: destination
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: destination-dest-ip
  In: path
  Required/Optional: true

```

**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**  
  **'204':**  
    **Description:** No Content  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**options:**

**Tags:**  
- data  
- options

**Operation ID:**  
data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_destination\_destination\_dest\_ip\_options

**Parameters:**  
- **Name:** l2tp-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string  
- **Name:** destination-dest-ip  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string

**Responses:**  
  **'200':**  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:**  
data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_destination\_destination\_dest\_ip\_head

**Parameters:**  
- **Name:** l2tp-name

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: destination-dest-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form

```



```
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_patch

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: destination-dest-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
```

```

    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip'

      Required/Optional: true

  Responses:
    '204':
      Description: list destination updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: destination

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/destination={destination-dest-ip}/dest-ip

get:

```

  Tags:
    - data
    - get
  Operation ID:
    data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_dest_ip_get

  Parameters:
    - Name: l2tp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string
    - Name: destination-dest-ip

```

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false

**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
   **Description:** OK  
   **Content:**  
     **application/yang-data+json:**  
       **Schema:**  
       **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_ipv4\_destination\_destination-dest-ip\_dest-ip'

**'204':**  
   **Description:** No Content  
   **Content:** {}  
**'400':**  
   **Description:** Bad Request  
   **Content:** {}  
**'401':**  
   **Description:** Unauthorized  
   **Content:** {}  
**'404':**  
   **Description:** Not Found  
   **Content:** {}  
**'405':**  
   **Description:** Method Not Allowed  
   **Content:** {}  
**'409':**  
   **Description:** Conflict  
   **Content:** {}

**security:**  
   - **basicAuth:** []

**put:**

**Tags:**  
   - data  
   - put

**Operation ID:**

data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_destination\_destination\_dest\_ip\_dest\_ip\_put

**Parameters:**

  - **Name:** l2tp-name  
     **In:** path  
     **Required/Optional:** true  
     **Style:** simple

```

    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: destination-dest-ip
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip_dest-ip'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf dest-ip created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: dest-ip
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_dest_ip_delete

```

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** destination-dest-ip  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**

- '204':  
  **Description:** No Content  
  **Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_destination\_destination\_dest\_ip\_dest\_ip\_options

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** destination-dest-ip  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**

- '200':

**Description:** OK  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_destination\_destination\_dest\_ip\_dest\_ip\_head

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** destination-dest-ip  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_destination\_destination\_dest\_ip\_dest\_ip\_patch

**Parameters:**

- **Name:** l2tp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false



```

    Schema:
      Type: string
      Format: string
  - Name: destination-dest-ip
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip_dest-ip'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf dest-ip updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: dest-ip

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/ipv4/destination={destination-dest-ip}/weight

get:

Tags:  
- data

- get

**Operation ID:**

data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_destination\_destination\_dest\_ip\_weight\_get

**Parameters:**

- **Name:** l2tp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** destination-dest-ip

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config

- nonconfig

- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_ipv4\_destination\_destination-dest-ip\_weight'

'204':  
**Description:** No Content  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':  
**Description:** Not Found  
**Content:** {}  
 '405':  
**Description:** Method Not Allowed  
**Content:** {}  
 '409':  
**Description:** Conflict  
**Content:** {}

**security:**

- basicAuth: []

put:

**Tags:**

- data  
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_destination\_destination\_dest\_ip\_weight\_put

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** destination-dest-ip  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_destination\_destination\_dest\_ip\_weight'

**Required/Optional:** true

**Responses:**

'201':  
**Description:** leaf weight created or replaced  
**Content:** {}

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed

```
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: weight
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_weight_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: destination-dest-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_l2tp_l2tp_name_ipv4_destination_destination_dest_ip_weight_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
```

**Type:** string  
**Format:** string  
- **Name:** destination-dest-ip  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_destination\_destination\_dest\_ip\_weight\_head

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
- **Name:** destination-dest-ip  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**

```

    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

```

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_destination\_destination\_dest\_ip\_weight\_patch

**Parameters:**

- **Name:** l2tp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** destination-dest-ip
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Request Body:**

- Content:**
  - application/yang-data+json:**
    - Schema:**
    - Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_ipv4\_destination\_destination-dest-ip\_weight'

**Required/Optional:** true**Responses:**

- '204':
  - Description:** leaf weight updated
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':
  - Description:** Unauthorized
  - Content:** {}
- '404':
  - Description:** Not Found
  - Content:** {}
- '405':
  - Description:** Method Not Allowed
  - Content:** {}
- '409':
  - Description:** Conflict
  - Content:** {}

**security:**



```
- basicAuth: []  
x-codegen-request-body-name: weight
```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/congestion-control

get:

**Tags:**

```
- data  
- get
```

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_congestion\_control\_get

**Parameters:**

```
- Name: l2tp-name  
  In: path  
  Required/Optional: true  
  Style: simple  
  Explode: false  
  Schema:  
    Type: string  
    Format: string  
- Name: content  
  In: query  
  Description: controlling descendant nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: string  
    Format: enumeration  
    Default: config  
    enum:  
    - config  
    - nonconfig  
    - all  
- Name: depth  
  In: query  
  Description: limit the depth of nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: integer  
    Format: uint16  
- Name: fields  
  In: query  
  Description: optionally identify specific data nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:
```

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_congestion-control'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

```
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_congestion_control_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_congestion-control'
    Required/Optional: true

Responses:
'201':
  Description: leaf congestion-control created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: congestion-control
delete:
```

**Tags:**

- data
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_congestion\_control\_delete**Parameters:**

- **Name:** l2tp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

- '204':
  - Description:** No Content
  - Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_congestion\_control\_options**Parameters:**

- **Name:** l2tp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_congestion\_control\_head**Parameters:**

- **Name:** l2tp-name
  - In:** path

**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** content  
  **In:** query  
  **Description:** controlling descendant nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
      - config  
      - nonconfig  
      - all
- **Name:** depth  
  **In:** query  
  **Description:** limit the depth of nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** integer  
    **Format:** uint16
- **Name:** fields  
  **In:** query  
  **Description:** optionally identify specific data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** filter  
  **In:** query  
  **Description:** xpath expression to filter data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** with-defaults  
  **In:** query  
  **Description:** controlling default values in response  
  **Required/Optional:** false  
  **Style:** form

**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**patch:**

**Tags:**

- data  
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_congestion\_control\_patch

**Parameters:**

- **Name:** l2tp-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string

**Request Body:**

**Content:**  
  **application/yang-data+json:**  
    **Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_l2tp\_l2tp-name\_congestion-control'  
  **Required/Optional:** true

**Responses:**

'204':  
  **Description:** leaf congestion-control updated  
  **Content:** {}  
'400':  
  **Description:** Bad Request  
  **Content:** {}  
'401':  
  **Description:** Unauthorized  
  **Content:** {}  
'404':  
  **Description:** Not Found  
  **Content:** {}

```

'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: congestion-control

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/tx-connect-speed

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tx_connect_speed_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16

```

- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

- '200':
  - Description:** OK
  - Content:**
    - application/yang-data+json:**
      - Schema:**
      - Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tx-connect-speed'
```

- '204':
  - Description:** No Content
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':
  - Description:** Unauthorized
  - Content:** {}
- '404':
  - Description:** Not Found



```
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tx_connect_speed_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_tx-connect-speed'
    Required/Optional: true

Responses:
'201':
  Description: leaf tx-connect-speed created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
```

```
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: tx-connect-speed
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tx_connect_speed_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tx_connect_speed_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
- basicAuth: []
head:

Tags:
```

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tx\_connect\_speed\_head

**Parameters:**

- **Name:** l2tp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tx\_connect\_speed\_patch

**Parameters:**

- **Name:** l2tp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_l2tp\_l2tp-name\_tx-connect-speed'

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf tx-connect-speed updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

```

'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: tx-connect-speed

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/rx-connect-speed

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_rx_connect_speed_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response

```

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** integer  
     **Format:** uint16  
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string  
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string  
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** enumeration  
     **Default:** report-all  
     **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
     **application/yang-data+json:**  
         **Schema:**  
             **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_rx-connect-speed'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request

```
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_rx_connect_speed_put

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_rx-connect-speed'
    Required/Optional: true

Responses:
  '201':
    Description: leaf rx-connect-speed created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
```

```
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: rx-connect-speed
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_rx_connect_speed_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_rx_connect_speed_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
  '200':
```



**Description:** OK  
**Content:** {}  
**security:**  
- **basicAuth:** []  
**head:**

**Tags:**  
- data  
- head  
**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_rx\_connect\_speed\_head

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_rx\_connect\_speed\_patch

**Parameters:**

- **Name:** l2tp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_l2tp\_l2tp-name\_rx-connect-speed'

**Required/Optional:** true

**Responses:**

- '204':
  - Description:** leaf rx-connect-speed updated
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':
  - Description:** Unauthorized
  - Content:** {}
- '404':
  - Description:** Not Found
  - Content:** {}
- '405':
  - Description:** Method Not Allowed
  - Content:** {}
- '409':
  - Description:** Conflict
  - Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** rx-connect-speed

## /data/cnbng-cp:profile/l2tp={l2tp-name}/tunnel-load-balancing

**get:**

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tunnel\_load\_balancing\_get

**Parameters:**

- **Name:** l2tp-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config

```

    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:

```

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel-load-balancing'
```

```
'204':
```

```
  Description: No Content
```

```
  Content: {}
```

```
'400':
```

```
  Description: Bad Request
```

```
  Content: {}
```

```
'401':
```

```
  Description: Unauthorized
```

```
  Content: {}
```

```
'404':
```

```
  Description: Not Found
```

```
  Content: {}
```

```
'405':
```

```
  Description: Method Not Allowed
```

```
  Content: {}
```

```
'409':
```

```
  Description: Conflict
```

```
  Content: {}
```

```
security:
```

```
- basicAuth: []
```

```
put:
```

```
Tags:
```

```
- data
```

```
- put
```

```
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_load_balancing_put
```

```
Parameters:
```

```
- Name: l2tp-name
```

```
  In: path
```

```
  Required/Optional: true
```

```
  Style: simple
```

```
  Explode: false
```

```
  Schema:
```

```
    Type: string
```

```
    Format: string
```

```
Request Body:
```

```
  Content:
```

```
    application/yang-data+json:
```

```
      Schema:
```

```
        Reference:
```

```
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel-load-balancing'
```

```
      Required/Optional: true
```

```
Responses:
```

```
'201':
```

```
  Description: leaf tunnel-load-balancing created or replaced
```

```
  Content: {}
```

```
'204':
```

```
  Description: No Content
```

```
  Content: {}
```

```

    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: tunnel-load-balancing
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_load_balancing_delete

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'204':
  Description: No Content
  Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_load_balancing_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple

```

```
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_tunnel_load_balancing_head

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
```

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
   **Description:** OK  
   **Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_tunnel\_load\_balancing\_patch

**Parameters:**

**- Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string



```

Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel-load-balancing'
      Required/Optional: true

Responses:
  '204':
    Description: leaf tunnel-load-balancing updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: tunnel-load-balancing

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/password

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_password_get

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query

```

- Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
 - config  
 - nonconfig  
 - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit

- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_password'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**put:**

**Tags:**

- data

- put

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_password\_put

**Parameters:**

- **Name:** l2tp-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_password'

**Required/Optional:** true

**Responses:**

'201':  
  **Description:** leaf password created or replaced  
  **Content:** {}

'204':  
  **Description:** No Content  
  **Content:** {}

'400':  
  **Description:** Bad Request  
  **Content:** {}

'401':  
  **Description:** Unauthorized  
  **Content:** {}

'404':  
  **Description:** Not Found  
  **Content:** {}

'405':  
  **Description:** Method Not Allowed  
  **Content:** {}

'409':  
  **Description:** Conflict  
  **Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** password

**delete:****Tags:**

- data  
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_password\_delete

**Parameters:**

- **Name:** l2tp-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string

**Responses:**

'204':  
  **Description:** No Content  
  **Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data

- options

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_password\_options

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_l2tp\_l2tp\_name\_password\_head

**Parameters:**

- **Name:** l2tp-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false

```

Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_password_patch

Parameters:

```

```

- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_password'

  Required/Optional: true

Responses:
  '204':
    Description: leaf password updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: password

```

## /data/cnbng-cp:profile/l2tp={l2tp-name}/force-lcp-renegotiation

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_force_lcp_renegotiation_get

Parameters:
- Name: l2tp-name
  In: path

```

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form

```



```
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_force-lcp-renegotiation'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
put:

Tags:
  - data
  - put
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_force_lcp_renegotiation_put

Parameters:
  - Name: l2tp-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
```

```

    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp-name_force-lcp-renegotiation'
        Required/Optional: true

  Responses:
    '201':
      Description: leaf force-lcp-renegotiation created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: force-lcp-renegotiation
delete:

  Tags:
    - data
    - delete
  Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_force_lcp_renegotiation_delete

  Parameters:
    - Name: l2tp-name
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: string
        Format: string

  Responses:

```

```
'204':
  Description: No Content
  Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_force_lcp_renegotiation_options

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'200':
  Description: OK
  Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_force_lcp_renegotiation_head

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
```

**Default:** config  
**enum:**  
 - config  
 - nonconfig  
 - all  
**- Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** integer  
   **Format:** uint16  
**- Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

'200':

**Description:** OK  **Content:** {}**security:**

```

- basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_l2tp_l2tp_name_force_lcp_renegotiation_patch

Parameters:
- Name: l2tp-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_l2tp_l2tp_name_force_lcp_renegotiation'
    Required/Optional: true

Responses:
'204':
  Description: leaf force-lcp-renegotiation updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: force-lcp-renegotiation

```

## /data/cnbng-cp:profile/radius

```
get:
```

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_get

**Parameters:**

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form

```
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_radius'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_put
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius'
  Required/Optional: true

Responses:
  '201':
```

```

    Description: container radius created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: radius
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_radius_post
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius-post'
      Required/Optional: true

Responses:
  '201':
    Description: container radius created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}

```



```
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: radius
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_delete

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_options

Responses:
'200':
  Description: OK
  Content: {}
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
```

- config
- nonconfig
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

'200':  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_patch

**Request Body:**  
**Content:**  
application/yang-data+json:  
**Schema:**  
**Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_radius'  
**Required/Optional:** true

**Responses:**  
**'204':**  
**Description:** container radius updated  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**  
- **basicAuth:** []

**x-codegen-request-body-name:** radius

## /data/cnbng-cp:profile/radius/server

**options:**

**Tags:**  
- data  
- options

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_server\_options

**Responses:**  
**'200':**  
**Description:** OK  
**Content:** {}

**security:**  
- **basicAuth:** []

## /data/cnbng-cp:profile/radius/server={server-ip},{server-port}

get:

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_server\_server\_ip\_server\_port\_get

**Parameters:**

- **Name:** server-ip
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** union
- **Name:** server-port
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

'200':  
  **Description:** OK  
  **Content:**  
    application/yang-data+json:  
      **Schema:**  
      **Reference:**  
      '#/components/schemas/data\_cnbng-cp\_profile\_radius\_server\_server-ip\_server-port'

'204':  
  **Description:** No Content  
  **Content:** {}

'400':  
  **Description:** Bad Request  
  **Content:** {}

'401':  
  **Description:** Unauthorized  
  **Content:** {}

'404':  
  **Description:** Not Found  
  **Content:** {}

'405':  
  **Description:** Method Not Allowed

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_put

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string

```

```
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port'
      Required/Optional: true

Responses:
  '201':
    Description: list server created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: server
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_server_server-ip_server-port_delete

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
```

```
Style: simple
Explode: false
Schema:
  Type: integer
  Format: int32

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_options

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_head

Parameters:
- Name: server-ip
  In: path
```



**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** union

- **Name:** server-port  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true

```

Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_patch

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
  Content:
  application/yang-data+json:
    Schema:

```

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port'
```

```
Required/Optional: true
```

**Responses:**

```
'204':
```

```
Description: list server updated
```

```
Content: {}
```

```
'400':
```

```
Description: Bad Request
```

```
Content: {}
```

```
'401':
```

```
Description: Unauthorized
```

```
Content: {}
```

```
'404':
```

```
Description: Not Found
```

```
Content: {}
```

```
'405':
```

```
Description: Method Not Allowed
```

```
Content: {}
```

```
'409':
```

```
Description: Conflict
```

```
Content: {}
```

**security:**

```
- basicAuth: []
```

```
x-codegen-request-body-name: server
```

**/data/cnbng-cp:profile/radius/server={server-ip},{server-port}/ip:****get:****Tags:**

```
- data
```

```
- get
```

```
Operation ID: data_cnbng_cp_profile_radius_server_server-ip_server-port_ip_get
```

**Parameters:**

```
- Name: server-ip
```

```
In: path
```

```
Required/Optional: true
```

```
Style: simple
```

```
Explode: false
```

**Schema:**

```
Type: string
```

```
Format: union
```

```
- Name: server-port
```

```
In: path
```

```
Required/Optional: true
```

```
Style: simple
```

```
Explode: false
```

**Schema:**

- Type:** integer
  - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration

**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_server\_server-ip\_server-port\_ip'

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:****- basicAuth:** []**put:****Tags:****- data**  
**- put****Operation ID:** data\_cnbng\_cp\_profile\_radius\_server\_server-ip\_server-port\_ip\_put**Parameters:****- Name:** server-ip**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** union**- Name:** server-port**In:** path

```

    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_radius_server_server-ip_server-port_ip'
        Required/Optional: true

  Responses:
    '201':
      Description: leaf ip created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: ip
delete:

  Tags:
    - data
    - delete
  Operation ID: data_cnbng_cp_profile_radius_server_server-ip_server-port_ip_delete

  Parameters:
    - Name: server-ip
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:

```

```
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_ip_options

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
```

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_server\_server\_ip\_server\_port\_ip\_head

**Parameters:**

- **Name:** server-ip
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** union
- **Name:** server-port
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter



**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_server\_server\_ip\_server\_port\_ip\_patch

**Parameters:**

- **Name:** server-ip  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** union

- **Name:** server-port  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** integer

/data/cnbng-cp:profile/radius/server={server-ip},{server-port}/port

```

    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port_ip'
      Required/Optional: true

Responses:
  '204':
    Description: leaf ip updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ip

```

## /data/cnbng-cp:profile/radius/server={server-ip},{server-port}/port

get:

```

Tags:
- data
- get
Operation ID: data_cnbng-cp_profile_radius_server_server-ip_server-port_port_get

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port

```

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false

**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
   **Description:** OK  
   **Content:**  
     **application/yang-data+json:**  
       **Schema:**  
       **Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_server\_server-ip\_server-port\_port'

**'204':**  
   **Description:** No Content  
   **Content:** {}  
**'400':**  
   **Description:** Bad Request  
   **Content:** {}  
**'401':**  
   **Description:** Unauthorized  
   **Content:** {}  
**'404':**  
   **Description:** Not Found  
   **Content:** {}  
**'405':**  
   **Description:** Method Not Allowed  
   **Content:** {}  
**'409':**  
   **Description:** Conflict  
   **Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data  
- put

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_server\_server\_ip\_server\_port\_port\_put

**Parameters:**

- **Name:** server-ip  
   **In:** path  
   **Required/Optional:** true  
   **Style:** simple  
   **Explode:** false

```
Schema:
  Type: string
  Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_server_server-ip_server-port_port'
      Required/Optional: true

Responses:
  '201':
    Description: leaf port created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: port
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_server_server-ip_server-port_port_delete

Parameters:
- Name: server-ip
```

```
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: union
- Name: server-port
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: integer
  Format: int32

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_port_options

Parameters:
- Name: server-ip
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: union
- Name: server-port
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: integer
  Format: int32

Responses:
  '200':
    Description: OK
    Content: {}
  security:
```

```
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_port_head

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
```

```

    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_port_patch

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path

```



```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: integer
  Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port_port'
        Required/Optional: true

Responses:
  '204':
    Description: leaf port updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: port

```

## /data/cnbng-cp:profile/radius/server={server-ip},{server-port}/type

get:

```

Tags:
  - data
  - get
Operation ID: data_cnbng_cp_profile_radius_server_server-ip_server-port_type_get

Parameters:
  - Name: server-ip
    In: path
    Required/Optional: true
    Style: simple

```

```

Explode: false
Schema:
  Type: string
  Format: union
- Name: server-port
  In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: integer
  Format: int32
- Name: content
  In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string

```

```

    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port_type'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_server_server-ip_server-port_type_put

Parameters:

```

```

- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port_type'
      Required/Optional: true

Responses:
  '201':
    Description: leaf type created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: type
delete:

Tags:

```

- data
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_server\_server\_ip\_server\_port\_type\_delete

**Parameters:**

- **Name:** server-ip
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** union
- **Name:** server-port
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32

**Responses:**

- '204':
  - Description:** No Content
  - Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_server\_server\_ip\_server\_port\_type\_options

**Parameters:**

- **Name:** server-ip
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** union
- **Name:** server-port
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32

**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_server\_server\_ip\_server\_port\_type\_head**Parameters:****- Name:** server-ip**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** union**- Name:** server-port**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32**- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:**

- config
- nonconfig
- all

**- Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer

```
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_type_patch

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
```

```

    Explode: false
    Schema:
      Type: string
      Format: union
  - Name: server-port
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_radius_server_server-ip_server-port_type'
            Required/Optional: true

  Responses:
    '204':
      Description: leaf type updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: type

```

## /data/cnbng-cp:profile/radius/server={server-ip},{server-port}/sec ret

get:

Tags:

- data
- get

Operation ID: data\_cnbng\_cp\_profile\_radius\_server\_server\_ip\_server\_port\_secret\_get



**Parameters:**

- **Name:** server-ip
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** union
- **Name:** server-port
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all

- trim

- explicit

- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_server\_server-ip\_server-port\_secret'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_server\_server\_ip\_server\_port\_secret\_put

**Parameters:**

- **Name:** server-ip  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

**Type:** string  
**Format:** union

- **Name:** server-port  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

**Type:** integer  
**Format:** int32

**Request Body:**

**Content:**  
application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_server\_server-ip\_server-port\_secret'  
**Required/Optional:** true

**Responses:**

'201':  
**Description:** leaf secret created or replaced  
**Content:** {}

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

'409':  
**Description:** Conflict  
**Content:** {}

```
security:
- basicAuth: []
x-codegen-request-body-name: secret
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_secret_delete
```

```
Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
```

```
Responses:
'204':
  Description: No Content
  Content: {}
```

```
security:
- basicAuth: []
options:
```

```
Tags:
- data
- options
```

```
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_secret_options
```

```
Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
```

**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
    - **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_server\_server\_ip\_server\_port\_secret\_head

**Parameters:**

- **Name:** server-ip  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** union
- **Name:** server-port  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** integer  
    **Format:** int32
- **Name:** content  
  **In:** query  
  **Description:** controlling descendant nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
    - config  
    - nonconfig  
    - all
- **Name:** depth  
  **In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_server\_server\_ip\_server\_port\_secret\_patch

```
Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port_secret'
    Required/Optional: true

Responses:
'204':
  Description: leaf secret updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: secret
```

## /data/cnbng-cp:profile/radius/server={server-ip},{server-port}/priority

get:

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_server\_server\_ip\_server\_port\_priority\_get

**Parameters:**

- **Name:** server-ip
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** union
- **Name:** server-port
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query



**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** enumeration  
     **Default:** report-all  
     **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
     application/yang-data+json:  
     **Schema:**  
     **Reference:**  
     '#/components/schemas/data\_cnbng-cp\_profile\_radius\_server\_server-ip\_server-port\_priority'

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':

```

    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_priority_put

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_server_server-ip_server-port_priority'
      Required/Optional: true

Responses:
  '201':
    Description: leaf priority created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}

```

```
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: priority
delete:
```

**Tags:**

- data
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_server\_server\_ip\_server\_port\_priority\_delete

**Parameters:**

- **Name:** server-ip  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** union
- **Name:** server-port  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32

**Responses:**

- '204':
  - Description:** No Content
  - Content:** {}

```
security:
- basicAuth: []
```

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_server\_ip\_server\_port\_priority\_options

**Parameters:**

- **Name:** server-ip

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: union
  - Name: server-port
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head

Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_priority_head

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```

**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
  **In:** query  
  **Description:** limit the depth of nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** integer  
    **Format:** uint16

- **Name:** fields  
  **In:** query  
  **Description:** optionally identify specific data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** filter  
  **In:** query  
  **Description:** xpath expression to filter data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** with-defaults  
  **In:** query  
  **Description:** controlling default values in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** report-all  
    **enum:**  
    - report-all  
    - trim  
    - explicit  
    - report-all-tagged

**Responses:**  
  '200':

```

    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_server_server_ip_server_port_priority_patch

Parameters:
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_server_server-ip_server-port_priority'
    Required/Optional: true

Responses:
'204':
  Description: leaf priority updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}

```

```
'409':  
  Description: Conflict  
  Content: {}  
security:  
- basicAuth: []  
x-codegen-request-body-name: priority
```

## /data/cnbng-cp:profile/radius/algorithm

get:

```
Tags:  
- data  
- get  
Operation ID: data_cnbng_cp_profile_radius_algorithm_get  
  
Parameters:  
- Name: content  
  In: query  
  Description: controlling descendant nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: string  
    Format: enumeration  
    Default: config  
    enum:  
    - config  
    - nonconfig  
    - all  
- Name: depth  
  In: query  
  Description: limit the depth of nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: integer  
    Format: uint16  
- Name: fields  
  In: query  
  Description: optionally identify specific data nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: string  
    Format: string  
- Name: filter  
  In: query
```

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_radius\_algorithm'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**



```
- data
- put
Operation ID: data_cnbng_cp_profile_radius_algorithm_put
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius_algorithm'
      Required/Optional: true

Responses:
  '201':
    Description: leaf algorithm created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: algorithm
delete:

  Tags:
    - data
    - delete
  Operation ID: data_cnbng_cp_profile_radius_algorithm_delete

  Responses:
    '204':
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
options:

  Tags:
    - data
    - options
```

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_algorithm\_options

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_algorithm\_head

**Parameters:**

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config  
- nonconfig  
- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

```
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_algorithm_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius_algorithm'
      Required/Optional: true

Responses:
  '204':
    Description: leaf algorithm updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
```

**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**x-codegen-request-body-name:** algorithm

## /data/cnbng-cp:profile/radius/deadtime

**get:**

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_deadtime\_get

**Parameters:**

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**
  - config
  - nonconfig
  - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

```
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference: '#/components/schemas/data_cnbng_cp_profile_radius_deadtime'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
```

**put:****Tags:**

- data
- put

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_deadtime\_put**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_radius\_deadtime'**Required/Optional:** true**Responses:**

'201':

**Description:** leaf deadtime created or replaced**Content:** {}

'204':

**Description:** No Content**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**

- basicAuth: []

**x-codegen-request-body-name:** deadtime**delete:****Tags:**

- data
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_deadtime\_delete**Responses:**

'204':

**Description:** No Content**Content:** {}**security:**

- basicAuth: []

**options:**

**Tags:**

- data
- options

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_deadtime\_options

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_deadtime\_head

**Parameters:**

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config
- nonconfig
- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_deadtime\_patch

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_radius\_deadtime'

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf deadtime updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':



```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: deadtime

```

## /data/cnbng-cp:profile/radius/detect-dead-server

**get:**

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```

```

Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_detect-dead-server'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict

```

```
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_put
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_detect-dead-server'
        Required/Optional: true

Responses:
  '201':
    Description: container detect-dead-server created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: detect-dead-server
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_post
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
```

```
'#/components/schemas/data_cnbng_cp_profile_radius_detect-dead-server-post'
  Required/Optional: true
```

**Responses:**

```
'201':
  Description: container detect-dead-server created
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
```

**security:**

```
- basicAuth: []
```

```
x-codegen-request-body-name: detect-dead-server
```

**delete:**

**Tags:**

```
- data
- delete
```

```
Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_delete
```

**Responses:**

```
'204':
  Description: No Content
  Content: {}
```

**security:**

```
- basicAuth: []
```

**options:**

**Tags:**

```
- data
- options
```

```
Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_options
```

**Responses:**

```
'200':
  Description: OK
  Content: {}
```

**security:**

```
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
```

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_detect\_dead\_server\_patch

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_detect-dead-server'

**Required/Optional:** true

**Responses:**

'204':

**Description:** container detect-dead-server updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

```
- basicAuth: []  
x-codegen-request-body-name: detect-dead-server
```

## /data/cnbng-cp:profile/radius/detect-dead-server/response-timeout:

get:

**Tags:**

```
- data  
- get
```

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_detect\_dead\_server\_response\_timeout\_get

**Parameters:**

```
- Name: content  
  In: query  
  Description: controlling descendant nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: string  
    Format: enumeration  
    Default: config  
    enum:  
    - config  
    - nonconfig  
    - all  
- Name: depth  
  In: query  
  Description: limit the depth of nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: integer  
    Format: uint16  
- Name: fields  
  In: query  
  Description: optionally identify specific data nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: string  
    Format: string  
- Name: filter  
  In: query  
  Description: xpath expression to filter data nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true
```

```

    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_detect-dead-server_response-timeout'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_detect-dead-server_response-timeout_put

```



```
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_detect-dead-server_response-timeout'
      Required/Optional: true

Responses:
  '201':
    Description: leaf response-timeout created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: response-timeout
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_response_timeout_delete

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_response_timeout_options
```

**Responses:**

'200':  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_detect\_dead\_server\_response\_timeout\_head

**Parameters:**

- **Name:** content  
  **In:** query  
  **Description:** controlling descendant nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
  **In:** query  
  **Description:** limit the depth of nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
  **In:** query  
  **Description:** optionally identify specific data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter  
  **In:** query  
  **Description:** xpath expression to filter data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true

```
Schema:
  Type: string
  Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_detect_dead_server_response_timeout_patch

Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_detect-dead-server_response-timeout'
    Required/Optional: true

Responses:
  '204':
    Description: leaf response-timeout updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
```

```

    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: response-timeout

```

## /data/cnbng-cp:profile/radius/max-retry

**get:**

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_max_retry_get

```

**Parameters:**

```

- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string

```

- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

- '200':
  - Description:** OK
  - Content:**
    - application/yang-data+json:**
      - Schema:**
        - Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_radius\_max-retry'
- '204':
  - Description:** No Content
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':
  - Description:** Unauthorized
  - Content:** {}
- '404':
  - Description:** Not Found
  - Content:** {}
- '405':
  - Description:** Method Not Allowed
  - Content:** {}
- '409':
  - Description:** Conflict
  - Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_max\_retry\_put**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_radius\_max-retry'**Required/Optional:** true**Responses:**

'201':

**Description:** leaf max-retry created or replaced**Content:** {}

'204':

**Description:** No Content**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**

- basicAuth: []

**x-codegen-request-body-name:** max-retry**delete:****Tags:**

- data
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_max\_retry\_delete**Responses:**

'204':

**Description:** No Content**Content:** {}**security:**

- basicAuth: []

**options:**

**Tags:**

- data
- options

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_max\_retry\_options

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_max\_retry\_head

**Parameters:**

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config
- nonconfig
- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_max\_retry\_patch

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_radius\_max-retry'

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf max-retry updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':



```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: max-retry

```

## /data/cnbng-cp:profile/radius/timeout

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_timeout_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```

```

Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius_timeout'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict

```

```
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_timeout_put
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius_timeout'
      Required/Optional: true

Responses:
'201':
  Description: leaf timeout created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: timeout
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_timeout_delete

Responses:
'204':
  Description: No Content
  Content: {}
security:
```

```

- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_timeout_options

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_timeout_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string

```

```
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_timeout_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng_cp_profile_radius_timeout'
      Required/Optional: true

Responses:
  '204':
    Description: leaf timeout updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
```

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: timeout

```

## /data/cnbng-cp:profile/radius/attribute

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_attribute_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false

```

```
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius_attribute'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
```

```

    '409':
      Description: Conflict
      Content: {}
    security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_radius_attribute_put
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_radius_attribute'
        Required/Optional: true

  Responses:
    '201':
      Description: container attribute created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: attribute
  Method: Post

  Tags:
  - data
  - post
  Operation ID: data_cnbng_cp_profile_radius_attribute_post
  Request Body:
    Content:
      application/yang-data+json:
        Schema:

```



**Reference:** '#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute-post'

**Required/Optional:** true

**Responses:**

'201':  
  **Description:** container attribute created  
  **Content:** {}  
'204':  
  **Description:** No Content  
  **Content:** {}  
'400':  
  **Description:** Bad Request  
  **Content:** {}  
'401':  
  **Description:** Unauthorized  
  **Content:** {}  
'404':  
  **Description:** Not Found  
  **Content:** {}  
'405':  
  **Description:** Method Not Allowed  
  **Content:** {}  
'409':  
  **Description:** Conflict  
  **Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** attribute

**delete:**

**Tags:**

- data  
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_delete

**Responses:**

'204':  
  **Description:** No Content  
  **Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
- options

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_options

**Responses:**

'200':  
  **Description:** OK  
  **Content:** {}

```
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_attribute_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
```

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_patch

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_radius\_attribute'

**Required/Optional:** true

**Responses:**

'204':

**Description:** container attribute updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

```
- basicAuth: []
x-codegen-request-body-name: attribute
```

## /data/cnbng-cp:profile/radius/attribute/called-station-id

get:

**Tags:**

```
- data
- get
```

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_called\_station\_id\_get

**Parameters:**

```
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
```

```
Schema:
  Type: string
  Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_put
```

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_attribute\_called-station-id'

**Required/Optional:** true**Responses:**

'201':

**Description:** container called-station-id created or replaced**Content:** {}

'204':

**Description:** No Content**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**

- basicAuth: []

**x-codegen-request-body-name:** called-station-id**Method:** Post**Tags:**

- data

- post

**Operation ID:** data\_cnbng-cp\_profile\_radius\_attribute\_called\_station\_id\_post**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_attribute\_called-station-id-post'

**Required/Optional:** true**Responses:**

'201':

**Description:** container called-station-id created**Content:** {}

'204':

**Description:** No Content

```
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: called-station-id
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_delete

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_options

  Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_head

  Parameters:
  - Name: content
```

**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all



- trim
- explicit
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:** {}**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_called\_station\_id\_patch**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_called-station-id'

**Required/Optional:** true**Responses:****'204':****Description:** container called-station-id updated**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:**

- basicAuth: []

**x-codegen-request-body-name:** called-station-id

## /data/cnbng-cp:profile/radius/attribute/called-station-id/format

**options:****Tags:**

- data
- options

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_called\_station\_id\_format\_options

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/radius/attribute/called-station-id/format={ format-nas-port-type}

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_get

**Parameters:**

- **Name:** format-nas-port-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config
- nonconfig
- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer  
**Format:** uint16

**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

**Type:** string  
**Format:** string

**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

**Type:** string  
**Format:** string

**- Name:** with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_attribute\_called-station-id\_format\_format-nas-port-type'

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':**

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_put

  Parameters:
  - Name: format-nas-port-type
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32
  - Name: insert
    In: query
    Description: controlling the order when adding new list elements
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: first
      enum:
      - first
      - last
      - before
      - after
  - Name: point
    In: query
    Description: used to specify the insertion point
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string

```

```

    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type'

Required/Optional: true

Responses:
'201':
  Description: list format created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_delete

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Responses:****'204':****Description:** No Content**Content:** {}**security:****- basicAuth:** []**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_options

**Parameters:****- Name:** format-nas-port-type**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_head

**Parameters:****- Name:** format-nas-port-type**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32**- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form

**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

```

    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID:
  data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_patch

  Parameters:
  - Name: format-nas-port-type
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_radius_attribute_called-station-id_format_format-nas-port-type'

    Required/Optional: true

  Responses:
    '204':
      Description: list format updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: format

```



## /data/cnbng-cp:profile/radius/attribute/called-station-id/format={ format-nas-port-type}/nas-port-type

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_get

**Parameters:**

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_nas-port-type'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict

```

```

    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_nas_port_type_put

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_nas-port-type'

Required/Optional: true

Responses:
'201':
  Description: leaf nas-port-type created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:

```

```

- basicAuth: []
x-codegen-request-body-name: nas-port-type
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_delete

**Parameters:**

```

- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Responses:**

```

'204':
  Description: No Content
  Content: {}

```

**security:**

```

- basicAuth: []

```

**options:****Tags:**

```

- data
- options

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_options

**Parameters:**

```

- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []

```

**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_head

**Parameters:**

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form

**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string  
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_patch

**Parameters:**

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

**Request Body:**

**Content:**  
  **application/yang-data+json:**  
    **Schema:**  
      **Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_called\_station\_id\_format\_format\_nas-port-type\_nas-port-type'

**Required/Optional:** true

**Responses:**

```

'204':
  Description: leaf nas-port-type updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-type

```

## /data/cnbng-cp:profile/radius/attribute/called-station-id/format={format-nas-port-type}/format-name

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_get

**Parameters:**

- **Name:** format-nas-port-type
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

'200':  
  **Description:** OK



```

    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_format-name'

    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID:
    data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_format_name_put

  Parameters:
    - Name: format-nas-port-type
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: integer
        Format: int32
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_format-name'

    Required/Optional: true

  Responses:

```

```

    '201':
      Description: leaf format-name created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format-name
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_radius_attribute_called_station_id_format_format_nas_port_type_format_name_delete

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data

```

- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_options

**Parameters:**

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_head

**Parameters:**

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth

**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** integer  
   **Format:** uint16

- **Name:** fields

**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string

- **Name:** filter

**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string

- **Name:** with-defaults

**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**  
   '200':  
     **Description:** OK  
     **Content:** {}  
   **security:**  
     - **basicAuth:** []

**patch:**

**Tags:**  
   - data  
   - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_patch

**Parameters:**

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Request Body:**

**Content:**  
 application/yang-data+json:  
**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_called-station-id\_format\_format-nas-port-type\_format-name'

**Required/Optional:** true**Responses:**

'204':  
**Description:** leaf format-name updated  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':  
**Description:** Not Found  
**Content:** {}  
 '405':  
**Description:** Method Not Allowed  
**Content:** {}  
 '409':  
**Description:** Conflict  
**Content:** {}

**security:**- **basicAuth:** []**x-codegen-request-body-name:** format-name**/data/cnbng-cp:profile/radius/attribute/called-station-id/format-name****get:****Tags:**

- data  
 - get

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_called\_station\_id\_format\_name\_get

**Parameters:**

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
 Schema:  
 Reference:

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_called-station-id\_format-name'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**  
 - basicAuth: []

**put:**

**Tags:**  
 - data  
 - put

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_called\_station\_id\_format\_name\_put

**Request Body:**

**Content:**  
 application/yang-data+json:  
 Schema:  
 Reference:

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_called-station-id\_format-name'

**Required/Optional:** true

**Responses:**

```

'201':
  Description: leaf format-name created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

**security:**

```
- basicAuth: []
```

```
x-codegen-request-body-name: format-name
```

**delete:****Tags:**

```
- data
- delete
```

**Operation ID:**

```
data_cnbng_cp_profile_radius_attribute_called_station_id_format_name_delete
```

**Responses:**

```

'204':
  Description: No Content
  Content: {}

```

**security:**

```
- basicAuth: []
```

**options:****Tags:**

```
- data
- options
```

**Operation ID:**

```
data_cnbng_cp_profile_radius_attribute_called_station_id_format_name_options
```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```
- basicAuth: []
```



**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_called\_station\_id\_format\_name\_head

**Parameters:**

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_called\_station\_id\_format\_name\_patch

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_attribute\_called-station-id\_format-name'

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf format-name updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

```
security:  
- basicAuth: []  
x-codegen-request-body-name: format-name
```

## /data/cnbng-cp:profile/radius/attribute/called-station-id/value

get:

```
Tags:  
- data  
- get  
Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_value_get  
  
Parameters:  
- Name: content  
  In: query  
  Description: controlling descendant nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: string  
    Format: enumeration  
    Default: config  
    enum:  
    - config  
    - nonconfig  
    - all  
- Name: depth  
  In: query  
  Description: limit the depth of nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: integer  
    Format: uint16  
- Name: fields  
  In: query  
  Description: optionally identify specific data nodes in response  
  Required/Optional: false  
  Style: form  
  Explode: true  
  Schema:  
    Type: string  
    Format: string  
- Name: filter  
  In: query  
  Description: xpath expression to filter data nodes in response  
  Required/Optional: false  
  Style: form
```

```

Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id_value'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put

```

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_called\_station\_id\_value\_put

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_called-station-id\_value'

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf value created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** value

**delete:**

**Tags:**

- data

- delete

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_called\_station\_id\_value\_delete

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data

- options

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_called\_station\_id\_value\_options

**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:****- data**  
**- head****Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_called\_station\_id\_value\_head**Parameters:****- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:****- config**  
**- nonconfig**  
**- all****- Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form

```
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_attribute_called_station_id_value_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_attribute_called-station-id_value'
      Required/Optional: true

Responses:
  '204':
    Description: leaf value updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
```

```

'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value

```

## /data/cnbng-cp:profile/radius/attribute/calling-station-id

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_get

```

Parameters:

```

- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string

```



```
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
```

**Responses:**

```
'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
```

- **basicAuth:** []

**put:**

**Tags:**

- data  
- put

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_put

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_calling-station-id'

**Required/Optional:** true

**Responses:**

'201':

**Description:** container calling-station-id created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** calling-station-id

**Method:** Post

**Tags:**

- data  
- post

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_post

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_calling-station-id-post'

**Required/Optional:** true

**Responses:**

- '201':
  - Description:** container calling-station-id created
  - Content:** {}
- '204':
  - Description:** No Content
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':
  - Description:** Unauthorized
  - Content:** {}
- '404':
  - Description:** Not Found
  - Content:** {}
- '405':
  - Description:** Method Not Allowed
  - Content:** {}
- '409':
  - Description:** Conflict
  - Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** calling-station-id

**delete:**

**Tags:**

- data
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_delete

**Responses:**

- '204':
  - Description:** No Content
  - Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_options

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_head

**Parameters:**

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form

```
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_attribute_calling-station-id'
        Required/Optional: true

Responses:
  '204':
    Description: container calling-station-id updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: calling-station-id
```

## /data/cnbng-cp:profile/radius/attribute/calling-station-id/format:

### options:

#### Tags:

- data
- options

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_format\_options

### Responses:

'200':

**Description:** OK

**Content:** {}

#### security:

- basicAuth: []

## /data/cnbng-cp:profile/radius/attribute/calling-station-id/format={format-nas-port-type}

### get:

#### Tags:

- data
- get

#### Operation ID:

data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_get

### Parameters:

- **Name:** format-nas-port-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

#### Schema:

**Type:** integer

**Format:** int32

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

#### Schema:

**Type:** string

**Format:** enumeration

**Default:** config

#### enum:

- config
- nonconfig
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** report-all
  - enum:**
    - report-all
    - trim
    - explicit
    - report-all-tagged

**Responses:**

'200':

**Description:** OK**Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_attribute\_calling-station-id\_format\_format-nas-port-type'

'204':

```

    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_put

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query

```



**Description:** used to specify the insertion point  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string  
**Request Body:**  
  **Content:**  
    **application/yang-data+json:**  
      **Schema:**  
        **Reference:**  
          '#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_calling-station-id\_format\_format-nas-port-type'  
  
  **Required/Optional:** true  
  
**Responses:**  
  '201':  
    **Description:** list format created or replaced  
    **Content:** {}  
  '204':  
    **Description:** No Content  
    **Content:** {}  
  '400':  
    **Description:** Bad Request  
    **Content:** {}  
  '401':  
    **Description:** Unauthorized  
    **Content:** {}  
  '404':  
    **Description:** Not Found  
    **Content:** {}  
  '405':  
    **Description:** Method Not Allowed  
    **Content:** {}  
  '409':  
    **Description:** Conflict  
    **Content:** {}  
**security:**  
  - **basicAuth:** []  
**x-codegen-request-body-name:** format  
**delete:**  
  
  **Tags:**  
  - data  
  - delete  
**Operation ID:**  
data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_delete  
  
**Parameters:**  
  - **Name:** format-nas-port-type  
  **In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

**Responses:**

**'204':**

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data

- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_options

**Parameters:**

- **Name:** format-nas-port-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

**Responses:**

**'200':**

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data

- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_head

**Parameters:**

- **Name:** format-nas-port-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

- Format:** int32
- **Name:** content
    - In:** query
    - Description:** controlling descendant nodes in response
    - Required/Optional:** false
    - Style:** form
    - Explode:** true
    - Schema:**
      - Type:** string
      - Format:** enumeration
      - Default:** config
      - enum:**
        - config
        - nonconfig
        - all
  - **Name:** depth
    - In:** query
    - Description:** limit the depth of nodes in response
    - Required/Optional:** false
    - Style:** form
    - Explode:** true
    - Schema:**
      - Type:** integer
      - Format:** uint16
  - **Name:** fields
    - In:** query
    - Description:** optionally identify specific data nodes in response
    - Required/Optional:** false
    - Style:** form
    - Explode:** true
    - Schema:**
      - Type:** string
      - Format:** string
  - **Name:** filter
    - In:** query
    - Description:** xpath expression to filter data nodes in response
    - Required/Optional:** false
    - Style:** form
    - Explode:** true
    - Schema:**
      - Type:** string
      - Format:** string
  - **Name:** with-defaults
    - In:** query
    - Description:** controlling default values in response
    - Required/Optional:** false
    - Style:** form
    - Explode:** true
    - Schema:**
      - Type:** string
      - Format:** enumeration
      - Default:** report-all

```

    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_patch

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas-port-type'

      Required/Optional: true

Responses:
  '204':
    Description: list format updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed

```

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format

```

## /data/cnbng-cp:profile/radius/attribute/calling-station-id/format={format-nas-port-type}/nas-port-type

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_get

**Parameters:**

- **Name:** format-nas-port-type
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer

```

    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_nas-port-type'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}

```

```

    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_put

```

**Parameters:**

```

- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Request Body:**

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng_cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_nas-port-type'
```

```
Required/Optional: true
```

**Responses:**

```

'201':
  Description: leaf nas-port-type created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found

```

```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: nas-port-type
delete:

```

```

Tags:
- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_delete

**Parameters:**

```

- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Responses:**

```

'204':
  Description: No Content
  Content: {}

```

```

security:
- basicAuth: []

```

**options:**

```

Tags:
- data
- options

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_options

**Parameters:**

```

- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```



**Responses:**

'200':

**Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_head

**Parameters:****- Name:** format-nas-port-type**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32**- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:**

- config
- nonconfig
- all

**- Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true

**Schema:**

**Type:** string  
**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string  
**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string  
**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_patch

**Parameters:**

- **Name:** format-nas-port-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

**Request Body:**

**Content:**

```

    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_nas-port-type'

      Required/Optional: true

    Responses:
      '204':
        Description: leaf nas-port-type updated
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: nas-port-type

```

## /data/cnbng-cp:profile/radius/attribute/calling-station-id/format={format-nas-port-type}/format-name

```

get:

  Tags:
  - data
  - get
  Operation ID:
    data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_format_name_get

  Parameters:
  - Name: format-nas-port-type
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32

```

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_calling-station-id\_format\_format-nas-port-type\_format-name'

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_put

**Parameters:**

- **Name:** format-nas-port-type

**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32**Request Body:****Content:**

```

    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_format-name'

      Required/Optional: true

    Responses:
      '201':
        Description: leaf format-name created or replaced
        Content: {}
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: format-name
  delete:

    Tags:
      - data
      - delete
    Operation ID:
      data_cnbng_cp_profile_radius_attribute_calling_station_id_format_format_nas_port_type_format_name_delete

    Parameters:
      - Name: format-nas-port-type
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: integer
          Format: int32

    Responses:
      '204':

```

**Description:** No Content  
**Content:** {}  
**security:**  
- **basicAuth:** []  
**options:**

**Tags:**  
- data  
- options

**Operation ID:**  
data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_options

**Parameters:**  
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Responses:**  
**'200':**  
**Description:** OK  
**Content:** {}  
**security:**  
- **basicAuth:** []  
**head:**

**Tags:**  
- data  
- head

**Operation ID:**  
data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_head

**Parameters:**  
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32  
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

```

    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK

```



**Content:** {}  
**security:**  
 - **basicAuth:** []  
**patch:**

**Tags:**  
 - data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_patch

**Parameters:**

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

**Type:** integer  
**Format:** int32

**Request Body:**

**Content:**  
 application/yang-data+json:  
**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_format\_name'

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf format-name updated  
**Content:** {}

'400':

**Description:** Bad Request  
**Content:** {}

'401':

**Description:** Unauthorized  
**Content:** {}

'404':

**Description:** Not Found  
**Content:** {}

'405':

**Description:** Method Not Allowed  
**Content:** {}

'409':

**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** format-name

## /data/cnbng-cp:profile/radius/attribute/calling-station-id/format-name

get:

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_format\_name\_get

**Parameters:**

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config
- nonconfig
- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

'200':  
  **Description:** OK  
  **Content:**  
    **application/yang-data+json:**  
      **Schema:**  
      **Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_calling-station-id\_format-name'

'204':  
  **Description:** No Content  
  **Content:** {}  
'400':  
  **Description:** Bad Request  
  **Content:** {}  
'401':  
  **Description:** Unauthorized  
  **Content:** {}  
'404':  
  **Description:** Not Found  
  **Content:** {}  
'405':  
  **Description:** Method Not Allowed  
  **Content:** {}  
'409':  
  **Description:** Conflict  
  **Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
- put

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_format\_name\_put

**Request Body:**

**Content:**

```

    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id_format-name'

      Required/Optional: true

    Responses:
      '201':
        Description: leaf format-name created or replaced
        Content: {}
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: format-name
  delete:

    Tags:
      - data
      - delete
    Operation ID:
      data_cnbng_cp_profile_radius_attribute_calling_station_id_format_name_delete

    Responses:
      '204':
        Description: No Content
        Content: {}
    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Operation ID:
      data_cnbng_cp_profile_radius_attribute_calling_station_id_format_name_options

```

**Responses:**

'200':

**Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_calling\_station\_id\_format\_name\_head

**Parameters:****- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:**

- config
- nonconfig
- all

**- Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true

```

Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_radius_attribute_calling_station_id_format_name_patch
Request Body:
  Content:
  application/yang-data+json:
    Schema:
    Reference:
    '#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id_format-name'

  Required/Optional: true

Responses:
  '204':
    Description: leaf format-name updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}

```

```
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name
```

## /data/cnbng-cp:profile/radius/attribute/calling-station-id/value

get:

```
Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_value_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
```

```

    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_calling-station-id_value'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

**security:**



```
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_value_put
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_attribute_calling-station-id_value'
      Required/Optional: true

Responses:
'201':
  Description: leaf value created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_value_delete

Responses:
'204':
  Description: No Content
  Content: {}
security:
```

```

- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_value_options

Responses:
  '200':
    Description: OK
    Content: {}
    security:
      - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_value_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string

```

```

    Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID: data_cnbng_cp_profile_radius_attribute_calling_station_id_value_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_attribute_calling-station-id_value'
      Required/Optional: true

Responses:
  '204':
    Description: leaf value updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}

```

```

'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value

```

## /data/cnbng-cp:profile/radius/attribute/nas-identifier

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_get

```

Parameters:

```

- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query

```

**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

'200':  
  **Description:** OK  
  **Content:**  
    application/yang-data+json:  
      **Schema:**  
      **Reference:**  
      '#/components/schemas/data\_cnbng-cp\_profile\_radius\_attribute\_nas-identifier'

'204':  
  **Description:** No Content  
  **Content:** {}

'400':  
  **Description:** Bad Request  
  **Content:** {}

'401':  
  **Description:** Unauthorized  
  **Content:** {}

'404':  
  **Description:** Not Found  
  **Content:** {}

'405':

```

    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_put
Request Body:
  Content:
  application/yang-data+json:
  Schema:
  Reference:
  '#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-identifier'
  Required/Optional: true

Responses:
  '201':
    Description: leaf nas-identifier created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: nas-identifier
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_delete

```

**Responses:**  
  '204':  
    **Description:** No Content  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []  
**options:**  
  
  **Tags:**  
  - data  
  - options  
  **Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_options

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []  
**head:**  
  
  **Tags:**  
  - data  
  - head  
  **Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_head

**Parameters:**  
- **Name:** content  
  **In:** query  
  **Description:** controlling descendant nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
    - config  
    - nonconfig  
    - all  
- **Name:** depth  
  **In:** query  
  **Description:** limit the depth of nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** integer  
    **Format:** uint16  
- **Name:** fields  
  **In:** query  
  **Description:** optionally identify specific data nodes in response  
  **Required/Optional:** false

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-identifier'
      Required/Optional: true

Responses:
  '204':
    Description: leaf nas-identifier updated

```



```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-identifier

```

## /data/cnbng-cp:profile/radius/attribute/nas-identifier-format

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_format_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:

```

```

    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}

```

```

    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_identifier_format_put
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-identifier-format'
    Required/Optional: true

Responses:
'201':
  Description: container nas-identifier-format created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-identifier-format
Method: Post

Tags:

```

- data  
- post

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_format\_post

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_nas-identifier-format-post'

**Required/Optional:** true

**Responses:**

'201':

**Description:** container nas-identifier-format created

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** nas-identifier-format

**delete:**

**Tags:**

- data  
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_format\_delete

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
- options

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_format\_options

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_format\_head

**Parameters:**

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config  
- nonconfig  
- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string  
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}

**security:**  
- **basicAuth:** []

**patch:**

**Tags:**

- data  
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_format\_patch

**Request Body:**

**Content:**  
  **application/yang-data+json:**

**Schema:**

**Reference:**

  '#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_nas-identifier-format'

**Required/Optional:** true

**Responses:**

'204':  
  **Description:** container nas-identifier-format updated  
  **Content:** {}

'400':  
  **Description:** Bad Request  
  **Content:** {}

'401':  
  **Description:** Unauthorized  
  **Content:** {}

'404':  
  **Description:** Not Found  
  **Content:** {}

```

    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: nas-identifier-format

```

## /data/cnbng-cp:profile/radius/attribute/nas-identifier-format/form at

options:

```

  Tags:
  - data
  - options
  Operation ID:
  data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_options

  Responses:
    '200':
      Description: OK
      Content: {}
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/radius/attribute/nas-identifier-format/form at={format-nas-port-type}

get:

```

  Tags:
  - data
  - get
  Operation ID:
  data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_get

  Parameters:
  - Name: format-nas-port-type
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32
  - Name: content
    In: query

```

**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** config  
   **enum:**  
     - config  
     - nonconfig  
     - all

**- Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** integer  
   **Format:** uint16

**- Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string

**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string

**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit



- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_attribute\_nas-identifier-format\_format\_format-nas-port-type'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**put:**

**Tags:**

- data

- put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_put

**Parameters:**

- **Name:** format-nas-port-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** insert

**In:** query

**Description:** controlling the order when adding new list elements

**Required/Optional:** false

```

Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: first
  enum:
    - first
    - last
    - before
    - after
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type'

Required/Optional: true

Responses:
  '201':
    Description: list format created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []

```

**x-codegen-request-body-name:** format  
**delete:**

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_delete

**Parameters:**

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_options

**Parameters:**

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data

- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_head

**Parameters:**

- **Name:** format-nas-port-type
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**

```

    Type: string
    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_patch

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type'

      Required/Optional: true

Responses:
  '204':
    Description: list format updated

```

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format

```

## /data/cnbng-cp:profile/radius/attribute/nas-identifier-format/format-at={format-nas-port-type}/nas-port-type

get:

Tags:

```
- data
- get
```

Operation ID:

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_nas\_port\_type\_get

Parameters:

```

- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration

```

**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
**'200':**  
  **Description:** OK  
  **Content:**  
    **application/yang-data+json:**

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_nas-port-type'
```

```
'204':
```

```
  Description: No Content
```

```
  Content: {}
```

```
'400':
```

```
  Description: Bad Request
```

```
  Content: {}
```

```
'401':
```

```
  Description: Unauthorized
```

```
  Content: {}
```

```
'404':
```

```
  Description: Not Found
```

```
  Content: {}
```

```
'405':
```

```
  Description: Method Not Allowed
```

```
  Content: {}
```

```
'409':
```

```
  Description: Conflict
```

```
  Content: {}
```

```
security:
```

```
- basicAuth: []
```

```
put:
```

```
Tags:
```

```
- data
```

```
- put
```

```
Operation ID:
```

```
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_put
```

```
Parameters:
```

```
- Name: format-nas-port-type
```

```
  In: path
```

```
  Required/Optional: true
```

```
  Style: simple
```

```
  Explode: false
```

```
  Schema:
```

```
    Type: integer
```

```
    Format: int32
```

```
Request Body:
```

```
  Content:
```

```
    application/yang-data+json:
```

```
      Schema:
```

```
        Reference:
```

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_nas-port-type'
```

```
      Required/Optional: true
```

```
Responses:
```

```
'201':
```

```
  Description: leaf nas-port-type created or replaced
```



```

    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: nas-port-type
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_nas\_port\_type\_delete

**Parameters:**

```

- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Responses:**

```

'204':
  Description: No Content
  Content: {}

```

**security:**

```

- basicAuth: []

```

**options:****Tags:**

```

- data
- options

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_nas\_port\_type\_options

**Parameters:**

- **Name:** format-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_nas\_port\_type\_head

**Parameters:**

- **Name:** format-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** content
- In:** query
- Description:** controlling descendant nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth
- In:** query
- Description:** limit the depth of nodes in response
- Required/Optional:** false

```

Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_patch

```

**Parameters:**

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_attribute\_nas-identifier-format\_format\_format-nas-port-type\_nas-port-type'

**Required/Optional:** true

**Responses:**

'204':  
**Description:** leaf nas-port-type updated  
**Content:** {}  
'400':  
**Description:** Bad Request  
**Content:** {}  
'401':  
**Description:** Unauthorized  
**Content:** {}  
'404':  
**Description:** Not Found  
**Content:** {}  
'405':  
**Description:** Method Not Allowed  
**Content:** {}  
'409':  
**Description:** Conflict  
**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** nas-port-type

## /data/cnbng-cp:profile/radius/attribute/nas-identifier-format/form at={format-nas-port-type}/format-name

**get:****Tags:**

- data  
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_format\_name\_get

**Parameters:**

- **Name:** format-nas-port-type
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

'200':  
  **Description:** OK  
  **Content:**  
    **application/yang-data+json:**  
      **Schema:**  
      **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_attribute\_nas-identifier-format\_format\_format-nas-port-type\_format-name'

'204':  
  **Description:** No Content  
  **Content:** {}  
'400':  
  **Description:** Bad Request  
  **Content:** {}  
'401':  
  **Description:** Unauthorized  
  **Content:** {}  
'404':  
  **Description:** Not Found  
  **Content:** {}  
'405':  
  **Description:** Method Not Allowed  
  **Content:** {}  
'409':  
  **Description:** Conflict  
  **Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
- put

**Operation ID:**

data\_cnbng-cp\_profile\_radius\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_format\_name\_put

**Parameters:**

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Request Body:**

**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_nas-identifier-format\_format\_format-nas-port-type\_format-name'

**Required/Optional:** true

**Responses:**

'201':  
**Description:** leaf format-name created or replaced  
**Content:** {}  
 '204':  
**Description:** No Content  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':  
**Description:** Not Found  
**Content:** {}  
 '405':  
**Description:** Method Not Allowed  
**Content:** {}  
 '409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** format-name

**delete:****Tags:**

- data  
 - delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_format\_name\_delete

**Parameters:**

```

- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_format_name_options

```

```

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_format_nas_port_type_format_name_head

```

```

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple

```



**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
    - config  
    - nonconfig  
    - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_format\_name\_patch

**Parameters:**

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_nas-identifier-format\_format\_format-nas-port-type\_format-name'

**Required/Optional:** true

**Responses:**

**'204':**  
**Description:** leaf format-name updated  
**Content:** {}

**'400':**  
**Description:** Bad Request  
**Content:** {}

**'401':**  
**Description:** Unauthorized  
**Content:** {}

**'404':**  
**Description:** Not Found

```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name

```

## /data/cnbng-cp:profile/radius/attribute/nas-identifier-format/form at-name

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_format\_format\_name\_get

**Parameters:**

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format-name'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict

```

```

    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_name_put
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format-name'

  Required/Optional: true

Responses:
'201':
  Description: leaf format-name created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_name_delete

Responses:
'204':

```

**Description:** No Content  
**Content:** {}  
**security:**  
- **basicAuth:** []  
**options:**

**Tags:**  
- data  
- options  
**Operation ID:**  
data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_format\_format\_name\_options

**Responses:**  
'200':  
**Description:** OK  
**Content:** {}  
**security:**  
- **basicAuth:** []  
**head:**

**Tags:**  
- data  
- head  
**Operation ID:**  
data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_identifier\_format\_format\_name\_head

**Parameters:**

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false

```

    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_identifier_format_format_name_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format-name'

    Required/Optional: true

Responses:
  '204':

```

```

    Description: leaf format-name updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name

```

## /data/cnbng-cp:profile/radius/attribute/nas-port-id

**get:**

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_get

```

**Parameters:**

```

- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```



```
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
```

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_put
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port-id'
      Required/Optional: true

Responses:
  '201':
    Description: container nas-port-id created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-id
Method: Post

```

```

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_post
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port-id-post'
        Required/Optional: true

Responses:
  '201':
    Description: container nas-port-id created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-id
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_delete

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:

```

- data  
 - options  
**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_id\_options

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []

**head:****Tags:**

- data  
 - head

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_id\_head

**Parameters:**

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
 - config  
 - nonconfig  
 - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port-id'
      Required/Optional: true

Responses:
  '204':
    Description: container nas-port-id updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':

```

```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-id

```

## /data/cnbng-cp:profile/radius/attribute/nas-port-id/format

### options:

```

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_format_options

```

### Responses:

```

  '200':
    Description: OK
    Content: {}
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/radius/attribute/nas-port-id/format={format-nas-port-type}

### get:

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_get

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: content
  In: query

```

**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit

- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_attribute\_nas-port-id\_format\_format-nas-port-type'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**put:**

**Tags:**

- data

- put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_put

**Parameters:**

- **Name:** format-nas-port-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** insert

**In:** query

**Description:** controlling the order when adding new list elements

**Required/Optional:** false

**Style:** form



```

Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: first
  enum:
    - first
    - last
    - before
    - after
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type'

Required/Optional: true

Responses:
'201':
  Description: list format created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format

```

**delete:****Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_delete

**Parameters:**

- **Name:** format-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32

**Responses:**

'204':

**Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_options

**Parameters:**

- **Name:** format-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32

**Responses:**

'200':

**Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_head

**Parameters:**

- **Name:** format-nas-port-type
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults

**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

**'200':**  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_patch

**Parameters:**

- **Name:** format-nas-port-type  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
  **Type:** integer  
  **Format:** int32

**Request Body:**

**Content:**  
  **application/yang-data+json:**  
  **Schema:**  
  **Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_nas-port-id\_format\_format-nas-port-type'

**Required/Optional:** true

**Responses:**

**'204':**  
  **Description:** list format updated  
  **Content:** {}  
**'400':**  
  **Description:** Bad Request  
  **Content:** {}

```

'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format

```

## /data/cnbng-cp:profile/radius/attribute/nas-port-id/format={format -nas-port-type}/nas-port-type

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_get

**Parameters:**

- **Name:** format-nas-port-type
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all

- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':

**Description:** OK**Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_attribute\_nas-port-id\_format\_format-nas-port-type\_nas-port-type'

'204':

```

    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_put

```

```

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port-id_fomat_format-nas-port-type_nas-port-type'

Required/Optional: true

```

```

Responses:
  '201':
    Description: leaf nas-port-type created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}

```

```

    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: nas-port-type
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_delete

```

```

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_options

Parameters:
- Name: format-nas-port-type

```



**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
    - **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_head

**Parameters:**

- **Name:** format-nas-port-type  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** integer  
    **Format:** int32

- **Name:** content  
  **In:** query  
  **Description:** controlling descendant nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
      - config  
      - nonconfig  
      - all

- **Name:** depth  
  **In:** query  
  **Description:** limit the depth of nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**

```

    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []

```

**patch:****Tags:**

```

- data
- patch

```

**Operation ID:**

```

data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_patch

```

**Parameters:**

```

- Name: format-nas-port-type
  In: path

```

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: integer
  Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_nas-port-type'

Required/Optional: true

Responses:
  '204':
    Description: leaf nas-port-type updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: nas-port-type

```

## /data/cnbng-cp:profile/radius/attribute/nas-port-id/format={format-nas-port-type}/format-name

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_format\_name\_get

**Parameters:**

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

**'200':**

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_attribute\_nas-port-id\_format\_format-nas-port-type\_format-name'

**'204':**

**Description:** No Content

**Content:** {}

**'400':**

**Description:** Bad Request

**Content:** {}

**'401':**

**Description:** Unauthorized

**Content:** {}

**'404':**

**Description:** Not Found

**Content:** {}

**'405':**

**Description:** Method Not Allowed

**Content:** {}

**'409':**

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_format\_name\_put

**Parameters:**

- **Name:** format-nas-port-type

**In:** path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: integer
  Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_format-name'

Required/Optional: true

Responses:
  '201':
    Description: leaf format-name created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: format-name
delete:

Tags:
  - data
  - delete
Operation ID:
  data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_format_name_delete

Parameters:
  - Name: format-nas-port-type
    In: path
    Required/Optional: true

```

**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

**Responses:**  
  **'204':**  
    **Description:** No Content  
    **Content:** {}  
  **security:**  
    - **basicAuth:** []

**options:**

**Tags:**  
- data  
- options

**Operation ID:**  
data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_format\_name\_options

**Parameters:**  
- **Name:** format-nas-port-type  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** integer  
    **Format:** int32

**Responses:**  
  **'200':**  
    **Description:** OK  
    **Content:** {}  
  **security:**  
    - **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:**  
data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_format\_name\_head

**Parameters:**  
- **Name:** format-nas-port-type  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** integer

- Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all



```

enum:
- report-all
- trim
- explicit
- report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []

```

**patch:****Tags:**

```

- data
- patch

```

**Operation ID:**

```
data_cnbng_cp_profile_radius_attribute_nas_port_id_format_format_nas_port_type_format_name_patch
```

**Parameters:**

```

- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

```

  Type: integer
  Format: int32

```

**Request Body:**

```

Content:
  application/yang-data+json:
    Schema:

```

**Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_format-name'
```

```
Required/Optional: true
```

**Responses:**

```

'204':
  Description: leaf format-name updated
  Content: {}

```

```

'400':
  Description: Bad Request
  Content: {}

```

```

'401':
  Description: Unauthorized
  Content: {}

```

```

'404':
  Description: Not Found
  Content: {}

```

```

'405':
  Description: Method Not Allowed

```

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format-name

```

## /data/cnbng-cp:profile/radius/attribute/nas-port-id/format-name

**get:**

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_id\_format\_name\_get

**Parameters:**

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter

```
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

Responses:
'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id_format-name'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:
```

**Tags:**

- data
- put

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_id\_format\_name\_put

**Request Body:****Content:**

**application/yang-data+json:**

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_nas-port-id\_format-name'

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf format-name created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** format-name

**delete:****Tags:**

- data
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_id\_format\_name\_delete

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- basicAuth: []

**options:**

**Tags:**

- data
- options

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_id\_format\_name\_options

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_id\_format\_name\_head

**Parameters:**

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config
- nonconfig
- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_id\_format\_name\_patch

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_nas-port-id\_format-name'

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf format-name updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

```

'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name

```

## /data/cnbng-cp:profile/radius/attribute/nas-port-id/value

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_value_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form

```

```

Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:
      '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id_value'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':

```



```
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_value_put
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port-id_value'
    Required/Optional: true

Responses:
'201':
  Description: leaf value created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_value_delete

Responses:
'204':
  Description: No Content
```

```

    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_value_options

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_value_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:

```

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_id_value_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port-id_value'
      Required/Optional: true

Responses:
  '204':
    Description: leaf value updated
    Content: {}
  '400':
    Description: Bad Request

```

```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value

```

## /data/cnbng-cp:profile/radius/attribute/nas-port

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields

```

**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

'200':  
  **Description:** OK  
  **Content:**  
    application/yang-data+json:  
      **Schema:**  
      **Reference:**  
      '#/components/schemas/data\_cnbng-cp\_profile\_radius\_attribute\_nas-port'

'204':  
  **Description:** No Content  
  **Content:** {}

'400':  
  **Description:** Bad Request  
  **Content:** {}

'401':  
  **Description:** Unauthorized  
  **Content:** {}

'404':  
  **Description:** Not Found  
  **Content:** {}

```

    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_put
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port'
      Required/Optional: true

Responses:
  '201':
    Description: container nas-port created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: nas-port
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_post

```

```
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-post'
      Required/Optional: true

Responses:
  '201':
    Description: container nas-port created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_delete

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_options
```

**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_head**Parameters:****- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:**

- config
- nonconfig
- all

**- Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**



```
    Type: string
    Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port'
      Required/Optional: true

Responses:
  '204':
    Description: container nas-port updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
```

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: nas-port

```

## /data/cnbng-cp:profile/radius/attribute/nas-port/format-e-list

### options:

```

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_options

  Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/radius/attribute/nas-port/format-e-list={format-e-list-nas-port-type}

### get:

```

  Tags:
  - data
  - get
  Operation ID:
  data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_get

  Parameters:
  - Name: format-e-list-nas-port-type
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form

```

**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
    - config  
    - nonconfig  
    - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
    - report-all  
    - trim  
    - explicit  
    - report-all-tagged

**Responses:**

```

    '200':
      Description: OK
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type'

    '204':
      Description: No Content
      Content: {}

    '400':
      Description: Bad Request
      Content: {}

    '401':
      Description: Unauthorized
      Content: {}

    '404':
      Description: Not Found
      Content: {}

    '405':
      Description: Method Not Allowed
      Content: {}

    '409':
      Description: Conflict
      Content: {}

  security:
    - basicAuth: []

  put:

    Tags:
      - data
      - put

    Operation ID:
      data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_put

```

**Parameters:**

- **Name:** format-e-list-nas-port-type
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** insert
  - In:** query
  - Description:** controlling the order when adding new list elements
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**

```

    Type: string
    Format: enumeration
    Default: first
    enum:
    - first
    - last
    - before
    - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type'

    Required/Optional: true

Responses:
  '201':
    Description: list format-e-list created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format-e-list
delete:

```

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_delete

**Parameters:**

- **Name:** format-e-list-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32

**Responses:**

- '204':
  - Description:** No Content
  - Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_options

**Parameters:**

- **Name:** format-e-list-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_head

**Parameters:**

- **Name:** format-e-list-nas-port-type
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

'200':  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_patch

**Parameters:**

- **Name:** format-e-list-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

**Request Body:**

**Content:**  
  **application/yang-data+json:**  
  **Schema:**  
  **Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_format-e-list\_format-e-list-nas-port-type'

**Required/Optional:** true

**Responses:**

'204':  
  **Description:** list format-e-list updated  
  **Content:** {}  
'400':



```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-e-list

```

## /data/cnbng-cp:profile/radius/attribute/nas-port/format-e-list={format-e-list-nas-port-type}/nas-port-type

**get:**

```

Tags:
- data
- get

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_nas\_port\_type\_get

**Parameters:**

```

- Name: format-e-list-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config

```

- nonconfig
- all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

- '200':
  - Description:** OK
  - Content:**
    - application/yang-data+json:
    - Schema:**
    - Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_attribute\_nas-port\_format-e-list\_format-e-list-nas-port-type\_nas-port-type'

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_put

```

```

Parameters:
- Name: format-e-list-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type'

```

Required/Optional: true

```

Responses:
'201':
  Description: leaf nas-port-type created or replaced
  Content: {}
'204':

```

```

    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-type
delete:

```

**Tags:**

```
- data
- delete
```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_nas\_port\_type\_delete

**Parameters:**

```
- Name: format-e-list-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: integer
  Format: int32
```

**Responses:**

```
'204':
  Description: No Content
  Content: {}
```

**security:**

```
- basicAuth: []
```

**options:****Tags:**

```
- data
- options
```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_nas\_port\_type\_options

**Parameters:**

- **Name:** format-e-list-nas-port-type
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_nas\_port\_type\_head

**Parameters:**

- **Name:** format-e-list-nas-port-type
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form

**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**
  - report-all
  - trim
  - explicit
  - report-all-tagged

**Responses:**

'200':  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_nas\_port\_type\_patch

**Parameters:**

```

- Name: format-e-list-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf nas-port-type updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: nas-port-type

```

## /data/cnbng-cp:profile/radius/attribute/nas-port/format-e-list={format-e-list-nas-port-type}/format-e

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_format\_e\_get

**Parameters:**

- **Name:** format-e-list-nas-port-type
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults



**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_attribute\_nas-port\_format-e-list\_format-e-list-nas-port-type\_format-e'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_format\_e\_put

**Parameters:**

```

- Name: format-e-list-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf format-e created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: format-e
delete:

  Tags:
  - data
  - delete
  Operation ID:
    data_cnbng_cp_profile_radius_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_delete

  Parameters:
  - Name: format-e-list-nas-port-type

```

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

**Responses:**  
  **'204':**  
    **Description:** No Content  
    **Content:** {}  
  **security:**  
    - **basicAuth:** []

**options:**

**Tags:**  
- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_format\_e\_options

**Parameters:**

- **Name:** format-e-list-nas-port-type  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** integer  
    **Format:** int32

**Responses:**  
  **'200':**  
    **Description:** OK  
    **Content:** {}  
  **security:**  
    - **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_format\_e\_head

**Parameters:**

- **Name:** format-e-list-nas-port-type  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false

**Schema:**  
  **Type:** integer  
  **Format:** int32

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
    - config  
    - nonconfig  
    - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string

**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_format\_e\_patch

**Parameters:**

- **Name:** format-e-list-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_nas-port\_format-e-list\_format-e-list-nas-port-type\_format-e'

**Required/Optional:** true

**Responses:**

**'204':**  
**Description:** leaf format-e updated  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}

```

'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-e

```

## /data/cnbng-cp:profile/radius/attribute/nas-port/format-e

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_format_e_get

```

Parameters:

```

- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string

```

```
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged
```

**Responses:**

```
'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port_format-e'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
```

- basicAuth: []

put:

Tags:

- data  
- put

Operation ID: data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_format\_e\_put

Request Body:

Content:

application/yang-data+json:

Schema:

Reference:

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_nas-port\_format-e'

Required/Optional: true

Responses:

'201':

Description: leaf format-e created or replaced

Content: {}

'204':

Description: No Content

Content: {}

'400':

Description: Bad Request

Content: {}

'401':

Description: Unauthorized

Content: {}

'404':

Description: Not Found

Content: {}

'405':

Description: Method Not Allowed

Content: {}

'409':

Description: Conflict

Content: {}

security:

- basicAuth: []

x-codegen-request-body-name: format-e

delete:

Tags:

- data  
- delete

Operation ID: data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_format\_e\_delete

Responses:

'204':

Description: No Content

Content: {}

security:

- basicAuth: []



**options:****Tags:**

- data
- options

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_format\_e\_options

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_format\_e\_head

**Parameters:**

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config
- nonconfig
- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter

**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** string

- **Name:** with-defaults

**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all

**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []

**patch:**

**Tags:**

- data  
 - patch

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_format\_e\_patch

**Request Body:**

**Content:**  
**application/yang-data+json:**

**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_nas-port\_format-e'

**Required/Optional:** true

**Responses:**

'204':  
**Description:** leaf format-e updated  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-e

```

## /data/cnbng-cp:profile/radius/attribute/nas-port/value

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_value_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false

```

**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string  
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string  
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** report-all  
    **enum:**  
    - report-all  
    - trim  
    - explicit  
    - report-all-tagged

**Responses:**

**'200':**  
    **Description:** OK  
    **Content:**  
        application/yang-data+json:  
            **Schema:**  
                **Reference:**  
                  '#/components/schemas/data\_cnbng-cp\_profile\_radius\_attribute\_nas-port\_value'  
**'204':**  
    **Description:** No Content  
    **Content:** {}  
**'400':**  
    **Description:** Bad Request  
    **Content:** {}  
**'401':**  
    **Description:** Unauthorized  
    **Content:** {}  
**'404':**  
    **Description:** Not Found  
    **Content:** {}  
**'405':**  
    **Description:** Method Not Allowed  
    **Content:** {}

```
    '409':
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_value_put
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port_value'
            Required/Optional: true

    Responses:
      '201':
        Description: leaf value created or replaced
        Content: {}
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: value
  delete:

    Tags:
      - data
      - delete
    Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_value_delete

    Responses:
      '204':
```

**Description:** No Content  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**options:**  
  
**Tags:**  
 - data  
 - options  
**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_value\_options  
  
**Responses:**  
 '200':  
**Description:** OK  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**head:**  
  
**Tags:**  
 - data  
 - head  
**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_port\_value\_head  
  
**Parameters:**  
 - **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
 - config  
 - nonconfig  
 - all  
 - **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16  
 - **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true

```
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_port_value_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-port_value'
      Required/Optional: true

Responses:
  '204':
    Description: leaf value updated
    Content: {}
  '400':
```

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value

```

## /data/cnbng-cp:profile/radius/attribute/nas-ip

**get:**

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_ip\_get

**Parameters:**

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config
- nonconfig
- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16



- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** report-all
  - enum:**
    - report-all
    - trim
    - explicit
    - report-all-tagged

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_attribute\_nas-ip'

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found

```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_ip_put
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-ip'

  Required/Optional: true

Responses:
  '201':
    Description: container nas-ip created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-ip
Method: Post

Tags:
- data
- post

```

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_ip\_post

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_nas-ip-post'

**Required/Optional:** true

**Responses:**

'201':

**Description:** container nas-ip created

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** nas-ip

**delete:**

**Tags:**

- data

- delete

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_ip\_delete

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data

- options

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_ip\_options

**Responses:**

'200':

**Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_ip\_head**Parameters:****- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:**

- config
- nonconfig
- all

**- Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true

```
Schema:
  Type: string
  Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_ip_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-ip'

  Required/Optional: true

Responses:
  '204':
    Description: container nas-ip updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
```

```

    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-ip

```

## /data/cnbng-cp:profile/radius/attribute/nas-ip/value

**get:**

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_ip_value_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string

```

- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_attribute\_nas-ip\_value'

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:****- basicAuth:** []

**put:****Tags:**

- data
- put

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_ip\_value\_put

**Request Body:****Content:**

**application/yang-data+json:**

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_nas-ip\_value'

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf value created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** value

**delete:****Tags:**

- data
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_ip\_value\_delete

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- basicAuth: []

**options:**



**Tags:**

- data
- options

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_ip\_value\_options

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_ip\_value\_head

**Parameters:**

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config
- nonconfig
- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_ip\_value\_patch

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_nas-ip\_value'

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf value updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

```
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value
```

## /data/cnbng-cp:profile/radius/attribute/nas-ip/user-plane-ip

get:

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_nas\_ip\_user\_plane\_ip\_get

**Parameters:**

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form

```

Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-ip_user-plane-ip'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':

```

```
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_ip_user_plane_ip_put
  Request Body:
  Content:
    application/yang-data+json:
    Schema:
    Reference:
    '#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-ip_user-plane-ip'
    Required/Optional: true

  Responses:
  '201':
    Description: leaf user-plane-ip created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: user-plane-ip
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_radius_attribute_nas_ip_user_plane_ip_delete

  Responses:
  '204':
    Description: No Content
```

```

    Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_ip_user_plane_ip_options

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_ip_user_plane_ip_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:

```

```

    Type: string
    Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_attribute_nas_ip_user_plane_ip_patch
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_attribute_nas-ip_user-plane-ip'
    Required/Optional: true

Responses:
  '204':
    Description: leaf user-plane-ip updated
    Content: {}
  '400':
    Description: Bad Request

```

```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: user-plane-ip

```

## /data/cnbng-cp:profile/radius/attribute/instance

### options:

```

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_attribute_instance_options

Responses:
  '200':
    Description: OK
    Content: {}
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/radius/attribute/instance={instance-instance-id}

### get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_attribute_instance_instance_id_get

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```



- Type:** integer
  - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration

**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
 Schema:  
 Reference:

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-id'

'204':  
**Description:** No Content  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':  
**Description:** Not Found  
**Content:** {}  
 '405':  
**Description:** Method Not Allowed  
**Content:** {}  
 '409':  
**Description:** Conflict  
**Content:** {}

**security:**  
 - basicAuth: []

**put:**

**Tags:**  
 - data  
 - put

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_id\_put

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32  
 - **Name:** insert

```

In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: first
  enum:
  - first
  - last
  - before
  - after
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id'

Required/Optional: true

Responses:
'201':
  Description: list instance created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict

```

```

    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: instance
delete:

```

```

Tags:
- data
- delete

```

**Operation ID:**

```
data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_delete
```

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Responses:**

```

'204':
  Description: No Content
  Content: {}

```

```

security:
- basicAuth: []

```

**options:**

```

Tags:
- data
- options

```

**Operation ID:**

```
data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_options
```

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

```

security:
- basicAuth: []

```

**head:**

**Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true

```

    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

  Responses:
    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID:
  data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_patch

  Parameters:
  - Name: instance-instance-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id'

    Required/Optional: true

  Responses:
    '204':
      Description: list instance updated

```

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: instance

```

## /data/cnbng-cp:profile/radius/attribute/instance={instance-instanc e-id}/instance-id

get:

```

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_instance_id_get

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config

```

```

    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:

```



**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_instance-id'
```

```
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
```

**security:**

```
- basicAuth: []
```

**put:****Tags:**

```
- data
- put
```

**Operation ID:**

```
data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_instance_id_put
```

**Parameters:**

```
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
```

**Request Body:**

```
Content:
  application/yang-data+json:
    Schema:
```

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_instance-id'
```

```
Required/Optional: true
```

**Responses:**

```
'201':
  Description: leaf instance-id created or replaced
  Content: {}
```

```

    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: instance-id
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_instance_id_delete

  Parameters:
  - Name: instance-instance-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32

  Responses:
    '204':
      Description: No Content
      Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
  data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_instance_id_options

  Parameters:

```

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
    - **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:**  
data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_instance\_id\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
    - config  
    - nonconfig  
    - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

```

    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []

```

**patch:****Tags:**

```

- data
- patch

```

**Operation ID:**

```

data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_instance_id_patch

```

**Parameters:**

```

- Name: instance-instance-id
  In: path

```

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: integer
  Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_instance-id'

Required/Optional: true

Responses:
  '204':
    Description: leaf instance-id updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: instance-id

```

## /data/cnbng-cp:profile/radius/attribute/instance={instance-instanc e-id}/called-station-id

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-id\_called\_station\_id\_get

**Parameters:**

- **Name:** instance-instance-id

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: integer
  Format: int32
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false

```

**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-id\_called-station-id'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**  
- **basicAuth:** []

**put:**

**Tags:**  
- data  
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance-id\_called\_station\_id\_put

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple

```

Explode: false
Schema:
  Type: integer
  Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_called-station-id'

  Required/Optional: true

Responses:
  '201':
    Description: container called-station-id created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: called-station-id
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_called_station_id_post

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false

```



```

Schema:
  Type: integer
  Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-id_called-station-id-post'

Required/Optional: true

Responses:
  '201':
    Description: container called-station-id created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: called-station-id
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_attribute_instance_instance_id_called_station_id_delete

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

**Type:** integer  
**Format:** int32

**Responses:**

**'204':**  
**Description:** No Content  
**Content:** {}

**security:**  
- **basicAuth:** []

**options:**

**Tags:**  
- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**  
- **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32  
- **Name:** content  
**In:** query

**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit

- report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []

**patch:**

**Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_patch

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_attribute\_instance\_instance-instance-id\_called-station-id'

**Required/Optional:** true

**Responses:**

'204':  
**Description:** container called-station-id updated  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

'409':  
**Description:** Conflict  
**Content:** {}

```
security:  
- basicAuth: []  
x-codegen-request-body-name: called-station-id
```

## /data/cnbng-cp:profile/radius/attribute/instance={instance-instanc e-id}/called-station-id/format

options:

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_format\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- basicAuth: []

## /data/cnbng-cp:profile/radius/attribute/instance={instance-instanc e-id}/called-station-id/format={format-nas-port-type}

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_format\_format\_nas\_port\_type\_get

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple

```

Explode: false
Schema:
  Type: integer
  Format: int32
- Name: format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: integer
  Format: int32
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string

```

```

    Format: string
  - Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_called-station-id_format_format-nas-port-type'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_radius_attribute_instance_instance-id_called_station_id_format_format_nas_port_type_put

```

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** insert  
**In:** query  
**Description:** controlling the order when adding new list elements  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** first
  - enum:**
    - first
    - last
    - before
    - after
- **Name:** point  
**In:** query  
**Description:** used to specify the insertion point  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** string

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-instance-id_called-station-id_format_format-nas-port-type'
```

**Required/Optional:** true**Responses:**

'201':



```

    Description: list format created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_format\_format\_nas\_port\_type\_delete

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Responses:**

```

'204':
  Description: No Content

```

**Content:** {}  
**security:**  
 - **basicAuth:** []  
**options:**

**Tags:**  
 - data  
 - options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_format\_format\_nas\_port\_type\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32  
 - **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []

**head:**

**Tags:**  
 - data  
 - head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_format\_format\_nas\_port\_type\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_format\_format\_nas\_port\_type\_patch

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** format-nas-port-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

**Request Body:**

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-instance-id\_called-station-id\_format\_format-nas-port-type'

**Required/Optional:** true

**Responses:**

```
'204':
  Description: list format updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
```

**security:**

```
- basicAuth: []
```

```
x-codegen-request-body-name: format
```

```
?
```

```
/data/cnbng-cp:profile/radius/attribute/instance={instance-instance-id}/called-station-id/format={format-nas-port-type}/nas-port-type
: get:
```

**Tags:**

```
- data
- get
```

**Operation ID:**

```
data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_called_station_id_format_format_nas_port_type_nas_port_type_get
```

**Parameters:**

```
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
```

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

'200':

**Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-instance-id\_called-station-id\_format\_format-nas-port-type\_nas-port-type'

'204':

**Description:** No Content**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**

- basicAuth: []

**put:****Tags:**

- data

- put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance-id\_called\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_put

**Parameters:**- **Name:** instance-instance-id**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32- **Name:** format-nas-port-type**In:** path**Required/Optional:** true**Style:** simple**Explode:** false

**Schema:****Type:** integer**Format:** int32**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-instance-id\_called-station-id\_format\_format-nas-port-type\_nas-port-type'

**Required/Optional:** true**Responses:**

'201':

**Description:** leaf nas-port-type created or replaced**Content:** {}

'204':

**Description:** No Content**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**

- basicAuth: []

**x-codegen-request-body-name:** nas-port-type**delete:****Tags:**- data  
- delete**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_delete

**Parameters:**- **Name:** instance-instance-id**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:**



**Type:** integer  
**Format:** int32  
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Responses:**

'204':

**Description:** No Content**Content:** {}**security:**- **basicAuth:** []**options:****Tags:**- data  
- options**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32  
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Responses:**

'200':

**Description:** OK**Content:** {}**security:**- **basicAuth:** []**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []

```

**patch:****Tags:**

```

- data
- patch

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_patch

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: format-nas-port-type
  In: path
  Required/Optional: true

```

```

Style: simple
Explode: false
Schema:
  Type: integer
  Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id_called-station-id_format_format-nas-port-type_nas-port-type'

  Required/Optional: true

Responses:
  '204':
    Description: leaf nas-port-type updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: nas-port-type
?
/data/cnbng-cp:profile/radius/attribute/instance={instance-instance-id}/called-station-id/format={format-nas-port-type}/format-name
: get:

  Tags:
  - data
  - get
  Operation ID:
  data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_called_station_id_format_format_nas_port_type_format_name_get

Parameters:
  - Name: instance-instance-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false

```

**Schema:**  
  **Type:** integer  
  **Format:** int32

- **Name:** format-nas-port-type  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** integer  
    **Format:** int32
- **Name:** content  
  **In:** query  
  **Description:** controlling descendant nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
      - config  
      - nonconfig  
      - all
- **Name:** depth  
  **In:** query  
  **Description:** limit the depth of nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** integer  
    **Format:** uint16
- **Name:** fields  
  **In:** query  
  **Description:** optionally identify specific data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** filter  
  **In:** query  
  **Description:** xpath expression to filter data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

'200':  
  **Description:** OK  
  **Content:**  
    application/yang-data+json:  
      **Schema:**  
      **Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-instance-id\_called-station-id\_format\_format-nas-port-type\_format-name'

'204':  
  **Description:** No Content  
  **Content:** {}  
'400':  
  **Description:** Bad Request  
  **Content:** {}  
'401':  
  **Description:** Unauthorized  
  **Content:** {}  
'404':  
  **Description:** Not Found  
  **Content:** {}  
'405':  
  **Description:** Method Not Allowed  
  **Content:** {}  
'409':  
  **Description:** Conflict  
  **Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_put

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32

**Request Body:**

- Content:**  
  - application/yang-data+json:**  
    - Schema:**
    - Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id_called-station-id_format_format-nas-port-type_format-name'
```

**Required/Optional:** true

**Responses:**

- '201':  
  - Description:** leaf format-name created or replaced
  - Content:** {}
- '204':  
  - Description:** No Content
  - Content:** {}
- '400':  
  - Description:** Bad Request
  - Content:** {}
- '401':  
  - Description:** Unauthorized
  - Content:** {}
- '404':  
  - Description:** Not Found
  - Content:** {}
- '405':  
  - Description:** Method Not Allowed
  - Content:** {}
- '409':  
  - Description:** Conflict
  - Content:** {}

**security:**

- **basicAuth:** []
  - x-codegen-request-body-name:** format-name
- delete:**

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_delete

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple



**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Responses:**  
**'200':**  
**Description:** OK  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**head:**

**Tags:**  
 - data  
 - head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**
  - config
  - nonconfig
  - all
- **Name:** depth  
**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_patch

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32

**Request Body:**

- Content:**  
    application/yang-data+json:  
    **Schema:**  
    **Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-instance-id\_called-station-id\_format\_format-nas-port-type\_format-name'

**Required/Optional:** true

**Responses:**

- '204':  
    **Description:** leaf format-name updated  
    **Content:** {}
- '400':  
    **Description:** Bad Request  
    **Content:** {}
- '401':  
    **Description:** Unauthorized  
    **Content:** {}
- '404':  
    **Description:** Not Found  
    **Content:** {}
- '405':  
    **Description:** Method Not Allowed  
    **Content:** {}
- '409':  
    **Description:** Conflict  
    **Content:** {}

**security:**

- **basicAuth:** []
- x-codegen-request-body-name:** format-name

## /data/cnbng-cp:profile/radius/attribute/instance={instance-instanc e-id}/called-station-id/format-name

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_format\_name\_get

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_attribute\_instance\_instance-id\_called-station-id\_format-name'

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict

```

```

    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_called_station_id_format_name_put

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id_called-station-id_format-name'

Required/Optional: true

Responses:
'201':
  Description: leaf format-name created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:

```

```
- basicAuth: []
x-codegen-request-body-name: format-name
delete:
```

**Tags:**

```
- data
- delete
```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_format\_name\_delete

**Parameters:**

```
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
```

**Responses:**

```
'204':
  Description: No Content
  Content: {}
```

**security:**

```
- basicAuth: []
```

**options:****Tags:**

```
- data
- options
```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_format\_name\_options

**Parameters:**

```
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
```

**Responses:**

```
'200':
  Description: OK
  Content: {}
```

**security:**

```
- basicAuth: []
```

**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_format\_name\_head

**Parameters:**

- **Name:** instance-instance-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form



```

Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID:
data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_called_station_id_format_name_patch

Parameters:
- Name: instance-instance-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: integer
  Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id_called-station-id_format-name'

    Required/Optional: true

Responses:

```

```

'204':
  Description: leaf format-name updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name

```

## /data/cnbng-cp:profile/radius/attribute/instance={instance-instanc e-id}/called-station-id/value

get:

**Tags:**

```
- data
- get
```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_value\_get

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:

```

**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**  
**'200':**  
**Description:** OK

```

    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_called-station-id_value'

    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID:
    data_cnbng_cp_profile_radius_attribute_instance_instance-id_called_station_id_value_put

```

```

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_called-station-id_value'

      Required/Optional: true

Responses:

```

```
'201':
  Description: leaf value created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_called_station_id_value_delete
```

**Parameters:**

```
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
```

**Responses:**

```
'204':
  Description: No Content
  Content: {}
```

**security:**

```
- basicAuth: []
```

**options:****Tags:**

```
- data
```

- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_value\_options

**Parameters:**

- **Name:** instance-instance-id
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_value\_head

**Parameters:**

- **Name:** instance-instance-id
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** content
- In:** query
- Description:** controlling descendant nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth

**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_value\_patch

**Parameters:**- **Name:** instance-instance-id**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-instance-id\_called-station-id\_value'

**Required/Optional:** true**Responses:**

'204':

**Description:** leaf value updated**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**x-codegen-request-body-name:** value

## /data/cnbng-cp:profile/radius/attribute/instance={instance-instanc e-id}/calling-station-id

**get:****Tags:**



- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_get

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true

```

    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_calling-station-id'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
  - data
  - put

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_put

**Parameters:****- Name:** instance-instance-id**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-instance-id\_calling-station-id'

**Required/Optional:** true**Responses:**

'201':

**Description:** container calling-station-id created or replaced**Content:** {}

'204':

**Description:** No Content**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:****- basicAuth:** []**x-codegen-request-body-name:** calling-station-id**Method:** Post**Tags:**

- data

- post

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_post

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_attribute\_instance\_instance-instance-id\_calling-station-id-post'

**Required/Optional:** true

**Responses:**

'201':

**Description:** container calling-station-id created

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** calling-station-id

**delete:**

**Tags:**

- data

- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_delete

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

**Responses:**

'204':  
  **Description:** No Content  
  **Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

**Responses:**

'200':  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: integer
  Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form

```

**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**  
**'200':**  
**Description:** OK  
**Content:** {}  
**security:**  
- **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_patch

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-instance-id\_calling-station-id'

**Required/Optional:** true

**Responses:**

**'204':**  
**Description:** container calling-station-id updated  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}

```

    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: calling-station-id

```

## /data/cnbng-cp:profile/radius/attribute/instance={instance-instanc e-id}/calling-station-id/format

options:

```

Tags:
- data
- options

```

Operation ID:

```
data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_calling_station_id_format_options
```

Parameters:

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

security:

```
- basicAuth: []
```

## /data/cnbng-cp:profile/radius/attribute/instance={instance-instanc e-id}/calling-station-id/format={format-nas-port-type}

get:

```

Tags:
- data

```



- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_format\_format\_nas\_port\_type\_get

**Parameters:**

- **Name:** instance-instance-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** format-nas-port-type
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string

```

    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-instance-id_calling-station-id_format_format-nas-port-type'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

**security:**  
- **basicAuth:** []

**put:**

**Tags:**

- data  
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_format\_format\_nas\_port\_type\_put

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

- **Name:** insert  
**In:** query  
**Description:** controlling the order when adding new list elements  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** first  
  **enum:**  
  - first  
  - last  
  - before  
  - after

- **Name:** point  
**In:** query  
**Description:** used to specify the insertion point  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

**Request Body:**

```

Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-id_calling-station-id_format_format-nas-port-type'

    Required/Optional: true

Responses:
  '201':
    Description: list format created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_attribute_instance_instance_id_calling_station_id_format_format_nas_port_type_delete

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: format-nas-port-type
  In: path

```

**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

**Responses:**  
  **'204':**  
    **Description:** No Content  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []  
**options:**

**Tags:**  
- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_format\_format\_nas\_port\_type\_options

**Parameters:**

- **Name:** instance-instance-id  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** integer  
    **Format:** int32  
- **Name:** format-nas-port-type  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** integer  
    **Format:** int32

**Responses:**  
  **'200':**  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_format\_format\_nas\_port\_type\_head

**Parameters:**

- **Name:** instance-instance-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** format-nas-port-type
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all

- trim

- explicit

- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data

- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_format\_format\_nas\_port\_type\_patch

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** format-nas-port-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

```

    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-id_calling-station-id_format_format-nas-port-type'

  Required/Optional: true

Responses:
  '204':
    Description: list format updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format
?
/data/cnbng-cp:profile/radius/attribute/instance={instance-instance-id}/calling-station-id/format={format-nas-port-type}/nas-port-type
: get:

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_calling_station_id_format_format_nas_port_type_nas_port_type_get

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: format-nas-port-type

```



**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
    - config  
    - nonconfig  
    - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** integer  
    **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false

**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

**'200':**  
  **Description:** OK  
  **Content:**  
    **application/yang-data+json:**  
      **Schema:**  
      **Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-instance-id\_calling-station-id\_format\_format-nas-port-type\_nas-port-type'

**'204':**  
  **Description:** No Content  
  **Content:** {}  
**'400':**  
  **Description:** Bad Request  
  **Content:** {}  
**'401':**  
  **Description:** Unauthorized  
  **Content:** {}  
**'404':**  
  **Description:** Not Found  
  **Content:** {}  
**'405':**  
  **Description:** Method Not Allowed  
  **Content:** {}  
**'409':**  
  **Description:** Conflict  
  **Content:** {}

**security:**  
  - **basicAuth:** []

**put:**

**Tags:**  
  - data  
  - put  
**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance-id\_calling\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_put

**Parameters:**

- **Name:** instance-instance-id  
  **In:** path  
  **Required/Optional:** true

```

    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-id_calling-station-id_format_format-nas-port-type_nas-port-type'

    Required/Optional: true

Responses:
  '201':
    Description: leaf nas-port-type created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-type
delete:

Tags:
- data
- delete
Operation ID:

```

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_delete

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32

**Responses:**

- '204':  
    **Description:** No Content  
    **Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32

**Responses:**

'200':

**Description:** OK**Content:** {}**security:**- **basicAuth:** []**head:****Tags:**- data  
- head**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**
  - config
  - nonconfig
  - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

```

    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []

```

**patch:****Tags:**

```

- data
- patch

```

**Operation ID:**

```
data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_calling_station_id_format_format_nas_port_type_nas_port_type_patch
```

**Parameters:**

```

- Name: instance-instance-id
  In: path

```

```

    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32
  - Name: format-nas-port-type
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-id_calling-station-id_format_format-nas-port-type_nas-port-type'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf nas-port-type updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: nas-port-type
?
/data/cnbng-cp:profile/radius/attribute/instance={instance-instance-id}/calling-station-id/format={format-nas-port-type}/format-name
: get:

  Tags:
  - data
  - get
  Operation ID:

```

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_get

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
    - config  
    - nonconfig  
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** integer  
    **Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** filter



**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string  
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_attribute\_instance\_instance-instance-id\_calling-station-id\_format\_format-nas-port-type\_format-nas'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_put

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Request Body:**

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-instance-id\_calling-station-id\_format\_format-nas-port-type\_format-name'

**Required/Optional:** true

**Responses:**

- '201':  
**Description:** leaf format-name created or replaced  
**Content:** {}
- '204':  
**Description:** No Content  
**Content:** {}
- '400':  
**Description:** Bad Request  
**Content:** {}
- '401':  
**Description:** Unauthorized  
**Content:** {}
- '404':  
**Description:** Not Found  
**Content:** {}
- '405':  
**Description:** Method Not Allowed

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format-name
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_delete

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Responses:**

```

'204':
  Description: No Content
  Content: {}

```

```

  security:
  - basicAuth: []

```

**options:****Tags:**

```

- data
- options

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_options

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple

```

**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32  
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
**security:**  
  - **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32  
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32  
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string

**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**  
**'200':**  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []  
**patch:**

**Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_patch

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Request Body:**

**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-instance-id\_calling-station-id\_format\_format-nas-port-type\_format-name'

**Required/Optional:** true

**Responses:**

'204':  
**Description:** leaf format-name updated  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

```

    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: format-name

```

## /data/cnbng-cp:profile/radius/attribute/instance={instance-instanc e-id}/calling-station-id/format-name

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_format\_name\_get

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**
  - config
  - nonconfig
  - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_attribute\_instance\_instance-id\_calling-station-id\_format-name'

'204':  
**Description:** No Content  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':



**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**put:**

**Tags:**

- data  
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_format\_name\_put

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-instance-id\_calling-station-id\_format-name'

**Required/Optional:** true

**Responses:**

**'201':**  
**Description:** leaf format-name created or replaced  
**Content:** {}  
**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}

```

    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format-name
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_calling_station_id_format_name_delete

```

```

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_calling_station_id_format_name_options

```

```

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

Responses:

```

```

    '200':
      Description: OK
      Content: {}
      security:
      - basicAuth: []
    head:

    Tags:
    - data
    - head
    Operation ID:
data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_calling_station_id_format_name_head

```

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**
  - config
  - nonconfig
  - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** string  
**Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string  
**Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_format\_name\_patch

**Parameters:**

**Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Request Body:**

**Content:**  
application/yang-data+json:

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_calling-station-id_format-name'
```

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf format-name updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** format-name

## /data/cnbng-cp:profile/radius/attribute/instance={instance-instanc e-id}/calling-station-id/value

**get:****Tags:**

- data  
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-id\_calling\_station\_id\_value\_get

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** content

- In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
 - config  
 - nonconfig  
 - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all

- trim
- explicit
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_attribute\_instance\_instance-id\_calling-station-id\_value'

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-id\_calling\_station\_id\_value\_put

**Parameters:**

- **Name:** instance-instance-id

**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32**Request Body:****Content:****application/yang-data+json:**

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_calling-station-id_value'
```

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf value created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** value

**delete:****Tags:**

- data  
- delete

**Operation ID:**

```
data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_calling_station_id_value_delete
```

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

**Responses:**

'204':

**Description:** No Content



**Content:** {}  
**security:**  
 - **basicAuth:** []  
**options:**

**Tags:**  
 - data  
 - options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_value\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []

**head:**

**Tags:**  
 - data  
 - head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_value\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string

```

    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**  
- basicAuth: []

**patch:**

**Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_value\_patch

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

**Request Body:**

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-id\_calling-station-id\_value'

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf value updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** value

## /data/cnbng-cp:profile/radius/attribute/instance={instance-instanc e-id}/nas-identifier

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_get

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string

```

    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-identifier'

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

```

    security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_nas_identifier_put

  Parameters:
  - Name: instance-instance-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id_nas-identifier'

    Required/Optional: true

  Responses:
  '201':
    Description: leaf nas-identifier created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: nas-identifier

```

**delete:****Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_identifie r\_delete

**Parameters:**

- **Name:** instance-instance-id
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32

**Responses:**

'204':

**Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_identifie r\_options

**Parameters:**

- **Name:** instance-instance-id
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32

**Responses:**

'200':

**Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_head

**Parameters:**

- **Name:** instance-instance-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string



```

- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_nas_identifier_patch

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id_nas-identifier'

    Required/Optional: true

Responses:
  '204':
    Description: leaf nas-identifier updated
    Content: {}
  '400':
    Description: Bad Request

```

```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-identifier

```

## /data/cnbng-cp:profile/radius/attribute/instance={instance-instanc e-id}/nas-identifier-format

get:

Tags:

```
- data
- get
```

Operation ID:

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_get

Parameters:

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig

```

```

- all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-identifier-format'
```

```

    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_nas_identifier_format_put

```

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Request Body:**

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id_nas-identifier-format'

```

```

  Required/Optional: true

```

**Responses:**

```

'201':
  Description: container nas-identifier-format created or replaced
  Content: {}
'204':
  Description: No Content

```

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: nas-identifier-format
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_nas_identifier_format_post

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id_nas-identifier-format-post'

Required/Optional: true

Responses:
'201':
  Description: container nas-identifier-format created
  Content: {}
'204':
  Description: No Content
  Content: {}

```

```

    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: nas-identifier-format
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_nas_identifier_format_delete

  Parameters:
  - Name: instance-instance-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32

  Responses:
    '204':
      Description: No Content
      Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
  data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_nas_identifier_format_options

  Parameters:
  - Name: instance-instance-id

```

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
**security:**  
  - **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_head

**Parameters:**

- **Name:** instance-instance-id  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** integer  
    **Format:** int32
- **Name:** content  
  **In:** query  
  **Description:** controlling descendant nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
    - config  
    - nonconfig  
    - all
- **Name:** depth  
  **In:** query  
  **Description:** limit the depth of nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**

```

    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []

```

**patch:****Tags:**

```

- data
- patch

```

**Operation ID:**

```

data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_nas_identifier_format_patch

```

**Parameters:**

```

- Name: instance-instance-id
  In: path

```



```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: integer
  Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-identifier-format'

Required/Optional: true

Responses:
  '204':
    Description: container nas-identifier-format updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: nas-identifier-format

```

## /data/cnbng-cp:profile/radius/attribute/instance={instance-instanc e-id}/nas-identifier-format/format

**options:**

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_format\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

**Responses:**

'200':  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

?

/data/cnbng-cp:profile/radius/attribute/instance={instance-instance-id}/nas-identifier-format/format={format-nas-port-type}  
: **get:**

**Tags:**

- data  
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_get

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config

```
    enum:
      - config
      - nonconfig
      - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged
```

**Responses:****'200':****Description:** OK**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id_nas-identifier-format_format_format-nas-port-type'
```

```
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
```

**security:**

```
- basicAuth: []
```

**put:****Tags:**

```
- data
- put
```

**Operation ID:**

```
data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_nas_identifier_format_format_format_nas_port_type_put
```

**Parameters:**

```
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
```

```

Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: first
  enum:
    - first
    - last
    - before
    - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-id_nas-identifier-format_format_format-nas-port-type'

  Required/Optional: true

Responses:
  '201':
    Description: list format created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []

```

**x-codegen-request-body-name:** format  
**delete:**

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_delete

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32

**Responses:**

**'204':**  
**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** format-nas-port-type  
**In:** path

**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** integer  
   **Format:** int32

**Responses:**  
 '200':  
   **Description:** OK  
   **Content:** {}  
**security:**  
 - **basicAuth:** []

**head:**

**Tags:**  
 - data  
 - head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_head

**Parameters:**

- **Name:** instance-instance-id  
   **In:** path  
   **Required/Optional:** true  
   **Style:** simple  
   **Explode:** false  
   **Schema:**  
     **Type:** integer  
     **Format:** int32
- **Name:** format-nas-port-type  
   **In:** path  
   **Required/Optional:** true  
   **Style:** simple  
   **Explode:** false  
   **Schema:**  
     **Type:** integer  
     **Format:** int32
- **Name:** content  
   **In:** query  
   **Description:** controlling descendant nodes in response  
   **Required/Optional:** false  
   **Style:** form  
   **Explode:** true  
   **Schema:**  
     **Type:** string  
     **Format:** enumeration  
     **Default:** config  
     **enum:**  
       - config  
       - nonconfig  
       - all

- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':

**Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**patch:****Tags:**

- data



- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_patch

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** format-nas-port-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

**Request Body:**

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-instance-id\_nas-identifier-format\_format\_format-nas-port-type'

**Required/Optional:** true

**Responses:**

'204':

**Description:** list format updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** format

?

/data/cnbng-cp:profile/radius/attribute/instance={instance-instance-id}/nas-identifier-format/format={format-nas-port-type}/nas-port-type  
: get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_nas\_port\_type\_get

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**
  - config
  - nonconfig
  - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
- **Name:** fields  
**In:** query

**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
 Type: string  
 Format: string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
 Type: string  
 Format: string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
 Type: string  
 Format: enumeration  
 Default: report-all  
 enum:  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
 Schema:  
 Reference:

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-instance-id\_nas-identifier-format\_format\_format-nas-port-type\_nas-port-type'

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

```

    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_nas_identifier_format_format_format_nas_port_type_nas_port_type_put

```

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Request Body:**

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id_nas-identifier-format_format_format-nas-port-type_nas-port-type'

```

```

Required/Optional: true

```

**Responses:**

```

'201':
  Description: leaf nas-port-type created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}

```

```

'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-type
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_nas\_port\_type\_delete

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Responses:**

```

'204':
  Description: No Content
  Content: {}

```

**security:**

```

- basicAuth: []

```

**options:****Tags:**

```

- data
- options

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_nas\_port\_type\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_nas\_port\_type\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer

- Format:** int32
- **Name:** content
    - In:** query
    - Description:** controlling descendant nodes in response
    - Required/Optional:** false
    - Style:** form
    - Explode:** true
    - Schema:**
      - Type:** string
      - Format:** enumeration
      - Default:** config
      - enum:**
        - config
        - nonconfig
        - all
  - **Name:** depth
    - In:** query
    - Description:** limit the depth of nodes in response
    - Required/Optional:** false
    - Style:** form
    - Explode:** true
    - Schema:**
      - Type:** integer
      - Format:** uint16
  - **Name:** fields
    - In:** query
    - Description:** optionally identify specific data nodes in response
    - Required/Optional:** false
    - Style:** form
    - Explode:** true
    - Schema:**
      - Type:** string
      - Format:** string
  - **Name:** filter
    - In:** query
    - Description:** xpath expression to filter data nodes in response
    - Required/Optional:** false
    - Style:** form
    - Explode:** true
    - Schema:**
      - Type:** string
      - Format:** string
  - **Name:** with-defaults
    - In:** query
    - Description:** controlling default values in response
    - Required/Optional:** false
    - Style:** form
    - Explode:** true
    - Schema:**
      - Type:** string
      - Format:** enumeration
      - Default:** report-all

```

enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []

```

**patch:****Tags:**

```

- data
- patch

```

**Operation ID:**

```
data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_nas_identifier_format_format_format_nas_port_type_nas_port_type_patch
```

**Parameters:**

```

- Name: instance-instance-id

```

```

  In: path

```

```

  Required/Optional: true

```

```

  Style: simple

```

```

  Explode: false

```

**Schema:**

```

  Type: integer

```

```

  Format: int32

```

```

- Name: format-nas-port-type

```

```

  In: path

```

```

  Required/Optional: true

```

```

  Style: simple

```

```

  Explode: false

```

**Schema:**

```

  Type: integer

```

```

  Format: int32

```

**Request Body:**

```

  Content:

```

```

    application/yang-data+json:

```

```

      Schema:

```

```

        Reference:

```

```

        '#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id_nas-identifier-format_format_format-nas-port-type_nas-port-type'
```

```

      Required/Optional: true

```

**Responses:**

```

'204':

```

```

  Description: leaf nas-port-type updated

```

```

  Content: {}

```

```

'400':

```

```

  Description: Bad Request

```

```

  Content: {}

```



```

    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: nas-port-type
?
/data/cnbng-cp:profile/radius/attribute/instance={instance-instance-id}/nas-identifier-format/format={format-nas-port-type}/format-name
: get:

  Tags:
  - data
  - get
  Operation ID:
data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_nas_identifier_format_format_format_nas_port_type_format_name_get

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config

```

```

    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:

```

**Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id_nas-identifier-format_format_format_nas-port-type_format-nare'
```

```
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
```

**security:**

```
- basicAuth: []
```

**put:****Tags:**

```
- data
- put
```

**Operation ID:**

```
data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_nas_identifier_format_format_format_nas_port_type_format_nare_put
```

**Parameters:**

```
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
```

**Request Body:**

```
Content:
  application/yang-data+json:
    Schema:
```

**Reference:**

```
'#/comments/schemas/data_crbng_cp_profile_radius_attribute_instance_instance-instance-id_nas-identifier-format_format_format-nas-port-type_format-name'
```

**Required/Optional:** true

**Responses:**

```
'201':
  Description: leaf format-name created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
```

**security:**

```
- basicAuth: []
```

**x-codegen-request-body-name:** format-name

**delete:****Tags:**

```
- data
- delete
```

**Operation ID:**

```
data_crbng_cp_profile_radius_attribute_instance_instance_instance_id_nas_identifier_format_format_format_nas_port_type_format_name_delete
```

**Parameters:**

```
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
```

**Schema:**

**Type:** integer  
**Format:** int32

**Responses:**

'204':

**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_format\_name\_options

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** format-nas-port-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_format\_name\_head

**Parameters:**

- **Name:** instance-instance-id

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: integer
  Format: int32
- Name: format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: integer
  Format: int32
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form

```

**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string  
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** report-all  
    **enum:**  
    - report-all  
    - trim  
    - explicit  
    - report-all-tagged

**Responses:**  
    '200':  
        **Description:** OK  
        **Content:** {}  
    **security:**  
    - **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_format\_name\_patch

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32  
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32

**Request Body:**

**Content:**

```

    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id_nas-identifier-format_format_format-nas-port-type_format-name'

      Required/Optional: true

    Responses:
      '204':
        Description: leaf format-name updated
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: format-name

```

## /data/cnbng-cp:profile/radius/attribute/instance={instance-instanc e-id}/nas-identifier-format/format-name

get:

```

    Tags:
      - data
      - get
    Operation ID:
      data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_nas_identifier_format_format_name_get

    Parameters:
      - Name: instance-instance-id
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: integer
          Format: int32

```



- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** report-all
  - enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
 Schema:  
 Reference:

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-id\_nas-identifier-format\_format-name'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-id\_nas-identifier-format\_format-name\_put

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Request Body:**

**Content:**

**application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_attribute\_instance\_instance-id\_nas-identifier-format\_format-name'

**Required/Optional:** true**Responses:**

'201':

**Description:** leaf format-name created or replaced**Content:** {}

'204':

**Description:** No Content**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**x-codegen-request-body-name:** format-name**delete:****Tags:**- data  
- delete**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-id\_nas-identifier-format\_format-name\_delete

**Parameters:**- **Name:** instance-instance-id**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32**Responses:**

'204':

**Description:** No Content  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**options:**

**Tags:**  
 - data  
 - options

**Operation ID:**  
 data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_format\_name\_options

**Parameters:**  
 - **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Responses:**  
 '200':  
**Description:** OK  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**head:**

**Tags:**  
 - data  
 - head

**Operation ID:**  
 data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_format\_name\_head

**Parameters:**  
 - **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**  
**'200':**  
**Description:** OK

```

    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_nas_identifier_format_format_name_patch

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id_nas-identifier-format_format-name'

Required/Optional: true

Responses:
'204':
  Description: leaf format-name updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name

```

## /data/cnbng-cp:profile/radius/attribute/instance={instance-instanc e-id}/nas-port-id

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_get

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string

```

    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-port-id'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```



```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Operation ID:
    data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_nas_port_id_put

    Parameters:
      - Name: instance-instance-id
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: integer
          Format: int32
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
            '#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id_nas-port-id'

    Required/Optional: true

    Responses:
      '201':
        Description: container nas-port-id created or replaced
        Content: {}
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
  x-codegen-request-body-name: nas-port-id

```

**Method:** Post

**Tags:**

- data
- post

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_post

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

**Request Body:**

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-instance-id\_nas-port-id-post'

**Required/Optional:** true

**Responses:**

'201':

**Description:** container nas-port-id created

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** nas-port-id

**delete:**

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_delete

**Parameters:**

- **Name:** instance-instance-id

**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32**Responses:****'204':****Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_options

**Parameters:**

- **Name:** instance-instance-id

**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32**Responses:****'200':****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_patch

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-instance-id\_nas-port-id'

**Required/Optional:** true

**Responses:**

'204':

**Description:** container nas-port-id updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-id

```

## /data/cnbng-cp:profile/radius/attribute/instance={instance-instanc e-id}/nas-port-id/format

options:

```

Tags:
- data
- options
Operation ID:

```

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_format\_options

Parameters:

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

Responses:

```

'200':
  Description: OK
  Content: {}

```

```

security:
- basicAuth: []

```

## /data/cnbng-cp:profile/radius/attribute/instance={instance-instanc e-id}/nas-port-id/format={format-nas-port-type}

get:

Tags:

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_format\_format\_nas\_port\_type\_get

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-instance-id_nas-port-id_format_format-nas-port-type'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict

```



```
    Content: {}
  security:
  - basicAuth: []
put:
```

**Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_format\_format\_nas\_port\_type\_put

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** insert  
**In:** query  
**Description:** controlling the order when adding new list elements  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** first
  - enum:**
    - first
    - last
    - before
    - after
- **Name:** point  
**In:** query  
**Description:** used to specify the insertion point  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-id\_nas-port-id\_format\_format-nas-port-type'

**Required/Optional:** true**Responses:**

'201':

**Description:** list format created or replaced**Content:** {}

'204':

**Description:** No Content**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**

- basicAuth: []

**x-codegen-request-body-name:** format**delete:****Tags:**

- data

- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_format\_format\_nas\_port\_type\_delete

**Parameters:**- **Name:** instance-instance-id**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32- **Name:** format-nas-port-type

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

**Responses:**

**'204':**  
  **Description:** No Content  
  **Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_format\_format\_nas\_port\_type\_options

**Parameters:**

- **Name:** instance-instance-id  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** integer  
    **Format:** int32

- **Name:** format-nas-port-type  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** integer  
    **Format:** int32

**Responses:**

**'200':**  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_fomat\_format\_nas\_port\_type\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
    - config  
    - nonconfig  
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** integer  
    **Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_format\_format\_nas\_port\_type\_patch

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** format-nas-port-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

```

    Type: integer
    Format: int32
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-id_nas-port-id_format_format-nas-port-type'

    Required/Optional: true

  Responses:
    '204':
      Description: list format updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: format
?
/data/cnbng-cp:profile/radius/attribute/instance={instance-instance-id}/nas-port-id/format={format-nas-port-type}/nas-port-type
: get:

  Tags:
  - data
  - get
  Operation ID:
    data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_nas_port_id_format_format_nas_port_type_nas_port_type_get

  Parameters:
  - Name: instance-instance-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32

```

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-id\_nas-port-id\_format\_format-nas-port-type\_nas-port-type'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance-id\_nas\_port\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_put

**Parameters:**

- **Name:** instance-instance-id
- In:** path



```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: integer
  Format: int32
- Name: format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: integer
  Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-port-id_format_format-nas-port-type_nas-port-type'

Required/Optional: true

Responses:
'201':
  Description: leaf nas-port-type created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-type
delete:

Tags:
- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_delete

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32

**Responses:**

**'204':**  
**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer

**Format:** int32

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**
  - config
  - nonconfig
  - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form

**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**
  - report-all
  - trim
  - explicit
  - report-all-tagged

**Responses:**

'200':  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_patch

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id_nas-port-id_format_format-nas-port-type_nas-port-type'

    Required/Optional: true

Responses:
  '204':
    Description: leaf nas-port-type updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-type
?
/data/cnbng-cp:profile/radius/attribute/instance={instance-instance-id}/nas-port-id/format={format-nas-port-type}/format-name
: get:

Tags:

```

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_format\_format\_nas\_port\_type\_format\_name\_get

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-instance-id\_nas-port-id\_format\_format-nas-port-type\_format-name'

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict

```

```

    Content: {}
  security:
  - basicAuth: []
put:

```

**Tags:**

```

- data
- put

```

**Operation ID:**

```
data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_nas_port_id_format_format_nas_port_type_format_name_put
```

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Request Body:**

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id_nas-port-id_format_format-nas-port-type_format-name'
```

```
Required/Optional: true
```

**Responses:**

```

'201':
  Description: leaf format-name created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found

```



```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format-name
delete:

```

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_format\_format\_nas\_port\_type\_format\_name\_delete

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** integer  
   **Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** integer  
   **Format:** int32

**Responses:**

- '204':  
   **Description:** No Content  
   **Content:** {}

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_format\_format\_nas\_port\_type\_format\_name\_options

**Parameters:**

- **Name:** instance-instance-id

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32
  - Name: format-nas-port-type
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head

Operation ID:
data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_nas_port_id_format_format_nas_port_type_format_name_head

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form

```

**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

```

    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID:
  data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_nas_port_id_format_format_nas_port_type_format_name_patch

```

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Request Body:**

```

  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id_nas-port-id_format_format-nas-port-type_format-name'

```

```

  Required/Optional: true

```

**Responses:**

```

  '204':
    Description: leaf format-name updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}

```

```

'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name

```

## /data/cnbng-cp:profile/radius/attribute/instance={instance-instanc e-id}/nas-port-id/format-name

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_format\_name\_get

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true

```

Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-port-id_format-name'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':

```

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_nas_port_id_format_name_put

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id_nas-port-id_format-name'

    Required/Optional: true

Responses:
  '201':
    Description: leaf format-name created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}

```

```

    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format-name
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_nas_port_id_format_name_delete

```

```

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_nas_port_id_format_name_options

```

```

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer

```



**Format:** int32

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_format\_name\_head

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config  
- nonconfig  
- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
   **Description:** OK  
   **Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_format\_name\_patch

**Parameters:**

**- Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** integer  
   **Format:** int32

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_attribute\_instance\_instance-id\_nas-port-id\_format-name'

**Required/Optional:** true**Responses:**

'204':

**Description:** leaf format-name updated**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**

- basicAuth: []

**x-codegen-request-body-name:** format-name

## /data/cnbng-cp:profile/radius/attribute/instance={instance-instanc e-id}/nas-port-id/value

**get:****Tags:**- data  
- get**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-id\_nas\_port\_id\_value\_get

**Parameters:**- **Name:** instance-instance-id**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer

- Format:** int32
- **Name:** content
    - In:** query
    - Description:** controlling descendant nodes in response
    - Required/Optional:** false
    - Style:** form
    - Explode:** true
    - Schema:**
      - Type:** string
      - Format:** enumeration
      - Default:** config
      - enum:**
        - config
        - nonconfig
        - all
  - **Name:** depth
    - In:** query
    - Description:** limit the depth of nodes in response
    - Required/Optional:** false
    - Style:** form
    - Explode:** true
    - Schema:**
      - Type:** integer
      - Format:** uint16
  - **Name:** fields
    - In:** query
    - Description:** optionally identify specific data nodes in response
    - Required/Optional:** false
    - Style:** form
    - Explode:** true
    - Schema:**
      - Type:** string
      - Format:** string
  - **Name:** filter
    - In:** query
    - Description:** xpath expression to filter data nodes in response
    - Required/Optional:** false
    - Style:** form
    - Explode:** true
    - Schema:**
      - Type:** string
      - Format:** string
  - **Name:** with-defaults
    - In:** query
    - Description:** controlling default values in response
    - Required/Optional:** false
    - Style:** form
    - Explode:** true
    - Schema:**
      - Type:** string
      - Format:** enumeration
      - Default:** report-all

```

enum:
- report-all
- trim
- explicit
- report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-id_nas-port-id_value'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

```

security:
- basicAuth: []

```

**put:**

```

Tags:
- data
- put

```

**Operation ID:**

```

data_cnbng_cp_profile_radius_attribute_instance_instance_instance-id_nas_port_id_value_put

```

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Request Body:**

```

Content:

```

```

    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-port-id_value'

      Required/Optional: true

    Responses:
      '201':
        Description: leaf value created or replaced
        Content: {}
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: value
  delete:

    Tags:
      - data
      - delete
    Operation ID:
      data_cnbng_cp_profile_radius_attribute_instance_instance-id_nas-port-id_value_delete

  Parameters:
    - Name: instance-instance-id
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: integer
        Format: int32

  Responses:
    '204':

```

**Description:** No Content  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**options:**  
  
**Tags:**  
 - data  
 - options  
**Operation ID:**  
 data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_value\_options

**Parameters:**  
 - **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Responses:**  
 '200':  
**Description:** OK  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**head:**

**Tags:**  
 - data  
 - head  
**Operation ID:**  
 data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_value\_head

**Parameters:**  
 - **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32  
 - **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

```

    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK

```



```

    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_nas_port_id_value_patch

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id_nas-port-id_value'

Required/Optional: true

Responses:
'204':
  Description: leaf value updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value

```

## /data/cnbng-cp:profile/radius/attribute/instance={instance-instanc e-id}/nas-port

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_get

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string

```

    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-port'

'204':
  Description: No Content
  Content: {}

'400':
  Description: Bad Request
  Content: {}

'401':
  Description: Unauthorized
  Content: {}

'404':
  Description: Not Found
  Content: {}

'405':
  Description: Method Not Allowed
  Content: {}

'409':
  Description: Conflict
  Content: {}

```

```

    security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_nas_port_put

  Parameters:
  - Name: instance-instance-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id_nas-port'

    Required/Optional: true

  Responses:
  '201':
    Description: container nas-port created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: nas-port

```

**Method:** Post

**Tags:**

- data
- post

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_post

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

**Request Body:**

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-instance-id\_nas-port-post'

**Required/Optional:** true

**Responses:**

'201':

**Description:** container nas-port created

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** nas-port

**delete:**

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_delete

**Parameters:**

- **Name:** instance-instance-id

**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32**Responses:****'204':****Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_options

**Parameters:**

- **Name:** instance-instance-id

**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32**Responses:****'200':****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_head

**Parameters:**

- **Name:** instance-instance-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_patch

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_attribute\_instance\_instance-instance-id\_nas-port'

**Required/Optional:** true

**Responses:**

'204':

**Description:** container nas-port updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized



```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port

```

## /data/cnbng-cp:profile/radius/attribute/instance={instance-instanc e-id}/nas-port/format-e-list

options:

Tags:

- data
- options

Operation ID:

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_format\_e\_list\_options

Parameters:

- Name: instance-instance-id
- In: path
- Required/Optional: true
- Style: simple
- Explode: false
- Schema:
  - Type: integer
  - Format: int32

Responses:

- '200':
  - Description: OK
  - Content: {}

security:

- basicAuth: []

?

/data/cnbng-cp:profile/radius/attribute/instance={instance-instance-id}/nas-port/format-e-list={format-e-list-nas-port-type}

: get:

Tags:

- data
- get

Operation ID:

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_get

**Parameters:**

- **Name:** instance-instance-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** format-e-list-nas-port-type
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query

```

Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-instance-id_nas-port_format-e-list_format-e-list-nas-port-type'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

```

**Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_put

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
    - Type:** integer
    - Format:** int32
  - **Name:** format-e-list-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
    - Type:** integer
    - Format:** int32
  - **Name:** insert  
**In:** query  
**Description:** controlling the order when adding new list elements  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** first
    - enum:**
      - first
      - last
      - before
      - after
  - **Name:** point  
**In:** query  
**Description:** used to specify the insertion point  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
    - Type:** string
    - Format:** string
- Request Body:**
- Content:**
- application/yang-data+json:**
- Schema:**

**Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id_nas-port_format-e-list_format-e-list-nas-port-type'
```

**Required/Optional:** true

**Responses:**

'201':

**Description:** list format-e-list created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** format-e-list

**delete:**

**Tags:**

- data  
- delete

**Operation ID:**

```
data_cnbng_cp_profile_radius_attribute_instance_instance_instance-id_nas-port_format_e-list_format_e-list_nas-port-type_delete
```

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** format-e-list-nas-port-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer  
**Format:** int32

**Responses:****'204':****Description:** No Content**Content:** {}**security:**- **basicAuth:** []**options:****Tags:**

- data  
 - options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_options

**Parameters:**- **Name:** instance-instance-id**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32- **Name:** format-e-list-nas-port-type**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32**Responses:****'200':****Description:** OK**Content:** {}**security:**- **basicAuth:** []**head:****Tags:**

- data  
 - head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_head

**Parameters:**- **Name:** instance-instance-id

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

- **Name:** format-e-list-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form

**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string  
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}

**security:**  
- **basicAuth:** []

**patch:**

**Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_patch

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32  
- **Name:** format-e-list-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

**Request Body:**

**Content:**



**application/yang-data+json:****Schema:****Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id_nas-port_format-e-list_format-e-list-nas-port-type'
```

**Required/Optional:** true**Responses:****'204':****Description:** list format-e-list updated**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**x-codegen-request-body-name:** format-e-list

?

```
/data/cnbng-cp:profile/radius/attribute/instance={instance-instance-id}/nas-port/format-e-list={format-e-list-nas-port-type}/nas-port-type
```

**: get:****Tags:**- data  
- get**Operation ID:**

```
data_cnbng_cp_profile_radius_attribute_instance_instance_instance-id_nas-port_format_e-list_format_e-list_nas-port_type_nas-port_type_get
```

**Parameters:**- **Name:** instance-instance-id**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32- **Name:** format-e-list-nas-port-type**In:** path**Required/Optional:** true**Style:** simple

```

Explode: false
Schema:
  Type: integer
  Format: int32
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:

```

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-instance-id\_nas-port\_format-e-list\_format-e-list-nas-port-type\_nas-port-type'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**  
 - **basicAuth:** []

**put:**

**Tags:**  
 - data  
 - put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance-id\_nas-port\_format-e-list\_format-e-list-nas-port-type\_nas-port-type\_put

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

```

    Type: integer
    Format: int32
- Name: format-e-list-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type'

    Required/Optional: true

Responses:
  '201':
    Description: leaf nas-port-type created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-type
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_attribute_instance_instance_instance-id_nas-port_format_e_list_format_e_list_nas-port-type_nas-port-type_delete

```

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** format-e-list-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32

**Responses:**

- '204':
  - Description:** No Content
  - Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_nas\_port\_type\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** format-e-list-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32

**Responses:**

- '200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data

- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_nas\_port\_type\_head

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** format-e-list-nas-port-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config

- nonconfig

- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':

**Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_crbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_nas\_port\_type\_patch

**Parameters:**

- **Name:** instance-instance-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple

```

    Explode: false
    Schema:
      Type: integer
      Format: int32
  - Name: format-e-list-nas-port-type
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type'

    Required/Optional: true

Responses:
  '204':
    Description: leaf nas-port-type updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: nas-port-type
?
/data/cnbng-cp:profile/radius/attribute/instance={instance-instance-id}/nas-port/format-e-list={format-e-list-nas-port-type}/format-e
: get:

Tags:
  - data
  - get
Operation ID:
data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_nas_port_format_e_list_format_e_list_nas_port_type_format_e_get

```



**Parameters:**

- **Name:** instance-instance-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** format-e-list-nas-port-type
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_attribute\_instance\_instance-instance-id\_nas-port\_format-e-list\_format-e-list-nas-port-type\_format-e'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_format\_e\_put

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** format-e-list-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_format\_e'

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf format-e created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

```

    '409':
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: format-e
  delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_format\_e\_delete

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: format-e-list-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Responses:**

```

'204':
  Description: No Content
  Content: {}

```

```

security:
  - basicAuth: []

```

**options:****Tags:**

```

- data
- options

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_format\_e\_options

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false

```

**Schema:****Type:** integer**Format:** int32**- Name:** format-e-list-nas-port-type**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data

- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_format\_e\_head

**Parameters:****- Name:** instance-instance-id**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32**- Name:** format-e-list-nas-port-type**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32**- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration

```

    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

- basicAuth: []  
patch:

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_format\_e\_patch

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32
- **Name:** format-e-list-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_format\_e'

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf format-e updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**x-codegen-request-body-name:** format-e

## /data/cnbng-cp:profile/radius/attribute/instance={instance-instanc e-id}/nas-port/format-e

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_format\_e\_get

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**
  - config
  - nonconfig
  - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
- **Name:** fields  
**In:** query



**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
 Type: string  
 Format: string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
 Type: string  
 Format: string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
 Type: string  
 Format: enumeration  
 Default: report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
 Schema:  
 Reference:

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-id\_nas-port\_format-e'

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

```

    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_nas_port_format_e_put

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-instance-id_nas-port_format-e'

Required/Optional: true

Responses:
'201':
  Description: leaf format-e created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}

```

```
    '409':
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: format-e
  delete:
```

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_format\_e\_delete

**Parameters:**

- **Name:** instance-instance-id
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32

**Responses:**

```
    '204':
      Description: No Content
      Content: {}
```

- ```
    security:
      - basicAuth: []
```

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_format\_e\_options

**Parameters:**

- **Name:** instance-instance-id
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32

**Responses:**

```
    '200':
      Description: OK
      Content: {}
```

**security:**  
 - **basicAuth:** []  
**head:**

**Tags:**

- data  
 - head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_format\_e\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter

```

In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID:
data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_nas_port_format_e_patch

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id_nas-port_format-e'

```

**Required/Optional:** true

**Responses:**

'204':  
**Description:** leaf format-e updated  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':  
**Description:** Not Found  
**Content:** {}  
 '405':  
**Description:** Method Not Allowed  
**Content:** {}  
 '409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** format-e

## /data/cnbng-cp:profile/radius/attribute/instance={instance-instanc e-id}/nas-port/value

**get:**

**Tags:**

- data  
 - get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_value\_get

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32  
 - **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form

**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-port_value'

'204':
  Description: No Content
  Content: {}

'400':
  Description: Bad Request
  Content: {}

'401':
  Description: Unauthorized
  Content: {}

'404':
  Description: Not Found
  Content: {}

'405':
  Description: Method Not Allowed
  Content: {}

'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
    data_cnbng_cp_profile_radius_attribute_instance_instance_instance-id_nas-port_value_put

  Parameters:
  - Name: instance-instance-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-port_value'

    Required/Optional: true

```



**Responses:**

'201':  
  **Description:** leaf value created or replaced  
  **Content:** {}  
'204':  
  **Description:** No Content  
  **Content:** {}  
'400':  
  **Description:** Bad Request  
  **Content:** {}  
'401':  
  **Description:** Unauthorized  
  **Content:** {}  
'404':  
  **Description:** Not Found  
  **Content:** {}  
'405':  
  **Description:** Method Not Allowed  
  **Content:** {}  
'409':  
  **Description:** Conflict  
  **Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** value

**delete:****Tags:**

- data  
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_value\_delete

**Parameters:**

- **Name:** instance-instance-id  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** integer  
    **Format:** int32

**Responses:**

'204':  
  **Description:** No Content  
  **Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_value\_options

**Parameters:**

- **Name:** instance-instance-id
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_value\_head

**Parameters:**

- **Name:** instance-instance-id
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** content
- In:** query
- Description:** controlling descendant nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth

```

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_port\_value\_patch

**Parameters:**- **Name:** instance-instance-id**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-instance-id\_nas-port\_value'

**Required/Optional:** true**Responses:**

'204':

**Description:** leaf value updated**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**x-codegen-request-body-name:** value**/data/cnbng-cp:profile/radius/attribute/instance={instance-instance-id}/nas-ip****get:****Tags:**

- data

- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_ip\_get

**Parameters:**

- **Name:** instance-instance-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string

```

- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-ip'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
put:

  Tags:
    - data
    - put
  Operation ID:
    data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_nas_ip_put

  Parameters:

```

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-ip'

    Required/Optional: true

Responses:
  '201':
    Description: container nas-ip created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-ip
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_nas_ip_post

Parameters:
- Name: instance-instance-id
  In: path

```

```

    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-ip-post'

    Required/Optional: true

  Responses:
    '201':
      Description: container nas-ip created
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: nas-ip
delete:

  Tags:
    - data
    - delete
  Operation ID:
    data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_nas_ip_delete

  Parameters:
    - Name: instance-instance-id
      In: path
      Required/Optional: true
      Style: simple

```



**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

**Responses:**  
  **'204':**  
    **Description:** No Content  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []  
**options:**

**Tags:**  
- data  
- options

**Operation ID:**  
data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_ip\_options

**Parameters:**  
- **Name:** instance-instance-id  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** integer  
    **Format:** int32

**Responses:**  
  **'200':**  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:**  
data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_ip\_head

**Parameters:**  
- **Name:** instance-instance-id  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** integer  
    **Format:** int32  
- **Name:** content  
  **In:** query

**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit

- report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_ip\_patch

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Request Body:**

**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-instance-id\_nas-ip'

**Required/Optional:** true

**Responses:**

'204':  
**Description:** container nas-ip updated  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

'409':  
**Description:** Conflict  
**Content:** {}

```

security:
- basicAuth: []
x-codegen-request-body-name: nas-ip

```

## /data/cnbng-cp:profile/radius/attribute/instance={instance-instanc e-id}/nas-ip/value

get:

**Tags:**

```

- data
- get

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_ip\_value\_get

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

```

- config
- nonconfig
- all

```

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-ip_value'
```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed

```

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_nas_ip_value_put

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id_nas-ip_value'

Required/Optional: true

Responses:
'201':
  Description: leaf value created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict

```

```
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: value
delete:
```

```
Tags:
- data
- delete
```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_ip\_value\_delete

**Parameters:**

```
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
```

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

```
- basicAuth: []
```

**options:**

**Tags:**

```
- data
- options
```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_ip\_value\_options

**Parameters:**

```
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
```

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

```
- basicAuth: []
```

**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_ip\_value\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true



```

Schema:
  Type: string
  Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_nas_ip_value_patch

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id_nas-ip_value'

  Required/Optional: true

Responses:
  '204':
    Description: leaf value updated

```

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value

```

## /data/cnbng-cp:profile/radius/attribute/instance={instance-instanc e-id}/nas-ip/user-plane-ip

get:

Tags:

```
- data
- get
```

Operation ID:

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_ip\_user\_plane\_ip\_get

Parameters:

```
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration

```

**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:**

application/yang-data+json:

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-ip_user-plane-ip'
```

```
'204':
```

```
  Description: No Content
```

```
  Content: {}
```

```
'400':
```

```
  Description: Bad Request
```

```
  Content: {}
```

```
'401':
```

```
  Description: Unauthorized
```

```
  Content: {}
```

```
'404':
```

```
  Description: Not Found
```

```
  Content: {}
```

```
'405':
```

```
  Description: Method Not Allowed
```

```
  Content: {}
```

```
'409':
```

```
  Description: Conflict
```

```
  Content: {}
```

```
security:
```

```
- basicAuth: []
```

```
put:
```

```
Tags:
```

```
- data
```

```
- put
```

```
Operation ID:
```

```
data_cnbng_cp_profile_radius_attribute_instance_instance_instance-id_nas-ip_user_plane_ip_put
```

```
Parameters:
```

```
- Name: instance-instance-id
```

```
  In: path
```

```
  Required/Optional: true
```

```
  Style: simple
```

```
  Explode: false
```

```
  Schema:
```

```
    Type: integer
```

```
    Format: int32
```

```
Request Body:
```

```
  Content:
```

```
    application/yang-data+json:
```

```
      Schema:
```

```
        Reference:
```

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-ip_user-plane-ip'
```

```
      Required/Optional: true
```

```
Responses:
```

```
'201':
```

```
  Description: leaf user-plane-ip created or replaced
```

```

    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: user-plane-ip
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_ip\_user\_plane\_ip\_delete

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Responses:**

```

'204':
  Description: No Content
  Content: {}

```

**security:**

```

- basicAuth: []

```

**options:****Tags:**

```

- data
- options

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_ip\_user\_plane\_ip\_options

**Parameters:**

- **Name:** instance-instance-id
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance\_instance\_id\_nas\_ip\_user\_plane\_ip\_head

**Parameters:**

- **Name:** instance-instance-id
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** content
- In:** query
- Description:** controlling descendant nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth
- In:** query
- Description:** limit the depth of nodes in response
- Required/Optional:** false

```

Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID:
data_cnbng_cp_profile_radius_attribute_instance_instance_instance_id_nas_ip_user_plane_ip_patch

```

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_attribute\_instance\_instance-id\_nas-ip\_user-plane-ip'

**Required/Optional:** true

**Responses:**

'204':  
**Description:** leaf user-plane-ip updated  
**Content:** {}  
'400':  
**Description:** Bad Request  
**Content:** {}  
'401':  
**Description:** Unauthorized  
**Content:** {}  
'404':  
**Description:** Not Found  
**Content:** {}  
'405':  
**Description:** Method Not Allowed  
**Content:** {}  
'409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** user-plane-ip

## /data/cnbng-cp:profile/radius/accounting

**get:****Tags:**

- data  
- get

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_get

**Parameters:**



- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
 Schema:  
 Reference: '#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting'

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

'409':  
**Description:** Conflict  
**Content:** {}

**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Operation ID:** data\_cnbng-cp\_profile\_radius\_accounting\_put**Request Body:**

**Content:**  
 application/yang-data+json:  
 Schema:  
 Reference: '#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting'

**Required/Optional:** true

**Responses:**

'201':  
**Description:** container accounting created or replaced  
**Content:** {}

'204':  
**Description:** No Content  
**Content:** {}

'400':

```
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: accounting
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_radius_accounting_post
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_radius_accounting-post'

  Required/Optional: true

Responses:
  '201':
    Description: container accounting created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
```

```

    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: accounting
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_radius_accounting_delete

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_radius_accounting_options

  Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_radius_accounting_head

  Parameters:
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: config
      enum:
      - config
      - nonconfig
      - all
  - Name: depth
    In: query

```

**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_patch

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:** '#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting'**Required/Optional:** true**Responses:**

'204':

**Description:** container accounting updated**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**x-codegen-request-body-name:** accounting

## /data/cnbng-cp:profile/radius/accounting/algorithm

**get:****Tags:**

- data

- get

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_algorithm\_get**Parameters:**- **Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:**

- config
- nonconfig
- all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':

**Description:** OK**Content:**

application/yang-data+json:

**Schema:****Reference:**

```

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_algorithm'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng-cp_profile_radius_accounting_algorithm_put
  Request Body:
  Content:
  application/yang-data+json:
  Schema:
  Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_algorithm'
  Required/Optional: true

  Responses:
  '201':
    Description: leaf algorithm created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed

```



```
      Content: {}
    '409':
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: algorithm
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_radius_accounting_algorithm_delete

  Responses:
    '204':
      Description: No Content
      Content: {}
    security:
      - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_radius_accounting_algorithm_options

  Responses:
    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_radius_accounting_algorithm_head

  Parameters:
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: config
      enum:
      - config
      - nonconfig
```

```
- all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
```

```

- data
- patch
Operation ID: data_cnbng_cp_profile_radius_accounting_algorithm_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_accounting_algorithm'
      Required/Optional: true

Responses:
  '204':
    Description: leaf algorithm updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: algorithm

```

## /data/cnbng-cp:profile/radius/accounting/deadtime

**get:**

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_accounting_deadtime_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string

```

```

    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:

```

```
    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_deadtime'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_radius_accounting_deadtime_put
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_deadtime'
    Required/Optional: true

  Responses:
  '201':
    Description: leaf deadtime created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
```

```
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: deadtime
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_radius_accounting_deadtime_delete

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_radius_accounting_deadtime_options

  Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_radius_accounting_deadtime_head

  Parameters:
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: config
```

```
    enum:
      - config
      - nonconfig
      - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
security:
- basicAuth: []
```

**patch:****Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_deadtime\_patch

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_deadtime'

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf deadtime updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** deadtime

## /data/cnbng-cp:profile/radius/accounting/detect-dead-server

**get:****Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_detect\_dead\_server\_get

**Parameters:**

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form



**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

```

    '200':
      Description: OK
      Content:
        application/yang-data+json:
          Schema:
            Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_detect-dead-server'
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng-cp_profile_radius_accounting_detect_dead_server_put
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_detect-dead-server'
    Required/Optional: true

  Responses:
    '201':
      Description: container detect-dead-server created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized

```

```
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: detect-dead-server
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_radius_accounting_detect_dead_server_post
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_accounting_detect-dead-server-post'
    Required/Optional: true

Responses:
  '201':
    Description: container detect-dead-server created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: detect-dead-server
```

**delete:****Tags:**

- data
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_detect\_dead\_server\_delete

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_detect\_dead\_server\_options

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_detect\_dead\_server\_head

**Parameters:**

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config
- nonconfig
- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

```
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_accounting_detect_dead_server_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
```

**Reference:**  
 '#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_detect-dead-server'  
**Required/Optional:** true

**Responses:**

- '204':  
**Description:** container detect-dead-server updated  
**Content:** {}
- '400':  
**Description:** Bad Request  
**Content:** {}
- '401':  
**Description:** Unauthorized  
**Content:** {}
- '404':  
**Description:** Not Found  
**Content:** {}
- '405':  
**Description:** Method Not Allowed  
**Content:** {}
- '409':  
**Description:** Conflict  
**Content:** {}

**security:**  
 - **basicAuth:** []

**x-codegen-request-body-name:** detect-dead-server

## /data/cnbng-cp:profile/radius/accounting/detect-dead-server/response-timeout

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_detect\_dead\_server\_response\_timeout\_get

**Parameters:**

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config
- nonconfig
- all

- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_detect-dead-server\_response-timeout'

**'204':**

```

    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_accounting_detect_dead_server_response_timeout_put
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_accounting_detect-dead-server_response-timeout'

    Required/Optional: true

Responses:
  '201':
    Description: leaf response-timeout created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed

```



```
      Content: {}
    '409':
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: response-timeout
  delete:

    Tags:
      - data
      - delete
    Operation ID:
    data_cnbng_cp_profile_radius_accounting_detect_dead_server_response_timeout_delete

    Responses:
      '204':
        Description: No Content
        Content: {}
      security:
        - basicAuth: []
    options:

    Tags:
      - data
      - options
    Operation ID:
    data_cnbng_cp_profile_radius_accounting_detect_dead_server_response_timeout_options

    Responses:
      '200':
        Description: OK
        Content: {}
      security:
        - basicAuth: []
    head:

    Tags:
      - data
      - head
    Operation ID:
    data_cnbng_cp_profile_radius_accounting_detect_dead_server_response_timeout_head

    Parameters:
      - Name: content
        In: query
        Description: controlling descendant nodes in response
        Required/Optional: false
        Style: form
        Explode: true
        Schema:
          Type: string
          Format: enumeration
          Default: config
```

```

    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []

```

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_detect\_dead\_server\_response\_timeout\_patch

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_detect-dead-server\_response-timeout'

**Required/Optional:** true**Responses:**

'204':

**Description:** leaf response-timeout updated**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**

- basicAuth: []

**x-codegen-request-body-name:** response-timeout

## /data/cnbng-cp:profile/radius/accounting/max-retry

**get:****Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_max\_retry\_get**Parameters:**

- **Name:** content

**In:** query**Description:** controlling descendant nodes in response

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

```
Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_max-retry'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_accounting_max_retry_put
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_accounting_max-retry'
    Required/Optional: true

Responses:
  '201':
    Description: leaf max-retry created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
```

```
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: max-retry
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_accounting_max_retry_delete

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_accounting_max_retry_options

Responses:
'200':
  Description: OK
  Content: {}
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_accounting_max_retry_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
```

**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

```

    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID: data_cnbng_cp_profile_radius_accounting_max_retry_patch
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_radius_accounting_max_retry'
          Required/Optional: true

  Responses:
    '204':
      Description: leaf max-retry updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: max-retry

```

## /data/cnbng-cp:profile/radius/accounting/timeout

get:

```

  Tags:
  - data
  - get
  Operation ID: data_cnbng_cp_profile_radius_accounting_timeout_get

  Parameters:

```



- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_timeout'

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:**

- basicAuth: []

**put:****Tags:**

- data
- put

**Operation ID:** data\_cnbng-cp\_profile\_radius\_accounting\_timeout\_put**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_timeout'

**Required/Optional:** true**Responses:****'201':****Description:** leaf timeout created or replaced**Content:** {}**'204':****Description:** No Content**Content:** {}

```
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: timeout
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_accounting_timeout_delete

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_accounting_timeout_options

Responses:
'200':
  Description: OK
  Content: {}
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_accounting_timeout_head

Parameters:
- Name: content
  In: query
```

- Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
 - config  
 - nonconfig  
 - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit

- report-all-tagged

**Responses:**

'200':  
 Description: OK  
 Content: {}

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data  
 - patch

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_timeout\_patch

**Request Body:**

**Content:**  
 application/yang-data+json:  
 Schema:  
 Reference:

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_timeout'  
**Required/Optional:** true

**Responses:**

'204':  
 Description: leaf timeout updated  
 Content: {}

'400':  
 Description: Bad Request  
 Content: {}

'401':  
 Description: Unauthorized  
 Content: {}

'404':  
 Description: Not Found  
 Content: {}

'405':  
 Description: Method Not Allowed  
 Content: {}

'409':  
 Description: Conflict  
 Content: {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** timeout

## /data/cnbng-cp:profile/radius/accounting/attribute

**get:**

**Tags:**

- data  
 - get

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_get

**Parameters:**

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string

**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

'200':

**Description:** OK**Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute'

'204':

**Description:** No Content**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**

- basicAuth: []

**put:****Tags:**- data  
- put**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_put**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute'

**Required/Optional:** true**Responses:**

'201':

**Description:** container attribute created or replaced**Content:** {}

```

    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: attribute
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_post
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute-post'
      Required/Optional: true

Responses:
    '201':
      Description: container attribute created
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':

```



```
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: attribute
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_delete

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_options

  Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_head

  Parameters:
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
```

```

    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

```

**Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_patch

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute'

**Required/Optional:** true

**Responses:**

'204':

**Description:** container attribute updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** attribute

## /data/cnbng-cp:profile/radius/accounting/attribute/called-station-id

**get:**

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called\_station\_id\_get

**Parameters:**

- **Name:** content
- In:** query
- Description:** controlling descendant nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true

**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
 - config  
 - nonconfig  
 - all

**- Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

**Type:** integer  
**Format:** uint16

**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

**Type:** string  
**Format:** string

**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

**Type:** string  
**Format:** string

**- Name:** with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:****'200':**

```

    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id'
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_put

    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id'
            Required/Optional: true

    Responses:
      '201':
        Description: container called-station-id created or replaced
        Content: {}
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized

```

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: called-station-id
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_post

Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_called-station-id-post'

  Required/Optional: true

Responses:
  '201':
    Description: container called-station-id created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []

```

**x-codegen-request-body-name:** called-station-id  
**delete:**

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called\_station\_id\_delete

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called\_station\_id\_options

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called\_station\_id\_head

**Parameters:**

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config
- nonconfig
- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_patch

```



```

Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id'
      Required/Optional: true

Responses:
  '204':
    Description: container called-station-id updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: called-station-id

```

## /data/cnbng-cp:profile/radius/accounting/attribute/called-station-id/format

```

options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_options

Responses:
  '200':
    Description: OK
    Content: {}
security:
- basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/attribute/called-station-id/format={format-nas-port-type}

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_get

**Parameters:**

- **Name:** format-nas-port-type
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict

```

**Content:** {}  
**security:**  
 - **basicAuth:** []  
**put:**

**Tags:**

- data  
 - put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_put

**Parameters:**

- **Name:** format-nas-port-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** insert

**In:** query

**Description:** controlling the order when adding new list elements

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** first

**enum:**

- first  
 - last  
 - before  
 - after

- **Name:** point

**In:** query

**Description:** used to specify the insertion point

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called-station-id\_format\_format-nas-port-type'

**Required/Optional:** true

**Responses:**

'201':  
  **Description:** list format created or replaced  
  **Content:** {}  
'204':  
  **Description:** No Content  
  **Content:** {}  
'400':  
  **Description:** Bad Request  
  **Content:** {}  
'401':  
  **Description:** Unauthorized  
  **Content:** {}  
'404':  
  **Description:** Not Found  
  **Content:** {}  
'405':  
  **Description:** Method Not Allowed  
  **Content:** {}  
'409':  
  **Description:** Conflict  
  **Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** format

**delete:****Tags:**

- data  
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_delete

**Parameters:**

- **Name:** format-nas-port-type  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** integer  
    **Format:** int32

**Responses:**

'204':  
  **Description:** No Content  
  **Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_options

**Parameters:**

- **Name:** format-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_head

**Parameters:**

- **Name:** format-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** content
- In:** query
- Description:** controlling descendant nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all

- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data

- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_patch

**Parameters:**

- **Name:** format-nas-port-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

**Request Body:**

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called-station-id\_format\_format-nas-port-type'

**Required/Optional:** true

**Responses:**

'204':

**Description:** list format updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** format

## /data/cnbng-cp:profile/radius/accounting/attribute/called-station-id/format={format-nas-port-type}/nas-port-type

get:



**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_get

**Parameters:**

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form

```

    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_nas-port-type'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:
  - data

```

- put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_put

**Parameters:**

- **Name:** format-nas-port-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_called-station-id\_format\_format-nas-port-type\_nas-port-type'

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf nas-port-type created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** nas-port-type

**delete:**

**Tags:**

- data

- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_delete

**Parameters:**

- **Name:** format-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32

**Responses:**

- '204':
  - Description:** No Content
  - Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_options

**Parameters:**

- **Name:** format-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_head

**Parameters:**

- **Name:** format-nas-port-type
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

**'200':**

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_patch

**Parameters:**

- **Name:** format-nas-port-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called-station-id\_format\_format-nas-port-type\_nas-port-type'

**Required/Optional:** true

**Responses:**

**'204':**

**Description:** leaf nas-port-type updated

**Content:** {}

**'400':**

**Description:** Bad Request

**Content:** {}

**'401':**

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-type

```

## /data/cnbng-cp:profile/radius/accounting/attribute/called-station-id/format={format-nas-port-type}/format-name

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_get

**Parameters:**

- **Name:** format-nas-port-type
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth

**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** integer  
     **Format:** uint16

- **Name:** fields

**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string

- **Name:** filter

**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string

- **Name:** with-defaults

**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** enumeration  
     **Default:** report-all  
     **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
     **application/yang-data+json:**  
         **Schema:**  
             **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_called-station-id\_format\_format-nas-port-type\_format-name'

**'204':**  
**Description:** No Content



```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

```

**Tags:**

```

- data
- put

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_put

**Parameters:**

```

- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Request Body:**

```

Content:
  application/yang-data+json:

```

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called-station-id\_format\_format-nas-port-type\_format-name'

```

Required/Optional: true

```

**Responses:**

```

'201':
  Description: leaf format-name created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':

```

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_format_name_delete

```

```

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_format_name_options

```

```

Parameters:
- Name: format-nas-port-type
  In: path

```

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

**Responses:**

**'200':**

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data

- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_head

**Parameters:**

- **Name:** format-nas-port-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config

- nonconfig

- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

```

    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []

```

**patch:****Tags:**

```

- data
- patch

```

**Operation ID:**

```
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_format_nas_port_type_format_name_patch
```

**Parameters:**

```

- Name: format-nas-port-type
  In: path
  Required/Optional: true

```

```

Style: simple
Explode: false
Schema:
  Type: integer
  Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_format-name'

  Required/Optional: true

Responses:
  '204':
    Description: leaf format-name updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name

```

## /data/cnbng-cp:profile/radius/accounting/attribute/called-station-id/format-name

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called\_station\_id\_format\_name\_get

**Parameters:**

- **Name:** content
- In:** query

**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
    - config  
    - nonconfig  
    - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** integer  
    **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** report-all  
    **enum:**  
    - report-all  
    - trim  
    - explicit

- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_called-station-id\_format-name'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**put:**

**Tags:**

- data

- put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called\_station\_id\_format\_name\_put

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_called-station-id\_format-name'

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf format-name created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

```

    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format-name
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_name_delete

  Responses:
    '204':
      Description: No Content
      Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_name_options

  Responses:
    '200':
      Description: OK
      Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_name_head

```



**Parameters:**

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all

```

    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

  Responses:
    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_format_name_patch
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format-name'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf format-name updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: format-name

```

## /data/cnbng-cp:profile/radius/accounting/attribute/called-station-id/value

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called\_station\_id\_value\_get

**Parameters:**

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string

```

- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_value'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
    - basicAuth: []
put:

  Tags:
    - data
    - put
  Operation ID:
    data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_value_put
  Request Body:
    Content:

```

```

    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_value'

      Required/Optional: true

    Responses:
      '201':
        Description: leaf value created or replaced
        Content: {}
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: value
  delete:

    Tags:
      - data
      - delete
    Operation ID:
      data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_value_delete

    Responses:
      '204':
        Description: No Content
        Content: {}
    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Operation ID:
      data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_value_options

```

**Responses:**

'200':

**Description:** OK**Content:** {}**security:**- **basicAuth:** []**head:****Tags:**- data  
- head**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called\_station\_id\_value\_head

**Parameters:**- **Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:**- config  
- nonconfig  
- all- **Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16- **Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string- **Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true

```

Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_called_station_id_value_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_value'

    Required/Optional: true

Responses:
  '204':
    Description: leaf value updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}

```

```

'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value

```

## /data/cnbng-cp:profile/radius/accounting/attribute/calling-station -id

get:

**Tags:**

```
- data
- get
```

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling\_station\_id\_get

**Parameters:**

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

```
- config
- nonconfig
- all
```

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string



```

    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_put

    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_calling-station-id'

            Required/Optional: true

    Responses:
      '201':
        Description: container calling-station-id created or replaced
        Content: {}
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: calling-station-id
  Method: Post

    Tags:
      - data
      - post
    Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_post

    Request Body:
      Content:
        application/yang-data+json:
          Schema:

```

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id-post'
```

**Required/Optional:** true

**Responses:**

'201':

**Description:** container calling-station-id created

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** calling-station-id

**delete:****Tags:**

- data  
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling\_station\_id\_delete

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling\_station\_id\_options

**Responses:**

'200':

**Description:** OK  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**head:**  
  
**Tags:**  
 - data  
 - head  
**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling\_station\_id\_head

**Parameters:**

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
 - config  
 - nonconfig  
 - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string

```
    Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_patch
Request Body:
  Content:
  application/yang-data+json:
    Schema:
    Reference:
    '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id'

  Required/Optional: true

Responses:
  '204':
    Description: container calling-station-id updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
```

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: calling-station-id

```

## /data/cnbng-cp:profile/radius/accounting/attribute/calling-station-id/format

### options:

```

  Tags:
  - data
  - options
  Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_options

  Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/attribute/calling-station-id/format={format-nas-port-type}

### get:

```

  Tags:
  - data
  - get
  Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_get

  Parameters:
  - Name: format-nas-port-type
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false

```

**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_calling-station-id\_format\_format-nas-port-type'

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:****- basicAuth:** []**put:****Tags:**

- data

- put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_put

**Parameters:****- Name:** format-nas-port-type**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32**- Name:** insert**In:** query**Description:** controlling the order when adding new list elements**Required/Optional:** false**Style:** form**Explode:** true



```
Schema:
  Type: string
  Format: enumeration
  Default: first
  enum:
    - first
    - last
    - before
    - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type'

  Required/Optional: true

Responses:
  '201':
    Description: list format created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format
delete:
```

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_delete

**Parameters:**

- **Name:** format-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32

**Responses:**

'204':

**Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_options

**Parameters:**

- **Name:** format-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32

**Responses:**

'200':

**Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_head

**Parameters:**

- **Name:** format-nas-port-type
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

'200':  
  **Description:** OK  
  **Content:** {}

**security:**  
- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_patch

**Parameters:**

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

**Request Body:**

**Content:**  
  **application/yang-data+json:**  
  **Schema:**  
  **Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling-station-id\_format\_format-nas-port-type'

**Required/Optional:** true

**Responses:**

'204':  
  **Description:** list format updated  
  **Content:** {}  
'400':

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format

```

## /data/cnbng-cp:profile/radius/accounting/attribute/calling-station-id/format={format-nas-port-type}/nas-port-type

**get:**

```

Tags:
- data
- get

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_get

**Parameters:**

```

- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config

```

- nonconfig
- all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

- '200':
  - Description:** OK
  - Content:**
    - application/yang-data+json:
    - Schema:**
    - Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_calling-station-id\_format\_format-nas-port-type\_nas-port-type'

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_nas_port_type_put

```

```

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_nas-port-type'

```

Required/Optional: true

```

Responses:
'201':
  Description: leaf nas-port-type created or replaced
  Content: {}
'204':

```

```

    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-type
delete:

```

**Tags:**

```
- data
- delete
```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_delete

**Parameters:**

```
- Name: format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: integer
  Format: int32
```

**Responses:**

```
'204':
  Description: No Content
  Content: {}
```

**security:**

```
- basicAuth: []
```

**options:****Tags:**

```
- data
- options
```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_options



**Parameters:**

- **Name:** format-nas-port-type
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_head

**Parameters:**

- **Name:** format-nas-port-type
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form

**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**
  - report-all
  - trim
  - explicit
  - report-all-tagged

**Responses:**

'200':  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_patch

**Parameters:**

```

- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_nas-port-type'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf nas-port-type updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: nas-port-type

```

## /data/cnbng-cp:profile/radius/accounting/attribute/calling-station-id/format={format-nas-port-type}/format-name

get:

Tags:

- data
- get

Operation ID:

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_get

**Parameters:**

- **Name:** format-nas-port-type
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults

**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

**'200':**  
  **Description:** OK  
  **Content:**  
    application/yang-data+json:  
      **Schema:**  
      **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_calling-station-id\_format\_format-nas-port-type\_format-name'

**'204':**  
  **Description:** No Content  
  **Content:** {}  
**'400':**  
  **Description:** Bad Request  
  **Content:** {}  
**'401':**  
  **Description:** Unauthorized  
  **Content:** {}  
**'404':**  
  **Description:** Not Found  
  **Content:** {}  
**'405':**  
  **Description:** Method Not Allowed  
  **Content:** {}  
**'409':**  
  **Description:** Conflict  
  **Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_put

**Parameters:**

```

- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_format-name'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf format-name created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: format-name
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_format_nas_port_type_format_name_delete

  Parameters:
  - Name: format-nas-port-type

```

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

**Responses:**  
  **'204':**  
    **Description:** No Content  
    **Content:** {}  
  **security:**  
    - **basicAuth:** []

**options:**

**Tags:**  
- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_options

**Parameters:**

- **Name:** format-nas-port-type  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** integer  
    **Format:** int32

**Responses:**  
  **'200':**  
    **Description:** OK  
    **Content:** {}  
  **security:**  
    - **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_head

**Parameters:**

- **Name:** format-nas-port-type  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false

**Schema:**  
  **Type:** integer  
  **Format:** int32

- **Name:** content  
  **In:** query  
  **Description:** controlling descendant nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
      - config  
      - nonconfig  
      - all
- **Name:** depth  
  **In:** query  
  **Description:** limit the depth of nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** integer  
    **Format:** uint16
- **Name:** fields  
  **In:** query  
  **Description:** optionally identify specific data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** filter  
  **In:** query  
  **Description:** xpath expression to filter data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** with-defaults  
  **In:** query  
  **Description:** controlling default values in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string



**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_patch

**Parameters:**

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling-station-id\_format\_format-nas-port-type\_format-name'

**Required/Optional:** true

**Responses:**

**'204':**  
**Description:** leaf format-name updated  
**Content:** {}

**'400':**  
**Description:** Bad Request  
**Content:** {}

**'401':**  
**Description:** Unauthorized  
**Content:** {}

**'404':**  
**Description:** Not Found  
**Content:** {}

```

'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name

```

## /data/cnbng-cp:profile/radius/accounting/attribute/calling-station -id/format-name

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling\_station\_id\_format\_name\_get

**Parameters:**

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config
- nonconfig
- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_calling-station-id\_format-name'

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

'409':

```

    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_name_put
Request Body:
  Content:
  application/yang-data+json:
    Schema:
    Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format-name'

  Required/Optional: true

Responses:
  '201':
    Description: leaf format-name created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format-name
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_name_delete

  Responses:

```

```
'204':
  Description: No Content
  Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_name_options

Responses:
'200':
  Description: OK
  Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_name_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
```

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_format_name_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format-name'

Required/Optional: true

Responses:

```

```

'204':
  Description: leaf format-name updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name

```

## /data/cnbng-cp:profile/radius/accounting/attribute/calling-station -id/value

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling\_station\_id\_value\_get

**Parameters:**

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config
- nonconfig
- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

```

Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_value'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}

```



```

    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_value_put
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_value'

  Required/Optional: true

  Responses:
    '201':
      Description: leaf value created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:

```

```

- basicAuth: []
x-codegen-request-body-name: value
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_value_delete

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_value_options

Responses:
'200':
  Description: OK
  Content: {}
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_calling_station_id_value_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query

```

**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling\_station\_id\_value\_patch

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling-station-id\_value'

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf value updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** value

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier:

**get:**

**Tags:**

- data  
- get

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_get

**Parameters:**

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:**

application/yang-data+json:

```

    Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier'
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng-cp_profile_radius_accounting_attribute_nas_identifier_put
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier'
        Required/Optional: true

  Responses:
    '201':
      Description: leaf nas-identifier created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}

```

```
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-identifier
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_delete

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_options

Responses:
'200':
  Description: OK
  Content: {}
security:
- basicAuth: []
head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
```

```

    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**



```
- basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_patch

Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-identifier'
      Required/Optional: true

Responses:
'204':
  Description: leaf nas-identifier updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-identifier
```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier- format

```
get:

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_get

Parameters:
- Name: content
  In: query
```

**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit

- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**put:**

**Tags:**

- data

- put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_put

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format'

**Required/Optional:** true

**Responses:**

'201':

**Description:** container nas-identifier-format created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

```

    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: nas-identifier-format
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_post
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-identifier-format-post'

  Required/Optional: true

Responses:
  '201':
    Description: container nas-identifier-format created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}

```

```
    '409':
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: nas-identifier-format
  delete:

    Tags:
      - data
      - delete
    Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_delete

    Responses:
      '204':
        Description: No Content
        Content: {}
    security:
      - basicAuth: []
    options:

    Tags:
      - data
      - options
    Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_options

    Responses:
      '200':
        Description: OK
        Content: {}
    security:
      - basicAuth: []
    head:

    Tags:
      - data
      - head
    Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_head

    Parameters:
      - Name: content
        In: query
        Description: controlling descendant nodes in response
        Required/Optional: false
        Style: form
        Explode: true
        Schema:
          Type: string
          Format: enumeration
          Default: config
          enum:
            - config
```

```

    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

```

```

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_patch
Request Body:
Content:
  application/yang-data+json:
Schema:
Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format'

Required/Optional: true

Responses:
'204':
  Description: container nas-identifier-format updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-identifier-format

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier-format/format

**options:**

```

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_options

Responses:
'200':
  Description: OK
  Content: {}

```

```
security:
- basicAuth: []
```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier-format/format={format-nas-port-type}

get:

**Tags:**

```
- data
- get
```

**Operation ID:**

```
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_get
```

**Parameters:**

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false



```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type'
```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed

```

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_put

```

**Parameters:**

```

- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-identifier-format_format_format_nas-port-type'

```

**Required/Optional:** true

**Responses:**

'201':  
  **Description:** list format created or replaced  
  **Content:** {}  
'204':  
  **Description:** No Content  
  **Content:** {}  
'400':  
  **Description:** Bad Request  
  **Content:** {}  
'401':  
  **Description:** Unauthorized  
  **Content:** {}  
'404':  
  **Description:** Not Found  
  **Content:** {}  
'405':  
  **Description:** Method Not Allowed  
  **Content:** {}  
'409':  
  **Description:** Conflict  
  **Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** format

**delete:**

**Tags:**

- data  
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_delete

**Parameters:**

- **Name:** format-nas-port-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

**Responses:**

'204':  
  **Description:** No Content  
  **Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_options

**Parameters:**

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Responses:**

- '200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_head

**Parameters:**

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**

```
- config
- nonconfig
- all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:
```

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_patch

**Parameters:**

- **Name:** format-nas-port-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format\_format\_format-nas-port-type'

**Required/Optional:** true

**Responses:**

'204':

**Description:** list format updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** format

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier-format/format={format-nas-port-type}/nas-port-type

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_nas\_port\_type\_get

**Parameters:**

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type_nas-port-type'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict

```



```

    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type_put

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_nas_port_type'

Required/Optional: true

Responses:
'201':
  Description: leaf nas-port-type created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:

```

```

- basicAuth: []
x-codegen-request-body-name: nas-port-type
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_nas\_port\_type\_delete

**Parameters:**

```

- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Responses:**

```

'204':
  Description: No Content
  Content: {}

```

**security:**

```

- basicAuth: []

```

**options:****Tags:**

```

- data
- options

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_nas\_port\_type\_options

**Parameters:**

```

- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []

```

**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_nas\_port\_type\_head

**Parameters:**

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form

**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string  
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_nas\_port\_type\_patch

**Parameters:**

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

**Request Body:**

**Content:**  
  **application/yang-data+json:**  
    **Schema:**  
      **Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_format\_format\_nas-port-type\_nas-port-type'

**Required/Optional:** true

**Responses:**

```

'204':
  Description: leaf nas-port-type updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-type

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier-format/format={format-nas-port-type}/format-name

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_format\_name\_get

**Parameters:**

- **Name:** format-nas-port-type
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**

```

    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK

```

```

Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type_format-name'

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_identifier_format_format_format_nas_port_type_format_name_put

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type_format-name'

  Required/Optional: true

Responses:

```

```

'201':
  Description: leaf format-name created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_format\_name\_delete

**Parameters:**

```

- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Responses:**

```

'204':
  Description: No Content
  Content: {}

```

**security:**

```

- basicAuth: []

```

**options:****Tags:**

```

- data

```



- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_format\_name\_options

**Parameters:**

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

**Responses:**

'200':  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_format\_name\_head

**Parameters:**

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth

**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** integer  
     **Format:** uint16

**- Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string

**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string

**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** enumeration  
     **Default:** report-all  
     **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**  
   '200':  
     **Description:** OK  
     **Content:** {}  
**security:**  
   - **basicAuth:** []

**patch:**

**Tags:**  
   - data  
   - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_format\_name\_patch

**Parameters:**- **Name:** format-nas-port-type**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format\_format\_format-nas-port-type\_format-name'

**Required/Optional:** true**Responses:**

'204':

**Description:** leaf format-name updated**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**x-codegen-request-body-name:** format-name

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-identifier-format/format-name

**get:****Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_format\_name\_get

**Parameters:**

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true

**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format\_format-name'

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**put:****Tags:**

- data  
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_format\_name\_put

**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format\_format-name'

**Required/Optional:** true

**Responses:**

'201':  
**Description:** leaf format-name created or replaced  
**Content:** {}

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

'409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** format-name

**delete:****Tags:**

- data  
 - delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_format\_name\_delete

**Responses:**

'204':  
**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
 - options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_format\_name\_options

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- basicAuth: []

head:

Tags:

- data
- head

Operation ID:

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_format\_name\_head

Parameters:

- Name: content
  - In: query
  - Description: controlling descendant nodes in response
  - Required/Optional: false
  - Style: form
  - Explode: true
  - Schema:
    - Type: string
    - Format: enumeration
    - Default: config
    - enum:
      - config
      - nonconfig
      - all
- Name: depth
  - In: query
  - Description: limit the depth of nodes in response
  - Required/Optional: false
  - Style: form
  - Explode: true
  - Schema:
    - Type: integer
    - Format: uint16
- Name: fields
  - In: query
  - Description: optionally identify specific data nodes in response
  - Required/Optional: false
  - Style: form
  - Explode: true
  - Schema:
    - Type: string
    - Format: string
- Name: filter
  - In: query
  - Description: xpath expression to filter data nodes in response
  - Required/Optional: false
  - Style: form
  - Explode: true
  - Schema:
    - Type: string
    - Format: string
- Name: with-defaults
  - In: query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_identifier\_format\_format\_name\_patch

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format\_format-name'

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf format-name updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict



```
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format-name
```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id

get:

```
Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_get
```

### Parameters:

```
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
```

**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string  
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** report-all  
    **enum:**  
    - report-all  
    - trim  
    - explicit  
    - report-all-tagged

**Responses:**

'**200**':  
    **Description:** OK  
    **Content:**  
        **application/yang-data+json:**  
            **Schema:**  
                **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port-id'

'**204**':  
    **Description:** No Content  
    **Content:** {}  
'**400**':  
    **Description:** Bad Request  
    **Content:** {}  
'**401**':  
    **Description:** Unauthorized  
    **Content:** {}  
'**404**':  
    **Description:** Not Found  
    **Content:** {}  
'**405**':  
    **Description:** Method Not Allowed  
    **Content:** {}  
'**409**':  
    **Description:** Conflict  
    **Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**  
- data

```
- put
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_put
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port-id'
      Required/Optional: true

Responses:
  '201':
    Description: container nas-port-id created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-id
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_post
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port-id-post'
      Required/Optional: true

Responses:
  '201':
    Description: container nas-port-id created
    Content: {}
```

```

    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: nas-port-id
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_delete

  Responses:
    '204':
      Description: No Content
      Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_options

  Responses:
    '200':
      Description: OK
      Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_head

```

**Parameters:**

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all

```

    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

  Responses:
    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_patch
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port-id'
        Required/Optional: true

  Responses:
    '204':
      Description: container nas-port-id updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: nas-port-id

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id/for mat

options:

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_format\_options

**Responses:**

'200':

**Description:** OK**Content:** {}**security:**

- basicAuth: []

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id/for mat={format-nas-port-type}

**get:****Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_get

**Parameters:**

- **Name:** format-nas-port-type
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** integer  
   **Format:** uint16  
**- Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
   **application/yang-data+json:**  
     **Schema:**  
       **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port-id\_format\_format-nas-port-type'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**



```
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_put
```

**Parameters:**

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** insert  
**In:** query  
**Description:** controlling the order when adding new list elements  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** first
  - enum:**
    - first
    - last
    - before
    - after
- **Name:** point  
**In:** query  
**Description:** used to specify the insertion point  
**Required/Optional:** false

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type'

  Required/Optional: true

Responses:
  '201':
    Description: list format created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: format
delete:

Tags:
  - data
  - delete
Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_delete

Parameters:
  - Name: format-nas-port-type
    In: path
    Required/Optional: true
    Style: simple

```

**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

**Responses:**  
  '204':  
    **Description:** No Content  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []  
**options:**

**Tags:**  
- data  
- options

**Operation ID:**  
data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_options

**Parameters:**  
- **Name:** format-nas-port-type  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** integer  
    **Format:** int32

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []  
**head:**

**Tags:**  
- data  
- head

**Operation ID:**  
data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_head

**Parameters:**  
- **Name:** format-nas-port-type  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** integer  
    **Format:** int32

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- basicAuth: []

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_patch

**Parameters:**

- **Name:** format-nas-port-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

**Request Body:**

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port-id\_format\_format-nas-port-type'

**Required/Optional:** true

**Responses:**

'204':  
**Description:** list format updated  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

```

'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id/for mat={format-nas-port-type}/nas-port-type

get:

Tags:

- data
- get

Operation ID:

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_get

Parameters:

- Name: format-nas-port-type
  - In: path
  - Required/Optional: true
  - Style: simple
  - Explode: false
  - Schema:
    - Type: integer
    - Format: int32
- Name: content
  - In: query
  - Description: controlling descendant nodes in response
  - Required/Optional: false
  - Style: form
  - Explode: true
  - Schema:
    - Type: string
    - Format: enumeration
    - Default: config
    - enum:
      - config
      - nonconfig
      - all
- Name: depth
  - In: query
  - Description: limit the depth of nodes in response
  - Required/Optional: false
  - Style: form
  - Explode: true
  - Schema:
    - Type: integer
    - Format: uint16

- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port-id\_format\_format-nas-port-type\_nas-port-type'

'204':  
**Description:** No Content  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':

```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_put

```

```

Parameters:
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_nas-port-type'

    Required/Optional: true

```

```

Responses:
  '201':
    Description: leaf nas-port-type created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}

```



```

    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: nas-port-type
delete:

```

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_delete

**Parameters:**

- **Name:** format-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32

**Responses:**

- '204':
  - Description:** No Content
  - Content:** {}

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_options

**Parameters:**

- **Name:** format-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32

**Responses:**

```

    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_nas_port_type_head

```

**Parameters:**

- **Name:** format-nas-port-type
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**

**Type:** string  
**Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

**- basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_patch

**Parameters:**

**- Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Request Body:**

**Content:**  
 application/yang-data+json:

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_nas-port-type'
```

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf nas-port-type updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** nas-port-type

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id/for mat={format-nas-port-type}/format-name

**get:****Tags:**

- data

- get

**Operation ID:**

```
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_format_name_get
```

**Parameters:**

- **Name:** format-nas-port-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** content

**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all

- trim
- explicit
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port-id\_format\_format-nas-port-type\_format-name'

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Operation ID:**

data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_format\_name\_put

**Parameters:**

- **Name:** format-nas-port-type

**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32**Request Body:****Content:****application/yang-data+json:**

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_format-name'
```

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf format-name created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** format-name

**delete:****Tags:**

- data  
- delete

**Operation ID:**

```
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_format_name_delete
```

**Parameters:**

- **Name:** format-nas-port-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

**Responses:**

'204':

**Description:** No Content

**Content:** {}  
**security:**  
 - **basicAuth:** []  
**options:**

**Tags:**  
 - data  
 - options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_format\_name\_options

**Parameters:**

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []

**head:**

**Tags:**  
 - data  
 - head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_format\_format\_nas\_port\_type\_format\_name\_head

**Parameters:**

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string



**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**  
**'200':**  
**Description:** OK  
**Content:** {}

```

    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_format_nas_port_type_format_name_patch

  Parameters:
  - Name: format-nas-port-type
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_format-name'

    Required/Optional: true

  Responses:
  '204':
    Description: leaf format-name updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format-name

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id/for mat-name

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_format\_name\_get

**Parameters:**

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string

```

- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format-name'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_name_put
  Request Body:
    Content:

```

```

    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format-name'

      Required/Optional: true

    Responses:
      '201':
        Description: leaf format-name created or replaced
        Content: {}
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: format-name
  delete:

    Tags:
      - data
      - delete
    Operation ID:
      data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_name_delete

    Responses:
      '204':
        Description: No Content
        Content: {}
    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Operation ID:
      data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_name_options

```

**Responses:**

'200':

**Description:** OK**Content:** {}**security:**- **basicAuth:** []**head:****Tags:**- data  
- head**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_format\_name\_head

**Parameters:**- **Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:**- config  
- nonconfig  
- all- **Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16- **Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string- **Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true

```

Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_format_name_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format-name'

    Required/Optional: true

Responses:
  '204':
    Description: leaf format-name updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}

```

```

'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port-id/val ue

get:

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_value\_get

**Parameters:**

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string



```

    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_value'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:

```

```

- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_value_put

Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port-id_value'
    Required/Optional: true

Responses:
'201':
  Description: leaf value created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_id_value_delete

Responses:
'204':
  Description: No Content
  Content: {}
security:

```

- basicAuth: []  
options:

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_value\_options

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_value\_head

**Parameters:**

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config
- nonconfig
- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []

```

**patch:****Tags:**

```

- data
- patch

```

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_id\_value\_patch

**Request Body:**

```

Content:
  application/yang-data+json:
    Schema:

```

**Reference:**

```

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port-id_value'
  Required/Optional: true

```

**Responses:**

```

'204':
  Description: leaf value updated
  Content: {}
'400':
  Description: Bad Request

```

```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields

```

**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
  **application/yang-data+json:**  
  **Schema:**  
  **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port'

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

```
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_put
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port'
    Required/Optional: true

Responses:
'201':
  Description: container nas-port created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_post
```

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port-post'

**Required/Optional:** true**Responses:**

'201':

**Description:** container nas-port created**Content:** {}

'204':

**Description:** No Content**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**x-codegen-request-body-name:** nas-port**delete:****Tags:**- data  
- delete**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_delete**Responses:**

'204':

**Description:** No Content**Content:** {}**security:**- **basicAuth:** []**options:****Tags:**- data  
- options**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_options



**Responses:**

'200':

**Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_head**Parameters:****- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:**

- config
- nonconfig
- all

**- Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

**Type:** string  
**Format:** string  
**Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_patch

**Request Body:**

**Content:**  
**application/yang-data+json:**

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas-port'

**Required/Optional:** true

**Responses:**

**'204':**  
**Description:** container nas-port updated  
**Content:** {}

**'400':**  
**Description:** Bad Request  
**Content:** {}

**'401':**  
**Description:** Unauthorized  
**Content:** {}

**'404':**  
**Description:** Not Found  
**Content:** {}

**'405':**  
**Description:** Method Not Allowed

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: nas-port

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port/format-e-list

options:

```

  Tags:
  - data
  - options
  Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_options

  Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port/format-e-list={format-e-list-nas-port-type}

get:

```

  Tags:
  - data
  - get
  Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_get

  Parameters:
  - Name: format-e-list-nas-port-type
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false

```

```

Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

'200':

**Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port\_format-e-list\_format-e-list-nas-port-type'

'204':

**Description:** No Content**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**put:****Tags:**

- data

- put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_put

**Parameters:**- **Name:** format-e-list-nas-port-type**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32- **Name:** insert**In:** query**Description:** controlling the order when adding new list elements**Required/Optional:** false**Style:** form**Explode:** true

**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** first  
**enum:**  
 - first  
 - last  
 - before  
 - after

- **Name:** point

**In:** query

**Description:** used to specify the insertion point

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string  
**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port\_format-e-list\_format-e-list-nas-port-type'

**Required/Optional:** true

**Responses:**

'201':

**Description:** list format-e-list created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** format-e-list

**delete:**

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_delete

**Parameters:**

- **Name:** format-e-list-nas-port-type

**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32**Responses:****'204':****Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_options

**Parameters:**

- **Name:** format-e-list-nas-port-type

**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32**Responses:****'200':****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_head

**Parameters:**

- **Name:** format-e-list-nas-port-type
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string



- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**patch:**

**Tags:**  
  - data  
  - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_patch

**Parameters:**  
  - **Name:** format-e-list-nas-port-type  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
  **Type:** integer  
  **Format:** int32

**Request Body:**  
  **Content:**  
  **application/yang-data+json:**  
  **Schema:**  
  **Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas-port\_format-e-list\_format-e-list-nas-port-type'

**Required/Optional:** true

**Responses:**  
  '204':  
    **Description:** list format-e-list updated  
    **Content:** {}  
  '400':

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-e-list

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port/format -e-list={format-e-list-nas-port-type}/nas-port-type

**get:**

**Tags:**

```
- data
- get
```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_nas\_port\_type\_get

**Parameters:**

```

- Name: format-e-list-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config

```

```

    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type'
```

```

    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_put

```

```

Parameters:
- Name: format-e-list-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type'

      Required/Optional: true

```

```

Responses:
  '201':
    Description: leaf nas-port-type created or replaced
    Content: {}
  '204':

```

```

    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-type
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_nas\_port\_type\_delete

**Parameters:**

```

- Name: format-e-list-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Responses:**

```

  '204':
    Description: No Content
    Content: {}

```

**security:**

```

- basicAuth: []

```

**options:****Tags:**

```

- data
- options

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_nas\_port\_type\_options

**Parameters:**

- **Name:** format-e-list-nas-port-type
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_nas\_port\_type\_head

**Parameters:**

- **Name:** format-e-list-nas-port-type
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form

```
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_patch

Parameters:
```

```

- Name: format-e-list-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf nas-port-type updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: nas-port-type

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port/format -e-list={format-e-list-nas-port-type}/format-e

get:

Tags:

- data
- get

Operation ID:

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_format\_e\_get



**Parameters:**

- **Name:** format-e-list-nas-port-type
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas-port\_format-e-list\_format-e-list-nas-port-type\_format-e'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas-port\_format-e-list\_format-e-list-nas-port-type\_format-e\_put

**Parameters:**

```

- Name: format-e-list-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format-e-list_format-e-list-nas-port-type_format-e'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf format-e created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: format-e
delete:

  Tags:
    - data
    - delete
  Operation ID:
    data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_list_format_e_list_nas_port_type_format_e_delete

  Parameters:
    - Name: format-e-list-nas-port-type

```

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

**Responses:**  
  **'204':**  
    **Description:** No Content  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**options:**

**Tags:**  
- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_format\_e\_options

**Parameters:**  
- **Name:** format-e-list-nas-port-type  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** integer  
    **Format:** int32

**Responses:**  
  **'200':**  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_list\_fomat\_e\_list\_nas\_port\_type\_format\_e\_head

**Parameters:**  
- **Name:** format-e-list-nas-port-type  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false

**Schema:**  
**Type:** integer  
**Format:** int32

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**
  - config
  - nonconfig
  - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string

**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_format\_e\_patch

**Parameters:**

- **Name:** format-e-list-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas-port\_format-e-list\_format-e-list-nas-port-type\_format-e'

**Required/Optional:** true

**Responses:**

**'204':**  
**Description:** leaf format-e updated  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}

```

'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-e

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port/format -e

get:

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_get

**Parameters:**

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string

```

    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

```

security:

```



```
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_put

Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port-format-e'
    Required/Optional: true

Responses:
'201':
  Description: leaf format-e created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-e
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_delete

Responses:
'204':
  Description: No Content
  Content: {}
security:
```

- basicAuth: []  
options:

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_options

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_format\_e\_head

**Parameters:**

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config
- nonconfig
- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_format_e_patch

Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port-format-e'
    Required/Optional: true

Responses:
  '204':
    Description: leaf format-e updated
    Content: {}
  '400':
    Description: Bad Request

```

```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-e

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-port/value:

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_value_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields

```

**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
   - report-all  
   - trim  
   - explicit  
   - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
  application/yang-data+json:  
  **Schema:**  
  **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port\_value'

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

```

    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_value_put
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-port_value'
  Required/Optional: true

Responses:
  '201':
    Description: leaf value created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: value
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_port_value_delete

```

**Responses:**

- '204':**
  - Description:** No Content
  - Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_value\_options

**Responses:**

- '200':**
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_value\_head

**Parameters:**

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_port\_value\_patch

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas-port\_value'

**Required/Optional:** true



**Responses:**

- '204':
  - Description:** leaf value updated
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':
  - Description:** Unauthorized
  - Content:** {}
- '404':
  - Description:** Not Found
  - Content:** {}
- '405':
  - Description:** Method Not Allowed
  - Content:** {}
- '409':
  - Description:** Conflict
  - Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** value

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-ip

**get:**

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_ip\_get

**Parameters:**

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false

```

Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-ip'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}

```

```
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_ip_put
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-ip'
Required/Optional: true

Responses:
'201':
  Description: container nas-ip created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
```

**x-codegen-request-body-name:** nas-ip

**Method:** Post

**Tags:**

- data
- post

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_ip\_post

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas-ip-post'

**Required/Optional:** true

**Responses:**

'201':

**Description:** container nas-ip created

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** nas-ip

**delete:**

**Tags:**

- data
- delete

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_ip\_delete

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_ip\_options

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- basicAuth: []

**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_ip\_head

**Parameters:**

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config
- nonconfig
- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter

**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** string

- **Name:** with-defaults

**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_ip\_patch

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas-ip'

**Required/Optional:** true

**Responses:**

**'204':**  
**Description:** container nas-ip updated  
**Content:** {}

**'400':**  
**Description:** Bad Request  
**Content:** {}

**'401':**  
**Description:** Unauthorized

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-ip

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-ip/value

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_ip_value_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false

```

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-ip_value'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}

```



```

    '409':
      Description: Conflict
      Content: {}
    security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_ip_value_put
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-ip_value'
          Required/Optional: true

  Responses:
    '201':
      Description: leaf value created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: value
  delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_ip_value_delete

  Responses:
    '204':

```

**Description:** No Content  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**options:**  
  
**Tags:**  
 - data  
 - options  
**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_ip\_value\_options

**Responses:**  
 '200':  
**Description:** OK  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**head:**  
  
**Tags:**  
 - data  
 - head  
**Operation ID:** data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_ip\_value\_head

**Parameters:**  
 - **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
 - config  
 - nonconfig  
 - all  
 - **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16  
 - **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form

```

Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_nas_ip_value_patch
Request Body:
Content:
  application/yang-data+json:
  Schema:
  Reference:
  '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_nas-ip_value'
  Required/Optional: true

Responses:
  '204':
    Description: leaf value updated
    Content: {}

```

```

'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value

```

## /data/cnbng-cp:profile/radius/accounting/attribute/nas-ip/user-pla ne-ip

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_ip\_user\_plane\_ip\_get

**Parameters:**

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config
- nonconfig
- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

```

    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-ip_user-plane-ip'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}

```

```

    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_nas_ip_user_plane_ip_put
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-ip_user-plane-ip'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf user-plane-ip created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: user-plane-ip
delete:

```

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_ip\_user\_plane\_ip\_delete

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_ip\_user\_plane\_ip\_options

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_ip\_user\_plane\_ip\_head

**Parameters:**

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config
- nonconfig
- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**
  - report-all
  - trim
  - explicit
  - report-all-tagged

**Responses:**

**'200':**  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas\_ip\_user\_plane\_ip\_patch

**Request Body:**

**Content:**



```

    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-ip_user-plane-ip'

      Required/Optional: true

    Responses:
      '204':
        Description: leaf user-plane-ip updated
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: user-plane-ip

```

## /data/cnbng-cp:profile/radius/accounting/attribute/instance

```

options:

  Tags:
    - data
    - options
  Operation ID: data_cnbng_cp_profile_radius_accounting_attribute_instance_options

  Responses:
    '200':
      Description: OK
      Content: {}
  security:
    - basicAuth: []

```

## /data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_id\_get

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string

```

    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-id'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

**security:**  
- **basicAuth:** []

**put:**

**Tags:**

- data  
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_id\_put

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** insert

**In:** query

**Description:** controlling the order when adding new list elements

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** first

**enum:**

- first  
- last  
- before  
- after

- **Name:** point

**In:** query

**Description:** used to specify the insertion point

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id'

**Required/Optional:** true

**Responses:**

'201':

```
    Description: list instance created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: instance
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_instance_id_delete

Parameters:
- Name: instance-instance-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: integer
  Format: int32

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
```

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_id\_options

**Parameters:**

- **Name:** instance-instance-id
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_id\_head

**Parameters:**

- **Name:** instance-instance-id
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** content
- In:** query
- Description:** controlling descendant nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth
- In:** query
- Description:** limit the depth of nodes in response
- Required/Optional:** false
- Style:** form

```
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_instance_id_patch

Parameters:
```

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-id'

    Required/Optional: true

  Responses:
    '204':
      Description: list instance updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: instance

```

## /data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/instance-id

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_instance\_id\_get



**Parameters:**

- **Name:** instance-instance-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_instance-id'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_instance-id\_put

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-instance-id_instance-id'

    Required/Optional: true

Responses:
  '201':
    Description: leaf instance-id created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: instance-id
delete:

  Tags:
  - data
  - delete
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_instance_id_instance_id_delete

Parameters:
- Name: instance-instance-id

```

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

**Responses:**  
  **'204':**  
    **Description:** No Content  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**options:**

**Tags:**  
- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_instance\_id\_options

**Parameters:**  
- **Name:** instance-instance-id  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** integer  
    **Format:** int32

**Responses:**  
  **'200':**  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_instance\_id\_head

**Parameters:**  
- **Name:** instance-instance-id  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false

**Schema:**  
**Type:** integer  
**Format:** int32

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**
  - config
  - nonconfig
  - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string

**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_id\_instance\_id\_patch

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_instance-id'

**Required/Optional:** true

**Responses:**

**'204':**  
**Description:** leaf instance-id updated  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}

```

'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: instance-id

```

## /data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/called-station-id

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_get

**Parameters:**

- **Name:** instance-instance-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true

**Schema:****Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** report-all**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-id_called-station-id'
```

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':**



```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

```

**Tags:**

```

- data
- put

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_put

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Request Body:**

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-instance-id\_called-station-id'

```

Required/Optional: true

```

**Responses:**

```

'201':
  Description: container called-station-id created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}

```

```

    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: called-station-id
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_instance_id_called_station_id_post

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_called-station-id-post'

Required/Optional: true

Responses:
'201':
  Description: container called-station-id created
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':

```

**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**x-codegen-request-body-name:** called-station-id  
**delete:**

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_delete

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Responses:**

- '204':**  
**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Responses:**

'200':

**Description:** OK  **Content:** {}**security:**- **basicAuth:** []**head:****Tags:**- data  
- head**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_head

**Parameters:**- **Name:** instance-instance-id  **In:** path  **Required/Optional:** true  **Style:** simple  **Explode:** false  **Schema:**    **Type:** integer    **Format:** int32- **Name:** content  **In:** query  **Description:** controlling descendant nodes in response  **Required/Optional:** false  **Style:** form  **Explode:** true  **Schema:**    **Type:** string    **Format:** enumeration    **Default:** config    **enum:**    - config  
    - nonconfig  
    - all- **Name:** depth  **In:** query  **Description:** limit the depth of nodes in response  **Required/Optional:** false  **Style:** form  **Explode:** true  **Schema:**    **Type:** integer    **Format:** uint16- **Name:** fields  **In:** query  **Description:** optionally identify specific data nodes in response  **Required/Optional:** false  **Style:** form

**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  **'200':**  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_patch

**Parameters:**

**- Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

**Request Body:**

```

Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-id_called-station-id'

Required/Optional: true

Responses:
  '204':
    Description: container called-station-id updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: called-station-id

```

## /data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/called-station-id/format

### options:

```

Tags:
- data
- options
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_id_called_station_id_format_options

```

### Parameters:

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer

```

**Format:** int32

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

?

/data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/called-station-id/format={format-nas-port-type}

: **get:**

**Tags:**

- data  
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_format\_format\_nas\_port\_type\_get

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**
  - config
  - nonconfig
  - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** integer  
   **Format:** uint16  
**- Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
   **application/yang-data+json:**  
     **Schema:**  
       **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_instance\_instance-instance-id\_called-station-id\_format\_format-nas-port-type'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**



```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

```

**Tags:**

```

- data
- put

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_format\_format\_nas\_port\_type\_put

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
  enum:

```

```

    - first
    - last
    - before
    - after
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_called-station-id_format_format-nas-port-type'

Required/Optional: true

Responses:
'201':
  Description: list format created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_instance_id_called_station_id_format_format_nas_port_type_delete

```

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32

**Responses:**

- '204':  
    **Description:** No Content  
    **Content:** {}  
**security:**  
    - **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_format\_format\_nas\_port\_type\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32

**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_format\_format\_nas\_port\_type\_head

**Parameters:****- Name:** instance-instance-id**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32**- Name:** format-nas-port-type**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32**- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:**

- config
- nonconfig
- all

**- Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

**Type:** integer  
**Format:** uint16  
**- Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

**- basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_format\_format\_nas\_port\_type\_patch

**Parameters:**

**- Name:** instance-instance-id  
**In:** path

```

    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32
  - Name: format-nas-port-type
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-instance-id_called-station-id_format_format-nas-port-type'

    Required/Optional: true

  Responses:
    '204':
      Description: list format updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format
?
/data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/called-station-id/format={format-nas-port-type}/nas-port-type
: get:

  Tags:
  - data
  - get
  Operation ID:

```

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_get

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter

**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** string

- **Name:** with-defaults

**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all

**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp:profile\_radius\_accounting\_attribute\_instance\_instance-instance-id\_called-station-id\_format\_format-report-type\_report-type'

'204':  
**Description:** No Content  
**Content:** {}  
'400':  
**Description:** Bad Request  
**Content:** {}  
'401':  
**Description:** Unauthorized  
**Content:** {}  
'404':  
**Description:** Not Found  
**Content:** {}  
'405':  
**Description:** Method Not Allowed  
**Content:** {}  
'409':  
**Description:** Conflict  
**Content:** {}

**security:**  
- **basicAuth:** []



**put:**

**Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_put

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** format-nas-port-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

**Request Body:**

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-instance-id\_called-station-id\_format\_format-nas-port-type\_nas-port-type'

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf nas-port-type created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: nas-port-type
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_delete

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Responses:**

```

'204':
  Description: No Content
  Content: {}

```

```

security:
- basicAuth: []

```

**options:****Tags:**

```

- data
- options

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_options

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple

```

```

Explode: false
Schema:
  Type: integer
  Format: int32
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head

Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_instance_id_called_station_id_format_format_nas_port_type_nas_port_type_head

```

```

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string

```

**Format:** enumeration  
**Default:** config  
**enum:**  
 - config  
 - nonconfig  
 - all

**- Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** integer  
   **Format:** uint16

**- Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string

**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string

**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []  
**patch:**

**Tags:**  
 - data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_patch

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Request Body:**

**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-instance-id\_called-station-id\_format\_format-nas-port-type\_nas-port-type'

**Required/Optional:** true

**Responses:**

'204':  
**Description:** leaf nas-port-type updated  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

```

    '409':
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: nas-port-type
  ?
/data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/called-station-id/format={format-nas-port-type}/format-name
: get:

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_instance_id_called_station_id_format_format_nas_port_type_format_name_get

```

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
    - config  
    - nonconfig  
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form

```

Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data-cnbng-cp:profile/radius/accounting/attribute/instance-instance-id/called-station-id/format_format-report-type_format-rate'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}

```

```

    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_instance_id_called_station_id_format_format_nas_port_type_format_name_put

```

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Request Body:**

```

  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_instance_id_called_station_id_format_format_nas_port_type_format_name'

```

```

  Required/Optional: true

```

**Responses:**

```

  '201':
    Description: leaf format-name created or replaced
    Content: {}

```



```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_delete

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Responses:**

```

'204':
  Description: No Content
  Content: {}
security:

```

- basicAuth: []  
options:

**Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

**Responses:**

'200':  
  **Description:** OK  
  **Content:** {}

**security:**

- basicAuth: []

**head:****Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

- **Name:** format-nas-port-type  
**In:** path

**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
    - config  
    - nonconfig  
    - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form

**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**  
 '200':  
**Description:** OK  
**Content:** {}  
**security:**  
 - **basicAuth:** []

**patch:**

**Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_patch

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32  
 - **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Request Body:**

**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_format\_format\_nas\_port\_type\_format\_name'

**Required/Optional:** true

**Responses:**

'204':

```

Description: leaf format-name updated
Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name

```

## /data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/called-station-id/format-name

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_format\_name\_get

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string

**Format:** enumeration  
**Default:** config  
**enum:**  
 - config  
 - nonconfig  
 - all

**- Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** integer  
   **Format:** uint16

**- Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string

**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string

**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
   - report-all  
   - trim  
   - explicit  
   - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**

```

    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-instance-id_called-station-id_format-name'

    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_instance-id_called_station_id_format_name_put

  Parameters:
  - Name: instance-instance-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-instance-id_called-station-id_format-name'

    Required/Optional: true

  Responses:
    '201':

```

```

    Description: leaf format-name created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_instance_id_called_station_id_format_name_delete

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options

```



**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_format\_name\_options

**Parameters:**

- **Name:** instance-instance-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_format\_name\_head

**Parameters:**

- **Name:** instance-instance-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_format\_name\_patch

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Request Body:**

**Content:**  
 application/yang-data+json:  
**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-instance-id\_called-station-id\_format-name'

**Required/Optional:** true

**Responses:**

'204':  
**Description:** leaf format-name updated  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':  
**Description:** Not Found  
**Content:** {}  
 '405':  
**Description:** Method Not Allowed  
**Content:** {}  
 '409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []  
**x-codegen-request-body-name:** format-name

## /data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/called-station-id/value

**get:**

**Tags:**  
 - data

- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_value\_get

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

```

    Type: string
    Format: string
  - Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-id_called-station-id_value'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_id_called_station_id_value_put

```

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_instance\_instance-instance-id\_called-station-id\_value'

**Required/Optional:** true

**Responses:**

'201':  
**Description:** leaf value created or replaced  
**Content:** {}  
'204':  
**Description:** No Content  
**Content:** {}  
'400':  
**Description:** Bad Request  
**Content:** {}  
'401':  
**Description:** Unauthorized  
**Content:** {}  
'404':  
**Description:** Not Found  
**Content:** {}  
'405':  
**Description:** Method Not Allowed  
**Content:** {}  
'409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** value

**delete:****Tags:**

- data  
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_value\_delete

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

**Responses:**

'204':  
  **Description:** No Content  
  **Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_value\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

**Responses:**

'200':  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_called\_station\_id\_value\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true

```

Style: simple
Explode: false
Schema:
  Type: integer
  Format: int32
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true

```



**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}  
**security:**  
 - **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_id\_called\_station\_id\_value\_patch

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_called-station-id\_value'

**Required/Optional:** true

**Responses:**

**'204':**  
**Description:** leaf value updated  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**

```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value

```

## /data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/calling-station-id

**get:**

**Tags:**

```
- data
- get
```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_get

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false

```

```

Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-id_calling-station-id'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request

```

```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_id_calling_station_id_put

```

```

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_calling-station-id'

      Required/Optional: true

```

```

Responses:
  '201':
    Description: container calling-station-id created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':

```

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: calling-station-id
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_instance_id_calling_station_id_post

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_calling-station-id-post'

Required/Optional: true

Responses:
  '201':
    Description: container calling-station-id created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized

```

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: calling-station-id
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_delete

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Responses:**

```

'204':
  Description: No Content
  Content: {}

```

```

security:
- basicAuth: []

```

**options:****Tags:**

```

- data
- options

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_options

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

**Type:** integer  
**Format:** int32

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
 - head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
   **Description:** OK  
   **Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_patch

**Parameters:**

**- Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** integer



```

    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_calling-station-id'

Required/Optional: true

Responses:
  '204':
    Description: container calling-station-id updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: calling-station-id

```

## /data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/calling-station-id/format

### options:

#### Tags:

- data
- options

#### Operation ID:

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_format\_options

#### Parameters:

- **Name:** instance-instance-id
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false

**Schema:**

**Type:** integer  
**Format:** int32

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

?

/data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/calling-station-id/format={format-nas-port-type}

**: get:**

**Tags:**

- data  
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_format\_format\_nas\_port\_type\_get

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**
  - config
  - nonconfig
  - all
- **Name:** depth

**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_instance\_instance-instance-id\_calling-station-id\_format\_format-ras-port-type'

**'204':**  
**Description:** No Content

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_instance_id_calling_station_id_format_format_nas_port_type_put

```

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** integer  
   **Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** integer  
   **Format:** int32
- **Name:** insert  
**In:** query  
**Description:** controlling the order when adding new list elements  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration

```

    Default: first
    enum:
    - first
    - last
    - before
    - after
- Name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_calling-station-id_format_format-ras-port-type'

  Required/Optional: true

Responses:
'201':
  Description: list format created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format
delete:

Tags:
- data

```

- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_format\_format\_nas\_port\_type\_delete

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_format\_format\_nas\_port\_type\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer

**Format:** int32

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_format\_format\_nas\_port\_type\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form

**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**
  - report-all
  - trim
  - explicit
  - report-all-tagged

**Responses:**

'200':  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_format\_format\_nas\_port\_type\_patch

**Parameters:**



```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_calling-station-id_format_format-nas-port-type'

    Required/Optional: true

Responses:
  '204':
    Description: list format updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format
?
/data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/calling-station-id/format={format-nas-port-type}/nas-port-type
: get:

Tags:

```

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_get

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

\*/comments/schemas/data/cnbng-cp:profile/radius/accounting/attribute/instance-instance-id/calling-station-id/format\_format-report-type-report-type'

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict

```

**Content:** {}  
**security:**  
 - **basicAuth:** []  
**put:**

**Tags:**

- data  
 - put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_put

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Request Body:**

**Content:**  
 application/yang-data+json:  
**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type'

**Required/Optional:** true

**Responses:**

'201':  
**Description:** leaf nas-port-type created or replaced  
**Content:** {}

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found

```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: nas-port-type
delete:

```

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_delete

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

**Responses:**

- '204':  
  **Description:** No Content  
  **Content:** {}

```

security:
- basicAuth: []

```

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_options

**Parameters:**

- **Name:** instance-instance-id

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** integer  
   **Format:** int32  
**- Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** integer  
   **Format:** int32

**Responses:**

**'200':**  
   **Description:** OK  
   **Content:** {}

**security:**

**- basicAuth:** []

**head:****Tags:**

**- data**  
**- head**

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_head

**Parameters:**

**- Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** integer  
   **Format:** int32  
**- Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** integer  
   **Format:** int32  
**- Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form

**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

```

    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_instance_id_calling_station_id_format_format_nas_port_type_nas_port_type_patch

```

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Request Body:**

```

  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_calling_station_id_format_format_nas-port-type_nas-port-type'

```

```

  Required/Optional: true

```

**Responses:**

```

'204':
  Description: leaf nas-port-type updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}

```



'405':  
**Description:** Method Not Allowed  
**Content:** {}

'409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** nas-port-type

?

/data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/calling-station-id/format={format-nas-port-type}/format-name  
**get:**

**Tags:**

- data  
 - get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_get

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** format-nas-port-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config  
 - nonconfig  
 - all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
 Type: integer  
 Format: uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
 Type: string  
 Format: string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
 Type: string  
 Format: string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
 Type: string  
 Format: enumeration  
 Default: report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data-cnbng-cp:profile/radius/accounting/attribute/instance-instance-instance-id/calling-station-id/format\_format-report-type\_format-rare'

'204':  
**Description:** No Content  
**Content:** {}

```

    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_instance_id_calling_station_id_format_format_nas_port_type_format_name_put

  Parameters:
  - Name: instance-instance-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32
  - Name: format-nas-port-type
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_instance_id_calling_station_id_format_format_nas_port_type_format_name'

    Required/Optional: true

  Responses:

```

```

'201':
  Description: leaf format-name created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

```
data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_instance_id_calling_station_id_format_format_nas_port_type_format_name_delete
```

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Responses:**

```

'204':

```

**Description:** No Content  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**options:**

**Tags:**  
 - data  
 - options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_format\_format\_nas\_port\_type\_format\_nare\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32  
 - **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []

**head:**

**Tags:**  
 - data  
 - head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_format\_format\_nas\_port\_type\_format\_nare\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer

- Format:** int32
- **Name:** format-nas-port-type
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_format\_format\_nas\_port\_type\_format\_name\_patch

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** format-nas-port-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

**Request Body:**

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-instance-id\_calling-station-id\_format\_format-nas-port-type\_format-name'

**Required/Optional:** true

**Responses:**

```

'204':
  Description: leaf format-name updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name

```

## /data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/calling-station-id/format-name

**get:****Tags:**

```

- data
- get

```

**Operation ID:**

```
data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_instance_id_calling_station_id_format_name_get
```

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```



**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**  
'200':

```

    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-instance-id_calling-station-id_format-name'

    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID:
    data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_instance-id_calling_station_id_format_name_put

  Parameters:
    - Name: instance-instance-id
      In: path
      Required/Optional: true
      Style: simple
      Explode: false
      Schema:
        Type: integer
        Format: int32
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-instance-id_calling-station-id_format-name'

    Required/Optional: true

```

**Responses:**

'201':  
  **Description:** leaf format-name created or replaced  
  **Content:** {}  
'204':  
  **Description:** No Content  
  **Content:** {}  
'400':  
  **Description:** Bad Request  
  **Content:** {}  
'401':  
  **Description:** Unauthorized  
  **Content:** {}  
'404':  
  **Description:** Not Found  
  **Content:** {}  
'405':  
  **Description:** Method Not Allowed  
  **Content:** {}  
'409':  
  **Description:** Conflict  
  **Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** format-name

**delete:****Tags:**

- data  
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_format\_name\_delete

**Parameters:**

- **Name:** instance-instance-id  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** integer  
    **Format:** int32

**Responses:**

'204':  
  **Description:** No Content  
  **Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_format\_name\_options

**Parameters:**

- **Name:** instance-instance-id
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_format\_name\_head

**Parameters:**

- **Name:** instance-instance-id
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** content
- In:** query
- Description:** controlling descendant nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all

- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data

- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_id\_calling\_station\_id\_format\_name\_patch

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

**Request Body:**

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_calling-station-id\_format-name'

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf format-name updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** format-name

## /data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/calling-station-id/value

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_value\_get

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form

```

Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-instance-id_calling-station-id_value'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:
  - data

```



- put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_value\_put

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

**Request Body:**

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_instance\_instance-instance-id\_calling-station-id\_value'

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf value created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** value

**delete:**

**Tags:**

- data

- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_value\_delete

**Parameters:**

- **Name:** instance-instance-id
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32

**Responses:**

- '204':
  - Description:** No Content
  - Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_value\_options

**Parameters:**

- **Name:** instance-instance-id
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_value\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

**'200':**

**Description:** OK

**Content:** {}

**security:**

- basicAuth: []

**patch:**

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_calling\_station\_id\_value\_patch

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-instance-id\_calling-station-id\_value'

**Required/Optional:** true

**Responses:**

**'204':**

**Description:** leaf value updated

**Content:** {}

**'400':**

**Description:** Bad Request

**Content:** {}

**'401':**

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: value

```

## /data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/nas-identifier

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_get

**Parameters:**

- **Name:** instance-instance-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth

**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
 Type: integer  
 Format: uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
 Type: string  
 Format: string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
 Type: string  
 Format: string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
 Type: string  
 Format: enumeration  
 Default: report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_adius\_accounting\_attribute\_instance\_instance-id\_nas-identifier'

'204':  
**Description:** No Content

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_id_nas_identifier_put

```

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Request Body:**

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_nas-identifier'
```

```
Required/Optional: true
```

**Responses:**

```

'201':
  Description: leaf nas-identifier created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':

```

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-identifier
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_delete

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Responses:**

```

'204':
  Description: No Content
  Content: {}

```

```

security:
- basicAuth: []

```

**options:****Tags:**

```

- data
- options

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_options

**Parameters:**

```

- Name: instance-instance-id
  In: path

```



**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

**Responses:**

**'200':**

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data

- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_head

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** config

**enum:**

- config

- nonconfig

- all

- **Name:** depth

**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

```

    Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

```

**Responses:**

```

  '200':
    Description: OK
    Content: {}

```

**security:**

```

  - basicAuth: []

```

**patch:****Tags:**

```

  - data
  - patch

```

**Operation ID:**

```

data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_instance_id_nas_identifier_patch

```

**Parameters:**

```

  - Name: instance-instance-id
    In: path
    Required/Optional: true

```

```

Style: simple
Explode: false
Schema:
  Type: integer
  Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_nas-identifier'

  Required/Optional: true

Responses:
  '204':
    Description: leaf nas-identifier updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-identifier

```

## /data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/nas-identifier-format

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_nas-identifier\_format\_get

**Parameters:**

- **Name:** instance-instance-id

- In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
    - config
    - nonconfig
    - all
  - **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
  - **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
  - **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
  - **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false

**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
   **Description:** OK  
   **Content:**  
     **application/yang-data+json:**  
       **Schema:**  
       **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_instance\_instance-instance-id\_nas-identifier-format'

**'204':**  
   **Description:** No Content  
   **Content:** {}  
**'400':**  
   **Description:** Bad Request  
   **Content:** {}  
**'401':**  
   **Description:** Unauthorized  
   **Content:** {}  
**'404':**  
   **Description:** Not Found  
   **Content:** {}  
**'405':**  
   **Description:** Method Not Allowed  
   **Content:** {}  
**'409':**  
   **Description:** Conflict  
   **Content:** {}

**security:**  
 - **basicAuth:** []

**put:**

**Tags:**  
 - data  
 - put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance-id\_nas-identifier-format\_put

**Parameters:**

- **Name:** instance-instance-id  
   **In:** path  
   **Required/Optional:** true

```

Style: simple
Explode: false
Schema:
  Type: integer
  Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-id_nas-identifier-format'

Required/Optional: true

Responses:
  '201':
    Description: container nas-identifier-format created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: nas-identifier-format
Method: Post

Tags:
  - data
  - post
Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_instance_id_nas_identifier_format_post

Parameters:
  - Name: instance-instance-id
    In: path
    Required/Optional: true
    Style: simple

```

```

Explode: false
Schema:
  Type: integer
  Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_nas-identifier-format-post'

Required/Optional: true

Responses:
  '201':
    Description: container nas-identifier-format created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: nas-identifier-format
delete:

Tags:
  - data
  - delete
Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_instance_id_nas_identifier_format_delete

Parameters:
  - Name: instance-instance-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false

```

**Schema:**

**Type:** integer  
**Format:** int32

**Responses:**

**'204':**  
**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32  
- **Name:** content



**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all

- trim
- explicit
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_patch

**Parameters:**

- **Name:** instance-instance-id

**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-instance-id\_nas-identifier-format'

**Required/Optional:** true**Responses:****'204':****Description:** container nas-identifier-format updated**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':**

**Description:** Conflict  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**x-codegen-request-body-name:** nas-identifier-format

## /data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/nas-identifier-format/format

**options:**

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_format\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** integer  
   **Format:** int32

**Responses:**

'200':  
   **Description:** OK  
   **Content:** {}

**security:**

- **basicAuth:** []

?

/data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/nas-identifier-format/format={format-nas-port-type}

**: get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_get

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

- Type:** integer
  - Format:** int32
- **Name:** format-nas-port-type
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults

**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_nas-identifier-format\_format\_format-nas-port-type'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_nas-identifier-format\_format\_format-nas-port-type\_put

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_nas-identifier-format_format_format-nas-port-type'

    Required/Optional: true

Responses:
  '201':
    Description: list format created or replaced
    Content: {}

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_delete

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Responses:**

```

'204':
  Description: No Content
  Content: {}
security:

```

- **basicAuth:** []  
**options:**

**Tags:**

- data  
 - options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
 - head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

- **Name:** format-nas-port-type  
**In:** path



**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
    - config  
    - nonconfig  
    - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** integer  
    **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form

**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**patch:**

**Tags:**  
  - data  
  - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_patch

**Parameters:**

- **Name:** instance-instance-id  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** integer  
    **Format:** int32  
- **Name:** format-nas-port-type  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** integer  
    **Format:** int32

**Request Body:**

**Content:**  
  **application/yang-data+json:**  
    **Schema:**  
      **Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-instance-id\_nas-identifier-format\_format\_format-nas-port-type'

**Required/Optional:** true

**Responses:**

'204':

```

    Description: list format updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: format
?
/data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/nas-identifier-format/format={format-nas-port-type}/nas-port-type
: get:

```

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_nas\_port\_type\_get

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form

```

Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_nas-identifier-format_format_format_nas-port-type_nas-port-type'

'204':
  Description: No Content
  Content: {}

'400':
  Description: Bad Request
  Content: {}

'401':
  Description: Unauthorized
  Content: {}

'404':
  Description: Not Found
  Content: {}

'405':
  Description: Method Not Allowed
  Content: {}

'409':
  Description: Conflict
  Content: {}

security:
- basicAuth: []

put:

Tags:
- data
- put

Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_instance-id_nas-identifier-format_format_format_nas-port-type_nas-port-type_put

```

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer

```

    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_nas-identifier-format_format_format_nas-port-type_nas-port-type'

    Required/Optional: true

Responses:
  '201':
    Description: leaf nas-port-type created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-type
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_nas-identifier-format_format_format_nas-port-type_nas-port-type_delete

Parameters:
- Name: instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_nas\_port\_type\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_nas\_port\_type\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
    - config  
    - nonconfig  
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** integer  
    **Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** filter



**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** string

- **Name:** with-defaults

**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all

**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**  
- **basicAuth:** []

**patch:**

**Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_nas\_port\_type\_patch

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

**Type:** integer  
**Format:** int32

- **Name:** format-nas-port-type

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

```

    Type: integer
    Format: int32
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_nas-identifier-format_format_format-nas-port-type_nas-port-type'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf nas-port-type updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: nas-port-type
?
/data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/nas-identifier-format/format={format-nas-port-type}/format-nas-port-type
: get:

  Tags:
  - data
  - get
  Operation ID:
    data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_instance_id_nas_identifier_format_format_format_nas_port_type_format_nas_port_type_get

  Parameters:
  - Name: instance-instance-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32

```

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-instance-id\_nas-identifier-format\_format\_format-nas-port-type\_format-rare'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**put:**

**Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance-id\_nas-identifier-format\_format\_format-nas-port-type\_format-rare-put

**Parameters:**

- **Name:** instance-instance-id
- In:** path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: integer
  Format: int32
- Name: format-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: integer
  Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data-cnbng-cp:profile/radius/accounting/attribute/instance-instance-id/nas-identifier-format_format_format-nas-port-type_format-name'

Required/Optional: true

Responses:
'201':
  Description: leaf format-name created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name
delete:

Tags:
- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_format\_name\_delete

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32

**Responses:**

**'204':**  
**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_format\_name\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer

**Format:** int32

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_format\_nas\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**
  - config
  - nonconfig
  - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form

**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**
  - report-all
  - trim
  - explicit
  - report-all-tagged

**Responses:**

**'200':**  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_format\_format\_nas\_port\_type\_format\_name\_patch

**Parameters:**



```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data-cnbng-cp:profile/radius/accounting/attribute/instance-instance-id/nas-identifier-format_format_format-nas-port-type_format-name'

    Required/Optional: true

Responses:
'204':
  Description: leaf format-name updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name

```

## /data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/nas-identifier-format/format-name

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_format\_name\_get

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

```

    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-id_nas-identifier-format_format-name'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict

```

**Content:** {}  
**security:**  
 - **basicAuth:** []  
**put:**

**Tags:**

- data  
 - put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_format\_name\_put

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-instance-id\_nas-identifier-format\_format-name'

**Required/Optional:** true

**Responses:**

'201':  
**Description:** leaf format-name created or replaced  
**Content:** {}  
 '204':  
**Description:** No Content  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':  
**Description:** Not Found  
**Content:** {}  
 '405':  
**Description:** Method Not Allowed  
**Content:** {}  
 '409':  
**Description:** Conflict  
**Content:** {}

**security:**

```
- basicAuth: []
x-codegen-request-body-name: format-name
delete:
```

**Tags:**

```
- data
- delete
```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_format\_name\_delete

**Parameters:**

```
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
```

**Responses:**

```
'204':
  Description: No Content
  Content: {}
```

**security:**

```
- basicAuth: []
```

**options:****Tags:**

```
- data
- options
```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_format\_name\_options

**Parameters:**

```
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
```

**Responses:**

```
'200':
  Description: OK
  Content: {}
```

**security:**

```
- basicAuth: []
```

**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_id\_nas\_identifier\_format\_format\_name\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form

**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string  
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_identifier\_format\_format\_name\_patch

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

**Request Body:**

**Content:**  
  **application/yang-data+json:**  
    **Schema:**  
      **Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-instance-id\_nas-identifier-format\_format-name'

**Required/Optional:** true

**Responses:**

```

'204':
  Description: leaf format-name updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name

```

## /data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/nas-port-id

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_get

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**



**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**  
**'200':**  
**Description:** OK

```

    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-id_nas-port-id'

    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Operation ID:
    data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_nas-port-id_put

```

```

Parameters:
- Name: instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-id_nas-port-id'

      Required/Optional: true

Responses:

```

```

'201':
  Description: container nas-port-id created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-id
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_instance_id_nas_port_id_post

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_nas-port-id-post'

Required/Optional: true

Responses:
'201':

```

```

    Description: container nas-port-id created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-id
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_instance_id_nas_port_id_delete

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_options

**Parameters:**

- **Name:** instance-instance-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_head

**Parameters:**

- **Name:** instance-instance-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_patch

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-instance-id\_nas-port-id'

**Required/Optional:** true

**Responses:**

'204':  
**Description:** container nas-port-id updated  
**Content:** {}  
'400':  
**Description:** Bad Request  
**Content:** {}  
'401':  
**Description:** Unauthorized  
**Content:** {}  
'404':  
**Description:** Not Found  
**Content:** {}  
'405':  
**Description:** Method Not Allowed  
**Content:** {}  
'409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []  
**x-codegen-request-body-name:** nas-port-id

## /data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/nas-port-id/format

**options:**

**Tags:**  
- data

- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_format\_options

**Parameters:**

- **Name:** instance-instance-id
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

?

**/data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/nas-port-id/format={format-nas-port-type}**  
**: get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_format\_format\_nas\_port\_type\_get

**Parameters:**

- **Name:** instance-instance-id
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** format-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** content
- In:** query
- Description:** controlling descendant nodes in response
- Required/Optional:** false
- Style:** form



**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_nas-port-id_format_format-nas-port-type'

'204':
  Description: No Content
  Content: {}

'400':
  Description: Bad Request
  Content: {}

'401':
  Description: Unauthorized
  Content: {}

'404':
  Description: Not Found
  Content: {}

'405':
  Description: Method Not Allowed
  Content: {}

'409':
  Description: Conflict
  Content: {}

security:
- basicAuth: []

put:

  Tags:
  - data
  - put

  Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_nas-port-id_format_format-nas-port-type_put

```

**Parameters:**

- **Name:** instance-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** format-nas-port-type
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer

```

    Format: int32
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-instance-id_nas-port-id_format_format-nas-port-type'

  Required/Optional: true

Responses:
  '201':
    Description: list format created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}

```

**'409':**  
**Description:** Conflict  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**x-codegen-request-body-name:** format

**delete:**

**Tags:**  
 - data  
 - delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_format\_format\_nas\_port\_type\_delete

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Responses:**

**'204':**  
**Description:** No Content  
**Content:** {}  
**security:**  
 - **basicAuth:** []

**options:**

**Tags:**  
 - data  
 - options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_format\_format\_nas\_port\_type\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false

**Schema:****Type:** integer**Format:** int32**- Name:** format-nas-port-type**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data

- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_format\_format\_nas\_port\_type\_head

**Parameters:****- Name:** instance-instance-id**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32**- Name:** format-nas-port-type**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32**- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration

```

    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

- basicAuth: []  
 patch:

**Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_format\_format\_nas\_port\_type\_patch

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Request Body:**

**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-instance-id\_nas-port-id\_format\_format-nas-port-type'

**Required/Optional:** true

**Responses:**

'204':  
**Description:** list format updated  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

'409':

**Description:** Conflict  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**x-codegen-request-body-name:** format  
 ?  
 /data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/nas-port-id/format={format-nas-port-type}/nas-port-type  
**: get:**  
  
**Tags:**  
 - data  
 - get  
**Operation ID:**  
 data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_get

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true



**Schema:**

**Type:** integer  
**Format:** uint16

**- Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string  
**Format:** string

**- Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string  
**Format:** string

**- Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

**'200':**

**Description:** OK

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp:profile\_radius\_accounting\_attribute\_instance\_instance-instance-id\_nas-port-id\_format\_format-nas-port-type\_nas-port-type'

**'204':**

**Description:** No Content

**Content:** {}

**'400':**

**Description:** Bad Request

**Content:** {}

**'401':**

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_instance_id_nas_port_id_format_format_nas_port_type_nas_port_type_put

```

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Request Body:**

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_nas-port-id_format_format-nas-port-type_nas-port-type'

```

```

Required/Optional: true

```

**Responses:**

```

'201':
  Description: leaf nas-port-type created or replaced
  Content: {}
'204':

```

```

    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-port-type
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_delete

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Responses:**

```

  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []

```

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

**Responses:**

- '200':  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32
- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true

```
Style: simple
Explode: false
Schema:
  Type: integer
  Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
```

**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_id\_nas\_port\_id\_format\_format\_nas\_port\_type\_nas\_port\_type\_patch

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

**Type:** integer  
**Format:** int32

- **Name:** format-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

**Type:** integer  
**Format:** int32

**Request Body:**

**Content:**  
**application/yang-data+json:**

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_id\_nas\_port\_id\_format\_format\_nas\_port\_type\_nas\_port\_type'

**Required/Optional:** true

**Responses:**

**'204':**  
**Description:** leaf nas-port-type updated

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: nas-port-type
?
/data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/nas-port-id/format={format-nas-port-type}/format-name
: get:

Tags:
- data
- get
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_instance_id_nas_port_id_format_format_nas_port_type_format_name_get

```

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: format-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true

```

**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
 - config  
 - nonconfig  
 - all

**- Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

**Type:** integer  
**Format:** uint16

**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

**Type:** string  
**Format:** string

**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

**Type:** string  
**Format:** string

**- Name:** with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:****'200':**



**Description:** OK

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-instance-id\_nas-port-id\_format\_format-nas-port-type\_format-name'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**put:**

**Tags:**

- data

- put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance-id\_nas-port-id\_format\_format-nas-port-type\_format-name\_put

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** format-nas-port-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cring\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-instance-id\_nas-port-id\_format\_format-nas-port-type\_format-name'

**Required/Optional:** true**Responses:**

'201':

**Description:** leaf format-name created or replaced**Content:** {}

'204':

**Description:** No Content**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**

- basicAuth: []

**x-codegen-request-body-name:** format-name**delete:****Tags:**- data  
- delete**Operation ID:**

data\_cring\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_format\_format\_nas\_port\_type\_format\_name\_delete

**Parameters:**- **Name:** instance-instance-id**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32- **Name:** format-nas-port-type

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

**Responses:**  
  **'204':**  
    **Description:** No Content  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []  
**options:**

**Tags:**  
- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_format\_format\_nas\_port\_type\_format\_name\_options

**Parameters:**

- **Name:** instance-instance-id  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** integer  
    **Format:** int32  
- **Name:** format-nas-port-type  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** integer  
    **Format:** int32

**Responses:**  
  **'200':**  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_format\_format\_nas\_port\_type\_format\_name\_head

**Parameters:**

- **Name:** instance-instance-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** format-nas-port-type
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter

**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** string

- **Name:** with-defaults

**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all

**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**  
- **basicAuth:** []

**patch:**

**Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_format\_format\_nas\_port\_type\_format\_name\_patch

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

**Type:** integer  
**Format:** int32

- **Name:** format-nas-port-type

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

```

    Type: integer
    Format: int32
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_nas-port-id_format_format-nas-port-type_format-name'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf format-name updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: format-name

```

## /data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/nas-port-id/format-name

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_format\_name\_get

**Parameters:**

- **Name:** instance-instance-id
- In:** path
- Required/Optional:** true
- Style:** simple

**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

- **Name:** content  
  **In:** query  
  **Description:** controlling descendant nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
      - config  
      - nonconfig  
      - all
- **Name:** depth  
  **In:** query  
  **Description:** limit the depth of nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** integer  
    **Format:** uint16
- **Name:** fields  
  **In:** query  
  **Description:** optionally identify specific data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** filter  
  **In:** query  
  **Description:** xpath expression to filter data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** with-defaults  
  **In:** query  
  **Description:** controlling default values in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
 Schema:  
 Reference:

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_nas-port-id\_format-name'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**  
 - basicAuth: []

**put:**

**Tags:**  
 - data  
 - put  
**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_nas\_port\_id\_format\_name\_put

**Parameters:**

- **Name:** instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**



```

    Type: integer
    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_nas-port-id_format-name'

    Required/Optional: true

Responses:
  '201':
    Description: leaf format-name created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-name
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_id_nas_port_id_format_name_delete

Parameters:
- Name: instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer

```

**Format:** int32

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_format\_name\_options

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_format\_name\_head

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_format\_name\_patch

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Request Body:**

**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-instance-id\_nas-port-id\_format-name'

**Required/Optional:** true

**Responses:**

'204':  
**Description:** leaf format-name updated  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':  
**Description:** Not Found  
**Content:** {}  
 '405':  
**Description:** Method Not Allowed  
**Content:** {}  
 '409':  
**Description:** Conflict  
**Content:** {}

```

security:
- basicAuth: []
x-codegen-request-body-name: format-name

```

## /data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/nas-port-id/value

get:

**Tags:**

```

- data
- get

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_value\_get

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response

```

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
   **application/yang-data+json:**  
     **Schema:**  
       **Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_nas-port-id\_value'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**

```

    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_id_nas_port_id_value_put

```

```

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_nas-port-id_value'

Required/Optional: true

```

```

Responses:
'201':
  Description: leaf value created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}

```

```

    '409':
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: value
  delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_value\_delete

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Responses:**

```

'204':
  Description: No Content
  Content: {}

```

```

security:
- basicAuth: []

```

**options:****Tags:**

```

- data
- options

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_value\_options

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```



**security:**  
 - **basicAuth:** []  
**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_value\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter

**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** string

- **Name:** with-defaults

**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_id\_value\_patch

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

**Type:** integer  
**Format:** int32

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-instance-id\_nas-port-id\_value'

**Required/Optional:** true

**Responses:**

'204':  
**Description:** leaf value updated  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':  
**Description:** Not Found  
**Content:** {}  
 '405':  
**Description:** Method Not Allowed  
**Content:** {}  
 '409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []  
**x-codegen-request-body-name:** value

## /data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/nas-port

**get:**

**Tags:**

- data  
 - get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_get

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32  
 - **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false

**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

```
Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-id_nas-port'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_instance_id_nas_port_put

Parameters:
- Name: instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-id_nas-port'
```

**Required/Optional:** true

**Responses:**

'201':  
**Description:** container nas-port created or replaced  
**Content:** {}

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

'409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** nas-port

**Method:** Post

**Tags:**

- data  
 - post

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_post

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-instance-id\_nas-port-post'

**Required/Optional:** true

**Responses:**

'201':  
  **Description:** container nas-port created  
  **Content:** {}  
'204':  
  **Description:** No Content  
  **Content:** {}  
'400':  
  **Description:** Bad Request  
  **Content:** {}  
'401':  
  **Description:** Unauthorized  
  **Content:** {}  
'404':  
  **Description:** Not Found  
  **Content:** {}  
'405':  
  **Description:** Method Not Allowed  
  **Content:** {}  
'409':  
  **Description:** Conflict  
  **Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** nas-port

**delete:**

**Tags:**

- data  
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_delete

**Parameters:**

- **Name:** instance-instance-id  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** integer  
    **Format:** int32

**Responses:**

'204':  
  **Description:** No Content  
  **Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_options

**Parameters:**

- **Name:** instance-instance-id
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_head

**Parameters:**

- **Name:** instance-instance-id
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** content
- In:** query
- Description:** controlling descendant nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config



```
- nonconfig
- all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:
```

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_patch

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

**Request Body:****Content:**

**application/yang-data+json:**

**Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_instance\_instance-instance-id\_nas-port'

**Required/Optional:** true

**Responses:**

'204':

**Description:** container nas-port updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** nas-port

## /data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/nas-port/format-e-list

### options:

#### Tags:

- data
- options

#### Operation ID:

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_format\_e\_list\_options

#### Parameters:

- **Name:** instance-instance-id
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32

#### Responses:

- '200':
  - Description:** OK
  - Content:** {}

#### security:

- basicAuth: []

?

/data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/nas-port/format-e-list={format-e-list-nas-port-type}

: get:

#### Tags:

- data
- get

#### Operation ID:

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_get

#### Parameters:

- **Name:** instance-instance-id
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** format-e-list-nas-port-type
- In:** path
- Required/Optional:** true
- Style:** simple

```

Explode: false
Schema:
  Type: integer
  Format: int32
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:

```

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_nas-port\_format-e-list\_format-e-list-nas-port-type'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**  
 - **basicAuth:** []

**put:**

**Tags:**  
 - data  
 - put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_nas-port\_format-e-list\_format-e-list-nas-port-type\_put

**Parameters:**

- **Name:** instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

```

    Type: integer
    Format: int32
- Name: format-e-list-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_nas-port_format-e-list_format-e-list-nas-port-type'
```

```
Required/Optional: true
```

#### Responses:

```

'201':
  Description: list format-e-list created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}

```

```

'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-e-list
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_delete

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: format-e-list-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Responses:**

```

'204':
  Description: No Content
  Content: {}

```

```

security:
- basicAuth: []

```

**options:****Tags:**

```

- data
- options

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** format-e-list-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** format-e-list-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer



- Format:** int32
- **Name:** content
    - In:** query
    - Description:** controlling descendant nodes in response
    - Required/Optional:** false
    - Style:** form
    - Explode:** true
    - Schema:**
      - Type:** string
      - Format:** enumeration
      - Default:** config
      - enum:**
        - config
        - nonconfig
        - all
  - **Name:** depth
    - In:** query
    - Description:** limit the depth of nodes in response
    - Required/Optional:** false
    - Style:** form
    - Explode:** true
    - Schema:**
      - Type:** integer
      - Format:** uint16
  - **Name:** fields
    - In:** query
    - Description:** optionally identify specific data nodes in response
    - Required/Optional:** false
    - Style:** form
    - Explode:** true
    - Schema:**
      - Type:** string
      - Format:** string
  - **Name:** filter
    - In:** query
    - Description:** xpath expression to filter data nodes in response
    - Required/Optional:** false
    - Style:** form
    - Explode:** true
    - Schema:**
      - Type:** string
      - Format:** string
  - **Name:** with-defaults
    - In:** query
    - Description:** controlling default values in response
    - Required/Optional:** false
    - Style:** form
    - Explode:** true
    - Schema:**
      - Type:** string
      - Format:** enumeration
      - Default:** report-all

```

enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []

```

**patch:****Tags:**

```

- data
- patch

```

**Operation ID:**

```
data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_instance_id_nas_port_format_e_list_format_e_list_nas_port_type_patch
```

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: format-e-list-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Request Body:**

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_instance_id_nas_port_format-e-list_format-e-list-nas-port-type'
```

```

Required/Optional: true

```

**Responses:**

```

'204':
  Description: list format-e-list updated
  Content: {}

```

```

'400':
  Description: Bad Request
  Content: {}

```

```

'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

**security:**

```
- basicAuth: []
```

```
x-codegen-request-body-name: format-e-list
```

?

```

/data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/nas-port/format-e-list={format-e-list-nas-port-type}/nas-port-type
: get:

```

**Tags:**

```
- data
- get
```

**Operation ID:**

```
data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_instance_id_nas_port_format_e_list_format_e_list_nas_port_type_nas_port_type_get
```

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: format-e-list-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config

```

```

    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:

```

**Reference:**

```
#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type'
```

```
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
```

**security:**

```
- basicAuth: []
```

**put:****Tags:**

```
- data
- put
```

**Operation ID:**

```
data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type.put
```

**Parameters:**

```
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: format-e-list-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
```

**Request Body:**

```
Content:
  application/yang-data+json:
    Schema:
```

**Reference:**

```
#/operations/shows/data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/nas-port/format-e-list/format-e-list/nas-port-type/nas-port-type'
```

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf nas-port-type created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** nas-port-type

**delete:****Tags:**

- data  
- delete

**Operation ID:**

```
data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/nas-port/format-e-list/format-e-list/nas-port-type/nas-port-type/delete
```

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** format-e-list-nas-port-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer  
**Format:** int32

**Responses:****'204':**

**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_nas\_port\_type\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32
- **Name:** format-e-list-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Responses:****'200':**

**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_nas\_port\_type\_head

**Parameters:**

- **Name:** instance-instance-id

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: integer
  Format: int32
- Name: format-e-list-nas-port-type
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: integer
  Format: int32
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form

```



**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string  
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_nas\_port\_type\_patch

**Parameters:**  
- **Name:** instance-instance-id  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** integer  
    **Format:** int32  
- **Name:** format-e-list-nas-port-type  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** integer  
    **Format:** int32  
**Request Body:**  
  **Content:**

```

    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_nas_port_format-e-list_format-e-list_nas-port-type_nas-port-type'

      Required/Optional: true

    Responses:
      '204':
        Description: leaf nas-port-type updated
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: nas-port-type
  ?
  /data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/nas-port/format-e-list={format-e-list-nas-port-type}/format-e
  : get:

    Tags:
      - data
      - get
    Operation ID:
      data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_instance_id_nas_port_format_e_list_format_e_list_nas_port_type_format_e_get

    Parameters:
      - Name: instance-instance-id
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: integer
          Format: int32
      - Name: format-e-list-nas-port-type
        In: path
        Required/Optional: true
        Style: simple

```

**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_nas-port\_format-e-list\_format-e-list\_nas-port-type\_format-e'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**  
 - basicAuth: []

**put:**

**Tags:**  
 - data  
 - put  
**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_nas-port\_format-e-list\_format-e-list\_nas-port-type\_format-e-put

**Parameters:**  
 - **Name:** instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

```

    Type: integer
    Format: int32
- Name: format-e-list-nas-port-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_nas-port_format-e-list_format-e-list-nas-port-type_format-e'

    Required/Optional: true

Responses:
'201':
  Description: leaf format-e created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-e
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_nas-port_format-e-list_format-e-list-nas-port-type_format-e-delete

```

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32
- **Name:** format-e-list-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32

**Responses:**

- '204':  
    **Description:** No Content  
    **Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_format\_e\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32
- **Name:** format-e-list-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32

**Responses:**

- '200':

**Description:** OK  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_format\_e\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** format-e-list-nas-port-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16

- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':

**Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_crbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_format\_e\_list\_format\_e\_list\_nas\_port\_type\_format\_e\_patch

**Parameters:**

- **Name:** instance-instance-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple



```

    Explode: false
    Schema:
      Type: integer
      Format: int32
  - Name: format-e-list-nas-port-type
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_nas-port_format-e-list_format-e-list-nas-port-type_format-e'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf format-e updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: format-e

```

## /data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-id}/nas-port/format-e

get:

Tags:

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_format\_e\_get

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
    - config  
    - nonconfig  
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** integer  
    **Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true

```

Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-id_nas-port_format-e'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_format\_e\_put

**Parameters:**- **Name:** instance-instance-id**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_instance\_instance-instance-id\_nas-port\_format-e'

**Required/Optional:** true**Responses:**

'201':

**Description:** leaf format-e created or replaced**Content:** {}

'204':

**Description:** No Content**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**x-codegen-request-body-name:** format-e**delete:****Tags:**

- data

- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_format\_e\_delete

**Parameters:**

- **Name:** instance-instance-id
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32

**Responses:**

- '204':
  - Description:** No Content
  - Content:** {}
- security:**
  - **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_format\_e\_options

**Parameters:**

- **Name:** instance-instance-id
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}
- security:**
  - **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_format\_e\_head

**Parameters:**

- **Name:** instance-instance-id

- In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
 - config  
 - nonconfig  
 - all
  - **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
  - **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
  - **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string
  - **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false

**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**  
   '200':  
     **Description:** OK  
     **Content:** {}  
   **security:**  
     - **basicAuth:** []

**patch:**

**Tags:**  
   - data  
   - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_format\_e\_patch

**Parameters:**  
   - **Name:** instance-instance-id  
   **In:** path  
   **Required/Optional:** true  
   **Style:** simple  
   **Explode:** false  
   **Schema:**  
     **Type:** integer  
     **Format:** int32

**Request Body:**

**Content:**  
   **application/yang-data+json:**  
     **Schema:**  
       **Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas-port\_format-e'

**Required/Optional:** true

**Responses:**  
   '204':  
     **Description:** leaf format-e updated  
     **Content:** {}  
   '400':  
     **Description:** Bad Request  
     **Content:** {}  
   '401':  
     **Description:** Unauthorized

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: format-e

```

## /data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/nas-port/value

get:

Tags:

```
- data
- get
```

Operation ID:

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_value\_get

Parameters:

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query

```



**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_nas-port\_value'

'204':  
**Description:** No Content  
**Content:** {}

```

    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_instance_id_nas_port_value_put

```

```

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_nas-port_value'

  Required/Optional: true

```

```

Responses:
'201':
  Description: leaf value created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request

```

```

    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: value
delete:

```

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_value\_delete

**Parameters:**

- **Name:** instance-instance-id
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32

**Responses:**

- '204':
  - Description:** No Content
  - Content:** {}

**security:**

- basicAuth: []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_value\_options

**Parameters:**

- **Name:** instance-instance-id
- In:** path
- Required/Optional:** true

**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

**Responses:**

**'200':**  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_value\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:****'200':****Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_port\_value\_patch

**Parameters:**

- **Name:** instance-instance-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple

```

Explode: false
Schema:
  Type: integer
  Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-id_nas-port_value'

  Required/Optional: true

Responses:
  '204':
    Description: leaf value updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: value

```

## /data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/nas-ip

```

get:

  Tags:
  - data
  - get
  Operation ID:
    data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_nas-ip_get

  Parameters:
  - Name: instance-instance-id
    In: path
    Required/Optional: true

```

**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true

**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_nas-ip'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**

- basicAuth: []

**put:****Tags:**

- data  
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_id\_nas\_ip\_put

**Parameters:**

- **Name:** instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**



```
    Type: integer
    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_nas-ip'

  Required/Optional: true

Responses:
  '201':
    Description: container nas-ip created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-ip
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_instance_id_nas_ip_post

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
```

```

    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-id_nas-ip-post'

  Required/Optional: true

Responses:
  '201':
    Description: container nas-ip created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: nas-ip
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_id_nas_ip_delete

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Responses:**

'204':

**Description:** No Content**Content:** {}**security:****- basicAuth:** []**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_ip\_options

**Parameters:****- Name:** instance-instance-id**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32**Responses:**

'200':

**Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_ip\_head

**Parameters:****- Name:** instance-instance-id**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32**- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false

```

Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
  - config
  - nonconfig
  - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

```

```

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_instance_id_nas_ip_patch

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_nas-ip'

      Required/Optional: true

Responses:
  '204':
    Description: container nas-ip updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:

```

```
- basicAuth: []
x-codegen-request-body-name: nas-ip
```

## /data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/nas-ip/value

get:

**Tags:**

```
- data
- get
```

**Operation ID:**

```
data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_instance_id_nas_ip_value_get
```

**Parameters:**

```
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
```

```

Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-id_nas-ip_value'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed

```

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_profile_radius_accounting_attribute_instance_instance_instance_id_nas_ip_value_put

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_nas-ip_value'

Required/Optional: true

Responses:
'201':
  Description: leaf value created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':

```



**Description:** Conflict  
**Content:** {}  
**security:**  
- **basicAuth:** []  
**x-codegen-request-body-name:** value  
**delete:**

**Tags:**  
- data  
- delete

**Operation ID:**  
data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_ip\_value\_delete

**Parameters:**  
- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Responses:**  
**'204':**  
**Description:** No Content  
**Content:** {}  
**security:**  
- **basicAuth:** []  
**options:**

**Tags:**  
- data  
- options

**Operation ID:**  
data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_ip\_value\_options

**Parameters:**  
- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Responses:**  
**'200':**  
**Description:** OK  
**Content:** {}  
**security:**

- **basicAuth:** []  
**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_ip\_value\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all

- trim

- explicit

- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data

- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_ip\_value\_patch

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-instance-id\_nas-ip\_value'

**Required/Optional:** true

**Responses:**

'204':  
**Description:** leaf value updated  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':  
**Description:** Not Found  
**Content:** {}  
 '405':  
**Description:** Method Not Allowed  
**Content:** {}  
 '409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []  
**x-codegen-request-body-name:** value

## /data/cnbng-cp:profile/radius/accounting/attribute/instance={instance-instance-id}/nas-ip/user-plane-ip

**get:**

**Tags:**

- data  
 - get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_ip\_user\_plane\_ip\_get

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32  
 - **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form

**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-id_nas-ip_user-plane-ip'

'204':
  Description: No Content
  Content: {}

'400':
  Description: Bad Request
  Content: {}

'401':
  Description: Unauthorized
  Content: {}

'404':
  Description: Not Found
  Content: {}

'405':
  Description: Method Not Allowed
  Content: {}

'409':
  Description: Conflict
  Content: {}

security:
- basicAuth: []

put:

  Tags:
  - data
  - put

  Operation ID:
  data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_nas-ip_user-plane-ip_put

Parameters:
- Name: instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-id_nas-ip_user-plane-ip'

```

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf user-plane-ip created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** user-plane-ip

**delete:**

**Tags:**

- data  
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_ip\_user\_plane\_ip\_delete

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_ip\_user\_plane\_ip\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

**Responses:**

- '200':  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_ip\_user\_plane\_ip\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
    - config



```
- nonconfig
- all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:
```

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance\_instance\_id\_nas\_ip\_user\_plane\_ip\_patch

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

**Request Body:****Content:**

**application/yang-data+json:**

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-instance-id\_nas-ip\_user-plane-ip'

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf user-plane-ip updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** user-plane-ip

## /data/cnbng-cp:profile/radius/server-group

options:

**Tags:**  
- data  
- options  
**Operation ID:** data\_cnbng\_cp\_profile\_radius\_server\_group\_options

**Responses:**  
**'200':**  
  **Description:** OK  
  **Content:** {}  
**security:**  
- **basicAuth:** []

## /data/cnbng-cp:profile/radius/server-group={server-group-group-name}

get:

**Tags:**  
- data  
- get  
**Operation ID:** data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_get

**Parameters:**

- **Name:** server-group-group-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** content  
  **In:** query  
  **Description:** controlling descendant nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
    - config  
    - nonconfig  
    - all
- **Name:** depth  
  **In:** query  
  **Description:** limit the depth of nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** integer

```

    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':

```

```
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_radius_server_group_server_group_group_name_put

Parameters:
- Name: server-group-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
```

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_radius_server_group_server_group_group_name'
  Required/Optional: true
```

**Responses:**

```
'201':
  Description: list server-group created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
```

**security:**

```
- basicAuth: []
```

```
x-codegen-request-body-name: server-group
```

**delete:****Tags:**

```
- data
- delete
```

```
Operation ID: data_cnbng_cp_profile_radius_server_group_server_group_group_name_delete
```

**Parameters:**

```
- Name: server-group-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
```

**Responses:**

```
'204':
  Description: No Content
  Content: {}
```

**security:**

```
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_radius_server_group_server_group_group_name_options

Parameters:
- Name: server-group-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

Responses:
'200':
  Description: OK
  Content: {}
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_radius_server_group_server_group_group_name_head

Parameters:
- Name: server-group-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
```

```

    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:

```



**Tags:**

- data
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_patch

**Parameters:**

- **Name:** server-group-group-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:****Content:**

**application/yang-data+json:**

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_server-group\_server-group-group-name'

**Required/Optional:** true

**Responses:**

'204':

**Description:** list server-group updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** server-group

## /data/cnbng-cp:profile/radius/server-group={server-group-group-name}/group-name

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_group\_name\_get

**Parameters:**

- **Name:** server-group-group-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true

```

Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
      Reference:
      '#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_group-name'

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_group\_name\_put

**Parameters:**- **Name:** server-group-group-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_server-group\_server-group-group-name\_group-name'

**Required/Optional:** true**Responses:**

'201':

**Description:** leaf group-name created or replaced**Content:** {}

'204':

**Description:** No Content**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**x-codegen-request-body-name:** group-name**delete:****Tags:**

- data

- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_group\_name\_delete

**Parameters:**

- **Name:** server-group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**

'204':  
  **Description:** No Content  
  **Content:** {}

**security:**  
- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_group\_name\_options

**Parameters:**

- **Name:** server-group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**

'200':  
  **Description:** OK  
  **Content:** {}

**security:**  
- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_group\_name\_head

**Parameters:**

- **Name:** server-group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple

```

Explode: false
Schema:
  Type: string
  Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:

```

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_group\_name\_patch

**Parameters:**

- **Name:** server-group-group-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_server-group\_server-group-group-name\_group-name'

**Required/Optional:** true

**Responses:**

**'204':**  
**Description:** leaf group-name updated  
**Content:** {}

**'400':**  
**Description:** Bad Request  
**Content:** {}

**'401':**  
**Description:** Unauthorized  
**Content:** {}

**'404':**  
**Description:** Not Found  
**Content:** {}

```

    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: group-name

```

## /data/cnbng-cp:profile/radius/server-group={server-group-group-name}/server

### options:

```

  Tags:
  - data
  - options
  Operation ID:
  data_cnbng_cp_profile_radius_server_group_server_group_name_server_options

```

### Parameters:

```

- Name: server-group-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

### Responses:

```

  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []

```

## /data/cnbng-cp:profile/radius/server-group={server-group-group-name}/server={server-type},{server-ip},{server-port}

### get:

```

  Tags:
  - data
  - get
  Operation ID:
  data_cnbng_cp_profile_radius_server_group_server_group_name_server_server_type_server_ip_server_port_get

```

### Parameters:



- **Name:** server-group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** server-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** auth
  - enum:**
    - auth
    - acct
- **Name:** server-ip  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** union
- **Name:** server-port  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query

**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
 Type: integer  
 Format: uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
 Type: string  
 Format: string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
 Type: string  
 Format: string
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
 Type: string  
 Format: enumeration  
 Default: report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_server-group\_server-group-group-name\_server\_server-type\_server-ip\_server-port'

'204':  
**Description:** No Content  
**Content:** {}

```

'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

**security:**

```
- basicAuth: []
```

```
put:
```

**Tags:**

```
- data
- put
```

**Operation ID:**

```
data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_put
```

**Parameters:**

```

- Name: server-group-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: server-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: auth
    enum:
      - auth
      - acct
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

```

    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port'
```

```
Required/Optional: true
```

#### Responses:

```

'201':
  Description: list server created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}

```

```

'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: server
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_delete

```

**Parameters:**

```

- Name: server-group-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: server-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: auth
    enum:
      - auth
      - acct
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union

```

- **Name:** server-port  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

**Responses:**

'204':  
  **Description:** No Content  
  **Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_options

**Parameters:**

- **Name:** server-group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** server-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** auth  
  **enum:**  
  - auth  
  - acct

- **Name:** server-ip  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** union

```
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head

Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_head
```

**Parameters:**

```
- Name: server-group-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: server-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: auth
    enum:
      - auth
      - acct
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
```

- **Name:** server-port
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response



**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

**'200':**

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_patch

**Parameters:**

- **Name:** server-group-group-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** server-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** auth

**enum:**

- auth
- acct

- **Name:** server-ip

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

```

    Schema:
      Type: string
      Format: union
  - Name: server-port
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port'

    Required/Optional: true

  Responses:
    '204':
      Description: list server updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: server

```

## /data/cnbng-cp:profile/radius/server-group={server-group-group-name}/server={server-type},{server-ip},{server-port}/type

get:

Tags:  
- data

- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_type\_get

**Parameters:**

- **Name:** server-group-group-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** server-type
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** auth
    - enum:**
      - auth
      - acct
- **Name:** server-ip
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** union
- **Name:** server-port
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**

- config
- nonconfig
- all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':

**Description:** OK**Content:**

application/yang-data+json:

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_type'
```

```

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  put:

```

**Tags:**

```
- data
- put
```

**Operation ID:**

```
data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_type_put
```

**Parameters:**

```

- Name: server-group-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: server-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: auth
    enum:
      - auth
      - acct
- Name: server-ip

```

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_type'

    Required/Optional: true

Responses:
  '201':
    Description: leaf type created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: type
delete:

Tags:

```

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_type\_delete

**Parameters:**

- **Name:** server-group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** server-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** auth
  - enum:**
    - auth
    - acct
- **Name:** server-ip  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** union
- **Name:** server-port  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- basicAuth: []

**options:**

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_type\_options

**Parameters:**

- **Name:** server-group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** server-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** auth
  - enum:**
    - auth
    - acct
- **Name:** server-ip  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** union
- **Name:** server-port  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**  
- **basicAuth:** []

**head:**

**Tags:**



- data
- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_type\_head

**Parameters:**

- **Name:** server-group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** server-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** auth
  - enum:**
    - auth
    - acct
- **Name:** server-ip  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** union
- **Name:** server-port  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config

```

    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []

```

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_type\_patch

**Parameters:**

- **Name:** server-group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** server-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** auth  
**enum:**
  - auth
  - acct
- **Name:** server-ip  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** union
- **Name:** server-port  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_type'

**Required/Optional:** true

**Responses:**

'204':  
**Description:** leaf type updated  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

'409':  
**Description:** Conflict  
**Content:** {}

**security:**  
- **basicAuth:** []

**x-codegen-request-body-name:** type

## /data/cnbng-cp:profile/radius/server-group={server-group-group-name}/server={server-type},{server-ip},{server-port}/ip

**get:**

**Tags:**

- data  
- get

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_ip\_get

**Parameters:**

- **Name:** server-group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** server-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false

**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** auth  
**enum:**  
- auth  
- acct

- **Name:** server-ip  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** union
- **Name:** server-port  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true

**Schema:**

**Type:** string  
**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string  
**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_radius\_server-group\_server-group-group-name\_server\_server-type\_server-ip\_server-port\_ip'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict  
**Content:** {}  
**security:**  
- **basicAuth:** []  
**put:**

**Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_ip\_put

**Parameters:**

- **Name:** server-group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** server-type  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** auth  
**enum:**
  - auth
  - acct
- **Name:** server-ip  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** union
- **Name:** server-port  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

**Request Body:**

**Content:**  
application/yang-data+json:

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_ip'
```

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf ip created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** ip

**delete:****Tags:**

- data  
- delete

**Operation ID:**

```
data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_ip_delete
```

**Parameters:**

- **Name:** server-group-group-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** server-type

**In:** path

**Required/Optional:** true

**Style:** simple



```

Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: auth
  enum:
    - auth
    - acct
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
    - basicAuth: []
options:

Tags:
  - data
  - options
Operation ID:
data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_ip_options

Parameters:
- Name: server-group-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: server-type
  In: path
  Required/Optional: true
  Style: simple

```

```

Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: auth
  enum:
    - auth
    - acct
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

```

security:
- basicAuth: []

```

**head:****Tags:**

```

- data
- head

```

**Operation ID:**

```
data_cnbng_cp_profile_radius_server_group_server_group_group_name_server_server_type_server_ip_server_port_ip_head
```

**Parameters:**

```

- Name: server-group-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: server-type
  In: path
  Required/Optional: true
  Style: simple

```

```
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: auth
  enum:
    - auth
    - acct
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
```

**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string  
- **Name:** filter  
  **In:** query  
  **Description:** xpath expression to filter data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string  
- **Name:** with-defaults  
  **In:** query  
  **Description:** controlling default values in response  
  **Required/Optional:** false  
  **Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

'200':  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_ip\_patch

**Parameters:**

- **Name:** server-group-group-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string  
- **Name:** server-type

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: enumeration
  Default: auth
  enum:
    - auth
    - acct
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_ip'

Required/Optional: true

Responses:
  '204':
    Description: leaf ip updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}

```

```

    '409':
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: ip

```

## /data/cnbng-cp:profile/radius/server-group={server-group-group-name}/server={server-type},{server-ip},{server-port}/port

get:

Tags:

- data
- get

Operation ID:

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_port\_get

Parameters:

- Name: server-group-group-name
  - In: path
  - Required/Optional: true
  - Style: simple
  - Explode: false
  - Schema:
    - Type: string
    - Format: string
- Name: server-type
  - In: path
  - Required/Optional: true
  - Style: simple
  - Explode: false
  - Schema:
    - Type: string
    - Format: enumeration
    - Default: auth
    - enum:
      - auth
      - acct
- Name: server-ip
  - In: path
  - Required/Optional: true
  - Style: simple
  - Explode: false
  - Schema:
    - Type: string
    - Format: union
- Name: server-port
  - In: path
  - Required/Optional: true

```
Style: simple
Explode: false
Schema:
  Type: integer
  Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
```

**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_port'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
- put

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_port\_put

**Parameters:**

- **Name:** server-group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false



```

Schema:
  Type: string
  Format: string
- Name: server-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: auth
    enum:
      - auth
      - acct
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_port'

Required/Optional: true

Responses:
  '201':
    Description: leaf port created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized

```

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: port
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_port\_delete

**Parameters:**

```

- Name: server-group-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: server-type
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: enumeration
    Default: auth
    enum:
      - auth
      - acct
- Name: server-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: server-port
  In: path

```

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

**Responses:**

**'204':**

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data

- options

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_port\_options

**Parameters:**

- **Name:** server-group-group-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** server-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** auth

**enum:**

- auth

- acct

- **Name:** server-ip

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** union

- **Name:** server-port

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

**Responses:**

**'200':**

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data

- head

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_port\_head

**Parameters:**

- **Name:** server-group-group-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** server-type

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** auth

**enum:**

- auth

- acct

- **Name:** server-ip

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** union

- **Name:** server-port

**In:** path

**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
    - config  
    - nonconfig  
    - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form

**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**patch:**

**Tags:**  
  - data  
  - patch

**Operation ID:**

data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_port\_patch

**Parameters:**

- **Name:** server-group-group-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** server-type  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** auth  
    **enum:**  
    - auth  
    - acct

- **Name:** server-ip  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string

```

    Format: union
  - Name: server-port
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_port'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf port updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: port

```

## /data/cnbng-cp:profile/coa

get:

```

  Tags:
  - data
  - get
  Operation ID: data_cnbng_cp_profile_coa_get

  Parameters:

```

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**



- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

- '200':  
**Description:** OK  
**Content:**  
  **application/yang-data+json:**  
    **Schema:**  
      **Reference:** '#/components/schemas/data\_cnbng\_cp\_profile\_coa'
- '204':  
**Description:** No Content  
**Content:** {}
- '400':  
**Description:** Bad Request  
**Content:** {}
- '401':  
**Description:** Unauthorized  
**Content:** {}
- '404':  
**Description:** Not Found  
**Content:** {}
- '405':  
**Description:** Method Not Allowed  
**Content:** {}
- '409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data
- put

**Operation ID:** data\_cnbng\_cp\_profile\_coa\_put**Request Body:**

- Content:**  
  **application/yang-data+json:**  
    **Schema:**  
      **Reference:** '#/components/schemas/data\_cnbng\_cp\_profile\_coa'
- Required/Optional:** true

**Responses:**

- '201':  
**Description:** container coa created or replaced  
**Content:** {}
- '204':  
**Description:** No Content  
**Content:** {}
- '400':

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: coa
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_profile_coa_post
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_coa-post'
      Required/Optional: true

Responses:
  '201':
    Description: container coa created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}

```

```
security:
- basicAuth: []
x-codegen-request-body-name: coa
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_coa_delete

Responses:
'204':
  Description: No Content
  Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_coa_options

Responses:
'200':
  Description: OK
  Content: {}
security:
- basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_coa_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
```

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_profile_coa_patch
Request Body:

```

```
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng_cp_profile_coa'
    Required/Optional: true

Responses:
  '204':
    Description: container coa updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: coa
```

## /data/cnbng-cp:profile/coa/server-key

get:

```
Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_coa_server_key_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
```

```

    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_coa_server-key'
  '204':

```

```
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_coa_server_key_put
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_coa_server-key'
    Required/Optional: true

Responses:
  '201':
    Description: leaf server-key created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
```

```
      Description: Conflict
      Content: {}
    security:
    - basicAuth: []
    x-codegen-request-body-name: server-key
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_coa_server_key_delete

Responses:
  '204':
    Description: No Content
    Content: {}
    security:
    - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_coa_server_key_options

Responses:
  '200':
    Description: OK
    Content: {}
    security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_coa_server_key_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
```



**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_coa\_server\_key\_patch

**Request Body:**

- Content:**
  - application/yang-data+json:**
    - Schema:**
      - Reference:** '#/components/schemas/data\_cnbng\_cp\_profile\_coa\_server-key'
  - Required/Optional:** true

**Responses:**

- '204':**
  - Description:** leaf server-key updated
  - Content:** {}
- '400':**
  - Description:** Bad Request
  - Content:** {}
- '401':**
  - Description:** Unauthorized
  - Content:** {}
- '404':**
  - Description:** Not Found
  - Content:** {}
- '405':**
  - Description:** Method Not Allowed
  - Content:** {}
- '409':**
  - Description:** Conflict
  - Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** server-key

## /data/cnbng-cp:profile/coa/client

**options:**

**Tags:**

- data
- options

**Operation ID:** data\_cnbng\_cp\_profile\_coa\_client\_options

**Responses:**

- '200':**
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

## /data/cnbng-cp:profile/coa/client={client-ip}

**get:**

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_profile\_coa\_client\_client\_ip\_get

**Parameters:**

- **Name:** client-ip
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** union
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true

```

Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_coa_client_client-ip'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_profile_coa_client_client_ip_put

```

**Parameters:**

- **Name:** client-ip
    - In:** path
    - Required/Optional:** true
    - Style:** simple
    - Explode:** false
    - Schema:**
      - Type:** string
      - Format:** union
  - **Name:** insert
    - In:** query
    - Description:** controlling the order when adding new list elements
    - Required/Optional:** false
    - Style:** form
    - Explode:** true
    - Schema:**
      - Type:** string
      - Format:** enumeration
      - Default:** first
      - enum:**
        - first
        - last
        - before
        - after
  - **Name:** point
    - In:** query
    - Description:** used to specify the insertion point
    - Required/Optional:** false
    - Style:** form
    - Explode:** true
    - Schema:**
      - Type:** string
      - Format:** string
- Request Body:**
- Content:**
    - application/yang-data+json:**
      - Schema:**
        - Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_coa\_client\_client-ip'
- Required/Optional:** true

**Responses:**

- '201':
  - Description:** list client created or replaced
  - Content:** {}
- '204':
  - Description:** No Content
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':

```
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: client
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_coa_client_client_ip_delete

Parameters:
- Name: client-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_coa_client_client_ip_options

Parameters:
- Name: client-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
```

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []  
**head:**

**Tags:**  
- data  
- head  
**Operation ID:** data\_cnbng\_cp\_profile\_coa\_client\_client\_ip\_head

**Parameters:**

- **Name:** client-ip  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** union
- **Name:** content  
  **In:** query  
  **Description:** controlling descendant nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
    - config  
    - nonconfig  
    - all
- **Name:** depth  
  **In:** query  
  **Description:** limit the depth of nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** integer  
    **Format:** uint16
- **Name:** fields  
  **In:** query  
  **Description:** optionally identify specific data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**

**Type:** string  
**Format:** string  
**Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string  
**Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:** data\_cnbng\_cp\_profile\_coa\_client\_client\_ip\_patch

**Parameters:**

**Name:** client-ip  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** union

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**



**Reference:** '#/components/schemas/data\_cnbng-cp\_profile\_coa\_client\_client-ip'

**Required/Optional:** true

**Responses:**

'204':  
  **Description:** list client updated  
  **Content:** {}  
'400':  
  **Description:** Bad Request  
  **Content:** {}  
'401':  
  **Description:** Unauthorized  
  **Content:** {}  
'404':  
  **Description:** Not Found  
  **Content:** {}  
'405':  
  **Description:** Method Not Allowed  
  **Content:** {}  
'409':  
  **Description:** Conflict  
  **Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** client

## /data/cnbng-cp:profile/coa/client={client-ip}/ip

**get:**

**Tags:**

- data  
- get

**Operation ID:** data\_cnbng\_cp\_profile\_coa\_client\_client\_ip\_ip\_get

**Parameters:**

- **Name:** client-ip

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** union

- **Name:** content

**In:** query

**Description:** controlling descendant nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
    - config  
    - nonconfig  
    - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
    - report-all  
    - trim  
    - explicit  
    - report-all-tagged

**Responses:**

'200':

```
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_coa_client_client-ip_ip'
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
  put:
    Tags:
      - data
      - put
    Operation ID: data_cnbng_cp_profile_coa_client_client_ip_ip_put
    Parameters:
      - Name: client-ip
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: string
          Format: union
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference: '#/components/schemas/data_cnbng-cp_profile_coa_client_client-ip_ip'
      Required/Optional: true
    Responses:
      '201':
        Description: leaf ip created or replaced
```

```
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ip
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_coa_client_client_ip_ip_delete

Parameters:
- Name: client-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union

Responses:
  '204':
    Description: No Content
    Content: {}
security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_coa_client_client_ip_ip_options

Parameters:
```

```
- Name: client-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_coa_client_client_ip_ip_head

Parameters:
- Name: client-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
```

```

    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []

```

**patch:****Tags:**

```

- data
- patch

```

**Operation ID:** data\_cnbng\_cp\_profile\_coa\_client\_client\_ip\_ip\_patch

**Parameters:**

```

- Name: client-ip
  In: path
  Required/Optional: true
  Style: simple

```

```

Explode: false
Schema:
  Type: string
  Format: union
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_coa_client_client-ip_ip'

Required/Optional: true

Responses:
  '204':
    Description: leaf ip updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: ip

```

## /data/cnbng-cp:profile/coa/client={client-ip}/server-key

**get:**

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_profile_coa_client_client-ip_server_key_get

Parameters:
- Name: client-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

- Type:** string
  - Format:** union
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration



**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_coa\_client\_client-ip\_server-key'

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:**- **basicAuth:** []**put:****Tags:**- data  
- put**Operation ID:** data\_cnbng\_cp\_profile\_coa\_client\_client\_ip\_server\_key\_put**Parameters:**- **Name:** client-ip**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** union**Request Body:****Content:**

```

    application/yang-data+json:
      Schema:
      Reference:
      '#/components/schemas/data_cnbng_cp_profile_coa_client_client-ip_server-key'
      Required/Optional: true

Responses:
  '201':
    Description: leaf server-key created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: server-key
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_profile_coa_client_client_ip_server_key_delete

Parameters:
- Name: client-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union

Responses:
  '204':
    Description: No Content
    Content: {}
security:

```

```
- basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_profile_coa_client_client_ip_server_key_options

Parameters:
- Name: client-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_profile_coa_client_client_ip_server_key_head

Parameters:
- Name: client-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
```

- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data

```

- patch
Operation ID: data_cnbng_cp_profile_coa_client_client_ip_server_key_patch

Parameters:
- Name: client-ip
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: union
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_profile_coa_client_client-ip_server-key'
      Required/Optional: true

Responses:
  '204':
    Description: leaf server-key updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: server-key

```

## /data/cnbng-cp:user-plane

get:

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_user_plane_get

```

**Parameters:**

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all

```

enum:
- report-all
- trim
- explicit
- report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_user-plane'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

**security:**

```
- basicAuth: []
```

**put:****Tags:**

```
- data
- put
```

**Operation ID:** data\_cnbng\_cp\_user\_plane\_put

**Request Body:**

```

Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_user-plane'
  Required/Optional: true

```

**Responses:**

```

'201':
  Description: container user-plane created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}

```

```

    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: user-plane
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_user_plane_post
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_user-plane-post'
      Required/Optional: true

Responses:
    '201':
      Description: container user-plane created
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict

```



```
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: user-plane
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_user_plane_delete

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_user_plane_options

  Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Operation ID: data_cnbng_cp_user_plane_head

  Parameters:
  - Name: content
    In: query
    Description: controlling descendant nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: config
      enum:
      - config
      - nonconfig
      - all
  - Name: depth
    In: query
```

**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** integer  
    **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** report-all  
    **enum:**  
    - report-all  
    - trim  
    - explicit  
    - report-all-tagged

**Responses:**  
    '200':  
        **Description:** OK  
        **Content:** {}  
**security:**  
    - **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Operation ID:** data\_cnbng\_cp\_user\_plane\_patch

```
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_user-plane'
      Required/Optional: true

Responses:
  '204':
    Description: container user-plane updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: user-plane
```

## /data/cnbng-cp:user-plane/instance

```
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_user_plane_instance_options

Responses:
  '200':
    Description: OK
    Content: {}
security:
- basicAuth: []
```

## /data/cnbng-cp:user-plane/instance={instance-instance-id}

```
get:
```

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_get

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

```
    Type: string
    Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_user-plane_instance_instance-id'
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_user_plane_instance_instance_id_put
```

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** insert

**In:** query

**Description:** controlling the order when adding new list elements

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** first

**enum:**

- first

- last

- before

- after

- **Name:** point

**In:** query

**Description:** used to specify the insertion point

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_user-plane\_instance\_instance-instance-id'

**Required/Optional:** true

**Responses:**

'201':

**Description:** list instance created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

```
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: instance
delete:

  Tags:
  - data
  - delete
  Operation ID: data_cnbng_cp_user_plane_instance_instance_instance_id_delete

  Parameters:
  - Name: instance-instance-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32

  Responses:
  '204':
    Description: No Content
    Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID: data_cnbng_cp_user_plane_instance_instance_instance_id_options

  Parameters:
  - Name: instance-instance-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32
```

**Responses:****'200':****Description:** OK**Content:** {}**security:**- **basicAuth:** []**head:****Tags:**- data  
- head**Operation ID:** data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_head**Parameters:**- **Name:** instance-instance-id**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32- **Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:**- config  
- nonconfig  
- all- **Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16- **Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string



```
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_user_plane_instance_instance_instance_id_patch

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
```

```
'#/components/schemas/data_cnbng_cp_user-plane_instance_instance-instance-id'
  Required/Optional: true

Responses:
  '204':
    Description: list instance updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: instance
```

## /data/cnbng-cp:user-plane/instance={instance-instance-id}/instance -id

get:

Tags:

- data
- get

Operation ID: data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_instance\_id\_get

Parameters:

- Name: instance-instance-id
  - In: path
  - Required/Optional: true
  - Style: simple
  - Explode: false
  - Schema:
    - Type: integer
    - Format: int32
- Name: content
  - In: query
  - Description: controlling descendant nodes in response
  - Required/Optional: false
  - Style: form
  - Explode: true

**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
  **In:** query  
  **Description:** limit the depth of nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** integer  
    **Format:** uint16

- **Name:** fields  
  **In:** query  
  **Description:** optionally identify specific data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** filter  
  **In:** query  
  **Description:** xpath expression to filter data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** with-defaults  
  **In:** query  
  **Description:** controlling default values in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** report-all  
    **enum:**  
    - report-all  
    - trim  
    - explicit  
    - report-all-tagged

**Responses:**  
  '200':

```

    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_user-plane_instance_instance-id_instance-id'
      '204':
        Description: No Content
        Content: {}
      '400':
        Description: Bad Request
        Content: {}
      '401':
        Description: Unauthorized
        Content: {}
      '404':
        Description: Not Found
        Content: {}
      '405':
        Description: Method Not Allowed
        Content: {}
      '409':
        Description: Conflict
        Content: {}
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Operation ID: data_cnbng_cp_user-plane_instance_instance-id_instance-id_put

    Parameters:
      - Name: instance-instance-id
        In: path
        Required/Optional: true
        Style: simple
        Explode: false
        Schema:
          Type: integer
          Format: int32
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng_cp_user-plane_instance_instance-id_instance-id'
            Required/Optional: true

    Responses:
      '201':

```

```
    Description: leaf instance-id created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: instance-id
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_user_plane_instance_instance_instance_id_instance_id_delete

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

Responses:
  '204':
    Description: No Content
    Content: {}
  security:
- basicAuth: []
options:

Tags:
- data
- options
Operation ID:
```

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_instance\_id\_options

**Parameters:**

- **Name:** instance-instance-id
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32

**Responses:**

- '200':
  - Description:** OK
  - Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_instance\_id\_head

**Parameters:**

- **Name:** instance-instance-id
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** content
- In:** query
- Description:** controlling descendant nodes in response
- Required/Optional:** false
- Style:** form
- Explode:** true
- Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth
- In:** query
- Description:** limit the depth of nodes in response
- Required/Optional:** false
- Style:** form

```
    Explode: true
    Schema:
      Type: integer
      Format: uint16
  - Name: fields
    In: query
    Description: optionally identify specific data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch
Operation ID: data_cnbng_cp_user_plane_instance_instance_instance_id_instance_id_patch

Parameters:
```

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng_cp_user_plane_instance_instance-id_instance-id'
      Required/Optional: true

Responses:
  '204':
    Description: leaf instance-id updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: instance-id

```

## /data/cnbng-cp:user-plane/instance={instance-instance-id}/user-planes

**get:**

**Tags:**

- data
- get

**Operation ID:** data\_cnbng\_cp\_user\_plane\_instance\_instance-id\_user\_planes\_get

**Parameters:**

- **Name:** instance-instance-id



**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false

**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

**'200':**  
  **Description:** OK  
  **Content:**  
    **application/yang-data+json:**  
      **Schema:**  
      **Reference:**

'#/components/schemas/data\_cnbng\_cp\_user\_plane\_instance\_instance-id\_user-planes'

**'204':**  
  **Description:** No Content  
  **Content:** {}  
**'400':**  
  **Description:** Bad Request  
  **Content:** {}  
**'401':**  
  **Description:** Unauthorized  
  **Content:** {}  
**'404':**  
  **Description:** Not Found  
  **Content:** {}  
**'405':**  
  **Description:** Method Not Allowed  
  **Content:** {}  
**'409':**  
  **Description:** Conflict  
  **Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
- put

**Operation ID:** data\_cnbng\_cp\_user\_plane\_instance\_instance-id\_user-planes\_put

**Parameters:**

- **Name:** instance-instance-id  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false

```
Schema:
  Type: integer
  Format: int32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_user-plane_instance_instance-id_user-planes'
        Required/Optional: true

Responses:
  '201':
    Description: container user-planes created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: user-planes
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_user_plane_instance_instance-id_user_planes_post

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
```

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_user-plane\_instance\_instance-id\_user-planes-post'

**Required/Optional:** true**Responses:**

'201':

**Description:** container user-planes created**Content:** {}

'204':

**Description:** No Content**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**

- basicAuth: []

**x-codegen-request-body-name:** user-planes**delete:****Tags:**- data  
- delete**Operation ID:** data\_cnbng\_cp\_user\_plane\_instance\_instance-id\_user\_planes\_delete**Parameters:**- **Name:** instance-instance-id**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32**Responses:**

```

    '204':
      Description: No Content
      Content: {}
      security:
        - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_user_plane_instance_instance_id_user_planes_options

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

Responses:
'200':
  Description: OK
  Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_user_plane_instance_instance_id_user_planes_head

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string

```

```

    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
    - report-all
    - trim
    - explicit
    - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

```
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_user_plane_instance_instance_instance_id_user_planes_patch

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_user-plane_instance_instance-instance-id_user-planes'
    Required/Optional: true

Responses:
'204':
  Description: container user-planes updated
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: user-planes
```

## /data/cnbng-cp:user-plane/instance={instance-instance-id}/user-planes/user-plane

### options:

#### Tags:

- data
- options

#### Operation ID:

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_options

#### Parameters:

- **Name:** instance-instance-id
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32

#### Responses:

- '200':
  - Description:** OK
  - Content:** {}

#### security:

- basicAuth: []

## /data/cnbng-cp:user-plane/instance={instance-instance-id}/user-planes/user-plane={user-plane-name}

### get:

#### Tags:

- data
- get

#### Operation ID:

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_get

#### Parameters:

- **Name:** instance-instance-id
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** user-plane-name



**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false

**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

**'200':**  
  **Description:** OK  
  **Content:**  
    **application/yang-data+json:**  
      **Schema:**  
      **Reference:**

'#/components/schemas/data\_cnbng-cp\_user-plane\_instance\_instance-id\_user-planes\_user-plane\_user-plane-name'

**'204':**  
  **Description:** No Content  
  **Content:** {}  
**'400':**  
  **Description:** Bad Request  
  **Content:** {}  
**'401':**  
  **Description:** Unauthorized  
  **Content:** {}  
**'404':**  
  **Description:** Not Found  
  **Content:** {}  
**'405':**  
  **Description:** Method Not Allowed  
  **Content:** {}  
**'409':**  
  **Description:** Conflict  
  **Content:** {}

**security:**  
  - **basicAuth:** []

**put:**

**Tags:**  
  - data  
  - put  
**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance-id\_user-planes\_user-plane\_user-plane-name\_put

**Parameters:**

- **Name:** instance-instance-id  
  **In:** path  
  **Required/Optional:** true

```

Style: simple
Explode: false
Schema:
  Type: integer
  Format: int32
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_user-plane_instance_instance-id_user-planes_user-plane_user-plane-name'

Required/Optional: true

Responses:
  '201':
    Description: list user-plane created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}

```

```

    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: user-plane
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_user_plane_instance_instance_instance_id_user_planes_user_plane_user_plane_name_delete

  Parameters:
  - Name: instance-instance-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32
  - Name: user-plane-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '204':
      Description: No Content
      Content: {}
  security:
  - basicAuth: []
options:

```

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string

**Responses:**

'200':

**Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false

**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** content  
  **In:** query  
  **Description:** controlling descendant nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
      - config  
      - nonconfig  
      - all
- **Name:** depth  
  **In:** query  
  **Description:** limit the depth of nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** integer  
    **Format:** uint16
- **Name:** fields  
  **In:** query  
  **Description:** optionally identify specific data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** filter  
  **In:** query  
  **Description:** xpath expression to filter data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** with-defaults  
  **In:** query  
  **Description:** controlling default values in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string

**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**  
 '200':  
**Description:** OK  
**Content:** {}  
**security:**  
 - **basicAuth:** []

**patch:**

**Tags:**  
 - data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_patch

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32  
 - **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_user\_plane\_instance\_instance-instance-id\_user\_planes\_user-plane\_user-plane-name'

**Required/Optional:** true

**Responses:**

'204':  
**Description:** list user-plane updated  
**Content:** {}  
 '400':

```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: user-plane

```

## /data/cnbng-cp:user-plane/instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/name

**get:**

**Tags:**

```
- data
- get
```

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_name\_get

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response

```



**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
    - config  
    - nonconfig  
    - all

**- Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** integer  
    **Format:** uint16

**- Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string

**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string

**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** report-all  
    **enum:**  
    - report-all  
    - trim  
    - explicit  
    - report-all-tagged

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_user-plane\_instance\_instance-id\_user-planes\_user-plane\_user-plane-name\_name'

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:****- basicAuth:** []**put:****Tags:**

- data

- put

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance-id\_user-planes\_user\_plane\_user\_plane\_name\_name\_put

**Parameters:****- Name:** instance-instance-id**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32**- Name:** user-plane-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false

```

Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_user-plane_instance_instance-id_user-planes_user-plane_user-plane-name_name'

Required/Optional: true

Responses:
  '201':
    Description: leaf name created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: name
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_user_plane_instance_instance_instance-id_user_planes_user_plane_user_plane_name_name_delete

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:

```

**Type:** integer  
**Format:** int32  
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

**'204':**  
**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_name\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32  
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_name\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**
  - config
  - nonconfig
  - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** string  
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string  
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_name\_patch

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32  
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_user-plane_instance_instance-id_user-planes_user-plane_user-plane-name_name'

  Required/Optional: true

Responses:
  '204':
    Description: leaf name updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: name

```

## /data/cnbng-cp:user-plane/instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/peer-address

```

get:

  Tags:
- data
- get
  Operation ID:
data_cnbng_cp_user-plane_instance_instance-id_user-planes_user-plane_user-plane-name_peer-address_get

  Parameters:
- Name: instance-instance-id

```

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: integer
  Format: int32
- Name: user-plane-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form

```



```

Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_user-plane_instance_instance-id_user-planes_user-plane_user-plane-name_peer-address'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:
  - data

```

- put

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_peer\_address\_put

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** user-plane-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_user\_plane\_instance\_instance-id\_user\_planes\_user\_plane\_user-plane-name\_peer-address'

**Required/Optional:** true

**Responses:**

'201':

**Description:** container peer-address created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**  
 - **basicAuth:** []  
**x-codegen-request-body-name:** peer-address  
**Method:** Post

**Tags:**  
 - data  
 - post

**Operation ID:**  
 data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_peer\_address\_post

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_user\_plane\_instance\_instance-instance-id\_user\_planes\_user\_plane\_user-plane-name\_peer-address-post'

**Required/Optional:** true

**Responses:**

'201':  
**Description:** container peer-address created  
**Content:** {}

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found

```

    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: peer-address
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_peer\_address\_delete

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Responses:**

```

'204':
  Description: No Content
  Content: {}

```

```

  security:
  - basicAuth: []

```

**options:****Tags:**

```

- data
- options

```

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_peer\_address\_options

**Parameters:**

```

- Name: instance-instance-id

```

```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32
  - Name: user-plane-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head

Operation ID:
data_cnbng_cp_user_plane_instance_instance_instance_id_user_planes_user_plane_user_plane_name_peer_address_head

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form

```

```

Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Operation ID:
  data_cnbng_cp_user_plane_instance_instance_instance_id_user_planes_user_plane_user_plane_name_peer_address_patch

  Parameters:
  - Name: instance-instance-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32
  - Name: user-plane-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_user_plane_instance_instance-instance-id_user_planes_user_plane_user-plane-name_peer-address'

  Required/Optional: true

  Responses:
  '204':
    Description: container peer-address updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}

```

```

'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: peer-address

```

## /data/cnbng-cp:user-plane/instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/peer-address/ipv4

get:

Tags:

```
- data
- get
```

Operation ID:

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_peer\_address\_ipv4\_get

Parameters:

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config

```



```

    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```
'#/components/schemas/data_cnbng-cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_peer-address_ipv4'
```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}

```

**security:**

```
- basicAuth: []
```

**put:****Tags:**

```
- data
- put
```

**Operation ID:**

```
data_cnbng_cp_user_plane_instance_instance_instance_id_user_planes_user_plane_user_plane_name_peer_address_ipv4_put
```

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Request Body:**

```

Content:
  application/yang-data+json:
    Schema:

```

**Reference:**

```
'#/components/schemas/data_cnbng_cp_user_plane_instance_instance-instance-id_user_planes_user_plane_user-plane-name_peer-address_ipv4'
```

**Required/Optional:** true

**Responses:**

'201':  
**Description:** leaf ipv4 created or replaced  
**Content:** {}

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

'409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** ipv4

**delete:**

**Tags:**

- data  
 - delete

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_peer\_address\_ipv4\_delete

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string

**Format:** string

**Responses:**

'204':

**Description:** No Content

**Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
- options

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_peer\_address\_ipv4\_options

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** user-plane-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_peer\_address\_ipv4\_head

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

```

Style: simple
Explode: false
Schema:
  Type: integer
  Format: int32
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:

```

**Type:** string  
**Format:** string  
**Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_peer\_address\_ipv4\_patch

**Parameters:**

**Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32  
**Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**

**Reference:**

```
'#/components/schemas/data_cnbng_cp_user_plane_instance_instance-instance-id_user_planes_user_plane_user-plane-name_peer-address_ipv4'
```

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf ipv4 updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** ipv4

## /data/cnbng-cp:user-plane/instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/flowctrl-group

**get:**

**Tags:**

- data  
- get

**Operation ID:**

```
data_cnbng_cp_user_plane_instance_instance_instance-id_user_planes_user_plane_user_plane_name_flowctrl_group_get
```

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** user-plane-name

**In:** path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form

```



**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_user-plane\_instance\_instance-id\_user-planes\_user-plane\_user-plane-name\_flowctrl-group'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
 - put

**Operation ID:**

data\_cnbng\_cp\_user-plane\_instance\_instance-id\_user-planes\_user-plane\_user-plane-name\_flowctrl\_group\_put

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple

```

    Explode: false
    Schema:
      Type: integer
      Format: int32
  - Name: user-plane-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_user-plane_instance_instance-id_user-planes_user-plane_user-plane-name_flowctrl-group'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf flowctrl-group created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: flowctrl-group
delete:

  Tags:
  - data
  - delete
  Operation ID:
  data_cnbng_cp_user_plane_instance_instance_id_user_planes_user_plane_user_plane_name_flowctrl_group_delete

```

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string

**Responses:**

- '204':
  - Description:** No Content
  - Content:** {}
- security:**
  - **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_flowctrl\_group\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string

**Responses:****'200':****Description:** OK**Content:** {}**security:**- **basicAuth:** []**head:****Tags:**- data  
- head**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_flowctrl\_group\_head

**Parameters:**- **Name:** instance-instance-id**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32- **Name:** user-plane-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string- **Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:**- config  
- nonconfig  
- all- **Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

**Type:** integer  
**Format:** uint16  
**Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string  
**Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string  
**Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**

'200':

**Description:** OK**Content:** {}**security:**- **basicAuth:** []**patch:****Tags:**- data  
- patch**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_flowctrl\_group\_patch

**Parameters:**- **Name:** instance-instance-id**In:** path

```

    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32
  - Name: user-plane-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_flowctrl-group'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf flowctrl-group updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: flowctrl-group

```

## /data/cnbng-cp:user-plane/instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/offline

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_offline\_get

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** integer
  - Format:** uint16
- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form

```

Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:

```

```

'#/components/schemas/data_cnbng-cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_offline'

```

```

'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}

```



```

    '409':
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Operation ID:
    data_cnbng_cp_user_plane_instance_instance_instance_id_user_planes_user_plane_user_plane_name_offline_put

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_user_plane_instance_instance-instance-id_user_planes_user_plane_user-plane-name_offline'

    Required/Optional: true

Responses:
'201':
  Description: leaf offline created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}

```

```

    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: offline
delete:

  Tags:
  - data
  - delete
  Operation ID:
data_cnbng_cp_user_plane_instance_instance_instance_id_user_planes_user_plane_user_plane_name_offline_delete

  Parameters:
  - Name: instance-instance-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32
  - Name: user-plane-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '204':
      Description: No Content
      Content: {}
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_user_plane_instance_instance_instance_id_user_planes_user_plane_user_plane_name_offline_options

```

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string

**Responses:**

- '200':  
    **Description:** OK  
    **Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_offline\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
    - config  
    - nonconfig  
    - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** integer  
    **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** report-all  
    **enum:**  
    - report-all  
    - trim  
    - explicit  
    - report-all-tagged

**Responses:**

'200':  
 Description: OK  
 Content: {}

**security:**

- basicAuth: []

**patch:****Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_offline\_patch

**Parameters:**

- **Name:** instance-instance-id  
 In: path  
 Required/Optional: true  
 Style: simple  
 Explode: false

**Schema:**

Type: integer  
 Format: int32

- **Name:** user-plane-name  
 In: path  
 Required/Optional: true  
 Style: simple  
 Explode: false

**Schema:**

Type: string  
 Format: string

**Request Body:**

Content:  
 application/yang-data+json:  
 Schema:

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_user\_plane\_instance\_instance-instance-id\_user\_planes\_user-plane\_user-plane-name\_offline'

Required/Optional: true

**Responses:**

'204':  
 Description: leaf offline updated  
 Content: {}

'400':  
 Description: Bad Request  
 Content: {}

'401':  
 Description: Unauthorized  
 Content: {}

'404':

```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: offline

```

## /data/cnbng-cp:user-plane/instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/port-id

### options:

#### Tags:

- data
- options

#### Operation ID:

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_options

### Parameters:

- **Name:** instance-instance-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** user-plane-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

### Responses:

- '200':
  - Description:** OK
  - Content:** {}

#### security:

- **basicAuth:** []

## /data/cnbng-cp:user-plane/instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/port-id={port-id-id}

get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_port\_id\_id\_get

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** port-id-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all

- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':

**Description:** OK**Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng-cp\_user-plane\_instance\_instance-instance-id\_user-planes\_user-plane\_user-plane-name\_port-id\_port-id-id'

'204':



```

    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

```

**Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_port\_id\_id\_put

**Parameters:**

- **Name:** instance-instance-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** user-plane-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** port-id-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string

- **Name:** insert  
**In:** query  
**Description:** controlling the order when adding new list elements  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** first  
  **enum:**  
  - first  
  - last  
  - before  
  - after

- **Name:** point  
**In:** query  
**Description:** used to specify the insertion point  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_port-id_port-id-id'
```

**Required/Optional:** true**Responses:**

'201':

**Description:** list port-id created or replaced**Content:** {}

'204':

**Description:** No Content**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**x-codegen-request-body-name:** port-id  
**delete:**

**Tags:**  
 - data  
 - delete

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_port\_id\_id\_delete

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** port-id-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

'204':  
**Description:** No Content  
**Content:** {}

**security:**  
 - **basicAuth:** []

**options:**

**Tags:**  
 - data  
 - options

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_port\_id\_id\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** port-id-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**

- '200':  
  **Description:** OK  
  **Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_port\_id\_id\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32
- **Name:** user-plane-name  
**In:** path

```

Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: port-id-id
  In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
  In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
  In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true

```

**Schema:****Type:** string**Format:** string**- Name:** with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** report-all**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_port\_id\_id\_patch

**Parameters:****- Name:** instance-instance-id**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32**- Name:** user-plane-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** port-id-id**In:** path**Required/Optional:** true

```

Style: simple
Explode: false
Schema:
  Type: string
  Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_user-plane_instance_instance-id_user-planes_user-plane_user-plane-name_port-id_port-id-id'

  Required/Optional: true

Responses:
  '204':
    Description: list port-id updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: port-id

```

## /data/cnbng-cp:user-plane/instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/port-id={port-id-id}/id

**get:**

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_user-plane\_instance\_instance-id\_user-planes\_user-plane\_user-plane-name\_port-id\_port-id-id\_get

**Parameters:**

- **Name:** instance-instance-id

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: integer
  Format: int32
- Name: user-plane-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: port-id-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true

```



**Schema:**

**Type:** string  
**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string  
**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_user-plane\_instance\_instance-instance-id\_user-planes\_user-plane\_user-plane-name\_port-id\_port-id-id\_id'

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data

- put

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_port\_id\_id\_id\_put

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** user-plane-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** port-id-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_user\_plane\_instance\_instance-id\_user\_planes\_user-plane\_user-plane-name\_port-id\_port-id-id\_id'

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf id created or replaced

**Content:** {}

'204':

**Description:** No Content

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: id
delete:

```

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_port\_id\_id\_id\_delete

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** port-id-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:****'204':****Description:** No Content**Content:** {}**security:****- basicAuth:** []**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_port\_id\_id\_id\_options

**Parameters:****- Name:** instance-instance-id**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32**- Name:** user-plane-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**- Name:** port-id-id**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_port\_id\_id\_id\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** port-id-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
    - config  
    - nonconfig  
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** integer  
    **Format:** uint16
- **Name:** fields  
**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_port\_id\_id\_id\_patch

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

```

      Type: integer
      Format: int32
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: port-id-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_port-id_port-id-id_id'

      Required/Optional: true

Responses:
  '204':
    Description: leaf id updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: id
?
/data/cnbng-cp:user-plane/instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/port-id={port-id-id}/subscriber-profile
: get:

```

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_id\_subscriber\_profile\_get

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** port-id-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true



**Schema:**

**Type:** integer  
**Format:** uint16

**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

**Type:** string  
**Format:** string

**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

**Type:** string  
**Format:** string

**- Name:** with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

```
#!/components/schemas/data_cnbng-cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_port-id_port-id-id_subscriber-profile'
```

**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':**

```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_user_plane_instance_instance_id_user_planes_user_plane_user_plane_name_port_id_port_id_id_subscriber_profile_put

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: port-id-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
        '#/components/schemas/data_cnbng_cp_user_plane_instance_instance-id_user_planes_user_plane_user-plane-name_port-id_port-id-id_subscriber-profile'

```

**Required/Optional:** true

**Responses:**

'201':  
**Description:** leaf subscriber-profile created or replaced  
**Content:** {}

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

'409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** subscriber-profile

**delete:**

**Tags:**

- data  
 - delete

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_port\_id\_id\_subscriber\_profile\_delete

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string

**Format:** string

- **Name:** port-id-id
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

'204':

- Description:** No Content
- Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_port\_id\_id\_subscriber\_profile\_options

**Parameters:**

- **Name:** instance-instance-id
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** user-plane-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string
- **Name:** port-id-id
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string

**Responses:**

'200':

**Description:** OK  
**Content:** {}  
**security:**  
 - **basicAuth:** []  
**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_port\_id\_id\_subscriber\_profile\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** port-id-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth

**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** integer  
     **Format:** uint16

**- Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string

**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string

**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** enumeration  
     **Default:** report-all  
     **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**  
   '200':  
     **Description:** OK  
     **Content:** {}  
**security:**  
   - **basicAuth:** []

**patch:**

**Tags:**  
   - data  
   - patch

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_port\_id\_id\_subscriber\_profile\_patch

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** port-id-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

#/components/schemas/data\_cnbng\_cp\_user\_plane\_instance\_instance-instance-id\_user\_planes\_user\_plane\_user\_plane\_name\_port\_id\_port-id-id\_subscriber-profile

**Required/Optional:** true**Responses:****'204':****Description:** leaf subscriber-profile updated**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: subscriber-profile

```

## /data/cnbng-cp:user-plane/instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/subscriber-profile

get:

Tags:

```
- data
- get
```

Operation ID:

data\_cnbng\_cp\_user\_plane\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_profile\_get

Parameters:

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all

```



- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

'200':

**Description:** OK**Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_user-plane\_instance\_instance-instance-id\_user-planes\_user-plane\_user-plane-name\_subscriber-profile'

'204':

```

    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID:
data_cnbng_cp_user_plane_instance_instance_instance_id_user_planes_user_plane_user_plane_name_subscriber_profile_put

```

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Request Body:**

```

Content:
  application/yang-data+json:
    Schema:
      Reference:

```

```

'#/components/schemas/data_cnbng_cp_user_plane_instance_instance-instance-id_user_planes_user_plane_user-plane-name_subscriber-profile'

```

```

Required/Optional: true

```

**Responses:**

'201':  
**Description:** leaf subscriber-profile created or replaced  
**Content:** {}

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

'409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** subscriber-profile

**delete:****Tags:**

- data  
 - delete

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_profile\_delete

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

'204':

**Description:** No Content**Content:** {}**security:**- **basicAuth:** []**options:****Tags:**- data  
- options**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_profile\_options

**Parameters:**- **Name:** instance-instance-id**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32- **Name:** user-plane-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Responses:**

'200':

**Description:** OK**Content:** {}**security:**- **basicAuth:** []**head:****Tags:**- data  
- head**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_profile\_head

**Parameters:**- **Name:** instance-instance-id**In:** path**Required/Optional:** true**Style:** simple**Explode:** false

**Schema:**  
  **Type:** integer  
  **Format:** int32

- **Name:** user-plane-name  
  **In:** path  
  **Required/Optional:** true  
  **Style:** simple  
  **Explode:** false  
  **Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** content  
  **In:** query  
  **Description:** controlling descendant nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
      - config  
      - nonconfig  
      - all
- **Name:** depth  
  **In:** query  
  **Description:** limit the depth of nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** integer  
    **Format:** uint16
- **Name:** fields  
  **In:** query  
  **Description:** optionally identify specific data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** filter  
  **In:** query  
  **Description:** xpath expression to filter data nodes in response  
  **Required/Optional:** false  
  **Style:** form  
  **Explode:** true  
  **Schema:**  
    **Type:** string  
    **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**patch:**

**Tags:**  
  - data  
  - patch

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_profile\_patch

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32  
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Request Body:**

**Content:**  
  **application/yang-data+json:**  
    **Schema:**  
      **Reference:**

'#/components/schemas/data\_cnbng\_cp\_user\_plane\_instance\_instance-id\_user\_planes\_user\_plane\_user-plane-name\_subscriber-profile'

**Required/Optional:** true

**Responses:**

'204':  
**Description:** leaf subscriber-profile updated  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

'409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** subscriber-profile

## /data/cnbng-cp:user-plane/instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/subscriber-redundancy

**get:**

**Tags:**

- data  
 - get

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_get

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple

```

Explode: false
Schema:
  Type: string
  Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:

```



**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_user\_plane\_instance\_instance-id\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**  
 - **basicAuth:** []

**put:**

**Tags:**  
 - data  
 - put

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance-id\_user-planes\_user-plane\_user-plane-name\_subscriber\_redundancy\_put

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

```

    Type: integer
    Format: int32
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
'#/components/schemas/data_cnbng_cp_user-plane_instance_instance-id_user-planes_user-plane_user-plane-name_subscriber-redundancy'

    Required/Optional: true

Responses:
  '201':
    Description: container subscriber-redundancy created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: subscriber-redundancy
Method: Post

Tags:
- data
- post
Operation ID:
data_cnbng_cp_user-plane_instance_instance-id_user-planes_user-plane_user-plane-name_subscriber_redundancy_post

```

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string

**Request Body:**

- Content:**  
  - application/yang-data+json:**  
**Schema:**  
**Reference:**

```
'#/components/schemas/data_cnbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_subscriber-redundancy-post'
```

**Required/Optional:** true

**Responses:**

- '201':  
  - Description:** container subscriber-redundancy created
  - Content:** {}
- '204':  
  - Description:** No Content
  - Content:** {}
- '400':  
  - Description:** Bad Request
  - Content:** {}
- '401':  
  - Description:** Unauthorized
  - Content:** {}
- '404':  
  - Description:** Not Found
  - Content:** {}
- '405':  
  - Description:** Method Not Allowed
  - Content:** {}
- '409':  
  - Description:** Conflict
  - Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** subscriber-redundancy

**delete:**

**Tags:**

- data
- delete

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_delete

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

'204':

**Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple

**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**  
**'200':**  
**Description:** OK  
**Content:** {}  
**security:**  
 - **basicAuth:** []

**head:**

**Tags:**  
 - data  
 - head

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config  
**enum:**
  - config
  - nonconfig
  - all
- **Name:** depth  
**In:** query

**Description:** limit the depth of nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** integer

**Format:** uint16

- **Name:** fields

**In:** query

**Description:** optionally identify specific data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all

- trim

- explicit

- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:**

**Tags:**

- data

- patch

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_patch

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string

**Request Body:**

- Content:**  
    application/yang-data+json:  
    **Schema:**  
    **Reference:**

'#/components/schemas/data\_cnbng\_cp\_user\_plane\_instance\_instance-id\_user\_planes\_user\_plane\_user-plane-name\_subscriber-redundancy'

**Required/Optional:** true

**Responses:**

- '204':  
    **Description:** container subscriber-redundancy updated  
    **Content:** {}
- '400':  
    **Description:** Bad Request  
    **Content:** {}
- '401':  
    **Description:** Unauthorized  
    **Content:** {}
- '404':  
    **Description:** Not Found  
    **Content:** {}
- '405':  
    **Description:** Method Not Allowed  
    **Content:** {}
- '409':  
    **Description:** Conflict  
    **Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** subscriber-redundancy

?

/data/cnbng-cp:user-plane/instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/subscriber-redundancy/group

: options:

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**

- '200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

?

/data/cnbng-cp:user-plane/instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}

: get:

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_name\_get

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32
- **Name:** user-plane-name



**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form

```

Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_user-plane_instance-instance-id_user-planes_user-plane-user-plane-name_subscriber-redundancy_group-group-name'

  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
put:

Tags:
  - data

```

- put

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_put

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** insert  
**In:** query  
**Description:** controlling the order when adding new list elements  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** first
  - enum:**
    - first
    - last
    - before
    - after
- **Name:** point  
**In:** query  
**Description:** used to specify the insertion point  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string

```

    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_user_plane_instance_instance-instance-id_user_planes_user_plane_user-plane-name_subscriber-redundancy_group_group-group-name'

    Required/Optional: true

Responses:
  '201':
    Description: list group created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: group
delete:

Tags:
- data
- delete
Operation ID:
data_cnbng_cp_user_plane_instance_instance_instance-id_user_planes_user_plane_user_plane-name_subscriber_redundancy_group_group_group-name_delete

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32

```

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string

**Responses:**

'204':

**Description:** No Content**Content:** {}**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple

**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string

**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**  
**'200':**  
**Description:** OK  
**Content:** {}

**security:**  
 - **basicAuth:** []  
**patch:**

**Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_patch

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
 application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name'

**Required/Optional:** true

**Responses:**

'204':  
**Description:** list group updated  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':



```

    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: group
?
/data/cnbng-cp:user-plane/instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/group-rate
: get:

```

**Tags:**

- data
- get

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_group\_rate\_get

**Parameters:**

- **Name:** instance-instance-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** user-plane-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** group-group-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

'200':

**Description:** OK**Content:****application/yang-data+json:****Schema:****Reference:**

#/components/schemas/data\_cnbng\_cp\_user\_plane\_instance\_instance-instance-id\_user\_planes\_user\_plane\_user\_plane-rate\_subscriber-redundancy\_group\_group-rate\_group-rate'

'204':

**Description:** No Content**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**

- basicAuth: []

**put:****Tags:**- data  
- put**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance-id\_user\_planes\_user\_plane\_user\_plane-rate\_subscriber\_redundancy\_group\_group\_rate\_group\_rate\_put

**Parameters:**- **Name:** instance-instance-id**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32- **Name:** user-plane-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false

```

    Schema:
      Type: string
      Format: string
  - Name: group-group-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_user_plane_instance_instance_instance_id_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_group_name'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf group-name created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: group-name
delete:

  Tags:
  - data
  - delete
  Operation ID:
    data_cnbng_cp_user_plane_instance_instance_instance_id_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_group_name_delete

```

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**

- '204':  
  **Description:** No Content  
  **Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_group\_name\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32
- **Name:** user-plane-name  
**In:** path

**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string  
 - **Name:** group-group-name  
   **In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string

**Responses:**

'200':  
   **Description:** OK  
   **Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:**

data\_cpbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_group\_name\_head

**Parameters:**

- **Name:** instance-instance-id  
   **In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** integer  
   **Format:** int32  
 - **Name:** user-plane-name  
   **In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string  
 - **Name:** group-group-name  
   **In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

```
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
```

**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
 - patch

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_group\_name\_patch

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** user-plane-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** group-group-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

#!/openapi/3.0.1/data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_group\_name



**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf group-name updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** group-name

?

**/data/cnbng-cp:user-plane/instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/disable**  
: **get:**

**Tags:**

- data  
- get

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_disable\_get

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** user-plane-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** group-group-name

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false

```

**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

#/components/schemas/data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_disable'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**  
 - **basicAuth:** []

**put:**

**Tags:**  
 - data  
 - put

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_disable\_put

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true

**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** integer  
   **Format:** int32  
**- Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

```
'#/components/schemas/data-cnbng-cp-user-plane-instance-instance-id-user-planes-user-plane-user-plane-name-subscriber-redundancy-group-group-name-disable'
```

**Required/Optional:** true**Responses:****'201':****Description:** leaf disable created or replaced**Content:** {}**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}

```

security:
- basicAuth: []
x-codegen-request-body-name: disable
delete:

```

```

Tags:
- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_disable\_delete

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: group-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Responses:**

```

'204':
  Description: No Content
  Content: {}

```

```

security:
- basicAuth: []

```

**options:**

```

Tags:
- data
- options

```

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_disable\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string

**Responses:**

- '200':  
    **Description:** OK  
    **Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_disable\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple

```
    Explode: false
    Schema:
      Type: string
      Format: string
- Name: group-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
```

**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string

**Format:** enumeration

**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_crbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_disable\_patch

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** user-plane-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** group-group-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false



```

    Schema:
      Type: string
      Format: string
    Request Body:
      Content:
        application/yang-data+json:
          Schema:
            Reference:
              '#/components/schemas/data_cnbng_cp_user_plane_instance_instance-instance-id_user_planes_user_plane_user-plane-name_subscriber-redundancy_group_group-group-rate_disable'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf disable updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: disable
?
/data/cnbng-cp:user-plane/instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-rate}/standby-mode
: get:

  Tags:
  - data
  - get
  Operation ID:
    data_cnbng_cp_user_plane_instance_instance_instance-id_user_planes_user_plane_user-plane-name_subscriber_redundancy_group_group_group-rate_standby_mode_get

  Parameters:
  - Name: instance-instance-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer

```

- Format:** int32
- **Name:** user-plane-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** group-group-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response

```

Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          #/components/schemas/cnbng-cp-user-plane-instance-instance-id-user-planes-user-plane-user-plane-name-subscriber-redundancy-gmp-gmp-gmp-name-study-mode
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

```

**Tags:**

- data
- put

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_standby\_mode\_put

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

'#/components/schemas/data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_standby\_mode'

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf standby-mode created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

```

    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: standby-mode
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_standby\_mode\_delete

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: group-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Responses:**

```

'204':
  Description: No Content
  Content: {}
security:

```

- **basicAuth:** []  
**options:**

**Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_standby\_mode\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string

**Responses:**

'200':  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_standby\_mode\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path

**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**

**Type:** string  
**Format:** string  
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string  
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_cpbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_standby\_mode\_patch

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32  
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true



```

    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: group-group-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            #/components/schemas/data_cnbng_cp_user_plane_instance_instance-instance-id_user_planes_user_plane_user_plane-name_subscriber-redundancy_group-group-group-name_standby-mode
          Required/Optional: true

  Responses:
    '204':
      Description: leaf standby-mode updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: standby-mode
?
/data/cnbng_cp_user-plane/instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/subscriber-redundancy/group-group-group-name/preferred-role-active
: get:

  Tags:
  - data
  - get
  Operation ID:
    data_cnbng_cp_user_plane_instance_instance-instance-id_user_planes_user_plane_user_plane-name_subscriber_redundancy_group_group_group-name_preferred_role_active_get

```

**Parameters:**

- **Name:** instance-instance-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** int32
- **Name:** user-plane-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** group-group-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query

**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
   - report-all  
   - trim  
   - explicit  
   - report-all-tagged

**Responses:**

'200':  
**Description:** OK  
**Content:**  
  application/yang-data+json:  
  **Schema:**  
  **Reference:**

[#/components/schemas/data-cnbng-cp:user-plane/instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/subscriber-redundancy/gnpp/gnpp-params/preferences/active](#)

'204':  
**Description:** No Content  
**Content:** {}  
'400':  
**Description:** Bad Request  
**Content:** {}  
'401':  
**Description:** Unauthorized  
**Content:** {}  
'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

'409':  
**Description:** Conflict  
**Content:** {}

**security:**  
- **basicAuth:** []

**put:**

**Tags:**  
- data  
- put

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_preferred\_role\_active\_put

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false

**Schema:**  
**Type:** integer  
**Format:** int32

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false

**Schema:**  
**Type:** string  
**Format:** string

- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false

**Schema:**  
**Type:** string  
**Format:** string

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**

**Reference:**

#!/openapi/schemas/data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_preferred\_role\_active!

**Required/Optional:** true

**Responses:**

'201':

```

    Description: leaf preferred-role-active created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: preferred-role-active
delete:

```

**Tags:**

```

- data
- delete

```

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_preferred\_role\_active\_delete

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: group-group-name
  In: path
  Required/Optional: true
  Style: simple

```

**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**  
  **'204':**  
    **Description:** No Content  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**options:**

**Tags:**  
- data  
- options

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_preferred\_role\_active\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**  
  **'200':**  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_preferred\_role\_active\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true

**Schema:****Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** filter**In:** query**Description:** xpath expression to filter data nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** string**- Name:** with-defaults**In:** query**Description:** controlling default values in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** report-all**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_preferred\_role\_active\_patch

**Parameters:****- Name:** instance-instance-id



```

    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32
  - Name: user-plane-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: group-group-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
#/components/schemas/data-cnbng-cp:user-plane/instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/subscriber-redundancy/group-group-name/preferred-role-active'
    Required/Optional: true

Responses:
  '204':
    Description: leaf preferred-role-active updated
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:

```

```

- basicAuth: []
x-codegen-request-body-name: preferred-role-active
?
/data/cnbng-cp:user-plane/instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/revertive-timer
: get:

Tags:
- data
- get

Operation ID:
data_cnbng_cp_user_plane_instance_instance_instance_id_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_revertive_timer_get

```

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
    - config  
    - nonconfig  
    - all
- **Name:** depth

**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

'200':

**Description:** OK**Content:**

application/yang-data+json:

**Schema:****Reference:**

```
#!/usr/bin/perl -s
# /data/cnbng-cp:user-plane/instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/subscriber-redundancy/gmp/gmp-gmp-prime/active-time'
```

'204':

**Description:** No Content

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Operation ID:
  data_cnbng_cp_user_plane_instance_instance_instance_id_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_revertive_timer_put

```

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: group-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string

```

**Request Body:**

**Content:**  
 application/yang-data+json:  
**Schema:**  
**Reference:**

#/components/schemas/data-cnbng-cp-user-plane-instance-instance-id-user-planes-user-plane-user-plane-name-subscriber-redundancy-group-group-group-name-revertive-timer

**Required/Optional:** true

**Responses:**

'201':  
**Description:** leaf revertive-timer created or replaced  
**Content:** {}  
 '204':  
**Description:** No Content  
**Content:** {}  
 '400':  
**Description:** Bad Request  
**Content:** {}  
 '401':  
**Description:** Unauthorized  
**Content:** {}  
 '404':  
**Description:** Not Found  
**Content:** {}  
 '405':  
**Description:** Method Not Allowed  
**Content:** {}  
 '409':  
**Description:** Conflict  
**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** revertive-timer

**delete:**

**Tags:**

- data  
 - delete

**Operation ID:**

data-cnbng-cp-user-plane-instance-instance-id-user-planes-user-plane-user-plane-name-subscriber-redundancy-group-group-group-name-revertive-timer-delete

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32  
 - **Name:** user-plane-name  
**In:** path

**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string  
 - **Name:** group-group-name  
   **In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string

**Responses:**

'204':  
   **Description:** No Content  
   **Content:** {}

**security:**

- **basicAuth:** []

**options:**

**Tags:**

- data  
- options

**Operation ID:**

data\_cpbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_reactive\_timer\_options

**Parameters:**

- **Name:** instance-instance-id  
   **In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** integer  
   **Format:** int32  
 - **Name:** user-plane-name  
   **In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string  
 - **Name:** group-group-name  
   **In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

**Type:** string  
**Format:** string

**Responses:**

'200':

**Description:** OK

**Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
 - head

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_reactive\_timer\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config

```

    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []

```



**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_revertive\_timer\_patch

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

"/components/schemas/data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_revertive\_timer"

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf revertive-timer updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

```

    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: revertive-timer
?
/data/cnbng-cp:user-plane/instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/chain-identifier
: get:

  Tags:
  - data
  - get
  Operation ID:
data_cnbng_cp_user_plane_instance_instance_instance_id_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_chain_identifier_get

```

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form

**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** config  
  **enum:**  
  - config  
  - nonconfig  
  - all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** integer  
  **Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

```

'200':
  Description: OK
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          '#/components/schemas/data-cnbng-cp-user-plane-instance-instance-id-user-planes-user-plane-user-plane-name-subscriber-redundancy-group-group-name-domain-identifier'

'204':
  Description: No Content
  Content: {}

'400':
  Description: Bad Request
  Content: {}

'401':
  Description: Unauthorized
  Content: {}

'404':
  Description: Not Found
  Content: {}

'405':
  Description: Method Not Allowed
  Content: {}

'409':
  Description: Conflict
  Content: {}

security:
- basicAuth: []

put:

  Tags:
  - data
  - put

  Operation ID:
    data-cnbng-cp-user-plane-instance-instance-id-user-planes-user-plane-user-plane-name-subscriber-redundancy-group-group-name-domain-identifier.put

  Parameters:
  - Name: instance-instance-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32
  - Name: user-plane-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string

```

```

    Format: string
  - Name: group-group-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data-cnbng-cp-user-plane-instance-instance-id-user-planes-user-plane-user-plane-name-subscriber-redundancy-group-group-name-domain-identifier'

    Required/Optional: true

  Responses:
    '201':
      Description: leaf domain-identifier created or replaced
      Content: {}
    '204':
      Description: No Content
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: domain-identifier
delete:

  Tags:
  - data
  - delete
  Operation ID:
    data_cnbng_cp_user_plane_instance_instance_instance_id_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_domain_identifier_delete

  Parameters:

```

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string

**Responses:**

- '204':  
    **Description:** No Content  
    **Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_domain\_identifier\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple

**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

**Responses:**  
'200':  
**Description:** OK  
**Content:** {}  
**security:**  
- **basicAuth:** []

**head:**

**Tags:**  
- data  
- head

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_group\_rate\_drain\_identifier\_head

**Parameters:**  
- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32  
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string  
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**



- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK**Content:** {}**security:**

- **basicAuth:** []

**patch:****Tags:**

- data
- patch

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_domain\_identifier\_patch

**Parameters:**

- **Name:** instance-instance-id

**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32

- **Name:** user-plane-name

**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string

- **Name:** group-group-name

**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** string**Format:** string**Request Body:****Content:****application/yang-data+json:****Schema:****Reference:**

#/components/schemas/data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_domain\_identifier

**Required/Optional:** true

**Responses:**

'204':  
**Description:** leaf domain-identifier updated  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

'409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** domain-identifier

?

~~/data/cnbng-cp:user-plane/instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/peer-identifier~~  
**get:**

**Tags:**

- data  
 - get

**Operation ID:**

~~data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_peer\_identifier\_get~~

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true

```
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
```

**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
 - report-all  
 - trim  
 - explicit  
 - report-all-tagged

**Responses:**

**'200':**  
**Description:** OK  
**Content:**  
 application/yang-data+json:  
 Schema:  
 Reference:

#/components/schemas/data-cnbng-cp-user-plane-instance-instance-id-user-planes-user-plane-user-plane-name-subscriber-redundancy-group-group-group-rate-peer-identifier'

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**  
**Description:** Method Not Allowed  
**Content:** {}  
**'409':**  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**put:****Tags:**

- data  
 - put

**Operation ID:**

data-cnbng-cp-user-plane-instance-instance-id-user-planes-user-plane-user-plane-name-subscriber-redundancy-group-group-group-rate-peer-identifier-put

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false

```

Schema:
  Type: integer
  Format: int32
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: group-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          "/comets/schemas/data/cnbng-cp:user-plane/instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/subscriber-redundancy/group-group-name/peer-identifier"
          Required/Optional: true

Responses:
  '201':
    Description: leaf peer-identifier created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []

```

**x-codegen-request-body-name:** peer-identifier  
**delete:**

**Tags:**

- data
- delete

**Operation ID:**

data\_crbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_peer\_identifier\_delete

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** integer
  - Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**
  - Type:** string
  - Format:** string

**Responses:**

- '204':  
**Description:** No Content  
**Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data\_crbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_peer\_identifier\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path

**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** integer  
   **Format:** int32  
 - **Name:** user-plane-name  
   **In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string  
 - **Name:** group-group-name  
   **In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string

**Responses:**

'200':  
   **Description:** OK  
   **Content:** {}

**security:**

- **basicAuth:** []

**head:****Tags:**

- data  
- head

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_peer\_identifier\_head

**Parameters:**

- **Name:** instance-instance-id  
   **In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** integer  
   **Format:** int32  
 - **Name:** user-plane-name  
   **In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**

- Type:** string
  - Format:** string
- **Name:** group-group-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults



**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**  
**'200':**  
**Description:** OK  
**Content:** {}  
**security:**  
- **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_peer\_identifier\_patch

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string

```

    Format: string
  Request Body:
    Content:
      application/yang-data+json:
        Schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_user_plane_instance_instance-instance-id_user_planes_user_plane_user-plane-name_subscriber-redundancy_group_group-group-name_peer-identifier'

    Required/Optional: true

  Responses:
    '204':
      Description: leaf peer-identifier updated
      Content: {}
    '400':
      Description: Bad Request
      Content: {}
    '401':
      Description: Unauthorized
      Content: {}
    '404':
      Description: Not Found
      Content: {}
    '405':
      Description: Method Not Allowed
      Content: {}
    '409':
      Description: Conflict
      Content: {}
  security:
    - basicAuth: []
  x-codegen-request-body-name: peer-identifier
?
/data/cnbng-cp:user-plane/instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map
: get:

  Tags:
  - data
  - get
  Operation ID:
    data_cnbng_cp_user_plane_instance_instance_instance-id_user_planes_user_plane_user-plane-name_subscriber_redundancy_group_group_group-name_port_id_map_get

  Parameters:
  - Name: instance-instance-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32
  - Name: user-plane-name

```

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: group-group-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form

```

**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string  
- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**

'200':  
  **Description:** OK  
  **Content:**  
    **application/yang-data+json:**  
      **Schema:**  
      **Reference:**

'#/components/schemas/data-cnbng-cp-user-plane-instance-instance-id-user-planes-user-plane-user-plane-name-subscriber-redundancy-gmp-gmp-gmp-name-port-id-mp'

'204':  
  **Description:** No Content  
  **Content:** {}  
'400':  
  **Description:** Bad Request  
  **Content:** {}  
'401':  
  **Description:** Unauthorized  
  **Content:** {}  
'404':  
  **Description:** Not Found  
  **Content:** {}  
'405':  
  **Description:** Method Not Allowed  
  **Content:** {}  
'409':  
  **Description:** Conflict  
  **Content:** {}

**security:**  
- **basicAuth:** []

**put:**

**Tags:**  
- data

- put

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_port\_id\_map\_put

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** user-plane-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** group-group-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

**Request Body:**

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

"/components/schemas/data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_port\_id\_map"

**Required/Optional:** true

**Responses:**

'201':

**Description:** container port-id-map created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

```

    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: port-id-map
Method: Post

Tags:
- data
- post
Operation ID:
data_crbng_cp_user_plane_instance_instance_instance_id_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_port_id_map_post

Parameters:
- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: group-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference:
      %/components/schemas/data_crbng_cp_user_plane_instance_instance_instance_id_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_port_id_map_post
    Required/Optional: true

```

**Responses:**

'201':  
**Description:** container port-id-map created  
**Content:** {}

'204':  
**Description:** No Content  
**Content:** {}

'400':  
**Description:** Bad Request  
**Content:** {}

'401':  
**Description:** Unauthorized  
**Content:** {}

'404':  
**Description:** Not Found  
**Content:** {}

'405':  
**Description:** Method Not Allowed  
**Content:** {}

'409':  
**Description:** Conflict  
**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** port-id-map

**delete:****Tags:**

- data  
 - delete

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_port\_id\_map\_delete

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** group-group-name

**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**

**'204':**  
  **Description:** No Content  
  **Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Operation ID:**

data\_cpb\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_port\_id\_map\_options

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** integer  
  **Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  **Type:** string  
  **Format:** string

**Responses:**

**'200':**  
  **Description:** OK  
  **Content:** {}



**security:**  
 - **basicAuth:** []  
**head:**

**Tags:**

- data
- head

**Operation ID:**

data\_cnbng\_cp\_user\_plane\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_port\_id\_map\_head

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** integer
  - Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
  - Type:** string
  - Format:** string
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  - Type:** string
  - Format:** enumeration
  - Default:** config
  - enum:**
    - config
    - nonconfig
    - all
- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** integer  
     **Format:** uint16  
**- Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
     **Type:** string  
     **Format:** enumeration  
     **Default:** report-all  
     **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

**Responses:**

'200':  
     **Description:** OK  
     **Content:** {}

**security:**

- **basicAuth:** []

**patch:****Tags:**

- data  
- patch

**Operation ID:**

data\_crbng\_cp\_user\_plane\_instance\_instance\_instance\_id\_user\_planes\_user\_plane\_user\_plane\_name\_subscriber\_redundancy\_group\_group\_group\_name\_port\_id\_rep\_patch

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string

**Request Body:****Content:**

application/yang-data+json:

**Schema:****Reference:**

```

#/components/schemas/cnbng-cp-user-plane-instance-instance-id-user-planes-user-plane-user-plane-name-subscriber-redundancy-group-group-name-port-id-map

```

**Required/Optional:** true**Responses:****'204':****Description:** container port-id-map updated**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}

```

    '409':
      Description: Conflict
      Content: {}
    security:
      - basicAuth: []
    x-codegen-request-body-name: port-id-map
  ?
/data/cnbng-cp:user-plane/instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/port-name
: options:

  Tags:
  - data
  - options
  Operation ID:
data_cnbng_cp_user_plane_instance_instance_id_user_planes_user_plane_user_plane_name_subscriber_redundancy_group_group_group_name_port_id_map_port_name_options

  Parameters:
  - Name: instance-instance-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: int32
  - Name: user-plane-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: group-group-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string

  Responses:
    '200':
      Description: OK
      Content: {}
    security:
      - basicAuth: []
  ?
/data/cnbng-cp:user-plane/instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/subscriber-redundancy/group={group-group-name}/port-id-map/port-name/port-id
: get:

```



```

Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

```

**Responses:**

'200':

**Description:** OK**Content:**

application/yang-data+json:

**Schema:****Reference:**~~#/operations/data/cnbng-cp:instance-id/user-planes/user-plane={user-plane-name}/subscriber-redundancy~~

'204':

**Description:** No Content**Content:** {}

'400':

**Description:** Bad Request**Content:** {}

'401':

**Description:** Unauthorized**Content:** {}

'404':

**Description:** Not Found**Content:** {}

'405':

**Description:** Method Not Allowed**Content:** {}

'409':

**Description:** Conflict**Content:** {}**security:**

- basicAuth: []

**put:****Tags:**

- data

- put

**Operation ID:**~~data/cnbng-cp:instance-id/user-planes/user-plane={user-plane-name}/subscriber-redundancy~~**Parameters:**- **Name:** instance-instance-id**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32- **Name:** user-plane-name**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:**

```

    Type: string
    Format: string
- Name: group-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: port-name-port-id-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: port-name-port-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
- Name: insert
  In: query
  Description: controlling the order when adding new list elements
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: first
    enum:
      - first
      - last
      - before
      - after
- Name: point
  In: query
  Description: used to specify the insertion point
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
Request Body:
Content:

```



**application/yang-data+json:****Schema:****Reference:**~~#/operations/delete-user-plane/instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/subscriber-redundancy/operation={operation-id}/response={response-id}~~**Required/Optional:** true**Responses:****'201':****Description:** list port-name created or replaced**Content:** {}**'204':****Description:** No Content**Content:** {}**'400':****Description:** Bad Request**Content:** {}**'401':****Description:** Unauthorized**Content:** {}**'404':****Description:** Not Found**Content:** {}**'405':****Description:** Method Not Allowed**Content:** {}**'409':****Description:** Conflict**Content:** {}**security:****- basicAuth:** []**x-codegen-request-body-name:** port-name**delete:****Tags:**

- data
- delete

**Operation ID:**~~data/cnbng-cp:instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/subscriber-redundancy/operation={operation-id}/response={response-id}/delete~~**Parameters:****- Name:** instance-instance-id**In:** path**Required/Optional:** true**Style:** simple**Explode:** false**Schema:****Type:** integer**Format:** int32**- Name:** user-plane-name**In:** path**Required/Optional:** true

**Style:** simple  
**Explode:** false  
**Schema:**  
   **Type:** string  
   **Format:** string  
 - **Name:** group-group-name  
   **In:** path  
   **Required/Optional:** true  
   **Style:** simple  
   **Explode:** false  
   **Schema:**  
     **Type:** string  
     **Format:** string  
 - **Name:** port-name-port-id-name  
   **In:** path  
   **Required/Optional:** true  
   **Style:** simple  
   **Explode:** false  
   **Schema:**  
     **Type:** string  
     **Format:** string  
 - **Name:** port-name-port-id  
   **In:** path  
   **Required/Optional:** true  
   **Style:** simple  
   **Explode:** false  
   **Schema:**  
     **Type:** integer  
     **Format:** uint32

**Responses:**

'204':  
   **Description:** No Content  
   **Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data  
- options

**Operation ID:**

~~data/cnbng-cp:instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/subscriber-redundancy/gopogopopraeotidrapoetraeotidraeotraeotidgthos~~

**Parameters:**

- **Name:** instance-instance-id  
   **In:** path  
   **Required/Optional:** true  
   **Style:** simple  
   **Explode:** false  
   **Schema:**  
     **Type:** integer

```

    Format: int32
  - Name: user-plane-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: group-group-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: port-name-port-id-name
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: string
      Format: string
  - Name: port-name-port-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false
    Schema:
      Type: integer
      Format: uint32

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []

```

**head:****Tags:**

```

- data
- head

```

**Operation ID:**

data/cnbng-cp:instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/subscriber-redundancy-group-group-name={group-group-name}/port-name-port-id={port-name-port-id}

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true

```

```

Style: simple
Explode: false
Schema:
  Type: integer
  Format: int32
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: group-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: port-name-port-id-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: port-name-port-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
      - config
      - nonconfig
      - all
- Name: depth

```

```

In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: filter
In: query
Description: xpath expression to filter data nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: string
- Name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: report-all
  enum:
  - report-all
  - trim
  - explicit
  - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
  - data
  - patch

```



**Required/Optional:** true

**Responses:**

'204':

**Description:** list port-name updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** port-name

?

**data/cnbng-cp:instance={instance-id}/user-planes/user-plane={user-plane-name}/subscriber-redundancy**  
**get:**

**Tags:**

- data  
 - get

**Operation ID:**

**data/cnbng-cp:instance={instance-id}/user-planes/user-plane={user-plane-name}/subscriber-redundancy**

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** user-plane-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** group-group-name

```

In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: port-name-port-id-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: port-name-port-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: integer
  Format: uint32
- Name: content
In: query
Description: controlling descendant nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: string
  Format: enumeration
  Default: config
  enum:
    - config
    - nonconfig
    - all
- Name: depth
In: query
Description: limit the depth of nodes in response
Required/Optional: false
Style: form
Explode: true
Schema:
  Type: integer
  Format: uint16
- Name: fields
In: query
Description: optionally identify specific data nodes in response
Required/Optional: false
Style: form
Explode: true

```



**Schema:**

**Type:** string  
**Format:** string

- **Name:** filter

**In:** query

**Description:** xpath expression to filter data nodes in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string  
**Format:** string

- **Name:** with-defaults

**In:** query

**Description:** controlling default values in response

**Required/Optional:** false

**Style:** form

**Explode:** true

**Schema:**

**Type:** string  
**Format:** enumeration  
**Default:** report-all

**enum:**

- report-all
- trim
- explicit
- report-all-tagged

**Responses:**

'200':

**Description:** OK

**Content:**

application/yang-data+json:

**Schema:**

**Reference:**

~~#/data/cnbng-cp:user-plane/instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/subscriber-redundancy/operation=report-all-tagged~~

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data

- put

**Operation ID:**

~~data-cnbng-cp-instance-instance-id-user-planes-user-plane-name-subscriber-redundancy-post~~

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** user-plane-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** group-group-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** port-name-port-id-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** port-name-port-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** uint32

**Request Body:**

**Content:**

**application/yang-data+json:**

**Schema:**

**Reference:**

~~#/data/cnbng-cp:user-plane/instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/subscriber-redundancy~~

**Required/Optional:** true

**Responses:**

'201':

**Description:** leaf port-id-name created or replaced

**Content:** {}

'204':

**Description:** No Content

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**x-codegen-request-body-name:** port-id-name

**delete:**

**Tags:**

- data
- delete

**Operation ID:**

~~data/cnbng-cp:user-plane/instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/subscriber-redundancy~~

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** port-name-port-id-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** port-name-port-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** uint32

**Responses:**

- '204':  
    **Description:** No Content  
    **Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

~~data/cnbng-cp:instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/subscriber-redundancy~~

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple

```

Explode: false
Schema:
  Type: integer
  Format: int32
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: group-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: port-name-port-id-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: port-name-port-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32

```

**Responses:**

```

'200':
  Description: OK
  Content: {}

```

**security:**

```

- basicAuth: []

```

**head:****Tags:**

```

- data
- head

```

**Operation ID:**

~~data/cnbng-cp:instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/subscriber-redundancy/group-group-name={group-group-name}/port-name-port-id={port-name-port-id-name}/port-name-port-id={port-name-port-id}~~

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** port-name-port-id-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** port-name-port-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** uint32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string  
    **Format:** enumeration  
    **Default:** config  
    **enum:**  
    - config

```

    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: filter
  In: query
  Description: xpath expression to filter data nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: string
- Name: with-defaults
  In: query
  Description: controlling default values in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: report-all
    enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
patch:
```

**Tags:**

- data
- patch

**Operation ID:**

~~data/cnbng-cp:instance-instance-id/user-planes/user-plane={user-plane-name}/subscriber-redundancy~~

**Parameters:**

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** port-name-port-id-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** string  
**Format:** string
- **Name:** port-name-port-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
**Type:** integer  
**Format:** uint32

**Request Body:****Content:**

application/yang-data+json:

**Schema:**



**Reference:**

~~#/data/cnbng-cp:user-plane/instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/subscriber-redundancy~~

**Required/Optional:** true

**Responses:**

'204':

**Description:** leaf port-id-name updated

**Content:** {}

'400':

**Description:** Bad Request

**Content:** {}

'401':

**Description:** Unauthorized

**Content:** {}

'404':

**Description:** Not Found

**Content:** {}

'405':

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- basicAuth: []

**x-codegen-request-body-name:** port-id-name

?

~~#/data/cnbng-cp:user-plane/instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/subscriber-redundancy~~

**get:**

**Tags:**

- data

- get

**Operation ID:**

~~data/cnbng-cp:user-plane/instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/subscriber-redundancy~~

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** user-plane-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

- Type:** string
  - Format:** string
- **Name:** group-group-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** port-name-port-id-name
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** port-name-port-id
  - In:** path
  - Required/Optional:** true
  - Style:** simple
  - Explode:** false
  - Schema:**
    - Type:** integer
    - Format:** uint32
- **Name:** content
  - In:** query
  - Description:** controlling descendant nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** config
    - enum:**
      - config
      - nonconfig
      - all
- **Name:** depth
  - In:** query
  - Description:** limit the depth of nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** integer
    - Format:** uint16
- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** string  
**- Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
   **Type:** string  
   **Format:** enumeration  
   **Default:** report-all  
   **enum:**  
     - report-all  
     - trim  
     - explicit  
     - report-all-tagged

#### Responses:

**'200':**  
**Description:** OK  
**Content:**  
   application/yang-data+json:  
     **Schema:**  
       **Reference:**

[#/data/cnbng-cp:user-plane/instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/subscriber-redundancy/operation-report/operation-report-id](#)

**'204':**  
**Description:** No Content  
**Content:** {}  
**'400':**  
**Description:** Bad Request  
**Content:** {}  
**'401':**  
**Description:** Unauthorized  
**Content:** {}  
**'404':**  
**Description:** Not Found  
**Content:** {}  
**'405':**

**Description:** Method Not Allowed

**Content:** {}

'409':

**Description:** Conflict

**Content:** {}

**security:**

- **basicAuth:** []

**put:**

**Tags:**

- data

- put

**Operation ID:**

data-by-user-plane/instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/subscriber-redundancy-group-id={group-id}/port-name={port-name}/port-id={port-id}

**Parameters:**

- **Name:** instance-instance-id

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** integer

**Format:** int32

- **Name:** user-plane-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** group-group-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** port-name-port-id-name

**In:** path

**Required/Optional:** true

**Style:** simple

**Explode:** false

**Schema:**

**Type:** string

**Format:** string

- **Name:** port-name-port-id

**In:** path

**Required/Optional:** true

**Style:** simple

```

Explode: false
Schema:
  Type: integer
  Format: uint32
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference:
          #/operations/data/cnbng-cp:instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/subscriber-redundancy
  Required/Optional: true

Responses:
  '201':
    Description: leaf port-id created or replaced
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
  - basicAuth: []
x-codegen-request-body-name: port-id
delete:

Tags:
  - data
  - delete
Operation ID:
  data/cnbng-cp:instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/subscriber-redundancy

Parameters:
  - Name: instance-instance-id
    In: path
    Required/Optional: true
    Style: simple
    Explode: false

```

**Schema:**

- Type:** integer
- Format:** int32
- **Name:** user-plane-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string
- **Name:** group-group-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string
- **Name:** port-name-port-id-name
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** string
  - Format:** string
- **Name:** port-name-port-id
- In:** path
- Required/Optional:** true
- Style:** simple
- Explode:** false
- Schema:**
  - Type:** integer
  - Format:** uint32

**Responses:**

- '204':
- Description:** No Content
- Content:** {}

**security:**

- **basicAuth:** []

**options:****Tags:**

- data
- options

**Operation ID:**

data/cnbng-cp:instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/subscriber-redundancy

**Parameters:**

- **Name:** instance-instance-id

```
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: integer
  Format: int32
- Name: user-plane-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: group-group-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: port-name-port-id-name
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: string
  Format: string
- Name: port-name-port-id
In: path
Required/Optional: true
Style: simple
Explode: false
Schema:
  Type: integer
  Format: uint32

Responses:
  '200':
    Description: OK
    Content: {}
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Operation ID:
```

data/cnbng-cp:instance={instance-instance-id}/user-planes/user-plane={user-plane-name}/subscriber-redundancy

#### Parameters:

- **Name:** instance-instance-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** int32
- **Name:** user-plane-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** group-group-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** port-name-port-id-name  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** string  
    **Format:** string
- **Name:** port-name-port-id  
**In:** path  
**Required/Optional:** true  
**Style:** simple  
**Explode:** false  
**Schema:**  
    **Type:** integer  
    **Format:** uint32
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
    **Type:** string



**Format:** enumeration  
**Default:** config  
**enum:**  
- config  
- nonconfig  
- all

- **Name:** depth  
**In:** query  
**Description:** limit the depth of nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** integer  
**Format:** uint16

- **Name:** fields  
**In:** query  
**Description:** optionally identify specific data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** report-all  
**enum:**  
- report-all  
- trim  
- explicit  
- report-all-tagged

**Responses:**  
**'200':**  
**Description:** OK  
**Content:** {}

```

security:
- basicAuth: []
patch:

```

**Tags:**

```

- data
- patch

```

**Operation ID:**

```

data-cnbng-cp:instance-id=instance-id/user-planes/user-plane-name=user-plane-name/subscriber-redundancy

```

**Parameters:**

```

- Name: instance-instance-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: int32
- Name: user-plane-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: group-group-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: port-name-port-id-name
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: string
    Format: string
- Name: port-name-port-id
  In: path
  Required/Optional: true
  Style: simple
  Explode: false
  Schema:
    Type: integer
    Format: uint32

```

**Request Body:**

**Content:**  
**application/yang-data+json:**  
**Schema:**  
**Reference:**  
~~#/data/cnbng-cp:coverage~~

**Required/Optional:** true

**Responses:**

- '204':
  - Description:** leaf port-id updated
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':
  - Description:** Unauthorized
  - Content:** {}
- '404':
  - Description:** Not Found
  - Content:** {}
- '405':
  - Description:** Method Not Allowed
  - Content:** {}
- '409':
  - Description:** Conflict
  - Content:** {}

**security:**  
- basicAuth: []  
**x-codegen-request-body-name:** port-id

## /data/cnbng-cp:coverage

**get:**

**Tags:**  
- data  
- get  
**Operation ID:** data\_cnbng\_cp\_coverage\_get

**Parameters:**  
- **Name:** content  
**In:** query  
**Description:** controlling descendant nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
**Type:** string  
**Format:** enumeration  
**Default:** config

- enum:
    - config
    - nonconfig
    - all
- Name: depth
  - In: query
  - Description: limit the depth of nodes in response
  - Required/Optional: false
  - Style: form
  - Explode: true
  - Schema:
    - Type: integer
    - Format: uint16
- Name: fields
  - In: query
  - Description: optionally identify specific data nodes in response
  - Required/Optional: false
  - Style: form
  - Explode: true
  - Schema:
    - Type: string
    - Format: string
- Name: filter
  - In: query
  - Description: xpath expression to filter data nodes in response
  - Required/Optional: false
  - Style: form
  - Explode: true
  - Schema:
    - Type: string
    - Format: string
- Name: with-defaults
  - In: query
  - Description: controlling default values in response
  - Required/Optional: false
  - Style: form
  - Explode: true
  - Schema:
    - Type: string
    - Format: enumeration
    - Default: report-all
    - enum:
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

- '200':
  - Description: OK
  - Content:
    - application/yang-data+json:
      - Schema:

```
      Reference: '#/components/schemas/data_cnbng-cp_coverage'
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_coverage_put
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_coverage'
    Required/Optional: true

Responses:
'201':
  Description: container coverage created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
```

```

    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: coverage
Method: Post

Tags:
- data
- post
Operation ID: data_cnbng_cp_coverage_post
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_coverage-post'
      Required/Optional: true

Responses:
  '201':
    Description: container coverage created
    Content: {}
  '204':
    Description: No Content
    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
  security:
  - basicAuth: []
  x-codegen-request-body-name: coverage
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_coverage_delete

Responses:
```

```
'204':
  Description: No Content
  Content: {}
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Operation ID: data_cnbng_cp_coverage_options

Responses:
'200':
  Description: OK
  Content: {}
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Operation ID: data_cnbng_cp_coverage_head

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16
- Name: fields
  In: query
  Description: optionally identify specific data nodes in response
  Required/Optional: false
  Style: form
```

```

    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: filter
    In: query
    Description: xpath expression to filter data nodes in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: string
  - Name: with-defaults
    In: query
    Description: controlling default values in response
    Required/Optional: false
    Style: form
    Explode: true
    Schema:
      Type: string
      Format: enumeration
      Default: report-all
      enum:
        - report-all
        - trim
        - explicit
        - report-all-tagged

Responses:
  '200':
    Description: OK
    Content: {}
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Operation ID: data_cnbng_cp_coverage_patch
Request Body:
  Content:
    application/yang-data+json:
      Schema:
        Reference: '#/components/schemas/data_cnbng-cp_coverage'
      Required/Optional: true

Responses:
  '204':
    Description: container coverage updated
    Content: {}
  '400':

```



```

    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: coverage

```

## /data/cnbng-cp:coverage/container-stop

**get:**

```

Tags:
- data
- get
Operation ID: data_cnbng_cp_coverage_container_stop_get

Parameters:
- Name: content
  In: query
  Description: controlling descendant nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: string
    Format: enumeration
    Default: config
    enum:
    - config
    - nonconfig
    - all
- Name: depth
  In: query
  Description: limit the depth of nodes in response
  Required/Optional: false
  Style: form
  Explode: true
  Schema:
    Type: integer
    Format: uint16

```

- **Name:** fields
  - In:** query
  - Description:** optionally identify specific data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** filter
  - In:** query
  - Description:** xpath expression to filter data nodes in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** string
- **Name:** with-defaults
  - In:** query
  - Description:** controlling default values in response
  - Required/Optional:** false
  - Style:** form
  - Explode:** true
  - Schema:**
    - Type:** string
    - Format:** enumeration
    - Default:** report-all
    - enum:**
      - report-all
      - trim
      - explicit
      - report-all-tagged

**Responses:**

- '200':
  - Description:** OK
  - Content:**
    - application/yang-data+json:**
      - Schema:**
        - Reference:** '#/components/schemas/data\_cnbng-cp\_coverage\_container-stop'
- '204':
  - Description:** No Content
  - Content:** {}
- '400':
  - Description:** Bad Request
  - Content:** {}
- '401':
  - Description:** Unauthorized
  - Content:** {}
- '404':
  - Description:** Not Found

```
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
put:

Tags:
- data
- put
Operation ID: data_cnbng_cp_coverage_container_stop_put
Request Body:
Content:
  application/yang-data+json:
    Schema:
      Reference: '#/components/schemas/data_cnbng-cp_coverage_container-stop'
    Required/Optional: true

Responses:
'201':
  Description: leaf container-stop created or replaced
  Content: {}
'204':
  Description: No Content
  Content: {}
'400':
  Description: Bad Request
  Content: {}
'401':
  Description: Unauthorized
  Content: {}
'404':
  Description: Not Found
  Content: {}
'405':
  Description: Method Not Allowed
  Content: {}
'409':
  Description: Conflict
  Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: container-stop
delete:

Tags:
- data
- delete
Operation ID: data_cnbng_cp_coverage_container_stop_delete
```

**Responses:****'204':****Description:** No Content**Content:** {}**security:****- basicAuth:** []**options:****Tags:**

- data
- options

**Operation ID:** data\_cnbng\_cp\_coverage\_container\_stop\_options**Responses:****'200':****Description:** OK**Content:** {}**security:****- basicAuth:** []**head:****Tags:**

- data
- head

**Operation ID:** data\_cnbng\_cp\_coverage\_container\_stop\_head**Parameters:****- Name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** string**Format:** enumeration**Default:** config**enum:**

- config
- nonconfig
- all

**- Name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Style:** form**Explode:** true**Schema:****Type:** integer**Format:** uint16**- Name:** fields**In:** query**Description:** optionally identify specific data nodes in response

**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** filter  
**In:** query  
**Description:** xpath expression to filter data nodes in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** string

- **Name:** with-defaults  
**In:** query  
**Description:** controlling default values in response  
**Required/Optional:** false  
**Style:** form  
**Explode:** true  
**Schema:**  
  **Type:** string  
  **Format:** enumeration  
  **Default:** report-all  
  **enum:**  
  - report-all  
  - trim  
  - explicit  
  - report-all-tagged

**Responses:**  
  '200':  
    **Description:** OK  
    **Content:** {}  
  **security:**  
  - **basicAuth:** []

**patch:**

**Tags:**  
- data  
- patch

**Operation ID:** data\_cnbng\_cp\_coverage\_container\_stop\_patch

**Request Body:**  
**Content:**  
  **application/yang-data+json:**  
    **Schema:**  
      **Reference:** '#/components/schemas/data\_cnbng-cp\_coverage\_container-stop'  
**Required/Optional:** true

**Responses:**  
  '204':  
    **Description:** leaf container-stop updated

```

    Content: {}
  '400':
    Description: Bad Request
    Content: {}
  '401':
    Description: Unauthorized
    Content: {}
  '404':
    Description: Not Found
    Content: {}
  '405':
    Description: Method Not Allowed
    Content: {}
  '409':
    Description: Conflict
    Content: {}
security:
- basicAuth: []
x-codegen-request-body-name: container-stop

```

## Components

```

schemas:
  data:
    Type: object
    Properties:
      ietf-restconf:data:
        Type: object
        Properties: {}
        Description: This resource represents the combined configuration and state
          data resources that can be accessed by a client and cannot be created
          or deleted by the client. See RESTCONF RFC 8040 for further information.
        x-yang:
          Type: datastore
      data-post:
        Type: object
        Properties:
          cnbng-cp:profile:
            Reference: '#/components/schemas/datapost_cnbngcpprofile'
          cnbng-cp:user-plane:
            Reference: '#/components/schemas/datapost_cnbngcpuserplane'
          cnbng-cp:coverage:
            Reference: '#/components/schemas/datapost_cnbngcpcoverage'
      data-put-patch:
        Type: object
        Properties:
          ietf-restconf:data:
            Reference: '#/components/schemas/dataputpatch_ietfrestconfdata'
      data_cnbng_cp_coverage:

```

```

Type: object
Properties:
  cnbng-cp:coverage:
    Reference: '#/components/schemas/datapost_cnbngcpcoverage'
data_cnbng-cp_coverage-post:
Type: object
Properties:
  cnbng-cp:container-stop:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
data_cnbng-cp_coverage_container-stop:
Type: object
Properties:
  cnbng-cp:container-stop:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
data_cnbng-cp_profile:
Type: object
Properties:
  cnbng-cp:profile:
    Reference: '#/components/schemas/datapost_cnbngcprofile'
data_cnbng-cp_profile-post:
Type: object
Properties:
  cnbng-cp:dhcp:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcprofile_dhcp'
    x-yang:
      Type: list
  cnbng-cp:pppoe:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcprofile_pppoe'
    x-yang:
      Type: list
  cnbng-cp:aaa:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcprofile_aaa'
    x-yang:
      Type: list

```

```

cnbng-cp:server-group:
  Type: array
  Description: (list)
  Items:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_servergroup'
  x-yang:
    Type: list
cnbng-cp:attribute-format:
  Type: array
  Description: (list)
  Items:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_attributeformat'
  x-yang:
    Type: list
cnbng-cp:subscriber:
  Type: array
  Description: (list)
  Items:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_subscriber'
  x-yang:
    Type: list
cnbng-cp:feature-template:
  Type: array
  Description: (list)
  Items:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_featuretemplate'
  x-yang:
    Type: list
cnbng-cp:l2tp:
  Type: array
  Description: (list)
  Items:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_l2tp'
  x-yang:
    Type: list
cnbng-cp:radius:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_radius'
cnbng-cp:coa:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_coa'
data_cnbng-cp_profile_aaa_aaa-name:
  Type: object
  Properties:
    cnbng-cp:aaa:
      Type: array
      Description: (list)
      Items:
        Reference: '#/components/schemas/datapost_cnbngcpprofile_aaa'
      x-yang:
        Type: list
data_cnbng-cp_profile_aaa_aaa-name_accounting:
  Type: object

```



```

Properties:
  cnbng-cp:accounting:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_accounting'
data_cnbng-cp_profile_aaa_aaa-name_accounting-post:
Type: object
Properties:
  cnbng-cp:method-order:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: union
    x-yang:
      Type: leaf-list
  cnbng-cp:service:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_accounting_service'
  cnbng-cp:session:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_accounting_service'

data_cnbng-cp_profile_aaa_aaa-name_accounting_method-order_method-order-id:
Type: object
Properties:
  cnbng-cp:method-order:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: union
    x-yang:
      Type: leaf-list
data_cnbng-cp_profile_aaa_aaa-name_accounting_service:
Type: object
Properties:
  cnbng-cp:service:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_accounting_service'
data_cnbng-cp_profile_aaa_aaa-name_accounting_service-post:
Type: object
Properties:
  cnbng-cp:acct-start-async:
    Type: boolean
    Description: (leaf)
    x-yang:
      Type: leaf
  cnbng-cp:acct-interim-async:
    Type: boolean
    Description: (leaf)
    x-yang:
      Type: leaf
  cnbng-cp:acct-stop-async:
    Type: boolean
    Description: (leaf)

```

```

    x-yang:
      Type: leaf
data_cnbng-cp_profile_aaa_aaa-name_accounting_service_acct-interim-async:
  Type: object
  Properties:
    cnbng-cp:acct-interim-async:
      Type: boolean
      Description: (leaf)
    x-yang:
      Type: leaf
data_cnbng-cp_profile_aaa_aaa-name_accounting_service_acct-start-async:
  Type: object
  Properties:
    cnbng-cp:acct-start-async:
      Type: boolean
      Description: (leaf)
    x-yang:
      Type: leaf
data_cnbng-cp_profile_aaa_aaa-name_accounting_service_acct-stop-async:
  Type: object
  Properties:
    cnbng-cp:acct-stop-async:
      Type: boolean
      Description: (leaf)
    x-yang:
      Type: leaf
data_cnbng-cp_profile_aaa_aaa-name_accounting_session:
  Type: object
  Properties:
    cnbng-cp:session:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_accounting_service'
data_cnbng-cp_profile_aaa_aaa-name_accounting_session-post:
  Type: object
  Properties:
    cnbng-cp:acct-start-async:
      Type: boolean
      Description: (leaf)
    x-yang:
      Type: leaf
    cnbng-cp:acct-interim-async:
      Type: boolean
      Description: (leaf)
    x-yang:
      Type: leaf
    cnbng-cp:acct-stop-async:
      Type: boolean
      Description: (leaf)
    x-yang:
      Type: leaf
data_cnbng-cp_profile_aaa_aaa-name_accounting_session_acct-interim-async:

```

```

Type: object
Properties:
  cnbng-cp:acct-interim-async:
    Type: boolean
    Description: (leaf)
    x-yang:
      Type: leaf
data_cnbng-cp_profile_aaa_aaa-name_accounting_session_acct-start-async:

Type: object
Properties:
  cnbng-cp:acct-start-async:
    Type: boolean
    Description: (leaf)
    x-yang:
      Type: leaf
data_cnbng-cp_profile_aaa_aaa-name_accounting_session_acct-stop-async:
Type: object
Properties:
  cnbng-cp:acct-stop-async:
    Type: boolean
    Description: (leaf)
    x-yang:
      Type: leaf
data_cnbng-cp_profile_aaa_aaa-name_authentication:
Type: object
Properties:
  cnbng-cp:authentication:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_authentication'
data_cnbng-cp_profile_aaa_aaa-name_authentication-post:
Type: object
Properties:
  cnbng-cp:method-order:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: union
    x-yang:
      Type: leaf-list
data_cnbng-cp_profile_aaa_aaa-name_authentication_method-order_method-order-id:

Type: object
Properties:
  cnbng-cp:method-order:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: union

```

```

    x-yang:
      Type: leaf-list
data_cnbng-cp_profile_aaa_aaa-name_authorization:
  Type: object
  Properties:
    cnbng-cp:authorization:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_authorization'
data_cnbng-cp_profile_aaa_aaa-name_authorization-post:
  Type: object
  Properties:
    cnbng-cp:type:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_authorization_type'
    cnbng-cp:username:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_authorization_username'

    cnbng-cp:password:
      Type: string
      Description: (leaf)
      format: string
    x-yang:
      Type: leaf
data_cnbng-cp_profile_aaa_aaa-name_authorization_password:
  Type: object
  Properties:
    cnbng-cp:password:
      Type: string
      Description: (leaf)
      format: string
    x-yang:
      Type: leaf
data_cnbng-cp_profile_aaa_aaa-name_authorization_type:
  Type: object
  Properties:
    cnbng-cp:type:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_authorization_type'
data_cnbng-cp_profile_aaa_aaa-name_authorization_type-post:
  Type: object
  Properties:
    cnbng-cp:subscriber:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_authentication'
data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber:
  Type: object
  Properties:
    cnbng-cp:subscriber:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_authentication'
data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber-post:
  Type: object
  Properties:
    cnbng-cp:method-order:
      Type: array
      Items:
        Type: string

```

**Description:** (leaf-list)  
**format:** union  
**x-yang:**  
**Type:** leaf-list

**data\_cnbng\_cp\_profile\_aaa\_aaa-name\_authorization\_type\_subscriber\_method-order\_method-order-id:**

**Type:** object  
**Properties:**  
**cnbng-cp:method-order:**  
**Type:** array  
**Items:**  
**Type:** string  
**Description:** (leaf-list)  
**format:** union  
**x-yang:**  
**Type:** leaf-list

**data\_cnbng\_cp\_profile\_aaa\_aaa-name\_authorization\_username:**

**Type:** object  
**Properties:**  
**cnbng-cp:username:**  
**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_authorization\_username'

**data\_cnbng\_cp\_profile\_aaa\_aaa-name\_authorization\_username-post:**

**Type:** object  
**Properties:**  
**cnbng-cp:value:**  
**Type:** string  
**Description:** (leaf)  
**format:** string  
**x-yang:**  
**Type:** leaf  
**cnbng-cp:format:**  
**Type:** string  
**Description:** (leaf)  
**format:** leafref  
**x-yang:**  
**Type:** leaf  
**cnbng-cp:identifier:**  
**Type:** string  
**Description:** (leaf)  
**format:** enumeration  
**Default:** addr  
**enum:**

- addr
- circuit-id-tag
- client-mac-address
- client-mac-address-custom1
- client-mac-address-custom2
- client-mac-address-ietf
- client-mac-address-raw
- dhcp-client-id
- dhcp-client-id-spl
- dhcp-user-class

- dhcp-vendor-class
- dhcpv4-client-id-spl
- dhcpv4-vendor-class
- dhcpv6-client-id-ent-ident
- dhcpv6-interface-id
- dhcpv6-vendor-class-string
- inner-vlan-id
- outer-vlan-id
- physical-adapter
- physical-chassis
- physical-port
- physical-slot
- physical-subslot
- port-type
- pppoe-session-id
- remote-id-tag
- service-name
- username
- user-plane

**x-yang:****Type:** leaf**data\_cnbng\_cp\_profile\_aaa\_aaa-name\_authorization\_username\_format:****Type:** object**Properties:****cnbng-cp:**format:**Type:** string**Description:** (leaf)**format:** leafref**x-yang:****Type:** leaf**data\_cnbng\_cp\_profile\_aaa\_aaa-name\_authorization\_username\_identifier:****Type:** object**Properties:****cnbng-cp:**identifier:**Type:** string**Description:** (leaf)**format:** enumeration**Default:** addr**enum:**

- addr
- circuit-id-tag
- client-mac-address
- client-mac-address-custom1
- client-mac-address-custom2
- client-mac-address-ietf
- client-mac-address-raw
- dhcp-client-id
- dhcp-client-id-spl
- dhcp-user-class
- dhcp-vendor-class
- dhcpv4-client-id-spl
- dhcpv4-vendor-class
- dhcpv6-client-id-ent-ident
- dhcpv6-interface-id
- dhcpv6-vendor-class-string
- inner-vlan-id
- outer-vlan-id
- physical-adapter
- physical-chassis

- physical-port
- physical-slot
- physical-subslot
- port-type
- pppoe-session-id
- remote-id-tag
- service-name
- username
- user-plane

**x-yang:****Type:** leaf**data\_cnbng\_cp\_profile\_aaa\_aaa-name\_authorization\_username\_value:****Type:** object**Properties:****cnbng-cp:value:****Type:** string**Description:** (leaf)**format:** string**x-yang:****Type:** leaf**data\_cnbng\_cp\_profile\_aaa\_aaa-name\_name:****Type:** object**Properties:****cnbng-cp:name:****Type:** string**Description:** (leaf)**format:** string**x-yang:****Type:** leaf**data\_cnbng\_cp\_profile\_attribute-format\_attribute-format-name:****Type:** object**Properties:****cnbng-cp:attribute-format:****Type:** array**Description:** (list)**Items:****Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_attributeformat'**x-yang:****Type:** list**data\_cnbng\_cp\_profile\_attribute-format\_attribute-format-name\_format-order\_format-order-id:****Type:** object**Properties:****cnbng-cp:format-order:****Type:** array**Items:****Type:** string**Description:** (leaf-list)**format:** union**x-yang:****Type:** leaf-list**data\_cnbng\_cp\_profile\_attribute-format\_attribute-format-name\_format-string:**

```
Type: object
Properties:
  cnbng-cp:format-string:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
data_cnbng-cp_profile_attribute-format_attribute-format-name_name:
Type: object
Properties:
  cnbng-cp:name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
data_cnbng-cp_profile_coa:
Type: object
Properties:
  cnbng-cp:coa:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_coa'
data_cnbng-cp_profile_coa-post:
Type: object
Properties:
  cnbng-cp:server-key:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  cnbng-cp:client:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_coa_client'
    x-yang:
      Type: list
data_cnbng-cp_profile_coa_client_client-ip:
Type: object
Properties:
  cnbng-cp:client:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_coa_client'
    x-yang:
      Type: list
data_cnbng-cp_profile_coa_client_client-ip_ip:
Type: object
Properties:
```



```

    cnbng-cp:ip:
      Type: string
      Description: (leaf)
      format: union
      x-yang:
        Type: leaf
  data_cnbng-cp_profile_coa_client_client-ip_server-key:
    Type: object
    Properties:
      cnbng-cp:server-key:
        Type: string
        Description: (leaf)
        format: string
        x-yang:
          Type: leaf
  data_cnbng-cp_profile_coa_server-key:
    Type: object
    Properties:
      cnbng-cp:server-key:
        Type: string
        Description: (leaf)
        format: string
        x-yang:
          Type: leaf
  data_cnbng-cp_profile_dhcp_dhcp-name:
    Type: object
    Properties:
      cnbng-cp:dhcp:
        Type: array
        Description: (list)
        Items:
          Reference: '#/components/schemas/datapost_cnbngcpprofile_dhcp'
        x-yang:
          Type: list
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv4:
    Type: object
    Properties:
      cnbng-cp:ipv4:
        Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4'
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv4-post:
    Type: object
    Properties:
      cnbng-cp:mode:
        Type: string
        Description: (leaf)
        format: enumeration
        Default: server
        enum:
          - server
          - proxy
        x-yang:
          Type: leaf

```

```

cnbng-cp:server:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server'
cnbng-cp:class:
  Type: array
  Description: (list)
  Items:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_class'
  x-yang:
    Type: list
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name:
  Type: object
  Properties:
    cnbng-cp:class:
      Type: array
      Description: (list)
      Items:
        Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_class'
      x-yang:
        Type: list
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_class-name:
  Type: object
  Properties:
    cnbng-cp:class-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches:
  Type: object
  Properties:
    cnbng-cp:matches:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_matches'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches-post:
  Type: object
  Properties:
    cnbng-cp:match:
      Type: array
      Description: (list)
      Items:
        Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_matches_match'
      x-yang:
        Type: list
    cnbng-cp:match-type:
      Type: string
      Description: (leaf)
      format: enumeration

```

**Default:** any  
**enum:**  
 - any  
 - all  
**x-yang:**  
**Type:** leaf

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_matches\_match-type:**

**Type:** object  
**Properties:**  
 cnbng-cp:match-type:  
**Type:** string  
**Description:** (leaf)  
**format:** enumeration  
**Default:** any  
**enum:**  
 - any  
 - all  
**x-yang:**  
**Type:** leaf

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_matches\_match\_match-key:**

**Type:** object  
**Properties:**  
 cnbng-cp:match:  
**Type:** array  
**Description:** (list)  
**Items:**  
**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ipv4\_matches\_match'  
**x-yang:**  
**Type:** list

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_matches\_match\_match-key\_ascii\_ascii-id:**

**Type:** object  
**Properties:**  
 cnbng-cp:ascii:  
**Type:** array  
**Items:**  
**Type:** string  
**Description:** (leaf-list)  
**format:** string  
**x-yang:**  
**Type:** leaf-list

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_matches\_match\_match-key\_hex\_hex-id:**

**Type:** object  
**Properties:**  
 cnbng-cp:hex:  
**Type:** array  
**Items:**

**Type:** string  
**Description:** (leaf-list)  
**format:** string  
**x-yang:**  
**Type:** leaf-list

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_matches\_match\_match-key\_key:**

**Type:** object  
**Properties:**  
**cnbng-cp:key:**  
**Type:** string  
**Description:** (leaf)  
**format:** enumeration  
**Default:** dhcpv4-circuit-id  
**enum:**  
 - dhcpv4-circuit-id  
 - dhcpv4-remote-id  
 - dhcpv4-vendor-class  
 - dhcpv4-user-class  
**x-yang:**  
**Type:** leaf

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server:**

**Type:** object  
**Properties:**  
**cnbng-cp:server:**  
**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ipv4\_server\_1'

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server-post:**

**Type:** object  
**Properties:**  
**cnbng-cp:pool-name:**  
**Type:** string  
**Description:** (leaf)  
**format:** string  
**x-yang:**  
**Type:** leaf  
**cnbng-cp:dns-servers:**  
**Type:** array  
**Items:**  
**Type:** string  
**Description:** (leaf-list)  
**format:** string  
**x-yang:**  
**Type:** leaf-list  
**cnbng-cp:ntp-servers:**  
**Type:** array  
**Items:**  
**Type:** string  
**Description:** (leaf-list)  
**format:** string

```

    x-yang:
      Type: leaf-list
  cnbng-cp:netbios-name-server:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: string
    x-yang:
      Type: leaf-list
  cnbng-cp:domain-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  cnbng-cp:boot-filename:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  cnbng-cp:next-server:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  cnbng-cp:netbios-node-type:
    Reference:
'#/components/schemas/datapost_cnbngcpprofile_ipv4_server_netbiosnodetype'
  cnbng-cp:lease:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_lease'
  cnbng-cp:static-ip-key:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_staticipkey'

  cnbng-cp:option-codes:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_optioncodes'

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_boot-filename:
  Type: object
  Properties:
    cnbng-cp:boot-filename:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_dns-servers_dns-servers-id:

```

**Type:** object  
**Properties:**  
 cnbng-cp:dns-servers:  
   **Type:** array  
   **Items:**  
     **Type:** string  
     **Description:** (leaf-list)  
     **format:** string  
   **x-yang:**  
     **Type:** leaf-list

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_domain-name:**

**Type:** object  
**Properties:**  
 cnbng-cp:domain-name:  
   **Type:** string  
   **Description:** (leaf)  
   **format:** string  
   **x-yang:**  
     **Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_lease:**

**Type:** object  
**Properties:**  
 cnbng-cp:lease:  
   **Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ipv4\_server\_lease'

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_lease-post:**

**Type:** object  
**Properties:**  
 cnbng-cp:days:  
   **Type:** integer  
   **Description:** (leaf)  
   **format:** uint32  
   **x-yang:**  
     **Type:** leaf  
 cnbng-cp:hours:  
   **Type:** integer  
   **Description:** (leaf)  
   **format:** uint32  
   **x-yang:**  
     **Type:** leaf  
 cnbng-cp:minutes:  
   **Type:** integer  
   **Description:** (leaf)  
   **format:** uint32  
   **x-yang:**  
     **Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_lease\_days:**

**Type:** object  
**Properties:**  
  **cnbng-cp:days:**  
    **Type:** integer  
    **Description:** (leaf)  
    **format:** uint32  
    **x-yang:**  
      **Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_lease\_hours:**

**Type:** object  
**Properties:**  
  **cnbng-cp:hours:**  
    **Type:** integer  
    **Description:** (leaf)  
    **format:** uint32  
    **x-yang:**  
      **Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_lease\_minutes:**

**Type:** object  
**Properties:**  
  **cnbng-cp:minutes:**  
    **Type:** integer  
    **Description:** (leaf)  
    **format:** uint32  
    **x-yang:**  
      **Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-name-server\_netbios-name-server-id:**

**Type:** object  
**Properties:**  
  **cnbng-cp:netbios-name-server:**  
    **Type:** array  
    **Items:**  
      **Type:** string  
      **Description:** (leaf-list)  
      **format:** string  
    **x-yang:**  
      **Type:** leaf-list

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type:**

**Type:** object  
**Properties:**  
  **cnbng-cp:netbios-node-type:**  
    **Reference:**  
    '#/components/schemas/datapost\_cnbngcpprofile\_ipv4\_server\_netbiosnodetype'

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type-post:**

**Type:** object  
**Properties:**  
**cnbng-cp:broadcast-node:**  
**Type:** string  
**Description:** (leaf)  
**format:** '[null]'  
**x-yang:**  
**Type:** leaf  
**cnbng-cp:hybrid-node:**  
**Type:** string  
**Description:** (leaf)  
**format:** '[null]'  
**x-yang:**  
**Type:** leaf  
**cnbng-cp:mixed-node:**  
**Type:** string  
**Description:** (leaf)  
**format:** '[null]'  
**x-yang:**  
**Type:** leaf  
**cnbng-cp:peer-to-peer-node:**  
**Type:** string  
**Description:** (leaf)  
**format:** '[null]'  
**x-yang:**  
**Type:** leaf  
**cnbng-cp:hexadecimal:**  
**Type:** string  
**Description:** (leaf)  
**format:** string  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_broadcast-node:**

**Type:** object  
**Properties:**  
**cnbng-cp:broadcast-node:**  
**Type:** string  
**Description:** (leaf)  
**format:** '[null]'  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_hexadecimal:**

**Type:** object  
**Properties:**  
**cnbng-cp:hexadecimal:**  
**Type:** string  
**Description:** (leaf)



```

    format: string
    x-yang:
      Type: leaf

```

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_hybrid-node:**

```

Type: object
Properties:
  cnbng-cp:hybrid-node:
    Type: string
    Description: (leaf)
    format: '[null]'
    x-yang:
      Type: leaf

```

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_mixed-node:**

```

Type: object
Properties:
  cnbng-cp:mixed-node:
    Type: string
    Description: (leaf)
    format: '[null]'
    x-yang:
      Type: leaf

```

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_peer-to-peer-node:**

```

Type: object
Properties:
  cnbng-cp:peer-to-peer-node:
    Type: string
    Description: (leaf)
    format: '[null]'
    x-yang:
      Type: leaf

```

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_next-server:**

```

Type: object
Properties:
  cnbng-cp:next-server:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_ntp-servers\_ntp-servers-id:**

```

Type: object
Properties:
  cnbng-cp:ntp-servers:

```

```

    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: string
    x-yang:
      Type: leaf-list

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_option-codes:**

```

    Type: object
    Properties:
      cnbng-cp:option-codes:
        Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_optioncodes'

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_option-codes-post:**

```

    Type: object
    Properties:
      cnbng-cp:option-code:
        Type: array
        Description: (list)
        Items:
          Reference:
            '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_optioncodes_optioncode'
        x-yang:
          Type: list

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_option-codes\_option-code\_option-code\_option-code:**

```

    Type: object
    Properties:
      cnbng-cp:option-code:
        Type: array
        Description: (list)
        Items:
          Reference:
            '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_optioncodes_optioncode'
        x-yang:
          Type: list

```

?

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_option-codes\_option-code\_option-code\_option-code\_ascii-string**

```

: type: object
    Properties:
      cnbng-cp:ascii-string:
        Type: string
        Description: (leaf)
        format: string
        x-yang:
          Type: leaf

```

?

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_option-codes\_option-code\_option-code\_option-code\_force-insert**

```

: type: object
  Properties:
    cnbng-cp:force-insert:
      Type: boolean
      Description: (leaf)
    x-yang:
      Type: leaf
?
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_hex-string

: type: object
  Properties:
    cnbng-cp:hex-string:
      Type: string
      Description: (leaf)
    format: string
    x-yang:
      Type: leaf
?
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_ip-address_ip-address-id

: type: object
  Properties:
    cnbng-cp:ip-address:
      Type: array
      Items:
        Type: string
        Description: (leaf-list)
        format: string
    x-yang:
      Type: leaf-list
?
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_option-code

: type: object
  Properties:
    cnbng-cp:option-code:
      Type: integer
      Description: (leaf)
      format: uint32
    x-yang:
      Type: leaf

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_pool-name:

Type: object
Properties:
  cnbng-cp:pool-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_static-ip-key:**

**Type:** object

**Properties:**

**cnbng-cp:static-ip-key:**

**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ipv4\_server\_staticipkey'

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_static-ip-key-post:**

**Type:** object

**Properties:**

**cnbng-cp:identifier:**

**Type:** string

**Description:** (leaf)

**format:** enumeration

**Default:** client-mac-address

**enum:**

- client-mac-address

**x-yang:**

**Type:** leaf

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_static-ip-key\_identifier:**

**Type:** object

**Properties:**

**cnbng-cp:identifier:**

**Type:** string

**Description:** (leaf)

**format:** enumeration

**Default:** client-mac-address

**enum:**

- client-mac-address

**x-yang:**

**Type:** leaf

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_mode:**

**Type:** object

**Properties:**

**cnbng-cp:mode:**

**Type:** string

**Description:** (leaf)

**format:** enumeration

**Default:** server

**enum:**

- server

- proxy

**x-yang:**

**Type:** leaf

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_server:**

**Type:** object

**Properties:**

**cnbng-cp:server:**

**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ipv4\_server'

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server-post:**

**Type:** object

**Properties:**

**cnbng-cp:pool-name:**

**Type:** string

**Description:** (leaf)

**format:** string

**x-yang:**

**Type:** leaf

**cnbng-cp:dns-servers:**

**Type:** array

**Items:**

**Type:** string

**Description:** (leaf-list)

**format:** string

**x-yang:**

**Type:** leaf-list

**cnbng-cp:ntp-servers:**

**Type:** array

**Items:**

**Type:** string

**Description:** (leaf-list)

**format:** string

**x-yang:**

**Type:** leaf-list

**cnbng-cp:netbios-name-server:**

**Type:** array

**Items:**

**Type:** string

**Description:** (leaf-list)

**format:** string

**x-yang:**

**Type:** leaf-list

**cnbng-cp:domain-name:**

**Type:** string

**Description:** (leaf)

**format:** string

**x-yang:**

**Type:** leaf

**cnbng-cp:boot-filename:**

**Type:** string

**Description:** (leaf)

**format:** string

**x-yang:**

**Type:** leaf

**cnbng-cp:next-server:**

**Type:** string

**Description:** (leaf)

**format:** string

**x-yang:**

**Type:** leaf

```

cnbng-cp:netbios-node-type:
  Reference:
  '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_netbiosnodetype'
cnbng-cp:lease:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_lease'
cnbng-cp:static-ip-key:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_staticipkey'

cnbng-cp:option-codes:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_optioncodes'

cnbng-cp:hold-time:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_holdtime'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_boot-filename:
Type: object
Properties:
  cnbng-cp:boot-filename:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_dns-servers_dns-servers-id:
Type: object
Properties:
  cnbng-cp:dns-servers:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: string
    x-yang:
      Type: leaf-list

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_domain-name:
Type: object
Properties:
  cnbng-cp:domain-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time:
Type: object
Properties:
  cnbng-cp:hold-time:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_holdtime'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time-post:
Type: object
Properties:

```

```

    cnbng-cp:minutes:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time_minutes:
    Type: object
    Properties:
      cnbng-cp:minutes:
        Type: integer
        Description: (leaf)
        format: uint32
        x-yang:
          Type: leaf
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease:
    Type: object
    Properties:
      cnbng-cp:lease:
        Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_lease'
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease-post:
    Type: object
    Properties:
      cnbng-cp:days:
        Type: integer
        Description: (leaf)
        format: uint32
        x-yang:
          Type: leaf
      cnbng-cp:hours:
        Type: integer
        Description: (leaf)
        format: uint32
        x-yang:
          Type: leaf
      cnbng-cp:minutes:
        Type: integer
        Description: (leaf)
        format: uint32
        x-yang:
          Type: leaf
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_days:
    Type: object
    Properties:
      cnbng-cp:days:
        Type: integer
        Description: (leaf)
        format: uint32
        x-yang:
          Type: leaf
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_hours:

```

```

Type: object
Properties:
  cnbng-cp:hours:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_minutes:
Type: object
Properties:
  cnbng-cp:minutes:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-name-server_netbios-name-server-id:

Type: object
Properties:
  cnbng-cp:netbios-name-server:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: string
    x-yang:
      Type: leaf-list
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type:
Type: object
Properties:
  cnbng-cp:netbios-node-type:
    Reference:
    '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_netbiosnodetype'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type-post:

Type: object
Properties:
  cnbng-cp:broadcast-node:
    Type: string
    Description: (leaf)
    format: '[null]'
    x-yang:
      Type: leaf
  cnbng-cp:hybrid-node:
    Type: string
    Description: (leaf)
    format: '[null]'
    x-yang:
      Type: leaf

```



```

cnbng-cp:mixed-node:
  Type: string
  Description: (leaf)
  format: '[null]'
  x-yang:
    Type: leaf
cnbng-cp:peer-to-peer-node:
  Type: string
  Description: (leaf)
  format: '[null]'
  x-yang:
    Type: leaf
cnbng-cp:hexadecimal:
  Type: string
  Description: (leaf)
  format: string
  x-yang:
    Type: leaf

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_netbios-node-type\_broadcast-node:**

```

Type: object
Properties:
  cnbng-cp:broadcast-node:
    Type: string
    Description: (leaf)
    format: '[null]'
    x-yang:
      Type: leaf

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_netbios-node-type\_hexadecimal:**

```

Type: object
Properties:
  cnbng-cp:hexadecimal:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_netbios-node-type\_hybrid-node:**

```

Type: object
Properties:
  cnbng-cp:hybrid-node:
    Type: string
    Description: (leaf)
    format: '[null]'
    x-yang:
      Type: leaf

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_netbios-node-type\_mixed-node:**

```

Type: object
Properties:
  cnbng-cp:mixed-node:
    Type: string
    Description: (leaf)
    format: '[null]'
    x-yang:
      Type: leaf

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_netbios-node-type\_peer-to-peer-node:**

```

Type: object
Properties:
  cnbng-cp:peer-to-peer-node:
    Type: string
    Description: (leaf)
    format: '[null]'
    x-yang:
      Type: leaf

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_next-server:**

```

Type: object
Properties:
  cnbng-cp:next-server:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_ntp-servers\_ntp-servers-id:**

```

Type: object
Properties:
  cnbng-cp:ntp-servers:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: string
    x-yang:
      Type: leaf-list

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes:**

```

Type: object
Properties:
  cnbng-cp:option-codes:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_optioncodes'

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes-post:**

```

Type: object
Properties:
  cnbng-cp:option-code:
    Type: array

```

```

    Description: (list)
    Items:
    Reference:
    '#/components/schemas/datapost_cnbngcppprofile_ipv4_server_optioncodes_optioncode'
    x-yang:
    Type: list

data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code:

Type: object
Properties:
  cnbng-cp:option-code:
    Type: array
    Description: (list)
    Items:
    Reference:
    '#/components/schemas/datapost_cnbngcppprofile_ipv4_server_optioncodes_optioncode'
    x-yang:
    Type: list

data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_ascii-string:

Type: object
Properties:
  cnbng-cp:ascii-string:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
    Type: leaf

data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_force-insert:

Type: object
Properties:
  cnbng-cp:force-insert:
    Type: boolean
    Description: (leaf)
    x-yang:
    Type: leaf

data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_hex-string:

Type: object
Properties:
  cnbng-cp:hex-string:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
    Type: leaf

data_cnbng_cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code-option-code_ip-address_ip-address-id

```

**Type:** object  
**Properties:**  
 cnbng-cp:ip-address:  
**Type:** array  
**Items:**  
**Type:** string  
**Description:** (leaf-list)  
**format:** string  
**x-yang:**  
**Type:** leaf-list

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code\_option-code\_option-code:**

**Type:** object  
**Properties:**  
 cnbng-cp:option-code:  
**Type:** integer  
**Description:** (leaf)  
**format:** uint32  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_pool-name:**

**Type:** object  
**Properties:**  
 cnbng-cp:pool-name:  
**Type:** string  
**Description:** (leaf)  
**format:** string  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_static-ip-key:**

**Type:** object  
**Properties:**  
 cnbng-cp:static-ip-key:  
**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ipv4\_server\_staticipkey'

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_static-ip-key-post:**

**Type:** object  
**Properties:**  
 cnbng-cp:identifier:  
**Type:** string  
**Description:** (leaf)  
**format:** enumeration  
**Default:** client-mac-address  
**enum:**  
 - client-mac-address  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_static-ip-key\_identifier:**

**Type:** object  
**Properties:**

```

cnbng-cp:identifier:
  Type: string
  Description: (leaf)
  format: enumeration
  Default: client-mac-address
  enum:
  - client-mac-address
  x-yang:
    Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6:
  Type: object
  Properties:
    cnbng-cp:ipv6:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv6'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6-post:
  Type: object
  Properties:
    cnbng-cp:mode:
      Type: string
      Description: (leaf)
      format: enumeration
      Default: server
      enum:
      - server
      - proxy
    x-yang:
      Type: leaf
    cnbng-cp:server:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv6_server'
    cnbng-cp:class:
      Type: array
      Description: (list)
      Items:
        Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv6_class'
      x-yang:
        Type: list
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name:
  Type: object
  Properties:
    cnbng-cp:class:
      Type: array
      Description: (list)
      Items:
        Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv6_class'
      x-yang:
        Type: list
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_class-name:
  Type: object
  Properties:
    cnbng-cp:class-name:

```

```

    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches:
  Type: object
  Properties:
    cnbng-cp:matches:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv6_matches'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches-post:
  Type: object
  Properties:
    cnbng-cp:match:
      Type: array
      Description: (list)
      Items:
        Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv6_matches_match'
      x-yang:
        Type: list
    cnbng-cp:match-type:
      Type: string
      Description: (leaf)
      format: enumeration
      Default: any
      enum:
        - any
        - all
      x-yang:
        Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match-type:
  Type: object
  Properties:
    cnbng-cp:match-type:
      Type: string
      Description: (leaf)
      format: enumeration
      Default: any
      enum:
        - any
        - all
      x-yang:
        Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key:
  Type: object
  Properties:
    cnbng-cp:match:

```

**Type:** array  
**Description:** (list)  
**Items:**  
   **Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ipv6\_matches\_match'  
**x-yang:**  
   **Type:** list

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_matches\_match\_match-key\_ascii\_ascii-id:**

**Type:** object  
**Properties:**  
   **cnbng-cp:ascii:**  
     **Type:** array  
     **Items:**  
       **Type:** string  
       **Description:** (leaf-list)  
       **format:** string  
     **x-yang:**  
       **Type:** leaf-list

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_matches\_match\_match-key\_hex\_hex-id:**

**Type:** object  
**Properties:**  
   **cnbng-cp:hex:**  
     **Type:** array  
     **Items:**  
       **Type:** string  
       **Description:** (leaf-list)  
       **format:** string  
     **x-yang:**  
       **Type:** leaf-list

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_matches\_match\_match-key\_key:**

**Type:** object  
**Properties:**  
   **cnbng-cp:key:**  
     **Type:** string  
     **Description:** (leaf)  
     **format:** enumeration  
     **Default:** dhcpv6-interface-id  
     **enum:**  
       - dhcpv6-interface-id  
       - dhcpv6-remote-id  
       - dhcpv6-vendor-class  
       - dhcpv6-user-class  
     **x-yang:**  
       **Type:** leaf

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server:**

**Type:** object  
**Properties:**  
   **cnbng-cp:server:**

**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ipv6\_server\_1'

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server-post:**

**Type:** object

**Properties:**

**cnbng-cp:iana-pool-name:**

**Type:** string

**Description:** (leaf)

**format:** string

**x-yang:**

**Type:** leaf

**cnbng-cp:iapd-pool-name:**

**Type:** string

**Description:** (leaf)

**format:** string

**x-yang:**

**Type:** leaf

**cnbng-cp:dns-servers:**

**Type:** array

**Items:**

**Type:** string

**Description:** (leaf-list)

**format:** string

**x-yang:**

**Type:** leaf-list

**cnbng-cp:domain-name:**

**Type:** string

**Description:** (leaf)

**format:** string

**x-yang:**

**Type:** leaf

**cnbng-cp:preference:**

**Type:** integer

**Description:** (leaf)

**format:** uint32

**x-yang:**

**Type:** leaf

**cnbng-cp:aftr-name:**

**Type:** string

**Description:** (leaf)

**format:** string

**x-yang:**

**Type:** leaf

**cnbng-cp:rapid-commit:**

**Type:** string

**Description:** (leaf)

**format:** '[null]'

**x-yang:**

**Type:** leaf

**cnbng-cp:lease:**

**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ipv4\_server\_lease'



**cnbng-cp:static-ip-key:**

**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ipv4\_server\_staticipkey'

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_aftr-name:**

**Type:** object

**Properties:**

**cnbng-cp:aftr-name:**

**Type:** string

**Description:** (leaf)

**format:** string

**x-yang:**

**Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_dns-servers\_dns-servers-id:**

**Type:** object

**Properties:**

**cnbng-cp:dns-servers:**

**Type:** array

**Items:**

**Type:** string

**Description:** (leaf-list)

**format:** string

**x-yang:**

**Type:** leaf-list

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_domain-name:**

**Type:** object

**Properties:**

**cnbng-cp:domain-name:**

**Type:** string

**Description:** (leaf)

**format:** string

**x-yang:**

**Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_iana-pool-name:**

**Type:** object

**Properties:**

**cnbng-cp:iana-pool-name:**

**Type:** string

**Description:** (leaf)

**format:** string

**x-yang:**

**Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_iapd-pool-name:**

**Type:** object

**Properties:**

```

cnbng-cp:iapd-pool-name:
  Type: string
  Description: (leaf)
  format: string
  x-yang:
    Type: leaf

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_lease:**

```

Type: object
Properties:
  cnbng-cp:lease:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_lease'

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_lease-post:**

```

Type: object
Properties:
  cnbng-cp:days:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
  cnbng-cp:hours:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
  cnbng-cp:minutes:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_lease\_days:**

```

Type: object
Properties:
  cnbng-cp:days:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf

```

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_lease\_hours:**

```

Type: object
Properties:
  cnbng-cp:hours:

```

**Type:** integer  
**Description:** (leaf)  
**format:** uint32  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_lease\_minutes:**

**Type:** object  
**Properties:**  
**cnbng-cp:minutes:**  
**Type:** integer  
**Description:** (leaf)  
**format:** uint32  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_preference:**

**Type:** object  
**Properties:**  
**cnbng-cp:preference:**  
**Type:** integer  
**Description:** (leaf)  
**format:** uint32  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_rapid-commit:**

**Type:** object  
**Properties:**  
**cnbng-cp:rapid-commit:**  
**Type:** string  
**Description:** (leaf)  
**format:** '[null]'  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_static-ip-key:**

**Type:** object  
**Properties:**  
**cnbng-cp:static-ip-key:**  
**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ipv4\_server\_staticipkey'

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_static-ip-key-post:**

**Type:** object  
**Properties:**  
**cnbng-cp:identifier:**  
**Type:** string  
**Description:** (leaf)

```

format: enumeration
Default: client-mac-address
enum:
- client-mac-address
x-yang:
  Type: leaf

```

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_static-ip-key\_identifier:**

```

Type: object
Properties:
  cnbng-cp:identifier:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: client-mac-address
    enum:
    - client-mac-address
    x-yang:
      Type: leaf

```

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv6\_mode:**

```

Type: object
Properties:
  cnbng-cp:mode:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: server
    enum:
    - server
    - proxy
    x-yang:
      Type: leaf

```

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv6\_server:**

```

Type: object
Properties:
  cnbng-cp:server:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv6_server'

```

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv6\_server-post:**

```

Type: object
Properties:
  cnbng-cp:iana-pool-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  cnbng-cp:iapd-pool-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

```

cnbng-cp:dns-servers:
  Type: array
  Items:
    Type: string
    Description: (leaf-list)
    format: string
  x-yang:
    Type: leaf-list
cnbng-cp:domain-name:
  Type: string
  Description: (leaf)
  format: string
  x-yang:
    Type: leaf
cnbng-cp:preference:
  Type: integer
  Description: (leaf)
  format: uint32
  x-yang:
    Type: leaf
cnbng-cp:aftr-name:
  Type: string
  Description: (leaf)
  format: string
  x-yang:
    Type: leaf
cnbng-cp:rapid-commit:
  Type: string
  Description: (leaf)
  format: '[null]'
  x-yang:
    Type: leaf
cnbng-cp:lease:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_lease'
cnbng-cp:static-ip-key:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_staticipkey'

cnbng-cp:hold-time:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_holdtime'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_aftr-name:
Type: object
Properties:
  cnbng-cp:aftr-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_dns-servers_dns-servers-id:
Type: object

```

```

Properties:
  cnbng-cp:dns-servers:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: string
    x-yang:
      Type: leaf-list
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_domain-name:
Type: object
Properties:
  cnbng-cp:domain-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time:
Type: object
Properties:
  cnbng-cp:hold-time:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_holdtime'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time-post:
Type: object
Properties:
  cnbng-cp:minutes:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time_minutes:
Type: object
Properties:
  cnbng-cp:minutes:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iana-pool-name:
Type: object
Properties:
  cnbng-cp:iana-pool-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iapd-pool-name:

```

```
Type: object
Properties:
  cnbng-cp:iapd-pool-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease:
Type: object
Properties:
  cnbng-cp:lease:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_lease'
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease-post:
Type: object
Properties:
  cnbng-cp:days:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
  cnbng-cp:hours:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
  cnbng-cp:minutes:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_days:
Type: object
Properties:
  cnbng-cp:days:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_hours:
Type: object
Properties:
  cnbng-cp:hours:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
```

```

    Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_minutes:
  Type: object
  Properties:
    cnbng-cp:minutes:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_preference:
  Type: object
  Properties:
    cnbng-cp:preference:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_rapid-commit:
  Type: object
  Properties:
    cnbng-cp:rapid-commit:
      Type: string
      Description: (leaf)
      format: '[null]'
      x-yang:
        Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key:
  Type: object
  Properties:
    cnbng-cp:static-ip-key:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_staticipkey'

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key-post:
  Type: object
  Properties:
    cnbng-cp:identifier:
      Type: string
      Description: (leaf)
      format: enumeration
      Default: client-mac-address
      enum:
      - client-mac-address
      x-yang:
        Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key_identifier:

  Type: object
  Properties:
    cnbng-cp:identifier:
      Type: string

```



```

    Description: (leaf)
    format: enumeration
    Default: client-mac-address
    enum:
    - client-mac-address
    x-yang:
      Type: leaf
data_cnbng-cp_profile_dhcp_dhcp-name_name:
  Type: object
  Properties:
    cnbng-cp:name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_profile_feature-template_feature-template-name:
  Type: object
  Properties:
    cnbng-cp:feature-template:
      Type: array
      Description: (list)
      Items:
        Reference: '#/components/schemas/datapost_cnbngcpprofile_featuretemplate'
      x-yang:
        Type: list
data_cnbng-cp_profile_feature-template_feature-template-name_http-policy:
  Type: object
  Properties:
    cnbng-cp:http-policy:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4:
  Type: object
  Properties:
    cnbng-cp:ipv4:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_1'
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4-post:
  Type: object
  Properties:
    cnbng-cp:mtu:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
    cnbng-cp:ingress-acl:

```

```

    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  cnbng-cp:egress-acl:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  cnbng-cp:disable-unreachables:
    Type: string
    Description: (leaf)
    format: '[null]'
    x-yang:
      Type: leaf
  cnbng-cp:verify-unicast-source:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_1_verifyunicastsource'
```

#### data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv4\_disable-unreachables:

```

Type: object
Properties:
  cnbng-cp:disable-unreachables:
    Type: string
    Description: (leaf)
    format: '[null]'
    x-yang:
      Type: leaf
```

#### data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv4\_egress-acl:

```

Type: object
Properties:
  cnbng-cp:egress-acl:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
```

#### data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv4\_ingress-acl:

```

Type: object
Properties:
  cnbng-cp:ingress-acl:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
```

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv4\_mtu:**

**Type:** object  
**Properties:**  
 cnbng-cp:mtu:  
**Type:** integer  
**Description:** (leaf)  
**format:** uint32  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv4\_verify-unicast-source:**

**Type:** object  
**Properties:**  
 cnbng-cp:verify-unicast-source:  
**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ipv4\_1\_verifyunicastsource'

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv4\_verify-unicast-source-post:**

**Type:** object  
**Properties:**  
 cnbng-cp:reachable-via-rx:  
**Type:** string  
**Description:** (leaf)  
**format:** '[null]'  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv4\_verify-unicast-source\_reachable-via-rx:**

**Type:** object  
**Properties:**  
 cnbng-cp:reachable-via-rx:  
**Type:** string  
**Description:** (leaf)  
**format:** '[null]'  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv6:**

**Type:** object  
**Properties:**  
 cnbng-cp:ipv6:  
**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ipv4\_1'

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv6-post:**

**Type:** object  
**Properties:**  
 cnbng-cp:mtu:  
**Type:** integer  
**Description:** (leaf)  
**format:** uint32  
**x-yang:**

```

    Type: leaf
cnbng-cp:ingress-acl:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
    Type: leaf
cnbng-cp:egress-acl:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
    Type: leaf
cnbng-cp:disable-unreachables:
    Type: string
    Description: (leaf)
    format: '[null]'
    x-yang:
    Type: leaf
cnbng-cp:verify-unicast-source:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_1_verifyunicastsource'

```

#### **data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv6\_disable-unreachables:**

```

Type: object
Properties:
  cnbng-cp:disable-unreachables:
    Type: string
    Description: (leaf)
    format: '[null]'
    x-yang:
    Type: leaf

```

#### **data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv6\_egress-acl:**

```

Type: object
Properties:
  cnbng-cp:egress-acl:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
    Type: leaf

```

#### **data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv6\_ingress-acl:**

```

Type: object
Properties:
  cnbng-cp:ingress-acl:
    Type: string
    Description: (leaf)
    format: string

```

```

    x-yang:
      Type: leaf
data_cnbng_cp_profile_feature-template_feature-template-name_ipv6_mtu:
  Type: object
  Properties:
    cnbng_cp:mtu:
      Type: integer
      Description: (leaf)
      format: uint32
    x-yang:
      Type: leaf

data_cnbng_cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source:

  Type: object
  Properties:
    cnbng_cp:verify-unicast-source:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_1_verifyunicastsource'

data_cnbng_cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source-post:

  Type: object
  Properties:
    cnbng_cp:reachable-via-rx:
      Type: string
      Description: (leaf)
      format: '[null]'
    x-yang:
      Type: leaf

data_cnbng_cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source_reachable-via-rx:

  Type: object
  Properties:
    cnbng_cp:reachable-via-rx:
      Type: string
      Description: (leaf)
      format: '[null]'
    x-yang:
      Type: leaf
data_cnbng_cp_profile_feature-template_feature-template-name_name:
  Type: object
  Properties:
    cnbng_cp:name:
      Type: string
      Description: (leaf)
      format: string
    x-yang:
      Type: leaf
data_cnbng_cp_profile_feature-template_feature-template-name_ppp:
  Type: object
  Properties:

```

```

cnbng-cp:ppp:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp-post:
Type: object
Properties:
  cnbng-cp:authentication:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: enumeration
      Default: pap
      enum:
        - pap
        - chap
      x-yang:
        Type: leaf-list
  cnbng-cp:chap:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_chap'
  cnbng-cp:service-type:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: outbound
    enum:
      - outbound
    x-yang:
      Type: leaf
  cnbng-cp:ipcp:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp'
  cnbng-cp:ipv6cp:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipv6cp'
  cnbng-cp:lcp:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_lcp'
  cnbng-cp:max-bad-auth:
    Type: integer
    Description: (leaf)
    format: byte
    x-yang:
      Type: leaf
  cnbng-cp:max-configure:
    Type: integer
    Description: (leaf)
    format: byte
    x-yang:
      Type: leaf
  cnbng-cp:max-failure:
    Type: integer
    Description: (leaf)
    format: byte
    x-yang:
      Type: leaf

```

```

cnbng-cp:pap:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_pap'
cnbng-cp:timeout:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_timeout'
cnbng-cp:keepalive:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_keepalive'

```

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_authentication\_authentication-id:**

```

Type: object
Properties:
  cnbng-cp:authentication:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: enumeration
      Default: pap
      enum:
        - pap
        - chap
    x-yang:
      Type: leaf-list

```

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_chap:**

```

Type: object
Properties:
  cnbng-cp:chap:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_chap'

```

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_chap-post:**

```

Type: object
Properties:
  cnbng-cp:hostname:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  cnbng-cp:password:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_chap\_hostname:**

```

Type: object
Properties:
  cnbng-cp:hostname:
    Type: string
    Description: (leaf)

```

```

    format: string
    x-yang:
      Type: leaf

```

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_chap\_password:**

```

Type: object
Properties:
  cnbng-cp:password:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp:**

```

Type: object
Properties:
  cnbng-cp:ipcp:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp'

```

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp-post:**

```

Type: object
Properties:
  cnbng-cp:dns:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp_dns'
  cnbng-cp:peer-address-pool:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  cnbng-cp:renegotiation:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp_renegotiation'

```

```

  cnbng-cp:wins:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp_dns'

```

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_dns:**

```

Type: object
Properties:
  cnbng-cp:dns:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp_dns'

```

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_dns-post:**

```

Type: object
Properties:
  cnbng-cp:primary-address:
    Type: string
    Description: (leaf)
    format: string
    x-yang:

```



**Type:** leaf  
**cnbng-cp:secondary-address:**  
**Type:** string  
**Description:** (leaf)  
**format:** string  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_dns\_primary-address:**

**Type:** object  
**Properties:**  
**cnbng-cp:primary-address:**  
**Type:** string  
**Description:** (leaf)  
**format:** string  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_dns\_secondary-address:**

**Type:** object  
**Properties:**  
**cnbng-cp:secondary-address:**  
**Type:** string  
**Description:** (leaf)  
**format:** string  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_peer-address-pool:**

**Type:** object  
**Properties:**  
**cnbng-cp:peer-address-pool:**  
**Type:** string  
**Description:** (leaf)  
**format:** string  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_renegotiation:**

**Type:** object  
**Properties:**  
**cnbng-cp:renegotiation:**  
**Reference:** '#/components/schemas/datapost\_cnbngcprofile\_ppp\_ipcp\_renegotiation'

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_renegotiation-post:**

**Type:** object  
**Properties:**  
**cnbng-cp:ignore:**

**Type:** string  
**Description:** (leaf)  
**format:** '[null]'  
**x-yang:**  
**Type:** leaf

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_renegotiation\_ignore:**

**Type:** object  
**Properties:**  
**cnbng\_cp:ignore:**  
**Type:** string  
**Description:** (leaf)  
**format:** '[null]'  
**x-yang:**  
**Type:** leaf

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_wins:**

**Type:** object  
**Properties:**  
**cnbng\_cp:wins:**  
**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ppp\_ipcp\_dns'

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_wins-post:**

**Type:** object  
**Properties:**  
**cnbng\_cp:primary-address:**  
**Type:** string  
**Description:** (leaf)  
**format:** string  
**x-yang:**  
**Type:** leaf  
**cnbng\_cp:secondary-address:**  
**Type:** string  
**Description:** (leaf)  
**format:** string  
**x-yang:**  
**Type:** leaf

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_wins\_primary-address:**

**Type:** object  
**Properties:**  
**cnbng\_cp:primary-address:**  
**Type:** string  
**Description:** (leaf)  
**format:** string  
**x-yang:**  
**Type:** leaf

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_wins\_secondary-address:**

**Type:** object  
**Properties:**  
 cnbng-cp:secondary-address:  
   **Type:** string  
   **Description:** (leaf)  
   **format:** string  
   **x-yang:**  
     **Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipv6cp:**

**Type:** object  
**Properties:**  
 cnbng-cp:ipv6cp:  
   **Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ppp\_ipv6cp'

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipv6cp-post:**

**Type:** object  
**Properties:**  
 cnbng-cp:renegotiation:  
   **Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ppp\_ipcp\_renegotiation'

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipv6cp\_renegotiation:**

**Type:** object  
**Properties:**  
 cnbng-cp:renegotiation:  
   **Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ppp\_ipcp\_renegotiation'

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipv6cp\_renegotiation-post:**

**Type:** object  
**Properties:**  
 cnbng-cp:ignore:  
   **Type:** string  
   **Description:** (leaf)  
   **format:** '[null]'  
   **x-yang:**  
     **Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipv6cp\_renegotiation\_ignore:**

**Type:** object  
**Properties:**  
 cnbng-cp:ignore:  
   **Type:** string  
   **Description:** (leaf)  
   **format:** '[null]'  
   **x-yang:**  
     **Type:** leaf

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_keepalive:**

**Type:** object

**Properties:**

**cnbng-cp:keepalive:**

**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ppp\_keepalive'

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_keepalive-post:**

**Type:** object

**Properties:**

**cnbng-cp:disable:**

**Type:** string

**Description:** (leaf)

**format:** '[null]'

**x-yang:**

**Type:** leaf

**cnbng-cp:interval:**

**Type:** integer

**Description:** (leaf)

**format:** byte

**x-yang:**

**Type:** leaf

**cnbng-cp:retry:**

**Type:** integer

**Description:** (leaf)

**format:** byte

**x-yang:**

**Type:** leaf

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_keepalive\_disable:**

**Type:** object

**Properties:**

**cnbng-cp:disable:**

**Type:** string

**Description:** (leaf)

**format:** '[null]'

**x-yang:**

**Type:** leaf

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_keepalive\_interval:**

**Type:** object

**Properties:**

**cnbng-cp:interval:**

**Type:** integer

**Description:** (leaf)

**format:** byte

**x-yang:**

**Type:** leaf

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_keepalive\_retry:**

```

Type: object
Properties:
  cnbng-cp:retry:
    Type: integer
    Description: (leaf)
    format: byte
    x-yang:
      Type: leaf
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp:
Type: object
Properties:
  cnbng-cp:lcp:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_lcp'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp-post:

Type: object
Properties:
  cnbng-cp:delay:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_lcp_delay'
  cnbng-cp:renegotiation:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp_renegotiation'

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay:

Type: object
Properties:
  cnbng-cp:delay:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_lcp_delay'
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay-post:

Type: object
Properties:
  cnbng-cp:seconds:
    Type: integer
    Description: (leaf)
    format: byte
    x-yang:
      Type: leaf
  cnbng-cp:milliseconds:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_milliseconds:

Type: object
Properties:
  cnbng-cp:milliseconds:

```

**Type:** integer  
**Description:** (leaf)  
**format:** uint32  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_lcp\_delay\_seconds:**

**Type:** object  
**Properties:**  
**cnbng-cp:seconds:**  
**Type:** integer  
**Description:** (leaf)  
**format:** byte  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_lcp\_renegotiation:**

**Type:** object  
**Properties:**  
**cnbng-cp:renegotiation:**  
**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ppp\_ipcp\_renegotiation'

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_lcp\_renegotiation-post:**

**Type:** object  
**Properties:**  
**cnbng-cp:ignore:**  
**Type:** string  
**Description:** (leaf)  
**format:** '[null]'  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_lcp\_renegotiation\_ignore:**

**Type:** object  
**Properties:**  
**cnbng-cp:ignore:**  
**Type:** string  
**Description:** (leaf)  
**format:** '[null]'  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_max-bad-auth:**

**Type:** object  
**Properties:**  
**cnbng-cp:max-bad-auth:**  
**Type:** integer  
**Description:** (leaf)

**format:** byte  
**x-yang:**  
**Type:** leaf

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_max-configure:**

**Type:** object  
**Properties:**  
**cnbng-cp:max-configure:**  
**Type:** integer  
**Description:** (leaf)  
**format:** byte  
**x-yang:**  
**Type:** leaf

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_max-failure:**

**Type:** object  
**Properties:**  
**cnbng-cp:max-failure:**  
**Type:** integer  
**Description:** (leaf)  
**format:** byte  
**x-yang:**  
**Type:** leaf

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_pap:**

**Type:** object  
**Properties:**  
**cnbng-cp:pap:**  
**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ppp\_pap'

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_pap-post:**

**Type:** object  
**Properties:**  
**cnbng-cp:accept-null-password:**  
**Type:** string  
**Description:** (leaf)  
**format:** '[null]'  
**x-yang:**  
**Type:** leaf

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_pap\_accept-null-password:**

**Type:** object  
**Properties:**  
**cnbng-cp:accept-null-password:**  
**Type:** string  
**Description:** (leaf)  
**format:** '[null]'  
**x-yang:**  
**Type:** leaf

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_service-type:**

**Type:** object

**Properties:**

**cnbng-cp:service-type:**

**Type:** string

**Description:** (leaf)

**format:** enumeration

**Default:** outbound

**enum:**

- outbound

**x-yang:**

**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout:**

**Type:** object

**Properties:**

**cnbng-cp:timeout:**

**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ppp\_timeout'

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout-post:**

**Type:** object

**Properties:**

**cnbng-cp:absolute:**

**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ipv4\_server\_holdtime'

**cnbng-cp:authentication:**

**Type:** integer

**Description:** (leaf)

**format:** byte

**x-yang:**

**Type:** leaf

**cnbng-cp:retry:**

**Type:** integer

**Description:** (leaf)

**format:** byte

**x-yang:**

**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout\_absolute:**

**Type:** object

**Properties:**

**cnbng-cp:absolute:**

**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_ipv4\_server\_holdtime'

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout\_absolute-post:**

**Type:** object

**Properties:**

**cnbng-cp:minutes:**

**Type:** integer

**Description:** (leaf)

**format:** uint32



**x-yang:**  
**Type:** leaf

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout\_absolute\_minutes:**

**Type:** object  
**Properties:**  
**cnbng-cp:minutes:**  
**Type:** integer  
**Description:** (leaf)  
**format:** uint32  
**x-yang:**  
**Type:** leaf

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout\_authentication:**

**Type:** object  
**Properties:**  
**cnbng-cp:authentication:**  
**Type:** integer  
**Description:** (leaf)  
**format:** byte  
**x-yang:**  
**Type:** leaf

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout\_retry:**

**Type:** object  
**Properties:**  
**cnbng-cp:retry:**  
**Type:** integer  
**Description:** (leaf)  
**format:** byte  
**x-yang:**  
**Type:** leaf

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_qos:**

**Type:** object  
**Properties:**  
**cnbng-cp:qos:**  
**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_qos'

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_qos-post:**

**Type:** object  
**Properties:**  
**cnbng-cp:in-policy:**  
**Type:** string  
**Description:** (leaf)  
**format:** string  
**x-yang:**  
**Type:** leaf  
**cnbng-cp:out-policy:**  
**Type:** string  
**Description:** (leaf)  
**format:** string

```

    x-yang:
      Type: leaf
  cnbng-cp:merge-level:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf

```

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_qos\_in-policy:**

```

Type: object
Properties:
  cnbng-cp:in-policy:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_qos\_merge-level:**

```

Type: object
Properties:
  cnbng-cp:merge-level:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf

```

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_qos\_out-policy:**

```

Type: object
Properties:
  cnbng-cp:out-policy:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_service-accounting:**

```

Type: object
Properties:
  cnbng-cp:service-accounting:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_serviceaccounting'

```

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_service-accounting-post:**

```

Type: object
Properties:

```

```

cnbng-cp:enable:
  Type: string
  Description: (leaf)
  format: '[null]'
  x-yang:
    Type: leaf
cnbng-cp:aaa-profile:
  Type: string
  Description: (leaf)
  format: leafref
  x-yang:
    Type: leaf
cnbng-cp:periodic-interval:
  Type: integer
  Description: (leaf)
  format: uint32
  x-yang:
    Type: leaf

```

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_service-accounting\_aaa-profile:**

```

Type: object
Properties:
  cnbng-cp:aaa-profile:
    Type: string
    Description: (leaf)
    format: leafref
    x-yang:
      Type: leaf

```

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_service-accounting\_enable:**

```

Type: object
Properties:
  cnbng-cp:enable:
    Type: string
    Description: (leaf)
    format: '[null]'
    x-yang:
      Type: leaf

```

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_service-accounting\_periodic-interval:**

```

Type: object
Properties:
  cnbng-cp:periodic-interval:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf

```

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_session-accounting:**

**Type:** object

**Properties:**

**cnbng-cp:session-accounting:**

**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_sessionaccounting'

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_session-accounting-post:**

**Type:** object

**Properties:**

**cnbng-cp:enable:**

**Type:** string

**Description:** (leaf)

**format:** '[null]'

**x-yang:**

**Type:** leaf

**cnbng-cp:aaa-profile:**

**Type:** string

**Description:** (leaf)

**format:** leafref

**x-yang:**

**Type:** leaf

**cnbng-cp:periodic-interval:**

**Type:** integer

**Description:** (leaf)

**format:** uint32

**x-yang:**

**Type:** leaf

**cnbng-cp:dual-stack-delay:**

**Type:** integer

**Description:** (leaf)

**format:** uint32

**x-yang:**

**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_session-accounting\_aaa-profile:**

**Type:** object

**Properties:**

**cnbng-cp:aaa-profile:**

**Type:** string

**Description:** (leaf)

**format:** leafref

**x-yang:**

**Type:** leaf

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_session-accounting\_dual-stack-delay:**

**Type:** object

**Properties:**

**cnbng-cp:dual-stack-delay:**

**Type:** integer

**Description:** (leaf)

```

    format: uint32
    x-yang:
      Type: leaf

```

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_session-accounting\_enable:**

```

Type: object
Properties:
  cnbng-cp:enable:
    Type: string
    Description: (leaf)
    format: '[null]'
    x-yang:
      Type: leaf

```

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_session-accounting\_periodic-interval:**

```

Type: object
Properties:
  cnbng-cp:periodic-interval:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf

```

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_vrf-name:**

```

Type: object
Properties:
  cnbng-cp:vrf-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

**data\_cnbng-cp\_profile\_l2tp\_l2tp-name:**

```

Type: object
Properties:
  cnbng-cp:l2tp:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_l2tp'
    x-yang:
      Type: list

```

**data\_cnbng-cp\_profile\_l2tp\_l2tp-name\_authentication:**

```

Type: object
Properties:
  cnbng-cp:authentication:
    Type: string
    Description: (leaf)
    format: '[null]'
    x-yang:

```

```

    Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_congestion-control:
  Type: object
  Properties:
    cnbng-cp:congestion-control:
      Type: string
      Description: (leaf)
      format: '[null]'
      x-yang:
        Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name:
  Type: object
  Properties:
    cnbng-cp:domain:
      Type: array
      Description: (list)
      Items:
        Reference: '#/components/schemas/datapost_cnbngcpprofile_domain'
      x-yang:
        Type: list
data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_name:
  Type: object
  Properties:
    cnbng-cp:name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_tun-assign-id:
  Type: object
  Properties:
    cnbng-cp:tun-assign-id:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_dsl-info-forwarding:
  Type: object
  Properties:
    cnbng-cp:dsl-info-forwarding:
      Type: string
      Description: (leaf)
      format: '[null]'
      x-yang:
        Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_encrypt-avp:
  Type: object
  Properties:
    cnbng-cp:encrypt-avp:
```

```

    Type: string
    Description: (leaf)
    format: '[null]'
    x-yang:
      Type: leaf
data_cnbng_cp_profile_l2tp_l2tp-name_force-lcp-renegotiation:
  Type: object
  Properties:
    cnbng_cp:force-lcp-renegotiation:
      Type: string
      Description: (leaf)
      format: '[null]'
      x-yang:
        Type: leaf
data_cnbng_cp_profile_l2tp_l2tp-name_hello-interval:
  Type: object
  Properties:
    cnbng_cp:hello-interval:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cnbng_cp_profile_l2tp_l2tp-name_hostname:
  Type: object
  Properties:
    cnbng_cp:hostname:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng_cp_profile_l2tp_l2tp-name_ip-tos:
  Type: object
  Properties:
    cnbng_cp:ip-tos:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_ip_tos'
data_cnbng_cp_profile_l2tp_l2tp-name_ip-tos-post:
  Type: object
  Properties:
    cnbng_cp:value:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
    cnbng_cp:reflect:
      Type: string
      Description: (leaf)
      format: '[null]'
      x-yang:

```

```

    Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos_reflect:
  Type: object
  Properties:
    cnbng-cp:reflect:
      Type: string
      Description: (leaf)
      format: '[null]'
      x-yang:
        Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos_value:
  Type: object
  Properties:
    cnbng-cp:value:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_ipv4:
  Type: object
  Properties:
    cnbng-cp:ipv4:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_2'
data_cnbng-cp_profile_l2tp_l2tp-name_ipv4-post:
  Type: object
  Properties:
    cnbng-cp:df-bit:
      Type: string
      Description: (leaf)
      format: enumeration
      Default: set
      enum:
        - set
        - reflect
      x-yang:
        Type: leaf
    cnbng-cp:source:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    cnbng-cp:destination:
      Type: array
      Description: (list)
      Items:
        Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_2_destination'
      x-yang:
        Type: list
data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip:

```



```

Type: object
Properties:
  cnbng-cp:destination:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_2_destination'
    x-yang:
      Type: list

```

**data\_cnbng\_cp\_profile\_l2tp\_l2tp-name\_ipv4\_destination\_destination-dest-ip\_dest-ip:**

```

Type: object
Properties:
  cnbng-cp:dest-ip:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

**data\_cnbng\_cp\_profile\_l2tp\_l2tp-name\_ipv4\_destination\_destination-dest-ip\_weight:**

```

Type: object
Properties:
  cnbng-cp:weight:
    Type: integer
    Description: (leaf)
    format: uint16
    x-yang:
      Type: leaf

```

**data\_cnbng\_cp\_profile\_l2tp\_l2tp-name\_ipv4\_df-bit:**

```

Type: object
Properties:
  cnbng-cp:df-bit:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: set
    enum:
      - set
      - reflect
    x-yang:
      Type: leaf

```

**data\_cnbng\_cp\_profile\_l2tp\_l2tp-name\_ipv4\_source:**

```

Type: object
Properties:
  cnbng-cp:source:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

```
data_cnbng-cp_profile_12tp_12tp-name_mode:
  Type: object
  Properties:
    cnbng-cp:mode:
      Type: string
      Description: (leaf)
      format: enumeration
      Default: lac
      enum:
        - lac
        - lns
      x-yang:
        Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_mtu:
  Type: object
  Properties:
    cnbng-cp:mtu:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_name:
  Type: object
  Properties:
    cnbng-cp:name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_password:
  Type: object
  Properties:
    cnbng-cp:password:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_receive-window:
  Type: object
  Properties:
    cnbng-cp:receive-window:
      Type: integer
      Description: (leaf)
      format: uint16
      x-yang:
        Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_retransmit:
  Type: object
  Properties:
```

```

    cnbng-cp:retransmit:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_retransmit'
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit-post:
  Type: object
  Properties:
    cnbng-cp:initial:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_retransmit_initial'
    cnbng-cp:timeout:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_retransmit_initial_timeout'

    cnbng-cp:retries:
      Type: integer
      Description: (leaf)
      format: uint16
      x-yang:
        Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial:
  Type: object
  Properties:
    cnbng-cp:initial:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_retransmit_initial'
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial-post:
  Type: object
  Properties:
    cnbng-cp:timeout:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_retransmit_initial_timeout'

    cnbng-cp:retries:
      Type: integer
      Description: (leaf)
      format: uint16
      x-yang:
        Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_retries:
  Type: object
  Properties:
    cnbng-cp:retries:
      Type: integer
      Description: (leaf)
      format: uint16
      x-yang:
        Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout:
  Type: object
  Properties:
    cnbng-cp:timeout:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_retransmit_initial_timeout'
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout-post:
  Type: object
  Properties:
    cnbng-cp:max:

```

```

    Type: integer
    Description: (leaf)
    format: byte
    x-yang:
      Type: leaf
  cnbng-cp:min:
    Type: integer
    Description: (leaf)
    format: byte
    x-yang:
      Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout_max:
  Type: object
  Properties:
    cnbng-cp:max:
      Type: integer
      Description: (leaf)
      format: byte
      x-yang:
        Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout_min:
  Type: object
  Properties:
    cnbng-cp:min:
      Type: integer
      Description: (leaf)
      format: byte
      x-yang:
        Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_retries:
  Type: object
  Properties:
    cnbng-cp:retries:
      Type: integer
      Description: (leaf)
      format: uint16
      x-yang:
        Type: leaf
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout:
  Type: object
  Properties:
    cnbng-cp:timeout:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_retransmit_initial_timeout'

data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout-post:
  Type: object
  Properties:
    cnbng-cp:max:
      Type: integer
      Description: (leaf)
      format: byte
      x-yang:

```

```

        Type: leaf
    cnbng-cp:min:
        Type: integer
        Description: (leaf)
        format: byte
        x-yang:
            Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_retransmit_timeout_max:
    Type: object
    Properties:
        cnbng-cp:max:
            Type: integer
            Description: (leaf)
            format: byte
            x-yang:
                Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_retransmit_timeout_min:
    Type: object
    Properties:
        cnbng-cp:min:
            Type: integer
            Description: (leaf)
            format: byte
            x-yang:
                Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_rx-connect-speed:
    Type: object
    Properties:
        cnbng-cp:rx-connect-speed:
            Type: integer
            Description: (leaf)
            format: uint32
            x-yang:
                Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_tcp:
    Type: object
    Properties:
        cnbng-cp:tcp:
            Reference: '#/components/schemas/datapost_cnbngcpprofile_tcp'
data_cnbng-cp_profile_12tp_12tp-name_tcp-post:
    Type: object
    Properties:
        cnbng-cp:adjust-mss:
            Type: integer
            Description: (leaf)
            format: uint16
            x-yang:
                Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_tcp_adjust-mss:
    Type: object
    Properties:

```

```

cnbng-cp:adjust-mss:
  Type: integer
  Description: (leaf)
  format: uint16
  x-yang:
    Type: leaf

```

**data\_cnbng-cp\_profile\_12tp\_12tp-name\_terminate-from\_terminate-from-hostname:**

```

Type: object
Properties:
  cnbng-cp:terminate-from:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_terminatefrom'
    x-yang:
      Type: list

```

**data\_cnbng-cp\_profile\_12tp\_12tp-name\_terminate-from\_terminate-from-hostname\_hostname:**

```

Type: object
Properties:
  cnbng-cp:hostname:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

**data\_cnbng-cp\_profile\_12tp\_12tp-name\_tunnel:**

```

Type: object
Properties:
  cnbng-cp:tunnel:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_tunnel'

```

**data\_cnbng-cp\_profile\_12tp\_12tp-name\_tunnel-load-balancing:**

```

Type: object
Properties:
  cnbng-cp:tunnel-load-balancing:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: weighted
    enum:
      - weighted
      - equal
    x-yang:
      Type: leaf

```

**data\_cnbng-cp\_profile\_12tp\_12tp-name\_tunnel-post:**

```

Type: object
Properties:
  cnbng-cp:session-limit:
    Type: integer
    Description: (leaf)

```

```

    format: uint32
    x-yang:
      Type: leaf
  cnbng-cp:timeout:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_tunnel_timeout'
data_cnbng-cp_profile_12tp_12tp-name_tunnel_session-limit:
  Type: object
  Properties:
    cnbng-cp:session-limit:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_tunnel_timeout:
  Type: object
  Properties:
    cnbng-cp:timeout:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_tunnel_timeout'
data_cnbng-cp_profile_12tp_12tp-name_tunnel_timeout-post:
  Type: object
  Properties:
    cnbng-cp:no-session:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_tunnel_timeout_no-session:
  Type: object
  Properties:
    cnbng-cp:no-session:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_tx-connect-speed:
  Type: object
  Properties:
    cnbng-cp:tx-connect-speed:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_12tp_12tp-name_vrf:
  Type: object
  Properties:
    cnbng-cp:vrf:
      Type: string

```

```

        Description: (leaf)
        format: string
        x-yang:
          Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name:
  Type: object
  Properties:
    cnbng-cp:pppoe:
      Type: array
      Description: (list)
      Items:
        Reference: '#/components/schemas/datapost_cnbngcpprofile_pppoe'
        x-yang:
          Type: list
data_cnbng-cp_profile_pppoe_pppoe-name_ac-cookie:
  Type: object
  Properties:
    cnbng-cp:ac-cookie:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_ac-name:
  Type: object
  Properties:
    cnbng-cp:ac-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_ctrl-pkt-priority:
  Type: object
  Properties:
    cnbng-cp:ctrl-pkt-priority:
      Type: integer
      Description: (leaf)
      format: byte
      x-yang:
        Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload:
  Type: object
  Properties:
    cnbng-cp:max-payload:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_maxpayload'
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload-post:
  Type: object
  Properties:
    cnbng-cp:deny:
      Type: string

```



```

    Description: (leaf)
    format: '[null]'
    x-yang:
      Type: leaf
  cnbng-cp:minimum:
    Type: integer
    Description: (leaf)
    format: uint16
    x-yang:
      Type: leaf
  cnbng-cp:maximum:
    Type: integer
    Description: (leaf)
    format: uint16
    x-yang:
      Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_deny:
Type: object
Properties:
  cnbng-cp:deny:
    Type: string
    Description: (leaf)
    format: '[null]'
    x-yang:
      Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_maximum:
Type: object
Properties:
  cnbng-cp:maximum:
    Type: integer
    Description: (leaf)
    format: uint16
    x-yang:
      Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_minimum:
Type: object
Properties:
  cnbng-cp:minimum:
    Type: integer
    Description: (leaf)
    format: uint16
    x-yang:
      Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_mtu:
Type: object
Properties:
  cnbng-cp:mtu:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:

```

```

    Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_name:
  Type: object
  Properties:
    cnbng-cp:name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_service-name_service-name-id:
  Type: object
  Properties:
    cnbng-cp:service-name:
      Type: array
      Items:
        Type: string
        Description: (leaf-list)
        format: string
      x-yang:
        Type: leaf-list
data_cnbng-cp_profile_pppoe_pppoe-name_service-selection-disable:
  Type: object
  Properties:
    cnbng-cp:service-selection-disable:
      Type: boolean
      Description: (leaf)
      x-yang:
        Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit:
  Type: object
  Properties:
    cnbng-cp:session-limit:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionlimit'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit-post:
  Type: object
  Properties:
    cnbng-cp:max:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionlimit_max'
    cnbng-cp:mac:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionlimit_max'
    cnbng-cp:circuit-id:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionlimit_max'
    cnbng-cp:outer-vlan:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionlimit_max'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id:
  Type: object
  Properties:
    cnbng-cp:circuit-id:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionlimit_max'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id-post:

```

```
Type: object
Properties:
  cnbng-cp:value:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
  cnbng-cp:threshold:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_threshold:

Type: object
Properties:
  cnbng-cp:threshold:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_value:

Type: object
Properties:
  cnbng-cp:value:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac:

Type: object
Properties:
  cnbng-cp:mac:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionlimit_max'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac-post:

Type: object
Properties:
  cnbng-cp:value:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
  cnbng-cp:threshold:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
```

```

    Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_threshold:
  Type: object
  Properties:
    cnbng-cp:threshold:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_value:
  Type: object
  Properties:
    cnbng-cp:value:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max:
  Type: object
  Properties:
    cnbng-cp:max:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionlimit_max'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max-post:
  Type: object
  Properties:
    cnbng-cp:value:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
    cnbng-cp:threshold:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_threshold:
  Type: object
  Properties:
    cnbng-cp:threshold:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_value:
  Type: object
  Properties:

```

```
    cnbng-cp:value:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan:
  Type: object
  Properties:
    cnbng-cp:outer-vlan:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionlimit_max'
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan-post:
  Type: object
  Properties:
    cnbng-cp:value:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
    cnbng-cp:threshold:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_threshold:
  Type: object
  Properties:
    cnbng-cp:threshold:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_value:
  Type: object
  Properties:
    cnbng-cp:value:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_pppoe_pppoe-name_timeout-completion:
  Type: object
  Properties:
    cnbng-cp:timeout-completion:
      Type: integer
      Description: (leaf)
      format: uint16
```

```

    x-yang:
      Type: leaf
data_cnbng-cp_profile_radius:
  Type: object
  Properties:
    cnbng-cp:radius:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_radius'
data_cnbng-cp_profile_radius-post:
  Type: object
  Properties:
    cnbng-cp:server:
      Type: array
      Description: (list)
      Items:
        Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_server'
      x-yang:
        Type: list
    cnbng-cp:algorithm:
      Type: string
      Description: (leaf)
      format: enumeration
      Default: first-server
      enum:
        - first-server
        - round-robin
      x-yang:
        Type: leaf
    cnbng-cp:deadtime:
      Type: integer
      Description: (leaf)
      format: int32
      x-yang:
        Type: leaf
    cnbng-cp:detect-dead-server:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_detectdeadserver'

    cnbng-cp:max-retry:
      Type: integer
      Description: (leaf)
      format: int32
      x-yang:
        Type: leaf
    cnbng-cp:timeout:
      Type: integer
      Description: (leaf)
      format: int32
      x-yang:
        Type: leaf
    cnbng-cp:attribute:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_attribute'
    cnbng-cp:accounting:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_accounting'

```

```

cnbng-cp:server-group:
  Type: array
  Description: (list)
  Items:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_servergroup'
  x-yang:
    Type: list
data_cnbng-cp_profile_radius_accounting:
  Type: object
  Properties:
    cnbng-cp:accounting:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_accounting'
data_cnbng-cp_profile_radius_accounting-post:
  Type: object
  Properties:
    cnbng-cp:algorithm:
      Type: string
      Description: (leaf)
      format: enumeration
      Default: first-server
      enum:
      - first-server
      - round-robin
      x-yang:
        Type: leaf
    cnbng-cp:deadtime:
      Type: integer
      Description: (leaf)
      format: int32
      x-yang:
        Type: leaf
    cnbng-cp:detect-dead-server:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_detectdeadserver'

cnbng-cp:max-retry:
  Type: integer
  Description: (leaf)
  format: int32
  x-yang:
    Type: leaf
cnbng-cp:timeout:
  Type: integer
  Description: (leaf)
  format: int32
  x-yang:
    Type: leaf
cnbng-cp:attribute:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_attribute'
data_cnbng-cp_profile_radius_accounting_algorithm:
  Type: object
  Properties:
    cnbng-cp:algorithm:

```

```

    Type: string
    Description: (leaf)
    format: enumeration
    Default: first-server
    enum:
    - first-server
    - round-robin
    x-yang:
      Type: leaf
data_cnbng-cp_profile_radius_accounting_attribute:
  Type: object
  Properties:
    cnbng-cp:attribute:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_attribute'
data_cnbng-cp_profile_radius_accounting_attribute-post:
  Type: object
  Properties:
    cnbng-cp:called-station-id:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
    cnbng-cp:calling-station-id:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
    cnbng-cp:nas-identifier:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    cnbng-cp:nas-identifier-format:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasidentifierformat'
    cnbng-cp:nas-port-id:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
    cnbng-cp:nas-port:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasport'

    cnbng-cp:nas-ip:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasip'

    cnbng-cp:instance:
      Type: array
      Description: (list)
      Items:
        Reference:
          '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_instance'
      x-yang:
        Type: list
data_cnbng-cp_profile_radius_accounting_attribute_called-station-id:
  Type: object
  Properties:
    cnbng-cp:called-station-id:

```



**Reference:**

```
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
```

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called-station-id-post:**

**Type:** object

**Properties:**

**cnbng-cp:format:**

**Type:** array

**Description:** (list)

**Items:****Reference:**

```
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
```

**x-yang:**

**Type:** list

**cnbng-cp:format-name:**

**Type:** string

**Description:** (leaf)

**format:** string

**x-yang:**

**Type:** leaf

**cnbng-cp:value:**

**Type:** string

**Description:** (leaf)

**format:** string

**x-yang:**

**Type:** leaf

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called-station-id\_format-name:**

**Type:** object

**Properties:**

**cnbng-cp:format-name:**

**Type:** string

**Description:** (leaf)

**format:** string

**x-yang:**

**Type:** leaf

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called-station-id\_format\_format-nas-port-type:**

**Type:** object

**Properties:**

**cnbng-cp:format:**

**Type:** array

**Description:** (list)

**Items:****Reference:**

```
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
```

**x-yang:**

**Type:** list

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called-station-id\_format\_format-nas-port-type\_format-name:**

**Type:** object  
**Properties:**  
 cnbng-cp:format-name:  
   **Type:** string  
   **Description:** (leaf)  
   **format:** string  
   **x-yang:**  
     **Type:** leaf

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called-station-id\_format\_format-nas-port-type\_nas-port-type:**

**Type:** object  
**Properties:**  
 cnbng-cp:nas-port-type:  
   **Type:** integer  
   **Description:** (leaf)  
   **format:** int32  
   **x-yang:**  
     **Type:** leaf

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_called-station-id\_value:**

**Type:** object  
**Properties:**  
 cnbng-cp:value:  
   **Type:** string  
   **Description:** (leaf)  
   **format:** string  
   **x-yang:**  
     **Type:** leaf

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling-station-id:**

**Type:** object  
**Properties:**  
 cnbng-cp:calling-station-id:  
   **Reference:**

'#/components/schemas/datapost\_cnbngcpprofile\_radius\_attribute\_calledstationid'

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling-station-id-post:**

**Type:** object  
**Properties:**  
 cnbng-cp:format:  
   **Type:** array  
   **Description:** (list)  
   **Items:**  
     **Reference:**

'#/components/schemas/datapost\_cnbngcpprofile\_radius\_attribute\_calledstationid\_format'

**x-yang:**  
   **Type:** list  
 cnbng-cp:format-name:  
   **Type:** string  
   **Description:** (leaf)  
   **format:** string  
   **x-yang:**  
     **Type:** leaf

```

cnbng-cp:value:
  Type: string
  Description: (leaf)
  format: string
  x-yang:
    Type: leaf

```

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_calling-station-id\_format-name:**

```

Type: object
Properties:
  cnbng-cp:format-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_calling-station-id\_format\_format-nas-port-type:**

```

Type: object
Properties:
  cnbng-cp:format:
    Type: array
    Description: (list)
    Items:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
    x-yang:
      Type: list

```

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_calling-station-id\_format\_format-nas-port-type\_format-name:**

```

Type: object
Properties:
  cnbng-cp:format-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_calling-station-id\_format\_format-nas-port-type\_nas-port-type:**

```

Type: object
Properties:
  cnbng-cp:nas-port-type:
    Type: integer
    Description: (leaf)
    format: int32
    x-yang:
      Type: leaf

```

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_calling-station-id\_value:**

**Type:** object  
**Properties:**  
 cnbng-cp:value:  
   **Type:** string  
   **Description:** (leaf)  
   **format:** string  
   **x-yang:**  
     **Type:** leaf

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id:**

**Type:** object  
**Properties:**  
 cnbng-cp:instance:  
   **Type:** array  
   **Description:** (list)  
   **Items:**  
     **Reference:**  
     '#/components/schemas/datapost\_cnbngcpprofile\_radius\_attribute\_instance'  
   **x-yang:**  
     **Type:** list

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_called-station-id:**

**Type:** object  
**Properties:**  
 cnbng-cp:called-station-id:  
   **Reference:**  
   '#/components/schemas/datapost\_cnbngcpprofile\_radius\_attribute\_calledstationid'

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_called-station-id-post:**

**Type:** object  
**Properties:**  
 cnbng-cp:format:  
   **Type:** array  
   **Description:** (list)  
   **Items:**  
     **Reference:**  
     '#/components/schemas/datapost\_cnbngcpprofile\_radius\_attribute\_calledstationid\_format'  
   **x-yang:**  
     **Type:** list  
 cnbng-cp:format-name:  
   **Type:** string  
   **Description:** (leaf)  
   **format:** string  
   **x-yang:**  
     **Type:** leaf  
 cnbng-cp:value:  
   **Type:** string  
   **Description:** (leaf)

```

    format: string
    x-yang:
      Type: leaf

```

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_called-station-id\_format-name:**

```

Type: object
Properties:
  cnbng_cp:format-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

?

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_called-station-id\_format\_format-nas-port-type

```

: type: object
Properties:
  cnbng_cp:format:
    Type: array
    Description: (list)
    Items:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
    x-yang:
      Type: list

```

?

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_called-station-id\_format\_format-nas-port-type\_format-name

```

: type: object
Properties:
  cnbng_cp:format-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

?

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_called-station-id\_format\_format-nas-port-type\_nas-port-type

```

: type: object
Properties:
  cnbng_cp:nas-port-type:
    Type: integer
    Description: (leaf)
    format: int32
    x-yang:
      Type: leaf

```

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_called-station-id\_value:**

```

Type: object
Properties:

```

```

cnbng-cp:value:
  Type: string
  Description: (leaf)
  format: string
  x-yang:
    Type: leaf

```

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_calling-station-id:**

```

Type: object
Properties:
  cnbng-cp:calling-station-id:
    Reference:

```

```
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
```

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_calling-station-id-post:**

```

Type: object
Properties:
  cnbng-cp:format:
    Type: array
    Description: (list)
    Items:
      Reference:

```

```
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
```

```

x-yang:
  Type: list
cnbng-cp:format-name:
  Type: string
  Description: (leaf)
  format: string
  x-yang:
    Type: leaf
cnbng-cp:value:
  Type: string
  Description: (leaf)
  format: string
  x-yang:
    Type: leaf

```

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_calling-station-id\_format-name:**

```

Type: object
Properties:
  cnbng-cp:format-name:
    Type: string
    Description: (leaf)
    format: string
  x-yang:
    Type: leaf

```

?

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_calling-station-id\_format\_format-nas-port-type:**

```
: type: object
```

```

Properties:
  cnbng-cp:format:
    Type: array
    Description: (list)
    Items:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
    x-yang:
      Type: list
?
data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_calling-station-id_format_format-nas-port-type_format-name
: type: object
Properties:
  cnbng-cp:format-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
?
data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_calling-station-id_format_format-nas-port-type_nas-port-type
: type: object
Properties:
  cnbng-cp:nas-port-type:
    Type: integer
    Description: (leaf)
    format: int32
    x-yang:
      Type: leaf

data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_calling-station-id_value:
Type: object
Properties:
  cnbng-cp:value:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_instance-id:
Type: object
Properties:
  cnbng-cp:instance-id:
    Type: integer
    Description: (leaf)
    format: int32
    x-yang:
      Type: leaf

```

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-instance-id\_nas-identifier:**

**Type:** object  
**Properties:**  
**cnbng-cp:nas-identifier:**  
**Type:** string  
**Description:** (leaf)  
**format:** string  
**x-yang:**  
**Type:** leaf

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-instance-id\_nas-identifier-format:**

**Type:** object  
**Properties:**  
**cnbng-cp:nas-identifier-format:**  
**Reference:**  
 '#/components/schemas/datapost\_cnbngcpprofile\_radius\_attribute\_nasidentifierformat'

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-instance-id\_nas-identifier-format-post:**

**Type:** object  
**Properties:**  
**cnbng-cp:format:**  
**Type:** array  
**Description:** (list)  
**Items:**  
**Reference:**  
 '#/components/schemas/datapost\_cnbngcpprofile\_radius\_attribute\_calledstationid\_format'  
**x-yang:**  
**Type:** list  
**cnbng-cp:format-name:**  
**Type:** string  
**Description:** (leaf)  
**format:** string  
**x-yang:**  
**Type:** leaf

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-instance-id\_nas-identifier-format\_format-name:**

**Type:** object  
**Properties:**  
**cnbng-cp:format-name:**  
**Type:** string  
**Description:** (leaf)  
**format:** string  
**x-yang:**  
**Type:** leaf

?

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-instance-id\_nas-identifier-format\_format\_format-nas-port-type**

**type:** object  
**Properties:**  
**cnbng-cp:format:**



```

    Type: array
    Description: (list)
    Items:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
      x-yang:
        Type: list
  ?
data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_nas-identifier-format_format_format-nas-port-type_format-name
: type: object
Properties:
  cnbng-cp:format-name:
    Type: string
    Description: (leaf)
  format: string
  x-yang:
    Type: leaf
?
data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_nas-identifier-format_format_format-nas-port-type_nas-port-type
: type: object
Properties:
  cnbng-cp:nas-port-type:
    Type: integer
    Description: (leaf)
  format: int32
  x-yang:
    Type: leaf

data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_nas-ip:
Type: object
Properties:
  cnbng-cp:nas-ip:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasip'

data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_nas-ip-post:
Type: object
Properties:
  cnbng-cp:value:
    Type: string
    Description: (leaf)
    format: union
  x-yang:
    Type: leaf
  cnbng-cp:user-plane-ip:
    Type: string
    Description: (leaf)
    format: '[null]'
  x-yang:
    Type: leaf

```

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_nas-ip\_user-plane-ip:**

**Type:** object  
**Properties:**  
 cnbng-cp:user-plane-ip:  
**Type:** string  
**Description:** (leaf)  
**format:** '[null]'  
**x-yang:**  
**Type:** leaf

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_nas-ip\_value:**

**Type:** object  
**Properties:**  
 cnbng-cp:value:  
**Type:** string  
**Description:** (leaf)  
**format:** union  
**x-yang:**  
**Type:** leaf

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_nas-port:**

**Type:** object  
**Properties:**  
 cnbng-cp:nas-port:  
**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_radius\_attribute\_nasport'

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_nas-port-id:**

**Type:** object  
**Properties:**  
 cnbng-cp:nas-port-id:  
**Reference:**  
 '#/components/schemas/datapost\_cnbngcpprofile\_radius\_attribute\_calledstationid'

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_nas-port-id-post:**

**Type:** object  
**Properties:**  
 cnbng-cp:format:  
**Type:** array  
**Description:** (list)  
**Items:**  
**Reference:**  
 '#/components/schemas/datapost\_cnbngcpprofile\_radius\_attribute\_calledstationid\_format'  
**x-yang:**  
**Type:** list  
 cnbng-cp:format-name:  
**Type:** string  
**Description:** (leaf)

```

    format: string
    x-yang:
      Type: leaf
  cnbng-cp:value:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_nas-port-id\_format-name:**

```

Type: object
Properties:
  cnbng-cp:format-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_nas-port-id\_format\_format-nas-port-type:**

```

Type: object
Properties:
  cnbng-cp:format:
    Type: array
    Description: (list)
    Items:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
    x-yang:
      Type: list

```

?

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_nas-port-id\_format\_format-nas-port-type\_format-name**

```

: type: object
Properties:
  cnbng-cp:format-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

?

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_nas-port-id\_format\_format-nas-port-type\_nas-port-type**

```

: type: object
Properties:
  cnbng-cp:nas-port-type:
    Type: integer
    Description: (leaf)
    format: int32
    x-yang:

```

**Type:** leaf

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_nas-port-id\_value:**

**Type:** object

**Properties:**

**cnbng-cp:value:**

**Type:** string

**Description:** (leaf)

**format:** string

**x-yang:**

**Type:** leaf

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_nas-port-post:**

**Type:** object

**Properties:**

**cnbng-cp:format-e-list:**

**Type:** array

**Description:** (list)

**Items:**

**Reference:**

'#/components/schemas/datapost\_cnbngcpprofile\_radius\_attribute\_nasport\_formatelist'

**x-yang:**

**Type:** list

**cnbng-cp:format-e:**

**Type:** string

**Description:** (leaf)

**format:** string

**x-yang:**

**Type:** leaf

**cnbng-cp:value:**

**Type:** integer

**Description:** (leaf)

**format:** uint32

**x-yang:**

**Type:** leaf

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_nas-port\_format-e:**

**Type:** object

**Properties:**

**cnbng-cp:format-e:**

**Type:** string

**Description:** (leaf)

**format:** string

**x-yang:**

**Type:** leaf

?

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_nas-port\_format-e-list\_format-e-list-nas-port-type**

**: type:** object

**Properties:**

```

    cnbng-cp:format-e-list:
      Type: array
      Description: (list)
      Items:
        Reference:
          '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasport_formatelist'
      x-yang:
        Type: list
    ?
data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_nas-port_format-e-list_format-e-list-nas-port-type_format-e
: type: object
  Properties:
    cnbng-cp:format-e:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    ?
data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type
: type: object
  Properties:
    cnbng-cp:nas-port-type:
      Type: integer
      Description: (leaf)
      format: int32
      x-yang:
        Type: leaf

data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_nas-port_value:
  Type: object
  Properties:
    cnbng-cp:value:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cnbng_cp_profile_radius_accounting_attribute_nas-identifier:
  Type: object
  Properties:
    cnbng-cp:nas-identifier:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng_cp_profile_radius_accounting_attribute_nas-identifier-format:
  Type: object

```

**Properties:****cnbng-cp:nas-identifier-format:****Reference:**

'#/components/schemas/datapost\_cnbngcpprofile\_radius\_attribute\_nasidentifierformat'

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format-post:****Type:** object**Properties:****cnbng-cp:format:****Type:** array**Description:** (list)**Items:****Reference:**

'#/components/schemas/datapost\_cnbngcpprofile\_radius\_attribute\_calledstationid\_format'

**x-yang:****Type:** list**cnbng-cp:format-name:****Type:** string**Description:** (leaf)**format:** string**x-yang:****Type:** leaf**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format\_format-name:****Type:** object**Properties:****cnbng-cp:format-name:****Type:** string**Description:** (leaf)**format:** string**x-yang:****Type:** leaf**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format\_format\_format-nas-port-type:****Type:** object**Properties:****cnbng-cp:format:****Type:** array**Description:** (list)**Items:****Reference:**

'#/components/schemas/datapost\_cnbngcpprofile\_radius\_attribute\_calledstationid\_format'

**x-yang:****Type:** list**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format\_format\_format-nas-port-type\_format-name:****Type:** object**Properties:****cnbng-cp:format-name:****Type:** string

**Description:** (leaf)  
**format:** string  
**x-yang:**  
**Type:** leaf

~~data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas-identifier-format\_format\_format\_nas-port-type\_nas-port-type:~~

**Type:** object  
**Properties:**  
**cnbng-cp:nas-port-type:**  
**Type:** integer  
**Description:** (leaf)  
**format:** int32  
**x-yang:**  
**Type:** leaf

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas-ip:

**Type:** object  
**Properties:**  
**cnbng-cp:nas-ip:**  
**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_radius\_attribute\_nasip'

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas-ip-post:

**Type:** object  
**Properties:**  
**cnbng-cp:value:**  
**Type:** string  
**Description:** (leaf)  
**format:** union  
**x-yang:**  
**Type:** leaf  
**cnbng-cp:user-plane-ip:**  
**Type:** string  
**Description:** (leaf)  
**format:** '[null]'  
**x-yang:**  
**Type:** leaf

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas-ip\_user-plane-ip:

**Type:** object  
**Properties:**  
**cnbng-cp:user-plane-ip:**  
**Type:** string  
**Description:** (leaf)  
**format:** '[null]'  
**x-yang:**  
**Type:** leaf

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_nas-ip\_value:

**Type:** object  
**Properties:**  
**cnbng-cp:value:**  
**Type:** string  
**Description:** (leaf)

```

        format: union
        x-yang:
          Type: leaf
data_cnbng-cp_profile_radius_accounting_attribute_nas-port:
  Type: object
  Properties:
    cnbng-cp:nas-port:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasport'

data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id:
  Type: object
  Properties:
    cnbng-cp:nas-port-id:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id-post:
  Type: object
  Properties:
    cnbng-cp:format:
      Type: array
      Description: (list)
      Items:
        Reference:
          '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
      x-yang:
        Type: list
    cnbng-cp:format-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    cnbng-cp:value:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format-name:
  Type: object
  Properties:
    cnbng-cp:format-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf

data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type:
  Type: object
  Properties:

```



```

    cnbng-cp:format:
      Type: array
      Description: (list)
      Items:
      Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
    x-yang:
      Type: list

data_cnbng_cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_format-name:

Type: object
Properties:
  cnbng-cp:format-name:
    Type: string
    Description: (leaf)
  format: string
  x-yang:
    Type: leaf

data_cnbng_cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_nas-port-type:

Type: object
Properties:
  cnbng-cp:nas-port-type:
    Type: integer
    Description: (leaf)
  format: int32
  x-yang:
    Type: leaf

data_cnbng_cp_profile_radius_accounting_attribute_nas-port-id_value:

Type: object
Properties:
  cnbng-cp:value:
    Type: string
    Description: (leaf)
  format: string
  x-yang:
    Type: leaf

data_cnbng_cp_profile_radius_accounting_attribute_nas-port-post:

Type: object
Properties:
  cnbng-cp:format-e-list:
    Type: array
    Description: (list)
    Items:
    Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasport_formatelist'
  x-yang:
    Type: list
  cnbng-cp:format-e:
    Type: string
    Description: (leaf)

```

```

    format: string
    x-yang:
      Type: leaf
  cnbng-cp:value:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e:
Type: object
Properties:
  cnbng-cp:format-e:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type:
Type: object
Properties:
  cnbng-cp:format-e-list:
    Type: array
    Description: (list)
    Items:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasport_formatelist'
    x-yang:
      Type: list

data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e:
Type: object
Properties:
  cnbng-cp:format-e:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type:
Type: object
Properties:
  cnbng-cp:nas-port-type:
    Type: integer
    Description: (leaf)
    format: int32
    x-yang:
      Type: leaf

```

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_nas-port\_value:**

**Type:** object

**Properties:**

**cnbng-cp:value:**

**Type:** integer

**Description:** (leaf)

**format:** uint32

**x-yang:**

**Type:** leaf

**data\_cnbng-cp\_profile\_radius\_accounting\_deadtime:**

**Type:** object

**Properties:**

**cnbng-cp:deadtime:**

**Type:** integer

**Description:** (leaf)

**format:** int32

**x-yang:**

**Type:** leaf

**data\_cnbng-cp\_profile\_radius\_accounting\_detect-dead-server:**

**Type:** object

**Properties:**

**cnbng-cp:detect-dead-server:**

**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_radius\_detectdeadservers'

**data\_cnbng-cp\_profile\_radius\_accounting\_detect-dead-server-post:**

**Type:** object

**Properties:**

**cnbng-cp:response-timeout:**

**Type:** integer

**Description:** (leaf)

**format:** int32

**x-yang:**

**Type:** leaf

**data\_cnbng-cp\_profile\_radius\_accounting\_detect-dead-server\_response-timeout:**

**Type:** object

**Properties:**

**cnbng-cp:response-timeout:**

**Type:** integer

**Description:** (leaf)

**format:** int32

**x-yang:**

**Type:** leaf

**data\_cnbng-cp\_profile\_radius\_accounting\_max-retry:**

**Type:** object

**Properties:**

**cnbng-cp:max-retry:**

**Type:** integer

**Description:** (leaf)

**format:** int32

**x-yang:**

```

    Type: leaf
data_cnbng-cp_profile_radius_accounting_timeout:
  Type: object
  Properties:
    cnbng-cp:timeout:
      Type: integer
      Description: (leaf)
      format: int32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_radius_algorithm:
  Type: object
  Properties:
    cnbng-cp:algorithm:
      Type: string
      Description: (leaf)
      format: enumeration
      Default: first-server
      enum:
        - first-server
        - round-robin
      x-yang:
        Type: leaf
data_cnbng-cp_profile_radius_attribute:
  Type: object
  Properties:
    cnbng-cp:attribute:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_attribute'
data_cnbng-cp_profile_radius_attribute-post:
  Type: object
  Properties:
    cnbng-cp:called-station-id:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
    cnbng-cp:calling-station-id:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
    cnbng-cp:nas-identifier:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    cnbng-cp:nas-identifier-format:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasidentifierformat'
    cnbng-cp:nas-port-id:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
    cnbng-cp:nas-port:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasport'

    cnbng-cp:nas-ip:

```

```

Reference: '#/components/schemas/datapost_cnbngcppprofile_radius_attribute_nasip'

cnbng-cp:instance:
  Type: array
  Description: (list)
  Items:
    Reference:
      '#/components/schemas/datapost_cnbngcppprofile_radius_attribute_instance'
    x-yang:
      Type: list
data_cnbng-cp_profile_radius_attribute_called-station-id:
  Type: object
  Properties:
    cnbng-cp:called-station-id:
      Reference:
        '#/components/schemas/datapost_cnbngcppprofile_radius_attribute_calledstationid'
    data_cnbng-cp_profile_radius_attribute_called-station-id-post:
      Type: object
      Properties:
        cnbng-cp:format:
          Type: array
          Description: (list)
          Items:
            Reference:
              '#/components/schemas/datapost_cnbngcppprofile_radius_attribute_calledstationid_format'
            x-yang:
              Type: list
        cnbng-cp:format-name:
          Type: string
          Description: (leaf)
          format: string
          x-yang:
            Type: leaf
        cnbng-cp:value:
          Type: string
          Description: (leaf)
          format: string
          x-yang:
            Type: leaf
data_cnbng-cp_profile_radius_attribute_called-station-id_format-name:
  Type: object
  Properties:
    cnbng-cp:format-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type:
  Type: object
  Properties:

```

```

    cnbng-cp:format:
      Type: array
      Description: (list)
      Items:
        Reference:
          '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
      x-yang:
        Type: list

data_cnbng_cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_format-name:

  Type: object
  Properties:
    cnbng-cp:format-name:
      Type: string
      Description: (leaf)
    format: string
    x-yang:
      Type: leaf

data_cnbng_cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_nas-port-type:

  Type: object
  Properties:
    cnbng-cp:nas-port-type:
      Type: integer
      Description: (leaf)
    format: int32
    x-yang:
      Type: leaf

data_cnbng_cp_profile_radius_attribute_called-station-id_value:

  Type: object
  Properties:
    cnbng-cp:value:
      Type: string
      Description: (leaf)
    format: string
    x-yang:
      Type: leaf

data_cnbng_cp_profile_radius_attribute_calling-station-id:

  Type: object
  Properties:
    cnbng-cp:calling-station-id:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'

data_cnbng_cp_profile_radius_attribute_calling-station-id-post:

  Type: object
  Properties:
    cnbng-cp:format:
      Type: array
      Description: (list)
      Items:
        Reference:

```

```

'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
  x-yang:
    Type: list
  cnbng-cp:format-name:
    Type: string
    Description: (leaf)
    format: string
  x-yang:
    Type: leaf
  cnbng-cp:value:
    Type: string
    Description: (leaf)
    format: string
  x-yang:
    Type: leaf
data_cnbng-cp_profile_radius_attribute_calling-station-id_format-name:
  Type: object
  Properties:
    cnbng-cp:format-name:
      Type: string
      Description: (leaf)
      format: string
    x-yang:
      Type: leaf

data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type:

  Type: object
  Properties:
    cnbng-cp:format:
      Type: array
      Description: (list)
    Items:
      Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
    x-yang:
      Type: list

data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_format-name:

  Type: object
  Properties:
    cnbng-cp:format-name:
      Type: string
      Description: (leaf)
      format: string
    x-yang:
      Type: leaf

data_cnbng-cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_nas-port-type:

  Type: object
  Properties:

```

```

cnbng-cp:nas-port-type:
  Type: integer
  Description: (leaf)
  format: int32
  x-yang:
    Type: leaf
data_cnbng-cp_profile_radius_attribute_calling-station-id_value:
  Type: object
  Properties:
    cnbng-cp:value:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_profile_radius_attribute_instance_instance-id:
  Type: object
  Properties:
    cnbng-cp:instance:
      Type: array
      Description: (list)
      Items:
        Reference:
          '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_instance'
      x-yang:
        Type: list
data_cnbng-cp_profile_radius_attribute_instance_instance-id_called-station-id:
  Type: object
  Properties:
    cnbng-cp:called-station-id:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
data_cnbng-cp_profile_radius_attribute_instance_instance-id_called-station-id-post:
  Type: object
  Properties:
    cnbng-cp:format:
      Type: array
      Description: (list)
      Items:
        Reference:
          '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
      x-yang:
        Type: list
    cnbng-cp:format-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf

```



```

cnbng-cp:value:
  Type: string
  Description: (leaf)
  format: string
  x-yang:
    Type: leaf

```

**data\_cnbng-cp\_profile\_radius\_attribute\_instance\_instance-id\_called-station-id\_format-name:**

```

Type: object
Properties:
  cnbng-cp:format-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

**data\_cnbng-cp\_profile\_radius\_attribute\_instance\_instance-id\_called-station-id\_format\_format-nas-port-type:**

```

Type: object
Properties:
  cnbng-cp:format:
    Type: array
    Description: (list)
    Items:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
    x-yang:
      Type: list

```

?

**data\_cnbng-cp\_profile\_radius\_attribute\_instance\_instance-id\_called-station-id\_format\_format-nas-port-type\_format-name**

: type: object

```

Properties:
  cnbng-cp:format-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

?

**data\_cnbng-cp\_profile\_radius\_attribute\_instance\_instance-id\_called-station-id\_format\_format-nas-port-type\_nas-port-type**

: type: object

```

Properties:
  cnbng-cp:nas-port-type:
    Type: integer
    Description: (leaf)
    format: int32
    x-yang:
      Type: leaf

```

**data\_cnbng-cp\_profile\_radius\_attribute\_instance\_instance-id\_called-station-id\_value:**

**Type:** object  
**Properties:**  
 cnbng-cp:value:  
   **Type:** string  
   **Description:** (leaf)  
   **format:** string  
   **x-yang:**  
     **Type:** leaf

**data\_cnbng-cp\_profile\_radius\_attribute\_instance\_instance-instance-id\_calling-station-id:**

**Type:** object  
**Properties:**  
 cnbng-cp:calling-station-id:  
   **Reference:**  
 '#/components/schemas/datapost\_cnbngcpprofile\_radius\_attribute\_calledstationid'

**data\_cnbng-cp\_profile\_radius\_attribute\_instance\_instance-instance-id\_calling-station-id-post:**

**Type:** object  
**Properties:**  
 cnbng-cp:format:  
   **Type:** array  
   **Description:** (list)  
   **Items:**  
     **Reference:**  
     '#/components/schemas/datapost\_cnbngcpprofile\_radius\_attribute\_calledstationid\_format'  
     **x-yang:**  
       **Type:** list  
 cnbng-cp:format-name:  
   **Type:** string  
   **Description:** (leaf)  
   **format:** string  
   **x-yang:**  
     **Type:** leaf  
 cnbng-cp:value:  
   **Type:** string  
   **Description:** (leaf)  
   **format:** string  
   **x-yang:**  
     **Type:** leaf

**data\_cnbng-cp\_profile\_radius\_attribute\_instance\_instance-instance-id\_calling-station-id\_format-name:**

**Type:** object  
**Properties:**  
 cnbng-cp:format-name:  
   **Type:** string  
   **Description:** (leaf)  
   **format:** string  
   **x-yang:**  
     **Type:** leaf

**data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-id\_calling-station-id\_format\_format-nas-port-type:**

**Type:** object

**Properties:**

**cnbng-cp:format:**

**Type:** array

**Description:** (list)

**Items:**

**Reference:**

'#/components/schemas/datapost\_cnbngcpprofile\_radius\_attribute\_calledstationid\_format'

**x-yang:**

**Type:** list

?

**data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-id\_calling-station-id\_format\_format-nas-port-type\_format-name**

: type: object

**Properties:**

**cnbng-cp:format-name:**

**Type:** string

**Description:** (leaf)

**format:** string

**x-yang:**

**Type:** leaf

?

**data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-id\_calling-station-id\_format\_format-nas-port-type\_nas-port-type**

: type: object

**Properties:**

**cnbng-cp:nas-port-type:**

**Type:** integer

**Description:** (leaf)

**format:** int32

**x-yang:**

**Type:** leaf

**data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-id\_calling-station-id\_value:**

**Type:** object

**Properties:**

**cnbng-cp:value:**

**Type:** string

**Description:** (leaf)

**format:** string

**x-yang:**

**Type:** leaf

**data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-id\_instance-id:**

**Type:** object

**Properties:**

**cnbng-cp:instance-id:**

**Type:** integer

**Description:** (leaf)

```

    format: int32
    x-yang:
      Type: leaf

```

**data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-id\_nas-identifier:**

```

Type: object
Properties:
  cnbng_cp:nas-identifier:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

**data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-id\_nas-identifier-format:**

```

Type: object
Properties:
  cnbng_cp:nas-identifier-format:
    Reference:
      '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasidentifierformat'

```

**data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-id\_nas-identifier-format-post:**

```

Type: object
Properties:
  cnbng_cp:format:
    Type: array
    Description: (list)
    Items:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
    x-yang:
      Type: list
  cnbng_cp:format-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

**data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-id\_nas-identifier-format\_format-name:**

```

Type: object
Properties:
  cnbng_cp:format-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

**data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-id\_nas-identifier-format\_format\_format-nas-port-type:**

```

Type: object
Properties:
  cnbng-cp:format:
    Type: array
    Description: (list)
    Items:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
    x-yang:
      Type: list
?
data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id_nas-identifier-format_format_format-nas-port-type_format-name
: type: object
Properties:
  cnbng-cp:format-name:
    Type: string
    Description: (leaf)
  format: string
  x-yang:
    Type: leaf
?
data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id_nas-identifier-format_format_format-nas-port-type_nas-port-type
: type: object
Properties:
  cnbng-cp:nas-port-type:
    Type: integer
    Description: (leaf)
  format: int32
  x-yang:
    Type: leaf

data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id_nas-ip:

Type: object
Properties:
  cnbng-cp:nas-ip:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasip'

data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id_nas-ip-post:

Type: object
Properties:
  cnbng-cp:value:
    Type: string
    Description: (leaf)
  format: union
  x-yang:
    Type: leaf
  cnbng-cp:user-plane-ip:
    Type: string

```

**Description:** (leaf)  
**format:** '[null]'  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_radius\_attribute\_instance\_instance-instance-id\_nas-ip\_user-plane-ip:**

**Type:** object  
**Properties:**  
**cnbng-cp:user-plane-ip:**  
**Type:** string  
**Description:** (leaf)  
**format:** '[null]'  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_radius\_attribute\_instance\_instance-instance-id\_nas-ip\_value:**

**Type:** object  
**Properties:**  
**cnbng-cp:value:**  
**Type:** string  
**Description:** (leaf)  
**format:** union  
**x-yang:**  
**Type:** leaf

**data\_cnbng-cp\_profile\_radius\_attribute\_instance\_instance-instance-id\_nas-port:**

**Type:** object  
**Properties:**  
**cnbng-cp:nas-port:**  
**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_radius\_attribute\_nasport'

**data\_cnbng-cp\_profile\_radius\_attribute\_instance\_instance-instance-id\_nas-port-id:**

**Type:** object  
**Properties:**  
**cnbng-cp:nas-port-id:**  
**Reference:**  
 '#/components/schemas/datapost\_cnbngcpprofile\_radius\_attribute\_calledstationid'

**data\_cnbng-cp\_profile\_radius\_attribute\_instance\_instance-instance-id\_nas-port-id-post:**

**Type:** object  
**Properties:**  
**cnbng-cp:format:**  
**Type:** array  
**Description:** (list)  
**Items:**  
**Reference:**  
 '#/components/schemas/datapost\_cnbngcpprofile\_radius\_attribute\_calledstationid\_format'  
**x-yang:**

```

    Type: list
  cnbng-cp:format-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  cnbng-cp:value:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

**data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-id\_nas-port-id\_format-name:**

```

Type: object
Properties:
  cnbng-cp:format-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

**data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-id\_nas-port-id\_format\_format-nas-port-type:**

```

Type: object
Properties:
  cnbng-cp:format:
    Type: array
    Description: (list)
    Items:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
    x-yang:
      Type: list

```

**data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-id\_nas-port-id\_format\_format-nas-port-type\_format-nas-port-type:**

```

Type: object
Properties:
  cnbng-cp:format-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

**data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-id\_nas-port-id\_format\_format-nas-port-type\_nas-port-type:**

```

Type: object
Properties:

```

```

cnbng-cp:nas-port-type:
  Type: integer
  Description: (leaf)
  format: int32
  x-yang:
    Type: leaf

```

```

data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-port-id_value:

```

```

Type: object
Properties:
  cnbng-cp:value:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

```

data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-port-post:

```

```

Type: object
Properties:
  cnbng-cp:format-e-list:
    Type: array
    Description: (list)
    Items:
      Reference:

```

```

'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasport_formatelist'

```

```

    x-yang:
      Type: list
  cnbng-cp:format-e:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  cnbng-cp:value:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf

```

```

data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-port_format-e:

```

```

Type: object
Properties:
  cnbng-cp:format-e:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```



**data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-id\_nas-port\_format-e-list\_format-e-list-nas-port-type**

**Type:** object

**Properties:**

**cnbng-cp:**format-e-list:

**Type:** array

**Description:** (list)

**Items:**

**Reference:**

'#/components/schemas/datapost\_cnbngcpprofile\_radius\_attribute\_nasport\_formatelist'

**x-yang:**

**Type:** list

?

**data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-id\_nas-port\_format-e-list\_format-e-list-nas-port-type\_format-e**

: type: object

**Properties:**

**cnbng-cp:**format-e:

**Type:** string

**Description:** (leaf)

**format:** string

**x-yang:**

**Type:** leaf

?

**data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-id\_nas-port\_format-e-list\_format-e-list-nas-port-type\_nas-port-type**

: type: object

**Properties:**

**cnbng-cp:**nas-port-type:

**Type:** integer

**Description:** (leaf)

**format:** int32

**x-yang:**

**Type:** leaf

**data\_cnbng\_cp\_profile\_radius\_attribute\_instance\_instance-id\_nas-port\_value:**

**Type:** object

**Properties:**

**cnbng-cp:**value:

**Type:** integer

**Description:** (leaf)

**format:** uint32

**x-yang:**

**Type:** leaf

**data\_cnbng\_cp\_profile\_radius\_attribute\_nas-identifier:**

**Type:** object

**Properties:**

**cnbng-cp:**nas-identifier:

**Type:** string

**Description:** (leaf)

**format:** string

**x-yang:**

```

    Type: leaf
data_cnbng-cp_profile_radius_attribute_nas-identifier-format:
  Type: object
  Properties:
    cnbng-cp:nas-identifier-format:
      Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasidentifierformat'
data_cnbng-cp_profile_radius_attribute_nas-identifier-format-post:
  Type: object
  Properties:
    cnbng-cp:format:
      Type: array
      Description: (list)
      Items:
        Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
      x-yang:
        Type: list
    cnbng-cp:format-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format-name:
  Type: object
  Properties:
    cnbng-cp:format-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type:
  Type: object
  Properties:
    cnbng-cp:format:
      Type: array
      Description: (list)
      Items:
        Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
      x-yang:
        Type: list
data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type_format-name:
  Type: object
  Properties:
    cnbng-cp:format-name:

```

**Type:** string  
**Description:** (leaf)  
**format:** string  
**x-yang:**  
**Type:** leaf

**data\_cnbng\_cp\_profile\_radius\_attribute\_nas-identifier-format\_format\_format-nas-port-type\_nas-port-type:**

**Type:** object  
**Properties:**  
**cnbng-cp:nas-port-type:**  
**Type:** integer  
**Description:** (leaf)  
**format:** int32  
**x-yang:**  
**Type:** leaf

**data\_cnbng\_cp\_profile\_radius\_attribute\_nas-ip:**

**Type:** object  
**Properties:**  
**cnbng-cp:nas-ip:**  
**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_radius\_attribute\_nasip'

**data\_cnbng\_cp\_profile\_radius\_attribute\_nas-ip-post:**

**Type:** object  
**Properties:**  
**cnbng-cp:value:**  
**Type:** string  
**Description:** (leaf)  
**format:** union  
**x-yang:**  
**Type:** leaf  
**cnbng-cp:user-plane-ip:**  
**Type:** string  
**Description:** (leaf)  
**format:** '[null]'  
**x-yang:**  
**Type:** leaf

**data\_cnbng\_cp\_profile\_radius\_attribute\_nas-ip\_user-plane-ip:**

**Type:** object  
**Properties:**  
**cnbng-cp:user-plane-ip:**  
**Type:** string  
**Description:** (leaf)  
**format:** '[null]'  
**x-yang:**  
**Type:** leaf

**data\_cnbng\_cp\_profile\_radius\_attribute\_nas-ip\_value:**

**Type:** object  
**Properties:**  
**cnbng-cp:value:**  
**Type:** string  
**Description:** (leaf)

```

        format: union
        x-yang:
          Type: leaf
data_cnbng-cp_profile_radius_attribute_nas-port:
  Type: object
  Properties:
    cnbng-cp:nas-port:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasport'

data_cnbng-cp_profile_radius_attribute_nas-port-id:
  Type: object
  Properties:
    cnbng-cp:nas-port-id:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
data_cnbng-cp_profile_radius_attribute_nas-port-id-post:
  Type: object
  Properties:
    cnbng-cp:format:
      Type: array
      Description: (list)
      Items:
        Reference:
          '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
      x-yang:
        Type: list
    cnbng-cp:format-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    cnbng-cp:value:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_profile_radius_attribute_nas-port-id_format-name:
  Type: object
  Properties:
    cnbng-cp:format-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf

data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type:
  Type: object
  Properties:

```

```

    cnbng-cp:format:
      Type: array
      Description: (list)
      Items:
        Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
      x-yang:
      Type: list

data_cnbng_cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_format-name:

Type: object
Properties:
  cnbng-cp:format-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
    Type: leaf

data_cnbng_cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_nas-port-type:

Type: object
Properties:
  cnbng-cp:nas-port-type:
    Type: integer
    Description: (leaf)
    format: int32
    x-yang:
    Type: leaf

data_cnbng_cp_profile_radius_attribute_nas-port-id_value:
Type: object
Properties:
  cnbng-cp:value:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
    Type: leaf

data_cnbng_cp_profile_radius_attribute_nas-port-post:
Type: object
Properties:
  cnbng-cp:format-e-list:
    Type: array
    Description: (list)
    Items:
      Reference:
      '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasport_formatelist'
    x-yang:
    Type: list
  cnbng-cp:format-e:
    Type: string
    Description: (leaf)

```

```

    format: string
    x-yang:
      Type: leaf
  cnbng-cp:value:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
data_cnbng-cp_profile_radius_attribute_nas-port_format-e:
  Type: object
  Properties:
    cnbng-cp:format-e:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf

data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type:
  Type: object
  Properties:
    cnbng-cp:format-e-list:
      Type: array
      Description: (list)
      Items:
        Reference:
          '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasport_formatelist'
      x-yang:
        Type: list

data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e:
  Type: object
  Properties:
    cnbng-cp:format-e:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf

data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type:
  Type: object
  Properties:
    cnbng-cp:nas-port-type:
      Type: integer
      Description: (leaf)
      format: int32
      x-yang:
        Type: leaf

```

```
data_cnbng-cp_profile_radius_attribute_nas-port_value:
  Type: object
  Properties:
    cnbng-cp:value:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_radius_deadtime:
  Type: object
  Properties:
    cnbng-cp:deadtime:
      Type: integer
      Description: (leaf)
      format: int32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_radius_detect-dead-server:
  Type: object
  Properties:
    cnbng-cp:detect-dead-server:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_detectdeadservers'
```

```
data_cnbng-cp_profile_radius_detect-dead-server-post:
  Type: object
  Properties:
    cnbng-cp:response-timeout:
      Type: integer
      Description: (leaf)
      format: int32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_radius_detect-dead-server_response-timeout:
  Type: object
  Properties:
    cnbng-cp:response-timeout:
      Type: integer
      Description: (leaf)
      format: int32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_radius_max-retry:
  Type: object
  Properties:
    cnbng-cp:max-retry:
      Type: integer
      Description: (leaf)
      format: int32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_radius_server-group_server-group-group-name:
```

```

Type: object
Properties:
  cnbng-cp:server-group:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_servergroup'
    x-yang:
      Type: list

```

**data\_cnbng-cp\_profile\_radius\_server-group\_server-group-group-name\_group-name:**

```

Type: object
Properties:
  cnbng-cp:group-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

**data\_cnbng-cp\_profile\_radius\_server-group\_server-group-group-name\_server\_server-type\_server-ip\_server-port:**

```

Type: object
Properties:
  cnbng-cp:server:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_server_1'
    x-yang:
      Type: list

```

**data\_cnbng-cp\_profile\_radius\_server-group\_server-group-group-name\_server\_server-type\_server-ip\_server-port\_ip:**

```

Type: object
Properties:
  cnbng-cp:ip:
    Type: string
    Description: (leaf)
    format: leafref
    x-yang:
      Type: leaf

```

**data\_cnbng-cp\_profile\_radius\_server-group\_server-group-group-name\_server\_server-type\_server-ip\_server-port\_port:**

```

Type: object
Properties:
  cnbng-cp:port:
    Type: string
    Description: (leaf)
    format: leafref
    x-yang:

```



**Type:** leaf

**data\_cnbng\_cp\_profile\_radius\_server\_group\_server\_group\_group\_name\_server\_server\_type\_server\_ip\_server\_port\_type:**

**Type:** object

**Properties:**

**cnbng\_cp:type:**

**Type:** string

**Description:** (leaf)

**format:** enumeration

**Default:** auth

**enum:**

- auth

- acct

**x-yang:**

**Type:** leaf

**data\_cnbng\_cp\_profile\_radius\_server\_server\_ip\_server\_port:**

**Type:** object

**Properties:**

**cnbng\_cp:server:**

**Type:** array

**Description:** (list)

**Items:**

**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_radius\_server'

**x-yang:**

**Type:** list

**data\_cnbng\_cp\_profile\_radius\_server\_server\_ip\_server\_port\_ip:**

**Type:** object

**Properties:**

**cnbng\_cp:ip:**

**Type:** string

**Description:** (leaf)

**format:** union

**x-yang:**

**Type:** leaf

**data\_cnbng\_cp\_profile\_radius\_server\_server\_ip\_server\_port\_port:**

**Type:** object

**Properties:**

**cnbng\_cp:port:**

**Type:** integer

**Description:** (leaf)

**format:** int32

**x-yang:**

**Type:** leaf

**data\_cnbng\_cp\_profile\_radius\_server\_server\_ip\_server\_port\_priority:**

**Type:** object

**Properties:**

**cnbng\_cp:priority:**

**Type:** integer

**Description:** (leaf)

**format:** int32

**x-yang:**

```

    Type: leaf
data_cnbng-cp_profile_radius_server_server-ip_server-port_secret:
  Type: object
  Properties:
    cnbng-cp:secret:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_profile_radius_server_server-ip_server-port_type:
  Type: object
  Properties:
    cnbng-cp:type:
      Type: string
      Description: (leaf)
      format: enumeration
      Default: auth
      enum:
        - auth
        - acct
      x-yang:
        Type: leaf
data_cnbng-cp_profile_radius_timeout:
  Type: object
  Properties:
    cnbng-cp:timeout:
      Type: integer
      Description: (leaf)
      format: int32
      x-yang:
        Type: leaf
data_cnbng-cp_profile_server-group_server-group-name:
  Type: object
  Properties:
    cnbng-cp:server-group:
      Type: array
      Description: (list)
      Items:
        Reference: '#/components/schemas/datapost_cnbngcpprofile_servergroup'
      x-yang:
        Type: list
data_cnbng-cp_profile_server-group_server-group-name_name:
  Type: object
  Properties:
    cnbng-cp:name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
data_cnbng-cp_profile_server-group_server-group-name_radius-group:

```

```

Type: object
Properties:
  cnbng-cp:radius-group:
    Type: string
    Description: (leaf)
    format: leafref
    x-yang:
      Type: leaf
data_cnbng-cp_profile_subscriber_subscriber-name:
Type: object
Properties:
  cnbng-cp:subscriber:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_subscriber'
    x-yang:
      Type: list

```

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_aaa\_aaa-aaa-option\_aaa-profile:**

```

Type: object
Properties:
  cnbng-cp:aaa:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_aaa_1'
    x-yang:
      Type: list

```

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_aaa\_aaa-aaa-option\_aaa-profile\_aaa-option:**

```

Type: object
Properties:
  cnbng-cp:aaa-option:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: authenticate
    enum:
      - authenticate
      - authorize
    x-yang:
      Type: leaf

```

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_aaa\_aaa-aaa-option\_aaa-profile\_profile:**

```

Type: object
Properties:
  cnbng-cp:profile:
    Type: string
    Description: (leaf)

```

```

    format: leafref
    x-yang:
      Type: leaf

```

**data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_activate-feature-templates\_activate-feature-templates-id:**

```

Type: object
Properties:
  cnbng-cp:activate-feature-templates:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: leafref
    x-yang:
      Type: leaf-list

```

**data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_apply-all-class:**

```

Type: object
Properties:
  cnbng-cp:apply-all-class:
    Type: string
    Description: (leaf)
    format: '[null]'
    x-yang:
      Type: leaf

```

**data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name:**

```

Type: object
Properties:
  cnbng-cp:class:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_class'
    x-yang:
      Type: list

```

**data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_aaa\_aaa-aaa-option\_aaa-profile:**

```

Type: object
Properties:
  cnbng-cp:aaa:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_aaa_1'
    x-yang:
      Type: list

```

**data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_aaa\_aaa-aaa-option\_aaa-profile\_aaa-option:**

```

Type: object
Properties:

```

```

cnbng-cp:aaa-option:
  Type: string
  Description: (leaf)
  format: enumeration
  Default: authenticate
  enum:
  - authenticate
  - authorize
  x-yang:
    Type: leaf

```

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_aaa\_aaa-aaa-option\_aaa-profile\_profile:**

```

Type: object
Properties:
  cnbng-cp:profile:
    Type: string
    Description: (leaf)
    format: leafref
    x-yang:
      Type: leaf

```

?

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_activate-feature-templates\_activate-feature-templates-id**

```

: type: object
Properties:
  cnbng-cp:activate-feature-templates:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: leafref
    x-yang:
      Type: leaf-list

```

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_class-name:**

```

Type: object
Properties:
  cnbng-cp:class-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches:**

```

Type: object
Properties:
  cnbng-cp:matches:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_matches'

```

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches-post:**

```

Type: object
Properties:
  cnbng-cp:match:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcppprofile_matches_match'
    x-yang:
      Type: list
  cnbng-cp:match-type:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: any
    enum:
      - any
      - all
    x-yang:
      Type: leaf

```

**data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match-type:**

```

Type: object
Properties:
  cnbng-cp:match-type:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: any
    enum:
      - any
      - all
    x-yang:
      Type: leaf

```

**data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match\_match-key:**

```

Type: object
Properties:
  cnbng-cp:match:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcppprofile_matches_match'
    x-yang:
      Type: list

```

**data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match\_match-key\_ascii\_ascii-id:**

```

Type: object
Properties:
  cnbng-cp:ascii:
    Type: array

```

**Items:**  
**Type:** string  
**Description:** (leaf-list)  
**format:** string  
**x-yang:**  
**Type:** leaf-list

**data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match\_match-key\_key:**

**Type:** object  
**Properties:**  
**cnbng-cp:key:**  
**Type:** string  
**Description:** (leaf)  
**format:** enumeration  
**Default:** protocol  
**enum:**  
- protocol  
- username  
- source-mac  
- circuit-id  
- remote-id  
**x-yang:**  
**Type:** leaf

**data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match\_match-key\_regex\_regex-id:**

**Type:** object  
**Properties:**  
**cnbng-cp:regex:**  
**Type:** array  
**Items:**  
**Type:** string  
**Description:** (leaf-list)  
**format:** string  
**x-yang:**  
**Type:** leaf-list

**data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match\_match-key\_type\_type-id:**

**Type:** object  
**Properties:**  
**cnbng-cp:type:**  
**Type:** array  
**Items:**  
**Type:** string  
**Description:** (leaf-list)  
**format:** enumeration  
**Default:** dhcp  
**enum:**  
- dhcp  
- ppp  
**x-yang:**  
**Type:** leaf-list

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_dhcp-profile:**

**Type:** object

**Properties:**

**cnbng-cp:dhcp-profile:**

**Type:** string

**Description:** (leaf)

**format:** leafref

**x-yang:**

**Type:** leaf

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name:**

**Type:** object

**Properties:**

**cnbng-cp:event:**

**Type:** array

**Description:** (list)

**Items:**

**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_event'

**x-yang:**

**Type:** list

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_aaa\_aaa-aaa-option\_aaa-profile:**

**Type:** object

**Properties:**

**cnbng-cp:aaa:**

**Type:** array

**Description:** (list)

**Items:**

**Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_aaa\_1'

**x-yang:**

**Type:** list

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_aaa\_aaa-aaa-option\_aaa-profile\_aaa-option:**

**Type:** object

**Properties:**

**cnbng-cp:aaa-option:**

**Type:** string

**Description:** (leaf)

**format:** enumeration

**Default:** authenticate

**enum:**

- authenticate
- authorize

**x-yang:**

**Type:** leaf

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_aaa\_aaa-aaa-option\_aaa-profile\_profile:**

**Type:** object

**Properties:**

**cnbng-cp:profile:**



```

        Type: string
        Description: (leaf)
        format: leafref
        x-yang:
            Type: leaf
    ?
data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_activate-feature-templates_activate-feature-templates-id
: type: object
Properties:
    cnbng-cp:activate-feature-templates:
        Type: array
        Items:
            Type: string
            Description: (leaf-list)
            format: leafref
        x-yang:
            Type: leaf-list

data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_apply-all-class:
Type: object
Properties:
    cnbng-cp:apply-all-class:
        Type: string
        Description: (leaf)
        format: '[null]'
        x-yang:
            Type: leaf

data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name:
Type: object
Properties:
    cnbng-cp:class:
        Type: array
        Description: (list)
        Items:
            Reference: '#/components/schemas/datapost_cnbngcpprofile_class_1'
        x-yang:
            Type: list
    ?
data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile
: type: object
Properties:
    cnbng-cp:aaa:
        Type: array
        Description: (list)
        Items:
            Reference: '#/components/schemas/datapost_cnbngcpprofile_aaa_1'
        x-yang:
            Type: list
    ?

```

data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_aaa\_aaa-aaa-option\_aaa-profile\_aaa-option

```
: type: object
Properties:
  cnbng-cp:aaa-option:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: authenticate
    enum:
      - authenticate
      - authorize
    x-yang:
      Type: leaf
```

?

data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_aaa\_aaa-aaa-option\_aaa-profile\_profile

```
: type: object
Properties:
  cnbng-cp:profile:
    Type: string
    Description: (leaf)
    format: leafref
    x-yang:
      Type: leaf
```

?

data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_activate-feature-templates\_activate-feature-templates-id

```
: type: object
Properties:
  cnbng-cp:activate-feature-templates:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: leafref
    x-yang:
      Type: leaf-list
```

data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_class-name:

```
Type: object
Properties:
  cnbng-cp:class-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
```

?

data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_deactivate-feature-templates\_deactivate-feature-templates-id

```
: type: object
Properties:
```

```

cnbng-cp:deactivate-feature-templates:
  Type: array
  Items:
    Type: string
    Description: (leaf-list)
    format: leafref
  x-yang:
    Type: leaf-list

```

**data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches:**

```

Type: object
Properties:
  cnbng-cp:matches:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_matches'

```

**data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches-post:**

```

Type: object
Properties:
  cnbng-cp:match:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_matches_match'
    x-yang:
      Type: list
  cnbng-cp:match-type:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: any
    enum:
      - any
      - all
    x-yang:
      Type: leaf

```

**data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches\_match-type:**

```

Type: object
Properties:
  cnbng-cp:match-type:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: any
    enum:
      - any
      - all
    x-yang:
      Type: leaf

```

**data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches\_match\_match-key:**

```

Type: object
Properties:
  cnbng-cp:match:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_matches_match'
    x-yang:
      Type: list
?
data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_ascii_ascii-id
: type: object
Properties:
  cnbng-cp:ascii:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: string
    x-yang:
      Type: leaf-list
data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_key:
Type: object
Properties:
  cnbng-cp:key:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: protocol
    enum:
      - protocol
      - username
      - source-mac
      - circuit-id
      - remote-id
    x-yang:
      Type: leaf
?
data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_regex_regex-id
: type: object
Properties:
  cnbng-cp:regex:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: string
    x-yang:
      Type: leaf-list

```

?  
 data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches\_match\_match-key\_type\_type-id

```
: type: object
  Properties:
    cnbng-cp:type:
      Type: array
      Items:
        Type: string
        Description: (leaf-list)
        format: enumeration
        Default: dhcp
        enum:
          - dhcp
          - ppp
      x-yang:
        Type: leaf-list
```

?  
 data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_deactivate-feature-templates\_deactivate-feature-templates-id

```
: type: object
  Properties:
    cnbng-cp:deactivate-feature-templates:
      Type: array
      Items:
        Type: string
        Description: (leaf-list)
        format: leafref
      x-yang:
        Type: leaf-list
```

data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_event-name:

```
Type: object
Properties:
  cnbng-cp:event-name:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: session-activate
    enum:
      - session-activate
    x-yang:
      Type: leaf
```

data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_l2tp-profile:

```
Type: object
Properties:
  cnbng-cp:l2tp-profile:
    Type: string
    Description: (leaf)
    format: leafref
    x-yang:
      Type: leaf
```

data\_cnbng\_cp\_profile\_subscriber\_subscriber-name\_name:

```

Type: object
Properties:
  cnbng-cp:name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
data_cnbng-cp_profile_subscriber_subscriber-name_pppoe-profile:
Type: object
Properties:
  cnbng-cp:pppoe-profile:
    Type: string
    Description: (leaf)
    format: leafref
    x-yang:
      Type: leaf
data_cnbng-cp_profile_subscriber_subscriber-name_session-type:
Type: object
Properties:
  cnbng-cp:session-type:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: ipv4
    enum:
      - ipv4
      - ipv6
      - ipv4v6
    x-yang:
      Type: leaf
data_cnbng-cp_user-plane:
Type: object
Properties:
  cnbng-cp:user-plane:
    Reference: '#/components/schemas/datapost_cnbngcpuserplane'
data_cnbng-cp_user-plane-post:
Type: object
Properties:
  cnbng-cp:instance:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpuserplane_instance'
    x-yang:
      Type: list
data_cnbng-cp_user-plane_instance_instance-instance-id:
Type: object
Properties:
  cnbng-cp:instance:
    Type: array
    Description: (list)

```

```

    Items:
      Reference: '#/components/schemas/datapost_cnbngcpuserplane_instance'
    x-yang:
      Type: list
data_cnbng_cp_user-plane_instance_instance-id_instance-id:
  Type: object
  Properties:
    cnbng_cp:instance-id:
      Type: integer
      Description: (leaf)
      format: int32
    x-yang:
      Type: leaf
data_cnbng_cp_user-plane_instance_instance-id_user-planes:
  Type: object
  Properties:
    cnbng_cp:user-planes:
      Reference: '#/components/schemas/datapost_cnbngcpuserplane_userplanes'
data_cnbng_cp_user-plane_instance_instance-id_user-planes-post:
  Type: object
  Properties:
    cnbng_cp:user-plane:
      Type: array
      Description: (list)
      Items:
        Reference: '#/components/schemas/datapost_cnbngcpuserplane_userplanes_userplane'

    x-yang:
      Type: list

data_cnbng_cp_user-plane_instance_instance-id_user-planes_user-plane_user-plane-name:
  Type: object
  Properties:
    cnbng_cp:user-plane:
      Type: array
      Description: (list)
      Items:
        Reference: '#/components/schemas/datapost_cnbngcpuserplane_userplanes_userplane'

    x-yang:
      Type: list

data_cnbng_cp_user-plane_instance_instance-id_user-planes_user-plane_user-plane-name_flowctrl-group:
  Type: object
  Properties:
    cnbng_cp:flowctrl-group:
      Type: string
      Description: (leaf)
      format: string
    x-yang:

```

**Type:** leaf

**data\_cnbng\_cp\_user-plane\_instance\_instance-instance-id\_user-planes\_user-plane\_user-plane-name\_name:**

**Type:** object

**Properties:**

**cnbng-cp:name:**

**Type:** string

**Description:** (leaf)

**format:** string

**x-yang:**

**Type:** leaf

**data\_cnbng\_cp\_user-plane\_instance\_instance-instance-id\_user-planes\_user-plane\_user-plane-name\_offline:**

**Type:** object

**Properties:**

**cnbng-cp:offline:**

**Type:** string

**Description:** (leaf)

**format:** '[null]'

**x-yang:**

**Type:** leaf

**data\_cnbng\_cp\_user-plane\_instance\_instance-instance-id\_user-planes\_user-plane\_user-plane-name\_peer-address:**

**Type:** object

**Properties:**

**cnbng-cp:peer-address:**

**Reference:** '#/components/schemas/datapost\_cnbngcpuserplane\_userplanes\_peeraddress'

**data\_cnbng\_cp\_user-plane\_instance\_instance-instance-id\_user-planes\_user-plane\_user-plane-name\_peer-address-ipv4:**

**Type:** object

**Properties:**

**cnbng-cp:ipv4:**

**Type:** string

**Description:** (leaf)

**format:** string

**x-yang:**

**Type:** leaf

**data\_cnbng\_cp\_user-plane\_instance\_instance-instance-id\_user-planes\_user-plane\_user-plane-name\_peer-address\_ipv4:**

**Type:** object

**Properties:**

**cnbng-cp:ipv4:**

**Type:** string

**Description:** (leaf)

**format:** string

**x-yang:**

**Type:** leaf



**data\_cnbng\_cp\_user-plane\_instance\_instance-instance-id\_user-planes\_user-plane\_user-plane-name\_port-id\_port-id-id:**

**Type:** object  
**Properties:**  
**cnbng-cp:port-id:**  
**Type:** array  
**Description:** (list)  
**Items:**  
**Reference:** '#/components/schemas/datapost\_cnbngcpuserplane\_userplanes\_portid'  
**x-yang:**  
**Type:** list

**data\_cnbng\_cp\_user-plane\_instance\_instance-instance-id\_user-planes\_user-plane\_user-plane-name\_port-id\_port-id-id\_id:**

**Type:** object  
**Properties:**  
**cnbng-cp:id:**  
**Type:** string  
**Description:** (leaf)  
**format:** string  
**x-yang:**  
**Type:** leaf

?

**data\_cnbng\_cp\_user-plane\_instance\_instance-instance-id\_user-planes\_user-plane\_user-plane-name\_port-id\_port-id-id\_subscriber-profile**

**: type:** object  
**Properties:**  
**cnbng-cp:subscriber-profile:**  
**Type:** string  
**Description:** (leaf)  
**format:** leafref  
**x-yang:**  
**Type:** leaf

**data\_cnbng\_cp\_user-plane\_instance\_instance-instance-id\_user-planes\_user-plane\_user-plane-name\_subscriber-profile:**

**Type:** object  
**Properties:**  
**cnbng-cp:subscriber-profile:**  
**Type:** string  
**Description:** (leaf)  
**format:** leafref  
**x-yang:**  
**Type:** leaf

**data\_cnbng\_cp\_user-plane\_instance\_instance-instance-id\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy:**

**Type:** object  
**Properties:**  
**cnbng-cp:subscriber-redundancy:**  
**Reference:**  
 '#/components/schemas/datapost\_cnbngcpuserplane\_userplanes\_subscriberredundancy'

**data\_cnbng\_cp\_user-plane\_instance\_instance-instance-id\_user-planes\_user-plane\_user-plane-name\_subscriber-redundancy-post:**

```

Type: object
Properties:
  cnbng-cp:group:
    Type: array
    Description: (list)
    Items:
      Reference:
        '#/components/schemas/datapost_cnbngcpuserplane_userplanes_subscriberredundancy_group'
      x-yang:
        Type: list
    ?
data_crbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name

: type: object
Properties:
  cnbng-cp:group:
    Type: array
    Description: (list)
    Items:
      Reference:
        '#/components/schemas/datapost_cnbngcpuserplane_userplanes_subscriberredundancy_group'
      x-yang:
        Type: list
    ?
data_crbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_disable

: type: object
Properties:
  cnbng-cp:disable:
    Type: string
    Description: (leaf)
    format: '[null]'
    x-yang:
      Type: leaf
    ?
data_crbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_domain-identifier

: type: object
Properties:
  cnbng-cp:domain-identifier:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
    ?
data_crbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_group-name

: type: object
Properties:
  cnbng-cp:group-name:
    Type: string
    Description: (leaf)

```

```

        format: string
        x-yang:
          Type: leaf
      ?
data_cnbng_cp_user_plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_peer-identifier
: type: object
  Properties:
    cnbng-cp:peer-identifier:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
  ?
data_cnbng_cp_user_plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-map
: type: object
  Properties:
    cnbng-cp:port-id-map:
      Reference:
'#/components/schemas/datapost_cnbngcpuserplane_userplanes_subscriberredundancy_portidmap'
  ?
data_cnbng_cp_user_plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-map-post
: type: object
  Properties:
    cnbng-cp:port-name:
      Type: array
      Description: (list)
      Items:
        Reference:
'#/components/schemas/datapost_cnbngcpuserplane_userplanes_subscriberredundancy_portidmap_portname'
      x-yang:
        Type: list
  ?
data_cnbng_cp_user_plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-map-port-name-port-id-map-port-name-port-id
: type: object
  Properties:
    cnbng-cp:port-name:
      Type: array
      Description: (list)
      Items:
        Reference:
'#/components/schemas/datapost_cnbngcpuserplane_userplanes_subscriberredundancy_portidmap_portname'
      x-yang:
        Type: list
  ?
data_cnbng_cp_user_plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_port-id-map-port-name-port-id-map-port-name-port-id-peer-identifier
: type: object
  Properties:

```

```

cnbng-cp:port-id:
  Type: integer
  Description: (leaf)
  format: uint32
  x-yang:
    Type: leaf
?
data cnbng-cp_user-plane_instance_instance-id_user-planes_user-plane_user-plane-rate_subscriber-redundancy_group_group-group-rate_preferred-role-active
: type: object
Properties:
  cnbng-cp:port-id-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
?
data cnbng-cp_user-plane_instance_instance-id_user-planes_user-plane_user-plane-rate_subscriber-redundancy_group_group-group-rate_preferred-role-active
: type: object
Properties:
  cnbng-cp:preferred-role-active:
    Type: string
    Description: (leaf)
    format: '[null]'
    x-yang:
      Type: leaf
?
data cnbng-cp_user-plane_instance_instance-id_user-planes_user-plane_user-plane-rate_subscriber-redundancy_group_group-group-rate_revertive-timer
: type: object
Properties:
  cnbng-cp:revertive-timer:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
?
data cnbng-cp_user-plane_instance_instance-id_user-planes_user-plane_user-plane-rate_subscriber-redundancy_group_group-group-rate_standby-mode
: type: object
Properties:
  cnbng-cp:standby-mode:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: hot
    enum:
      - hot
      - warm
    x-yang:
      Type: leaf

```

```

operations:
  Type: object
  Properties:
    ietf-restconf:operations:
      Type: object
      Properties: {}
      Description: This resource is a container that provides access to the
data-model-specific
      RPC operations supported by the server. See RESTCONF RFC 8040 for further
      information.
    x-yang:
      Type: operations
root:
  Type: object
  Properties:
    ietf-restconf:restconf:
      Reference: '#/components/schemas/root_ietfrestconfrestconf'
yang-library-version:
  Type: object
  Properties:
    ietf-restconf:yang-library-version:
      Type: object
      Properties: {}
      Description: This leaf identifies the revision date of the 'ietf-yang-library'
      YANG module that is implemented by this server. See RESTCONF RFC 8040
      for further information.
    x-yang:
      Type: leaf
datapost_cnbngcpprofile_ipv4_server_netbiosnodetype:
  Type: object
  Properties:
    broadcast-node:
      Type: string
      Description: (leaf)
      format: '[null]'
    x-yang:
      Type: leaf
    hybrid-node:
      Type: string
      Description: (leaf)
      format: '[null]'
    x-yang:
      Type: leaf
    mixed-node:
      Type: string
      Description: (leaf)
      format: '[null]'
    x-yang:
      Type: leaf
    peer-to-peer-node:
      Type: string
      Description: (leaf)

```

```
    format: '[null]'
    x-yang:
      Type: leaf
  hexadecimal:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  Description: (non-presence)
datapost_cnbngcpprofile_ipv4_server_lease:
  Type: object
  Properties:
    days:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
    hours:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
    minutes:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
  Description: (non-presence)
datapost_cnbngcpprofile_ipv4_server_staticipkey:
  Type: object
  Properties:
    identifier:
      Type: string
      Description: (leaf)
      format: enumeration
      Default: client-mac-address
      enum:
        - client-mac-address
      x-yang:
        Type: leaf
  Description: (non-presence)
datapost_cnbngcpprofile_ipv4_server_optioncodes_optioncode:
  Type: object
  Properties:
    option-code:
      Type: integer
      Description: (leaf)
      format: uint32
```

```

    x-yang:
      Type: leaf
  ascii-string:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  hex-string:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  ip-address:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: string
    x-yang:
      Type: leaf-list
  force-insert:
    Type: boolean
    Description: (leaf)
    x-yang:
      Type: leaf
datapost_cnbngcpprofile_ipv4_server_optioncodes:
  Type: object
  Properties:
    option-code:
      Type: array
      Description: (list)
      Items:
        Reference:
          '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_optioncodes_optioncode'
      x-yang:
        Type: list
      Description: (non-presence)
datapost_cnbngcpprofile_ipv4_server_holdtime:
  Type: object
  Properties:
    minutes:
      Type: integer
      Description: (leaf)
      format: uint32
    x-yang:
      Type: leaf
      Description: (non-presence)
datapost_cnbngcpprofile_ipv4_server:
  Type: object
  Properties:

```

```
pool-name:
  Type: string
  Description: (leaf)
  format: string
  x-yang:
    Type: leaf
dns-servers:
  Type: array
  Items:
    Type: string
    Description: (leaf-list)
    format: string
  x-yang:
    Type: leaf-list
ntp-servers:
  Type: array
  Items:
    Type: string
    Description: (leaf-list)
    format: string
  x-yang:
    Type: leaf-list
netbios-name-server:
  Type: array
  Items:
    Type: string
    Description: (leaf-list)
    format: string
  x-yang:
    Type: leaf-list
domain-name:
  Type: string
  Description: (leaf)
  format: string
  x-yang:
    Type: leaf
boot-filename:
  Type: string
  Description: (leaf)
  format: string
  x-yang:
    Type: leaf
next-server:
  Type: string
  Description: (leaf)
  format: string
  x-yang:
    Type: leaf
netbios-node-type:
  Reference:
    '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_netbiosnodetype'
  lease:
```



```

    Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_lease'
  static-ip-key:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_staticipkey'

  option-codes:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_optioncodes'

  hold-time:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_holdtime'
  Description: (non-presence)
datapost_cnbngcpprofile_ipv4_matches_match:
  Type: object
  Properties:
    key:
      Type: string
      Description: (leaf)
      format: enumeration
      Default: dhcpv4-circuit-id
      enum:
        - dhcpv4-circuit-id
        - dhcpv4-remote-id
        - dhcpv4-vendor-class
        - dhcpv4-user-class
      x-yang:
        Type: leaf
    ascii:
      Type: array
      Items:
        Type: string
        Description: (leaf-list)
        format: string
      x-yang:
        Type: leaf-list
    hex:
      Type: array
      Items:
        Type: string
        Description: (leaf-list)
        format: string
      x-yang:
        Type: leaf-list
datapost_cnbngcpprofile_ipv4_matches:
  Type: object
  Properties:
    match:
      Type: array
      Description: (list)
      Items:
        Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_matches_match'
      x-yang:
        Type: list
    match-type:
      Type: string

```

```

    Description: (leaf)
    format: enumeration
    Default: any
    enum:
    - any
    - all
    x-yang:
      Type: leaf
  Description: (presence)
datapost_cnbngcppprofile_ipv4_server_1:
Type: object
Properties:
  pool-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  dns-servers:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: string
    x-yang:
      Type: leaf-list
  ntp-servers:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: string
    x-yang:
      Type: leaf-list
  nethbios-name-server:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: string
    x-yang:
      Type: leaf-list
  domain-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  boot-filename:
    Type: string
    Description: (leaf)
    format: string

```

```

    x-yang:
      Type: leaf
  next-server:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  netbios-node-type:
    Reference:
'#/components/schemas/datapost_cnbngcpprofile_ipv4_server_netbiosnodetype'
  lease:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_lease'
  static-ip-key:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_staticipkey'

  option-codes:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_optioncodes'

  Description: (non-presence)
datapost_cnbngcpprofile_ipv4_class:
  Type: object
  Properties:
    class-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    matches:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_matches'
    server:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_1'
datapost_cnbngcpprofile_ipv4:
  Type: object
  Properties:
    mode:
      Type: string
      Description: (leaf)
      format: enumeration
      Default: server
      enum:
        - server
        - proxy
      x-yang:
        Type: leaf
    server:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server'
  class:
    Type: array
    Description: (list)
    Items:

```

```

        Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_class'
        x-yang:
        Type: list
    Description: (non-presence)
datapost_cnbngcpprofile_ipv6_server:
Type: object
Properties:
    iana-pool-name:
        Type: string
        Description: (leaf)
        format: string
        x-yang:
        Type: leaf
    iapd-pool-name:
        Type: string
        Description: (leaf)
        format: string
        x-yang:
        Type: leaf
    dns-servers:
        Type: array
        Items:
        Type: string
        Description: (leaf-list)
        format: string
        x-yang:
        Type: leaf-list
    domain-name:
        Type: string
        Description: (leaf)
        format: string
        x-yang:
        Type: leaf
    preference:
        Type: integer
        Description: (leaf)
        format: uint32
        x-yang:
        Type: leaf
    aftr-name:
        Type: string
        Description: (leaf)
        format: string
        x-yang:
        Type: leaf
    rapid-commit:
        Type: string
        Description: (leaf)
        format: '[null]'
        x-yang:
        Type: leaf

```

```

lease:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_lease'
static-ip-key:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_staticipkey'

hold-time:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_holdtime'
Description: (non-presence)
datapost_cnbngcpprofile_ipv6_matches_match:
Type: object
Properties:
  key:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: dhcpv6-interface-id
    enum:
    - dhcpv6-interface-id
    - dhcpv6-remote-id
    - dhcpv6-vendor-class
    - dhcpv6-user-class
    x-yang:
    Type: leaf
  ascii:
    Type: array
    Items:
    Type: string
    Description: (leaf-list)
    format: string
    x-yang:
    Type: leaf-list
  hex:
    Type: array
    Items:
    Type: string
    Description: (leaf-list)
    format: string
    x-yang:
    Type: leaf-list
datapost_cnbngcpprofile_ipv6_matches:
Type: object
Properties:
  match:
    Type: array
    Description: (list)
    Items:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv6_matches_match'
    x-yang:
    Type: list
  match-type:
    Type: string
    Description: (leaf)

```

```

    format: enumeration
    Default: any
    enum:
    - any
    - all
    x-yang:
      Type: leaf
  Description: (presence)
datapost_cnbngcpprofile_ipv6_server_1:
  Type: object
  Properties:
    iana-pool-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    iapd-pool-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    dns-servers:
      Type: array
      Items:
        Type: string
        Description: (leaf-list)
        format: string
      x-yang:
        Type: leaf-list
    domain-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    preference:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
    aftr-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    rapid-commit:
      Type: string
      Description: (leaf)

```

```

    format: '[null]'
    x-yang:
      Type: leaf
  lease:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_lease'
  static-ip-key:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_staticipkey'

Description: (non-presence)
datapost_cnbngcpprofile_ipv6_class:
  Type: object
  Properties:
    class-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    matches:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv6_matches'
    server:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv6_server_1'
datapost_cnbngcpprofile_ipv6:
  Type: object
  Properties:
    mode:
      Type: string
      Description: (leaf)
      format: enumeration
      Default: server
      enum:
        - server
        - proxy
      x-yang:
        Type: leaf
    server:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv6_server'
    class:
      Type: array
      Description: (list)
      Items:
        Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv6_class'
      x-yang:
        Type: list
  Description: (non-presence)
datapost_cnbngcpprofile_dhcp:
  Type: object
  Properties:
    name:
      Type: string
      Description: (leaf)
      format: string

```

```

    x-yang:
      Type: leaf
  ipv4:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4'
  ipv6:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv6'
datapost_cnbngcpprofile_maxpayload:
  Type: object
  Properties:
    deny:
      Type: string
      Description: (leaf)
      format: '[null]'
      x-yang:
        Type: leaf
    Minimum:
      Type: integer
      Description: (leaf)
      format: uint16
      x-yang:
        Type: leaf
    Maximum:
      Type: integer
      Description: (leaf)
      format: uint16
      x-yang:
        Type: leaf
  Description: (non-presence)
datapost_cnbngcpprofile_sessionlimit_max:
  Type: object
  Properties:
    value:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
    threshold:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
  Description: (non-presence)
datapost_cnbngcpprofile_sessionlimit:
  Type: object
  Properties:
    max:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionlimit_max'
    mac:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionlimit_max'

```



```
    circuit-id:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionlimit_max'
    outer-vlan:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionlimit_max'
  Description: (non-presence)
datapost_cnbngcpprofile_pppoe:
  Type: object
  Properties:
    name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    mtu:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
    ctrl-pkt-priority:
      Type: integer
      Description: (leaf)
      format: byte
      x-yang:
        Type: leaf
    service-selection-disable:
      Type: boolean
      Description: (leaf)
      x-yang:
        Type: leaf
    max-payload:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_maxpayload'
    service-name:
      Type: array
      Items:
        Type: string
        Description: (leaf-list)
        format: string
      x-yang:
        Type: leaf-list
    ac-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    ac-cookie:
      Type: string
      Description: (leaf)
      format: string
```

```

    x-yang:
      Type: leaf
  session-limit:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionlimit'
  timeout-completion:
    Type: integer
    Description: (leaf)
    format: uint16
  x-yang:
    Type: leaf
datapost_cnbngcpprofile_authentication:
  Type: object
  Properties:
    method-order:
      Type: array
      Items:
        Type: string
        Description: (leaf-list)
        format: union
      x-yang:
        Type: leaf-list
    Description: (non-presence)
datapost_cnbngcpprofile_authorization_type:
  Type: object
  Properties:
    subscriber:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_authentication'
    Description: (non-presence)
datapost_cnbngcpprofile_authorization_username:
  Type: object
  Properties:
    value:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    format:
      Type: string
      Description: (leaf)
      format: leafref
      x-yang:
        Type: leaf
  identifier:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: addr
    enum:
      - addr
      - circuit-id-tag
      - client-mac-address

```

- client-mac-address-custom1
- client-mac-address-custom2
- client-mac-address-ietf
- client-mac-address-raw
- dhcp-client-id
- dhcp-client-id-spl
- dhcp-user-class
- dhcp-vendor-class
- dhcpv4-client-id-spl
- dhcpv4-vendor-class
- dhcpv6-client-id-ent-ident
- dhcpv6-interface-id
- dhcpv6-vendor-class-string
- inner-vlan-id
- outer-vlan-id
- physical-adapter
- physical-chassis
- physical-port
- physical-slot
- physical-subslot
- port-type
- pppoe-session-id
- remote-id-tag
- service-name
- username
- user-plane

**x-yang:****Type:** leaf**Description:** (non-presence)**datapost\_cnbngcpprofile\_authorization:****Type:** object**Properties:****Type:****Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_authorization\_type'**username:****Reference:** '#/components/schemas/datapost\_cnbngcpprofile\_authorization\_username'**password:****Type:** string**Description:** (leaf)**format:** string**x-yang:****Type:** leaf**Description:** (non-presence)**datapost\_cnbngcpprofile\_accounting\_service:****Type:** object**Properties:****acct-start-async:****Type:** boolean**Description:** (leaf)**x-yang:****Type:** leaf**acct-interim-async:****Type:** boolean**Description:** (leaf)**x-yang:****Type:** leaf

```

acct-stop-async:
  Type: boolean
  Description: (leaf)
  x-yang:
    Type: leaf
  Description: (non-presence)
datapost_cnbngcpprofile_accounting:
Type: object
Properties:
  method-order:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: union
    x-yang:
      Type: leaf-list
  service:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_accounting_service'
  session:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_accounting_service'
  Description: (non-presence)
datapost_cnbngcpprofile_aaa:
Type: object
Properties:
  name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  authentication:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_authentication'
  authorization:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_authorization'
  accounting:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_accounting'
datapost_cnbngcpprofile_servergroup:
Type: object
Properties:
  name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  radius-group:
    Type: string
    Description: (leaf)
    format: leafref
    x-yang:

```

```

    Type: leaf
datapost_cnbngcppprofile_attributeformat:
  Type: object
  Properties:
    name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    format-string:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    format-order:
      Type: array
      Items:
        Type: string
        Description: (leaf-list)
        format: union
      x-yang:
        Type: leaf-list
datapost_cnbngcppprofile_aaa_1:
  Type: object
  Properties:
    aaa-option:
      Type: string
      Description: (leaf)
      format: enumeration
      Default: authenticate
      enum:
        - authenticate
        - authorize
      x-yang:
        Type: leaf
    profile:
      Type: string
      Description: (leaf)
      format: leafref
      x-yang:
        Type: leaf
datapost_cnbngcppprofile_matches_match:
  Type: object
  Properties:
    key:
      Type: string
      Description: (leaf)
      format: enumeration
      Default: protocol
      enum:
```

```

- protocol
- username
- source-mac
- circuit-id
- remote-id
x-yang:
  Type: leaf
Type:
  Type: array
  Items:
    Type: string
    Description: (leaf-list)
    format: enumeration
    Default: dhcp
    enum:
      - dhcp
      - ppp
  x-yang:
    Type: leaf-list
ascii:
  Type: array
  Items:
    Type: string
    Description: (leaf-list)
    format: string
  x-yang:
    Type: leaf-list
regex:
  Type: array
  Items:
    Type: string
    Description: (leaf-list)
    format: string
  x-yang:
    Type: leaf-list
datapost_cnbngcpprofile_matches:
Type: object
Properties:
  match:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_matches_match'
    x-yang:
      Type: list
  match-type:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: any
    enum:
      - any
      - all

```

```

    x-yang:
      Type: leaf
  Description: (non-presence)
datapost_cnbngcpprofile_class:
  Type: object
  Properties:
    class-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    matches:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_matches'
  activate-feature-templates:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: leafref
      x-yang:
        Type: leaf-list
  aaa:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_aaa_1'
      x-yang:
        Type: list
datapost_cnbngcpprofile_class_1:
  Type: object
  Properties:
    class-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    matches:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_matches'
  deactivate-feature-templates:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: leafref
      x-yang:
        Type: leaf-list
  activate-feature-templates:
    Type: array
    Items:

```

```

    Type: string
    Description: (leaf-list)
    format: leafref
  x-yang:
    Type: leaf-list
aaa:
  Type: array
  Description: (list)
  Items:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_aaa_1'
  x-yang:
    Type: list
datapost_cnbngcpprofile_event:
Type: object
Properties:
  event-name:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: session-activate
    enum:
    - session-activate
  x-yang:
    Type: leaf
aaa:
  Type: array
  Description: (list)
  Items:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_aaa_1'
  x-yang:
    Type: list
deactivate-feature-templates:
  Type: array
  Items:
    Type: string
    Description: (leaf-list)
    format: leafref
  x-yang:
    Type: leaf-list
activate-feature-templates:
  Type: array
  Items:
    Type: string
    Description: (leaf-list)
    format: leafref
  x-yang:
    Type: leaf-list
apply-all-class:
  Type: string
  Description: (leaf)
  format: '[null]'
  x-yang:

```



```

        Type: leaf
class:
  Type: array
  Description: (list)
  Items:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_class_1'
  x-yang:
    Type: list
datapost_cnbngcpprofile_subscriber:
  Type: object
  Properties:
    name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    dhcp-profile:
      Type: string
      Description: (leaf)
      format: leafref
      x-yang:
        Type: leaf
    pppoe-profile:
      Type: string
      Description: (leaf)
      format: leafref
      x-yang:
        Type: leaf
    session-type:
      Type: string
      Description: (leaf)
      format: enumeration
      Default: ipv4
      enum:
        - ipv4
        - ipv6
        - ipv4v6
      x-yang:
        Type: leaf
    l2tp-profile:
      Type: string
      Description: (leaf)
      format: leafref
      x-yang:
        Type: leaf
    aaa:
      Type: array
      Description: (list)
      Items:
        Reference: '#/components/schemas/datapost_cnbngcpprofile_aaa_1'
      x-yang:

```

```

    Type: list
  activate-feature-templates:
    Type: array
    Items:
      Type: string
      Description: (leaf-list)
      format: leafref
    x-yang:
      Type: leaf-list
  class:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_class'
    x-yang:
      Type: list
  apply-all-class:
    Type: string
    Description: (leaf)
    format: '[null]'
    x-yang:
      Type: leaf
  event:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_event'
    x-yang:
      Type: list
  datapost_cnbngcpprofile_ipv4_1_verifyunicastsourcesource:
    Type: object
    Properties:
      reachable-via-rx:
        Type: string
        Description: (leaf)
        format: '[null]'
        x-yang:
          Type: leaf
    Description: (non-presence)
  datapost_cnbngcpprofile_ipv4_1:
    Type: object
    Properties:
      mtu:
        Type: integer
        Description: (leaf)
        format: uint32
        x-yang:
          Type: leaf
      ingress-acl:
        Type: string
        Description: (leaf)

```

```

    format: string
    x-yang:
      Type: leaf
  egress-acl:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  disable-unreachables:
    Type: string
    Description: (leaf)
    format: '[null]'
    x-yang:
      Type: leaf
  verify-unicast-source:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_1_verifyunicastsource'

Description: (non-presence)
datapost_cnbngcpprofile_qos:
  Type: object
  Properties:
    in-policy:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    out-policy:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    merge-level:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
  Description: (non-presence)
datapost_cnbngcpprofile_sessionaccounting:
  Type: object
  Properties:
    enable:
      Type: string
      Description: (leaf)
      format: '[null]'
      x-yang:
        Type: leaf
    aaa-profile:
      Type: string

```

```

    Description: (leaf)
    format: leafref
    x-yang:
      Type: leaf
  periodic-interval:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
  dual-stack-delay:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
  Description: (non-presence)
datapost_cnbngcpprofile_serviceaccounting:
Type: object
Properties:
  enable:
    Type: string
    Description: (leaf)
    format: '[null]'
    x-yang:
      Type: leaf
  aaa-profile:
    Type: string
    Description: (leaf)
    format: leafref
    x-yang:
      Type: leaf
  periodic-interval:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
  Description: (non-presence)
datapost_cnbngcpprofile_ppp_chap:
Type: object
Properties:
  hostname:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  password:
    Type: string
    Description: (leaf)

```

```

    format: string
    x-yang:
      Type: leaf
  Description: (non-presence)
datapost_cnbngcpprofile_ppp_ipcp_dns:
  Type: object
  Properties:
    primary-address:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    secondary-address:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
  Description: (non-presence)
datapost_cnbngcpprofile_ppp_ipcp_renegotiation:
  Type: object
  Properties:
    ignore:
      Type: string
      Description: (leaf)
      format: '[null]'
      x-yang:
        Type: leaf
  Description: (non-presence)
datapost_cnbngcpprofile_ppp_ipcp:
  Type: object
  Properties:
    dns:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp_dns'
    peer-address-pool:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    renegotiation:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp_renegotiation'

    wins:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp_dns'
  Description: (non-presence)
datapost_cnbngcpprofile_ppp_ipv6cp:
  Type: object
  Properties:
    renegotiation:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp_renegotiation'

```

```

Description: (non-presence)
datapost_cnbngcpprofile_ppp_lcp_delay:
Type: object
Properties:
  seconds:
    Type: integer
    Description: (leaf)
    format: byte
    x-yang:
      Type: leaf
  milliseconds:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
Description: (non-presence)
datapost_cnbngcpprofile_ppp_lcp:
Type: object
Properties:
  delay:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_lcp_delay'
  renegotiation:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp_renegotiation'

Description: (non-presence)
datapost_cnbngcpprofile_ppp_pap:
Type: object
Properties:
  accept-null-password:
    Type: string
    Description: (leaf)
    format: '[null]'
    x-yang:
      Type: leaf
Description: (non-presence)
datapost_cnbngcpprofile_ppp_timeout:
Type: object
Properties:
  absolute:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_server_holdtime'
  authentication:
    Type: integer
    Description: (leaf)
    format: byte
    x-yang:
      Type: leaf
  retry:
    Type: integer
    Description: (leaf)
    format: byte

```

```

    x-yang:
      Type: leaf
    Description: (non-presence)
datapost_cnbngcpprofile_ppp_keepalive:
  Type: object
  Properties:
    disable:
      Type: string
      Description: (leaf)
      format: '[null]'
      x-yang:
        Type: leaf
    interval:
      Type: integer
      Description: (leaf)
      format: byte
      x-yang:
        Type: leaf
    retry:
      Type: integer
      Description: (leaf)
      format: byte
      x-yang:
        Type: leaf
  Description: (non-presence)
datapost_cnbngcpprofile_ppp:
  Type: object
  Properties:
    authentication:
      Type: array
      Items:
        Type: string
        Description: (leaf-list)
        format: enumeration
        Default: pap
        enum:
          - pap
          - chap
      x-yang:
        Type: leaf-list
    chap:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_chap'
    service-type:
      Type: string
      Description: (leaf)
      format: enumeration
      Default: outbound
      enum:
        - outbound
      x-yang:
        Type: leaf
    ipcp:

```

```

    Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipcp'
ipv6cp:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_ipv6cp'
lcp:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_lcp'
max-bad-auth:
    Type: integer
    Description: (leaf)
    format: byte
    x-yang:
    Type: leaf
max-configure:
    Type: integer
    Description: (leaf)
    format: byte
    x-yang:
    Type: leaf
max-failure:
    Type: integer
    Description: (leaf)
    format: byte
    x-yang:
    Type: leaf
pap:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_pap'
timeout:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_timeout'
keepalive:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp_keepalive'
Description: (non-presence)
datapost_cnbngcpprofile_featuretemplate:
Type: object
Properties:
  name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
    Type: leaf
  vrf-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
    Type: leaf
  ipv4:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_1'
  ipv6:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_1'
http-policy:
    Type: string

```



```

    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  qos:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_qos'
  session-accounting:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_sessionaccounting'
  service-accounting:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_serviceaccounting'
  ppp:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ppp'
datapost_cnbngcpprofile_tcp:
Type: object
Properties:
  adjust-mss:
    Type: integer
    Description: (leaf)
    format: uint16
    x-yang:
      Type: leaf
    Description: (non-presence)
datapost_cnbngcpprofile_retransmit_initial_timeout:
Type: object
Properties:
  max:
    Type: integer
    Description: (leaf)
    format: byte
    x-yang:
      Type: leaf
  min:
    Type: integer
    Description: (leaf)
    format: byte
    x-yang:
      Type: leaf
    Description: (non-presence)
datapost_cnbngcpprofile_retransmit_initial:
Type: object
Properties:
  timeout:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_retransmit_initial_timeout'

  retries:
    Type: integer
    Description: (leaf)
    format: uint16
    x-yang:
      Type: leaf
    Description: (non-presence)
datapost_cnbngcpprofile_retransmit:

```

```

Type: object
Properties:
  initial:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_retransmit_initial'
  timeout:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_retransmit_initial_timeout'

  retries:
    Type: integer
    Description: (leaf)
    format: uint16
    x-yang:
      Type: leaf
    Description: (non-presence)
datapost_cnbngcpprofile_terminatefrom:
Type: object
Properties:
  hostname:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
datapost_cnbngcpprofile_domain:
Type: object
Properties:
  name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  tun-assign-id:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
datapost_cnbngcpprofile_iptos:
Type: object
Properties:
  value:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
  reflect:
    Type: string
    Description: (leaf)
    format: '[null]'
    x-yang:

```

```

        Type: leaf
    Description: (non-presence)
datapost_cnbngcpprofile_tunnel_timeout:
    Type: object
    Properties:
        no-session:
            Type: integer
            Description: (leaf)
            format: uint32
            x-yang:
                Type: leaf
        Description: (non-presence)
datapost_cnbngcpprofile_tunnel:
    Type: object
    Properties:
        session-limit:
            Type: integer
            Description: (leaf)
            format: uint32
            x-yang:
                Type: leaf
        timeout:
            Reference: '#/components/schemas/datapost_cnbngcpprofile_tunnel_timeout'
        Description: (non-presence)
datapost_cnbngcpprofile_ipv4_2_destination:
    Type: object
    Properties:
        dest-ip:
            Type: string
            Description: (leaf)
            format: string
            x-yang:
                Type: leaf
        weight:
            Type: integer
            Description: (leaf)
            format: uint16
            x-yang:
                Type: leaf
datapost_cnbngcpprofile_ipv4_2:
    Type: object
    Properties:
        df-bit:
            Type: string
            Description: (leaf)
            format: enumeration
            Default: set
        enum:
            - set
            - reflect
        x-yang:
            Type: leaf

```

```

source:
  Type: string
  Description: (leaf)
  format: string
  x-yang:
    Type: leaf
destination:
  Type: array
  Description: (list)
  Items:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_2_destination'
  x-yang:
    Type: list
Description: (non-presence)
datapost_cnbngcpprofile_l2tp:
Type: object
Properties:
  name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  mode:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: lac
    enum:
      - lac
      - lns
    x-yang:
      Type: leaf
  encrypt-avp:
    Type: string
    Description: (leaf)
    format: '[null]'
    x-yang:
      Type: leaf
  dsl-info-forwarding:
    Type: string
    Description: (leaf)
    format: '[null]'
    x-yang:
      Type: leaf
  hostname:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  mtu:

```

```
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
hello-interval:
  Type: integer
  Description: (leaf)
  format: uint32
  x-yang:
    Type: leaf
tcp:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_tcp'
retransmit:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_retransmit'
receive-window:
  Type: integer
  Description: (leaf)
  format: uint16
  x-yang:
    Type: leaf
terminate-from:
  Type: array
  Description: (list)
  Items:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_terminatefrom'
  x-yang:
    Type: list
domain:
  Type: array
  Description: (list)
  Items:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_domain'
  x-yang:
    Type: list
vrf:
  Type: string
  Description: (leaf)
  format: string
  x-yang:
    Type: leaf
authentication:
  Type: string
  Description: (leaf)
  format: '[null]'
  x-yang:
    Type: leaf
ip-tos:
  Reference: '#/components/schemas/datapost_cnbngcpprofile iptos'
tunnel:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_tunnel'
```

```

ipv4:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_ipv4_2'
congestion-control:
  Type: string
  Description: (leaf)
  format: '[null]'
  x-yang:
    Type: leaf
tx-connect-speed:
  Type: integer
  Description: (leaf)
  format: uint32
  x-yang:
    Type: leaf
rx-connect-speed:
  Type: integer
  Description: (leaf)
  format: uint32
  x-yang:
    Type: leaf
tunnel-load-balancing:
  Type: string
  Description: (leaf)
  format: enumeration
  Default: weighted
  enum:
  - weighted
  - equal
  x-yang:
    Type: leaf
password:
  Type: string
  Description: (leaf)
  format: string
  x-yang:
    Type: leaf
force-lcp-renegotiation:
  Type: string
  Description: (leaf)
  format: '[null]'
  x-yang:
    Type: leaf
datapost_cnbngcpprofile_radius_server:
Type: object
Properties:
  ip:
    Type: string
    Description: (leaf)
    format: union
    x-yang:
      Type: leaf
  port:

```

```

    Type: integer
    Description: (leaf)
    format: int32
    x-yang:
      Type: leaf
Type:
  Type: string
  Description: (leaf)
  format: enumeration
  Default: auth
  enum:
  - auth
  - acct
  x-yang:
    Type: leaf
secret:
  Type: string
  Description: (leaf)
  format: string
  x-yang:
    Type: leaf
priority:
  Type: integer
  Description: (leaf)
  format: int32
  x-yang:
    Type: leaf
datapost_cnbngcpprofile_radius_detectdeadserver:
Type: object
Properties:
  response-timeout:
    Type: integer
    Description: (leaf)
    format: int32
    x-yang:
      Type: leaf
    Description: (non-presence)
datapost_cnbngcpprofile_radius_attribute_calledstationid_format:
Type: object
Properties:
  nas-port-type:
    Type: integer
    Description: (leaf)
    format: int32
    x-yang:
      Type: leaf
  format-name:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf

```

```

datapost_cnbngcpprofile_radius_attribute_calledstationid:
  Type: object
  Properties:
    format:
      Type: array
      Description: (list)
      Items:
        Reference:
          '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
        x-yang:
          Type: list
      format-name:
        Type: string
        Description: (leaf)
        format: string
        x-yang:
          Type: leaf
      value:
        Type: string
        Description: (leaf)
        format: string
        x-yang:
          Type: leaf
    Description: (non-presence)
datapost_cnbngcpprofile_radius_attribute_nasidentifierformat:
  Type: object
  Properties:
    format:
      Type: array
      Description: (list)
      Items:
        Reference:
          '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid_format'
        x-yang:
          Type: list
      format-name:
        Type: string
        Description: (leaf)
        format: string
        x-yang:
          Type: leaf
    Description: (non-presence)
datapost_cnbngcpprofile_radius_attribute_nasport_formatelist:
  Type: object
  Properties:
    nas-port-type:
      Type: integer
      Description: (leaf)
      format: int32
      x-yang:
        Type: leaf
    format-e:

```



```

    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
datapost_cnbngcpprofile_radius_attribute_nasport:
  Type: object
  Properties:
    format-e-list:
      Type: array
      Description: (list)
      Items:
        Reference:
          '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasport_formatelist'
      x-yang:
        Type: list
    format-e:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    value:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
  Description: (non-presence)
datapost_cnbngcpprofile_radius_attribute_nasip:
  Type: object
  Properties:
    value:
      Type: string
      Description: (leaf)
      format: union
      x-yang:
        Type: leaf
    user-plane-ip:
      Type: string
      Description: (leaf)
      format: '[null]'
      x-yang:
        Type: leaf
  Description: (non-presence)
datapost_cnbngcpprofile_radius_attribute_instance:
  Type: object
  Properties:
    instance-id:
      Type: integer
      Description: (leaf)
      format: int32

```

```

    x-yang:
      Type: leaf
    called-station-id:
      Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
    calling-station-id:
      Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
    nas-identifier:
      Type: string
      Description: (leaf)
      format: string
    x-yang:
      Type: leaf
    nas-identifier-format:
      Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasidentifierformat'
    nas-port-id:
      Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
    nas-port:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasport'

    nas-ip:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasip'

datapost_cnbngcpprofile_radius_attribute:
  Type: object
  Properties:
    called-station-id:
      Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
    calling-station-id:
      Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
    nas-identifier:
      Type: string
      Description: (leaf)
      format: string
    x-yang:
      Type: leaf
    nas-identifier-format:
      Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasidentifierformat'
    nas-port-id:
      Reference:
'#/components/schemas/datapost_cnbngcpprofile_radius_attribute_calledstationid'
    nas-port:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasport'

    nas-ip:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_nasip'

  instance:

```

```

    Type: array
    Description: (list)
    Items:
      Reference:
        '#/components/schemas/datapost_cnbngcpprofile_radius_attribute_instance'
      x-yang:
        Type: list
    Description: (non-presence)
datapost_cnbngcpprofile_radius_accounting:
Type: object
Properties:
  algorithm:
    Type: string
    Description: (leaf)
    format: enumeration
    Default: first-server
    enum:
    - first-server
    - round-robin
    x-yang:
      Type: leaf
  deadtime:
    Type: integer
    Description: (leaf)
    format: int32
    x-yang:
      Type: leaf
  detect-dead-server:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_detectdeadserver'

max-retry:
  Type: integer
  Description: (leaf)
  format: int32
  x-yang:
    Type: leaf
timeout:
  Type: integer
  Description: (leaf)
  format: int32
  x-yang:
    Type: leaf
attribute:
  Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_attribute'
Description: (non-presence)
datapost_cnbngcpprofile_radius_server_1:
Type: object
Properties:
  Type:
    Type: string
    Description: (leaf)
    format: enumeration

```

```
    Default: auth
    enum:
    - auth
    - acct
    x-yang:
      Type: leaf
  ip:
    Type: string
    Description: (leaf)
    format: leafref
    x-yang:
      Type: leaf
  port:
    Type: string
    Description: (leaf)
    format: leafref
    x-yang:
      Type: leaf
  datapost_cnbngcpprofile_radius_servergroup:
    Type: object
    Properties:
      group-name:
        Type: string
        Description: (leaf)
        format: string
        x-yang:
          Type: leaf
      server:
        Type: array
        Description: (list)
        Items:
          Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_server_1'
          x-yang:
            Type: list
  datapost_cnbngcpprofile_radius:
    Type: object
    Properties:
      server:
        Type: array
        Description: (list)
        Items:
          Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_server'
          x-yang:
            Type: list
      algorithm:
        Type: string
        Description: (leaf)
        format: enumeration
        Default: first-server
        enum:
        - first-server
        - round-robin
```

```

    x-yang:
      Type: leaf
  deadtime:
    Type: integer
    Description: (leaf)
    format: int32
    x-yang:
      Type: leaf
  detect-dead-server:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_detectdeadserver'

  max-retry:
    Type: integer
    Description: (leaf)
    format: int32
    x-yang:
      Type: leaf
  timeout:
    Type: integer
    Description: (leaf)
    format: int32
    x-yang:
      Type: leaf
  attribute:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_attribute'
  accounting:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_accounting'
  server-group:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_radius_servergroup'
    x-yang:
      Type: list
  Description: (non-presence)
datapost_cnbngcpprofile_coa_client:
  Type: object
  Properties:
    ip:
      Type: string
      Description: (leaf)
      format: union
      x-yang:
        Type: leaf
    server-key:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
datapost_cnbngcpprofile_coa:
  Type: object

```

```

Properties:
  server-key:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  client:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_coa_client'
    x-yang:
      Type: list
  Description: (non-presence)
datapost_cnbngcpprofile:
Type: object
Properties:
  dhcp:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_dhcp'
    x-yang:
      Type: list
  pppoe:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_pppoe'
    x-yang:
      Type: list
  aaa:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_aaa'
    x-yang:
      Type: list
  server-group:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_servergroup'
    x-yang:
      Type: list
  attribute-format:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_attributeformat'

```

```

    x-yang:
      Type: list
  subscriber:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_subscriber'
    x-yang:
      Type: list
  feature-template:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_featuretemplate'
    x-yang:
      Type: list
  l2tp:
    Type: array
    Description: (list)
    Items:
      Reference: '#/components/schemas/datapost_cnbngcpprofile_l2tp'
    x-yang:
      Type: list
  radius:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_radius'
  coa:
    Reference: '#/components/schemas/datapost_cnbngcpprofile_coa'
  Description: (non-presence)
datapost_cnbngcpuserplane_userplanes_peeraddress:
  Type: object
  Properties:
    ipv4:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
  Description: (non-presence)
datapost_cnbngcpuserplane_userplanes_portid:
  Type: object
  Properties:
    id:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
  subscriber-profile:
    Type: string
    Description: (leaf)
    format: leafref

```

```

    x-yang:
      Type: leaf

datapost_cnbngcpuserplane_userplanes_subscriberredundancy_portidmap_portname:

  Type: object
  Properties:
    port-id-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    port-id:
      Type: integer
      Description: (leaf)
      format: uint32
      x-yang:
        Type: leaf
datapost_cnbngcpuserplane_userplanes_subscriberredundancy_portidmap:
  Type: object
  Properties:
    port-name:
      Type: array
      Description: (list)
      Items:
        Reference:
          '#/components/schemas/datapost_cnbngcpuserplane_userplanes_subscriberredundancy_portidmap_portname'

    x-yang:
      Type: list
  Description: (non-presence)
datapost_cnbngcpuserplane_userplanes_subscriberredundancy_group:
  Type: object
  Properties:
    group-name:
      Type: string
      Description: (leaf)
      format: string
      x-yang:
        Type: leaf
    disable:
      Type: string
      Description: (leaf)
      format: '[null]'
      x-yang:
        Type: leaf
    standby-mode:
      Type: string
      Description: (leaf)
      format: enumeration
      Default: hot

```



```

    enum:
    - hot
    - warm
    x-yang:
      Type: leaf
  preferred-role-active:
    Type: string
    Description: (leaf)
    format: '[null]'
    x-yang:
      Type: leaf
  revertive-timer:
    Type: integer
    Description: (leaf)
    format: uint32
    x-yang:
      Type: leaf
  domain-identifier:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  peer-identifier:
    Type: string
    Description: (leaf)
    format: string
    x-yang:
      Type: leaf
  port-id-map:
    Reference:
'#/components/schemas/datapost_cnbngcpuserplane_userplanes_subscriberredundancy_portidmap'
  datapost_cnbngcpuserplane_userplanes_subscriberredundancy:
    Type: object
    Properties:
      group:
        Type: array
        Description: (list)
        Items:
          Reference:
'#/components/schemas/datapost_cnbngcpuserplane_userplanes_subscriberredundancy_group'
        x-yang:
          Type: list
        Description: (non-presence)
  datapost_cnbngcpuserplane_userplanes_userplane:
    Type: object
    Properties:
      name:
        Type: string
        Description: (leaf)
        format: string
        x-yang:

```

```

    Type: leaf
peer-address:
  Reference: '#/components/schemas/datapost_cnbngcpuserplane_userplanes_peeraddress'

flowctrl-group:
  Type: string
  Description: (leaf)
  format: string
  x-yang:
    Type: leaf
offline:
  Type: string
  Description: (leaf)
  format: '[null]'
  x-yang:
    Type: leaf
port-id:
  Type: array
  Description: (list)
  Items:
    Reference: '#/components/schemas/datapost_cnbngcpuserplane_userplanes_portid'
  x-yang:
    Type: list
subscriber-profile:
  Type: string
  Description: (leaf)
  format: leafref
  x-yang:
    Type: leaf
subscriber-redundancy:
  Reference:
'#/components/schemas/datapost_cnbngcpuserplane_userplanes_subscriberredundancy'
datapost_cnbngcpuserplane_userplanes:
  Type: object
  Properties:
    user-plane:
      Type: array
      Description: (list)
      Items:
        Reference: '#/components/schemas/datapost_cnbngcpuserplane_userplanes_userplane'

      x-yang:
        Type: list
    Description: (non-presence)
datapost_cnbngcpuserplane_instance:
  Type: object
  Properties:
    instance-id:
      Type: integer
      Description: (leaf)
      format: int32
      x-yang:

```

```

        Type: leaf
    user-planes:
        Reference: '#/components/schemas/datapost_cnbngcpuserplane_userplanes'
datapost_cnbngcpuserplane:
    Type: object
    Properties:
        instance:
            Type: array
            Description: (list)
            Items:
                Reference: '#/components/schemas/datapost_cnbngcpuserplane_instance'
            x-yang:
                Type: list
    Description: (non-presence)
datapost_cnbngcpcoverage:
    Type: object
    Properties:
        container-stop:
            Type: string
            Description: (leaf)
            format: string
            x-yang:
                Type: leaf
    Description: (non-presence)
dataputpatch_ietfrestconfdata:
    Type: object
    Properties:
        cnbng-cp:profile:
            Reference: '#/components/schemas/datapost_cnbngcpprofile'
        cnbng-cp:user-plane:
            Reference: '#/components/schemas/datapost_cnbngcpuserplane'
        cnbng-cp:coverage:
            Reference: '#/components/schemas/datapost_cnbngcpcoverage'
    Description: 'This is root module for Cisco Cloud-Native BNG Control-Plane
configuration.
This module contains definitions for the following management objects: Endpoint
and Interfaces
Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'
root_ietfrestconfrestconf:
    Type: object
    Properties:
        data:
            Type: object
            Properties: {}
        operations:
            Type: object
            Properties: {}
        yang-library-version:
            Type: string
    Description: This is the RESTCONF root resource for the RESTCONF datastore and
operation resources. See RESTCONF RFC 8040 for further information.
responses:

```

```

'200':
  Description: OK
  content: {}
'201':
  Description: Created
  content: {}
'204':
  Description: No Content
  content: {}
'400':
  Description: Bad Request
  content: {}
'401':
  Description: Unauthorized
  content: {}
'404':
  Description: Not Found
  content: {}
'405':
  Description: Method Not Allowed
  content: {}
'409':
  Description: Conflict
  content: {}
parameters:
  content:
    name: content
    in: query
    Description: controlling descendant nodes in response
    Required: false
    style: form
    explode: true
    schema:
      Type: string
      format: enumeration
      Default: config
      enum:
        - config
        - nonconfig
        - all
  depth:
    name: depth
    in: query
    Description: limit the depth of nodes in response
    Required: false
    style: form
    explode: true
    schema:
      Type: integer
      format: uint16
  fields:
    name: fields

```

**in:** query  
**Description:** optionally identify specific data nodes in response  
**Required:** false  
**style:** form  
**explode:** true  
**schema:**  
  **Type:** string  
  **format:** string

**filter:**  
  **name:** filter  
  **in:** query  
  **Description:** xpath expression to filter data nodes in response  
  **Required:** false  
  **style:** form  
  **explode:** true  
  **schema:**  
    **Type:** string  
    **format:** string

**with-defaults:**  
  **name:** with-defaults  
  **in:** query  
  **Description:** controlling default values in response  
  **Required:** false  
  **style:** form  
  **explode:** true  
  **schema:**  
    **Type:** string  
    **format:** enumeration  
    **Default:** report-all  
    **enum:**  
    - report-all  
    - trim  
    - explicit  
    - report-all-tagged

**insert:**  
  **name:** insert  
  **in:** query  
  **Description:** controlling the order when adding new list elements  
  **Required:** false  
  **style:** form  
  **explode:** true  
  **schema:**  
    **Type:** string  
    **format:** enumeration  
    **Default:** first  
    **enum:**  
    - first  
    - last  
    - before  
    - after

**point:**  
  **name:** point  
  **in:** query

**Description:** used to specify the insertion point  
**Required:** false  
**style:** form  
**explode:** true  
**schema:**  
    **Type:** string  
    **format:** string

**aaa-aaa-option:**  
    **name:** aaa-aaa-option  
    **in:** path  
    **Required:** true  
    **style:** simple  
    **explode:** false  
    **schema:**  
        **Type:** string  
        **format:** enumeration  
        **Default:** authenticate  
        **enum:**  
            - authenticate  
            - authorize

**aaa-name:**  
    **name:** aaa-name  
    **in:** path  
    **Required:** true  
    **style:** simple  
    **explode:** false  
    **schema:**  
        **Type:** string  
        **format:** string

**aaa-profile:**  
    **name:** aaa-profile  
    **in:** path  
    **Required:** true  
    **style:** simple  
    **explode:** false  
    **schema:**  
        **Type:** string  
        **format:** leafref

**activate-feature-templates-id:**  
    **name:** activate-feature-templates-id  
    **in:** path  
    **Required:** true  
    **style:** simple  
    **explode:** false  
    **schema:**  
        **Type:** string  
        **format:** leafref

**ascii-id:**  
    **name:** ascii-id  
    **in:** path  
    **Required:** true  
    **style:** simple

```
    explode: false
    schema:
      Type: string
      format: string
  attribute-format-name:
    name: attribute-format-name
    in: path
    Required: true
    style: simple
    explode: false
    schema:
      Type: string
      format: string
  authentication-id:
    name: authentication-id
    in: path
    Required: true
    style: simple
    explode: false
    schema:
      Type: string
      format: enumeration
      Default: pap
      enum:
        - pap
        - chap
  class-class-name:
    name: class-class-name
    in: path
    Required: true
    style: simple
    explode: false
    schema:
      Type: string
      format: string
  client-ip:
    name: client-ip
    in: path
    Required: true
    style: simple
    explode: false
    schema:
      Type: string
      format: union
  deactivate-feature-templates-id:
    name: deactivate-feature-templates-id
    in: path
    Required: true
    style: simple
    explode: false
    schema:
      Type: string
```

```
    format: leafref
destination-dest-ip:
  name: destination-dest-ip
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: string
dhcp-name:
  name: dhcp-name
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: string
dns-servers-id:
  name: dns-servers-id
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: string
domain-name:
  name: domain-name
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: string
event-event-name:
  name: event-event-name
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: enumeration
    Default: session-activate
    enum:
      - session-activate
feature-template-name:
  name: feature-template-name
  in: path
```



```
    Required: true
    style: simple
    explode: false
    schema:
      Type: string
      format: string
format-e-list-nas-port-type:
  name: format-e-list-nas-port-type
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: integer
    format: int32
format-nas-port-type:
  name: format-nas-port-type
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: integer
    format: int32
format-order-id:
  name: format-order-id
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: union
group-group-name:
  name: group-group-name
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: string
hex-id:
  name: hex-id
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: string
```

```
instance-instance-id:
  name: instance-instance-id
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: integer
    format: int32
ip-address-id:
  name: ip-address-id
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: string
l2tp-name:
  name: l2tp-name
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: string
match-key:
  name: match-key
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: enumeration
    Default: dhcpv4-circuit-id
    enum:
      - dhcpv4-circuit-id
      - dhcpv4-remote-id
      - dhcpv4-vendor-class
      - dhcpv4-user-class
method-order-id:
  name: method-order-id
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: union
netbios-name-server-id:
```

```
    name: netbios-name-server-id
    in: path
    Required: true
    style: simple
    explode: false
    schema:
      Type: string
      format: string
ntp-servers-id:
  name: ntp-servers-id
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: string
option-code-option-code:
  name: option-code-option-code
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: integer
    format: uint32
port-id-id:
  name: port-id-id
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: string
port-name-port-id:
  name: port-name-port-id
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: integer
    format: uint32
port-name-port-id-name:
  name: port-name-port-id-name
  in: path
  Required: true
  style: simple
  explode: false
  schema:
```

```
    Type: string
    format: string
pppoe-name:
  name: pppoe-name
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: string
regex-id:
  name: regex-id
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: string
server-group-group-name:
  name: server-group-group-name
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: string
server-group-name:
  name: server-group-name
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: string
server-ip:
  name: server-ip
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: union
server-port:
  name: server-port
  in: path
  Required: true
```

```
    style: simple
    explode: false
    schema:
      Type: integer
      format: int32
server-type:
  name: server-type
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: enumeration
    Default: auth
    enum:
      - auth
      - acct
service-name-id:
  name: service-name-id
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: string
subscriber-name:
  name: subscriber-name
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: string
terminate-from-hostname:
  name: terminate-from-hostname
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: string
type-id:
  name: type-id
  in: path
  Required: true
  style: simple
  explode: false
  schema:
```

```

    Type: string
    format: enumeration
    Default: dhcp
    enum:
    - dhcp
    - ppp
user-plane-name:
  name: user-plane-name
  in: path
  Required: true
  style: simple
  explode: false
  schema:
    Type: string
    format: string
requestBodies:
  data-post:
    Description: 'This is root module for Cisco Cloud-Native BNG Control-Plane
configuration.
This module contains definitions for the following management objects: Endpoint
and Interfaces
Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data-post'
        Required: true
    data-put-patch:
    Description: 'This is root module for Cisco Cloud-Native BNG Control-Plane
configuration.
This module contains definitions for the following management objects: Endpoint
and Interfaces
Copyright (c) 2020 by Cisco Systems, Inc. All rights reserved.'
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data-put-patch'
        Required: true
    data_cnbng-cp_coverage:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cnbng-cp_coverage'
        Required: true
    data_cnbng-cp_coverage-post:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cnbng-cp_coverage-post'
        Required: true
    data_cnbng-cp_coverage_container-stop:
    content:
      application/yang-data+json:
        schema:

```

```

        Reference: '#/components/schemas/data_cnbng-cp_coverage_container-stop'
Required: true
data_cnbng-cp_profile:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile'
Required: true
data_cnbng-cp_profile-post:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile-post'
Required: true
data_cnbng-cp_profile_aaa_aaa-name:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name'
Required: true
data_cnbng-cp_profile_aaa_aaa-name_accounting:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting'

Required: true
data_cnbng-cp_profile_aaa_aaa-name_accounting-post:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting-post'
Required: true

data_cnbng-cp_profile_aaa_aaa-name_accounting_method-order_method-order-id:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting_method-order_method-order-id'

Required: true
data_cnbng-cp_profile_aaa_aaa-name_accounting_service:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting_service'
Required: true
data_cnbng-cp_profile_aaa_aaa-name_accounting_service-post:
  content:
    application/yang-data+json:

```

```

    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting_service-post'
      Required: true
    data_cnbng-cp_profile_aaa_aaa-name_accounting_service_acct-interim-async:

    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting_service_acct-interim-async'

      Required: true
    data_cnbng-cp_profile_aaa_aaa-name_accounting_service_acct-start-async:

    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting_service_acct-start-async'

      Required: true
    data_cnbng-cp_profile_aaa_aaa-name_accounting_service_acct-stop-async:

    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting_service_acct-stop-async'

      Required: true
    data_cnbng-cp_profile_aaa_aaa-name_accounting_session:

    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting_session'

      Required: true
    data_cnbng-cp_profile_aaa_aaa-name_accounting_session-post:

    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting_session-post'

      Required: true
    data_cnbng-cp_profile_aaa_aaa-name_accounting_session_acct-interim-async:

    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting_session_acct-interim-async'

      Required: true
    data_cnbng-cp_profile_aaa_aaa-name_accounting_session_acct-start-async:

    content:

```



```

    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting_session_acct-start-async'

      Required: true
    data_cnbng-cp_profile_aaa_aaa-name_accounting_session_acct-stop-async:
      content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_accounting_session_acct-stop-async'

      Required: true
    data_cnbng-cp_profile_aaa_aaa-name_authentication:
      content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authentication'

      Required: true
    data_cnbng-cp_profile_aaa_aaa-name_authentication-post:
      content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authentication-post'

      Required: true
    data_cnbng-cp_profile_aaa_aaa-name_authentication_method-order_method-order-id:
      content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authentication_method-order_method-order-id'

      Required: true
    data_cnbng-cp_profile_aaa_aaa-name_authorization:
      content:
        application/yang-data+json:
          schema:
            Reference: '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization'

      Required: true
    data_cnbng-cp_profile_aaa_aaa-name_authorization-post:
      content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization-post'

      Required: true
    data_cnbng-cp_profile_aaa_aaa-name_authorization_password:
      content:
        application/yang-data+json:

```

```

    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_password'
      Required: true
    data_cnbng-cp_profile_aaa_aaa-name_authorization_type:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_type'
          Required: true
    data_cnbng-cp_profile_aaa_aaa-name_authorization_type-post:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_type-post'
          Required: true
    data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber'
          Required: true
    data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber-post:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber-post'
          Required: true

    data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber_method-order_method-order-id:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_type_subscriber_method-order_method-order-id'
          Required: true
    data_cnbng-cp_profile_aaa_aaa-name_authorization_username:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_username'
          Required: true
    data_cnbng-cp_profile_aaa_aaa-name_authorization_username-post:
    content:
      application/yang-data+json:
        schema:
          Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_username-post'
  Required: true
  data_cnbng-cp_profile_aaa_aaa-name_authorization_username_format:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_username_format'
  Required: true
  data_cnbng-cp_profile_aaa_aaa-name_authorization_username_identifier:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_username_identifier'

  Required: true
  data_cnbng-cp_profile_aaa_aaa-name_authorization_username_value:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_authorization_username_value'
  Required: true
  data_cnbng-cp_profile_aaa_aaa-name_name:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_aaa_aaa-name_name'
  Required: true
  data_cnbng-cp_profile_attribute-format_attribute-format-name:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_attribute-format_attribute-format-name'
  Required: true

data_cnbng-cp_profile_attribute-format_attribute-format-name_format-order_format-order-id:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_attribute-format_attribute-format-name_format-order_format-order-id'

  Required: true

data_cnbng-cp_profile_attribute-format_attribute-format-name_format-string:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_attribute-format_attribute-format-name_format-string'

```

```

Required: true
data_cnbng-cp_profile_attribute-format_attribute-format-name_name:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_attribute-format_attribute-format-name_name'
        Required: true
data_cnbng-cp_profile_coa:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_coa'
  Required: true
data_cnbng-cp_profile_coa-post:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_coa-post'
  Required: true
data_cnbng-cp_profile_coa_client_client-ip:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_coa_client_client-ip'
  Required: true
data_cnbng-cp_profile_coa_client_client-ip_ip:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_coa_client_client-ip_ip'
  Required: true
data_cnbng-cp_profile_coa_client_client-ip_server-key:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_coa_client_client-ip_server-key'
  Required: true
data_cnbng-cp_profile_coa_server-key:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_coa_server-key'
  Required: true
data_cnbng-cp_profile_dhcp_dhcp-name:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name'
  Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4:
  content:

```

```

    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4'
      Required: true
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv4-post:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4-post'

      Required: true
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name'
          Required: true
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_class-name:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_class-name'

          Required: true
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches'

          Required: true
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches-post:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches-post'

          Required: true
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match-type:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_matches_match-type'

```

**Required:** true

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_matches\_match\_match-key:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_matches\_match\_match-key'

**Required:** true

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_matches\_match\_match-key\_ascii\_ascii-id:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_matches\_match\_match-key\_ascii\_ascii-id'

**Required:** true

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_matches\_match\_match-key\_hex\_hex-id:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_matches\_match\_match-key\_hex\_hex-id'

**Required:** true

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_matches\_match\_match-key\_key:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_matches\_match\_match-key\_key'

**Required:** true

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server'

**Required:** true

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server-post:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server-post'  
  
  Required: true  
  
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_boot-filename:  
  
  content:  
    application/yang-data+json:  
      schema:  
        Reference:  
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_boot-filename'  
  
  Required: true  
  
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_dns-servers_dns-servers-id:  
  
  content:  
    application/yang-data+json:  
      schema:  
        Reference:  
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_dns-servers_dns-servers-id'  
  
  Required: true  
  
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_domain-name:  
  
  content:  
    application/yang-data+json:  
      schema:  
        Reference:  
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_domain-name'  
  
  Required: true  
  
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease:  
  
  content:  
    application/yang-data+json:  
      schema:  
        Reference:  
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease'  
  
  Required: true  
  
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease-post:  
  
  content:  
    application/yang-data+json:  
      schema:  
        Reference:  
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease-post'  
  
  Required: true  
  
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_days:  
  
  content:
```

```

    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_days'

      Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_hours:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_hours'

      Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_minutes:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_lease_minutes'

      Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-name-server_netbios-name-server-id:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-name-server_netbios-name-server-id'

      Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type'

      Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type-post:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_netbios-node-type-post'

      Required: true

```



**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_broadcast-node:**

**content:**  
application/yang-data+json:  
**schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_broadcast-node'

**Required:** true

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_hexadecimal:**

**content:**  
application/yang-data+json:  
**schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_hexadecimal'

**Required:** true

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_hybrid-node:**

**content:**  
application/yang-data+json:  
**schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_hybrid-node'

**Required:** true

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_mixed-node:**

**content:**  
application/yang-data+json:  
**schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_mixed-node'

**Required:** true

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_peer-to-peer-node:**

**content:**  
application/yang-data+json:  
**schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_netbios-node-type\_peer-to-peer-node'

**Required:** true

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_next-server:**

**content:**  
application/yang-data+json:  
**schema:**  
**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_next-server'

**Required:** true

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_ntp-servers\_ntp-servers-id:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_ntp-servers\_ntp-servers-id'

**Required:** true

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_option-codes:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_option-codes'

**Required:** true

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_option-codes-post:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_option-codes-post'

**Required:** true

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_option-codes\_option-code\_option-code-option-code:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_option-codes\_option-code\_option-code-option-code'

**Required:** true

?

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_option-codes\_option-code\_option-code-option-code\_ascii-string**

: **content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_option-codes\_option-code\_option-code-option-code\_ascii-string'

**Required:** true

?

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_class\_class-class-name\_server\_option-codes\_option-code\_option-code-option-code\_force-insert**

: **content:**

application/yang-data+json:

**schema:**

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_hex-string'
```

```
Required: true
```

```
?
```

```
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_hex-string
```

```
: content:
```

```
  application/yang-data+json:
```

```
    schema:
```

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_hex-string'
```

```
Required: true
```

```
?
```

```
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_ip-address_ip-address-id
```

```
: content:
```

```
  application/yang-data+json:
```

```
    schema:
```

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_ip-address_ip-address-id'
```

```
Required: true
```

```
?
```

```
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_option-code
```

```
: content:
```

```
  application/yang-data+json:
```

```
    schema:
```

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_option-codes_option-code_option-code-option-code_option-code'
```

```
Required: true
```

```
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_pool-name:
```

```
content:
```

```
  application/yang-data+json:
```

```
    schema:
```

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_pool-name'
```

```
Required: true
```

```
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_static-ip-key:
```

```
content:
```

```
  application/yang-data+json:
```

```
    schema:
```

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_static-ip-key'
```

```
Required: true
```

```
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_static-ip-key-post:
```

```
content:
```

```

    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_static-ip-key-post'

      Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_static-ip-key_identifier:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_class_class-class-name_server_static-ip-key_identifier'

      Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_mode:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_mode'

      Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server'

      Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server-post:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server-post'

      Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_boot-filename:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_boot-filename'

      Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_dns-servers_dns-servers-id:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_dns-servers_dns-servers-id'

      Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_domain-name:
  content:

```

```

    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_domain-name'
      Required: true
    data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time'
        Required: true
    data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time-post:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time-post'
        Required: true
    data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time_minutes:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_hold-time_minutes'
        Required: true
    data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease'
        Required: true
    data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease-post:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease-post'
        Required: true
    data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_days:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_days'
        Required: true
    data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_hours:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_hours'
        Required: true
    data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_minutes:

```

```

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_lease_minutes'
        Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-name-server_netbios-name-server-id:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-name-server_netbios-name-server-id'

        Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type'
        Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type-post:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type-post'

        Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_broadcast-node:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_broadcast-node'

        Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hexadecimal:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hexadecimal'

        Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hybrid-node:

    content:
      application/yang-data+json:

```

```

    schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_hybrid-node'

    Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_mixed-node:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_mixed-node'

    Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_peer-to-peer-node:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_netbios-node-type_peer-to-peer-node'

    Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_next-server:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_next-server'

    Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_ntp-servers_ntp-servers-id:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_ntp-servers_ntp-servers-id'

    Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes'

    Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes-post:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes-post'

    Required: true

```

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code-option-code:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code-option-code'

**Required:** true

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code-option-code\_ascii-string:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code-option-code\_ascii-string'

**Required:** true

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code-option-code\_force-insert:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code-option-code\_force-insert'

**Required:** true

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code-option-code\_hex-string:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code-option-code\_hex-string'

**Required:** true

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code-option-code\_ip-address\_ip-address-id:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code-option-code\_ip-address\_ip-address-id'

**Required:** true

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv4\_server\_option-codes\_option-code\_option-code-option-code\_option-code:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**



```

'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_option-codes_option-code_option-code_option-code_option-code'

  Required: true
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_pool-name:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_pool-name'
  Required: true
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_static-ip-key:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_static-ip-key'
  Required: true
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_static-ip-key-post:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_static-ip-key-post'
  Required: true
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_static-ip-key-identifier:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv4_server_static-ip-key-identifier'

  Required: true
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv6:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6'
  Required: true
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv6-post:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6-post'

  Required: true
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name'
  Required: true

  data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_class-name:

```

```

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_class-name'

    Required: true
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches'

    Required: true

  data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches-post:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches-post'

    Required: true

  data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match-type:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match-type'

    Required: true

  data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key'

    Required: true

  data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_ascii_ascii-id:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_matches_match_match-key_ascii_ascii-id'

    Required: true

```

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_matches\_match\_match-key\_hex\_hex-id:**

**content:**  
application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_matches\_match\_match-key\_hex\_hex-id'

**Required:** true

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_matches\_match\_match-key\_key:**

**content:**  
application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_matches\_match\_match-key\_key'

**Required:** true

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server:**

**content:**  
application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server'

**Required:** true

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server-post:**

**content:**  
application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server-post'

**Required:** true

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_aftr-name:**

**content:**  
application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_aftr-name'

**Required:** true

**data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_dns-servers\_dns-servers-id:**

**content:**  
application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_dns-servers\_dns-servers-id'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_domain-name:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_domain-name'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_iana-pool-name:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_iana-pool-name'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_iapd-pool-name:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_iapd-pool-name'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_lease:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_lease'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_lease-post:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_lease-post'

**Required:** true

**data\_cnbng-cp\_profile\_dhcp\_dhcp-name\_ipv6\_class\_class-class-name\_server\_lease\_days:**

**content:**

application/yang-data+json:

```

    schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_days'

    Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_hours:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_hours'

    Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_minutes:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_lease_minutes'

    Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_preference:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_preference'

    Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_rapid-commit:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_rapid-commit'

    Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_static-ip-key:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_static-ip-key'

    Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_static-ip-key-post:

```

```

content:
  application/yang-data+json:
    schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_static-ip-key-post'

Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_static-ip-key_identifier:

content:
  application/yang-data+json:
    schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_class_class-class-name_server_static-ip-key_identifier'

Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_mode:
content:
  application/yang-data+json:
    schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_mode'

Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server:
content:
  application/yang-data+json:
    schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server'

Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server-post:
content:
  application/yang-data+json:
    schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server-post'
    Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_aftr-name:
content:
  application/yang-data+json:
    schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_aftr-name'
    Required: true

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_dns-servers_dns-servers-id:

content:
  application/yang-data+json:
    schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_dns-servers_dns-servers-id'

Required: true

```

```

data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_domain-name:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_domain-name'
      Required: true
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time'
        Required: true
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time-post:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time-post'
        Required: true
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time_minutes:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_hold-time_minutes'
        Required: true
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iana-pool-name:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iana-pool-name'
        Required: true
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iapd-pool-name:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_iapd-pool-name'
        Required: true
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease'
        Required: true
  data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease-post:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease-post'

```

```

Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_days:
  content:
    application/yang-data+json:
      schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_days'
      Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_hours:
  content:
    application/yang-data+json:
      schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_hours'
      Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_minutes:
  content:
    application/yang-data+json:
      schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_lease_minutes'
      Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_preference:
  content:
    application/yang-data+json:
      schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_preference'
      Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_rapid-commit:
  content:
    application/yang-data+json:
      schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_rapid-commit'
      Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key:
  content:
    application/yang-data+json:
      schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key'
      Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key-post:
  content:
    application/yang-data+json:
      schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key-post'
      Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key_identifier:
  content:
    application/yang-data+json:
      schema:

```



```

Reference:
'#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_ipv6_server_static-ip-key_identifier'

Required: true
data_cnbng-cp_profile_dhcp_dhcp-name_name:
content:
  application/yang-data+json:
    schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_dhcp_dhcp-name_name'
    Required: true
data_cnbng-cp_profile_feature-template_feature-template-name:
content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name'
    Required: true
data_cnbng-cp_profile_feature-template_feature-template-name_http-policy:

content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_http-policy'

Required: true
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4:
content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4'
    Required: true
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4-post:

content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4-post'

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_disable-unreachables:

content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_disable-unreachables'

Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_egress-acl:

content:

```

```

    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_egress-acl'

      Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_ingress-acl:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_ingress-acl'

      Required: true
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_mtu:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_mtu'

      Required: true
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source'

      Required: true
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source-post:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source-post'

      Required: true
data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source_reachable-via-rx:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv4_verify-unicast-source_reachable-via-rx'

      Required: true
data_cnbng-cp_profile_feature-template_feature-template-name_ipv6:
  content:
    application/yang-data+json:

```

```

    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6'
      Required: true
data_cnbng-cp_profile_feature-template_feature-template-name_ipv6-post:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6-post'

      Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_disable-unreachables:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_disable-unreachables'

      Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_egress-acl:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_egress-acl'

      Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_ingress-acl:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_ingress-acl'

      Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_mtu:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_mtu'

      Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source:

  content:
    application/yang-data+json:
      schema:

```

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source'
```

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv6\_verify-unicast-source-post:**

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source-post'
```

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ipv6\_verify-unicast-source\_reachable-via-rx:**

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ipv6_verify-unicast-source_reachable-via-rx'
```

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_name:**

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_name'
```

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp:**

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp'
```

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp-post:**

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp-post'
```

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_authentication\_authentication-id:**

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_authentication_authentication-id'
```

**Required:** true

```
data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap'

  Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap-post:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap-post'

  Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_hostname:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_hostname'

  Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_password:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_chap_password'

  Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp'

  Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp-post:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp-post'

  Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns:
```

```

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns'

    Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns-post:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns-post'

    Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_primary-address:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_primary-address'

    Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_secondary-address:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_dns_secondary-address'

    Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_peer-address-pool:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_peer-address-pool'

    Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_renegotiation'

```

**Required:** true

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_renegotiation-post:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_renegotiation-post'

**Required:** true

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_renegotiation\_ignore:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_renegotiation\_ignore'

**Required:** true

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_wins:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_wins'

**Required:** true

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_wins-post:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_wins-post'

**Required:** true

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_wins\_primary-address:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_wins\_primary-address'

**Required:** true

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_ipcp\_wins\_secondary-address:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipcp_wins_secondary-address'
```

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipv6cp:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp'
```

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipv6cp-post:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp-post'
```

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipv6cp\_renegotiation:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation'
```

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipv6cp\_renegotiation-post:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation-post'
```

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_ipv6cp\_renegotiation\_ignore:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_ipv6cp_renegotiation_ignore'
```

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_keepalive:**

**content:**



```

    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive'

    Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive-post:

    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive-post'

    Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_disable:

    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_disable'

    Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_interval:

    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_interval'

    Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_retry:

    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_keepalive_retry'

    Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp'

    Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp-post:

    content:

```

```

    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp-post'

      Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay'

      Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay-post:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay-post'

      Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_milliseconds:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_milliseconds'

      Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_seconds:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_delay_seconds'

      Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_ppp_lcp_renegotiation'

      Required: true

```

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_lcp\_renegotiation-post:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_lcp\_renegotiation-post'

**Required:** true

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_lcp\_renegotiation\_ignore:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_lcp\_renegotiation\_ignore'

**Required:** true

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_max-bad-auth:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_max-bad-auth'

**Required:** true

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_max-configure:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_max-configure'

**Required:** true

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_max-failure:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_max-failure'

**Required:** true

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_pap:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_pap'

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_pap-post:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_pap-post'

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_pap\_accept-null-password:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_pap\_accept-null-password'

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_service-type:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_service-type'

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout'

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout-post:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout-post'

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout\_absolute:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout\_absolute'

**Required:** true

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout\_absolute-post:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout\_absolute-post'

**Required:** true

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout\_absolute\_minutes:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout\_absolute\_minutes'

**Required:** true

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout\_authentication:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout\_authentication'

**Required:** true

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout\_retry:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_ppp\_timeout\_retry'

**Required:** true

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_qos:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_qos'

**Required:** true

**data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_qos-post:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_feature-template\_feature-template-name\_qos-post'

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_qos\_in-policy:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_qos\_in-policy'

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_qos\_merge-level:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_qos\_merge-level'

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_qos\_out-policy:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_qos\_out-policy'

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_service-accounting:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_service-accounting'

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_service-accounting-post:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_service-accounting-post'

**Required:** true

**data\_cnbng-cp\_profile\_feature-template\_feature-template-name\_service-accounting\_aaa-profile:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_aaa-profile'
```

```
Required: true
```

```
data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_enable:
```

```
content:
  application/yang-data+json:
    schema:
```

```
Reference:
```

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_enable'
```

```
Required: true
```

```
data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_periodic-interval:
```

```
content:
  application/yang-data+json:
    schema:
```

```
Reference:
```

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_service-accounting_periodic-interval'
```

```
Required: true
```

```
data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting:
```

```
content:
  application/yang-data+json:
    schema:
```

```
Reference:
```

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting'
```

```
Required: true
```

```
data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting-post:
```

```
content:
  application/yang-data+json:
    schema:
```

```
Reference:
```

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting-post'
```

```
Required: true
```

```
data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_aaa-profile:
```

```
content:
  application/yang-data+json:
    schema:
```

```
Reference:
```

```
'#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_aaa-profile'
```

```
Required: true
```

```
data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_dual-stack-delay:
```

```
content:
```

```

    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_dual-stack-delay'

      Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_enable:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_enable'

      Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_periodic-interval:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_session-accounting_periodic-interval'

      Required: true

data_cnbng-cp_profile_feature-template_feature-template-name_vrf-name:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_feature-template_feature-template-name_vrf-name'

      Required: true

data_cnbng-cp_profile_12tp_12tp-name:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_12tp_12tp-name'

      Required: true

data_cnbng-cp_profile_12tp_12tp-name_authentication:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_12tp_12tp-name_authentication'

      Required: true

data_cnbng-cp_profile_12tp_12tp-name_congestion-control:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_12tp_12tp-name_congestion-control'

      Required: true

data_cnbng-cp_profile_12tp_12tp-name_domain_domain-name:
  content:

```



```

    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name'
      Required: true
    data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_name:
      content:
        application/yang-data+json:
          schema:
            Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_name'
          Required: true
    data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_tun-assign-id:
      content:
        application/yang-data+json:
          schema:
            Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_domain_domain-name_tun-assign-id'

      Required: true
    data_cnbng-cp_profile_l2tp_l2tp-name_dsl-info-forwarding:
      content:
        application/yang-data+json:
          schema:
            Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_dsl-info-forwarding'
          Required: true
    data_cnbng-cp_profile_l2tp_l2tp-name_encrypt-avp:
      content:
        application/yang-data+json:
          schema:
            Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_encrypt-avp'

      Required: true
    data_cnbng-cp_profile_l2tp_l2tp-name_force-lcp-renegotiation:
      content:
        application/yang-data+json:
          schema:
            Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_force-lcp-renegotiation'
          Required: true
    data_cnbng-cp_profile_l2tp_l2tp-name_hello-interval:
      content:
        application/yang-data+json:
          schema:
            Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_hello-interval'
          Required: true
    data_cnbng-cp_profile_l2tp_l2tp-name_hostname:
      content:
        application/yang-data+json:
          schema:
            Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_hostname'

      Required: true

```

```

data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos'
      Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos-post:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos-post'

  Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos_reflect:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos_reflect'
      Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos_value:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ip-tos_value'
      Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_ipv4:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4'
      Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_ipv4-post:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4-post'

  Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip'

  Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip_dest-ip:

  content:
    application/yang-data+json:
      schema:

```

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip_dest-ip'
```

```
Required: true
```

```
data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip_weight:
```

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_destination_destination-dest-ip_weight'
```

```
Required: true
```

```
data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_df-bit:
```

**content:**

```
application/yang-data+json:
```

**schema:**

```
Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_df-bit'
```

```
Required: true
```

```
data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_source:
```

**content:**

```
application/yang-data+json:
```

**schema:**

```
Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_ipv4_source'
```

```
Required: true
```

```
data_cnbng-cp_profile_l2tp_l2tp-name_mode:
```

**content:**

```
application/yang-data+json:
```

**schema:**

```
Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_mode'
```

```
Required: true
```

```
data_cnbng-cp_profile_l2tp_l2tp-name_mtu:
```

**content:**

```
application/yang-data+json:
```

**schema:**

```
Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_mtu'
```

```
Required: true
```

```
data_cnbng-cp_profile_l2tp_l2tp-name_name:
```

**content:**

```
application/yang-data+json:
```

**schema:**

```
Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_name'
```

```
Required: true
```

```
data_cnbng-cp_profile_l2tp_l2tp-name_password:
```

**content:**

```
application/yang-data+json:
```

**schema:**

```
Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_password'
```

```
Required: true
```

```
data_cnbng-cp_profile_l2tp_l2tp-name_receive-window:
```

**content:**

```

    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_receive-window'
      Required: true
    data_cnbng-cp_profile_l2tp_l2tp-name_retransmit:
      content:
        application/yang-data+json:
          schema:
            Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit'

      Required: true
    data_cnbng-cp_profile_l2tp_l2tp-name_retransmit-post:
      content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit-post'
          Required: true
    data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial:
      content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial'
          Required: true
    data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial-post:
      content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial-post'
          Required: true
    data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_retries:
      content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_retries'
          Required: true
    data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout:
      content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout'
          Required: true
    data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout-post:
      content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout-post'

      Required: true

```

```

data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout_max:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout_max'
      Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout_min:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_initial_timeout_min'
      Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_retries:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_retries'
      Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout'
      Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout-post:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout-post'
      Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout_max:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout_max'
      Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout_min:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_retransmit_timeout_min'
      Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_rx-connect-speed:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_rx-connect-speed'

```

```

Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_tcp:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tcp'
      Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_tcp-post:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tcp-post'

Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_tcp_adjust-mss:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tcp_adjust-mss'
      Required: true

data_cnbng-cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname'

  Required: true

data_cnbng-cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname_hostname:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_terminate-from_terminate-from-hostname_hostname'

  Required: true

data_cnbng-cp_profile_l2tp_l2tp-name_tunnel:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel'
      Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_tunnel-load-balancing:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel-load-balancing'
      Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_tunnel-post:

```

```

content:
  application/yang-data+json:
    schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel-post'

Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_session-limit:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_session-limit'
      Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout'
      Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout-post:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout-post'
      Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout_no-session:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tunnel_timeout_no-session'
      Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_tx-connect-speed:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_tx-connect-speed'
      Required: true
data_cnbng-cp_profile_l2tp_l2tp-name_vrf:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_l2tp_l2tp-name_vrf'
      Required: true
data_cnbng-cp_profile_pppoe_pppoe-name:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name'
      Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_ac-cookie:

```

```

content:
  application/yang-data+json:
    schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_ac-cookie'

Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_ac-name:
content:
  application/yang-data+json:
    schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_ac-name'

Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_ctrl-pkt-priority:
content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_ctrl-pkt-priority'
    Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload:
content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload'
    Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload-post:
content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload-post'
    Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_deny:
content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_deny'
    Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_maximum:
content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_maximum'
    Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_minimum:
content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_max-payload_minimum'
    Required: true

```



```

data_cnbng-cp_profile_pppoe_pppoe-name_mtu:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_mtu'
        Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_name:
  content:
    application/yang-data+json:
      schema:
        Reference: '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_name'
        Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_service-name_service-name-id:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_service-name_service-name-id'
        Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_service-selection-disable:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_service-selection-disable'
        Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit'
        Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit-post:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit-post'
        Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id'
        Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id-post:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id-post'

```

```

Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_threshold:

  content:
    application/yang-data+json:
      schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_threshold'

Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_value:
  content:
    application/yang-data+json:
      schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_circuit-id_value'

Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac:
  content:
    application/yang-data+json:
      schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac'
Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac-post:
  content:
    application/yang-data+json:
      schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac-post'
Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_threshold:
  content:
    application/yang-data+json:
      schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_threshold'
Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_value:
  content:
    application/yang-data+json:
      schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_mac_value'
Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max:
  content:
    application/yang-data+json:
      schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max'
Required: true
data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max-post:
  content:

```

```

    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max-post'
      Required: true
    data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_threshold:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_threshold'
        Required: true
    data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_value:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_max_value'
        Required: true
    data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan'
        Required: true
    data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan-post:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan-post'
        Required: true
    data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_threshold:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_threshold'
        Required: true
    data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_value:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_session-limit_outer-vlan_value'
        Required: true
    data_cnbng-cp_profile_pppoe_pppoe-name_timeout-completion:
    content:
      application/yang-data+json:
        schema:

```

```

Reference:
'#/components/schemas/data_cnbng-cp_profile_pppoe_pppoe-name_timeout-completion'
Required: true
data_cnbng-cp_profile_radius:
content:
  application/yang-data+json:
    schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_radius'
    Required: true
data_cnbng-cp_profile_radius-post:
content:
  application/yang-data+json:
    schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_radius-post'
    Required: true
data_cnbng-cp_profile_radius_accounting:
content:
  application/yang-data+json:
    schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_radius_accounting'
    Required: true
data_cnbng-cp_profile_radius_accounting-post:
content:
  application/yang-data+json:
    schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_radius_accounting-post'

Required: true
data_cnbng-cp_profile_radius_accounting_algorithm:
content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_algorithm'
    Required: true
data_cnbng-cp_profile_radius_accounting_attribute:
content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute'
    Required: true
data_cnbng-cp_profile_radius_accounting_attribute-post:
content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute-post'
    Required: true
data_cnbng-cp_profile_radius_accounting_attribute_called-station-id:
content:
  application/yang-data+json:
    schema:
      Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id'
  Required: true
  data_cnbng-cp_profile_radius_accounting_attribute_called-station-id-post:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id-post'

    Required: true

  data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format-name:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format-name'

    Required: true

  data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type'

    Required: true

  data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_format-name:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_format-name'

    Required: true

  data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_nas-port-type:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_format_format-nas-port-type_nas-port-type'

    Required: true

  data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_value:

    content:
      application/yang-data+json:
        schema:
          Reference:

```

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_called-station-id_value'
```

**Required:** true

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_calling-station-id:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id'
```

**Required:** true

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_calling-station-id-post:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id-post'
```

**Required:** true

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_calling-station-id\_format-name:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format-name'
```

**Required:** true

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_calling-station-id\_format\_format-nas-port-type:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type'
```

**Required:** true

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_calling-station-id\_format\_format-nas-port-type\_format-name:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_format-name'
```

**Required:** true

**data\_cnbng-cp\_profile\_radius\_accounting\_attribute\_calling-station-id\_format\_format-nas-port-type\_nas-port-type:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

```

'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_format_format-nas-port-type_nas-port-type'

  Required: true

data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_value:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_calling-station-id_value'

  Required: true

data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-instance-id:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-instance-id'

  Required: true

data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-instance-id_called-station-id:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-instance-id_called-station-id'

  Required: true

data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-instance-id_called-station-id_post:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-instance-id_called-station-id_post'

  Required: true

data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-instance-id_called-station-id_format-name:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-instance-id_called-station-id_format-name'

  Required: true
?
data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-instance-id_called-station-id_format_format-nas-port-type

  content:
    application/yang-data+json:

```

```

    schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_called-station-id_format_format-nas-port-type'

      Required: true
      ?
      data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_called-station-id_format_format-nas-port-type_format-nare
      : content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_called-station-id_format_format-nas-port-type_format-nare'

            Required: true
            ?
            data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_called-station-id_format_format-nas-port-type_nas-port-type
            : content:
              application/yang-data+json:
                schema:
                  Reference:
                    '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_called-station-id_format_format-nas-port-type_nas-port-type'

                  Required: true

data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_called-station-id_value:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_called-station-id_value'

        Required: true

data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_calling-station-id:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_calling-station-id'

        Required: true

data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_calling-station-id-post:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_calling-station-id-post'

        Required: true

data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-instance-id_calling-station-id_format-nare:

```



```

content:
  application/yang-data+json:
    schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_calling-station-id_format-name'

    Required: true
    ?
    data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_calling-station-id_format_format-nas-port-type

: content:
  application/yang-data+json:
    schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_calling-station-id_format_format-nas-port-type'

    Required: true
    ?
    data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_calling-station-id_format_format-nas-port-type_format-name

: content:
  application/yang-data+json:
    schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_calling-station-id_format_format-nas-port-type_format-name'

    Required: true
    ?
    data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_calling-station-id_format_format-nas-port-type_nas-port-type

: content:
  application/yang-data+json:
    schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_calling-station-id_format_format-nas-port-type_nas-port-type'

    Required: true

data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_calling-station-id_value:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_calling-station-id_value'

      Required: true

data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_instance-id:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_instance-id'

      Required: true

```

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_nas-identifier:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_nas-identifier'

**Required:** true

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_nas-identifier-format:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_nas-identifier-format'

**Required:** true

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_nas-identifier-format-post:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_nas-identifier-format-post'

**Required:** true

**data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_nas-identifier-format\_format-name:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_nas-identifier-format\_format-name'

**Required:** true

?

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_nas-identifier-format\_format\_format-nas-port-type

: content:

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_nas-identifier-format\_format\_format-nas-port-type'

**Required:** true

?

data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_nas-identifier-format\_format\_format-nas-port-type\_format-name

: content:

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_accounting\_attribute\_instance\_instance-id\_nas-identifier-format\_format\_format-nas-port-type\_format-name'

```

    Required: true
    ?
    data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_nas-identifier-format_format_format-nas-port-type_nas-port-type
    : content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_nas-identifier-format_format_format-nas-port-type_nas-port-type'
        Required: true

    data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_nas-ip:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_nas-ip'
        Required: true

    data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_nas-ip-post:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_nas-ip-post'
        Required: true

    data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_nas-ip_user-plane-ip:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_nas-ip_user-plane-ip'
        Required: true

    data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_nas-ip_value:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_nas-ip_value'
        Required: true

    data_cnbng_cp_profile_radius_accounting_attribute_instance_instance-id_nas-port:
    content:
      application/yang-data+json:
        schema:

```

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-id_nas-port'
```

```
Required: true
```

```
data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-id_nas-port-id:
```

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-id_nas-port-id'
```

```
Required: true
```

```
data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-id_nas-port-id-post:
```

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-id_nas-port-id-post'
```

```
Required: true
```

```
data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-id_nas-port-id_format-name:
```

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-id_nas-port-id_format-name'
```

```
Required: true
```

```
data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-id_nas-port-id_format_format-nas-port-type:
```

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-id_nas-port-id_format_format-nas-port-type'
```

```
Required: true
```

```
?
```

```
data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-id_nas-port-id_format_format-nas-port-type_format-name
```

```
: content:
```

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-id_nas-port-id_format_format-nas-port-type_format-name'
```

```
Required: true
```

```
?
```

```
data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-id_nas-port-id_format_format-nas-port-type_nas-port-type
```

```
: content:
```

```

    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_crbng-cp_profile_radius_accounting_attribute_instance_instance-id_nas-port-id_format_format-nas-port-type_nas-port-type'

      Required: true

data_crbng-cp_profile_radius_accounting_attribute_instance_instance-id_nas-port-id_value:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_crbng-cp_profile_radius_accounting_attribute_instance_instance-id_nas-port-id_value'

      Required: true

data_crbng-cp_profile_radius_accounting_attribute_instance_instance-id_nas-port-post:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_crbng-cp_profile_radius_accounting_attribute_instance_instance-id_nas-port-post'

      Required: true

data_crbng-cp_profile_radius_accounting_attribute_instance_instance-id_nas-port_format-e:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_crbng-cp_profile_radius_accounting_attribute_instance_instance-id_nas-port_format-e'

      Required: true
?
data_crbng-cp_profile_radius_accounting_attribute_instance_instance-id_nas-port_format-e-list_format-e-list-nas-port-type

  : content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_crbng-cp_profile_radius_accounting_attribute_instance_instance-id_nas-port_format-e-list_format-e-list-nas-port-type'

      Required: true
?
data_crbng-cp_profile_radius_accounting_attribute_instance_instance-id_nas-port_format-e-list_format-e-list-nas-port-type_format-e

  : content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_crbng-cp_profile_radius_accounting_attribute_instance_instance-id_nas-port_format-e-list_format-e-list-nas-port-type_format-e'

      Required: true
?
data_crbng-cp_profile_radius_accounting_attribute_instance_instance-id_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type

```

```

: content:
  application/yang-data+json:
    schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-id_report-format-list-format-list-report-type-report-type'

    Required: true

data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-id_nas-port_value:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_instance_instance-id_nas-port_value'

    Required: true
data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier'
    Required: true
data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format'
    Required: true

data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format-post:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format-post'
    Required: true

data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format-name:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format-name'
    Required: true

data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type:

```

```

content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type'

  Required: true

data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type_format-name:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type_format-name'

  Required: true

data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type_nas-port-type:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-identifier-format_format_format-nas-port-type_nas-port-type'

  Required: true

data_cnbng-cp_profile_radius_accounting_attribute_nas-ip:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-ip'
  Required: true

data_cnbng-cp_profile_radius_accounting_attribute_nas-ip-post:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-ip-post'
  Required: true

data_cnbng-cp_profile_radius_accounting_attribute_nas-ip_user-plane-ip:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-ip_user-plane-ip'

  Required: true

data_cnbng-cp_profile_radius_accounting_attribute_nas-ip_value:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-ip_value'

```

```

Required: true
data_cnbng-cp_profile_radius_accounting_attribute_nas-port:
  content:
    application/yang-data+json:
      schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port'
      Required: true
data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id:
  content:
    application/yang-data+json:
      schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id'
      Required: true
data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id-post:
  content:
    application/yang-data+json:
      schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id-post'
      Required: true
data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format-name:
  content:
    application/yang-data+json:
      schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format-name'
      Required: true

Required: true

data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type:
  content:
    application/yang-data+json:
      schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type'
      Required: true

data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_format-name:
  content:
    application/yang-data+json:
      schema:
        Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_format-name'
      Required: true

data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_nas-port-type:
  content:
    application/yang-data+json:

```



```

    schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_format_format-nas-port-type_nas-port-type'

    Required: true
    data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_value:
      content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-id_value'
            Required: true
    data_cnbng-cp_profile_radius_accounting_attribute_nas-port-post:
      content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port-post'
            Required: true
    data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e:
      content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e'
            Required: true
    data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type:
      content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type'
            Required: true
    data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e:
      content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e'
            Required: true
    data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type:
      content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type'
            Required: true

```

```

data_cnbng-cp_profile_radius_accounting_attribute_nas-port_value:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_accounting_attribute_nas-port_value'
      Required: true
  data_cnbng-cp_profile_radius_accounting_deadtime:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_radius_accounting_deadtime'

    Required: true
  data_cnbng-cp_profile_radius_accounting_detect-dead-server:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_detect-dead-server'
        Required: true
  data_cnbng-cp_profile_radius_accounting_detect-dead-server-post:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_detect-dead-server-post'
        Required: true

  data_cnbng-cp_profile_radius_accounting_detect-dead-server_response-timeout:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_detect-dead-server_response-timeout'

    Required: true
  data_cnbng-cp_profile_radius_accounting_max-retry:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_accounting_max-retry'
        Required: true
  data_cnbng-cp_profile_radius_accounting_timeout:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_radius_accounting_timeout'

    Required: true
  data_cnbng-cp_profile_radius_algorithm:
    content:
      application/yang-data+json:

```

```

    schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_radius_algorithm'
    Required: true
  data_cnbng-cp_profile_radius_attribute:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_radius_attribute'
        Required: true
  data_cnbng-cp_profile_radius_attribute-post:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_radius_attribute-post'
        Required: true
  data_cnbng-cp_profile_radius_attribute_called-station-id:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id'
          Required: true
  data_cnbng-cp_profile_radius_attribute_called-station-id-post:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id-post'
          Required: true
  data_cnbng-cp_profile_radius_attribute_called-station-id_format-name:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id_format-name'
          Required: true
  data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type'
          Required: true
  data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_format-name:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_called-station-id_format_format-nas-port-type_format-name'

```

**Required:** true

**data\_cnbng\_cp\_profile\_radius\_attribute\_called-station-id\_format\_format-nas-port-type\_nas-port-type:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_called-station-id\_format\_format-nas-port-type\_nas-port-type'

**Required:** true

**data\_cnbng\_cp\_profile\_radius\_attribute\_called-station-id\_value:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_called-station-id\_value'

**Required:** true

**data\_cnbng\_cp\_profile\_radius\_attribute\_calling-station-id:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_calling-station-id'

**Required:** true

**data\_cnbng\_cp\_profile\_radius\_attribute\_calling-station-id-post:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_calling-station-id-post'

**Required:** true

**data\_cnbng\_cp\_profile\_radius\_attribute\_calling-station-id\_format-name:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_calling-station-id\_format-name'

**Required:** true

**data\_cnbng\_cp\_profile\_radius\_attribute\_calling-station-id\_format\_format-nas-port-type:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_profile\_radius\_attribute\_calling-station-id\_format\_format-nas-port-type'

**Required:** true

**data\_cnbng\_cp\_profile\_radius\_attribute\_calling-station-id\_format\_format-nas-port-type\_format-name:**

**content:**

application/yang-data+json:

```

    schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_format-name'

    Required: true

data_cnbng_cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_nas-port-type:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_attribute_calling-station-id_format_format-nas-port-type_nas-port-type'

    Required: true
data_cnbng_cp_profile_radius_attribute_calling-station-id_value:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_attribute_calling-station-id_value'
    Required: true
data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id'
    Required: true

data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id_called-station-id:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id_called-station-id'
    Required: true

data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id_called-station-id-post:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id_called-station-id-post'
    Required: true

data_cnbng_cp_profile_radius_attribute_instance_instance-instance-id_called-station-id_format-name:

  content:
    application/yang-data+json:
      schema:

```

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-instance-id_called-station-id_format-name'
```

**Required:** true

**data\_cnbng-cp\_profile\_radius\_attribute\_instance\_instance-instance-id\_called-station-id\_format\_format-nas-port-type:**

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-instance-id_called-station-id_format_format-nas-port-type'
```

**Required:** true

?

```
data_cnbng-cp_profile_radius_attribute_instance_instance-instance-id_called-station-id_format_format-nas-port-type_format-name
```

```
: content:
```

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-instance-id_called-station-id_format_format-nas-port-type_format-name'
```

**Required:** true

?

```
data_cnbng-cp_profile_radius_attribute_instance_instance-instance-id_called-station-id_format_format-nas-port-type_nas-port-type
```

```
: content:
```

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-instance-id_called-station-id_format_format-nas-port-type_nas-port-type'
```

**Required:** true

**data\_cnbng-cp\_profile\_radius\_attribute\_instance\_instance-instance-id\_called-station-id\_value:**

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-instance-id_called-station-id_value'
```

**Required:** true

**data\_cnbng-cp\_profile\_radius\_attribute\_instance\_instance-instance-id\_calling-station-id:**

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-instance-id_calling-station-id'
```

**Required:** true

**data\_cnbng-cp\_profile\_radius\_attribute\_instance\_instance-instance-id\_calling-station-id-post:**

**content:**

```

    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_calling-station-id-post'

      Required: true

data_cnbng-cp_profile_radius_attribute_instance_instance-id_calling-station-id_format-name:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_calling-station-id_format-name'

      Required: true

data_cnbng-cp_profile_radius_attribute_instance_instance-id_calling-station-id_format_format-nas-port-type:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_calling-station-id_format_format-nas-port-type'

      Required: true
?
data_cnbng-cp_profile_radius_attribute_instance_instance-id_calling-station-id_format_format-nas-port-type_format-name
: content:
  application/yang-data+json:
    schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_calling-station-id_format_format-nas-port-type_format-name'

    Required: true
?
data_cnbng-cp_profile_radius_attribute_instance_instance-id_calling-station-id_format_format-nas-port-type_nas-port-type
: content:
  application/yang-data+json:
    schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_calling-station-id_format_format-nas-port-type_nas-port-type'

    Required: true

data_cnbng-cp_profile_radius_attribute_instance_instance-id_calling-station-id_value:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_calling-station-id_value'

      Required: true

data_cnbng-cp_profile_radius_attribute_instance_instance-id_instance-id:

```

```

content:
  application/yang-data+json:
    schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_instance-id'

Required: true

data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-identifier:

content:
  application/yang-data+json:
    schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-identifier'

Required: true

data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-identifier-format:

content:
  application/yang-data+json:
    schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-identifier-format'

Required: true

data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-identifier-format-post:

content:
  application/yang-data+json:
    schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-identifier-format-post'

Required: true

data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-identifier-format_format-name:

content:
  application/yang-data+json:
    schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-identifier-format_format-name'

Required: true

data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-identifier-format_format_format-nas-port-type:

content:
  application/yang-data+json:
    schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-identifier-format_format_format-nas-port-type'

```



```

    Required: true
    ?
    data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-identifier-format_format_format-nas-port-type_format-name
    : content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-identifier-format_format_format-nas-port-type_format-name'

    Required: true
    ?
    data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-identifier-format_format_format-nas-port-type_nas-port-type
    : content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-identifier-format_format_format-nas-port-type_nas-port-type'

    Required: true

data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-ip:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-ip'

    Required: true

data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-ip-post:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-ip-post'

    Required: true

data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-ip_user-plane-ip:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-ip_user-plane-ip'

    Required: true

data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-ip_value:

    content:
      application/yang-data+json:
        schema:

```

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-ip_value'
```

**Required:** true

**data\_cnbng-cp\_profile\_radius\_attribute\_instance\_instance-id\_nas-port:**

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-port'
```

**Required:** true

**data\_cnbng-cp\_profile\_radius\_attribute\_instance\_instance-id\_nas-port-id:**

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-port-id'
```

**Required:** true

**data\_cnbng-cp\_profile\_radius\_attribute\_instance\_instance-id\_nas-port-id-post:**

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-port-id-post'
```

**Required:** true

**data\_cnbng-cp\_profile\_radius\_attribute\_instance\_instance-id\_nas-port-id\_format-name:**

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-port-id_format-name'
```

**Required:** true

**data\_cnbng-cp\_profile\_radius\_attribute\_instance\_instance-id\_nas-port-id\_format\_format-nas-port-type:**

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-port-id_format_format-nas-port-type'
```

**Required:** true

**data\_cnbng-cp\_profile\_radius\_attribute\_instance\_instance-id\_nas-port-id\_format\_format-nas-port-type\_format-name:**

```

content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_crbng-cp_profile_radius_attribute_instance_instance-id_nas-port-id_format_format-nas-port-type_format-rate'

  Required: true

data_crbng-cp_profile_radius_attribute_instance_instance-id_nas-port-id_format_format-nas-port-type_nas-port-type

content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_crbng-cp_profile_radius_attribute_instance_instance-id_nas-port-id_format_format-nas-port-type_nas-port-type'

  Required: true

data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-port-id_value:

content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-port-id_value'

  Required: true

data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-port-post:

content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-port-post'

  Required: true

data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-port_format-e:

content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-port_format-e'

  Required: true

data_crbng-cp_profile_radius_attribute_instance_instance-id_nas-port_format-e-list_format-e-list-nas-port-type

content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_crbng-cp_profile_radius_attribute_instance_instance-id_nas-port_format-e-list_format-e-list-nas-port-type'

  Required: true

```

```

?
data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-port_format-e-list_format-e-list-nas-port-type_format-e
: content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-port_format-e-list_format-e-list-nas-port-type_format-e'

      Required: true
?
data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type
: content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type'

      Required: true
data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-port_value:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_instance_instance-id_nas-port_value'

        Required: true
data_cnbng-cp_profile_radius_attribute_nas-identifier:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier'

        Required: true
data_cnbng-cp_profile_radius_attribute_nas-identifier-format:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format'

        Required: true
data_cnbng-cp_profile_radius_attribute_nas-identifier-format-post:
  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format-post'

        Required: true
data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format-name:
  content:
    application/yang-data+json:
      schema:

```

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format-name'
```

```
Required: true
```

```
data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type:
```

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-nas-port-type'
```

```
Required: true
```

```
data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format_format-nas-port-type_format-name:
```

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-format-nas-port-type_format-name'
```

```
Required: true
```

```
data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format_format-nas-port-type_nas-port-type:
```

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-identifier-format_format_format-format-nas-port-type_nas-port-type'
```

```
Required: true
```

```
data_cnbng-cp_profile_radius_attribute_nas-ip:
```

**content:**

```
application/yang-data+json:
```

**schema:**

```
Reference: '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-ip'
```

```
Required: true
```

```
data_cnbng-cp_profile_radius_attribute_nas-ip-post:
```

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-ip-post'
```

```
Required: true
```

```
data_cnbng-cp_profile_radius_attribute_nas-ip_user-plane-ip:
```

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-ip_user-plane-ip'
```

```
Required: true
```

```
data_cnbng-cp_profile_radius_attribute_nas-ip_value:
```

```

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-ip_value'
          Required: true
    data_cnbng-cp_profile_radius_attribute_nas-port:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port'

    Required: true
    data_cnbng-cp_profile_radius_attribute_nas-port-id:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id'
          Required: true
    data_cnbng-cp_profile_radius_attribute_nas-port-id-post:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id-post'
          Required: true
    data_cnbng-cp_profile_radius_attribute_nas-port-id_format-name:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id_format-name'
          Required: true

    data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type'

    Required: true

    data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_format-name:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_format-name'

    Required: true

    data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_nas-port-type:

```

```

content:
  application/yang-data+json:
    schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id_format_format-nas-port-type_nas-port-type'

Required: true
data_cnbng-cp_profile_radius_attribute_nas-port-id_value:
content:
  application/yang-data+json:
    schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-id_value'
    Required: true
data_cnbng-cp_profile_radius_attribute_nas-port-post:
content:
  application/yang-data+json:
    schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port-post'
    Required: true
data_cnbng-cp_profile_radius_attribute_nas-port_format-e:
content:
  application/yang-data+json:
    schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port_format-e'
    Required: true

data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type:

content:
  application/yang-data+json:
    schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type'
    Required: true

data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e:

content:
  application/yang-data+json:
    schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_format-e'
    Required: true

data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type:

content:
  application/yang-data+json:
    schema:
      Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port_format-e-list_format-e-list-nas-port-type_nas-port-type'

  Required: true
  data_cnbng-cp_profile_radius_attribute_nas-port_value:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_attribute_nas-port_value'
  Required: true
  data_cnbng-cp_profile_radius_deadtime:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_radius_deadtime'
  Required: true
  data_cnbng-cp_profile_radius_detect-dead-server:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_radius_detect-dead-server'

  Required: true
  data_cnbng-cp_profile_radius_detect-dead-server-post:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_detect-dead-server-post'
  Required: true
  data_cnbng-cp_profile_radius_detect-dead-server_response-timeout:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_detect-dead-server_response-timeout'
  Required: true
  data_cnbng-cp_profile_radius_max-retry:
    content:
      application/yang-data+json:
        schema:
          Reference: '#/components/schemas/data_cnbng-cp_profile_radius_max-retry'
  Required: true
  data_cnbng-cp_profile_radius_server-group_server-group-group-name:
    content:
      application/yang-data+json:
        schema:
          Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name'
  Required: true
  data_cnbng-cp_profile_radius_server-group_server-group-group-name_group-name:
    content:
      application/yang-data+json:

```



```

    schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_group-name'

    Required: true

data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port'

    Required: true

data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_ip:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_ip'

    Required: true

data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_port:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_port'

    Required: true

data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_type:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_server-group_server-group-group-name_server_server-type_server-ip_server-port_type'

    Required: true

data_cnbng-cp_profile_radius_server_server-ip_server-port:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port'

    Required: true

data_cnbng-cp_profile_radius_server_server-ip_server-port_ip:

  content:
    application/yang-data+json:
      schema:

```

```

Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port_ip'
Required: true
data_cnbng-cp_profile_radius_server_server-ip_server-port_port:
content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port_port'
      Required: true
data_cnbng-cp_profile_radius_server_server-ip_server-port_priority:
content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port_priority'
      Required: true
data_cnbng-cp_profile_radius_server_server-ip_server-port_secret:
content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port_secret'
      Required: true
data_cnbng-cp_profile_radius_server_server-ip_server-port_type:
content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_radius_server_server-ip_server-port_type'
      Required: true
data_cnbng-cp_profile_radius_timeout:
content:
  application/yang-data+json:
    schema:
      Reference: '#/components/schemas/data_cnbng-cp_profile_radius_timeout'
      Required: true
data_cnbng-cp_profile_server-group_server-group-name:
content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_server-group_server-group-name'
      Required: true
data_cnbng-cp_profile_server-group_server-group-name_name:
content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_server-group_server-group-name_name'
      Required: true
data_cnbng-cp_profile_server-group_server-group-name_radius-group:
content:
  application/yang-data+json:

```

```

        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_server-group_server-group-name_radius-group'
          Required: true
    data_cnbng-cp_profile_subscriber_subscriber-name:
      content:
        application/yang-data+json:
          schema:
            Reference: '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name'

      Required: true

    data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile:
      content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile'

      Required: true

    data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_aaa-option:
      content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'

      Required: true

    data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_profile:
      content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_aaa_aaa-aaa-option_aaa-profile_profile'

      Required: true

    data_cnbng-cp_profile_subscriber_subscriber-name_activate-feature-templates_activate-feature-templates-id:
      content:
        application/yang-data+json:
          schema:
            Reference:
              '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_activate-feature-templates_activate-feature-templates-id'

      Required: true
    data_cnbng-cp_profile_subscriber_subscriber-name_apply-all-class:
      content:
        application/yang-data+json:
          schema:
            Reference:

```

```

'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_apply-all-class'
  Required: true
  data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name'

  Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile'

  Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_aaa-option:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'

  Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile'

  Required: true
?
data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_activate-feature-templates_activate-feature-templates-id

: content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_activate-feature-templates_activate-feature-templates-id'

  Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_class-name:

  content:
    application/yang-data+json:
      schema:

```

**Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_class-name'
```

**Required:** true

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches:**

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches'
```

**Required:** true

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches-post:**

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches-post'
```

**Required:** true

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match-type:**

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match-type'
```

**Required:** true

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match\_match-key:**

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key'
```

**Required:** true

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match\_match-key\_ascii\_ascii-id:**

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_ascii_ascii-id'
```

**Required:** true

**data\_cnbng-cp\_profile\_subscriber\_subscriber-name\_class\_class-class-name\_matches\_match\_match-key\_key:**

```

content:
  application/yang-data+json:
    schema:
      Reference:
        '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_key'

    Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_regex_regex-id:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_regex_regex-id'

      Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_type_type-id:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_class_class-class-name_matches_match_match-key_type_type-id'

      Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_dhcp-profile:
  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_dhcp-profile'

      Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name'

      Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile:

  content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile'

      Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_aaa-option:

  content:

```

```

    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'

      Required: true

data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_profile:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_aaa_aaa-aaa-option_aaa-profile_profile'

      Required: true
?
data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_activate-feature-templates_activate-feature-templates-id

: content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_activate-feature-templates_activate-feature-templates-id'

    Required: true

data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_apply-all-class:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_apply-all-class'

    Required: true

data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name'

    Required: true
?
data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile

: content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile'

    Required: true
?
data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_aaa-option

```

```

: content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_aaa-option'

    Required: true
  ?
data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile

: content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_aaa_aaa-aaa-option_aaa-profile_profile'

    Required: true
  ?
data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_activate-feature-templates_activate-feature-templates-id

: content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_activate-feature-templates_activate-feature-templates-id'

    Required: true

data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_class-name:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_class-name'

        Required: true
      ?
data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_deactivate-feature-templates_deactivate-feature-templates-id

: content:
  application/yang-data+json:
    schema:
      Reference:
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_deactivate-feature-templates_deactivate-feature-templates-id'

    Required: true

data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches:

  content:
    application/yang-data+json:
      schema:
        Reference:
'#/components/schemas/data_cnbng_cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches'

        Required: true

```



**data\_crbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches-post:**

**content:**  
application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_crbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches-post'

**Required:** true

**data\_crbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches\_match-type:**

**content:**  
application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_crbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches\_match-type'

**Required:** true

**data\_crbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches\_match\_match-key:**

**content:**  
application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_crbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches\_match\_match-key'

**Required:** true

?

**data\_crbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches\_match\_match-key\_ascii\_ascii-id**

**content:**  
application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_crbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches\_match\_match-key\_ascii\_ascii-id'

**Required:** true

**data\_crbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches\_match\_match-key\_key:**

**content:**  
application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_crbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches\_match\_match-key\_key'

**Required:** true

?

**data\_crbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches\_match\_match-key\_regex\_regex-id**

**content:**  
application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_crbng\_cp\_profile\_subscriber\_subscriber-name\_event\_event-event-name\_class\_class-class-name\_matches\_match\_match-key\_regex\_regex-id'

```

    Required: true
    ?
    data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_type_type-id

    : content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_class_class-class-name_matches_match_match-key_type_type-id'

    Required: true
    ?
    data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_deactivate-feature-templates_deactivate-feature-templates-id

    : content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_deactivate-feature-templates_deactivate-feature-templates-id'

    Required: true

data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_event-name:

    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_event_event-event-name_event-name'

    Required: true
data_cnbng-cp_profile_subscriber_subscriber-name_l2tp-profile:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_l2tp-profile'
    Required: true
data_cnbng-cp_profile_subscriber_subscriber-name_name:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_name'
    Required: true
data_cnbng-cp_profile_subscriber_subscriber-name_pppoe-profile:
    content:
      application/yang-data+json:
        schema:
          Reference:
            '#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_pppoe-profile'
    Required: true
data_cnbng-cp_profile_subscriber_subscriber-name_session-type:
    content:
      application/yang-data+json:

```

```

    schema:
      Reference:
'#/components/schemas/data_cnbng-cp_profile_subscriber_subscriber-name_session-type'
      Required: true
    data_cnbng-cp_user-plane:
      content:
        application/yang-data+json:
          schema:
            Reference: '#/components/schemas/data_cnbng-cp_user-plane'
            Required: true
    data_cnbng-cp_user-plane-post:
      content:
        application/yang-data+json:
          schema:
            Reference: '#/components/schemas/data_cnbng-cp_user-plane-post'
            Required: true
    data_cnbng-cp_user-plane_instance_instance-instance-id:
      content:
        application/yang-data+json:
          schema:
            Reference:
'#/components/schemas/data_cnbng-cp_user-plane_instance_instance-instance-id'
            Required: true
    data_cnbng-cp_user-plane_instance_instance-instance-id_instance-id:
      content:
        application/yang-data+json:
          schema:
            Reference:
'#/components/schemas/data_cnbng-cp_user-plane_instance_instance-instance-id_instance-id'
            Required: true
    data_cnbng-cp_user-plane_instance_instance-instance-id_user-planes:
      content:
        application/yang-data+json:
          schema:
            Reference:
'#/components/schemas/data_cnbng-cp_user-plane_instance_instance-instance-id_user-planes'
            Required: true
    data_cnbng-cp_user-plane_instance_instance-instance-id_user-planes-post:
      content:
        application/yang-data+json:
          schema:
            Reference:
'#/components/schemas/data_cnbng-cp_user-plane_instance_instance-instance-id_user-planes-post'
            Required: true

    data_cnbng-cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name:
      content:
        application/yang-data+json:
          schema:
            Reference:
'#/components/schemas/data_cnbng-cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name'

```

**Required:** true

**data\_cnbng\_cp\_user-plane\_instance\_instance-instance-id\_user-planes\_user-plane\_user-plane-name\_flowctrl-group:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_user-plane\_instance\_instance-instance-id\_user-planes\_user-plane\_user-plane-name\_flowctrl-group'

**Required:** true

**data\_cnbng\_cp\_user-plane\_instance\_instance-instance-id\_user-planes\_user-plane\_user-plane-name\_name:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_user-plane\_instance\_instance-instance-id\_user-planes\_user-plane\_user-plane-name\_name'

**Required:** true

**data\_cnbng\_cp\_user-plane\_instance\_instance-instance-id\_user-planes\_user-plane\_user-plane-name\_offline:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_user-plane\_instance\_instance-instance-id\_user-planes\_user-plane\_user-plane-name\_offline'

**Required:** true

**data\_cnbng\_cp\_user-plane\_instance\_instance-instance-id\_user-planes\_user-plane\_user-plane-name\_peer-address:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_user-plane\_instance\_instance-instance-id\_user-planes\_user-plane\_user-plane-name\_peer-address'

**Required:** true

**data\_cnbng\_cp\_user-plane\_instance\_instance-instance-id\_user-planes\_user-plane\_user-plane-name\_peer-address-post:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

'#/components/schemas/data\_cnbng\_cp\_user-plane\_instance\_instance-instance-id\_user-planes\_user-plane\_user-plane-name\_peer-address-post'

**Required:** true

**data\_cnbng\_cp\_user-plane\_instance\_instance-instance-id\_user-planes\_user-plane\_user-plane-name\_peer-address\_ipv4:**

**content:**

application/yang-data+json:

**schema:**

**Reference:**

```
'#/components/schemas/data_crbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_peer-address_ipv4'
```

**Required:** true

```
data_crbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_port-id_port-id-id
```

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_crbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_port-id_port-id-id'
```

**Required:** true

```
data_crbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_port-id_port-id-id_id
```

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_crbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_port-id_port-id-id_id'
```

**Required:** true

?

```
data_crbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_port-id_port-id-id_subscriber-profile
```

```
: content:
```

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_crbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_port-id_port-id-id_subscriber-profile'
```

**Required:** true

```
data_crbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_subscriber-profile:
```

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_crbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_subscriber-profile'
```

**Required:** true

```
data_crbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_subscriber-redundancy:
```

**content:**

```
application/yang-data+json:
```

**schema:****Reference:**

```
'#/components/schemas/data_crbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_subscriber-redundancy'
```

**Required:** true

```
data_crbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_subscriber-redundancy-post:
```

```

content:
  application/yang-data+json:
    schema:
      Reference:
        '#/components/schemas/data_crbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_subscriber-redundancy-post'

    Required: true
    ?
    data_crbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name

  : content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_crbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name'

      Required: true
      ?
      data_crbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_disable

  : content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_crbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_disable'

      Required: true
      ?
      data_crbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_domain-identifier

  : content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_crbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_domain-identifier'

      Required: true
      ?
      data_crbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_group-name

  : content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_crbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_group-name'

      Required: true
      ?
      data_crbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_peer-identifier

  : content:
    application/yang-data+json:
      schema:
        Reference:
          '#/components/schemas/data_crbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-name_subscriber-redundancy_group_group-group-name_peer-identifier'

      Required: true
      ?

```

```

data_cnbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-rate_subscriber-redundancy_group_group-group-rate_port-idtrap

: content:
  application/yang-data+json:
    schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-rate_subscriber-redundancy_group_group-group-rate_port-idtrap'

    Required: true
    ?
data_cnbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-rate_subscriber-redundancy_group_group-group-rate_port-idtrap-post

: content:
  application/yang-data+json:
    schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-rate_subscriber-redundancy_group_group-group-rate_port-idtrap-post'

    Required: true
    ?
data_cnbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-rate_subscriber-redundancy_group_group-group-rate_port-idtrap-post_rate-port-id

: content:
  application/yang-data+json:
    schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-rate_subscriber-redundancy_group_group-group-rate_port-idtrap-post_rate-port-id_rate-port-id_rate-port-id'

    Required: true
    ?
data_cnbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-rate_subscriber-redundancy_group_group-group-rate_port-idtrap-post_rate-port-id_rate-port-id_rate-port-id_rate-port-id

: content:
  application/yang-data+json:
    schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-rate_subscriber-redundancy_group_group-group-rate_port-idtrap-post_rate-port-id_rate-port-id_rate-port-id_rate-port-id'

    Required: true
    ?
data_cnbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-rate_subscriber-redundancy_group_group-group-rate_port-idtrap-post_rate-port-id_rate-port-id_rate-port-id_rate-port-id_rate

: content:
  application/yang-data+json:
    schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-rate_subscriber-redundancy_group_group-group-rate_port-idtrap-post_rate-port-id_rate-port-id_rate-port-id_rate-port-id_rate'

    Required: true
    ?
data_cnbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-rate_subscriber-redundancy_group_group-group-rate_port-idtrap-post_rate-port-id_rate-port-id_rate-port-id_rate-port-id_rate-prefered-hole-active

: content:
  application/yang-data+json:
    schema:
      Reference:
        '#/components/schemas/data_cnbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-rate_subscriber-redundancy_group_group-group-rate-prefered-hole-active'

    Required: true

```

```

?
data_crbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-rate_subscriber-redundancy_group_group-group-rate_revertive-timer

: content:
  application/yang-data+json:
    schema:
      Reference:
      '#/components/schemas/data_crbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-rate_subscriber-redundancy_group_group-group-rate_revertive-timer'

    Required: true
?
data_crbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-rate_subscriber-redundancy_group_group-group-rate_standby-mode

: content:
  application/yang-data+json:
    schema:
      Reference:
      '#/components/schemas/data_crbng_cp_user-plane_instance_instance-instance-id_user-planes_user-plane_user-plane-rate_subscriber-redundancy_group_group-group-rate_standby-mode'

    Required: true
securitySchemes:
  basicAuth:
    Type: http
    scheme: basic

```