



User Control with the Passive Identity Agent

The following topics discuss how to configure and use the passive identity agent.

- [The Passive Identity Agent Identity Source](#), on page 1
- [Deploy the Passive Identity Agent](#), on page 2
- [How to Create a Passive Identity Agent Identity Source](#), on page 7
- [Configure the Passive Identity Agent](#), on page 9
- [Monitor the Passive Identity Agent](#), on page 21
- [Manage the Passive Identity Agent](#), on page 22
- [Troubleshoot the Passive Identity Agent](#), on page 24
- [Security Requirements for the Passive Identity Agent](#), on page 25
- [Internet Access Requirements for the Passive Identity Agent](#), on page 25
- [History for the Passive Identity Agent](#), on page 26

The Passive Identity Agent Identity Source

The passive identity agent identity source sends session data from Microsoft Active Directory (AD) to the Secure Firewall Management Center. All you need is a supported Microsoft AD setup as discussed in [About Realms and Realm Sequences](#).



Note You do not need to configure the Cisco Identity Services Engine (ISE) to use this identity source.

Passive identity agent roles

The passive identity agent supports the following roles:

- **Standalone:** A passive identity agent that is not part of a redundant pair. A standalone agent can download users and groups from multiple Active Directory servers and domain controllers, provided the software is installed on all of them.
- **Primary:** (Primary agent in a redundant pair.) Can be installed on a Microsoft AD domain controller, directory server, or any network client.

Handles all communication with the Secure Firewall Management Center unless it stops communicating, in which case communication is handled by secondary agents.

- Secondary: (Secondary, or backup, agent in a redundant pair.) Can be installed on a Microsoft AD domain controller, directory server, or any network client.

Monitors the health of the primary agent and takes over if the primary agent stops communicating with the Secure Firewall Management Center.

Passive identity agent system requirements

The passive identity agent requires the following:

- If you install it on a Windows Active Directory server, the server must run Windows Server 2008 or later.
- If you install it on a Windows client attached to the domain, the client must run Windows 8 or later.
- Secure Firewall Management Center must run 7.6 or later.
- Any Secure Firewall Threat Defense managed by the Secure Firewall Management Center must run 7.1 or later.
- You must enable Snort 3 on the Secure Firewall Threat Defense devices.

Passive identity agent limitations

The passive identity agent the following limitations:

- Up to 10 agents simultaneously
- One passive identity agent identity source can monitor up to 50 AD directories
- Up to 300,000 concurrent user sessions
- IPv6 addresses are not supported

Deploy the passive identity agent

For information about deployment options, see [Deploy the Passive Identity Agent, on page 2](#).

Deploy the Passive Identity Agent

You can install the Passive Identity Agent software on any machine that is part of a Microsoft Active Directory (AD) domain you want to use for user awareness and control. In other words, you can install it on any of the following:

- The Microsoft Active Directory server
- A domain controller
- A client connected to the network that is neither the directory server nor a domain controller

Any particular passive identity agent can monitor one or several Active Directory domains.

The machine on which the passive identity agent must communicate with the Secure Firewall Management Center using the TLS/SSL protocol. For more information, see [Internet Access Requirements for the Passive Identity Agent, on page 25](#).

Types of agents

You can configure the following types of agents on the Microsoft AD directory server, domain controller, or on any client connected to the domain:

- Standalone agent: One agent that can monitor one or several AD domain controllers in the same domain.
- Primary agent and secondary agent that can monitor one or several AD domain controllers in the same domain: To provide redundancy, you can install a primary and secondary agent on different machines. The primary is responsible for communicating with the Secure Firewall Management Center but if communication fails, the secondary agent takes over.

See one of the following topics for more information.

Related Topics

[Simple Passive Identity Agent Deployment](#), on page 3


[Single Passive Identity Agent Monitoring Multiple Domain Controllers](#), on page 3

[Multiple Passive Identity Agents Monitoring Multiple Domain Controllers](#), on page 4

[Passive Identity Agent Primary/Secondary Agent Deployments](#), on page 6

Simple Passive Identity Agent Deployment

The following diagram shows the simplest passive identity agent deployment.




In the preceding example, a standalone passive identity agent is installed on the AD domain controller. Users log in and out of the AD domain and the agent sends user name and IP address information to the Secure Firewall Management Center. As users access the network, access control and identity policies deployed to the Secure Firewall Threat Defense determine whether or not, and how, access is allowed.

You can install a passive identity agent on the AD domain controller, directory server, or on any client connected to the domain you wish to monitor.

Single Passive Identity Agent Monitoring Multiple Domain Controllers

The following diagram shows a standalone passive identity agent that monitors several AD domain controllers.




In the preceding diagram, the standalone passive identity agent is installed on a client attached to the AD domain (or on the domain controller itself). Users log in to any domain controller and the agent sends user and IP address information to the Secure Firewall Management Center. As users access the network, access control and identity policies deployed to the Secure Firewall Threat Defense determine whether or not, and how, access is allowed.

You can install a passive identity agent on the AD domain controller, directory server, or on any client connected to the domain you wish to monitor.

Multiple Passive Identity Agents Monitoring Multiple Domain Controllers

The following figure shows standalone monitoring multiple AD domain controllers:

- In AD domain 1, a standalone passive identity agent installed on a machine attached to AD domain controller 1 sends user and IP address mapping data to the Secure Firewall Management Center.
- In AD domain 2, standalone agents installed on AD domain controllers 1 and 2 send user and IP address mapping data to the Secure Firewall Management Center.



You can install a passive identity agent on the AD domain controller, directory server, or on any client connected to the domain you wish to monitor.

The preceding figure shows three passive identity agents, each configured as a standalone. To do this:

1. Create two Microsoft AD realms: one for each AD domain.

See [Create an LDAP Realm or an Active Directory Realm and Realm Directory](#).

2. For AD domain 2, create two directories, one for each domain controller.

3. Install the Passive Identity Agent software on a client that can log in to the domain.

Configure each passive identity agent individually to communicate with the Secure Firewall Management Center on which you configure the passive identity agent source.

See [Install the Passive Identity Agent Software, on page 18](#).

4. Create the passive identity agent identity source.

See [Create a Primary or Secondary Passive Identity Agent Identity Source, on page 12](#).


Passive Identity Agent Primary/Secondary Agent Deployments

To provide redundancy and to avoid a single point of failure, you can configure primary and secondary passive identity agents in any of the ways shown in this topic.

You can install a passive identity agent on the AD domain controller, directory server, or on any client connected to the domain you wish to monitor.

Single AD domain controller with primary and secondary agents


The following figure shows how to set up primary and secondary passive identity agents on one AD domain controller. If the primary agent fails, the secondary takes over.



To set this up:

1. Create a Microsoft AD realm that has one directory for the domain controller.
See [Create an LDAP Realm or an Active Directory Realm and Realm Directory](#).
2. Install the passive identity agent software on any two network machines connected to the domain controller.
Configure each passive identity agent individually to communicate with the Secure Firewall Management Center on which you configure the passive identity agent source.
See [Install the Passive Identity Agent Software, on page 18](#).
3. Create the identity source.
See [Create a Primary or Secondary Passive Identity Agent Identity Source, on page 12](#).

Multiple AD domain controllers, primary and secondary agents



The preceding figure shows how to configure primary and secondary agents to monitor three AD domain controllers. If the primary agent fails, the secondary agent takes over.

To set this up:

1. Create a Microsoft AD realm that has one directory for the domain controller.
See [Create an LDAP Realm or an Active Directory Realm and Realm Directory](#).
2. Install the passive identity agent software on any machine connected to the domain controller.
Configure each passive identity agent individually to communicate with the Secure Firewall Management Center on which you configure the passive identity agent source.
See [Install the Passive Identity Agent Software, on page 18](#).
3. Create the identity source.
See [Create a Primary or Secondary Passive Identity Agent Identity Source, on page 12](#).

How to Create a Passive Identity Agent Identity Source

The following provides high-level tasks required to configure the passive identity agent identity source in the Secure Firewall Management Center and to deploy agent software to your Microsoft Active Directory (AD) servers.

Procedure

	Command or Action	Purpose
Step 1	Create a realm for your Microsoft AD domain and domain controllers.	<p><i>Realms</i> are connections between the Secure Firewall Management Center and the user accounts on the servers you monitor. They specify the connection settings and authentication filter settings for the server.</p> <p>For more information, see Create an LDAP Realm or an Active Directory Realm and Realm Directory.</p>
Step 2	Create a passive identity agent identity source.	<p>The identity source allows the Secure Firewall Management Center and passive identity agent to communicate with each other. Create standalone, primary, or secondary agents, depending on your needs.</p> <p>For more information, see:</p> <ul style="list-style-type: none"> • About Passive Identity Agent Roles, on page 14 • Create a Passive Identity Agent Identity Source, on page 9
Step 3	Create a passive identity agent user on the Secure Firewall Management Center.	We provide a role sufficient for the agent and manager to communicate with each other. We recommend using that role and no other for the passive identity agent user.
Step 4	Install the passive identity agent software.	<p>The way you install the agent depends on your deployment.</p> <p>You can install a passive identity agent on the AD domain controller, directory server, or on any client connected to the domain you wish to monitor.</p> <p>For more information, see:</p> <ul style="list-style-type: none"> • Deploy the Passive Identity Agent, on page 2 • Install the Passive Identity Agent Software, on page 18

What to do next

[Create an LDAP Realm or an Active Directory Realm and Realm Directory](#).

Configure the Passive Identity Agent

The following topics discuss how to configure the passive identity agent.

Related Topics

[Create an LDAP Realm or an Active Directory Realm and Realm Directory](#)

[Create a Passive Identity Agent Identity Source](#), on page 9

[Create a Secure Firewall Management Center User for the Passive Identity Agent](#), on page 15

[Install the Passive Identity Agent Software](#), on page 18

Create a Microsoft Active Directory Realm

The passive identity agent requires you to create a Microsoft Active Directory (AD) realm and directories in the Secure Firewall Management Center as discussed in [Create an LDAP Realm or an Active Directory Realm and Realm Directory](#).

Create a Passive Identity Agent Identity Source

This task discusses how to create a passive identity agent that sends user session activity to the Secure Firewall Management Center.

Before you begin

Complete the following:

- Review passive identity agent roles as discussed in [About Passive Identity Agent Roles](#), on page 14.
- Create a Microsoft AD realm as discussed in [Create an LDAP Realm or an Active Directory Realm and Realm Directory](#).

Procedure

-
- Step 1** Log in to the Secure Firewall Management Center as an administrator.
- Step 2** Click **Integration > Other Integrations > Identity Sources**.
- Step 3** Click **Passive Identity Agent**.
- Step 4** If the Cisco Secure Dynamic Attributes Connector has not been enabled yet, you are prompted to do so. For more information about enabling the dynamic attributes connector, see [Enable the Cisco Secure Dynamic Attributes Connector](#).
- Step 5** Click **Create Agent**.
- Step 6** In the Configure Agent dialog box, enter the following information:

Item	Description
Name	Enter a unique name to identify this passive identity agent.
Description	Enter an optional description.

Item	Description
Role	<p>Click one of the following:</p> <ul style="list-style-type: none"> • Primary: The agent responsible for communicating with the Secure Firewall Management Center. Not available if you choose Standalone. • Secondary: Becomes the primary if the primary loses contact with the Secure Firewall Management Center. Not available if you choose Standalone. • Standalone: If there is only one passive identity agent. <p>For more information about roles, see About Passive Identity Agent Roles, on page 14.</p>

Step 7 Continue with:

- [Create a Standalone Passive Identity Agent Identity Source](#), on page 10
- [Create a Primary or Secondary Passive Identity Agent Identity Source](#), on page 12

Create a Standalone Passive Identity Agent Identity Source

This task discusses how to configure a standalone passive identity agent.

Before you begin

Complete the tasks discussed in [Create a Passive Identity Agent Identity Source](#), on page 9.

Procedure

Step 1 In the Configure Agent dialog box, enter the following information:

Item	Description
Role	Click Standalone .
Domain Controller	From the list, select the check box next to each domain controller that has a passive identity agent you wish to use for identity management and user control.

The following figure shows an example of a standalone passive identity agent identity source.

Configure Agent ?

Name *

Description

Role ?

Primary
 Secondary
 Standalone

[Learn more about the agent role.](#)

Domain Controller *

X +

Agent will monitor this domain controller.

Important:
 This agent will be created and assigned to the selected domain controller. Install it on the domain controller (or on its member machine) to start the tracking.

Step 2 In the Configure Agent dialog box, click **Save**.

Step 3 In the top right corner of the page, click **Save**.

The following figure shows an example.

You have unsaved changes

Configure Identity Sources

Select the service type and start configuring the identity source. Deploy the changes after you're finished.

Service Type:

None
 Identity Services Engine
 Passive Identity Agent

i Your changes will be effective after you save Passive Identity Agent as the Identity Source.

Domain Controllers	Monitoring Agents	Hostname	Connection Status
>		bogus	
>		forest.example.com	

Note The passive identity agent won't be active until you create a user and install the software.

What to do next

- See [Create a Secure Firewall Management Center User for the Passive Identity Agent](#), on page 15
- [Install the Passive Identity Agent Software](#), on page 18

Create a Primary or Secondary Passive Identity Agent Identity Source

The following task continues from [Create a Passive Identity Agent Identity Source, on page 9](#).

Before you begin

Complete the tasks discussed in [Create a Passive Identity Agent Identity Source, on page 9](#).

Procedure

Step 1

In the Configure Agent dialog box, enter the following information:

Item	Description
Role	<p>Click one of the following:</p> <ul style="list-style-type: none"> • Primary: The agent responsible for communicating with the Secure Firewall Management Center. • Secondary: Becomes the primary if the primary loses contact with the Secure Firewall Management Center. <p>For more information about roles, see About Passive Identity Agent Roles, on page 14.</p>
Primary Agent Hostname/IP Address	<p>(Primary agent only.) Enter the fully qualified domain name or IP address of the server on which the primary passive identity agent is installed.</p> <p>The passive identity agent supports IPv4 addresses and fully qualified domain names only. IPv6 addresses are not supported.</p>
Secondary Agent Hostname/IP Address	<p>(Secondary agent only.) Enter the fully qualified host name or IP address of the server on which the secondary passive identity agent is installed.</p> <p>The passive identity agent supports IPv4 addresses and fully qualified domain names only. IPv6 addresses are not supported.</p>
Primary Agent	<p>(Secondary agent only.) From the list, click the name of the primary passive identity agent.</p>
Domain Controller	<p>(Primary agent only.) From the list, select the check box next to each domain controller that has a passive identity agent you wish to use for identity management and user control.</p>

The following figure shows an example of a primary agent:

Configure Agent ?

Name *

Description

Role ?
 Primary Secondary Standalone
[Learn more about the agent role.](#)

Primary Agent Hostname/IP Address *

Enter an HA host name where you would want to host the agent.

Domain Controller *
 ✕ ⌵ +
Agent will monitor this domain controller.

Important:
This agent will be created and assigned to the selected domain controller. Install it on the domain controller (or on its member machine) to start the tracking.

The following figure shows an example of a secondary agent:

Configure Agent ?

Name *

Description

Role ?
 Primary Secondary Standalone
[Learn more about the agent role.](#)

Secondary Agent Hostname/IP Address *

Enter an HA host name where you would want to host the agent.

Primary Agent *
 ⌵
Select a primary agent for your secondary agent.

Important:
This agent will be associated with the selected primary agent. Install it on the domain controller (or to a member machine) to make it a high availability peer.

Step 2 In the Configure Agent dialog box, click **Save**.

Step 3 In the top right corner of the page, click **Save**.

The following figure shows an example.

The screenshot shows the 'Configure Identity Sources' dialog box. At the top right, there is a notification: 'You have unsaved changes' with 'Cancel' and 'Save' buttons. Below this, the title is 'Configure Identity Sources' with a subtitle: 'Select the service type and start configuring the identity source. Deploy the changes after you're finished.' The 'Service Type' section has three radio buttons: 'None', 'Identity Services Engine', and 'Passive Identity Agent' (which is selected). A blue information bar states: 'Your changes will be effective after you save Passive Identity Agent as the Identity Source.' Below this is a search bar: 'Search by agent name or domain controller name' and a 'Create Agent' button. The main content is a table with columns: 'Domain Controllers', 'Monitoring Agents', 'Hostname', and 'Connection Status'. The table shows a tree view for 'forest.example.com' with two monitoring agents: 'Primary (primary)' and 'Secondary (secondary)', both with hostname '192.0.2.110' and '192.0.2.111' respectively. The 'Connection Status' column shows a network diagram with a server icon and a client icon connected by a line.

Note The passive identity agent won't be active until you create a user and install the software.

What to do next

- See [Create a Secure Firewall Management Center User for the Passive Identity Agent](#), on page 15
- See [Install the Passive Identity Agent Software](#), on page 18

About Passive Identity Agent Roles

The passive identity agent has the following roles:

- **Standalone:** A passive identity agent that is not part of a redundant pair. A standalone agent can download users and groups from multiple Active Directory servers and domain controllers, provided the software is installed on all of them.
- **Primary:** (Primary agent in a redundant pair.) Can be installed on a Microsoft AD domain controller, directory server, or any network client.

Handles all communication with the Secure Firewall Management Center unless it stops communicating, in which case communication is handled by secondary agents.

- **Secondary:** (Secondary, or backup, agent in a redundant pair.) Can be installed on a Microsoft AD domain controller, directory server, or any network client.

Monitors the health of the primary agent and takes over if the primary agent stops communicating with the Secure Firewall Management Center.

The can monitor several AD domain controllers that art part of the same domain.

Create a Secure Firewall Management Center User for the Passive Identity Agent

This task discusses how to create a Secure Firewall Management Center user with sufficient permissions to communicate with the passive identity agent.



Note Use *only* the **Passive Identity User** role for the passive identity agent user. In particular, *do not* use the **Administrator** role for the passive identity agent because **Administrator** will be logged off at a regular basis as the passive identity agent communicates with the Secure Firewall Management Center.

Before you begin

Complete the tasks discussed in [Create a Passive Identity Agent Identity Source, on page 9](#).



Note You *cannot* use external authentication with the Passive Identity Agent.

Procedure

- Step 1** Log in to the Secure Firewall Management Center as an administrator.
- Step 2** Click **System** (⚙) > **Users** > **Users**.
- Step 3** Click **Create User**.
- Step 4** Create the user as discussed in the section on adding an internal user in the [Cisco Secure Firewall Management Center Administration Guide](#).
- Step 5** Select the **Passive Identity User** role.
The following figure shows an example.

User Configuration

User Name

Real Name

Email Address

Authentication Use External Authentication Method

Password

Confirm Password

Maximum Number of Failed Logins (0 = Unlimited)

Minimum Password Length

Days Until Password Expiration (0 = Unlimited)

Days Before Password Expiration Warning

Options

Force Password Reset on Login

Check Password Strength

Exempt from Browser Session Timeout

User Role Configuration

Default User Roles

Administrator

External Database User (Read Only)

Security Analyst

Security Analyst (Read Only)

Security Approver

Intrusion Admin

Access Admin

Network Admin

Maintenance User

Discovery Admin

Threat Intelligence Director (TID) User

Passive Identity User

Note Do not choose a role for the passive identity agent user other than **Passive Identity User** because the agent will not function properly.

Step 6 Click **Save**.

What to do next

[Install the Passive Identity Agent Software, on page 18.](#)

Troubleshoot the Passive Identity Agent

This topic discusses how you can troubleshoot the passive identity agent software on your Windows AD domain controller or directory server.

(Optional.) Set the log level

By default, the passive identity agent logs at the INFO level. To optionally change the log level, open **C:\Program Files\Program Files (x86)\Cisco\Cisco Passive Identity Agent\CiscoPassiveIdentityAgentService.exe.config** in a text editor, save the file, and restart the Cisco Passive Identity Agent service.

Do not rename the logging service

Do not rename **C:\Program Files\Program Files (x86)\Cisco\Cisco Passive Identity Agent\CiscoPassiveIdentityAgentService.exe.config**; otherwise, the passive identity agent will stop generating log files. Do not remove or change the **.exe.config** file extension.

View log files

Passive identity agent log files are stored in plain text format in the agent's installation directory: **C:\Program Files\Program Files (x86)\Cisco\Cisco Passive Identity Agent**.

Use Notepad or another text editor to view these files. Log files rotate after reaching 10MB in size.

Use the Microsoft Active Directory event viewer

In the event you are not seeing user sessions in the Secure Firewall Management Center, you can look on your Microsoft Active Directory server's event viewers for the following Kerberos-related events:

- 4770
- 4768

For general information about audit policy, see [Audit Policy Recommendations](#) on learn.microsoft.com.

For more information about Windows Group Policy Object settings, see [Group Policy Objects](#) on learn.microsoft.com.

Get an API Token for the Passive Identity Agent

This task discusses how to get the API token, which is used by the passive identity agent to authenticate with the cloud-delivered Firewall Management Center. It applies *only* to using the passive identity agent with the cloud-delivered Firewall Management Center.

Required role:

- Super Admin
- Admin

Procedure

- Step 1** Log in to Cisco Defense Orchestrator.
 - Step 2** Click **Tools & Services > Firewall Management Center**.
 - Step 3** Check the box next to the cloud-delivered Firewall Management Center with which you want to use the passive identity agent.
 - Step 4** In the right pane, click **Passive Identity**.
 - Step 5** Copy the token to the clipboard.
-

What to do next

[Install the Passive Identity Agent Software, on page 18.](#)

Install the Passive Identity Agent Software

This task discusses how to install the passive identity agent software. For a simple installation, you can install it on your Microsoft Active Directory (AD) domain controller; for other options, see [Deploy the Passive Identity Agent, on page 2](#).

Before you begin

Cloud-delivered Firewall Management Center only: See [Get an API Token for the Passive Identity Agent, on page 17](#).

All installations: Make sure your systems meet the following requirements:

- If you install it on a Windows Active Directory server, the server must run Windows Server 2008 or later.
- If you install it on a Windows client attached to the domain, the client must run Windows 8 or later.
- Secure Firewall Management Center must run 7.6 or later.
- Any Secure Firewall Threat Defense managed by the Secure Firewall Management Center must run 7.1 or later.
- You must enable Snort 3 on the Secure Firewall Threat Defense devices.

Procedure

- Step 1** Download the passive identity agent from software.cisco.com.
- Step 2** Log in as a member of the Administrators group to the machine on which to install the passive identity agent.
- Step 3** Double-click **CiscoPassiveIdentityAgentInstaller-1.0.msi**.
- Step 4** Click **Next**.
- Step 5** Choose a folder in which to install the passive identity agent and click **Next**.

The default installation folder is **Program Files\Program Files (x86)\Cisco\Cisco Passive Identity Agent**.

- Step 6** Click **Next**.
- Step 7** Click **Install**.
- Step 8** When the installation is done, click **Finish** and optionally check the box to start the passive identity agent.
- Step 9** When the passive identity agent starts, click the **On-Prem** tab if you are using the agent with an on-premises Secure Firewall Management Center (physical or virtual) or click the **Cloud** tab if you are using the agent with .
- Step 10** *On-prem only.* In the Cisco Passive Agent dialog box, enter the following information:

Item	Description
FMC FQDN / IP Address	Enter the fully qualified domain name or IP address of the Secure Firewall Management Center on which you created the passive identity agent identity source. The passive identity agent supports IPv4 addresses and fully qualified domain names only. IPv6 addresses are not supported.
Port	Enter the Secure Firewall Management Center listen port (by default, 443).
Username	Enter the username of the user you created in Create a Secure Firewall Management Center User for the Passive Identity Agent, on page 15 .
Password	Enter the user's password.
Agent	Click the list to locate the domain controller of the passive identity agent you created previously on the Secure Firewall Management Center.

The following figure shows an example.

- Step 11** Click the **Agent** list.
- Step 12** From the list, click the name of the domain controller to monitor.

Step 13 Click **Test**.

The following figure shows an example.

Step 14 If you have a high availability pair, click **I have Secondary FMC** and enter the secondary's IP address or fully qualified host name and its listen port.

Step 15 Only if the test succeeds, click **Save**.

What to do next

- Specify users to control and other options using an identity policy as described in [Create an Identity Policy](#).
- Associate the identity rule with an access control policy, which filters and optionally inspects traffic, as discussed in [Associating Other Policies with Access Control](#).
- Deploy your identity and access control policies to managed devices as discussed in [Deploy Configuration Changes](#).

- Monitor user activity as discussed in *Using Workflows* in the [Cisco Secure Firewall Management Center Administration Guide](#).

Uninstall the Passive Identity Agent Software

This task discusses how to uninstall the passive identity agent software from your Microsoft AD servers.

Procedure

-
- Step 1** Log in as an administrator to the machine on which the passive identity agent is installed.
 - Step 2** Search for Add or Remove Programs.
 - Step 3** Click **Cisco Passive Identity Agent**.
 - Step 4** Click **Uninstall**.
 - Step 5** You are required to confirm the uninstallation.
-

Monitor the Passive Identity Agent

The passive identity agent indicates whether or not it can communicate with the Secure Firewall Management Center and other agents if it's configured as primary-secondary. You can view the status at **Integration > Other Integrations > Identity Sources**.

Deployments





A standalone passive identity agent is represented as follows.




A primary-secondary pair is represented as follows.



The following table explains the meaning of the indicators.




Object	Meaning
	Secure Firewall Management Center
	Standalone Passive Identity Agent
	Active Directory domain controller
	Primary agent

Object	Meaning
	Secondary agent

Status indicators and colors

The passive identity agent indicates status using lines (that indicate whether communication with the Secure Firewall Management Center is active or standby) and colors (that indicate whether or not communication is successful).

The following table shows the meanings of lines and colors:

Object	Meaning
Solid line	The agent that is responsible for communicating with the Secure Firewall Management Center.
Dashed line	Primary/secondary configuration only. The agent that is acting as the backup agent. In the event of a communication failure between the active (solid line) agent, this agent communicates with the Secure Firewall Management Center.
Green 	Agent communication is normal.
Amber 	Agent has never successfully communicated with the Secure Firewall Management Center. A newly created agent line is orange and remains so until configuration is complete.
Red 	Communication is failing. To resolve the issues: <ul style="list-style-type: none"> • Check sure the network connections between agents and the Secure Firewall Management Center. • Make sure you have completed configuring the system (Microsoft AD server, domain controllers, and the Secure Firewall Management Center). For more information, see How to Create a Passive Identity Agent Identity Source, on page 7 .

Manage the Passive Identity Agent

The following topics discuss how to edit or delete passive identity agents you previously configured on the Secure Firewall Management Center.

Related Topics

[Edit Passive Identity Agents](#), on page 23

[Delete a Standalone Passive Identity Agent](#), on page 23

[Delete Primary and Secondary Passive Identity Agents](#), on page 23

[Uninstall the Passive Identity Agent Software](#), on page 21

Edit Passive Identity Agents

This task discusses how to edit passive identity agents you previously configured in the Secure Firewall Management Center.

Procedure

- Step 1** Log in to the Secure Firewall Management Center as an administrator.
 - Step 2** Click **Integration** > **Other Integrations** > **Identity Sources**.
 - Step 3** Click **Edit** (✎) next to the agent to edit.
 - Step 4** Make the desired changes.
 - Step 5** Click **Save**.
-

Delete a Standalone Passive Identity Agent

This task discusses how to delete a standalone passive identity agent.

Procedure

- Step 1** Log in to the Secure Firewall Management Center as an administrator.
 - Step 2** Click **Integration** > **Other Integrations** > **Identity Sources**.
 - Step 3** Click **Edit** (✎) next to the agent to delete.
 - Step 4** Click **Delete**.
 - Step 5** You are required to confirm the action.
-

Delete Primary and Secondary Passive Identity Agents

This task discusses how to delete primary and secondary passive identity agents. You must delete a secondary agent before you can delete a primary agent.

Procedure

- Step 1** Log in to the Secure Firewall Management Center as an administrator.

- Step 2** Click **Integration > Other Integrations > Identity Sources**.
 - Step 3** Click **Passive Identity Agent**.
 - Step 4** Click **Edit** (✎) next to a secondary agent to delete.
 - Step 5** Click **Delete**.
 - Step 6** You are required to confirm the action.
 - Step 7** If you wish to delete a primary agent, first delete all secondary agents.
-

Troubleshoot the Passive Identity Agent

This topic discusses how you can troubleshoot the passive identity agent software on your Windows AD domain controller or directory server.

(Optional.) Set the log level

By default, the passive identity agent logs at the INFO level. To optionally change the log level, open **C:\Program Files\Program Files (x86)\Cisco\Cisco Passive Identity Agent\CiscoPassiveIdentityAgentService.exe.config** in a text editor, save the file, and restart the Cisco Passive Identity Agent service.

Do not rename the logging service

Do not rename **C:\Program Files\Program Files (x86)\Cisco\Cisco Passive Identity Agent\CiscoPassiveIdentityAgentService.exe.config**; otherwise, the passive identity agent will stop generating log files. Do not remove or change the **.exe.config** file extension.

View log files

Passive identity agent log files are stored in plain text format in the agent's installation directory: **C:\Program Files\Program Files (x86)\Cisco\Cisco Passive Identity Agent**.

Use Notepad or another text editor to view these files. Log files rotate after reaching 10MB in size.

Use the Microsoft Active Directory event viewer

In the event you are not seeing user sessions in the Secure Firewall Management Center, you can look on your Microsoft Active Directory server's event viewers for the following Kerberos-related events:

- [4770](#)
- [4768](#)

For general information about audit policy, see [Audit Policy Recommendations](#) on learn.microsoft.com.

For more information about Windows Group Policy Object settings, see [Group Policy Objects](#) on learn.microsoft.com.

Security Requirements for the Passive Identity Agent

To safeguard the system, you should install the passive identity agent on a protected internal network. Although the passive identity agent is configured to have only the necessary services and ports available, you must make sure that attacks cannot reach it.

If the passive identity agent and the Secure Firewall Management Center reside on the same network, you can connect the Secure Firewall Management Center to the same protected internal network as the passive identity agent.

Regardless of how you deploy your appliances, inter-system communication is encrypted. However, you must still take steps to ensure that communications between appliances cannot be interrupted, blocked, or tampered with; for example, with a distributed denial of service (DDoS) or man-in-the-middle attack.

Internet Access Requirements for the Passive Identity Agent

By default, the passive identity agent is configured to communicate with the Firepower System over the internet using HTTPS on port 443/tcp (HTTPS). If you do not want the passive identity agent to have direct access to the internet, you can configure a proxy server.

The following information informs you of the ports the passive identity agent use to communicate with each other, with the Secure Firewall Management Center , and with Microsoft Active Directory.

Table 1: Passive Identity Agent port requirements

Port	Reason
443	Communicate with the Secure Firewall Management Center .
135	Communicate with Microsoft Active Directory using the MSRPC protocol.
9095	Communicate with each other using the UDP protocol.

History for the Passive Identity Agent

Table 2: History for the Passive Identity Agent

Feature	Minimum Management Center	Minimum Threat Defense	Details
Passive Identity Agent	7.6	7.6	<p>This feature is introduced.</p> <p>The passive identity agent identity source sends session data from Microsoft Active Directory (AD) to the Secure Firewall Management Center.</p> <p>Note You do not need to use Cisco ISE with the passive identity agent.</p> <p>New/modified screens: Integration > Other Integrations > Identity Sources > Passive Identity Agent</p> <p>New/modified CLI commands: none</p>