



Self-Service Management Options

This chapter contains the following sections:

- [Configuring Options on the Self-Service Portal, page 1](#)

Configuring Options on the Self-Service Portal

Management actions can be performed by self-service users only if an administrator enables the options during the application container template creation process. The following list contains the end-user options that can be enabled and disabled (by the administrator) in the application container:

- Access the VM
- Add or delete a vNIC
- Configure lease time
- Create or delete a disk
- Create, delete, or revert a snapshot
- Power the VM on or off
- Reboot, reset, or suspend the VM
- Resize the VM
- Shut down a guest

When you first create an application container, it is associated with a group (customer organization). The users associated with that group can view and perform the enabled management actions on the containers.

Refer to the [Cisco UCS Self-Service Portal Guide](#) for this release to obtain information on how to manage application containers using the self-service portal.

-
- Step 1** On the menu bar, choose **Policies > Virtual/Hypervisor Policies > Service Delivery**.
- Step 2** Select the **End User Self-Service Policy** tab.
- Step 3** Click **Add (+)**.
- Step 4** In the **Add End User Policy** dialog, choose a cloud type from the **Account Type** drop-down list.
- Step 5** In the **End User Policy** dialog, complete the following fields:

Name	Description
Policy Name field	The name of the end user policy.
Policy Description field	A description for the end user policy.
End User Self-Service Options check boxes	Check the actions you want to grant to end users. Note Additional options may be available depending on the cloud type you selected.

- Step 6** Click **Submit**.
-

What to Do Next

Select the policy in the **Options** window when you create an application container template.