



## Managing FC Alias

---

This chapter contains the following sections:

- [About FC Alias, page 1](#)
- [Creating a FC Alias , page 1](#)
- [Updating a FC Alias, page 2](#)
- [Deleting a FC Alias, page 3](#)

### About FC Alias

FC Alias is the alias for World Wide Port Names (WWPNs) on the fabric for a particular VSAN.

In Cisco UCS Director, you can manage FC Alias on the following Cisco network devices:

- Cisco Nexus 5000, 5500, and 5672 Series switches
- Cisco Nexus 7000 Series switches
- Cisco MDS 9100 Series switches
- Cisco MDS 9500 Series switches
- Cisco MDS 9700 Series switches

### Creating a FC Alias

---

**Step 1** On the menu bar, choose **Physical > Network**.

**Step 2** In the **Network** pane, choose the pod.

**Step 3** Select the network device to be configured.

**Step 4** Click **View Details**.

**Note** For creating a FC Alias for Cisco Nexus 7000 Series switches, expand the pod and choose the network device. Click the **VDC** tab, choose the storage type VDC, and click **View Details**.

**Step 5** Click the **FCAlias** tab.

**Step 6** Click **Add**.

**Step 7** In the **Create FCAlias** dialog box, complete the following fields:

Name	Description
<b>FC Alias Name</b> field	Name of the alias.
<b>VSAN Id</b> field	Click <b>Select</b> . In the <b>Select</b> dialog box, choose the VSAN ID.
<b>Member Type</b> drop-down	Choose one of the following as the type of member: <ul style="list-style-type: none"> <li>• <b>DeviceAlias</b></li> <li>• <b>pWWN</b></li> <li>• <b>fWWN</b></li> </ul>
<b>Member</b> field	The value for the member.
<b>Copy Running configuration to Startup configuration</b> check box	Check the check box to copy the running configuration to the startup configuration.

**Step 8** Click **Submit**.

---

## Updating a FC Alias

---

**Step 1** In the **FCAlias** tab, select the FC Alias to be updated.

**Step 2** Click **Modify**.

**Step 3** In the **Update FCAlias** dialog box, complete the following fields:

Name	Description
<b>VDC Name</b> field	Click <b>Select</b> . In the <b>Select</b> dialog box, choose the VDC.
<b>Members List</b> table	The list of members in the Alias.
<b>Copy Running configuration to Startup configuration</b> check box	Check the check box to copy the running configuration to the startup configuration.

**Step 4** Click **Submit**.

---

## Deleting a FC Alias

---

- Step 1** In the **FCAlias** tab, select the FC Alias to be deleted.
- Step 2** Click **Delete**.  
The **Delete FCAlias** dialog box appears to confirm deletion of FC Alias.
- Step 3** Check the **Copy Running configuration to Startup configuration** check box to copy the configuration to the startup configuration.
- Step 4** Click **Submit**.
-

