



# APIC Container

---

This chapter contains the following sections:

- [Get L4L7 Parameter Identity, on page 2](#)
- [Get LB Service Parameter Details, on page 3](#)
- [Get Management IP For Device Cluster, on page 4](#)

# Get L4L7 Parameter Identity

## Summary

## Description

## Inputs

Input	Description	Mappable To Type	Mandatory
Service Group Name		gen_text_input	
Service Group Binding Folder Name		gen_text_input	
Contract Name		gen_text_input	
Service Graph Name		gen_text_input	

## Outputs

Output	Description	Type
L4L7ParameterValueIdentity	L4L7 Parameter Value Identity	ApicTenantL4L7ParameterValues Identity

# Get LB Service Parameter Details

## Summary

## Description

## Inputs

Input	Description	Mappable To Type	Mandatory
Service Container		ServiceContainer	
Service Name		gen_text_input	

## Outputs

Output	Description	Type
EPGIdentity		ApicDeviceTenantEPGIdentity
NodeIdentity		ApicTenantL4L7ServiceGraphNodeIdentity
lbVIP		ApicDeviceTenantEPGL4L7IPv46ParamIdentity
serviceIPs		gen_text_input

# Get Management IP For Device Cluster

## Summary

Checks if HA enabled, provides IP selected from IP Pool otherwise gives Virtual IP.

## Description

### Inputs

Input	Description	Mappable To Type	Mandatory
Is LB HA Mode		gen_text_input	
LB HA IP		ipaddress	
Virtual IP		ipaddress	

### Outputs

Output	Description	Type
managementIP	Management IP	ipaddress