



System Activity Tasks

This chapter contains the following sections:

- [APIC Container BM - VNX SAN Boot, on page 2](#)
- [APIC Container BM - iSCSI, on page 3](#)
- [APIC Container Setup Activity, on page 4](#)
- [APIC L4L7 Config Activity, on page 5](#)
- [APIC Unmanaged L4L7 Activity, on page 6](#)
- [Firewall Rule Delete Activity, on page 7](#)
- [LB Add Server Action Activity, on page 8](#)
- [LB Remove Server Action Activity, on page 9](#)

APIC Container BM - VNX SAN Boot

Summary

Description

Inputs

Input	Description	Mappable To Type	Mandatory
Service_Container		ServiceContainer	
BM_EPG_Identity		ApicDeviceTenantEPGIdentity	
BM_NAME		gen_text_input	
Additional BMs	This input is given by VNX BM Activity	gen_text_input	

Outputs

No Outputs

APIC Container BM - iSCSI

Summary

Description

Inputs

Input	Description	Mappable To Type	Mandatory
BM Name		gen_text_input	

Outputs

No Outputs

APIC Container Setup Activity

Summary

Description

Inputs

Input	Description	Mappable To Type	Mandatory
Container Name		gen_text_input	
Container Label		gen_text_input	
No of Hosts per Tier		gen_text_input	
User Group		userGroup	
Enable Disaster Recovery		Boolean	
Configure Resource Limit		Boolean	
Number of vCPUs		gen_text_input	
Memory	Memory in GB	gen_text_input	
Maximum Storage Limit	Storage in GB	gen_text_input	
Maximum Number of Half width Physical Servers		gen_text_input	
Maximum Number of Full width Physical Servers		gen_text_input	
Enable Network Management		Boolean	
Network Throughput		gen_text_input	
Container Tiers		gen_text_input	

Outputs

No Outputs

APIC L4L7 Config Activity

Summary

Description

Inputs

Input	Description	Mappable To Type	Mandatory
Service_Container		ServiceContainer	
Services		gen_text_input	
Tier_1		gen_text_input	
Tier_2		gen_text_input	
Network_Probes		gen_text_input	
Protocol		gen_text_input	
Service_Name		gen_text_input	
Service_Type		gen_text_input	

Outputs

No Outputs

APIC Unmanaged L4L7 Activity

Summary

Description

Inputs

Input	Description	Mappable To Type	Mandatory
Network_Adapter		gen_text_input	
Service_Container		ServiceContainer	
L4L7_Services		gen_text_input	

Outputs

No Outputs

Firewall Rule Delete Activity

Summary

Description

Inputs

Input	Description	Mappable To Type	Mandatory
FIREWALL_ID	FIREWALL_ID	Container L4 L7 Service	
ACL_ENTRY_NAME	ACL_ENTRY_NAME	gen_text_input	

Outputs

No Outputs

LB Add Server Action Activity

Summary

Description

Inputs

Input	Description	Mappable To Type	Mandatory
CONTAINER_SERVERS	Container Servers	ServiceContainerServers	
LOAD_BALANCER_ID	Load Balancer Id	Container L4 L7 Service	
VIP_Port	VIP Port	gen_text_input	

Outputs

No Outputs

LB Remove Server Action Activity

Summary

Description

Inputs

Input	Description	Mappable To Type	Mandatory
CONTAINER_SERVERS	Container Servers	ServiceContainerServers	
LOAD_BALANCER_ID	Load Balancer Id	Container L4 L7 Service	

Outputs

No Outputs

