



APIC Container

This chapter contains the following sections:

- [Get L4L7 Parameter Identity, on page 2](#)
- [Get LB Service Parameter Details, on page 3](#)
- [Get Management IP For Device Cluster, on page 4](#)

Get L4L7 Parameter Identity

Summary

Description

Inputs

Input	Description	Mappable To Type	Mandatory
Service Group Name		gen_text_input	
Service Group Binding Folder Name		gen_text_input	
Contract Name		gen_text_input	
Service Graph Name		gen_text_input	

Outputs

Output	Description	Type
L4L7ParameterValueIdentity	L4L7 Parameter Value Identity	ApicTenantL4L7ParameterValues Identity

Get LB Service Parameter Details

Summary

Description

Inputs

Input	Description	Mappable To Type	Mandatory
Service Container		ServiceContainer	
Service Name		gen_text_input	

Outputs

Output	Description	Type
EPGIdentity		ApicDeviceTenantEPGIdentity
NodeIdentity		ApicTenantL4L7ServiceGraphNodeIdentity
lbVIP		ApicDeviceTenantEPGL4L7IPv46ParamIdentity
serviceIPs		gen_text_input

Get Management IP For Device Cluster

Summary

Checks if HA enabled, provides IP selected from IP Pool otherwise gives Virtual IP.

Description

Inputs

Input	Description	Mappable To Type	Mandatory
Is LB HA Mode		gen_text_input	
LB HA IP		ipaddress	
Virtual IP		ipaddress	

Outputs

Output	Description	Type
managementIP	Management IP	ipaddress