



# ACI MSC - User Operations

---

This chapter contains the following sections:

- [ACI MSC - Create User, on page 2](#)
- [ACI MSC - Delete User, on page 3](#)
- [ACI MSC - Update User, on page 4](#)

# ACI MSC - Create User

## Summary

ACI MSC - Create User.

## Description

This task creates a User on the ACI Multi-Site controller.

## Inputs

Input	Description	Mappable To Type	Mandatory
MSC Account Name	Select a multi-site account name	MSCDeviceIdentity	Y
User Name	Provide a username	gen_text_input	Y
Password	Provide a password	password	Y
Confirm Password	Provide the same password for confirmation	password	Y
First Name	Provide the first name of the user	gen_text_input	Y
Last Name	Provide the last name of the user	gen_text_input	Y
Email Address	Provide the email address of the user. For example: test@cisco.com.	gen_text_input	Y
Phone Number	Provide the phone number of the user. For example: 9600000000.	gen_text_input	Y
Account Status	Select an account status. The account can be active or inactive. The default is active.	MSCSiteUserAccount Status	Y
Roles	Select user roles. User roles contain one or more privileges that define the operations allowed for the user who is assigned the role. The system creates a set of default roles, but user-defined roles can be created.	MSCSiteUserRoles Identity	Y

## Outputs

Output	Description	Type
ACI_MULTI_SITE_ACCOUNT	ACI Multi-Site Account on which the selected operation was performed	MSCDeviceIdentity
USER_NAME	ACI Multi-site User Name	gen_text_input
USER_IDENTITY	ACI Multi-Site User Identity	ACIMultiSiteUserIdentity

# ACI MSC - Delete User

## Summary

ACI MSC - Delete User.

## Description

This task deletes a User from the ACI Multi-Site controller.

## Inputs

Input	Description	Mappable To Type	Mandatory
User	Select a user to be removed	ACIMultiSiteUser Identity	Y
Do you want to delete the selected User?	This input is a label only. It does not take a value.		Y

## Outputs

Output	Description	Type
ACI_MULTI_SITE_ACCOUNT	ACI Multi-Site Account on which the selected operation was performed	MSCDeviceIdentity
USER_NAME	ACI Multi-site User Name	gen_text_input
USER_IDENTITY	ACI Multi-Site User Identity	ACIMultiSiteUserIdentity

# ACI MSC - Update User

## Summary

ACI MSC - Update User.

## Description

This task updates a User to the ACI Multi-Site controller.

## Inputs

Input	Description	Mappable To Type	Mandatory
MSC Account Name	Select a multi-site account name		Y
User	Select a user	ACIMultiSiteUser Identity	Y
User Name	Provide a username	gen_text_input	Y
First Name	Provide the first name of the user	gen_text_input	Y
Last Name	Provide the last name of the user	gen_text_input	Y
Email Address	Provide the email address of the user. For example: test@cisco.com.	gen_text_input	Y
Phone Number	Provide the phone number of the user. For example: 9600000000.	gen_text_input	Y
Account Status	Select an account status. The account can be active or inactive. The default is active.	MSCSiteUserAccount Status	Y
Roles	Select user roles. User roles contain one or more privileges that define the operations allowed for the user who is assigned the role. The system creates a set of default roles, but user-defined roles can be created.	MSCSiteUserRoles Identity	

## Outputs

Output	Description	Type
ACI_MULTI_SITE_ACCOUNT	ACI Multi-Site Account on which the selected operation was performed	MSCDeviceIdentity
USER_NAME	ACI Multi-site User Name	gen_text_input
USER_IDENTITY	ACI Multi-Site User Identity	ACIMultiSiteUserIdentity