

Traffic System Reports

CAR provides reporting capabilities for three levels of users:

- Administrators Generate system reports to help with load balancing, system performance, and troubleshooting.
- Managers Generate reports for users, departments, and QoS to help with call monitoring for budgeting or security purposes and for determining the voice quality of the calls.
- Individual users Generate a billing report for calls by each user.



Note Depending on your job function, you may not have access to every report that is described in this chapter.

Only CAR administrators can generate the traffic summary report. The report provides information about the call volume for a period that you specify. It includes only those call types and QoS voice-quality categories that you chose.



Tip

When you configure CAR to generate a traffic summary report, you can choose different call types (On Net, Internal, Local, Long Distance, and so on). CAR compares the traffic volume for every hour interval and identifies the hour with the highest traffic volume (the Busy Hour Call Completion [BHCC] number). To obtain the overall BHCC number, choose all call types when you configure CAR. Under the report title, a separate line displays the BHCC number for that day.

Only CAR administrators can generate the traffic summary by phone numbers report. The report provides information about the call volume for a period and set of phone numbers that you specify, and includes only those call types and phone numbers that you choose.

 \mathcal{O}

Tip You can use this report to track call usage by a specified group of users, by a department, or by another criteria, such as lobby phones or conference room phones. You can set up this report to generate on a weekly basis. This report helps you determine high-usage users or groups by aggregating the usage level across the users that you specify.

- Generate Traffic Summary Reports, on page 2
- Generate Traffic Summary by Phone Number Reports, on page 4

- Related Topics, on page 6
- Additional Documentation, on page 7

Generate Traffic Summary Reports

Only CAR administrators generate the Traffic Summary report. The report provides information about the call volume for a period that you specify.

You can either view reports that the system automatically generates or generate new reports. See CAR System Scheduler, for more information.

This section describes how to generate, view, or mail summary information about system traffic.

Procedure

Step 1 Choose **System Reports** > **Traffic** > **Summary**.

The Traffic Summary window displays.

Step 2 In the Generate Report field, choose a time as described in the following table.

Table 1: Generate Report Fields

Parameter	Description
Hour of Day	Displays the average number of calls in the system for the period that you specify in Step 4, on page 3, the call types that you specify in Step 5, on page 3, and the QoS values that you specify in Step 6, on page 4 for hour of day.
	If the period that you specify in Step 4, on page 3 is within one day, the system compares the traffic volume for every hour interval and identifies the hour with the highest traffic volume as the BHCC number for that day.
Day of Week	Displays the average number of calls in the system for the period that you specify in Step 4, on page 3, the call types that you specify in Step 5, on page 3, and the QoS values that you specify in Step 6, on page 4 for day of the week.
Day of Month	Displays the average number of calls in the system for the period that you specify in Step 4, on page 3, the call types that you specify in Step 5, on page 3, and the QoS values that you specify in Step 6, on page 4 for day of month.

Step 3 In the Available Reports field, choose an automatically generated report (if available) and go to Step 8, on page 4 or use the default setting, Generate New Report and go to Step 4, on page 3.

- **Step 4** Choose the date range for the period for which you want to generate the report.
- **Step 5** In the Select Call Types area, check the check boxes for the types of calls that you want to include in the report. To obtain the overall BHCC number for a particular hour or 24-hour period, choose all call types. The following table describes the call types.

Call Type	Description
On Net	Outgoing calls that originate on one Unified Communications Managernetwork, go out through a trunk, and terminate on a different Unified Communications Manager network. For CAR purposes, be aware that any outgoing call can be classified as an On Net call if it is configured as such in the CAR dial plan configuration window. See Set Up Dial Plan.
Internal	Calls, including intracluster calls, that originate in the Unified Communications Managernetwork and end in the same Unified Communications Manager network (no gateways or trunks are used).
Local	Local calls that route through the public switched telephone network (PSTN) to numbers without an area code or that include one of the local area codes.
Long Distance	Long-distance calls that originate in the Unified Communications Manager network and go out through the PSTN.
International	International calls that originate in the Unified Communications Manager network and go out through the PSTN.
Incoming	Inbound calls that originate outside the Unified Communications Manager network, enter through a gateway, and go into the Unified Communications Manager network.
Others	All other outgoing calls, such as toll-free numbers or emergency calls such as 911.

Table 2: Traffic Summa	ry by	Call	Types
------------------------	-------	------	-------

Note

The calls that the chart/table shows comprise an average number of calls per day. If the data that is generated is less and you have chosen a wide date range, the report shows negligible values that are treated as 0, and the graph does not display. For example, if a Day of Week report gets generated for eight days that comprise two Mondays, the data that is shown for Monday represents the average number of calls for both the Mondays (the sum of all the calls in each Monday divided by 2). Similarly, in an Hour of Day report, the data that displays against 05-06 will designate the average number of calls per day between the time 05 and 06 of the date range that was chosen for the report.

Step 6 In the Select QoS area, check the check boxes for the voice-quality categories that you want to include in the report. The parameters that are set in the following table provide the basis for all voice-quality categories.

Voice Quality	Description
Good	QoS for these calls represents the highest possible quality.
Acceptable	QoS for these calls, although slightly degraded, still falls within an acceptable range.
Fair	QoS for these calls, although degraded, still remains within a usable range.
Poor	Poor voice quality indicates that QoS for these calls is unsatisfactory.
NA	These calls did not match any criteria for the established QoS categories.

Table 3: QoS Detail Report Voice Quality

Step 7 If you want the report in CSV format, choose **CSV** (comma separated value) in the Report Format area. If you want the report in PDF format, choose **PDF** (portable document format) in the Report Format area.

Step 8 Click the **View Report** button.

The report displays.

Step 9 If you want to mail the report, click the **Send Report** button. To send the report, perform the procedure that is described in the Mail Reports.

Generate Traffic Summary by Phone Number Reports

Only CAR administrators generate the Traffic Summary by Phone Number report. The report provides information about the call volume for a period and set of phone numbers that you specify.

This section describes how to generate, view, or mail a traffic summary report based on user phone numbers.

Procedure

Step 1	Choose System Reports > Traffic > Summary By Phone Number.	
	The Traffic Summary that is based on Phone Number(s) window displays.	
Step 2	In the Generate Report field, choose a time as described in the following table.	

Parameter	Description	
Hour of Day	Displays the average number of calls in the system for the chosen phone numbers for the date range that was chosen for hour of day.	
	Note Ensure that the date and time range does not exceed one month.	
Day of Week	Displays the average calls in the system for the selected phone numbers for the date range that was chosen for day of week.	
	Note Ensure that the date and time range does not exceed one month.	
Day of Month	Displays the average calls in the system for the selected phone numbers for the date range that was chosen for day of month.	
	Note Ensure that the date and time range does not exceed one month.	

Table 4: Generate Report Fields

Step 3 In the Select Call Types area, check the check boxes for the types of calls that you want to include in the report. The following table describes the call types.

Table 5: Traffic Summary (Phone Number) by Call Types

Call Type	Description
On Net	Outgoing calls that originate on one Unified Communications Manager network, go out through a trunk, and terminate on a different Unified Communications Managernetwork. For CAR purposes, be aware that any outgoing call can be classified as an On Net call if it is configured as such in the CAR dial plan configuration window. See Set Up Dial Plan.
Internal	Calls, including intracluster calls, that originate in the Unified Communications Manager network and end in the same Unified Communications Managernetwork (no gateways or trunks are used).
Local	Local calls that are routed through the public switched telephone network (PSTN) to numbers without an area code or that include one of the local area codes.
Long Distance	Long-distance calls that originate in the Unified Communications Manager network and go out through the PSTN.

Call Ty	ире	Description
Interna	ational	International calls that originate in the Unified Communications Manager network and go out through the PSTN.
Incom	ing	Inbound calls that originate outside the Unified Communications Manager network, enter through a gateway, and go into the Unified Communications Managernetwork.
Others	3	All other outgoing calls, such as toll-free numbers or emergency calls such as 911.
In the Snumber	The calls that the chart/table shows comprise an average number of calls per day. If the data that generated is less and you have chosen a wide date range, the report shows negligible values that treated as 0, and the graph does not display. For example, if a Day of Week report gets generate for eight days that comprise two Mondays, the data that is shown for Monday represents the avera number of calls for both the Mondays (the sum of all the calls in each Monday divided by 2). Similarly, in an Hour of Day report, the data that displays against 05-06 will represent the avera number of calls per day between the time 05 and 06 of the date range that was chosen for the rep	
Note	You can enter a wildcard pattern like "!" or "X" to search on phone numbers. The "!" represents any n digit that has 0-9 as each of its digits, and the "X" represents a single digit in the range 0-9.	
To choo based o Numbo	ose all phone numbers, check the Select All P on users, enter the phone number of the individ er button. You can also use a provided search	hone Number(s) check box. To choose phone numbers ual in the Phone Number field and click the Add Phone function, as described in the User Search.
If you v you wa	want the report in CSV format, choose CSV (ant the report in PDF format, choose PDF (por	comma separated value) in the Report Format area. If table document format) in the Report Format area.
Click tl	he View Report button.	
The rep	port displays.	
If you v is desci	want to mail the report, click the Send Repor ribed in the Mail Reports.	t button. To send the report, perform the procedure that

Related Topics

Step 4

Step 5

Step 6

Step 7

- Generate CDR Analysis and Reporting
- CAR System Reports
- QoS System Reports
- FAC/CMC System Reports

- Malicious Call Details System Reports
- Precedence Call Summary System Reports
- System Reports
- CDR Error System Reports
- CAR Device Reports

Additional Documentation

- Administration Guide for Cisco Unified Communications Manager
- Cisco Unified Serviceability Administration Guide
- Cisco Unified Communications Manager Call Detail Records Administration Guide

I