



Single Sign-On

- [Single Sign-On, on page 1](#)
- [Single Sign-On Flow, on page 4](#)
- [Configure an Identity Provider \(IdP\), on page 4](#)
- [Set Up the System Inventory for Single Sign-On, on page 9](#)
- [Configure the Cisco Identity Service, on page 10](#)
- [Register Components and Set Single Sign-On Mode, on page 12](#)
- [Migration Considerations Before Enabling Single Sign-On, on page 13](#)
- [Migrate Agents and Supervisors to Single Sign-On Accounts, on page 15](#)
- [Single Sign-On and the Agent Tool, on page 16](#)
- [Related Documentation, on page 16](#)

Single Sign-On

Single sign-on (SSO) is an authentication and authorization process. (Authentication proves that you are the user you say that you are, and authorization verifies that you are allowed to do what you want to do.) SSO allows you to sign in to one application and then securely access other authorized applications without a prompt to resupply user credentials. SSO permits Cisco supervisors or agents to sign on only once with a username and password. Supervisors and agents gain access to all of their Cisco browser-based applications and services within a single browser instance. By using SSO, Cisco administrators can manage all users from a common user directory and enforce password policies for all users consistently.



Note Before enabling SSO in Packaged CCE, ensure to sign in to the Cisco Unified Intelligence Center OAMP interface and perform the Unified CCE User Integration operation (Cluster Configuration > UCCE User Integration) once manually to import the Supervisors with the required roles.

SSO is an optional feature whose implementation requires you to enable the HTTPS protocol across the enterprise solution.

You can implement single sign-on in one of these modes:

- **SSO** - Enable *all* agents and supervisors in the deployment for SSO.
- **Hybrid** - Enable agents and supervisors *selectively* in the deployment for SSO. Hybrid mode allows you to phase in the migration of agents from a non-SSO deployment to an SSO deployment and enable SSO

for local PGs. Hybrid mode is useful if you have third-party applications that don't support SSO, and some agents and supervisors must be SSO-disabled to sign in to those applications.

- **Non-SSO** - Continue to use existing Active Directory-based and local authentication, without SSO.

SSO uses Security Assertion Markup Language (SAML) to exchange authentication and authorization details between an identity provider (IdP) and an identity service (IdS). The IdP authenticates based on user credentials, and the IdS provides authorization between the IdP and applications. The IdP issues SAML assertions, which are packages of security information transferred from the IdP to the service provider for user authentication. Each assertion is an XML document that contains trusted statements about a subject including, for example, username and privileges. SAML assertions are digitally signed to ensure their authenticity.

The IdS generates an authentication request (also known as a SAML request) and directs it to the IdP. SAML does not specify the method of authentication at the IdP. It may use a username and password or other form of authentication, including multi-factor authentication. A directory service such as LDAP or AD that allows you to sign in with a username and a password is a typical source of authentication tokens at an IdP.

Prerequisites

The Identity Provider must support Security Assertion Markup Language (SAML) 2.0. See the *Compatibility Matrix* for your solution at <https://www.cisco.com/c/en/us/support/customer-collaboration/packaged-contact-center-enterprise/products-device-support-tables-list.html> for details.

Contact Center Enterprise Reference Design Support for Single Sign-On

Packaged CCE supports single sign-on for the 2000 Agent reference design.

Coresidency of Cisco Identity Service by Reference Design

Reference Design	Packaged CCE Solution
2000 Agent	Cisco IdS is coresident with Unified Intelligence Center and Live Data on a single VM.

Single Sign-On Support and Limitations

Note the following points that are related to SSO support:

- To support SSO, enable the HTTPS protocol across the enterprise solution.
- SSO supports agents and supervisors only. SSO support is not available for administrators in this release.
- SSO supports multiple domains with federated trusts.
- SSO supports only contact center enterprise peripherals.
- SSO support is available for Agents and Supervisors that are registered to remote or main site PG in global deployments.

Note the following limitations that are related to SSO support:

- SSO support is not available for third-party Automatic Call Distributors (ACDs).

- The SSO feature does not support Cisco Finesse IP Phone Agent (FIPPA).

Allowed Operations by Node Type

The Cisco IdS cluster contains a publisher and a subscriber node. A publisher node can perform any configuration and access token operations. The operations that a subscriber node can perform depends on whether the publisher is connected to the cluster.

This table lists which operations each type of node can perform.

Table 1: Single Sign-On Allowed Operations

Operation	Allowed on Publisher	Allowed on Subscriber
Upload IdP metadata	Always	Never
Download SAML SP metadata	Always	Never
Regenerate SAML Certificate	Always	Never
Regenerate Token Encryption/Signing Key	Always	Never
Update AuthCode/Token Expiry	Always	Only when publisher is connected
Enable/Disable Token Encryption	Always	Only when publisher is connected
Add/Update/Delete Cisco IdS client configuration	Always	Only when publisher is connected
View Cisco IdS client configuration	Always	Always
View Cisco IdS status	Always	Always
Set Troubleshooting Log Level	Always	Always
Set Remote Syslog server	Always	Always

Single Sign-On Log Out

For a complete logout from all applications, sign out of the applications and close the browser window. In a Windows desktop, log out of the Windows account. In a Mac desktop, quit the browser application.



Note Users enabled for single sign-on are at risk of having their accounts misused by others if the browser is not closed completely. If the browser is left open, a different user can access the application from the browser page without entering credentials.

Single Sign-On Flow

Single sign-on (SSO) configuration by an administrator follows this flow:

Procedure

-
- Step 1** Install the appropriate release of Packaged CCE. For more information, see Cisco Packaged Contact Center Enterprise Installation and Upgrade Guide at <https://www.cisco.com/c/en/us/support/customer-collaboration/packaged-contact-center-enterprise/products-installation-guides-list.html>
- Step 2** Install the Cisco Identity Service (Cisco IdS). For more information, see Cisco Unified Contact Center Enterprise Installation and Upgrade Guide at <https://www.cisco.com/c/en/us/support/customer-collaboration/unified-contact-center-enterprise/products-installation-guides-list.html>
- For Packaged CCE deployments, the Cisco IdS is installed as a service on the Unified Intelligence Center VMs.
- Step 3** Install and configure the Identity Provider (IdP).
- Step 4** Configure System Inventory.
- Step 5** Configure the Cisco IdS.
- Step 6** Register and test SSO-compatible components with the Cisco IdS.
- Step 7** Choose the SSO mode.
- Step 8** Enable multiple users at once for SSO by using the SSO migration tool, or enable users one at time by using the configuration tools.
-

Configure an Identity Provider (IdP)

To support SSO for the contact center solution, configure an Identity Provider (IdP) that is compliant with the Security Assertion Markup Language 2.0 (SAML v2) Oasis standard. The IdP stores user profiles and provides authentication services to the contact center solution.

This section provides sample configuration information for Microsoft AD FS.

Follow this sequence of tasks to configure the Identity Provider.

Sequence	Task
1	Install and Configure Active Directory Federation Services, on page 5
2	Set Authentication Type. See Authentication Types, on page 5 .
3	Configure an Identity Provider (IdP), on page 4
4	Enable Signed SAML Assertions, on page 7
5	Optionally Customize the AD FS Sign-In Page in Windows Server to Allow User ID, on page 8

Install and Configure Active Directory Federation Services

Follow Microsoft instructions and guidelines to install Microsoft Active Directory Federation Services (AD FS).

For example, see *Active Directory Federation Services Overview* at [https://technet.microsoft.com/en-us/library/hh831502\(v=ws.11\).aspx](https://technet.microsoft.com/en-us/library/hh831502(v=ws.11).aspx)

- For AD FS 2.0, see *AD FS Content Map* at <http://aka.ms/adfscontentmap>.



Note Cisco IdS does not support AD FS Automatic Certificate Rollover. If the AD FS certificate gets rolled over, then re-establish the trust relationship between the IdS and AD FS.

Authentication Types

Cisco Identity Service supports form-based authentication of the Identity Provider.

For information on enabling form-based authentication in ADFS, see Microsoft documentation:

- For ADFS 2.0 see <https://social.technet.microsoft.com/wiki/contents/articles/1600.ad-fs-2-0-how-to-change-the-local-authentication-type.aspx>
- For ADFS 3.0 see <https://blogs.msdn.microsoft.com/josrod/2014/10/15/enabled-forms-based-authentication-in-adfs-3-0/>

For Kerberos authentication to work, ensure to disable the form-based authentication and follow the steps provided in the section *Kerberos Authentication (Integrated Windows Authentication)* at <https://www.cisco.com/c/en/us/support/docs/customer-collaboration/unified-contact-center-express/200612-Configure-the-Identity-Provider-for-UCCX.html#anc19>.

- In AD FS on Windows Server, set the Authentication Type to Forms-based authentication (FBA). Refer to the following Microsoft TechNet article, <https://social.technet.microsoft.com/wiki/contents/articles/1600.ad-fs-2-0-how-to-change-the-local-authentication-type.aspx>
- In AD FS on Windows Server, set the Authentication Policy to Forms Authentication. Refer to the following Microsoft TechNet article, <https://blogs.msdn.microsoft.com/josrod/2014/10/15/enabled-forms-based-authentication-in-adfs-3-0/>

Integrate Cisco IdS to the Shared Management AD FS

Procedure

- Step 1** In AD FS, be sure that the default Authentication Type is set to Forms. (Cisco Identity Service requires the Identity Provider to provide form-based authentication.) See the Microsoft AD FS documentation for details.
- Step 2** In AD FS server, open **AD FS Management**.
- Step 3** Right-click **AD FS** -> **Trust Relationships** -> **Relying Party Trust**.
- Step 4** From the menu, choose **Add Relying Party Trust** to launch the **Add Relying Party Trust Wizard**.
- Step 5** In the **Select Data Source** step, choose the option **Import data about the relying party from a file**.

- Step 6** Browse to the `sp.xml` file that you downloaded from Cisco Identity Server and complete the import to establish the relying party trust.
- Step 7** Select the step **Specify Display Name**, and add a significant name you can use to identify the Relying Party Trust.
- Step 8** For AD FS in Windows Server, select the option **I do not want to configure multi-factor authentication settings for the relying party at this time** in the Step **Configure Multi-factor Authentication Now**.
This step does not appear in AD FS 2.0 or 2.1. Continue with the next step.
- Step 9** In the Step Choose Issuance Authorization Rules, select the option **Permit all users to access this relying party** and click **Next**.
- Step 10** Click **Next** again to finish adding the relying party.
- Step 11** Right-click on the **Relying Party Trust** and click **Properties**. Select the **Identifiers** tab.
- Step 12** On the Identifiers tab, Set **Display name** to the name you specified when creating the Relying Party Trust, and set the **Relying party identifier** to the **fully qualified hostname** of the Cisco Identity Server from which `sp.xml` was downloaded.
- Step 13** Still in **Properties**, select the **Advanced** tab.
- Step 14** Select **secure hash algorithm** as **SHA-1** and then click **OK**.

Note In the following steps, you configure two claim rules to specify the claims that are sent from AD FS to Cisco Identity Service as part of a successful SAML assertion:

- A claim rule with the following custom claims, as AttributeStatements, in the assertion:
 - **uid** - Identifies the authenticated user in the claim sent to the applications.
 - **user_principal** - Identifies the authentication realm of the user in the assertion sent to Cisco Identity Service.
- A second claim rule that is a NameID custom claim rule specifying the fully qualified domain name of the AD FS server and the Cisco IdS server.

Follow the steps to configure these rules.

- Step 15** In **Relying Party Trusts**, right-click on the Relying Party Trust you created, and click **Edit Claim Rules**.
- Step 16** Follow these steps to add a rule with **Send LDAP Attributes as Claims** as the Claim rule template.
- a) In the **Issuance Transform Rules** tab, click **Add Rule**.
 - b) In the Step **Choose Rule Type**, select the claim rule template **Send LDAP Attributes as Claims** and click **Next**.
 - c) In the **Configure Claim Rule** step, in the **Claim rule name** field, enter **NameID**.
 - d) Set the **Attribute store** drop-down to **Active Directory**.
 - e) Set the table **Mapping of LDAP attributes to outgoing claim types** to the appropriate **LDAP Attributes** and the corresponding **Outgoing Claim Type** for the type of user identifier you are using:
 - When the identifier is stored as a **SAM-Account-Name** attribute:
 1. Select an **LDAP Attribute** of **SAM-Account-Name**, and set the corresponding **Outgoing Claim Type** to **uid** (lowercase).
 2. Select a second **LDAP Attribute** of **User-Principal-Name** and set the corresponding **Outgoing Claim Type** to **user_principal** (lowercase).

- When the identifier is a UPN:
 1. Select an **LDAP Attribute of User-Principal-Name**, and set the corresponding **Outgoing Claim Type** to **uid** (lowercase).
 2. Select a second **LDAP Attribute of User-Principal-Name** and set the corresponding **Outgoing Claim Type** to **user_principal** (lowercase).

Note The SAM-Account-Name or UPN choice is based on the User ID configured in the AW.

Step 17 Follow these steps to add a second rule with the template **custom claim rule**.

- a) Select **Add Rule** on the **Edit Claim Rules** window.
- b) Select **Send Claims Using Custom Rule**.
- c) Set the name of rule to the **fully qualified domain name (FQDN)** of the Cisco Identity Server publisher (primary) node.
- d) Add the following rule text:

```
c:[Type == "http://schemas.microsoft.com/ws/2008/06/identity/claims/windowsaccountname"]
=>
issue(Type = "http://schemas.xmlsoap.org/ws/2005/05/identity/claims/nameidentifier",
Issuer = c.Issuer, OriginalIssuer = c.OriginalIssuer, Value = c.Value, ValueType =
c.ValueType,
Properties["http://schemas.xmlsoap.org/ws/2005/05/identity/claimproperties/format"] =
"urn:oasis:names:tc:SAML:2.0:nameid-format:transient",

Properties["http://schemas.xmlsoap.org/ws/2005/05/identity/claimproperties/namequalifier"]
=
"http://<AD FS Server FQDN>/adfs/services/trust",

Properties["http://schemas.xmlsoap.org/ws/2005/05/identity/claimproperties/spnamequalifier"]
=
"<fully qualified domain name of Cisco IdS>");
```

- e) Edit the script as follows:
 - Replace **<ADFS Server FQDN>** to match exactly (including case) the ADFS server FQDN (fully qualified domain name.)
 - Replace **<Cisco IdS server FQDN>** to match exactly (including case) the Cisco Identity Server FQDN.

Step 18 Click **OK**.

Enable Signed SAML Assertions

Enable Signed SAML Assertions for the Relying Party Trust (Cisco Identity Service).

Procedure

- Step 1** Click **Start** and type **powershell** in the Search field to display the Windows Powershell icon.
- Step 2** Right-click on the Windows Powershell program icon and select **Run as administrator**

Note All PowerShell commands in this procedure must be run in Administrator mode.

Step 3 Run the command, **Set-ADFSRelyingPartyTrust -TargetName <Relying Party Trust Display Name> -SamlResponseSignature "MessageAndAssertion"**.

Note Set <Relying Party Trust Display Name> to exactly match (including case) the Identifier tab of the Relying Party Trust properties.

For example:

```
Set-ADFSRelyingPartyTrust -TargetName CUICPub.PCCERCDN.cisco.com
-SamlResponseSignature "MessageAndAssertion".
```

Step 4 Navigate back to the Cisco Identity Service Management window.

Step 5 Click **Settings**.
By default **IdS Trust** tab is displayed.

Step 6 On the Download SAML SP Metadata and Upload IdP Metadata windows, click Next as you have already established trust relationship between IdP and IdS.

Step 7 On the AD FS authentication window, provide the login credentials.

Step 8 On successful SSO setup, the message "SSO Configuration is tested successfully" is displayed.

Note If you receive the error message "An error occurred", ensure that the claim you created on the AD FS is enabled.

If you receive the error message "IdP configuration error: SAML processing failed", ensure that the rule has the correct names for Ids and AD FS.

Optionally Customize the AD FS Sign-In Page in Windows Server to Allow User ID

By default, the sign-in page presented to SSO users by AD FS in Windows Server requires a username that is a UPN. Usually this is an email format, for example, user@cisco.com. If your contact center solution is in a single domain, you can modify the sign-in page to allow your users to provide a simple User ID that does not include a domain name as part of the user name.

There are several methods you can use to customize the AD FS sign-in page. Look in the Microsoft AD FS in Windows Server documentation for details and procedures to configure alternate login IDs and customize the AD FS sign-in pages.

The following procedure is an example of one solution.

Procedure

Step 1 In the AD FS **Relying Party Trust**, change the NameID claim rule to map the chosen LDAP attribute to **uid**.

Step 2 Click the Windows **Start** control and type **powershell** in the Search field to display the Windows Powershell icon.

Step 3 Right-click on the Windows Powershell program icon and select **Run as administrator**

All PowerShell commands in this procedure must be run in Administrator mode.

Step 4 To allow sign-ins to AD FS using the sAMAccountName, run the following Powershell command:


```
Set-AdfsClaimsProviderTrust -TargetIdentifier "AD AUTHORITY" -AlternateLoginID sAMAccountName
-LookupForests myDomain.com
```

In the `LookupForests` parameter, replace `myDomain.com` with the forest DNS that your users belong to.

Step 5 Run the following commands to export a theme:

```
mkdir C:\themeExport-AdfsWebTheme -Name default -DirectoryPath c:\theme
```

Step 6 Edit `onload.js` in `C:\theme\script` and add the following code at the bottom of the file. This code changes the theme so that the AD FS sign-in page does not require a domain name or an ampersand, "@", in the username.

```
// Update the placeholder text to not include the domain
var userNameInput = document.getElementById("userNameInput");
if (userNameInput) {
    userNameInput.setAttribute("placeholder", "Username");
}

// Override submitLoginRequest to not have the "@" check
Login.submitLoginRequest = function () {
    var u = new InputUtil();
    var e = new LoginErrors();
    var userName = document.getElementById(Login.userNameInput);
    var password = document.getElementById(Login.passwordInput);
    if (!userName.value) {
        u.setError(userName, e.userNameFormatError);
        return false;
    }
    if (!password.value) {
        u.setError(password, e.passwordEmpty);
        return false;
    }
    document.forms['loginForm'].submit();
    return false;
};
```

Step 7 In Windows PowerShell, run the following commands to update the theme and make it active:

```
Set-AdfsWebTheme -TargetName custom -AdditionalFileResource
@{Uri='/adfs/portal/script/onload.js';path="c:\theme\script\onload.js"}

Set-AdfsWebConfig -ActiveThemeName custom
```

Set Up the System Inventory for Single Sign-On

Packaged CCE deployment automatically associates the Unified CCE AW, Unified Intelligence Center, and Finesse with a default Cisco Identity Service (Cisco IdS). However, if you have an external HDS in your deployment, you must manually associate it with a default Cisco IdS.

Procedure

- Step 1** In Unified CCE Administration, navigate to **System > Deployment**.
- Step 2** Click the pencil icon for the External HDS for 2000 Agents deployment.

Step 3 Click the Search icon next to **Default Identity Service**.
The **Select Identity Service** popup window opens.

Step 4 Enter the machine name for the Cisco IdS in the **Search** field or choose the Cisco IdS from the list.

Step 5 Click **Save**.

Note If you are working with a Cisco IdS cluster, perform these steps on the Cisco IdS primary publisher node. For CCE 4000, 12000, and 24000 Agents deployment, ensure that the Principal AW is configured and functional before using the Single Sign-On tool in Unified CCE Administration. Also, add the SSO-capable machines to the Inventory, and select the default Cisco IdS for each of the SSO-capable machines.

Configure the Cisco Identity Service

The Cisco Identity Service (Cisco IdS) provides authorization between the Identity Provider (IdP) and applications.

When you configure the Cisco IdS, you set up a metadata exchange between the Cisco IdS and the IdP. This exchange establishes a trust relationship that then allows applications to use the Cisco IdS for single sign-on. You establish the trust relationship by downloading a metadata file from the Cisco IdS and uploading it to the IdP. You can then select settings related to security, identify clients of the Cisco IdS service, and set log levels and, if desired, enable Syslog format.

Procedure

Step 1 In Administration, navigate to **System > Single Sign-On**.

Note Use a log in name in the format *username@FQDN* to log in to the Administration.

Step 2 Click **Identity Service Management**.

Result:

The Cisco Identity Service Management window opens:

Step 3 Enter your user name, and then click **Next**.

Step 4 Enter your password, and then click **Sign In**.

The Cisco Identity Service Management page opens, showing the **Nodes**, **Settings**, and **Clients** icons in the left pane.

Step 5 Click **Nodes**.

The **Nodes** page opens to the overall Node level view and identifies which nodes are in service. The page also provides the **SAML Certificate Expiry** details for each node, indicating when the certificate is due to expire. The node **Status** options are **Not Configured**, **In Service**, **Partial Service**, and **Out of Service**. Click a status to see more information. The star to the right of one of the Node names identifies the node that is the primary publisher.

Step 6 Click **Settings**.

Step 7 Click **IdS Trust**.

- Step 8** To begin the Cisco IdS trust relationship setup between the Cisco IdS and the IdP, click **Download Metadata File** to download the file from the Cisco IdS Server.
- Step 9** Click **Next**.
- Step 10** To upload the trusted metadata file from your IdP, browse to locate the file. The **Upload IdP Metadata** page opens and includes the path to the IdP. When the file upload finishes, you receive a notification message. The metadata exchange is now complete, and the trust relationship is in place.
- Step 11** Clear the browser cache.
- Step 12** Enter the valid credentials, when page is redirected to IdP.
- Step 13** Click **Next**.
The **Test SSO Setup** page opens.
- Step 14** Click **Test SSO Setup**.
A message appears telling you that the Cisco IdS configuration has succeeded.
- Step 15** Click **Settings**.
- Step 16** Click **Security**.
- Step 17** Click **Tokens**.
Enter the duration for the following settings:
- **Refresh Token Expiry** -- The default value is 10 hours. The minimum value is 2 hours. The maximum is 24 hours.
 - **Authorization Code Expiry** -- The default value is 1 minute, which is also the minimum. The maximum is 10 minutes.
 - **Access Token Expiry** -- The default value is 60 minutes. The minimum value is 5 minutes. The maximum is 120 minutes.
- Step 18** Set the **Encrypt Token** (optional); the default setting is **On**.
- Step 19** Click **Save**.
- Step 20** Click **Keys and Certificates**.
The **Generate Keys and SAML Certificate** page opens and allows you to:
- Regenerate the **Encryption/Signature key** by clicking **Regenerate**. A message appears to say that the Token Registration is successful and advises you to restart the system to complete the configuration.
 - Regenerate the **SAML Certificate** by clicking **Regenerate**. A message appears to say that the SAML certificate regeneration is successful.
- Step 21** Click **Save**.
- Step 22** Click **Clients**.
The **Clients** page identifies the existing Cisco IdS clients, providing the client name, the client ID, and a redirect URL. To search for a particular client, click the Search icon above the list of names and type the client's name.
- Step 23** To add a client:
- a) Click **Add Client**.
 - b) Enter the client's name.
 - c) Enter the Redirect URL. To add more than one URL, click the plus icon.
 - d) Click **Add** (or click **Clear** and then click the X to close the page without adding the client).
- Step 24** To edit or delete a client, highlight the client row and click the ellipses under **Actions**. Then:

- Click **Edit** to edit the client's name, ID, or redirect URL. On the **Edit Client** page, make changes and click **Save** (or click **Clear** and then click the X to close the page without saving edits).
- Click **Delete** to delete the client.

Step 25 Click **Settings**.

Step 26 From the **Settings** page, click **Troubleshooting** to perform some optional troubleshooting.

Step 27 Set the local log level by choosing from **Error**, **Warning**, **Info** (the default), **Debug**, or **Trace**.

Step 28 To receive errors in Syslog format, enter the name of the Remote Syslog Server in the Host (Optional) field.

Step 29 Click **Save**.

You can now:

- Register components with the Cisco IdS.
- Enable (or disable) SSO for the entire deployment.

Register Components and Set Single Sign-On Mode

If you add any SSO-compatible machines to the System Inventory after you register components with the Cisco IdS, those machines are registered automatically.

Before you begin

- Configure the Cisco Identity Service (Cisco IdS).
- Disable popup blockers. It enables viewing all test results correctly.
- If you are using Internet Explorer, verify that:
 - It is not in the Compatibility Mode.
 - You are using the fully qualified domain name of AW to access the CCE Administration (for example, <https://<FQDN>/cceadmin>).

Procedure

Step 1 In the Unified CCE Administration, navigate to **System > Single Sign-OnOverview > Infrastructure Settings > Device Configuration**.

Step 2 Click the **Register** button to register all SSO-compatible components with the Cisco IdS.

The component status table displays the registration status of each component.

If a component fails to register, correct the error and click **Retry**.

Step 3 Click the **Test** button. When the new browser tab opens, you may be prompted to accept a certificate. In order for the page to load, accept any certificates. Then, when presented with a log in dialog, log in as a user with SSO credentials.

The test process verifies that each component has been configured correctly to reach the Identity Provider, and that the Cisco IdS successfully generates access tokens. Each component that you are setting up for SSO is tested.

The component status table displays the status of testing each component.

If a test is unsuccessful, correct the error, and then click **Test** again.

Test results are not saved. If you refresh the page, run the test again before enabling SSO.

Step 4 Select the SSO mode for the system from the **Set Mode** drop-down menu:

- Non-SSO: This mode disables SSO for all agents and supervisors. Users log in using existing Active Directory-based local authentication.
- Hybrid: This mode allows you to enable agents and supervisors selectively for SSO.
- SSO: This mode enables SSO for all agents and supervisors.

The component status table displays the status of setting the SSO mode on each component.

If the SSO mode fails to be set on a component, correct the error, and then select the mode again.

Migration Considerations Before Enabling Single Sign-On

Administrator User and Single Sign-On in Unified Intelligence Center

During installation, Cisco Unified Intelligence Center creates an administrator user. This user is not enabled for SSO, as the user is known only to Unified Intelligence Center.

When you enable SSO, this administrator user is no longer able to log in to the Unified Intelligence Center and perform administrative tasks. These tasks include configuring datasources and setting permissions for other users, for example. To avoid this situation, perform the following steps before enabling SSO.

1. Create a new SSO user who has the same roles and permissions as those of the administrator user.
2. Log in to the CLI.
3. Run the following command:

```
utils cuic user make-admin username
```

in which the user name is the complete name of the new user, including the authenticator prefix as shown on the Unified Intelligence Center User List page.

The command, when executed, provides all the roles to the new user and copies all permissions from the administrator user to this new user.

**Note**

- The administrator's group memberships are not copied to the new user by this CLI command and must be manually updated. The new user, now a Security Administrator, can set up the group memberships.
- For any entity (for example, reports or report definitions), if this new user's permissions provide higher privileges than the administrator, the privileges are left intact. The privileges are not overwritten by the execution of this CLI command.

Browser Settings and Single Sign-On

If you have enabled single sign-on and are using Internet Explorer, Chrome, or Firefox, verify that the browser options are set as shown in the following table. These settings specify that you do not want a new session of the browser to reopen tabs from a previous session. No changes are required for Internet Explorer.

Browser	Browser options to verify when using SSO
Internet Explorer	<ol style="list-style-type: none"> 1. Open Internet Explorer. 2. Click the Tools (Alt+X) icon, and then click Internet options. 3. In the General tab, click Tabs. 4. From the When a new tab is opened, open: drop-down list, verify that the Your first home page option is selected.
Chrome	<ol style="list-style-type: none"> 1. Open Chrome. 2. Click the Customize and control Google Chrome icon. 3. Click Settings. 4. In the On startup section of the Settings page, verify that the Open the New Tab page option is selected.
Firefox	<ol style="list-style-type: none"> 1. Open Firefox. 2. Click the Open menu icon. 3. Click Options. 4. In the Startup section of the General page, verify that either the home page or a blank page is chosen in the When Firefox starts drop-down list.

Migrate Agents and Supervisors to Single Sign-On Accounts

If you are enabling SSO in an existing deployment, you can set the SSO state to hybrid to support a mix of SSO and non-SSO users. In hybrid mode, you can enable agents and supervisors selectively for SSO making it possible for you to transition your system to SSO in phases.

Use the procedures in this section to migrate groups of agents and supervisors to SSO accounts using the SSO Migration content file in the Unified CCE Administration Bulk Jobs tool. You use the Administration Bulk Jobs tool to download a content file containing records for agents and supervisors who have not migrated to SSO accounts. You modify the content file locally to specify SSO usernames for the existing agents and supervisors. Using the Administration Bulk Jobs tool again, you upload the content file to update the agents and supervisors usernames; the users are also automatically enabled for SSO.

If you do not want to migrate a user, delete the row for that user.



Important While the Finesse agent is logged in, changing the login name prevents the agent from answering or placing calls. In this situation, the agent can still change between *ready* and *not_ready* state. This affects all active agents, independent of whether SSO is enabled or disabled. Should you need to modify a login name, do so only after the corresponding agent is logged out. Note too that SSO migration (moving a non-SSO agent to be SSO-enabled, by either hybrid mode or global SSO mode) should not be done when the agent is logged in.

Procedure

Step 1 In Unified CCE Administration, navigate to **Manage > Bulk Jobs**.

Step 2 Download the SSO Migration bulk job content file.

a) Click **Templates**.

The **Download Templates** popup window opens.

b) Click the **Download** icon for the SSO Migration template.

c) Click **OK** to close the **Download Templates** popup window.

Step 3 Enter the SSO usernames in the SSO Migration content file.

a) Open the template in Microsoft Excel. Update the **newUserName** field for the agents and supervisors whom you want to migrate to SSO accounts.

The content file for the SSO migration bulk job contains these fields:

Field	Required?	Description
userName	Yes	The user's non-SSO username.
firstName	No	The user's first name.
lastName	No	The user's last name.

Field	Required?	Description
newUserName	No	The user's new SSO username. Enter up to 255 ASCII characters. If you want to enable a user for SSO, but keep the current username, leave newUserName blank, or copy the value of userName into newUserName .

b) Save the populated file locally.

Step 4 Create a bulk job to update the usernames in the database.

- a) Click **New** to open the **New Bulk Job** window.
- b) Enter an optional **Description** for the job.
- c) In the **Content File** field, browse to the SSO Migration content file you completed.

The content file is validated before the bulk job is created.

d) Click **Save**.

The new bulk job appears in the list of bulk jobs. Optionally, click the bulk job to review the details and status for the bulk job. You can also download the log file for a bulk job.

When the bulk job completes, the agents and supervisors are enabled for SSO and their usernames are updated. You can open an individual user's record in the Agent tool in Unified CCE Administration to see the changes.

What to do next

After all of the agents and supervisors in your deployment are migrated to SSO accounts, you can enable SSO globally in your deployment.

Single Sign-On and the Agent Tool

When the global SSO-enabled setting is Hybrid, you can use the Unified CCE Administration Agent Tool to enable agents individually for single sign-on.

In the tool, check the **Single Sign-On** check box to require a selected agent to sign in with SSO authentication. For supervisors and for agents with single sign-on (SSO) enabled, the username is the user's Active Directory or SSO account username.



Note The check box is disabled when the global SSO mode is set to SSO or non-SSO.

To update agent records in bulk, use the Bulk Jobs Agent content file.

Related Documentation

Refer to the following documents and other resources for more details about single sign-on.

See this information	Located here	For these details
<i>Solution Design Guide for Cisco Packaged Contact Center Enterprise</i>	https://www.cisco.com/c/en/us/support/customer-collaboration/packaged-contact-center-enterprise/tsd-products-support-series-home.html	Design considerations and guidelines for deploying the Cisco Packaged CCE system.
<i>Virtualization for Cisco Packaged CCE</i>	https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/uc_system/virtualization/pcce_virt_index.html	Information about deploying Packaged CCE (including single sign-on) on VMware.
<i>Release Notes for Cisco Packaged Contact Center Enterprise Solution</i>	https://www.cisco.com/c/en/us/support/customer-collaboration/packaged-contact-center-enterprise/products-release-notes-list.html	New features and changes for this release of the Packaged CCE solution.
<i>Cisco Packaged CCE Software Compatibility Matrix</i>	https://www.cisco.com/c/en/us/support/customer-collaboration/packaged-contact-center-enterprise/products-device-support-tables-list.html	Packaged CCE requirements.
Unified CCE Administration Single Sign-On Tool	Online help	Changes to support single sign-on.
System Inventory Tool	This guide.	Information related to adding SSO-compatible components to the inventory.

