



Hardware Components

- [Hardware Components, on page 1](#)

Hardware Components

The CE1200 is based on a UCS C220 M5L server, with the following components:

Table 1: Components and UCS equivalent part numbers for the CE1200 Appliance

Item	Part	Quantity
Chassis	UCS-C220-M5L	1
Processor	UCS-CPU-6134 (3.2 GHz 6134/130W 8C/24.75MB Cache/DDR4 2666MHz)	1
RAM	UCS-MR-X16G1RS-H (16GB) DDR4-2666-MHz RDIMM/PC4-21300/single rank/x4/1.2v	2
Hard Disk	UCS-HD2T7KL12N 2 TB 12G SAS 7.2K RPM LFF HDD	2
RAID Controller	UCSC-MRAID1GB-KIT SAS RAID KIT for C220M5L	1
NIC	UCSC-PCIE-ID10GF Intel X710-DA2 dual-port 10G SFP+ NIC	1
	EXP-10GSFP-SR-MP (10Gb SR Fiber SFP)	2
	EXP-1GSFP-T (1Gb Copper SFP)	2
PSU	UCSC-PSU1-770W	2

Item	Part	Quantity
TPM	UCSX-TPM2-002 (Trusted Platform Module 2.0)	1
SD Card	UCS-SD-32G-S (32GB SD Card for UCS servers)	1
Miscellaneous	UCSC-RAILF-M4 (Rail kit)	1
	UCSC-HS-C220M5 (Heat sink)	1
	UCSC-BBLKD-L2 (blanking panels for HDD slots)	2
	UCS-MSTOR-SD (Mini Storage Carrier for SD)	1
	Accessory Kit	1
	Bezel	1

Power Cables

Power cables are available to order from Cisco.



Warning

If you opt not to order power cables from Cisco, you must use cables of the designated type, - see <https://www.cisco.com/c/dam/en/us/products/collateral/servers-unified-computing/ucs-c-series-rack-servers/c220m5-1ff-specsheet.pdf>

KVM Adaptors

KVM adaptors are available to order from Cisco.

Field-Replaceable Components

These components are field replaceable:

- Hard disks
- Power supply units (PSUs)
- Fan module
- SFP network connection modules (1 Gb and 10 Gb)



Caution

To avoid compatibility issues use only the supplied SFPs, and follow the other requirements for SFPs in [Task 2: Insert the SFP Network Connection Modules](#)

Returns or Replacements

If you need to begin a Return Material Authorization (RMA) for any reason, go to http://www.cisco.com/web/ordering/cs_info/or3/o32/Return_a_Product/WebReturns/product_Online_web_returns.html.

