



## show operator-policy

This chapter describes the output of the **show operator-policy** command.

- [show operator-policy full name, on page 1](#)

### show operator-policy full name

Displays detailed configuration information for a specific operator policy configured on the system. While operator policies can be configured on SGSN, MME, and S-GW products, the information provided below only applies to SGSN.

**Table 1: show operator-policy full name Command Output Descriptions**

Field	Description
Operator Policy Name	The name of the operator policy you chose to view.
Call Control Profile Name	The name of the call control profile associated with this operator policy (only one call control profile per operator policy) or <b>none-associated</b> if no profile has been associated with this operator policy.
Validity	Indicates whether the profile name listed above already exists ( <b>Valid</b> ) or has not been created yet ( <b>Invalid</b> ).
APN Remap Table Name	The name of the access point name (APN) remap table associated with this operator policy (only one APN remap table per operator policy) or <b>none-associated</b> if no APN remap table has been associated with this operator policy.
Validity	Indicates whether the APN remap table name listed above already exists ( <b>Valid</b> ) or has not been created yet ( <b>Invalid</b> ).
IMEI Range	A range of international mobile equipment identity numbers associated with this operator policy or <b>none-associated</b> if no ranges have been associated with this operator policy. Up to 10 IMEI ranges can be associated with an operator policy.
IMEI Profile Name	The name of the IMEI profile associated with the IMEI number range above or <b>none</b> if no profile is associated with this range.

Field	Description
Include/Exclude	Indicates whether the IMEI range is associated with an IMEI profile ( <b>Include</b> ) or not associated with any IMEI profile ( <b>Exclude</b> ).
APN Associations	If no APN parameters are associated with this operator policy, this entry appears with the value <b>none-associated</b> .
APN NI	
APN Profile Name	The name of the APN profile associated with the APN network identifier show above.
Validity	Indicates whether the APN profile name listed above already exists ( <b>Valid</b> ) or has not been created yet ( <b>Invalid</b> ).
APN OI	
APN Profile Name	The name of the APN profile associated with the APN operator identifier show above.
Validity	Indicates whether the APN profile name listed above already exists ( <b>Valid</b> ) or has not been created yet ( <b>Invalid</b> ).
Default APN	
APN Profile Name	The name of the APN profile associated with the default access point name.
Validity	Indicates whether the APN profile name listed above already exists ( <b>Valid</b> ) or has not been created yet ( <b>Invalid</b> ).