



Installing CPS vDRA

- [Create Installer VM in vSphere, on page 1](#)
- [Binding-VNF, on page 3](#)
- [cps Installer Commands, on page 4](#)
- [Validate Deployment, on page 6](#)

Create Installer VM in vSphere

Create the installer VM in VMware vSphere.

Download the vDRA deployer VMDKs and base image VMDKs.

Upload the VDMK File

Upload the VDMK file as shown in the following example:

```
ssh root@my-esxi-1.cisco.com
cd /vmfs/volumes/<datastore>
mkdir cps-images
cd /vmfs/volumes/<datastore>/cps-images
wget http://<your_host>/cps-deployer-host_<version>.vmdk
```

Convert CPS Deployer VMDK to ESXi Format

Convert the CPS deployer host VMDK to ESXi format as shown in the following example:

```
ssh root@my-esxi-1.cisco.com
cd /vmfs/volumes/<datastore>/cps-images
vmkfstools --diskformat thin -i cps-deployer-host_<version>.vmdk
cps-deployer-host_<version>-esxi.vmdk
```

Create CPS Installer VM

Using the vSphere client, create the CPS Installer VM.

Step 1 Log into vSphere and select **Hosts and Clusters**.

Step 2 Select the target EXSi host.

- Step 3** Select **Actions > New Virtual Machine**.
- Step 4** Select **Create a new virtual machine** and click **Next**.
- Step 5** Enter a name for the virtual machine (for example, `cps-installer`) and select the location for the virtual machine. Click **Next**.
- Step 6** Select blade IP address from **Select a compute resource** window and click **Next** to open **Select storage** window.
- Step 7** From **Select storage** window, select `datastorename` and click **Next** to open **Select compatibility** window.
- Step 8** From **Compatible with:** drop-down list, select **ESXi 6.0 and later** and click **Next** to open **Select a guest OS** window.
- Step 9** From **Guest OS Family:** drop-down list, select **Linux** and from **Guest OS Version:** drop-down list, select **Ubuntu Linux (64-bit)**.
- Step 10** Click **Next** to open **Customize hardware** window.
- Step 11** In **Virtual Hardware** tab:
- Select 4 CPUs.
 - Select **Memory** size as **32 GB**.
 - Delete **New Hard Disk** (VM will use the existing disk created earlier with `vmkfstools` command).
 - Select **Management** network from the **New Network** drop-down list and check **Connect At Power On**.
- Step 12** Create hard disk.
- Select **Existing Hard Disk** from **New Device:** drop-down list and click **ADD**.
 - Navigate to `cps-deployer-host_<version>-esxi.vmdk` file created earlier with the `vmkfstools` command and click **OK**.
 - Click **Next**.
 - Click **Finish**.
- Step 13** Adjust hard disk size.
- Press **Ctrl + Alt +2** to go back to **Hosts and Clusters** and select the VM created above (`cps-installer`).
 - Right-click and select **Edit Settings...** **Virtual Hardware** tab is displayed as default.
 - In the **Hard disk 1** text box enter **100** and click **OK**.
- Step 14** Power ON the VM and open the console.

Configure Network

- Step 1** Log into the VM Console as user: `cps`, password: `cisco123`.
- Step 2** Create the `/etc/network/interfaces` file using `vi` or using the [here document](#) syntax as shown in the example:

```
cps@ubuntu:~$ sudo -i
root@ubuntu:~# cat > /etc/network/interfaces <<EOF
auto lo
iface lo inet loopback

auto ens160
iface ens160 inet static
address 10.10.10.5
netmask 255.255.255.0
gateway 10.10.10.1
dns-nameservers 192.168.1.2
dns-search cisco.com
```

```
EOF
root@ubuntu:~#
```

Step 3 Restart networking as shown in the following example:

```
root@ubuntu:~# systemctl restart networking
root@ubuntu:~# ifdown ens160
root@ubuntu:~# ifup ens160
root@ubuntu:~# exit
cps@ubuntu:~$
```

What to do next

You can log in remotely using the SSH login `cps/cisco123`.

Binding-VNF

The process for installing the `binding-vnf` is the same as the `dra-vnf`. Create the configuration artifacts for the `binding-vnf` using the same VMDK. But use the `binding ISO` instead of `DRA ISO`. Similar to the `dra-vnf`, add a 200 GB data disk to the master and control VMs.

Artifacts Structure

```
cps@installer:/data/deployer/envs/binding-vnf$ tree
.
|-- base.env
|-- base.esxi.env
|-- user_data.yml
|-- user_data.yml.pam
`-- vms
    |-- control-0
    |   |-- control-binding-0
    |   |   |-- interfaces.esxi
    |   |   |-- user_data.yml
    |   |   |-- user_data.yml.pam
    |   |   |-- vm.env
    |   |   `-- vm.esxi.env
    |   |-- role.env
    |   `-- role.esxi.env
    |-- control-1
    |   |-- control-binding-1
    |   |   |-- interfaces.esxi
    |   |   |-- user_data.yml
    |   |   |-- user_data.yml.pam
    |   |   |-- vm.env
    |   |   `-- vm.esxi.env
    |   |-- role.env
    |   |-- role.esxi.env
    |   `-- user_data.yml.disk
    |-- master
    |   |-- master-binding-0
    |   |   |-- interfaces.esxi
    |   |   |-- user_data.yml
    |   |   |-- user_data.yml.functions
    |   |   |-- user_data.yml.pam
    |   |   |-- vm.env
    |   |   `-- vm.esxi.env
```

```

|   |-- role.env
|   `-- role.esxi.env
|-- persistence-db
|   |-- persistence-db-1
|   |   |-- interfaces.esxi
|   |   |-- vm.env
|   |   `-- vm.esxi.env
|   |-- persistence-db-2
|   |   |-- interfaces.esxi
|   |   |-- vm.env
|   |   `-- vm.esxi.env
|   |-- persistence-db-3
|   |   |-- interfaces.esxi
|   |   |-- vm.env
|   |   `-- vm.esxi.env
|-- role.env
|-- role.esxi.env

```

```

11 directories, 38 files
cps@installer:/data/deployer/envs/binding-vnf$

```

cps Installer Commands

Command Usage

Use the `cps` command to deploy VMs. The command is a wrapper around the `docker` command required to run the deployer container.

Example:

```

function cps () {
    docker run \
        -v /data/deployer:/data/deployer \
        -v /data/vmware:/export/ \
        -it --rm dockerhub.cisco.com/cps-docker-v2/cps deployer/deployer:latest \
        /root/cps "$@"
}

```

To view the help for the command, run the following command: `cps -h`

```

cps@installer:~$ cps -h
usage: cps [-h] [--artifacts_abs_root_path ARTIFACTS_ABS_ROOT_PATH]
          [--export_dir EXPORT_DIR] [--deploy_type DEPLOY_TYPE]
          [--template_dir TEMPLATE_DIR]
          [--status_table_width STATUS_TABLE_WIDTH] [--skip_create_ova]
          [--skip_delete_ova]
          {install,delete,redeploy,list,poweroff,poweron,datadisk}
          vnf_artifacts_relative_path [vm_name [vm_name ...]]

```

positional arguments:

```

{install,delete,redeploy,list,poweroff,poweron,datadisk}
    Action to perform
vnf_artifacts_relative_path
    VNF artifacts directory relative to vnf artifacts root
    path. Example: dra-vnf
vm_name
    name of virtual machine

```

optional arguments:

```

-h, --help            show this help message and exit
--artifacts_abs_root_path ARTIFACTS_ABS_ROOT_PATH
    Absolute path to artifacts root path. Example:

```

```

                                /data/deployer/envs
--export_dir EXPORT_DIR        Absolute path to store ova files and rendered
                                templates
--deploy_type DEPLOY_TYPE      esxi
--template_dir TEMPLATE_DIR    Absolute path to default templates
--status_table_width STATUS_TABLE_WIDTH
                                Number of VMs displayed per row in vm status table
--skip_create_ova              Skip the creation of ova files. If this option is
                                used, the ova files must be pre-created. This if for
                                testing and debugging
--skip_delete_ova              Skip the deletion of ova files. If this option is
                                used, the ova files are not deleted. This if for
                                testing and debugging

```

List VMs in Artifacts

Use the following command to list VMs in artifacts:

```
cps list example-dra-vnf
```

where, *example-dra-vnf* is the VNF artifacts directory.

Deploy all VMs in Parallel

Use the following command to deploy all VMs in parallel:

```
cps install example-dra-vnf
```

Deploy one or more VMs

The following example command shows how to deploy dra-director-2 and dra-worker-1:

```
cps install example-dra-vnf dra-director-2 dra-worker-1
```

Delete one or more VMs

The following command is an example for deleting dra-director-1 and dra-worker-1 VMs:



Note VM deletion can disrupt services.

```
cps delete example-dra-vnf dra-director-1 dra-worker-1
```

Redeploy all VMs

Redeploying VMs involves deleting a VM and then redeploying them. If more the one VM is specified, VMs are processed serially. The following command is an example for redeploying all VMs:



Note VM deletion can disrupt services.

```
cps redeploy example-dra-vnf
```

Redeploy one or more VMs

Redeploying VMs involves deleting a VM and then redeploying them. If more than one VM is specified, VMs are processed serially. The following command is an example for redeploying two VMs:



Note VM deletion can disrupt services.

```
cps redeploy example-dra-vnf dra-director-1 control-1
```

Power down one or more VMs

The following command is an example for powering down two VMs:



Note Powering down the VM can disrupt services.

```
cps poweroff example-dra-vnf dra-director-1 dra-worker-1
```

Power up one or more VMs

The following command is an example for powering up two VMs:



Note Powering Up the VM can disrupt services.

```
cps poweron example-dra-vnf dra-director-1 dra-worker-1
```

Validate Deployment

Use the CLI on the master VM to validate the installation.

Connect to the CLI using the default user and password (admin/admin).

```
ssh -p 2024 admin@<master management ip address>
```

show system status

Use `show system status` command to display the system status.



Note System status percent-complete should be 100%.

```
admin@orchestrator[master-0]# show system status
system status running      true
system status upgrade     false
system status downgrade    false
system status external-services-enabled true
system status debug       false
```

```
system status percent-complete 100.0
admin@orchestrator[master-0]#
```

show system diagnostics

No diagnostic messages should appear using the following command:

```
admin@orchestrator[master-0]# show system diagnostics | tab | exclude pass
NODE          CHECK ID          IDX STATUS MESSAGE
-----
admin@orchestrator[master-0]#
```

show docker engine

All DRA-VNF VMs should be listed and in the CONNECTED state.

```
admin@orchestrator[master-0]# show docker engine
ID          STATUS    MISSED PINGS
-----
control-0   CONNECTED 0
control-1   CONNECTED 0
dra-director-1 CONNECTED 0
dra-director-2 CONNECTED 0
dra-distributor-1 CONNECTED 0
dra-distributor-2 CONNECTED 0
dra-worker-1 CONNECTED 0
dra-worker-2 CONNECTED 0
master-0    CONNECTED 0
admin@orchestrator[master-0]#
```

show docker service

No containers should be displayed when using the exclude HEAL filter.

```
admin@orchestrator[master-0]# show docker service | tab | exclude HEAL
MODULE  INSTANCE NAME  VERSION  ENGINE  CONTAINER ID  STATE  BOX  PENALTY  MESSAGE
-----
admin@orchestrator[master-0]#
```

show docker service