



CPS CCI Guide for Full Privilege Administrators, Release 24.2.0

First Published: 2024-09-18

Americas Headquarters

Cisco Systems, Inc.
170 West Tasman Drive
San Jose, CA 95134-1706
USA
<http://www.cisco.com>
Tel: 408 526-4000
800 553-NETS (6387)
Fax: 408 527-0883

THE SPECIFICATIONS AND INFORMATION REGARDING THE PRODUCTS IN THIS MANUAL ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL STATEMENTS, INFORMATION, AND RECOMMENDATIONS IN THIS MANUAL ARE BELIEVED TO BE ACCURATE BUT ARE PRESENTED WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. USERS MUST TAKE FULL RESPONSIBILITY FOR THEIR APPLICATION OF ANY PRODUCTS.

THE SOFTWARE LICENSE AND LIMITED WARRANTY FOR THE ACCOMPANYING PRODUCT ARE SET FORTH IN THE INFORMATION PACKET THAT SHIPPED WITH THE PRODUCT AND ARE INCORPORATED HEREIN BY THIS REFERENCE. IF YOU ARE UNABLE TO LOCATE THE SOFTWARE LICENSE OR LIMITED WARRANTY, CONTACT YOUR CISCO REPRESENTATIVE FOR A COPY.

The Cisco implementation of TCP header compression is an adaptation of a program developed by the University of California, Berkeley (UCB) as part of UCB's public domain version of the UNIX operating system. All rights reserved. Copyright © 1981, Regents of the University of California.

NOTWITHSTANDING ANY OTHER WARRANTY HEREIN, ALL DOCUMENT FILES AND SOFTWARE OF THESE SUPPLIERS ARE PROVIDED "AS IS" WITH ALL FAULTS. CISCO AND THE ABOVE-NAMED SUPPLIERS DISCLAIM ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THOSE OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT OR ARISING FROM A COURSE OF DEALING, USAGE, OR TRADE PRACTICE.

IN NO EVENT SHALL CISCO OR ITS SUPPLIERS BE LIABLE FOR ANY INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST PROFITS OR LOSS OR DAMAGE TO DATA ARISING OUT OF THE USE OR INABILITY TO USE THIS MANUAL, EVEN IF CISCO OR ITS SUPPLIERS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Any Internet Protocol (IP) addresses and phone numbers used in this document are not intended to be actual addresses and phone numbers. Any examples, command display output, network topology diagrams, and other figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses or phone numbers in illustrative content is unintentional and coincidental.

All printed copies and duplicate soft copies of this document are considered uncontrolled. See the current online version for the latest version.

Cisco has more than 200 offices worldwide. Addresses and phone numbers are listed on the Cisco website at www.cisco.com/go/offices.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: <https://www.cisco.com/c/en/us/about/legal/trademarks.html>. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1721R)

© 2024 Cisco Systems, Inc. All rights reserved.



CONTENTS

PREFACE

Preface	vii
About This Guide	vii
Audience	vii
Additional Support	viii
Conventions (all documentation)	viii
Communications, Services, and Additional Information	ix
Important Notes	x

CHAPTER 1

Control Center Interface	1
Control Center Overview	1
Control Center Users And Roles	1
Access Control Center	1

CHAPTER 2

Subscriber Screens	3
Subscriber Screens Overview	3
Find a Subscriber	3
Create a Subscriber	4
Edit a Subscriber	6
Change the Credential ID of a Subscriber	7
Deactivating or Activating a Subscriber	7
Delete a Subscriber	8
Subscriber Screens Definitions	8
Overview Screen	8
Details Screens	9
General Screen	9
Credentials Screen	12

- Services Screen 13
 - Add a Service to a Subscriber 15
 - Remove a Service from a Subscriber 16
- Notifications Screen 16
- Subaccount Screen 18
- Sessions Screen 19
 - Session Details Table 19
 - Remove a Session 20
- Balance Screen 20
 - Balances 20
 - Quotas 21
 - Managing Quotas and Balances 21
 - Add a Balance Type 22
 - Credit or Debit an Existing Balance 22
 - Delete a Balance 22
 - Delete a Quota 22
 - Check the History of Balances 23

CHAPTER 3

Session Tracing 25

- Session Tracing 25
- View a Subscriber Session 25
- Find Network Sessions 26

CHAPTER 4

Control Center Interface 27

- Control Center Overview 27
- Control Center Users And Roles 27
- Access Control Center 27

CHAPTER 5

Subscriber Screens 29

- Subscriber Screens Overview 29
- Find a Subscriber 29
- Create a Subscriber 30
- Edit a Subscriber 32
- Change the Credential ID of a Subscriber 33

Deactivating or Activating a Subscriber	33
Delete a Subscriber	34
Subscriber Screens Definitions	34
Overview Screen	34
Details Screens	35
General Screen	35
Credentials Screen	38
Services Screen	39
Add a Service to a Subscriber	41
Remove a Service from a Subscriber	42
Notifications Screen	42
Subaccount Screen	44
Sessions Screen	45
Session Details Table	45
Remove a Session	46
Balance Screen	46
Balances	46
Quotas	47
Managing Quotas and Balances	47
Add a Balance Type	48
Credit or Debit an Existing Balance	48
Delete a Balance	48
Delete a Quota	48
Check the History of Balances	49

CHAPTER 6
Session Tracing 51

Session Tracing	51
View a Subscriber Session	51
Find Network Sessions	52

CHAPTER 7
Custom Reference Data Tables 53

Custom Reference Data Tables Overview	53
Concepts for Custom Reference Data Tables	54
Steps and Procedures	54

Policy Builder: Constructing Custom Reference Data Tables **54**

- Set Up the System Plug-in Configuration **55**
- Create or Edit a Custom Reference Data Table **55**
- Delete Reference Data Tables **58**
- Last Tasks **58**

Control Center: Populating a Custom Reference Data Table **58**

- Import Data from a Spreadsheet **58**
- Enter Data Manually **61**
- Add a Row **61**
- Edit a Row **62**
- Fix Errors in a Row **62**
- Delete a Single Row **62**
- Create a Snapshot **62**
- Revert a Snapshot **63**
- Export All **64**
- Import All **65**

Typical Tasks for Everyday **65**

- Refresh the Screen **65**
- Navigate the Table Screens **66**

 - Navigate in a Row **66**



Preface

- [About This Guide](#), on page vii
- [Audience](#), on page vii
- [Additional Support](#), on page viii
- [Conventions \(all documentation\)](#), on page viii
- [Communications, Services, and Additional Information](#), on page ix
- [Important Notes](#), on page x

About This Guide



Note The documentation set for this product strives to use bias-free language. For purposes of this documentation set, bias-free is defined as language that does not imply discrimination based on age, disability, gender, racial identity, ethnic identity, sexual orientation, socioeconomic status, and intersectionality. While any existing biased terms are being substituted, exceptions may be present in the documentation due to language that is hardcoded in the user interfaces of the product software, language used based on RFP documentation, or language that is used by a referenced third-party product.

This document is a part of the Cisco Policy Suite documentation set.

For information about available documentation, see the *CPS Documentation Map* for this release at [Cisco.com](https://www.cisco.com).



Note The PATS/ATS, ANDSF, and MOG products have reached end of life and are not supported in this release. Any references to these products (specific or implied), their components or functions in this document are coincidental and are not supported. Full details on the end of life for these products are available at: <https://www.cisco.com/c/en/us/products/wireless/policy-suite-mobile/eos-eol-notice-listing.html>.

Audience

This guide is best used by these readers:

- Network administrators

- Network engineers
- Network operators
- System administrators

This document assumes a general understanding of network architecture, configuration, and operations.

Additional Support

For further documentation and support:

- Contact your Cisco Systems, Inc. technical representative.
- Call the Cisco Systems, Inc. technical support number.
- Write to Cisco Systems, Inc. at support@cisco.com.
- Refer to support matrix at <https://www.cisco.com/c/en/us/support/index.html> and to other documents related to Cisco Policy Suite.

Conventions (all documentation)

This document uses the following conventions.

Conventions	Indication
bold font	Commands and keywords and user-entered text appear in bold font .
<i>italic font</i>	Document titles, new or emphasized terms, and arguments for which you supply values are in <i>italic font</i> .
[]	Elements in square brackets are optional.
{x y z }	Required alternative keywords are grouped in braces and separated by vertical bars.
[x y z]	Optional alternative keywords are grouped in brackets and separated by vertical bars.
string	A nonquoted set of characters. Do not use quotation marks around the string or the string will include the quotation marks.
courier font	Terminal sessions and information the system displays appear in courier font.
<>	Nonprinting characters such as passwords are in angle brackets.

Conventions	Indication
[]	Default responses to system prompts are in square brackets.
!, #	An exclamation point (!) or a pound sign (#) at the beginning of a line of code indicates a comment line.



Note Means reader take note. Notes contain helpful suggestions or references to material not covered in the manual.



Caution Means reader be careful. In this situation, you might perform an action that could result in equipment damage or loss of data.



Warning IMPORTANT SAFETY INSTRUCTIONS.

Means danger. You are in a situation that could cause bodily injury. Before you work on any equipment, be aware of the hazards involved with electrical circuitry and be familiar with standard practices for preventing accidents. Use the statement number provided at the end of each warning to locate its translation in the translated safety warnings that accompanied this device.

SAVE THESE INSTRUCTIONS



Note Regulatory: Provided for additional information and to comply with regulatory and customer requirements.

Communications, Services, and Additional Information

- To receive timely, relevant information from Cisco, sign up at [Cisco Profile Manager](#).
- To get the business impact you're looking for with the technologies that matter, visit [Cisco Services](#).
- To submit a service request, visit [Cisco Support](#).
- To discover and browse secure, validated enterprise-class apps, products, solutions and services, visit [Cisco DevNet](#).
- To obtain general networking, training, and certification titles, visit [Cisco Press](#).
- To find warranty information for a specific product or product family, access [Cisco Warranty Finder](#).

Cisco Bug Search Tool

[Cisco Bug Search Tool](#) (BST) is a web-based tool that acts as a gateway to the Cisco bug tracking system that maintains a comprehensive list of defects and vulnerabilities in Cisco products and software. BST provides you with detailed defect information about your products and software.

Important Notes



Important Any feature or GUI functionality that is not documented may not be supported in this release or may be customer specific, and must not be used without consulting your Cisco Account representative.



CHAPTER 1

Control Center Interface

- [Control Center Overview](#), on page 1
- [Control Center Users And Roles](#), on page 1
- [Access Control Center](#), on page 1

Control Center Overview

The Control Center enables you to manage subscribers and perform various operations to get information about subscribers, track subscriber sessions, to construct and populate custom reference data tables and so on.

Control Center Users And Roles

CPS enables users to be aware of its current privileges while accessing Control Center as described below:

- If a user has read-write privilege then "ADMIN" is displayed adjacent to user name in the GUI.
- If a user has read-only privilege then "READONLY" is displayed adjacent to user name in the GUI.

Access Control Center

To access Control Center, use the following URL:

`http://<ip-address>:8090`

The hostname is displayed in the login dialog box and system banner to differentiate between open windows while performing any operation of the CPS system. It indicates which system is being modified and prevents any errors or misconfigurations.

The hostname is displayed when the parameter `-Dhostname=lab` is configured in `pb/qns.conf` files. If it is not configured in the `qns.conf` file, it is displayed as a result of the command "hostname" on the server.

The hostname is displayed in the login panel only when the following argument is set to true:

`-DshowSitenameLogin`



CHAPTER 2

Subscriber Screens

- [Subscriber Screens Overview, on page 3](#)
- [Find a Subscriber, on page 3](#)
- [Create a Subscriber, on page 4](#)
- [Edit a Subscriber, on page 6](#)
- [Change the Credential ID of a Subscriber, on page 7](#)
- [Deactivating or Activating a Subscriber, on page 7](#)
- [Delete a Subscriber, on page 8](#)
- [Subscriber Screens Definitions, on page 8](#)
- [Overview Screen, on page 8](#)
- [Details Screens, on page 9](#)
- [Sessions Screen, on page 19](#)
- [Balance Screen, on page 20](#)

Subscriber Screens Overview

This chapter provides discussion and examples for an administrator with full read and write privileges. As a full privilege admin, you are able to change, delete, and deactivate subscriber information.

After you log in, the default page of the Control Center interface displays the **Subscribers tab > Find Subscriber** screen.

The Subscribers tab lets you look at details for a subscriber, any subaccounts under a subscriber, and any sessions a subscriber may have.

From the menu tree on the left, you have access to session information screens at the subscriber level and the network level. Read about these screens in [Sessions Screen, on page 19](#).

Find a Subscriber

Finding a subscriber is often the first step in performing other tasks for a subscriber.



Note To list all subscribers, leave the Credential Name field blank. The maximum number of records returned is 1000.

Enter search criteria into either the Credential or Name field. You can use any portion of a subscriber's name, but when searching on a credential ID, you must use the full credential. No wild cards are permitted.

Step 1 Click **Subscribers tab** > **Subscribers node** > **Find Subscriber** item in the menu tree.

Step 2 Enter your search criteria in the Credential or Name field and click **Search**.

Credential	Name	Status
Test	test	ACTIVE

Step 3 Matches to your search criteria appear in the Results table.

Use the open link on the right to display more information about the subscriber

Use the delete link to delete the subscriber.

Note As you find and use subscriber screens, the menu tree keeps track of the most recent finds. Dismiss these items from the tree with the X icon.

Type	Destination

Create a Subscriber

To import a large number of subscribers, use your own subscriber profile repository (SPR) software.

Use these steps to create subscribers one at a time.

Step 1 Click **Subscribers tab** > **Subscribers node** > **Create Subscriber** item in the menu tree.

Step 2 Select a Domain from the drop-down menu.

Domains are created in the Policy Builder interface and are displayed here. Domains are a point of intersection between Control Center and Policy Builder.

Step 3 Type in a credential that specifically identifies the new subscriber.

A credential is a unique identifier that subscribers and subaccount customers use to log in. Typically, a credential is defined when you create the subscriber or subaccount. However, you can manage credentials separately from the create process.

The credential can be any letter or number with a length of one or more alphanumeric characters. Best practice is to not use special characters, although apostrophe and hyphen may be part of a name.

Step 4 Enter the subscriber's name, first and last, in the same field.

Step 5 Click **Save** to create the subscriber with just a domain, name, and credential defined. You can return later and fill in more details later.

Click **Save and Continue** to provide more details of the new subscriber at this time.

The details of a subscriber are captured and displayed on the screens. To fill out the various detail screens, see those specific sections.

- General
- Credentials
- Services
- Notifications
- Subaccounts

The other two areas, Sessions and Balance, show you more information about the user, but there is nothing editable.

If you want to check your work, use the Find Subscriber task in the menu tree and make sure you can find the subscriber you just created.


Edit a Subscriber

Step 1 Find the subscriber as described at [Find a Subscriber, on page 3](#).

Step 2 Hover over the name displayed in the Results table and click **Open**.



The Subscriber Overview screen appears.



Step 3 From this screen, click any of the edit or manage links to change subscriber information about that topic.

You can also use the menu items in the menu tree on the left to display individual screens.

For help on using any of the screens shown here, see the sections written specifically about them:

- a. Overview Screen
- b. Details Screens
- c. General Screen

- d. Credentials Screen
 - e. Services Screen
 - f. Notifications Screen
 - g. Subaccount Screen
 - h. Sessions Screen
 - i. Balance Screen
-

Change the Credential ID of a Subscriber

Step 1 Click **Subscribers tab** > **Subscribers node** > **Find Subscriber** item in the tree.

Step 2 Enter search criteria for the subscriber in the **Find Subscriber** screen.

Step 3 Hover over the subscriber in the Results list and click the open link.

Step 4 In the Credentials area, click the edit link.

Step 5 Either add a new credential or edit one already present.

- To add an additional credential to the list, click the add link.
- To edit a credential already in the list, hover over the credential and click **edit**.

In the **Credential Detail** screen that appears, set the expiration date for the credential, or add or change an optional password to the credential.

See also the Credentials Screen. That screen contains the fields for a secondary password for the subscriber.

Deactivating or Activating a Subscriber

Deactivate a subscriber if you don't want to completely delete them from your subscriber base. This way you can reactivate them later.

Step 1 Click **Subscribers tab** > **Subscribers node** > **Find Subscriber** item in the menu tree.

Find the subscriber as described on Find a Subscriber.

Step 2 On the Overview screen, click the edit link in the General area.

Step 3 In the Status drop-down menu, change the subscriber's status to Suspended or Active.

Delete a Subscriber

If deleting a subscriber is too drastic, you can deactivate them with the procedure on [Deactivating or Activating a Subscriber](#), on page 7.

- Step 1** Click **Subscribers tab** > **Subscribers node** > **Find Subscriber** item in the menu tree.
Find the subscriber as described on Find a Subscriber.
- Step 2** Hover over the subscriber in the Results table and click **Delete**.
- Step 3** Be sure you are deleting the correct subscriber. Check the credential in the Confirm screen and make sure.

The screenshot shows the 'Subscribers' interface. At the top, there is a 'Find Subscriber' section with a search criteria field containing 'Test' and a 'Search' button. Below this is a 'Results' table with the following data:

Credential	Name	Status
Test	test	ACTIVE

A 'Confirm' dialog box is overlaid on the table, asking: 'Are you sure you want to delete this Subscriber (Credential=Test)? This action cannot be undone.' The dialog has 'Yes' and 'No' buttons.

The Results table displays your matches, but without the deleted subscriber.

Subscriber Screens Definitions

This section describes the screens used to support subscribers. After you find a subscriber you can access these screens.

Overview Screen

When you find a subscriber and open their record, the Overview screen opens.

The menu tree on the left displays the subscriber name and four submenus (Overview, Details, Sessions, Balance).

The Overview screen, with its six subsections, appears on the right.

Click the edit or manage links at the right of the sections to add, edit, or remove information for that specific aspect of the subscriber. Refer to [Edit a Subscriber, on page 6](#) for more information.

Details Screens

The Details item in the menu lets you view and edit five other screens that contain even more specific information about a subscriber or a subaccount:

- General information
- Credentials or passwords
- Services the subscriber pays for
- Notification preferences
- Subaccount users under the subscriber

General Screen


1. Click **Subscribers tab** > **Subscribers node** > **Find Subscriber** item in the menu tree.
2. Find the subscriber as described in [Find a Subscriber, on page 3](#).
3. Click **Details** > **General**.

Field	Description
Name	This single field is for both the first and last name of the subscriber.
Domain	This drop-down list displays the domain to which the subscriber is assigned. Domains themselves are created in the Policy Builder interface.
Status	<p>The Status field shows these three states for a subscriber:</p> <ul style="list-style-type: none"> • Active and able to use services • Deleted and no longer part of your system • Suspended and in the system, but not able to use services <p>By default, status for a new subscriber is always ACTIVE, but you can change this.</p>
Start Date End Date	Use the calendar widget to specify the start and stop date and time of service to the subscriber.

Field	Description
Role	<p>When the subscriber logs in to your subscriber portal, this field determines how much read-write privilege is granted to them. The primary subscriber is always granted the Write All role, permitting editing of all subaccounts under it. You can change this role if you wish. For example, the primary subscriber might be a team leader responsible for team member accounts. See Subaccount Screen.</p> <p>If a user is not a primary subscriber, they are created as a subaccount user under a primary subscriber. Assign roles for subaccount users in the Details > Subaccounts screen.</p> <p>Be sure to assign the access privileges of a subaccount user. When first created, they have Write all privileges.</p> <ul style="list-style-type: none"> • Write all—can read and write all information for themselves and any subaccounts • Read all—can view all portal information • Write self—can read and write only their own information • Read self—can view only their own information
External ID	Occasionally, a subscriber may need to connect with or relate to an external third-party system. This field identifies the subscriber to that external service.
Rate Plan	Enter predefined rate plan codes, such as prepaid or postpaid. Rate plans are created in Policy Builder and are obtained from that administrator.
Charging ID	A subscriber might have a unique charging ID. Using this, usage by members of a subaccount, or 'children' of the subscriber can be billed to their 'parent'.
Authentication Type	Not used.
Username	This field is used to provision the EAP username in the subscriber profile. This field is provided to support the EAP-TTLS/MSCHAPv2 call flow introduced in the CPS 7.5 release.
Password	This field is used to provision the EAP password in the subscriber profile. This field is used together with the Username field.
Custom Data Area	This area lets you use a look up list, or key-value pairs to keep track of other variables that concern your subscriber.
Code	This is the key portion of a key-value pair.
Value	This is the definition or value of the key-value pair.

Credentials Screen

The Credentials screen lets you specify more than one credential or password for a subscriber. More than one credential may be necessary for the subscriber to log in from different devices or locations.



The rows in this screen are populated by the Credential Detail screen shown below.

Click the add or edit link to display the Credential Detail screen.

Field	Description
Credential ID	A credential is a unique identifier that subscribers and subaccount customers use to log in. Typically, a credential is defined when you create the subscriber or subaccount. However, you can manage credentials separately from the create process. The credential can be any letter or number with a length of one or more alphanumeric characters. Best practice is to not use special characters, although apostrophe and hyphen may be part of a name.
Type	Use this field for sorting and reporting. In this field, you can indicate if the credential is for a subscriber or a subaccount, or for permanent or guest use.
Description	This field lets you provide more information about this particular credential.

Field	Description
Expiration Date	Uses the calendar widget to set an end date to the credential and so restrict logins.
Password	In addition to a credential ID, a subscriber can log in with a password. A password is optional because MAC addresses, for example, do not have a password.
New Password	Change the password already defined.
Confirm Password	This entry must match the new password.

Services Screen


The Services link lets you administer what services or service plans a subscriber may access.

The Services screen shows this information about the service provided to the subscriber. Recall that a subscriber can have one or more services.

Services and service plans are developed in Policy Builder and are reflected here for you to choose from.

Services are a point of intersection between Control Center and Policy Builder.

Field	Description
Service Name	Enter the name or code of the service.
Enabled	If checked, this box allows the subscriber to use the service. Unchecked, the subscriber cannot access the service.
Custom Data	This area lets you use a look up list, or key-value pairs to keep track of other variables that concern your service.
Code	This is the key portion of a key-value pair.
Value	This is the definition or value of the key.


Field	Description
Schedule	<p>This area lets you define specific times and recurrence for when the service is available to the subscriber.</p> <p>Click the add link to fill in the Schedule Detail window.</p> 
Start Time End Time	<p>These two fields let you limit the hours of the day your subscriber may access your system. The example shows access times from 8:00 in the morning to 5:00 in the afternoon. Conversely, if you check the Turn off service during these times check box, you prevent access during the times specified here.</p>
Dates	<p>Set dates to limit subscriber access on a wider basis.</p>
Start Date End Date	<p>Use the calendar widget to set a specific start and end date to service. Conversely, check the Turn off service during these times check box and prevent access during the dates specified here.</p>
Day of month	<p>Select a day of the month to permit the subscriber to access this service. If you want, you can allow access on the 5th, 10th, and 30th of the month by creating three schedules. Conversely, check the Turn off service during these time check box to deny access to a service on a particular day of the month.</p>
Day of Week	<p>Select the day of the week to permit the subscriber to access this service. You can allow access on only Tuesday, Wednesday, and Thursday by creating three schedules specifying those days of the week. For another example, you might create two schedules, one for Saturday and one for Sunday. If you check the Turn off service during these times check box for both schedules, you prevent access on weekends specifically.</p>
Month	<p>Select a month that you would like to allow service, perhaps for an introductory offer. Services is granted for that calendar month only. To affect more than one month, create multiple schedules, that is, one for June, one for July, one for August and so on. Conversely, check the Turn off service during these times check box to deny access to a service for a particular month, perhaps during vacation period.</p>

Field	Description
Year	Grant service for an entire calendar year. To affect more than one year, create multiple schedules, that is, one for 2014, 2015, and so on. Conversely, check the Turn off service during these times check box to deny access to a service for a particular year.
Repeat	This field interprets the Schedule detail, showing if the schedule has a recurring aspect.
Enabled	Select this check box to put the schedule into effect. If you are developing a schedule and don't want to invoke it yet, deselect this box. This selection is reflected on the Service Detail screen as a Yes or No in the Enabled column.
Turn off service during these times	Select this check box to make the scheduled time unavailable for login, that is, to create and excluded time. For example, you may want to block a subscriber from logging in during school time hours. This selection is reflected on the Service Detail screen as a Yes or No in the Excl column.

Add a Service to a Subscriber

Step 1 To add a service to a subscriber, click **Subscribers tab > Find Subscriber > Open > Details (in the tree) > Services (next to the form) > add (next to the Service Code column heading)**.

Step 2 Choose a service from the **Select Service** window.



Step 3 Click the **Select** button.

Services already provisioned to a subscriber are grayed out and you cannot select them again.


Step 4 Check that the new service is listed under the Service List area on the Subscriber screen.

Remove a Service from a Subscriber

Step 1 Click **Subscribers tab** > **Subscribers node** > **Find Subscriber** item in the menu tree.

Step 2 In the Services area of the Overview screen, click the edit link.

Step 3 In the Service Code list on the left, click the remove link.



Notifications Screen

The Notifications screen lets you specify how to contact your subscriber for system messages or for special promotions, for example. You can notify subscribers by these methods.

- XML
- Email
- SMS
- Apple iPhone push



Note Notifications must be set up in Policy Builder prior to using this screen.

1. Click **Subscriber tab** > **Subscribers tree** > **find a subscriber** > **Details** > **Notifications**.
2. Click the add link at the top.
3. Fill in the Notification Detail screen.

Notification Detail

Type: Select

Destination:

Enabled:

Custom Data:

Code	Value	add

OK Cancel

Field	Description
Type	Contact your subscriber with one of these methods in the drop-down menu: <ul style="list-style-type: none"> • Real time / XML • SMS • Email • Apple iPhone push
Destination	Specify the address for the notification. For an XML message, provide URLs. For an SMS message, provide the destination number, perhaps 555544444. For an email notification, provide an email address. For an Apple iPhone push, provide the server gateway, server port, and certificate and certificate password.
Enabled	Click this check box to allow notifications to go through, or uncheck it if you are still developing the message.
Custom Data Area	This area lets you use a look up list, or key-value pairs and so keep track of other variables that concern your subscriber.
Code	This is the key portion of a key-value pair.
Value	This is the definition or value of the key.

Subaccount Screen

You may be asked to create a subaccount under a primary subscriber so that the primary subscriber has authority over others, perhaps team members or family members. This construct forces a subaccount's login to count against the bill of the main subscriber.

For example, if the primary subscriber has a Charging ID of 123456, assign the subaccount users the same charging ID.



Note Currently, there is no method to move a primary subscriber to become a subaccount of a different subscriber. You must delete and then recreate such a subscriber.

1. Click **Subscribers tab** > **Subscribers node** > **Find Subscriber** item in the menu tree.
2. Find the primary subscriber, the person responsible for the subaccount.
3. Click **Details** > **Subaccounts** and click the add link in the corner.

Subaccounts			add
Name	Credential Id	Status	

The detail screen appears as when creating a primary subscriber. See these sections if you need help in filling out those screens.

- General Screen
- Credentials Screen
- Services Screen
- Notifications Screen



Note You cannot make another subaccount under the current subaccount. You can only provision subaccounts under a primary subscriber.

Sessions Screen

The Sessions item in the menu tree under a subscriber lets you see the sessions the subscriber has running. That is, find the subscriber first, and then check their sessions. A subscriber may have several sessions up, perhaps from different devices.

You can display a Sessions screen two ways:

- Find the subscriber and then view all their sessions:

Subscribers tab > Subscriber node > Subscriber item > Overview screen > Sessions area > manage

See Viewing a Subscriber Session.

- Find all sessions on the network and then look for a subscriber:

Subscribers tab > Subscriber node > Subscriber Sessions item > Current Sessions table > open

See Finding Network Sessions.



Note If you would like a utility to start artificial sessions, contact your Cisco technical representative.

Session Details Table

The Session Detail table contains information about the session, including a Remove Session link.

An example of a Session Detail is shown below.

The screenshot displays the 'Sessions' screen for a subscriber named 'test'. It shows a table of 'Current Sessions' with one entry:

Primary Key	Type
10.94.251.34:00000126	accountSessionId

Below the table is the 'Session Detail' section for the selected session. It includes a search bar with the value 'accountSessionId - 10.94.251.34:00000126' and a 'clear' button. The 'Query Devices' section shows 'ISG' selected. A tree view on the left shows the session details structure:

- QNS
 - deviceSessions
 - tags
 - _b: 1014
 - _s: 1
 - _ske: Tue May 28 19:24:47 MDT 2013
 - _transId: 4a4a7673-7a94-4cdd-8b67-598e3eff3378-18

Field	Description
Session Tabs	At the top, a tab exists for each session the subscriber has running. The example has one tab, the subscriber has one session up.
Query Devices	This check box lets you filter the session information below to one or more devices.
Network Query	This drop-down list lets you show details for only the devices you can provide IP addresses and secrets for, and so limits the data returned by the detail table.

The Policy Server folder has several subfolders to organize the session data.

Remove a Session

There are several ways to find a session and then remove it.

- Subscribers tab > Subscriber node > Find a subscriber > subscriber Sessions item > Remove Session link
- Subscribers tab > Subscriber node > Find a subscriber > Overview screen Sessions area > manage link > Remove Session link
- Subscribers tab > Sessions node > Find Subscriber session > open link > Remove Session link

Removing a session affects Cisco Policy Suite only, but other PEPs may be notified. Removing a session drops a subscriber and force them to log in again. If a subscriber reports that they cannot log in, check to see if there is a stuck session and remove it. If the system is experiencing performance troubles, dropping stuck sessions may help.

Balance Screen

The Balance item in the tree under a subscriber name provides a way to set balance amounts and quota amounts for the subscriber.

A subscriber can have several balance codes in place, and under each one, the subscriber can have several quota codes.

Balance codes and quota codes are developed and maintained in the Policy Builder interface. Control Center reflects that configuration.

Balances

Balances are of these types:

- Recurring—recurring balances automatically replenish on a configured cycle, for example daily, weekly, monthly, or per billing cycle. Any remaining balance is not carried over when the balance is reset.
- Roll Over—a type of recurring balance. Roll over balances, which are additive, are similar to recurring balances, but any remaining balance is kept when the balance replenishes.

- One-time—one-time balances do not automatically replenish. One-time balances may be configured with an expiration date.
 - Top Up—a type of One-time balance. Top ups add to a subscriber’s balance and may be applied to any of the above balance types. Top ups are differentiated from the balance to which they are applied, enabling the service provider to define the order in which top ups, and the underlying balance, is consumed. Top ups may be assigned an expiration date.

Balances can be configured to be automatically allocated for a subscriber during a balance reserve activity if a balance does not already exist. The fair use balances for new subscribers is an example. Auto-provisioned balances are created based on rules configured by the service provider, which may refer to parameters such as subscriber class, rate plan, and so on, when provisioning the balance.

Quotas

Quota may be either of two types, one-time or recurring.

One-time quotas are amounts of time use or data use that occur only one time and are not renewed. For example:

- If an ISP provider gives free introductory minutes
- If data bandwidth is provided on a tiered system, with the first 100 KB free, and then payment begins
- For a prepaid card use case

Recurring quota are those services the account subscriber signs up for and gets refreshed at some recurring period.

Managing Quotas and Balances

Balance codes and quota codes are developed and maintained in the Policy Builder interface for these drop-down lists.

In the data hierarchy, Balances contain Quota. If you delete information at the balance level, all the quotas underneath it are removed.

-
- Step 1** In the menu, click Subscribers tab > Subscribers node > Find Subscriber.
 - Step 2** Open a subscriber record.
 - Step 3** Select the Balance item in the menu tree under the subscriber.
 - Step 4** Click the plus sign by the balance code name, to open the full view to the balances.
 - Step 5** Click a Credit link to apply more quotas or balance amounts for the subscriber.
 - Step 6** Use the date picker and time picker fields to change the start and expiration of a credit. Originally a credit amount is provided for you, but you can increase or decrease the amount you want to credit the balance using the date and time picker fields.
 - Step 7** When the credit data are correct, click apply credit.
 - Step 8** Wait for a screen refresh, and then review the new Balance chart. Be sure that your changes are in effect.
-

Add a Balance Type

A subscriber may have one or any number of balances available all at the same time. For example:

- A one-time introductory balance for a promotion
- A regular recurring balance that gets refreshed on a certain date
- A time-limited or data-limited balance that is tracked

Step 1 To add another type of quota for the subscriber's use, click the add link located just below the Last refresh message.

Step 2 Fill in the fields in the Add Balance window using the drop-down lists and calendar widgets.

Step 3 Select a balance and quota code and enter the amount you want to give the subscriber.

Note Recall that balance codes and quota codes are developed and maintained in the Policy Builder interface for these drop-down lists.

Credit or Debit an Existing Balance

Sometimes a subscriber's balance may need to be adjusted up or down.

Step 1 To adjust a balance, open the balance information with the plus sign.

Step 2 Then click either credit or debit links on the right. The credit link lets you specify an amount of credit and also a start and expiration date for when it may be used.

If you select to debit a balance, you are only prompted for the amount.

Step 3 Fill in the field for debit or credit amount. The remaining quota is calculated.

Delete a Balance

If you need to completely remove a specific balance type and all of its quota types from a subscriber, click the red circle/white dash icon.

This may be done during testing scenarios, but with real subscribers, another solution might be to simply debit balance until the balance approaches zero.

Delete a Quota

A quota is a part of an overall balance. You can delete any quota that contributes to a balance, and so affect the entire subscriber balance.



Note Take care about which you delete with the red circle/white dash. If you delete the Balance item on the screen, all of the quotas within it are deleted as well.

Click the red circle/white dash associated with a quota type, for example Quota1, to delete a single quota type within a balance type.

Check the History of Balances

On the Balance screen, you can review the credit transactions against a quota type, but not the debit history.

-
- Step 1** Click the history link associated with the quota.
The History screen shows you the Start and Expiration dates, original amount, transacted amount and any reserved quota.
- Step 2** Click on a column heading to sort that column.
- Step 3** Click on the down arrow in a column to change the sort or add or remove columns from the display.
-



CHAPTER 3

Session Tracing

- [Session Tracing, on page 25](#)
- [View a Subscriber Session, on page 25](#)
- [Find Network Sessions, on page 26](#)

Session Tracing

You can check the sessions a subscriber has up in two ways:

- Find a subscriber session, see [Viewing a Subscriber Session](#)
- Find a network session then look for subscribers [Finding Network Sessions](#)

View a Subscriber Session

This procedure looks at available sessions and lets you find sessions for the subscriber you specify. Contrast this to finding a subscriber and then checking their sessions as described at [Sessions Screen](#).

Step 1 Click the **Subscribers** tab > **Sessions** node > **Find Subscriber Session**.

Primary Key	Type	Subscriber Credential
-------------	------	-----------------------

Step 2 Click the **Query Key** drop-down list. The following subscriber search options is displayed:

- a. User Id

- b. Framed IP
- c. IMSI
- d. MSISDN
- e. Framed IPv6 Prefix

Step 3 In **Key Data**, enter a valid information based on the **Query Key** selected in the drop down list.

The screenshot shows a web interface for finding subscriber sessions. It includes a search form with a dropdown for 'Query Key' (set to 'User Id') and a text input for 'Key Data' (set to 'Test'). A 'Search' button is next to the input. Below the search form is a table with columns 'Primary Key', 'Type', and 'Subscriber Credential'. One row is displayed with the values '10.94.251.34:0...', 'accountSess...', and 'test'. There are also sections for 'Criteria / Session Summary' and 'Session Detail', both with 'clear' buttons.

Step 4 Click **Search** to display the general information about the found session on the right.

Step 5 In the list to the right, hover over a session and double click, or click the open link to display the details about the session.

Find Network Sessions

Use the Find Network Session link to look at selected session running on the network.

Step 1 Click **Subscribers tab > Sessions node > Find Network Session item in the menu tree.**

Step 2 Fill in the Find Network Session screen.

Field	Description
Query Key	The type of data on the session you want to search for, either framed IP or User ID.
Key Data	The value of the query key, for example, part of a framed IP address.
Query Device	The type of device you want to query. Currently, only ISG is supported.
Results Area	List of all the matches for your query key and key data.



CHAPTER 4

Control Center Interface

- [Control Center Overview](#), on page 27
- [Control Center Users And Roles](#), on page 27
- [Access Control Center](#), on page 27

Control Center Overview

The Control Center enables you to manage subscribers and perform various operations to get information about subscribers, track subscriber sessions, to construct and populate custom reference data tables and so on.

Control Center Users And Roles

CPS enables users to be aware of its current privileges while accessing Control Center as described below:

- If a user has read-write privilege then "ADMIN" is displayed adjacent to user name in the GUI.
- If a user has read-only privilege then "READONLY" is displayed adjacent to user name in the GUI.

Access Control Center

To access Control Center, use the following URL:

`http://<ip-address>:8090`

The hostname is displayed in the login dialog box and system banner to differentiate between open windows while performing any operation of the CPS system. It indicates which system is being modified and prevents any errors or misconfigurations.

The hostname is displayed when the parameter `-Dhostname=lab` is configured in `pb/qns.conf` files. If it is not configured in the `qns.conf` file, it is displayed as a result of the command "hostname" on the server.

The hostname is displayed in the login panel only when the following argument is set to true:

`-DshowSitenameLogin`



CHAPTER 5

Subscriber Screens

- [Subscriber Screens Overview, on page 29](#)
- [Find a Subscriber, on page 29](#)
- [Create a Subscriber, on page 30](#)
- [Edit a Subscriber, on page 32](#)
- [Change the Credential ID of a Subscriber, on page 33](#)
- [Deactivating or Activating a Subscriber, on page 33](#)
- [Delete a Subscriber, on page 34](#)
- [Subscriber Screens Definitions, on page 34](#)
- [Overview Screen, on page 34](#)
- [Details Screens, on page 35](#)
- [Sessions Screen, on page 45](#)
- [Balance Screen, on page 46](#)

Subscriber Screens Overview

This chapter provides discussion and examples for an administrator with full read and write privileges. As a full privilege admin, you are able to change, delete, and deactivate subscriber information.

After you log in, the default page of the Control Center interface displays the **Subscribers tab > Find Subscriber** screen.

The Subscribers tab lets you look at details for a subscriber, any subaccounts under a subscriber, and any sessions a subscriber may have.

From the menu tree on the left, you have access to session information screens at the subscriber level and the network level. Read about these screens in [Sessions Screen, on page 19](#).

Find a Subscriber

Finding a subscriber is often the first step in performing other tasks for a subscriber.



Note To list all subscribers, leave the Credential Name field blank. The maximum number of records returned is 1000.

Enter search criteria into either the Credential or Name field. You can use any portion of a subscriber's name, but when searching on a credential ID, you must use the full credential. No wild cards are permitted.

Step 1 Click **Subscribers tab** > **Subscribers node** > **Find Subscriber** item in the menu tree.

Step 2 Enter your search criteria in the Credential or Name field and click **Search**.

Credential	Name	Status
Test	test	ACTIVE

Step 3 Matches to your search criteria appear in the Results table.

Use the open link on the right to display more information about the subscriber

Use the delete link to delete the subscriber.

Note As you find and use subscriber screens, the menu tree keeps track of the most recent finds. Dismiss these items from the tree with the X icon.

Type	Destination
------	-------------

Create a Subscriber

To import a large number of subscribers, use your own subscriber profile repository (SPR) software.

Use these steps to create subscribers one at a time.

Step 1 Click **Subscribers tab** > **Subscribers node** > **Create Subscriber** item in the menu tree.

Step 2 Select a Domain from the drop-down menu.

Domains are created in the Policy Builder interface and are displayed here. Domains are a point of intersection between Control Center and Policy Builder.

Step 3 Type in a credential that specifically identifies the new subscriber.

A credential is a unique identifier that subscribers and subaccount customers use to log in. Typically, a credential is defined when you create the subscriber or subaccount. However, you can manage credentials separately from the create process.

The credential can be any letter or number with a length of one or more alphanumeric characters. Best practice is to not use special characters, although apostrophe and hyphen may be part of a name.

Step 4 Enter the subscriber's name, first and last, in the same field.

Step 5 Click **Save** to create the subscriber with just a domain, name, and credential defined. You can return later and fill in more details later.

Click **Save and Continue** to provide more details of the new subscriber at this time.

The details of a subscriber are captured and displayed on the screens. To fill out the various detail screens, see those specific sections.

- General
- Credentials
- Services
- Notifications
- Subaccounts

The other two areas, Sessions and Balance, show you more information about the user, but there is nothing editable.

If you want to check your work, use the Find Subscriber task in the menu tree and make sure you can find the subscriber you just created.

Edit a Subscriber

Step 1 Find the subscriber as described at [Find a Subscriber, on page 3](#).

Step 2 Hover over the name displayed in the Results table and click **Open**.

The screenshot shows the 'Subscribers' search interface. On the left, there are two main menu sections: 'Subscribers' with options 'Find Subscriber' and 'Create Subscriber', and 'Sessions' with options 'Find Subscriber Session' and 'Find Network Session'. The main content area is titled 'Subscribers' and contains a search bar with the text 'Test' and a 'Search' button. Below the search bar, it says '1 subscriber found'. A 'Criteria' section has a 'clear' link. Below that is a 'Results' section with a 'clear' link and a table:

Credential	Name	Status
Test	test	ACTIVE

The Subscriber Overview screen appears.

The screenshot shows the 'Subscriber Overview' screen for the subscriber 'test'. The left sidebar shows the 'test' subscriber selected and the 'Overview' menu item highlighted. The main content area is titled 'test Overview' and contains several sections:

- General**: Name: test, Domain: test, Status: ACTIVE, Start Date: , End Date: . Includes an 'edit' link.
- Credentials**: Credential Id: Test. Includes an 'edit' link.
- Services**: Service Code: . Includes an 'edit' link.
- Notifications**: Type: , Destination: . Includes an 'edit' link.
- Subaccounts**: Name: , Credential Id: . Includes an 'edit' link.
- Sessions**: Primary Key: , Type: . Includes a 'manage' link.
- Balance**: Name: , Remaining Amount: , Original: . Includes a 'manage' link.

Step 3 From this screen, click any of the edit or manage links to change subscriber information about that topic.

You can also use the menu items in the menu tree on the left to display individual screens.

For help on using any of the screens shown here, see the sections written specifically about them:

- Overview Screen
- Details Screens
- General Screen

- d. Credentials Screen
 - e. Services Screen
 - f. Notifications Screen
 - g. Subaccount Screen
 - h. Sessions Screen
 - i. Balance Screen
-

Change the Credential ID of a Subscriber

Step 1 Click **Subscribers tab** > **Subscribers node** > **Find Subscriber** item in the tree.

Step 2 Enter search criteria for the subscriber in the **Find Subscriber** screen.

Step 3 Hover over the subscriber in the Results list and click the open link.

Step 4 In the Credentials area, click the edit link.

Step 5 Either add a new credential or edit one already present.

- To add an additional credential to the list, click the add link.
- To edit a credential already in the list, hover over the credential and click **edit**.

In the **Credential Detail** screen that appears, set the expiration date for the credential, or add or change an optional password to the credential.

See also the Credentials Screen. That screen contains the fields for a secondary password for the subscriber.

Deactivating or Activating a Subscriber

Deactivate a subscriber if you don't want to completely delete them from your subscriber base. This way you can reactivate them later.

Step 1 Click **Subscribers tab** > **Subscribers node** > **Find Subscriber** item in the menu tree.

Find the subscriber as described on Find a Subscriber.

Step 2 On the Overview screen, click the edit link in the General area.

Step 3 In the Status drop-down menu, change the subscriber's status to Suspended or Active.

Delete a Subscriber

If deleting a subscriber is too drastic, you can deactivate them with the procedure on [Deactivating or Activating a Subscriber](#), on page 7.

- Step 1** Click **Subscribers tab** > **Subscribers node** > **Find Subscriber** item in the menu tree.
Find the subscriber as described on Find a Subscriber.
- Step 2** Hover over the subscriber in the Results table and click **Delete**.
- Step 3** Be sure you are deleting the correct subscriber. Check the credential in the Confirm screen and make sure.

The screenshot shows the 'Subscribers' interface. At the top, there is a 'Find Subscriber' section with a search criteria field containing 'Test' and a 'Search' button. Below this is a 'Results' table with the following data:

Credential	Name	Status
Test	test	ACTIVE

A 'Confirm' dialog box is overlaid on the table, asking: 'Are you sure you want to delete this Subscriber (Credential=Test)? This action cannot be undone.' The dialog has 'Yes' and 'No' buttons.

The Results table displays your matches, but without the deleted subscriber.

Subscriber Screens Definitions

This section describes the screens used to support subscribers. After you find a subscriber you can access these screens.

Overview Screen

When you find a subscriber and open their record, the Overview screen opens.

The menu tree on the left displays the subscriber name and four submenus (Overview, Details, Sessions, Balance).

The Overview screen, with its six subsections, appears on the right.

The screenshot shows a web interface for managing subscribers. On the left is a navigation menu with sections for 'Subscribers' and 'Sessions'. The 'Subscribers' section is expanded to show 'test' with sub-links for Overview, Details, Sessions, Balance, and SSIDs. The 'Sessions' section has links for 'Find Subscriber Session' and 'Find Network Session'. The main content area displays the 'test Overview' with several data sections, each with an 'edit' or 'manage' link:

- General** (edit): Name: test, Domain: , Status: ACTIVE, Start Date: , End Date: .
- Credentials** (edit): Credential Id: Test.
- Services** (edit): Service Code: .
- Notifications** (edit): Table with columns Type and Destination.
- Subaccounts** (edit): Table with columns Name and Credential Id.
- Sessions** (manage): Table with columns Primary Key and Type.
- Balance** (manage): Table with columns Name, Remaining Amount, and Original.

Click the edit or manage links at the right of the sections to add, edit, or remove information for that specific aspect of the subscriber. Refer to [Edit a Subscriber, on page 6](#) for more information.

Details Screens

The Details item in the menu lets you view and edit five other screens that contain even more specific information about a subscriber or a subaccount:

- General information
- Credentials or passwords
- Services the subscriber pays for
- Notification preferences
- Subaccount users under the subscriber

General Screen


1. Click **Subscribers tab** > **Subscribers node** > **Find Subscriber** item in the menu tree.
2. Find the subscriber as described in [Find a Subscriber, on page 3](#).
3. Click **Details** > **General**.

Field	Description
Name	This single field is for both the first and last name of the subscriber.
Domain	This drop-down list displays the domain to which the subscriber is assigned. Domains themselves are created in the Policy Builder interface.
Status	<p>The Status field shows these three states for a subscriber:</p> <ul style="list-style-type: none"> • Active and able to use services • Deleted and no longer part of your system • Suspended and in the system, but not able to use services <p>By default, status for a new subscriber is always ACTIVE, but you can change this.</p>
Start Date End Date	Use the calendar widget to specify the start and stop date and time of service to the subscriber.

Field	Description
Role	<p>When the subscriber logs in to your subscriber portal, this field determines how much read-write privilege is granted to them. The primary subscriber is always granted the Write All role, permitting editing of all subaccounts under it. You can change this role if you wish. For example, the primary subscriber might be a team leader responsible for team member accounts. See Subaccount Screen.</p> <p>If a user is not a primary subscriber, they are created as a subaccount user under a primary subscriber. Assign roles for subaccount users in the Details > Subaccounts screen.</p> <p>Be sure to assign the access privileges of a subaccount user. When first created, they have Write all privileges.</p> <ul style="list-style-type: none"> • Write all—can read and write all information for themselves and any subaccounts • Read all—can view all portal information • Write self—can read and write only their own information • Read self—can view only their own information
External ID	Occasionally, a subscriber may need to connect with or relate to an external third-party system. This field identifies the subscriber to that external service.
Rate Plan	Enter predefined rate plan codes, such as prepaid or postpaid. Rate plans are created in Policy Builder and are obtained from that administrator.
Charging ID	A subscriber might have a unique charging ID. Using this, usage by members of a subaccount, or 'children' of the subscriber can be billed to their 'parent'.
Authentication Type	Not used.
Username	This field is used to provision the EAP username in the subscriber profile. This field is provided to support the EAP-TTLS/MSCHAPv2 call flow introduced in the CPS 7.5 release.
Password	This field is used to provision the EAP password in the subscriber profile. This field is used together with the Username field.
Custom Data Area	This area lets you use a look up list, or key-value pairs to keep track of other variables that concern your subscriber.
Code	This is the key portion of a key-value pair.
Value	This is the definition or value of the key-value pair.


Credentials Screen

The Credentials screen lets you specify more than one credential or password for a subscriber. More than one credential may be necessary for the subscriber to log in from different devices or locations.



The rows in this screen are populated by the Credential Detail screen shown below.

Click the add or edit link to display the Credential Detail screen.



Field	Description
Credential ID	A credential is a unique identifier that subscribers and subaccount customers use to log in. Typically, a credential is defined when you create the subscriber or subaccount. However, you can manage credentials separately from the create process. The credential can be any letter or number with a length of one or more alphanumeric characters. Best practice is to not use special characters, although apostrophe and hyphen may be part of a name.
Type	Use this field for sorting and reporting. In this field, you can indicate if the credential is for a subscriber or a subaccount, or for permanent or guest use.
Description	This field lets you provide more information about this particular credential.

Field	Description
Expiration Date	Uses the calendar widget to set an end date to the credential and so restrict logins.
Password	In addition to a credential ID, a subscriber can log in with a password. A password is optional because MAC addresses, for example, do not have a password.
New Password	Change the password already defined.
Confirm Password	This entry must match the new password.

Services Screen

The Services link lets you administer what services or service plans a subscriber may access.


' checkbox. A 'Custom Data' section includes a table with columns 'Code', 'Value', and 'add'. A 'Schedule' section includes a table with columns 'Times', 'Dates', 'Repeat', 'Enabled', 'Excl.', and 'add'."/>

The Services screen shows this information about the service provided to the subscriber. Recall that a subscriber can have one or more services.

Services and service plans are developed in Policy Builder and are reflected here for you to choose from.

Services are a point of intersection between Control Center and Policy Builder.

Field	Description
Service Name	Enter the name or code of the service.
Enabled	If checked, this box allows the subscriber to use the service. Unchecked, the subscriber cannot access the service.
Custom Data	This area lets you use a look up list, or key-value pairs to keep track of other variables that concern your service.
Code	This is the key portion of a key-value pair.
Value	This is the definition or value of the key.


Field	Description
Schedule	<p>This area lets you define specific times and recurrence for when the service is available to the subscriber.</p> <p>Click the add link to fill in the Schedule Detail window.</p> 
Start Time End Time	<p>These two fields let you limit the hours of the day your subscriber may access your system. The example shows access times from 8:00 in the morning to 5:00 in the afternoon. Conversely, if you check the Turn off service during these times check box, you prevent access during the times specified here.</p>
Dates	<p>Set dates to limit subscriber access on a wider basis.</p>
Start Date End Date	<p>Use the calendar widget to set a specific start and end date to service. Conversely, check the Turn off service during these times check box and prevent access during the dates specified here.</p>
Day of month	<p>Select a day of the month to permit the subscriber to access this service. If you want, you can allow access on the 5th, 10th, and 30th of the month by creating three schedules. Conversely, check the Turn off service during these time check box to deny access to a service on a particular day of the month.</p>
Day of Week	<p>Select the day of the week to permit the subscriber to access this service. You can allow access on only Tuesday, Wednesday, and Thursday by creating three schedules specifying those days of the week. For another example, you might create two schedules, one for Saturday and one for Sunday. If you check the Turn off service during these times check box for both schedules, you prevent access on weekends specifically.</p>
Month	<p>Select a month that you would like to allow service, perhaps for an introductory offer. Services is granted for that calendar month only. To affect more than one month, create multiple schedules, that is, one for June, one for July, one for August and so on. Conversely, check the Turn off service during these times check box to deny access to a service for a particular month, perhaps during vacation period.</p>

Field	Description
Year	Grant service for an entire calendar year. To affect more than one year, create multiple schedules, that is, one for 2014, 2015, and so on. Conversely, check the Turn off service during these times check box to deny access to a service for a particular year.
Repeat	This field interprets the Schedule detail, showing if the schedule has a recurring aspect.
Enabled	Select this check box to put the schedule into effect. If you are developing a schedule and don't want to invoke it yet, deselect this box. This selection is reflected on the Service Detail screen as a Yes or No in the Enabled column.
Turn off service during these times	Select this check box to make the scheduled time unavailable for login, that is, to create and excluded time. For example, you may want to block a subscriber from logging in during school time hours. This selection is reflected on the Service Detail screen as a Yes or No in the Excl column.

Add a Service to a Subscriber

Step 1 To add a service to a subscriber, click **Subscribers tab > Find Subscriber > Open > Details (in the tree) > Services (next to the form) > add (next to the Service Code column heading)**.

Step 2 Choose a service from the **Select Service** window.




Step 3 Click the **Select** button.

Services already provisioned to a subscriber are grayed out and you cannot select them again.

Step 4 Check that the new service is listed under the Service List area on the Subscriber screen.

Remove a Service from a Subscriber

- Step 1** Click **Subscribers tab** > **Subscribers node** > **Find Subscriber** item in the menu tree.
- Step 2** In the Services area of the Overview screen, click the edit link.
- Step 3** In the Service Code list on the left, click the remove link.



Notifications Screen

The Notifications screen lets you specify how to contact your subscriber for system messages or for special promotions, for example. You can notify subscribers by these methods.

- XML
- Email
- SMS
- Apple iPhone push



Note Notifications must be set up in Policy Builder prior to using this screen.

1. Click **Subscriber tab** > **Subscribers tree** > **find a subscriber** > **Details** > **Notifications**.
2. Click the add link at the top.
3. Fill in the Notification Detail screen.

Notification Detail

Type: ▼

Destination:

Enabled:

Custom Data:

Code	Value	add

OK Cancel

Field	Description
Type	<p>Contact your subscriber with one of these methods in the drop-down menu:</p> <ul style="list-style-type: none"> • Real time / XML • SMS • Email • Apple iPhone push
Destination	<p>Specify the address for the notification.</p> <p>For an XML message, provide URLs.</p> <p>For an SMS message, provide the destination number, perhaps 555544444.</p> <p>For an email notification, provide an email address.</p> <p>For an Apple iPhone push, provide the server gateway, server port, and certificate and certificate password.</p>
Enabled	<p>Click this check box to allow notifications to go through, or uncheck it if you are still developing the message.</p>
Custom Data Area	<p>This area lets you use a look up list, or key-value pairs and so keep track of other variables that concern your subscriber.</p>
Code	<p>This is the key portion of a key-value pair.</p>
Value	<p>This is the definition or value of the key.</p>

Subaccount Screen

You may be asked to create a subaccount under a primary subscriber so that the primary subscriber has authority over others, perhaps team members or family members. This construct forces a subaccount's login to count against the bill of the main subscriber.

For example, if the primary subscriber has a Charging ID of 123456, assign the subaccount users the same charging ID.



Note Currently, there is no method to move a primary subscriber to become a subaccount of a different subscriber. You must delete and then recreate such a subscriber.

1. Click **Subscribers tab** > **Subscribers node** > **Find Subscriber** item in the menu tree.
2. Find the primary subscriber, the person responsible for the subaccount.
3. Click **Details** > **Subaccounts** and click the add link in the corner.

Subaccounts			add
Name	Credential Id	Status	

The detail screen appears as when creating a primary subscriber. See these sections if you need help in filling out those screens.

- General Screen
- Credentials Screen
- Services Screen
- Notifications Screen



Note You cannot make another subaccount under the current subaccount. You can only provision subaccounts under a primary subscriber.

Sessions Screen

The Sessions item in the menu tree under a subscriber lets you see the sessions the subscriber has running. That is, find the subscriber first, and then check their sessions. A subscriber may have several sessions up, perhaps from different devices.

You can display a Sessions screen two ways:

- Find the subscriber and then view all their sessions:

Subscribers tab > Subscriber node > Subscriber item > Overview screen > Sessions area > manage

See Viewing a Subscriber Session.

- Find all sessions on the network and then look for a subscriber:

Subscribers tab > Subscriber node > Subscriber Sessions item > Current Sessions table > open

See Finding Network Sessions.



Note If you would like a utility to start artificial sessions, contact your Cisco technical representative.

Session Details Table

The Session Detail table contains information about the session, including a Remove Session link.

An example of a Session Detail is shown below.

The screenshot displays the 'Sessions' screen for a subscriber named 'test'. It shows a table of 'Current Sessions' with one entry. Below this, the 'Session Detail' section is expanded for the session with Primary Key '10.94.251.34:00000126'. The session detail table includes fields for 'Query Devices' (set to ISG), 'Network Query', and a tree view of session details.

Primary Key	Type
10.94.251.34:00000126	accountSessionId

Session Detail		clear
accountSessionId - 10.94.251.34:00000126		
Query Devices:	<input type="checkbox"/> ISG	Network Query
QNS		
deviceSessions		
tags		
_b	1014	
_s	1	
_ske	Tue May 28 19:24:47 MDT 2013	
_transId	4a4a7673-7a94-4cdd-8b67-598e3eff3378-18	

Field	Description
Session Tabs	At the top, a tab exists for each session the subscriber has running. The example has one tab, the subscriber has one session up.
Query Devices	This check box lets you filter the session information below to one or more devices.
Network Query	This drop-down list lets you show details for only the devices you can provide IP addresses and secrets for, and so limits the data returned by the detail table.

The Policy Server folder has several subfolders to organize the session data.

Remove a Session

There are several ways to find a session and then remove it.

- Subscribers tab > Subscriber node > Find a subscriber > subscriber Sessions item > Remove Session link
- Subscribers tab > Subscriber node > Find a subscriber > Overview screen Sessions area > manage link > Remove Session link
- Subscribers tab > Sessions node > Find Subscriber session > open link > Remove Session link

Removing a session affects Cisco Policy Suite only, but other PEPs may be notified. Removing a session drops a subscriber and force them to log in again. If a subscriber reports that they cannot log in, check to see if there is a stuck session and remove it. If the system is experiencing performance troubles, dropping stuck sessions may help.

Balance Screen

The Balance item in the tree under a subscriber name provides a way to set balance amounts and quota amounts for the subscriber.

A subscriber can have several balance codes in place, and under each one, the subscriber can have several quota codes.

Balance codes and quota codes are developed and maintained in the Policy Builder interface. Control Center reflects that configuration.

Balances

Balances are of these types:

- Recurring—recurring balances automatically replenish on a configured cycle, for example daily, weekly, monthly, or per billing cycle. Any remaining balance is not carried over when the balance is reset.
- Roll Over—a type of recurring balance. Roll over balances, which are additive, are similar to recurring balances, but any remaining balance is kept when the balance replenishes.

- One-time—one-time balances do not automatically replenish. One-time balances may be configured with an expiration date.
 - Top Up—a type of One-time balance. Top ups add to a subscriber's balance and may be applied to any of the above balance types. Top ups are differentiated from the balance to which they are applied, enabling the service provider to define the order in which top ups, and the underlying balance, is consumed. Top ups may be assigned an expiration date.

Balances can be configured to be automatically allocated for a subscriber during a balance reserve activity if a balance does not already exist. The fair use balances for new subscribers is an example. Auto-provisioned balances are created based on rules configured by the service provider, which may refer to parameters such as subscriber class, rate plan, and so on, when provisioning the balance.

Quotas

Quota may be either of two types, one-time or recurring.

One-time quotas are amounts of time use or data use that occur only one time and are not renewed. For example:

- If an ISP provider gives free introductory minutes
- If data bandwidth is provided on a tiered system, with the first 100 KB free, and then payment begins
- For a prepaid card use case

Recurring quota are those services the account subscriber signs up for and gets refreshed at some recurring period.

Managing Quotas and Balances

Balance codes and quota codes are developed and maintained in the Policy Builder interface for these drop-down lists.

In the data hierarchy, Balances contain Quota. If you delete information at the balance level, all the quotas underneath it are removed.

-
- Step 1** In the menu, click Subscribers tab > Subscribers node > Find Subscriber.
 - Step 2** Open a subscriber record.
 - Step 3** Select the Balance item in the menu tree under the subscriber.
 - Step 4** Click the plus sign by the balance code name, to open the full view to the balances.
 - Step 5** Click a Credit link to apply more quotas or balance amounts for the subscriber.
 - Step 6** Use the date picker and time picker fields to change the start and expiration of a credit. Originally a credit amount is provided for you, but you can increase or decrease the amount you want to credit the balance using the date and time picker fields.
 - Step 7** When the credit data are correct, click apply credit.
 - Step 8** Wait for a screen refresh, and then review the new Balance chart. Be sure that your changes are in effect.
-

Add a Balance Type

A subscriber may have one or any number of balances available all at the same time. For example:

- A one-time introductory balance for a promotion
- A regular recurring balance that gets refreshed on a certain date
- A time-limited or data-limited balance that is tracked

Step 1 To add another type of quota for the subscriber's use, click the add link located just below the Last refresh message.

Step 2 Fill in the fields in the Add Balance window using the drop-down lists and calendar widgets.

Step 3 Select a balance and quota code and enter the amount you want to give the subscriber.

Note Recall that balance codes and quota codes are developed and maintained in the Policy Builder interface for these drop-down lists.

Credit or Debit an Existing Balance

Sometimes a subscriber's balance may need to be adjusted up or down.

Step 1 To adjust a balance, open the balance information with the plus sign.

Step 2 Then click either credit or debit links on the right. The credit link lets you specify an amount of credit and also a start and expiration date for when it may be used.

If you select to debit a balance, you are only prompted for the amount.

Step 3 Fill in the field for debit or credit amount. The remaining quota is calculated.

Delete a Balance

If you need to completely remove a specific balance type and all of its quota types from a subscriber, click the red circle/white dash icon.

This may be done during testing scenarios, but with real subscribers, another solution might be to simply debit balance until the balance approaches zero.

Delete a Quota

A quota is a part of an overall balance. You can delete any quota that contributes to a balance, and so affect the entire subscriber balance.



Note Take care about which you delete with the red circle/white dash. If you delete the Balance item on the screen, all of the quotas within it are deleted as well.

Click the red circle/white dash associated with a quota type, for example Quota1, to delete a single quota type within a balance type.

Check the History of Balances

On the Balance screen, you can review the credit transactions against a quota type, but not the debit history.

-
- Step 1** Click the history link associated with the quota.
The History screen shows you the Start and Expiration dates, original amount, transacted amount and any reserved quota.
- Step 2** Click on a column heading to sort that column.
- Step 3** Click on the down arrow in a column to change the sort or add or remove columns from the display.
-



CHAPTER 6

Session Tracing

- [Session Tracing, on page 51](#)
- [View a Subscriber Session, on page 51](#)
- [Find Network Sessions, on page 52](#)

Session Tracing

You can check the sessions a subscriber has up in two ways:

- Find a subscriber session, see [Viewing a Subscriber Session](#)
- Find a network session then look for subscribers [Finding Network Sessions](#)

View a Subscriber Session

This procedure looks at available sessions and lets you find sessions for the subscriber you specify. Contrast this to finding a subscriber and then checking their sessions as described at [Sessions Screen](#).

Step 1 Click the **Subscribers** tab > **Sessions** node > **Find Subscriber Session**.

Primary Key	Type	Subscriber Credential
-------------	------	-----------------------

Step 2 Click the **Query Key** drop-down list. The following subscriber search options is displayed:

- a. User Id

- b. Framed IP
- c. IMSI
- d. MSISDN
- e. Framed IPv6 Prefix

Step 3 In **Key Data**, enter a valid information based on the **Query Key** selected in the drop down list.

The screenshot shows a web interface for finding subscriber sessions. It includes a search form with a dropdown for 'Query Key' (set to 'User Id'), a text input for 'Key Data' (set to 'Test'), and a 'Search' button. To the right, a table displays search results with columns for 'Primary Key', 'Type', and 'Subscriber Credential'. Below the search form is a 'Session Detail' section with a 'clear' link.

Step 4 Click **Search** to display the general information about the found session on the right.

Step 5 In the list to the right, hover over a session and double click, or click the open link to display the details about the session.

Find Network Sessions

Use the Find Network Session link to look at selected session running on the network.

Step 1 Click **Subscribers tab > Sessions node > Find Network Session item in the menu tree.**

Step 2 Fill in the Find Network Session screen.

Field	Description
Query Key	The type of data on the session you want to search for, either framed IP or User ID.
Key Data	The value of the query key, for example, part of a framed IP address.
Query Device	The type of device you want to query. Currently, only ISG is supported.
Results Area	List of all the matches for your query key and key data.



CHAPTER

7

Custom Reference Data Tables

- [Custom Reference Data Tables Overview, on page 53](#)
- [Concepts for Custom Reference Data Tables, on page 54](#)
- [Steps and Procedures, on page 54](#)
- [Policy Builder: Constructing Custom Reference Data Tables, on page 54](#)
- [Control Center: Populating a Custom Reference Data Table, on page 58](#)
- [Typical Tasks for Everyday, on page 65](#)

Custom Reference Data Tables Overview

In Cisco Policy Suite, reference data is considered information that is needed to operate the policy engine, but not used for evaluating policies. For example, under the Reference Data tab in Policy Builder, are the forms used to define systems, clusters, and instances, and to set times and dates used for tariff switching. The policy engine needs to refer to these data only to process policies correctly, but they do not define the policy itself.

Custom reference data is considered reference data that is specific to a service provider, perhaps the names and characteristics of their networks or cell sites.

Such custom reference data is stored in the data structure of a table, with the columns and field attributes defined by the service provider for their specific use. The Policy Builder interface does not provide screens for such customized information because it would be so limiting.

Rather, in Cisco Policy Suite, custom reference data tables provide a way for service providers to create their own data tables and to populate them.

The resulting custom reference data tables can then be used within Policy Builder as criteria to use when escalating policy decisions.

Two interfaces are used to construct and populate custom reference data tables:

- Policy Builder 8.0.0 or greater
 - Data table structures are managed in Policy Builder.
- Control Center 3.6 or greater, either the full admin or read only privileges
 - Data table content is managed in Control Center.

The information in custom reference data tables handles special considerations such as these:

- Specialty area codes.
- A list of device parameters.
- Location data mapping, to map network sites and cell sites into the subscriber's home network, roaming network, or preferred roaming network.
- IMEI data tagging for smart phone, Apple, or Android device, and then use of that in policies.

Custom reference data tables allow the service provider to create their own data structures and populate them with your own proprietary data.

The data in the tables is then used during policy evaluation.

You can construct your reference data tables yourself, or Cisco may build them for you after installation. If you need any help with custom reference data tables, call your Cisco technical representative.

Concepts for Custom Reference Data Tables

- The Policy Builder interface creates and edits the custom reference data table structure, defines its columns, and defines the data type, ranges and size of the fields.
- Control Center reflects the custom reference data tables constructed in Policy Builder.
- You provide data content to the custom reference data tables in Control Center.
- Spreadsheets can be imported into a custom reference data table structure. Log in to the Control Center interface to do so.
- A key icon is displayed before the column name of the selected CRD tables. This provides the following information:
 - Indicates whether the column in the selected CRD table is a key column or non-key column.
 - Indicates the type of Runtime Binding and its value in a tooltip when you hover over it.

When constructing the custom reference data table in the Policy Builder, look at the spreadsheet you want to import later and use the same column names, data types and other attributes.

Steps and Procedures

- Use Custom Reference Table with Policy Builder.

These steps need only be completed once and may already be completed.

- Use Custom Reference Table with Control Center.

These steps need to be completed for every custom reference data table you want to create or edit.

Policy Builder: Constructing Custom Reference Data Tables

There are two tasks needed to create custom reference data tables:

- Setting Up the System Plug-in Configuration
- Creating or Editing a Custom Reference Data Table

Set Up the System Plug-in Configuration

You only have to do this one time for each system, cluster, or instance. Then you can create as many tables as needed. The steps below configure an example system.

Before you begin

Before you can create a custom reference data table, configure your system to use the Custom Reference Data Table plug-in configuration.

Step 1 Log in to Policy Builder and click **Reference Data tab > Systems node > the system of your choice > Plugin Configurations**.

Step 2 Click **Custom Reference Data Configuration** in the main pane.

The tree on the left is populated with the configuration.

Step 3 Fill in the Custom Reference Data Configuration screen that appears.

Field	Description
Primary Database IP	This is the IP of the sessionMgr database.
Secondary Database IP	Optional, this field is the IP address of a secondary, backup, or failover sessionMgr database.
Port	This is the port number of the sessionMgr. It should be the same for both the primary and secondary databases.

Step 4 Go on to create data table structures as described at [Create or Edit a Custom Reference Data Table, on page 55](#).

Create or Edit a Custom Reference Data Table

Before you begin

Before you begin, be sure that you have configured the plug-in as described in Setting Up the System Plug-in Configuration. Click **Reference Data > Systems > Plugin Configuration** and make sure you see the Custom Reference Data Config in the tree.

Step 1 In Policy Builder, click **Reference Data > Custom Reference Data Tables node**.

Step 2 To create a new data table, click **Summary > Custom Reference Data Tables link** in the main pane.

Step 3 To edit a table, click a table name in the tree.

A String	A Long	A Double	A Bool...	A Table...	A Valid...	A Date	A Reg Ex	add
6	111999	111142.04	<input type="checkbox"/>					
13	1121	3331.0...	<input type="checkbox"/>				4A3	
141	213123...	13.011	<input checked="" type="checkbox"/>	5string...	Value 3	03/23/2...	212	
3ddd	1312334	3	<input type="checkbox"/>	s1	Value 2		12	
000000	44446	111142.04	<input type="checkbox"/>					
090000	3	21	<input type="checkbox"/>	s1	Value 2		12	

Note Simply editing the name of a table results in a loss of the table. If you want to change a table name, make a copy first, and then change the name of the copy. No data is in the newly copied table but you have the new name.

Step 4 Fill in the Data Table screen that appears.

Step 5 The example shows the columns defined for a table called Countries.

Field	Description
Name	Here, Name is the internal name for the column. Best practice is to name the column so that it is recognizable as a key.
Display Name	This is the table name as you want it to display in Control Center.
Type	This is the data type of the column, that is: <ul style="list-style-type: none"> • Date, month day and year • Date and time. A valid date is from 1900 to 2099. • Decimal, for decimal or currency • Number, or integer • Text • True / False as Boolean
Key	If checked, it specifies that each row in the table must be unique. If unchecked, when entering data in Control Center the admin receives an error message. Note that several columns can contribute to the whole key. Best practice is to name the column so that it is recognizable as a key.
Is Required	If checked, this box forces the Control Center admin to enter some value when populating data in the table.
Columns Area	You must change the first row to enable fields in the rest of the screen.

Step 6 Click on a row in the Columns definition table at the top, and access the fields on the bottom, working your way through all of the column names listed.

In the example, at the top, the row selected is the column called Continent, a key and required data. In the Valid Values area, only the names of continents in the list is permitted as valid entries. In the example, some continent names have been omitted.

On the right side of the screen, these fields are available.

Field	Description
Regular Expression	Define a regular expression to define a specific data format. For example, if you define a regular expression here, you ensure that a phone number is entered in a phone number format, or a date is entered as a date format.
Regular Expression Description	This is the description of what you are trying to achieve above. In Control Center, this appears as user help or as a tip to help those administrators enter data in the correct format.
None	Select this radio button if you do not have any need for Binding to CPS.
Bind to Subscriber AVP Code	Control Center and Cisco Policy Server may correlate on the basis of AVP codes. If so, specify these codes here.
Bind to Session/Policy State Field	Bind fields are the specific points of intersection to the policy engine, and are optional. Control Center may not have any specific or defined 'hooks' into the Cisco Policy Server. Click the Select button to display a list of objects that can be used to relate Control Center with Cisco Policy Server at specific data points.
Bind to a result column from another table	Optional. This field lets you specify a column in this table or any other table in the tree and lets that table furnish the data for the current table. This practice helps maintain consistency across tables. This example selects the table named test_table, column aString, to use the value in that table's column and row to use as a result in the current table.
Bind to Diameter request AVP code	This field lets you enter a specific AVP to bind to. Doing so improves processing times.

Delete Reference Data Tables

Contact your Cisco technical representative for these delete tasks:

- Delete a custom reference data table
- Delete columns in a table
- To change the name of a table without using the copy link

Changing a table name has the same result as creating a new table. The first named table does not appear to the admin in Control Center. The New table name has no data in it. this is because Policy Builder does not write to the database and change the table name.

Last Tasks

Now populate or edit the contents of these table columns. provide them with rows and rows of data.

See [Control Center: Populating a Custom Reference Data Table, on page 58](#).

Control Center: Populating a Custom Reference Data Table

The custom reference data table structures are created and edited in the Policy Builder interface. See [Policy Builder: Constructing Custom Reference Data Tables, on page 54](#) for those procedures.

Import Data from a Spreadsheet


If you have a spreadsheet that already has data rows, you can import the spreadsheet into a custom reference data tables. Of course, the data table itself must be created in Policy Builder. However, importing the data occurs in Control Center.



Note When the tables are created in Policy Builder, have your spreadsheet open to make sure you match the data type, for example string, date, or number.

-
- Step 1** Log in to Control Center.
 - Step 2** **Configuration tab > Reference Data folder > table list.**
 - Step 3** Select the table that receives data from the spreadsheet.
 - Step 4** Click the **import** link.


Figure 1: Import Data



Note The CRD tables whose Svn Crd Data flag is disabled do not get listed in the dropdown as import of Svn CRD table data is not supported.

Step 5 The table you selected under the Reference Data tree appears in the Import into Table field. You do not have to type it in. Make sure this is the table that is to receive data from the spreadsheet.

Step 6 Either name or browse for the .xls or .xlsx file you want to import, the one that populates the table.



Step 7 Click the Next button in the lower corner.

The Map file to Table Columns screen lets you select the columns in the spreadsheet that you want to use in the Access Technology table.

Step 8 Check Exclude first row if your .xls spreadsheet has headers.

Step 9 Check Delete all rows if you want to completely empty the Access Technology table and bring in all new rows.

Step 10 In the Select Column drop-down lists, specify what column of the Access Technology table you want to place your spreadsheet columns in.

Note The Select Column list shows the column names in Access Technology table as they were created in Policy Builder. This drop-down list does not show the column names in your spreadsheet.

In our example, we want to place the device names in the Code column and the numeric values in the Description column.

Step 11 In the lower right, click the Import link to proceed, or the Prev link to go back.

Step 12 Notice the Import Successful screen.

Step 13 Select Open AccessTechnology in the lower left to check your import, then click Done.

The newly populated table appears for you to check.

Code	Description	
50	iphone	
100	blackberry	
500	samsung	
750	cricket	
999	nokia	
1000	htc	
2000	delorean	
EUTRAN	LTE	
UTRAN	3g	
WIMAX	WiMax	
WLAN	WiFi	

The AccessTechnology table has the new rows added, in the proper columns.

Enter Data Manually

For data tables that are small, or are not derived from a spreadsheet, use the Control Center interface to enter data manually into the rows of custom reference data tables.

Step 1 Log in to Control Center.

Step 2 Click **Configuration tab** > **Configuration node** and open the Reference Data folder.

The items under the Reference Data folder are the table names created in Policy Builder.

Note If you do not see the table name that you want, go to the Policy Builder and create it.

Step 3 In the tree, click a table name to open it.

The table window shows the table structures and columns.

Our example uses AccessTechnology, which has several rows of data already in it.

Note Add to and edit rows in a table with these tips:

- Click on a row and it becomes editable.
- You can enter content in fields, select check boxes, use the drop downs.
- You can build a table of values to use in another table.
- Date fields use the calendar widget.
- Save or cancel the row. Save persists the rows to the database.
- Cancel lets the table data revert with no change.
- Carefully delete a row, there is no confirmation.
- Click the add link to add new blank rows.

If the **Svn Crd Data** option is enabled in Policy Builder, Control Center hides all the DML links (delete, insert, edit) of the rows and disables editing option at row level.

Add a Row

Step 1 Open a table.

Step 2 Click the add link in the upper right corner.

Step 3 Note that the new rows is added to the bottom of the table for you to fill in. You cannot insert a row at a specific place.

Step 4 Notice row count in lower right corner.

Note In this interface, the columns do not indicate which are Key columns or Key fields. Best practice is to name the columns with this attribute when creating them in Policy Builder.

Note Any required fields display with red margins to let you know that you must enter data.

Step 5 Use any of the save methods mentioned above to save the row. However, you cannot save a row that has errors.

Edit a Row

There are several ways to save row data and so prevent data loss.

- Click the save link in the column on the far right.
- Press Enter after you have finished in a field.
- Tab over from one field to another until the row is saved.
- Finish in your field and click on another row.



Note There is no way to promote or demote rows.

- There is no way to sort on columns.
- There is no filter or search feature at this time.

Fix Errors in a Row

Errors are denoted as the field margined in red. Help text displays to the far left or far right. Only the cancel link is available until you make a correction.

Delete a Single Row

Step 1 Hover over the row you want to delete.

Step 2 Click the delete link to the right.

The data row is deleted immediately. No refresh needs to occur.

Create a Snapshot

You can create a snapshot of CRD tables on the system. The created snapshot will contain CRD table data, policy configuration and checksum information for all CRD tables.

Perform the following steps to create a snapshot

Step 1 Log in to Control Center.

Step 2 Navigate to **Configuration** tab.

Step 3 Click **Reference Data**.

Step 4 Click **create snapshot**.

A **Create a Snapshot** dialog box is displayed.

Step 5 Enter snapshot details.

Step 6 Click **Create**.

The snapshot is created displaying the following details:

- Snapshot Name
- Policy version
- Creation Date and time
- User Comments
- Snapshot Path
- Checksum Details

To view the checksum information, click **Checksum Details**.

If the snapshot creation fails an error message is displayed.

If there are Svn CRD tables in the database while creating a snapshot, they are skipped and the following warning message is displayed:

Datasource for tables [svnTable-1 is subversion]. Skipping these tables to be a part of created snapshot as create snapshot is not allowed for subversion tables.

Revert a Snapshot

You can revert the CRD data to a specific snapshot.

Perform the following steps to revert a snapshot:

Step 1 Log in to Control Center.

Step 2 Navigate to **Configuration** tab.

Step 3 Click **Reference Data**.

Step 4 Click **revert snapshot**.

A **Revert a Snapshot** dialog box is displayed.

Step 5 Select a specific snapshot from the **Snapshot Name** drop down list.

Note If a specific snapshot name is not selected, the latest snapshot will be populated.

If the snapshot directory is empty, **No snapshot found in the system** message will be displayed.

Step 6 Click **Revert**.

A **Confirmation Required** dialog box is displayed.

Step 7 Click **Yes**.

The specific snapshot is reverted displaying the following details:

- Snapshot Name
- Policy version
- Creation Date and time
- User Comments
- Snapshot Path
- Checksum Details

If the snapshot revert fails an error message is displayed.

If there are SVN CRD tables in the database while reverting a snapshot, they are skipped and the following warning message is displayed:

Datasource for tables [table_with_date_time] is subversion. Data for these tables will be reverted using svn datasource not from datasource (mongodb)

Export All

You can export contents of all CRD tables to Microsoft Excel. The data is exported in CSV format in a zip file.

Perform the following steps to export CRD table data:

Step 1 Log in to Control Center.

Step 2 Navigate to the **Configuration** tab.

Step 3 Click **Reference Data**.

Step 4 Click **Export All**.

The contents of the CRD table is generated in a csv format in a zip file.

Step 5 Click **Save File**.

Step 6 Click **OK**.

The zip file contains multiple CSV file containing CRD table schema and content corresponding to every CRD table and an '.exportCrdInfo' metadata file containing the following data:

- exportDate - Date of the CRD Data when it is exported.
- exportDateMillis - Time in milli seconds when the CRD Data is exported.

- exportVersion - Exported version of the CRD Data whose value is 1 currently.
-

Import All

You can import contents of all CRD tables in bulk from Control Center. The data is imported in CSV format in a zip file.

When Import All operation is performed the tables whose CSV files are present in the archive zip file will be updated with the corresponding content without affecting other CRD tables existing in Control Center.

Perform the following steps to import CRD tables data in bulk:

- Step 1** Log in to Control Center.
- Step 2** Navigate to **Configuration** tab.
- Step 3** Click **Reference Data**.
- Step 4** Click **Import All**.
An **Import All Tables** dialog box is displayed.
- Step 5** Click **Browse** and select the file to be imported.
- Step 6** Click **Import**.

The following warning message is displayed for Svn Crd tables which are skipped under the Import All option:

Datasource for tables [table_1, table_2, ...] is subversion. Skipping these tables to be a part of import operation. Import operation is not allowed for subversion tables.

Note If you try to import multiple CRD tables during traffic it may have call flow impact. It is recommended to import multiple CRD tables during Maintenance Window (MW).

Typical Tasks for Everyday

These navigation tasks and activities are specific to the custom reference data tables in Control Center.

Refresh the Screen

- The refresh link in the upper right corner.
- Click the refresh link to force a refresh.
- A successful refresh message appears on the right.
- The usual refresh time is every 5 minutes, and is refreshed from the server.
- In the middle of updating, refresh is deferred.
- Upon close and reopen a table, the refreshed table is displayed.

- The refresh interval for these tables cannot be changed.

Navigate the Table Screens

- Multiple tables can be open at one time.
- Icons in the tree to show the open and active focus.
 - Circle with hyphen—open table
 - Circle with arrows—active table focus
 - Square—table not open
 - Blue square—table open and in the tray at bottom
- Icons in the upper right corner of a table minimize, maximize, or close the table. When minimized, the table heading displays at the bottom of the screen in the tray.
- To restore a table to view,
 - Click the restore button of the table in the tray,
 - Or
 - Double click the table tab in the tray.
- Resize a table for viewing by dragging the edges.
- Narrow or widen a column by dragging the margin of the column head.

Navigate in a Row

- If you have many columns, they cannot all display in the browser. You must scroll to the far right to get to the delete, edit, save, cancel links.
- Notice that in the bottom right corner, there is an indicator of how many rows you are viewing at the moment, and how many rows there are total in the table.