Conexión adecuada de QuickVPN con WRV210 en Windows 7

Objetivo

QuickVPN es una forma fácil de configurar el software VPN en un equipo remoto o portátil con un nombre de usuario y una contraseña sencillos. Esto ayudará a acceder de forma segura a las redes en función del dispositivo utilizado. En este artículo se explica cómo conectar correctamente el QuickVPN en Windows 7 con un router VPN Wireless-G WRV210.

Nota: Asegúrese de que el software QuickVPN está instalado en Windows.

Dispositivos aplicables

·WRV210

Configuración de QuickVPN

Paso 1. En Windows 7, elija **Inicio > Panel de control > Sistema y seguridad > Firewall**. Se abre la página *Firewall*:

Help protect your computer with Windows Firewall

Windows Firewall can help prevent hackers or malicious software from gaining access to your computer through the Internet or a network.

How does a firewall help protect my computer?

What are network locations?





Paso 2. Si el Firewall de Windows está desactivado, haga clic en Activar o desactivar Firewall de Windows y se abrirá la *página Personalización del Firewall*:

Customize settings for each type of network



Paso 3. Haga clic en Activar Firewall de Windows en el área de configuración de red y haga clic en Aceptar.

Help protect your computer with Windows Firewall

Windows Firewall can help prevent hackers or malicious software from gaining access to your computer through the Internet or a network.

How does a firewall help protect my computer?

What are network locations?

🛛 🥑 Home or work (private) netwo	orks Not Connected				
🔮 Public networks	Connected 📀				
Networks in public places such as airports or coff	ee shops				
Windows Firewall state:	On				
Incoming connections:	Block all connections to programs that are not on the list of allowed programs				
Active public networks:	H wushock				
Notification state:	Notify me when Windows Firewall blocks a new program				

Nota: El campo de estado Firewall de Windows de la página *Firewall* ahora aparecerá Encendido.

Paso 4. En Windows 7, elija Inicio > Panel de control > Sistema y seguridad > Windows Update. Se abre la página *Windows Update*:

Windows Update

	No important updates available				
	1 optional update is available		No updates are currently selected.		
Most recent ch	neck for updates:	Today at 10:52 A	М		
		Today at 3:00 AM. View update history			
Updates were i	nstalled:	Today at 3:00 AN	 View update history 		

Paso 5. Compruebe que Windows está actualizado. Si no actualiza Windows.

ſ	
Programs (5)	
Services]
Component Services	
Octoshape Streaming Services	
services	
Control Panel (5)	
💮 View local services	
Manage Information Cards that are used to log on to online ser	
📑 Windows CardSpace	
🕎 Allow remote access to your computer	
I contraction of the second	

Paso 6. Introduzca Servicios en el cuadro de búsqueda disponible en el menú Inicio.

Paso 7. Haga clic en Servicios	/ se abrirá la ventana <i>Servicios</i> :
--------------------------------	---

Services (Local)	_					
IPsec Policy Agent	Name	Description	Status	Startup Type	Log On As	*
<u>Stop</u> the service <u>Restart</u> the service	Group Policy Client Health Key and Ce HomeGroup Liste	The service Provides X.5 Makes local Performs ne	Started Started	Automatic Manual Manual Manual	Local Syste Local Syste Local Syste	
Description: Internet Protocol security (IPsec) supports network-level peer authentication, data origin authentication, data integrity, data confidentiality (encryption), and replay protection. This service enforces IPsec policies created through the IP Security Policies snap- in or the command-line tool "netsh ipsec". If you stop this service, you may experience network connectivity issues if your policy requires that connections use IPsec. Also,remote management of Windows Firewall is not available when this service is stopped.	 Human Interface Human Interface IKE and AuthIP IPs Intel(R) Centrino(Intel(R) Managem Intel(R) PROSet/W Intel(R) PROSet/W Intel(R) PROSet/W Intel® Centrino® Intel® Centrino® Interactive Service Interactive Service IP Helper iPod Service IPsec Policy Agent KtmRm for Distrib Link-Layer Topolo 	Enables gen The IKEEXT Manages th Allows appli Intel(R) Ma Provides re Provides re Provides ne Provides ne Provides ne Provides tu iPod hardw Internet Pro Coordinates Creates a N	Started Started Started Started Started Started Started Started Started Started Started	Manual Automatic Automatic (D Automatic (D Automatic (D Automatic Automatic Automatic Manual Manual Manual Manual Manual Disabled	Local Syste Local Syste Network S Network S Local Service	III
		Anows Med			Local Service	Ŧ

Services (Local)						
IPsec Policy Agent	Name	Description	Status	Startup Type	Log On As	*
<u>Stop</u> the service <u>Restart</u> the service	Group Policy Client Health Key and Ce HomeGroup Liste	The service Provides X.5 Makes local	Started	Automatic Manual Manual	Local Syste Local Syste Local Syste	
Description:	HomeGroup Provi	Performs ne Enables gen	Started	Manual Manual	Local Service Local Syste	
supports network-level peer	IKE and AuthIP IPs	The IKEEXT	Started	Automatic	Local Syste	Ξ
authentication, data origin authentication, data integrity, data	Intel(R) Centrino(Allows appli	Started	Automatic Automatic (D	Local Syste Local Syste	
confidentiality (encryption), and replay protection. This service	Intel(R) Managem	Intel(R) Ma	Started	Automatic (D	Local Syste	
enforces IPsec policies created through the IP Security Policies snap- in or the command-line tool "netsh ipsec". If you stop this service, you may experience network connectivity issues if your policy requires that connections use IPsec. Also, remote management of Windows Firewall is not available when this service is	Intel(R) PROSet/W	Provides re	Started	Automatic	Local Syste	
	Intel® Centrino®	Enables use	Started	Automatic	Local Syste	
	Internet Connecti	Provides ne		Manual	Local Syste	
	IP Helper	Provides tu	Started	Automatic	Local Syste	
	IPod Service	iPod hardw Internet Pro	Started Started	Manual Manual	Local Syste	
stopped.	KtmRm for Distrib	Coordinates		Manual	Network S	
	Cink-Layer Topolo	Creates a N Allows Med		Manual Disabled	Local Service Local Service	
	<				•	

Paso 8. Haga clic con el botón derecho del ratón en los servicios apropiados y elija **Start** o **Stop** para iniciar o finalizar el servicio desde la ventana *Services*.

Paso 9. Conéctese con el Cliente QuickVPN.



Paso 10. Aparece la ventana emergente Cliente QuickVPN con la siguiente información:

·Conectado a: especifique la IP de destino a la que está conectado el QuickVPN.

·Conectado en: especifique la hora y la fecha en que se conecta el QuickVPN al router.

Tiempo total · conectado: especifique el tiempo total empleado en la conexión a QuickVPN.

Nota: La IP de destino en el ejemplo actual del router WRV210 es 83.12.42.50. La IP de destino puede ser diferente para diferentes usuarios.