RV110Wの時刻設定

目的

時間設定により、ユーザはルータの時刻を自動的に、または手動で変更し、夏時間(DTS)を 考慮することができます。 この記事の目的は、RV110Wの時刻設定を説明することです。

該当するデバイス

• RV110W

手順

ステップ1:Web構成ユーティリティを使用して、[**Administration**] > [**Time Settings**]を選択し ます。[時刻の設*定]ページ*が開きます。

Time Settings	
Current Time:	01/01/10 12:02 AM
Time Zone	(GMT-08:00) Pacific Time (USA & Canada)
Adjust for Daylight Savings Time:	
Daylight Saving Mode:	By date Recurring Recurring Recurring Additional Additional Additional Additional Addition Recurring Additional Additiona Additional Additation
From:	Month: 01 - Day: 01 - Time: 12 - : 00 - : AM -
То:	Month: 01 - Day: 01 - Time: 12 - : 00 - : AM -
From:	Month: 01 - Week: 1st - Day: Sunday - Time: 12 - : 00 - : AM -
То:	Month: 01 - Week: 1st - Day: Sunday - Time: 12 - : 00 - : AM -
Daylight Saving Offset:	+60 - Minutes
Set Date and Time:	Auto Manual Manual Auto Manual Auto Auto
NTP Server:	Ose Default
	O User defined NTP Server
	1. (Hint: 1.2.3.4 or abc.com)
	2.
Enter Date and Time:	Year: 2011 - Month: 01 - Day: 01 -
	Time: 12 - : 00 - : AM -
Save Cancel	

ステップ2:[タイムゾーン]フィールドのドロップダウンリストからタイムゾーンを*選択*しま す。

Time Settings	
Current Time:	01/01/10 12:02 AM
Time Zone	(GMT-08:00) Pacific Time (USA & Canada)
Adjust for Daylight Savings Time:	
Daylight Saving Mode:	Is by date Recurring
From:	Month: 01 - Day: 01 - Time: 12 - : 00 - : AM -
To:	Month: 01 - Day: 01 - Time: 12 - : 00 - : AM -
From:	Month: 01 - Week: 1st - Day: Sunday - Time: 12 - : 00 - : AM -
To:	Month: 01 - Week: 1st - Day: Sunday - Time: 12 - : 00 - : AM -
Daylight Saving Offset:	+60 - Minutes
Set Date and Time:	Auto C Manual
NTP Server:	Our See Default
	O User defined NTP Server
	1. (Hint: 1.2.3.4 or abc.com)
	2.
Enter Date and Time:	Year: 2011 - Month: 01 - Day: 01 -
	Time: 12 - : 00 - : AM -
Save Cancel	

時刻を自動的に設定するには

この機能を使用すると、[夏時間(Daylight Savings Time)]オプションを使用して自動的に時 刻を調整できます。

ステップ1:[日付と時刻の設**定]フ**ィールドの[自動]ラジオボタンをクリックします。

Current Time:	01/01/10 12:04 AM
Time Zone	(GMT-06:00) Central Time (USA & Canada)
Adjust for Daylight Savings Time:	
Daylight Saving Mode:	By date Recurring
From:	Month: 01 - Day: 01 - Time: 12 -
То:	Month: 01 - Day: 01 - Time: 12 -
From:	Month: 01 - Week: 1st - Day: Sund
To:	Month: 01 - Week: 1st - Day: Sund
Daylight Saving Offset:	+60 - Minutes
Set Date and Time:	Auto Manual
NTP Server:	Ose Default
	O User defined NTP Server
	1. (Hint: 1.2.3.4
	2.
Enter Date and Time:	Year: 2011 - Month: 01 - Day: 01
	Time: 12 - : 00 - : AM -
Save Cancel	

ステップ2:[Adjust for Daylight Savings Time]フィールドでDTSを有効にするチェックボック *スをオンに*します。

Time Settings	
Current Time:	01/01/10 12:04 AM
Time Zone	(GMT-06:00) Central Time (USA & Canada)
Adjust for Daylight Savings Time:	
Daylight Saving Mode:	By date
From:	Month: 01 - Day: 01 - Time: 12 - : 00 -
To:	Month: 01 - Day: 01 - Time: 12 - : 00 -
From:	Month: 01 - Week: 1st - Day: Sunday -
To:	Month: 01 - Week: 1st - Day: Sunday -
Daylight Saving Offset:	+60 Vinutes
Set Date and Time:	Auto O Manual
NTP Server:	Ose Default
	O User defined NTP Server
	1. (Hint: 1.2.3.4 or abc.co
	2.
Enter Date and Time:	Year: 2011 - Month: 01 - Day: 01 -
	Time: 12 - : 00 - : AM -
Enter Date and Time:	Year: 2011 - Month: 01 - Day: 01 - Time: 12 - : 00 - : AM -

ステップ3:目的のDTSオプションのオプションボタンをクリックします。オプションは次のとおりです。

•[日付順(By date)]:2つの特定の日付の間にDTSが発生するように設定します。

• [Recurring]:2つの異なる月の2日間(3月の最初の日曜日)の間にDTSが発生するように設定します。

Time Settings	
Current Time:	01/01/10 12:04 AM
Time Zone	(GMT-06:00) Central Time (USA & Canada) -
Adjust for Daylight Savings Time:	
Daylight Saving Mode:	By date Recurring
From:	Month: 01 Day: 01 Time: 12 : 00 : 4
To:	Month: 01 Day: 01 Time: 12 : 00 : 4
From:	Month: 01 - Week: 1st - Day: Sunday - T
To:	Month: 01 - Week: 1st - Day: Sunday - T
Daylight Saving Offset:	+60 - Minutes
Set Date and Time:	Auto O Manual
NTP Server:	Use Default
	O User defined NTP Server
	1. (Hint: 1.2.3.4 or abc.com)
	2.
Enter Date and Time:	Year: 2011 - Month: 01 - Day: 01 -
	Time: 12 - : 00 - : AM -

注:[繰り返し]オプションボタンを選択した場合は、ステップ5に進みます。

ステップ4:[日付**別(By date)]オプションボタンを選択した場合**は、[開始(*From)]行の[月*数(*Month)]、[日(Day)]、および[時刻(Time)]フィールドに*目的の開始日時を設定します。次に、 [宛先]行の[月]、[日]、および[時*間]フィールド*に終了日時を*設定し*ます。

By d	ate 🔘 F	Recurring	
Month:	01 👻	Day: 01 - Time: 12 - : 00 - : AM -	
Month:	01 👻	Day: 01 - Time: 12 - : 00 - : AM -	
Month:	01 👻	Week: 1st - Day: Sunday - Time: 12 - : 00 - : AM -]
Month:	01 -	Week: 1st - Day: Sunday - Time: 12 - : 00 - : AM -]

ステップ5:[繰り返し(**Recurring**)]オプションボタンを選択した場合は、[*Month*]、[*Week*]、[*Day*]、[*Time*]の各フィールドの[*From*]行に目的の開始時刻を設定します。次に、[宛先]行の [月]、[週]、[日*]、および[時間]フィールド*に終了*日と*時刻を設*定し*ます。

🔘 By date 🔍	Recurring
Month: 01 👻	Day: 01 → Time: 12 → : 00 → : AM →
Month: 01 -	Day: 01 - Time: 12 - : 00 - : AM -
Month: 01 🗸	Week: 1st 🔻 Day: Sunday 🔹 Time: 12 🔹 : 00 💌 : AM 👻
Month: 01 👻	Week: 1st 👻 Day: Sunday 🔍 Time: 12 👻 : 00 👻 : AM 👻

ステップ6:[*Daylight Saving Offset*]フィールドのドロップダウンリストから、現在の時間を オフセットする時間(分)を選択しま*す*。

Adjust for Daylight Savings Time:	
Daylight Saving Mode:	By date Recurring
From:	Month: 03 ▼ Day: 11 ▼ Time: 02 ▼ : 00 ▼ :
To:	Month: 11 ▼ Day: 04 ▼ Time: 02 ▼ : 00 ▼ :
From:	Month: 01 - Week: 1st - Day: Sunday -
To:	Month: 01 - Week: 1st - Day: Sunday -
Daylight Saving Offset:	+60 Vinutes
Set Date and Time: NTP Server:	+60 +45 ① Manual +30 -30 Cefault -45 -60 defined NTP Server
	1. (Hint: 1.2.3.4 or abc.com
	2.
Enter Date and Time:	Year: 2011 - Month: 01 - Day: 01 -
	Time: 12 - : 00 - : AM -
Save Cancel	

ステップ7:[NTPサーバ(NTP Server)]フィールドで、該当するオプションのラジオボタンを クリックします。オプションは次のとおりです。

- [デフォルトを使用(Use Default)]:クロックを設定するには、デフォルトのNetwork Time Protocol(NTP)サーバを使用します。
- [User defined NTP Server]:Network Time Protocol(NTP;ネットワークタイムプロトコル)サーバを手動で入力します。

Adjust for Daylight Savings Time:	
Daylight Saving Mode:	By date C Recurring
From:	Month: 03 ▼ Day: 11 ▼ Time: 02 ▼ : 00 ▼ :
To:	Month: 11 ▼ Day: 04 ▼ Time: 02 ▼ : 00 ▼ :
From:	Month: 01 - Week: 1st - Day: Sunday -
To:	Month: 01 - Week: 1st - Day: Sunday -
Daylight Saving Offset:	+60 👻 Minutes
Set Date and Time:	Auto O Manual
NTP Server:	Ose Default
	O User defined NTP Server
	1. (Hint: 1.2.3.4 or abc.con
	2.
Enter Date and Time:	Year: 2011 - Month: 01 - Day: 01 -
	Time: 12 - : 00 - : AM -
Save Cancel	

注:[User defined NTP Server]ラジオボタンをクリックした場合は、クロックを設定する サーバの1および2フィールドに1または2つのIPアドレスまたはWebサイト名を入力します 。

ステップ8:[保存]をクリック**して変更**を保存するか、[キャンセ**ル]をク**リックして破棄します。

時間を手動で設定するには

この機能を使用すると、ユーザは時間を手動で設定できます。

ステップ1:[日付と時刻の設**定]フ**ィールドの[マニュアル]ラジオボタンをクリックします。

Time Settings	
Current Time:	01/01/10 12:52 AM
Time Zone	(GMT-08:00) Pacific Time (USA & Canada) 🔹
Adjust for Daylight Savings Time:	
Daylight Saving Mode:	By date
From:	Month: 01 - Day: 01 - Time: 12 - : 00 - :
To:	Month: 01 - Day: 01 - Time: 12 - : 00 - :
From:	Month: 01 - Week: 1st - Day: Sunday -
To:	Month: 01 👻 Week: 1st 👻 Day: Sunday 💌
Daylight Saving Offset:	+60 👻 Minutes
Set Date and Time:	🛇 Aute 🖲 Manual
NTP Server:	Ose Default
	O User defined NTP Server
	1. (Hint: 1.2.3.4 or abc.con
	2.
Enter Date and Time:	Year: 2011 ▼ Month: 01 ▼ Day: 01 ▼
	Time: 12 - : 00 - : AM -

ステップ2:[日付と時刻の入力(*Enter Date and Time)]行の[年月(Year)]、[月(Month)]、[日 (Day)]、および[*時刻(Time)]フィールドで目的の*日時を選択*しま*す*。

Time Settings	
Current Time:	01/01/10 12:52 AM
Time Zone	(GMT-08:00) Pacific Time (USA & Canada) 🗸
Adjust for Daylight Savings Time:	
Daylight Saving Mode:	By date
From:	Month: 01 - Day: 01 - Time: 12 - : 00 - :
To:	Month: 01 - Day: 01 - Time: 12 - : 00 - :
From:	Month: 01 - Week: 1st - Day: Sunday -
To:	Month: 01 - Week: 1st - Day: Sunday -
Daylight Saving Offset:	+60 👻 Minutes
Set Date and Time:	🔘 Auto 🖲 Manual
NTP Server:	Ose Default
	O User defined NTP Server
	1. (Hint: 1.2.3.4 or abc.con
	2.
Enter Date and Time:	Year: 2011 Month: 01 Day: 01 Time: 12 : 00 : AM

ステップ3:[保存]をクリック**して変**更を保存するか、[キャンセ**ル]をク**リックして破棄します 。