

# Draadloze statistieken op de RV110W bekijken

## Doelstellingen

De pagina Draadloze statistieken toont het totaal van alle gegevens die op alle draadloze netwerken worden verzonden en ontvangen. Deze informatie kan behulpzaam zijn voor het oplossen van problemen en het zien van wat misging, en op welk netwerk.

Dit document legt uit hoe de pagina Draadloze statistieken op de RV110W wordt weergegeven.

## Toepasselijke apparaten

- RV110 W

## Draadloze statistieken

Stap 1. Kies in het web-gebaseerde configuratieprogramma de **status > draadloze statistieken**. De pagina *Draadloze statistieken* wordt geopend.

Wireless Statistics

Refresh Rate: No Refresh ▼

Show Simplified Statistic Data:

SSID Name	Packet		Byte		Error		Dropped		Multicast	Collisions
	Received	Sent	Received	Sent	Received	Sent	Received	Sent		
ciscosb1	0	0	0	0	0	0	0	0	0	0
ciscosb2	0	0	0	0	0	0	0	0	0	0
ciscosb3	0	0	0	0	0	0	0	0	0	0
ciscosb4	0	0	0	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0	0	0	0

Clear Count

Save Cancel

Stap 2. In het vervolgkeuzemenu Snelheid verversen, kiest u hoe lang u het apparaat wilt wachten voordat u de poortstatistieken bijwerkt.

### Wireless Statistics

Refresh Rate:  ▾

Show Simplified Statistic Data:

SSID Name	Packet		Byte		Error		Dropped		Multicast	Collisions
	Received	Sent	Received	Sent	Received	Sent	Received	Sent		
ciscosb1	0	0	0	0	0	0	0	0	0	0
ciscosb2	0	0	0	0	0	0	0	0	0	0
ciscosb3	0	0	0	0	0	0	0	0	0	0
ciscosb4	0	0	0	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0	0	0	0

Stap 3. Controleer het vakje **Vereenvoudigde statistische gegevens tonen** om gegevens in vereenvoudigde etiketten weer te geven. Ex: kB in plaats van bytes.

### Wireless Statistics

Refresh Rate:  ▾

Show Simplified Statistic Data:

SSID Name	Packet		Byte		Error		Dropped		Multicast	Collisions
	Received	Sent	Received	Sent	Received	Sent	Received	Sent		
ciscosb1	0	0	0	0	0	0	0	0	0	0
ciscosb2	0	0	0	0	0	0	0	0	0	0
ciscosb3	0	0	0	0	0	0	0	0	0	0
ciscosb4	0	0	0	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0	0	0	0

Stap 4. De gegevens worden weergegeven in de tabel Draadloze statistieken.

- SSID Naam — de naam van het draadloze netwerk.
- Packet - Het aantal verzonden en ontvangen draadloze pakketten.
- Byte — Het aantal bytes verzonden en ontvangen.
- Fout — Het aantal verzonden en ontvangen pakketfouten.
- Droging - het aantal verzonden en ontvangen pakketten dat werd gedropt.
- Multicast — Het aantal multicast pakketten dat wordt verzonden.
- Botsingen — het aantal signaalbotsingen op deze poort.

## Wireless Statistics

Refresh Rate:

No Refresh ▾

Show Simplified Statistic Data:

### Wireless Statistics

SSID Name	Packet		Byte		Error		Dropped		Multicast	Collisions
	Received	Sent	Received	Sent	Received	Sent	Received	Sent		
ciscosb1	0	0	0	0	0	0	0	0	0	0
ciscosb2	0	0	0	0	0	0	0	0	0	0
ciscosb3	0	0	0	0	0	0	0	0	0	0
ciscosb4	0	0	0	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0	0	0	0

Clear Count

Save

Cancel

Stap 5. Klik op de knop **Grafiek wissen** om alle opgenomen statistieken te wissen.

Stap 6. Klik op **Opslaan**.