# 追蹤Webex客服中心缺陷

## 目錄

<u>簡介</u>

必要條件

<u>需求</u>

採用元件

使用瑕疵ID追蹤瑕疵

要追蹤的重要通知

<u>缺陷狀態</u>

<u>缺陷部署</u>

# 簡介

本檔案說明透過思科缺陷與增強追蹤系統(CDETS)追蹤缺陷修復和部署的方式。

# 必要條件

#### 需求

本文件沒有特定需求。


### 採用元件

本文件所述內容不限於特定軟體和硬體版本。


本文中的資訊是根據特定實驗室環境內的裝置所建立。文中使用到的所有裝置皆從已清除(預設)的組態來啟動。如果您的網路運作中,請確保您瞭解任何指令可能造成的影響。


### 使用瑕疵ID追蹤瑕疵

第1步:導航到Bug Search Tool,輸入缺陷ID並選擇Search。




附註:只有完成註冊的思科使用者能存取思科內部工具與資訊。






附註:缺陷可直接與完整連結共用。示例:思科漏洞ID CSCwi65732。




第2步:要獲取有關缺陷更新的通知,請選擇Notifications並輸入頻率和電子郵件ID。然後按一下Submit Notifications。



### 要追蹤的重要通知


### 缺陷狀態

修復缺陷後,缺陷Status將從Open更改為Fixed。



### 缺陷部署

缺陷部署到生產資料中心(DC)後,其部署所在的區域必須列在已知固定版本下。



註:請查詢資料中心說明。有關詳細資訊,請參閱此處Webex聯絡中心的資料位置

ProdUS1:美國 ProdANZ1:澳洲 ProdEU1:英國

ProdEU2:法蘭克福

ProdJP1:日本 ProdCA1:加拿大



#### Description

#### Symptom:

After Desktop recovers from a network failure, agent state shows Idle even though it is supposed to be Available. Agent state was Available before the network connection was lost.

#### Conditions:

Recovery after network failure


#### Workaround:

Manually update the state

#### **Further Problem Description:**

Was the description about this Bug Helpful?

#### Details



### 關於此翻譯

思科已使用電腦和人工技術翻譯本文件,讓全世界的使用者能夠以自己的語言理解支援內容。請注意,即使是最佳機器翻譯,也不如專業譯者翻譯的內容準確。Cisco Systems, Inc. 對這些翻譯的準確度概不負責,並建議一律查看原始英文文件(提供連結)。