



File System Check and Repair for PCMCIA ATA Disks

The File System Check and Repair for PCMCIA ATA Disks feature introduces a File-System-Check (fsck) utility in Cisco IOS software for File Allocation Table (FAT) filesystems on (Personal Computer Memory Card International Association) PCMCIA disks. The utility performs functions such as checking the boot sector and partition table, checking the file and directory structure, reclaiming unused disk space, and updating the FAT file structure.

- [Finding Feature Information, page 1](#)
- [Information About File System Check and Repair for PCMCIA ATA Disks, page 2](#)
- [How to Use the File System Check and Repair for PCMCIA ATA Disks, page 2](#)
- [Additional References, page 2](#)
- [Feature Information for File System Check and Repair for PCMCIA ATA Disks, page 3](#)

Finding Feature Information

Your software release may not support all the features documented in this module. For the latest caveats and feature information, see [Bug Search Tool](#) and the release notes for your platform and software release. To find information about the features documented in this module, and to see a list of the releases in which each feature is supported, see the feature information table.

Use Cisco Feature Navigator to find information about platform support and Cisco software image support. To access Cisco Feature Navigator, go to www.cisco.com/go/cfn. An account on Cisco.com is not required.

Information About File System Check and Repair for PCMCIA ATA Disks

File System Check and Repair for PCMCIA ATA Disks Overview

Prior to the introduction of the file system check (fsck) utility in Cisco IOS Release 12.2(13)T, corrupt files could not be removed from Advanced Technology Attachment (ATA) disks using the Cisco IOS command-line interface (CLI).

Files (or file metadata) in an ATA disk can be corrupted by a variety of events, from power failures or system crashes to simple TFTP copy failures. Prior to the introduction of the file system check (fsck) utility, corrupted files could not be deleted from a usable ATA disk without removing, reformatting, and reinstalling the disk.

The **fsck** privileged EXEC command allows you to conveniently recover wasted disk space directly from the CLI.



Note

A FAT16 formatted disk can have only 512 root directory entries. This limits the maximum number of files stored under the root directory. The number of root directory entries stored by a file is in proportion to the filename length. A FAT32 formatted disk does not have this root directory entry limitation. A subdirectory of a FAT16 or FAT32 formatted disk also does not have any limitation on the maximum number of files stored in it.

How to Use the File System Check and Repair for PCMCIA ATA Disks

The fsck utility is enabled by default. No configuration is necessary. For more information, see the **fsck** command page.

Additional References

The following sections provide references related to the File System Check and Repair for PCMCIA ATA Disks feature.

Related Documents

Related Topic	Document Title
Cisco IOS commands	Cisco IOS Master Commands List, All Releases
Configuration fundamental commands	<i>Cisco IOS Configuration Fundamentals Command Reference</i>

Technical Assistance

Description	Link
<p>The Cisco Support website provides extensive online resources, including documentation and tools for troubleshooting and resolving technical issues with Cisco products and technologies.</p> <p>To receive security and technical information about your products, you can subscribe to various services, such as the Product Alert Tool (accessed from Field Notices), the Cisco Technical Services Newsletter, and Really Simple Syndication (RSS) Feeds.</p> <p>Access to most tools on the Cisco Support website requires a Cisco.com user ID and password.</p>	<p>http://www.cisco.com/cisco/web/support/index.html</p>

Feature Information for File System Check and Repair for PCMCIA ATA Disks

The following table provides release information about the feature or features described in this module. This table lists only the software release that introduced support for a given feature in a given software release train. Unless noted otherwise, subsequent releases of that software release train also support that feature.

Use Cisco Feature Navigator to find information about platform support and Cisco software image support. To access Cisco Feature Navigator, go to www.cisco.com/go/cfn. An account on Cisco.com is not required.

Table 1: Feature Information for File System Check and Repair for PCMCIA ATA Disks

Feature Name	Releases	Feature Information
File System Check and Repair for PCMCIA ATA Disks	12.0(22)S 12.2(13)T	<p>This feature introduces a File-System-Check (fsck) utility in Cisco IOS software for FAT filesystems on PCMCIA disks. The utility performs functions such as checking the boot sector and partition table, checking the file and directory structure, reclaiming unused disk space, and updating the FAT file structure.</p> <p>The following command was introduced or modified: fsck.</p>

