



## Protocols: C

---

- CAB-PROTOCOL, on page 4
- CABLEPORT-AX, on page 5
- CADLOCK, on page 5
- CAILIC, on page 6
- CALIFORNIA-GOV, on page 7
- CALL-OF-DUTY, on page 8
- CAPITAL-ONE, on page 8
- CAPWAP-CONTROL, on page 9
- CAPWAP-DATA, on page 10
- CASSANDRA, on page 11
- CBS, on page 11
- CBS-SPORTS, on page 12
- CBT, on page 13
- CDC, on page 14
- CDDBP-ALT, on page 14
- CFDPTKT, on page 15
- CFTP, on page 16
- CHAOS, on page 17
- CHARGEN, on page 18
- CHASE-BANK, on page 18
- CHECKPOINT-CPMI, on page 19
- CHSHELL, on page 20
- CIFS, on page 21
- CIMPLEX, on page 21
- CIRCUIT, on page 22
- CIRCUIT-AUDIO, on page 23
- CIRCUIT-MEDIA, on page 24
- CIRCUIT-VIDEO, on page 24
- CISCO-CMX, on page 25
- CISCO-COLLAB-AUDIO, on page 26
- CISCO-COLLAB-CONTROL, on page 27
- CISCO-COLLAB-VIDEO, on page 27
- CISCO-COLLABORATION, on page 28

- CISCO-CONTROLLER, on page 29
- CISCO-CTA, on page 30
- CISCO-FNA, on page 30
- CISCO-IP-CAMERA, on page 31
- CISCO-IP-SLA, on page 32
- CISCO-JABBER-AUDIO, on page 33
- CISCO-JABBER-CONTROL, on page 33
- CISCO-JABBER-IM, on page 34
- CISCO-JABBER-VIDEO, on page 35
- CISCO-MEDIA-AUDIO, on page 36
- CISCO-MEDIA-VIDEO, on page 36
- CISCO-MERAKI, on page 37
- CISCO-NAC, on page 38
- CISCO-NMSP, on page 39
- CISCO-PHONE, on page 39
- CISCO-PHONE-AUDIO, on page 40
- CISCO-PHONE-CONTROL, on page 41
- CISCO-PHONE-MEDIA, on page 42
- CISCO-PHONE-VIDEO, on page 42
- CISCO-RTMT, on page 43
- CISCO-SD-AVC, on page 44
- CISCO-SDWAN-CONTROL, on page 45
- CISCO-SDWAN-IPSEC, on page 45
- CISCO-SMART-PROBE, on page 46
- CISCO-SPARK, on page 47
- CISCO-SPARK-AUDIO, on page 48
- CISCO-SPARK-MEDIA, on page 48
- CISCO-SPARK-VIDEO, on page 49
- CISCO-STEALTHWATCH, on page 50
- CISCO-SYS, on page 51
- CISCO-TDP, on page 51
- CISCO-THOUSANDEYES, on page 52
- CISCO-TNA, on page 53
- CISCO-TV, on page 54
- CISCO-UMBRELLA, on page 54
- CITI-BANK, on page 55
- CITRIX, on page 56
- CITRIX-AUDIO, on page 57
- CITRIX-STATIC, on page 57
- CLEARCASE, on page 58
- CLICKBANK, on page 59
- CLOANTO-NET-1, on page 60
- CLOUDFLARE\_WARP, on page 61
- CMIP-AGENT, on page 61
- CMIP-MAN, on page 62
- CNBC, on page 63

- CNET, on page 64
- CNN, on page 65
- COAP, on page 66
- COAUTHOR, on page 66
- CODAAUTH2, on page 67
- CODE42-SERVICES, on page 68
- COLLABORATOR, on page 69
- COMMERCE, on page 69
- COMPAQ-PEER, on page 70
- COMPRESSNET, on page 71
- COMSCM, on page 72
- CON, on page 72
- CONCUR, on page 73
- CONDUIT-COM, on page 74
- CONFERENCE, on page 74
- CONFERENCE-SERVER, on page 75
- CONFERENCING, on page 76
- CONNECTED-BACKUP, on page 77
- CONNENDP, on page 77
- CONSTANT-CONTACT-COM, on page 78
- CONSUMER-CLOUD-STORAGE, on page 79
- CONTENTSERVER, on page 80
- COOLTALK, on page 80
- CORBA-IIOP, on page 81
- CORBA-IIOP-SSL, on page 82
- CORERJD, on page 83
- COUPONS-COM, on page 84
- COURIER, on page 84
- COURSERA, on page 85
- COVIA, on page 86
- CPHB, on page 87
- CPNX, on page 87
- CPQ-WBEM, on page 88
- CRAIGSLIST, on page 89
- CRASHPLAN, on page 90
- CREATIVEPARTNR, on page 90
- CREATIVESERVER, on page 91
- CRS, on page 92
- CRTP, on page 93
- CRUDP, on page 93
- CRYPTOADMIN, on page 94
- CSDN, on page 95
- CSI-SGWP, on page 96
- CSNET-NS, on page 96
- CTF, on page 97
- CUSEEME, on page 98

- CUSTIX, on page 99
- CVC\_HOSTD, on page 99
- CVSPSERVER, on page 100
- CVSUP, on page 101
- CYBERCASH, on page 102
- CYCLESERV, on page 102
- CYCLESERV2, on page 103

## CAB-PROTOCOL

<b>Name/CLI Keyword</b>	cab-protocol
<b>Full Name</b>	CAB Protocol
<b>Description</b>	CAB Protocol provides a real estate developer and/or a facility manager with a suite of standardized methods for exchanging real-time data between building automation systems.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://tech-env.com/cab.html">http://tech-env.com/cab.html</a>
<b>Global ID</b>	3:595
<b>ID</b>	509
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	unassigned
<b>Encrypted</b>	unassigned
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	unassigned

## CABLEPORT-AX

<b>Name/CLI Keyword</b>	cablport-ax
<b>Full Name</b>	Cable Port A/X
<b>Description</b>	Registered with IANA on port 282 TCP/UDP
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>
<b>Global ID</b>	3:282
<b>ID</b>	1143
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## CADLOCK

<b>Name/CLI Keyword</b>	cadlock
<b>Full Name</b>	CadLock
<b>Description</b>	Cadlock is used to access AutoCad drawings protected by CadVault, a CadLock Incorporated product for digital rights management of graphical and non-graphical elements within AutoCAD drawing files.
<b>Introduced</b>	-

<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.cadlock.com/">http://www.cadlock.com/</a>
<b>Global ID</b>	3:770
<b>ID</b>	640
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## CAILIC

<b>Name/CLI Keyword</b>	CAIlic
<b>Full Name</b>	Computer Associates Intl License Server
<b>Description</b>	Registered with IANA on port 216 TCP/UDP
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>
<b>Global ID</b>	3:216
<b>ID</b>	1113
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default

<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## CALIFORNIA-GOV

<b>Name/CLI Keyword</b>	california-gov
<b>Full Name</b>	California.gov
<b>Description</b>	California.gov - California government official website.
<b>Introduced</b>	14.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://ca.gov">http://ca.gov</a>
<b>Global ID</b>	13:733
<b>ID</b>	1663
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-irrelevant
<b>Category</b>	browsing
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

## CALL-OF-DUTY

<b>Name/CLI Keyword</b>	call-of-duty
<b>Full Name</b>	Call of Duty
<b>Description</b>	Call of Duty is a first-person and third-person shooter video game series franchise. The series began on the PC, and later expanded to consoles and handhelds. The Call of Duty games are published and owned by Activision. Users can play together online.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.callofduty.com/">http://www.callofduty.com/</a>
<b>Global ID</b>	3:20500
<b>ID</b>	1377
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-irrelevant
<b>Category</b>	gaming
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## CAPITAL-ONE

<b>Name/CLI Keyword</b>	capital-one
<b>Full Name</b>	Capital One
<b>Description</b>	Capital One - U.S. based bank holding company.
<b>Introduced</b>	14.0.0



<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://capitalone.com">http://capitalone.com</a>
<b>Global ID</b>	13:690
<b>ID</b>	1620
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-irrelevant
<b>Category</b>	browsing
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

## CAPWAP-CONTROL

<b>Name/CLI Keyword</b>	capwap-control
<b>Full Name</b>	CAPWAP
<b>Description</b>	Control And Provisioning of Wireless Access Points (CAPWAP) is a protocol used for Access Controllers (AC) to manage and control Wireless Termination Points (WTPs). CAPWAP is designed to centralize WLANs. CAPWAP control represents the control traffic passed from the WTP to AC or vice versa.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://tools.ietf.org/html/rfc5415">http://tools.ietf.org/html/rfc5415</a>
<b>Global ID</b>	3:5246
<b>ID</b>	1221
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes

<b>Application Group</b>	capwap-group
<b>Business Relevance</b>	business-relevant
<b>Category</b>	net-admin
<b>Sub Category</b>	routing-protocol
<b>P2P Technology</b>	False
<b>Encrypted</b>	True
<b>Traffic-class</b>	network-control
<b>Tunnel</b>	True

## CAPWAP-DATA

<b>Name/CLI Keyword</b>	capwap-data
<b>Full Name</b>	CAPWAP Data Protocol
<b>Description</b>	Control And Provisioning of Wireless Access Points (CAPWAP) is a protocol used for Access Controllers (AC) to manage and control Wireless Termination Points (WTPs). CAPWAP is designed to centralize WLANs. CAPWAP data represents the data traffic passed from the WTP to AC or vice versa.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://tools.ietf.org/html/rfc5415">http://tools.ietf.org/html/rfc5415</a>
<b>Global ID</b>	3:5247
<b>ID</b>	1325
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	capwap-group
<b>Business Relevance</b>	default
<b>Category</b>	layer3-over-ip
<b>Sub Category</b>	tunneling-protocols
<b>P2P Technology</b>	False
<b>Encrypted</b>	True

<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	True

## CASSANDRA

<b>Name/CLI Keyword</b>	cassandra
<b>Full Name</b>	Cassandra
<b>Description</b>	Apache Cassandra is an open source distributed database management system designed to handle large amounts of data across many commodity servers, providing high availability with no single point of failure.
<b>Introduced</b>	20.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="https://www.cassandra-db.org/">https://www.cassandra-db.org/</a>
<b>Global ID</b>	3:27018
<b>ID</b>	1768
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	database
<b>Sub Category</b>	enterprise-transactional-apps
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

## CBS

<b>Name/CLI Keyword</b>	cbs
<b>Full Name</b>	CBS

<b>Description</b>	CBS - CBS news website.
<b>Introduced</b>	14.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://cbs.com">http://cbs.com</a>
<b>Global ID</b>	13:755
<b>ID</b>	1685
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-irrelevant
<b>Category</b>	browsing
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

## CBS-SPORTS

<b>Name/CLI Keyword</b>	cbs-sports
<b>Full Name</b>	CBS Sports
<b>Description</b>	CBS Sports - Sports news website.
<b>Introduced</b>	14.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://cbssports.com">http://cbssports.com</a>
<b>Global ID</b>	13:749
<b>ID</b>	1679
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes

<b>Application Group</b>	other
<b>Business Relevance</b>	business-irrelevant
<b>Category</b>	browsing
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

## CBT

<b>Name/CLI Keyword</b>	cbt
<b>Full Name</b>	Core-Based Trees
<b>Description</b>	The Core-Based Trees protocol (CBT) is designed to build and maintain a shared multicast distribution tree that spans only those networks and links leading to interested receivers. CBT builds a shared multicast distribution tree per group, and is suited for inter- and intra-domain multicast routing. CBT may use a separate multicast routing table, or it may use that of an underlying unicast routing table, to establish paths between senders and receivers.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.ietf.org/rfc/rfc2189.txt">http://www.ietf.org/rfc/rfc2189.txt</a>
<b>Global ID</b>	1:7
<b>ID</b>	762
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	unassigned

<b>Encrypted</b>	unassigned
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	unassigned

## CDC

<b>Name/CLI Keyword</b>	cdc
<b>Full Name</b>	Certificate Distribution Center
<b>Description</b>	Registered with IANA on port 223 TCP/UDP
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>
<b>Global ID</b>	3:223
<b>ID</b>	1120
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	net-admin
<b>Sub Category</b>	authentication-services
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	ops-admin-mgmt
<b>Tunnel</b>	False

## CDDBP-ALT

<b>Name/CLI Keyword</b>	cddbp-alt
<b>Full Name</b>	Compact Disc DataBase Protocol

<b>Description</b>	Compact Disc Database (CDDDB) is a database for software applications to look up audio CD (compact disc) information over the Internet. This is performed by a client which calculates a (nearly) unique disc ID and then queries the database. As a result, the client is able to display the artist name, CD title, track list and some additional information.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://ftp.freedb.org/pub/freedb/latest/CDDDBPROTO">http://ftp.freedb.org/pub/freedb/latest/CDDDBPROTO</a>
<b>Global ID</b>	3:8880
<b>ID</b>	1378
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## CFDPTKT

<b>Name/CLI Keyword</b>	cfdpkt
<b>Full Name</b>	CFDP
<b>Description</b>	The Coherent File Distribution Protocol (CFDP) has been designed to speed up one-to-many file transfer operations that exhibit traffic coherence on media with broadcast capability. Examples of such coherent file transfers are identical diskless workstations booting simultaneously, software upgrades being distributed to more than one machines at a site, a certain "object" (bitmap, graph, plain text, etc.) that is being discussed in a real-time electronic conference or class being sent to all participants, and so on. A CFDP client that wants to receive a file first contacts a server to acquire a "ticket" for the file in question. This server could be a suitably modified BOOTP server, the equivalent of the tftpd daemon, etc. The server responds with a 32-bit ticket that will be used in the actual file transfers.

<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://tools.ietf.org/html/rfc1235">http://tools.ietf.org/html/rfc1235</a>
<b>Global ID</b>	3:120
<b>ID</b>	989
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## CFTP

<b>Name/CLI Keyword</b>	cftp
<b>Full Name</b>	cFTP
<b>Description</b>	Clients-Oriented File Transfer Protocol (cFTP) is a client-oriented PHP-based file transfer protocol that allows the user to create a repository to send/receive files with multiple clients. The user can create multiple clients accounts with a very easy to use front end, and upload an unlimited number of files under each account, with the ability to add a title and description to each one.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://blog.dreamcss.com/dev-tools/cftp-clients-oriented-file-transfer-protocol-ftp/">http://blog.dreamcss.com/dev-tools/cftp-clients-oriented-file-transfer-protocol-ftp/</a>
<b>Global ID</b>	1:62
<b>ID</b>	816
<b>IPv4 Support</b>	Yes



<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	unassigned
<b>Encrypted</b>	unassigned
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	unassigned

## CHAOS

<b>Name/CLI Keyword</b>	chaos
<b>Full Name</b>	Chaosnet
<b>Description</b>	CHAOSNet is one of the earliest local area network hardware implementations. The Chaosnet protocol implementation was over CATV coaxial cable modeled on the early Xerox PARC 3 megabit/second Ethernet, over ARPANET, and over Transmission Control Protocol (TCP).
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://en.wikipedia.org/wiki/CHAOSnet">http://en.wikipedia.org/wiki/CHAOSnet</a>
<b>Global ID</b>	1:16
<b>ID</b>	771
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	unassigned

<b>Encrypted</b>	unassigned
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	unassigned

## CHARGEN

<b>Name/CLI Keyword</b>	chargen
<b>Full Name</b>	CharGen
<b>Description</b>	The Character Generator Protocol (CHARGEN) is a service of the Internet Protocol Suite. It is intended for testing, debugging, and measurement purposes.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.ietf.org/rfc/rfc864.txt">http://www.ietf.org/rfc/rfc864.txt</a>
<b>Global ID</b>	3:19
<b>ID</b>	104
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	net-admin
<b>Sub Category</b>	network-management
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	ops-admin-mgmt
<b>Tunnel</b>	False

## CHASE-BANK

<b>Name/CLI Keyword</b>	chase-bank
<b>Full Name</b>	Chase

<b>Description</b>	Chase - Consumer and commercial banking company.
<b>Introduced</b>	14.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://chase.com">http://chase.com</a>
<b>Global ID</b>	13:635
<b>ID</b>	1564
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-irrelevant
<b>Category</b>	browsing
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

## CHECKPOINT-CPMI

<b>Name/CLI Keyword</b>	checkpoint-cpmi
<b>Full Name</b>	Checkpoint CPMI
<b>Description</b>	Check Point Management Interface (CPMI) is a proprietary protocol of Check Point Software Technologies. CPMI provides security services for their VPN-1 virtual private network/firewall software. The protocol contributes to Check Point Software's Open Platform for Security (OPSEC), which is a framework for network security. Typically CPMI uses TCP port 18190 as default.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://read.pudn.com/downloads142/doc/614417/CPMI.pdf">http://read.pudn.com/downloads142/doc/614417/CPMI.pdf</a>
<b>Global ID</b>	3:18190
<b>ID</b>	1332

<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	layer3-over-ip
<b>Sub Category</b>	tunneling-protocols
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## CHSHELL

<b>Name/CLI Keyword</b>	chshell
<b>Full Name</b>	Chshell
<b>Description</b>	Registered with IANA on port 562 TCP/UDP
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>
<b>Global ID</b>	3:562
<b>ID</b>	477
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	net-admin
<b>Sub Category</b>	remote-access-terminal
<b>P2P Technology</b>	False
<b>Encrypted</b>	False

<b>Traffic-class</b>	ops-admin-mgmt
<b>Tunnel</b>	False

## CIFS

<b>Name/CLI Keyword</b>	cifs
<b>Full Name</b>	CIFS
<b>Description</b>	Common Internet File System (CIFS) is a standard protocol that allows users to share files across intranets and the internet. It is cross platform since it works in Windows OS and is also supported in MAC OS and Linux OS. CIFS protocol defines a remote file system protocol. It is implemented over TCP/IP and utilizes the DNS for scalability and is using Microsoft NetBIOS protocol. The protocols origin is from Microsofts SMB protocol group.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://technet.microsoft.com/en-us/library/cc939973.aspx">http://technet.microsoft.com/en-us/library/cc939973.aspx</a>
<b>Global ID</b>	13:80
<b>ID</b>	80
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	file-sharing
<b>Sub Category</b>	file-transfer
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## CIMPLEX

<b>Name/CLI Keyword</b>	cimplex
-------------------------	---------

<b>Full Name</b>	CIMPLEX
<b>Description</b>	Registered with IANA on port 673 TCP/UDP
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>
<b>Global ID</b>	3:673
<b>ID</b>	581
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## CIRCUIT

<b>Name/CLI Keyword</b>	circuit
<b>Full Name</b>	Circuit
<b>Description</b>	Circuit is unified communications platform formerly known as Project Ansible, a single common platform for all aspects of business communications, from voice and video to messaging, screen sharing and file sharing. Circuit was released by Unify corporation. Circuit is available on Chrome, Firefox, Windows, Mac, Linux, iOS und Android.
<b>Introduced</b>	48.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="https://www.circuit.com/">https://www.circuit.com/</a>

<b>Global ID</b>	13:1266
<b>ID</b>	1266
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	voice-and-video
<b>Sub Category</b>	enterprise-media-conferencing
<b>P2P Technology</b>	True
<b>Encrypted</b>	True
<b>Traffic-class</b>	multimedia-conferencing
<b>Tunnel</b>	False

## CIRCUIT-AUDIO

<b>Name/CLI Keyword</b>	circuit-audio
<b>Full Name</b>	Circuit Audio
<b>Description</b>	Audio portion of Circuit video chat or voice call
<b>Introduced</b>	48.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="https://www.circuit.com">https://www.circuit.com</a>
<b>Global ID</b>	13:1269
<b>ID</b>	1269
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	voice-and-video
<b>Sub Category</b>	enterprise-media-conferencing

<b>P2P Technology</b>	True
<b>Encrypted</b>	True
<b>Traffic-class</b>	multimedia-conferencing
<b>Tunnel</b>	False

## CIRCUIT-MEDIA

<b>Name/CLI Keyword</b>	circuit-media
<b>Full Name</b>	Circuit Media
<b>Description</b>	Video or audio portion of Circuit call
<b>Introduced</b>	48.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="https://www.circuit.com">https://www.circuit.com</a>
<b>Global ID</b>	13:1267
<b>ID</b>	1267
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	voice-and-video
<b>Sub Category</b>	enterprise-media-conferencing
<b>P2P Technology</b>	True
<b>Encrypted</b>	True
<b>Traffic-class</b>	multimedia-conferencing
<b>Tunnel</b>	False

## CIRCUIT-VIDEO

<b>Name/CLI Keyword</b>	circuit-video
<b>Full Name</b>	Circuit Video



<b>Description</b>	Video portion of Circuit video call
<b>Introduced</b>	48.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="https://www.circuit.com">https://www.circuit.com</a>
<b>Global ID</b>	13:1268
<b>ID</b>	1268
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	voice-and-video
<b>Sub Category</b>	enterprise-media-conferencing
<b>P2P Technology</b>	True
<b>Encrypted</b>	True
<b>Traffic-class</b>	multimedia-conferencing
<b>Tunnel</b>	False

## CISCO-CMX

<b>Name/CLI Keyword</b>	cisco-cmx
<b>Full Name</b>	Cisco CMX
<b>Description</b>	Cisco Connected Mobile Experiences is now a family of products, so you can find the right solution for your business. CMX leverages open-architecture principles, intent-driven work flows, and contextual relevance at the core of the Cisco Digital Network Architecture (DNA) to deliver solutions that extend your network.
<b>Introduced</b>	35.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="https://www.cisco.com/c/en/us/solutions/enterprise-networks/connected-mobile-experiences/index.html">https://www.cisco.com/c/en/us/solutions/enterprise-networks/connected-mobile-experiences/index.html</a>
<b>Global ID</b>	13:1178

<b>ID</b>	1178
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	business-and-productivity-tools
<b>Sub Category</b>	enterprise-cloud-services
<b>P2P Technology</b>	False
<b>Encrypted</b>	True
<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

## CISCO-COLLAB-AUDIO

<b>Name/CLI Keyword</b>	cisco-collab-audio
<b>Full Name</b>	Cisco Collaboration Audio
<b>Description</b>	Cisco Collaboration Voice by various Cisco unified communication clients.
<b>Introduced</b>	20.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://ciscopark.com">http://ciscopark.com</a>
<b>Global ID</b>	13:815
<b>ID</b>	1759
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	webex-group
<b>Business Relevance</b>	business-relevant
<b>Category</b>	voice-and-video
<b>Sub Category</b>	enterprise-voice-collaboration
<b>P2P Technology</b>	False

<b>Encrypted</b>	False
<b>Traffic-class</b>	voip-telephony
<b>Tunnel</b>	False

## CISCO-COLLAB-CONTROL

<b>Name/CLI Keyword</b>	cisco-collab-control
<b>Full Name</b>	Cisco Collaboration Control
<b>Description</b>	Cisco Collaboration Control messages by various Cisco clients.
<b>Introduced</b>	20.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://ciscopark.com">http://ciscopark.com</a>
<b>Global ID</b>	13:1764
<b>ID</b>	1764
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	cisco-phone-group
<b>Business Relevance</b>	business-relevant
<b>Category</b>	voice-and-video
<b>Sub Category</b>	control-and-signaling
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	signaling
<b>Tunnel</b>	False

## CISCO-COLLAB-VIDEO

<b>Name/CLI Keyword</b>	cisco-collab-video
<b>Full Name</b>	Cisco Collaboration Video
<b>Description</b>	Cisco Collaboration Video by various Cisco unified communication clients.

<b>Introduced</b>	20.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://ciscopark.com">http://ciscopark.com</a>
<b>Global ID</b>	13:1762
<b>ID</b>	1762
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	webex-group
<b>Business Relevance</b>	business-relevant
<b>Category</b>	voice-and-video
<b>Sub Category</b>	enterprise-media-conferencing
<b>P2P Technology</b>	False
<b>Encrypted</b>	True
<b>Traffic-class</b>	multimedia-conferencing
<b>Tunnel</b>	False

## CISCO-COLLABORATION

<b>Name/CLI Keyword</b>	cisco-collaboration
<b>Full Name</b>	Cisco Collaboration Media
<b>Description</b>	Cisco Collaboration Media - Voice, video and desktop sharing by various Cisco unified communication clients.
<b>Introduced</b>	16.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://ciscopark.com">http://ciscopark.com</a>
<b>Global ID</b>	13:811
<b>ID</b>	1740
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	webex-group

<b>Business Relevance</b>	business-relevant
<b>Category</b>	voice-and-video
<b>Sub Category</b>	enterprise-media-conferencing
<b>P2P Technology</b>	False
<b>Encrypted</b>	True
<b>Traffic-class</b>	multimedia-conferencing
<b>Tunnel</b>	False

## CISCO-CONTROLLER

<b>Name/CLI Keyword</b>	cisco-controller
<b>Full Name</b>	Cisco Controller
<b>Description</b>	Cisco network controller device and SDN solutions
<b>Introduced</b>	31.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.cisco.com/c/en/us/solutions/software-defined-networking/overview.html">http://www.cisco.com/c/en/us/solutions/software-defined-networking/overview.html</a>
<b>Global ID</b>	13:1122
<b>ID</b>	1122
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	net-admin
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	ops-admin-mgmt
<b>Tunnel</b>	False

## CISCO-CTA

<b>Name/CLI Keyword</b>	cisco-cta
<b>Full Name</b>	Cisco Cognitive Threat Analytics
<b>Description</b>	Cognitive Threat Analytics pinpoints attacks before they can exfiltrate sensitive data. It analyzes web traffic, endpoint data from Cisco AMP for Endpoints, and network data from Cisco Stealthwatch Enterprise. It then uses machine learning to identify malicious activity.
<b>Introduced</b>	39.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="https://cognitive.cisco.com/">https://cognitive.cisco.com/</a>
<b>Global ID</b>	13:395
<b>ID</b>	395
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	internet-security
<b>Sub Category</b>	network-management
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	ops-admin-mgmt
<b>Tunnel</b>	False

## CISCO-FNA

<b>Name/CLI Keyword</b>	cisco-fna
<b>Full Name</b>	Cisco FNATIVE
<b>Description</b>	Cisco FNATIVE, Registered with IANA on port 130 TCP/UDP
<b>Introduced</b>	-

<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>
<b>Global ID</b>	3:130
<b>ID</b>	999
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	net-admin
<b>Sub Category</b>	network-management
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	ops-admin-mgmt
<b>Tunnel</b>	False

## CISCO-IP-CAMERA

<b>Name/CLI Keyword</b>	cisco-ip-camera
<b>Full Name</b>	Cisco IP Camera
<b>Description</b>	The Cisco Video Surveillance Solution relies on an IP network infrastructure to link all components. The designs of a highly available hierarchical network have been proven and tested for many years and allow applications to converge on an intelligent and resilient infrastructure.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.cisco.com/en/US/products/ps6712/index.html">http://www.cisco.com/en/US/products/ps6712/index.html</a>
<b>Global ID</b>	13:456
<b>ID</b>	1315
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes

<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	voice-and-video
<b>Sub Category</b>	enterprise-video-broadcast
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	broadcast-video
<b>Tunnel</b>	False

## CISCO-IP-SLA

<b>Name/CLI Keyword</b>	cisco-ip-sla
<b>Full Name</b>	Cisco IP SLA
<b>Description</b>	IP SLA (Internet Protocol Service Level Agreement) is an active computer network measurement technology
<b>Introduced</b>	28.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="https://en.wikipedia.org/wiki/Service_Assurance_Agent">https://en.wikipedia.org/wiki/Service_Assurance_Agent</a>
<b>Global ID</b>	13:1076
<b>ID</b>	1076
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	voice-and-video
<b>Sub Category</b>	enterprise-voice-collaboration
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	multimedia-conferencing
<b>Tunnel</b>	False



## CISCO-JABBER-AUDIO

<b>Name/CLI Keyword</b>	cisco-jabber-audio
<b>Full Name</b>	Cisco Jabber Audio
<b>Description</b>	Cisco Jabber is a unified communications client application that provides presence, instant messaging (IM), voice, and video calling capabilities on many platforms. This protocol classifies the audio calls part of Cisco Jabber
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.cisco.com/web/products/voice/jabber.html">http://www.cisco.com/web/products/voice/jabber.html</a>
<b>Global ID</b>	13:558
<b>ID</b>	1494
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	cisco-jabber-group
<b>Business Relevance</b>	business-relevant
<b>Category</b>	voice-and-video
<b>Sub Category</b>	enterprise-voice-collaboration
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	voip-telephony
<b>Tunnel</b>	False

## CISCO-JABBER-CONTROL

<b>Name/CLI Keyword</b>	cisco-jabber-control
<b>Full Name</b>	Cisco Jabber Control
<b>Description</b>	Cisco Jabber is a unified communications client application that provides presence, instant messaging (IM), voice, and video calling capabilities on many platforms. This protocol classifies the control and signaling part of Cisco Jabber
<b>Introduced</b>	-

<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.cisco.com/web/products/voice/jabber.html">http://www.cisco.com/web/products/voice/jabber.html</a>
<b>Global ID</b>	13:556
<b>ID</b>	1498
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	cisco-jabber-group
<b>Business Relevance</b>	business-relevant
<b>Category</b>	voice-and-video
<b>Sub Category</b>	control-and-signaling
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	signaling
<b>Tunnel</b>	False

## CISCO-JABBER-IM

<b>Name/CLI Keyword</b>	cisco-jabber-im
<b>Full Name</b>	Cisco Jabber IM
<b>Description</b>	Cisco Jabber is a unified communications client application that provides presence, instant messaging (IM), voice, and video calling capabilities on many platforms. This protocol classifies the Text Messaging part of Cisco Jabber
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.cisco.com/web/products/voice/jabber.html">http://www.cisco.com/web/products/voice/jabber.html</a>
<b>Global ID</b>	13:557
<b>ID</b>	1493
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	cisco-jabber-group

<b>Business Relevance</b>	business-relevant
<b>Category</b>	voice-and-video
<b>Sub Category</b>	enterprise-media-conferencing
<b>P2P Technology</b>	False
<b>Encrypted</b>	True
<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

## CISCO-JABBER-VIDEO

<b>Name/CLI Keyword</b>	cisco-jabber-video
<b>Full Name</b>	Cisco Jabber Video
<b>Description</b>	Cisco Jabber is a unified communications client application that provides presence, instant messaging (IM), voice, and video calling capabilities on many platforms. This protocol classifies the video calls part of Cisco Jabber
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.cisco.com/web/products/voice/jabber.html">http://www.cisco.com/web/products/voice/jabber.html</a>
<b>Global ID</b>	13:561
<b>ID</b>	1495
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	cisco-jabber-group
<b>Business Relevance</b>	business-relevant
<b>Category</b>	voice-and-video
<b>Sub Category</b>	enterprise-media-conferencing
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	multimedia-conferencing
<b>Tunnel</b>	False

## CISCO-MEDIA-AUDIO

<b>Name/CLI Keyword</b>	cisco-media-audio
<b>Full Name</b>	Cisco Media Audio
<b>Description</b>	Cisco-media is used mainly in corporations and can be used on or off site.
<b>Introduced</b>	20.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="#">None</a>
<b>Global ID</b>	13:1746
<b>ID</b>	1746
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	cisco-phone-group
<b>Business Relevance</b>	business-relevant
<b>Category</b>	voice-and-video
<b>Sub Category</b>	enterprise-voice-collaboration
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	voip-telephony
<b>Tunnel</b>	False

## CISCO-MEDIA-VIDEO

<b>Name/CLI Keyword</b>	cisco-media-video
<b>Full Name</b>	Cisco Media Video
<b>Description</b>	Cisco-media is used mainly in corporations and can be used on or off site.
<b>Introduced</b>	20.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="#">None</a>

<b>Global ID</b>	13:1747
<b>ID</b>	1747
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	cisco-phone-group
<b>Business Relevance</b>	business-relevant
<b>Category</b>	voice-and-video
<b>Sub Category</b>	enterprise-voice-collaboration
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	multimedia-conferencing
<b>Tunnel</b>	False

## CISCO-MERAKI

<b>Name/CLI Keyword</b>	cisco-meraki
<b>Full Name</b>	Cisco Meraki
<b>Description</b>	Cisco Meraki is a cloud managed solution, which includes wireless, switching, security, EMM, communications, and security cameras, all centrally managed from the web.
<b>Introduced</b>	39.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="https://meraki.cisco.com/">https://meraki.cisco.com/</a>
<b>Global ID</b>	13:1243
<b>ID</b>	1243
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	net-admin

<b>Sub Category</b>	enterprise-cloud-services
<b>P2P Technology</b>	False
<b>Encrypted</b>	True
<b>Traffic-class</b>	network-control
<b>Tunnel</b>	False

## CISCO-NAC

<b>Name/CLI Keyword</b>	cisco-nac
<b>Full Name</b>	Cisco NAC
<b>Description</b>	Cisco Network Admission Control (NAC) is a system that provides integrated network security solutions. It offers authentication and authorization of wired, wireless, and VPN users and devices (access control), end-point security policies, simple guest access control, audit and information logging of network activity. Typically NAC uses UDP ports 8905 and 8906.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.cisco.com/go/nac">http://www.cisco.com/go/nac</a>
<b>Global ID</b>	3:8905
<b>ID</b>	1334
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	voice-and-video
<b>Sub Category</b>	authentication-services
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	ops-admin-mgmt
<b>Tunnel</b>	False

## CISCO-NMSP

<b>Name/CLI Keyword</b>	cisco-nmsp
<b>Full Name</b>	Cisco NMSP
<b>Description</b>	Network Mobility Services Protocol (NMSP) manages communication between the mobility service engine and the wireless controller. Transport of telemetry, emergency, and RSSI values between the mobility service and the controller is managed by this protocol.
<b>Introduced</b>	35.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="https://www.cisco.com/en/US/docs/wireless/mse/3350/6.0/CAS/configuration/guide/msecg_ch4_CAS.html,%20https://mrnciew.com/2014/09/25/what-is-nmsp/">https://www.cisco.com/en/US/docs/wireless/mse/3350/6.0/CAS/configuration/guide/msecg_ch4_CAS.html,%20https://mrnciew.com/2014/09/25/what-is-nmsp/</a>
<b>Global ID</b>	13:1177
<b>ID</b>	1177
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	business-and-productivity-tools
<b>Sub Category</b>	network-management
<b>P2P Technology</b>	False
<b>Encrypted</b>	True
<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

## CISCO-PHONE

<b>Name/CLI Keyword</b>	cisco-phone
<b>Full Name</b>	Cisco Phone
<b>Description</b>	Cisco-ip-phone is a VoIP telephone used mainly in corporations and can be used on or off site.

<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.cisco.com/en/US/prod/collateral/voicesw/ps6788/phones/ps379/ps1854/product_data_sheet09186a008008884a.html">http://www.cisco.com/en/US/prod/collateral/voicesw/ps6788/phones/ps379/ps1854/product_data_sheet09186a008008884a.html</a>
<b>Global ID</b>	13:81
<b>ID</b>	81
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	cisco-phone-group
<b>Business Relevance</b>	business-relevant
<b>Category</b>	voice-and-video
<b>Sub Category</b>	enterprise-voice-collaboration
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	multimedia-conferencing
<b>Tunnel</b>	False

## CISCO-PHONE-AUDIO

<b>Name/CLI Keyword</b>	cisco-phone-audio
<b>Full Name</b>	Cisco Phone Audio
<b>Description</b>	Cisco-ip-phone is a VoIP telephone used mainly in corporations and can be used on or off site. Cisco Phone Audio is the audio part of Cisco-Phone calls when the signaling is over SIP and the media is over RTP.
<b>Introduced</b>	13.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.cisco.com/en/US/prod/collateral/voicesw/ps6788/phones/ps379/ps1854/product_data_sheet09186a008008884a.html">http://www.cisco.com/en/US/prod/collateral/voicesw/ps6788/phones/ps379/ps1854/product_data_sheet09186a008008884a.html</a>
<b>Global ID</b>	13:612
<b>ID</b>	1551
<b>IPv4 Support</b>	Yes



<b>IPv6 Support</b>	Yes
<b>Application Group</b>	cisco-phone-group
<b>Business Relevance</b>	business-relevant
<b>Category</b>	voice-and-video
<b>Sub Category</b>	enterprise-voice-collaboration
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	voip-telephony
<b>Tunnel</b>	False

## CISCO-PHONE-CONTROL

<b>Name/CLI Keyword</b>	cisco-phone-control
<b>Full Name</b>	Cisco Phone Control
<b>Description</b>	Control flow of Cisco-Ip-phone.
<b>Introduced</b>	20.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.cisco.com/en/US/prod/collateral/voicesw/ps6788/phones/ps379/ps1854/product_data_sheet09186a008008884a.html">http://www.cisco.com/en/US/prod/collateral/voicesw/ps6788/phones/ps379/ps1854/product_data_sheet09186a008008884a.html</a>
<b>Global ID</b>	13:1763
<b>ID</b>	1763
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	cisco-phone-group
<b>Business Relevance</b>	business-relevant
<b>Category</b>	voice-and-video
<b>Sub Category</b>	control-and-signaling
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	signaling

<b>Tunnel</b>	False
---------------	-------

## CISCO-PHONE-MEDIA

<b>Name/CLI Keyword</b>	cisco-phone-media
<b>Full Name</b>	Cisco Phone Media
<b>Description</b>	Cisco-media is used mainly in corporations and can be used on or off site.
<b>Introduced</b>	20.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="#">None</a>
<b>Global ID</b>	13:1745
<b>ID</b>	1745
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	cisco-phone-group
<b>Business Relevance</b>	business-relevant
<b>Category</b>	voice-and-video
<b>Sub Category</b>	enterprise-voice-collaboration
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	multimedia-conferencing
<b>Tunnel</b>	False

## CISCO-PHONE-VIDEO

<b>Name/CLI Keyword</b>	cisco-phone-video
<b>Full Name</b>	Cisco Phone Video
<b>Description</b>	Cisco-ip-phone is a VoIP telephone used mainly in corporations and can be used on or off site. Cisco Phone Video is the video part of Cisco-Phone calls when the signaling is over SIP and the media is over RTP.

<b>Introduced</b>	13.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.cisco.com/en/US/prod/collateral/voicesw/ps6788/phones/ps379/ps1854/product_data_sheet09186a008008884a.html">http://www.cisco.com/en/US/prod/collateral/voicesw/ps6788/phones/ps379/ps1854/product_data_sheet09186a008008884a.html</a>
<b>Global ID</b>	13:613
<b>ID</b>	1552
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	cisco-phone-group
<b>Business Relevance</b>	business-relevant
<b>Category</b>	voice-and-video
<b>Sub Category</b>	enterprise-media-conferencing
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	multimedia-conferencing
<b>Tunnel</b>	False

## CISCO-RTMT

<b>Name/CLI Keyword</b>	cisco-rtmt
<b>Full Name</b>	Cisco RTMT
<b>Description</b>	Cisco Unified Real-Time Monitoring Tool
<b>Introduced</b>	26.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cucm/service/7_1_2/rtmt/RTMT/rtinst.html,%20http://www.cisco.com/c/en/us/support/unified-communications/unified-communications-manager-callmanager/products-maintenance-guides-list.html">http://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cucm/service/7_1_2/rtmt/RTMT/rtinst.html,%20http://www.cisco.com/c/en/us/support/unified-communications/unified-communications-manager-callmanager/products-maintenance-guides-list.html</a>
<b>Global ID</b>	13:1060
<b>ID</b>	1060
<b>IPv4 Support</b>	Yes

<b>IPv6 Support</b>	Yes
<b>Application Group</b>	cisco-phone-group
<b>Business Relevance</b>	business-relevant
<b>Category</b>	net-admin
<b>Sub Category</b>	network-management
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	ops-admin-mgmt
<b>Tunnel</b>	False

## CISCO-SD-AVC

<b>Name/CLI Keyword</b>	cisco-sd-avc
<b>Full Name</b>	Cisco SD-AVC
<b>Description</b>	Cisco software-defined AVC (SD-AVC) is a network-level component of Cisco AVC that provides services to participating devices in a network.
<b>Introduced</b>	33.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/avc/sd-avc/rn/1-0/sd-avc-rn-1-0.html">https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/avc/sd-avc/rn/1-0/sd-avc-rn-1-0.html</a>
<b>Global ID</b>	13:1146
<b>ID</b>	1146
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	net-admin
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False

<b>Traffic-class</b>	ops-admin-mgmt
<b>Tunnel</b>	False

## CISCO-SDWAN-CONTROL

<b>Name/CLI Keyword</b>	cisco-sdwan-control
<b>Full Name</b>	Cisco SD-WAN Control
<b>Description</b>	Cisco Software defined WAN, formerly Viptela SDWAN, control Protocols
<b>Introduced</b>	44.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="https://www.cisco.com/c/en/us/solutions/enterprise-networks/sd-wan/index.html">https://www.cisco.com/c/en/us/solutions/enterprise-networks/sd-wan/index.html</a>
<b>Global ID</b>	13:1261
<b>ID</b>	1261
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	business-and-productivity-tools
<b>Sub Category</b>	network-management
<b>P2P Technology</b>	False
<b>Encrypted</b>	True
<b>Traffic-class</b>	network-control
<b>Tunnel</b>	False

## CISCO-SDWAN-IPSEC

<b>Name/CLI Keyword</b>	cisco-sdwan-ipsec
<b>Full Name</b>	Cisco SD-WAN IPsec
<b>Description</b>	Cisco Software defined WAN, formerly Viptela SDWAN, IPsec Protocols
<b>Introduced</b>	44.0.0

<b>Deprecated</b>	-
<b>Reference</b>	<a href="https://www.cisco.com/c/en/us/solutions/enterprise-networks/sd-wan/index.html">https://www.cisco.com/c/en/us/solutions/enterprise-networks/sd-wan/index.html</a>
<b>Global ID</b>	13:1262
<b>ID</b>	1262
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	business-and-productivity-tools
<b>Sub Category</b>	tunneling-protocols
<b>P2P Technology</b>	False
<b>Encrypted</b>	True
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	True

## CISCO-SMART-PROBE

<b>Name/CLI Keyword</b>	cisco-smart-probe
<b>Full Name</b>	Cisco Smart Probe
<b>Description</b>	Smart Probing is used to help collecting performance metrics when there is no actual user traffic
<b>Introduced</b>	36.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://docwiki.cisco.com/wiki/PfRv3:Technology_Overview">http://docwiki.cisco.com/wiki/PfRv3:Technology_Overview</a>
<b>Global ID</b>	13:1207
<b>ID</b>	1207
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant

<b>Category</b>	voice-and-video
<b>Sub Category</b>	enterprise-media-conferencing
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	voip-telephony
<b>Tunnel</b>	False

## CISCO-SPARK

<b>Name/CLI Keyword</b>	cisco-spark
<b>Full Name</b>	Cisco Spark
<b>Description</b>	Cisco Spark / Webex Teams - unified communications client and SaaS with mobile team communication: group chat, private chat, video calls with screen sharing and file sharing.
<b>Introduced</b>	-
<b>Deprecated</b>	63.0.0
<b>Reference</b>	<a href="http://ciscospark.com">http://ciscospark.com</a>
<b>Global ID</b>	13:809
<b>ID</b>	1741
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	webex-group
<b>Business Relevance</b>	business-relevant
<b>Category</b>	voice-and-video
<b>Sub Category</b>	enterprise-media-conferencing
<b>P2P Technology</b>	False
<b>Encrypted</b>	True
<b>Traffic-class</b>	multimedia-conferencing
<b>Tunnel</b>	False

## CISCO-SPARK-AUDIO

<b>Name/CLI Keyword</b>	cisco-spark-audio
<b>Full Name</b>	Cisco Spark Audio
<b>Description</b>	Cisco Spark / Webex Teams Audio - Audio of unified communications client and SaaS with mobile team communication: group chat, private chat, video calls with screen sharing and file sharing.
<b>Introduced</b>	-
<b>Deprecated</b>	63.0.0
<b>Reference</b>	<a href="http://ciscospark.com">http://ciscospark.com</a>
<b>Global ID</b>	13:1050
<b>ID</b>	1050
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	voice-and-video
<b>Sub Category</b>	enterprise-media-conferencing
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	voip-telephony
<b>Tunnel</b>	False

## CISCO-SPARK-MEDIA

<b>Name/CLI Keyword</b>	cisco-spark-media
<b>Full Name</b>	Cisco Spark Media
<b>Description</b>	Cisco Spark / Webex Teams Media - Media of unified communications client and SaaS with mobile team communication: group chat, private chat, video calls with screen sharing and file sharing.
<b>Introduced</b>	-



<b>Deprecated</b>	63.0.0
<b>Reference</b>	<a href="http://ciscopark.com">http://ciscopark.com</a>
<b>Global ID</b>	13:1051
<b>ID</b>	1051
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	voice-and-video
<b>Sub Category</b>	enterprise-voice-collaboration
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	multimedia-conferencing
<b>Tunnel</b>	False

## CISCO-SPARK-VIDEO

<b>Name/CLI Keyword</b>	cisco-spark-video
<b>Full Name</b>	Cisco Spark Video
<b>Description</b>	Cisco Spark / Webex Teams Video - Video of unified communications client and SaaS with mobile team communication: group chat, private chat, video calls with screen sharing and file sharing.
<b>Introduced</b>	-
<b>Deprecated</b>	63.0.0
<b>Reference</b>	<a href="http://ciscopark.com">http://ciscopark.com</a>
<b>Global ID</b>	13:1048
<b>ID</b>	1048
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other

<b>Business Relevance</b>	business-relevant
<b>Category</b>	voice-and-video
<b>Sub Category</b>	enterprise-voice-collaboration
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	multimedia-conferencing
<b>Tunnel</b>	False

## CISCO-STEALTHWATCH

<b>Name/CLI Keyword</b>	cisco-stealthwatch
<b>Full Name</b>	Cisco Stealthwatch
<b>Description</b>	Cisco Stealthwatch provides continuous real-time monitoring of, and pervasive views into, all network traffic.
<b>Introduced</b>	39.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="https://www.cisco.com/c/en/us/products/security/stealthwatch/index.html">https://www.cisco.com/c/en/us/products/security/stealthwatch/index.html</a>
<b>Global ID</b>	13:340
<b>ID</b>	340
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	internet-security
<b>Sub Category</b>	network-management
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	ops-admin-mgmt
<b>Tunnel</b>	False

## CISCO-SYS

<b>Name/CLI Keyword</b>	cisco-sys
<b>Full Name</b>	Cisco SYSMANT
<b>Description</b>	Cisco SYSMANT, Registered with IANA on port 132 TCP/UDP
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>
<b>Global ID</b>	3:132
<b>ID</b>	1161
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	net-admin
<b>Sub Category</b>	network-management
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	ops-admin-mgmt
<b>Tunnel</b>	False

## CISCO-TDP

<b>Name/CLI Keyword</b>	cisco-tdp
<b>Full Name</b>	Tag Distribution Protocol
<b>Description</b>	Tag Distribution Protocol (TDP) is a two party protocol that runs over a connection oriented transport layer with guaranteed sequential delivery. Tag Switching Routers use TDP to communicate tag binding information to their peers. TDP supports multiple network layer protocols including but not limited to IPv4, IPv6, IPX and AppleTalk.

<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://tools.ietf.org/id/draft-doolan-tdp-spec-00">http://tools.ietf.org/id/draft-doolan-tdp-spec-00</a>
<b>Global ID</b>	3:711
<b>ID</b>	614
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	net-admin
<b>Sub Category</b>	routing-protocol
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	network-control
<b>Tunnel</b>	False

## CISCO-THOUSANDEYES

<b>Name/CLI Keyword</b>	cisco-thousandeyes
<b>Full Name</b>	Cisco ThousandEyes
<b>Description</b>	Cisco ThousandEyes is a SaaS-based platform that monitors network infrastructure, troubleshoots application delivery, and maps internet performance.
<b>Introduced</b>	67.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="https://www.thousandeyes.com/">https://www.thousandeyes.com/</a>
<b>Global ID</b>	13:1298
<b>ID</b>	1298
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other

<b>Business Relevance</b>	business-relevant
<b>Category</b>	business-and-productivity-tools
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	True
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## CISCO-TNA

<b>Name/CLI Keyword</b>	cisco-tna
<b>Full Name</b>	Cisco TNATIVE
<b>Description</b>	Cisco TNATIVE, Registered with IANA on port 131 TCP/UDP
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>
<b>Global ID</b>	3:131
<b>ID</b>	1160
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	net-admin
<b>Sub Category</b>	network-management
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	ops-admin-mgmt
<b>Tunnel</b>	False

## CISCO-TV

<b>Name/CLI Keyword</b>	cisco-tv
<b>Full Name</b>	Cisco TV
<b>Description</b>	Corporate TV with Interactive Web Streaming, and live studio shows
<b>Introduced</b>	35.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://ciscotv.cisco.com">http://ciscotv.cisco.com</a>
<b>Global ID</b>	13:1176
<b>ID</b>	1176
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	voice-and-video
<b>Sub Category</b>	enterprise-video-broadcast
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	broadcast-video
<b>Tunnel</b>	False

## CISCO-UMBRELLA

<b>Name/CLI Keyword</b>	cisco-umbrella
<b>Full Name</b>	Cisco Umbrella
<b>Description</b>	Cisco umbrella is a security tool that provides DNS encryption, and blocks malware botnets and phishing.
<b>Introduced</b>	37.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="https://umbrella.cisco.com/">https://umbrella.cisco.com/</a>

<b>Global ID</b>	13:1211
<b>ID</b>	1211
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	internet-security
<b>Sub Category</b>	enterprise-cloud-data-storage
<b>P2P Technology</b>	False
<b>Encrypted</b>	True
<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

## CITI-BANK

<b>Name/CLI Keyword</b>	citi-bank
<b>Full Name</b>	Citi
<b>Description</b>	Citi - Financial services company.
<b>Introduced</b>	14.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://citibank.com">http://citibank.com</a>
<b>Global ID</b>	13:706
<b>ID</b>	1636
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-irrelevant
<b>Category</b>	browsing
<b>Sub Category</b>	other

<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

## CITRIX

<b>Name/CLI Keyword</b>	citrix
<b>Full Name</b>	Citrix
<b>Description</b>	Citrix is an application that mediates users remotely to their corporate applications. ICA: Independent Computing Architecture is a designated protocol for application server system; it is used for transferring data between clients and servers. CGP: CGP is a tunneling protocol, the latest addition to the family of Citrix protocol. As of today it encapsulates ICA protocol but will be extended to other Citrix protocol such as RDP, HTTP/HTTPS. IMA: used for server-server communication. Server-Browser: Used mainly a control connection which has Published Application Name and triggers an ICA connection
<b>Introduced</b>	13.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.citrix.com/site/resources/dynamic/additional/ICA_Acceleration_0709a.pdf">http://www.citrix.com/site/resources/dynamic/additional/ICA_Acceleration_0709a.pdf</a>
<b>Global ID</b>	13:56
<b>ID</b>	56
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	gotomeeting-group
<b>Business Relevance</b>	business-relevant
<b>Category</b>	business-and-productivity-tools
<b>Sub Category</b>	desktop-virtualization
<b>P2P Technology</b>	False
<b>Encrypted</b>	True
<b>Traffic-class</b>	multimedia-streaming
<b>Tunnel</b>	False



## CITRIX-AUDIO

<b>Name/CLI Keyword</b>	citrix-audio
<b>Full Name</b>	Citrix Audio
<b>Description</b>	Citrix-Audio refers to all audio traffic in Citrix multistream configuration.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.citrix.com/site/resources/dynamic/additional/ICA_Acceleration_0709a.pdf">http://www.citrix.com/site/resources/dynamic/additional/ICA_Acceleration_0709a.pdf</a>
<b>Global ID</b>	13:609
<b>ID</b>	1548
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	business-and-productivity-tools
<b>Sub Category</b>	desktop-virtualization
<b>P2P Technology</b>	False
<b>Encrypted</b>	True
<b>Traffic-class</b>	voip-telephony
<b>Tunnel</b>	False

## CITRIX-STATIC

<b>Name/CLI Keyword</b>	citrix-static
<b>Full Name</b>	Citrix Static

<b>Description</b>	Citrix is an application that mediates users remotely to their corporate applications. ICA: Independent Computing Architecture is a designated protocol for application server system; it is used for transferring data between clients and servers. CGP: CGP is a tunneling protocol, the latest addition to the family of Citrix protocol. As of today it encapsulates ICA protocol but will be extended to other Citrix protocol such as RDP, HTTP/HTTPS. IMA: used for server-server communication. Server-Browser: Used mainly a control connection which has Published Application Name and triggers an ICA connection
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.citrix.com/site/resources/dynamic/additional/ICA_Acceleration_0709a.pdf">http://www.citrix.com/site/resources/dynamic/additional/ICA_Acceleration_0709a.pdf</a>
<b>Global ID</b>	3:1604
<b>ID</b>	1433
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	business-and-productivity-tools
<b>Sub Category</b>	desktop-virtualization
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	multimedia-streaming
<b>Tunnel</b>	False

## CLEARCASE

<b>Name/CLI Keyword</b>	clearcase
<b>Full Name</b>	Rational ClearCase
<b>Description</b>	Rational ClearCase is a software configuration management system that provides version control, workspace management, parallel development support and build auditing.
<b>Introduced</b>	-
<b>Deprecated</b>	-

<b>Reference</b>	<a href="http://www-01.ibm.com/software/awdtools/clearcase/">http://www-01.ibm.com/software/awdtools/clearcase/</a>
<b>Global ID</b>	3:371
<b>ID</b>	91
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	business-and-productivity-tools
<b>Sub Category</b>	enterprise-transactional-apps
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

## CLICKBANK

<b>Name/CLI Keyword</b>	clickbank
<b>Full Name</b>	ClickBank
<b>Description</b>	ClickBank - Online marketplace for Digital products.
<b>Introduced</b>	14.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://clickbank.com">http://clickbank.com</a>
<b>Global ID</b>	13:642
<b>ID</b>	1571
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-irrelevant
<b>Category</b>	browsing

<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

## CLOANTO-NET-1

<b>Name/CLI Keyword</b>	cloanto-net-1
<b>Full Name</b>	Cloanto Net 1
<b>Description</b>	Cloanto is a service developed by the Cloanto Corporation for use in the company's software components for electronic marketing, publishing, commerce and internationalization.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.cloanto.com/">http://www.cloanto.com/</a>
<b>Global ID</b>	3:356
<b>ID</b>	272
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	unassigned
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## CLOUDFLARE\_WARP

<b>Name/CLI Keyword</b>	cloudflare_warp
<b>Full Name</b>	Cloudflare WARP
<b>Description</b>	The Cloudflare WARP client operates between a device and the internet to provide faster, more secure, and more private internet connectivity.
<b>Introduced</b>	61.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="https://developers.cloudflare.com/warp-client/">https://developers.cloudflare.com/warp-client/</a>
<b>Global ID</b>	13:1280
<b>ID</b>	1280
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	anonymizers
<b>Sub Category</b>	tunneling-protocols
<b>P2P Technology</b>	True
<b>Encrypted</b>	True
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	True

## CMIP-AGENT

<b>Name/CLI Keyword</b>	cmip-agent
<b>Full Name</b>	CMIP/TCP Agent

<b>Description</b>	The Common Management Information Protocol (CMIP) is the OSI specified network management protocol. Defined in ITU-T Recommendation X.711, ISO/IEC International Standard 9596-1. It provides an implementation for the services defined by the Common Management Information Service (CMIS) specified in ITU-T Recommendation X.710, ISO/IEC International Standard 9595, allowing communication between network management applications and management agents. CMIS/CMIP is the network management protocol specified by the ISO/OSI Network management model and is further defined by the ITU-T in the X.700 series of recommendations.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://en.wikipedia.org/wiki/Common_Management_Information_Protocol">http://en.wikipedia.org/wiki/Common_Management_Information_Protocol</a>
<b>Global ID</b>	3:164
<b>ID</b>	1009
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	net-admin
<b>Sub Category</b>	network-management
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	ops-admin-mgmt
<b>Tunnel</b>	False

## CMIP-MAN

<b>Name/CLI Keyword</b>	cmip-man
<b>Full Name</b>	CMIP/TCP Manager

<b>Description</b>	The Common Management Information Protocol (CMIP) is the OSI specified network management protocol. Defined in ITU-T Recommendation X.711, ISO/IEC International Standard 9596-1. It provides an implementation for the services defined by the Common Management Information Service (CMIS) specified in ITU-T Recommendation X.710, ISO/IEC International Standard 9595, allowing communication between network management applications and management agents. CMIS/CMIP is the network management protocol specified by the ISO/OSI Network management model and is further defined by the ITU-T in the X.700 series of recommendations.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://en.wikipedia.org/wiki/Common_Management_Information_Protocol">http://en.wikipedia.org/wiki/Common_Management_Information_Protocol</a>
<b>Global ID</b>	3:163
<b>ID</b>	1008
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	net-admin
<b>Sub Category</b>	network-management
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	ops-admin-mgmt
<b>Tunnel</b>	False

## CNBC

<b>Name/CLI Keyword</b>	cnbc
<b>Full Name</b>	CNBC
<b>Description</b>	CNBC - Official website of CNBC channel for Business and Financial market news.
<b>Introduced</b>	14.0.0
<b>Deprecated</b>	-

<b>Reference</b>	<a href="http://cnbc.com">http://cnbc.com</a>
<b>Global ID</b>	13:756
<b>ID</b>	1686
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-irrelevant
<b>Category</b>	browsing
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

## CNET

<b>Name/CLI Keyword</b>	cnet
<b>Full Name</b>	CNET
<b>Description</b>	CNET - Tech and gadget related news, reviews, and shopping.
<b>Introduced</b>	14.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://cnet.com">http://cnet.com</a>
<b>Global ID</b>	13:645
<b>ID</b>	1574
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-irrelevant
<b>Category</b>	browsing



<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

## CNN

<b>Name/CLI Keyword</b>	cnn
<b>Full Name</b>	CNN
<b>Description</b>	Cable News Network (CNN) is an American basic cable and satellite television news channel.
<b>Introduced</b>	34.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.cnn.com/">http://www.cnn.com/</a>
<b>Global ID</b>	13:1167
<b>ID</b>	1167
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-irrelevant
<b>Category</b>	browsing
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

# COAP

<b>Name/CLI Keyword</b>	coap
<b>Full Name</b>	CoAP
<b>Description</b>	The Constrained Application Protocol (CoAP) is a specialized web transfer protocol for use with constrained nodes and constrained (e.g., low-power, lossy) networks.
<b>Introduced</b>	38.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://coap.technology/">http://coap.technology/</a>
<b>Global ID</b>	13:1239
<b>ID</b>	1239
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	True

# COAUTHOR

<b>Name/CLI Keyword</b>	coauthor
<b>Full Name</b>	Oracle Coauthor
<b>Description</b>	Registered with IANA on port 1529 TCP/UDP
<b>Introduced</b>	-
<b>Deprecated</b>	-

<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>
<b>Global ID</b>	3:1529
<b>ID</b>	693
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	sqlsvr-group
<b>Business Relevance</b>	business-relevant
<b>Category</b>	database
<b>Sub Category</b>	enterprise-transactional-apps
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

## CODAAUTH2

<b>Name/CLI Keyword</b>	codaauth2
<b>Full Name</b>	Coda Authentication Server
<b>Description</b>	Coda Authentication Server represents the authentication procedure, as part of Coda, a distributed file system.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.coda.cs.cmu.edu/">http://www.coda.cs.cmu.edu/</a>
<b>Global ID</b>	3:370
<b>ID</b>	286
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant

<b>Category</b>	net-admin
<b>Sub Category</b>	authentication-services
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	ops-admin-mgmt
<b>Tunnel</b>	False

## CODE42-SERVICES

<b>Name/CLI Keyword</b>	code42-services
<b>Full Name</b>	Code42 Services
<b>Description</b>	Code42 software addresses data loss protection, endpoint backup, and insider threat detection. Code42 tools protect and secure data, both on endpoint devices and in the cloud.
<b>Introduced</b>	67.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="https://www.code42.com">https://www.code42.com</a>
<b>Global ID</b>	13:1301
<b>ID</b>	1301
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	business-and-productivity-tools
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	True
<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

## COLLABORATOR

<b>Name/CLI Keyword</b>	collaborator
<b>Full Name</b>	Collaborator
<b>Description</b>	Registered with IANA on port 622 TCP/UDP
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>
<b>Global ID</b>	3:622
<b>ID</b>	531
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## COMMERCE

<b>Name/CLI Keyword</b>	commerce
<b>Full Name</b>	Commerce
<b>Description</b>	Registered with IANA on port 542 TCP/UDP
<b>Introduced</b>	-
<b>Deprecated</b>	-

<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>
<b>Global ID</b>	3:542
<b>ID</b>	460
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## COMPAQ-PEER

<b>Name/CLI Keyword</b>	compaq-peer
<b>Full Name</b>	Compaq-Peer Protocol
<b>Description</b>	Compaq-Peer Protocol is a specific proprietary protocol used by HP to set up peer-to-peer networks within a network infrastructure.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.compaq.com/info/SP5108/SP5108PF.PDF">http://www.compaq.com/info/SP5108/SP5108PF.PDF</a>
<b>Global ID</b>	1:110
<b>ID</b>	864
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default

<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	unassigned
<b>Encrypted</b>	unassigned
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	unassigned

## COMPRESSNET

<b>Name/CLI Keyword</b>	compressnet
<b>Full Name</b>	Management Utility
<b>Description</b>	Registered with IANA on port 2 TCP/UDP
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>
<b>Global ID</b>	3:2
<b>ID</b>	900
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	net-admin
<b>Sub Category</b>	network-management
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	ops-admin-mgmt
<b>Tunnel</b>	False

## COMSCM

<b>Name/CLI Keyword</b>	comscm
<b>Full Name</b>	COMSCM
<b>Description</b>	Registered with IANA on port 437 TCP/UDP
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>
<b>Global ID</b>	3:437
<b>ID</b>	352
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## CON

<b>Name/CLI Keyword</b>	con
<b>Full Name</b>	Con
<b>Description</b>	Registered with IANA on port 759 TCP/UDP
<b>Introduced</b>	-
<b>Deprecated</b>	-



<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>
<b>Global ID</b>	3:759
<b>ID</b>	631
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## CONCUR

<b>Name/CLI Keyword</b>	concur
<b>Full Name</b>	Concur
<b>Description</b>	Concur SaaS, provider of travel and expense management services to businesses.
<b>Introduced</b>	35.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="https://www.concur.com">https://www.concur.com</a>
<b>Global ID</b>	13:1182
<b>ID</b>	1182
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	concur-group
<b>Business Relevance</b>	business-relevant
<b>Category</b>	other

<b>Sub Category</b>	enterprise-cloud-services
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

## CONDUIT-COM

<b>Name/CLI Keyword</b>	conduit-com
<b>Full Name</b>	Conduit
<b>Description</b>	Conduit - Online website to create community toolbar.
<b>Introduced</b>	14.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://conduit.com">http://conduit.com</a>
<b>Global ID</b>	13:468
<b>ID</b>	260
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-irrelevant
<b>Category</b>	browsing
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

## CONFERENCE

<b>Name/CLI Keyword</b>	conference
-------------------------	------------

<b>Full Name</b>	Chat
<b>Description</b>	Registered with IANA on port 531 TCP/UDP
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>
<b>Global ID</b>	3:531
<b>ID</b>	449
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-irrelevant
<b>Category</b>	instant-messaging
<b>Sub Category</b>	consumer-multimedia-messaging
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

## CONFERENCE-SERVER

<b>Name/CLI Keyword</b>	conference-server
<b>Full Name</b>	Conferencing Server
<b>Description</b>	Conferencing Server establish communication between SIP users.
<b>Introduced</b>	20.0.0
<b>Deprecated</b>	-
<b>Reference</b>	None
<b>Global ID</b>	13:1748
<b>ID</b>	1748
<b>IPv4 Support</b>	Yes

<b>IPv6 Support</b>	Yes
<b>Application Group</b>	cisco-phone-group
<b>Business Relevance</b>	business-relevant
<b>Category</b>	voice-and-video
<b>Sub Category</b>	enterprise-media-conferencing
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	multimedia-conferencing
<b>Tunnel</b>	False

## CONFERRING

<b>Name/CLI Keyword</b>	conferencing
<b>Full Name</b>	Conferencing
<b>Description</b>	Audio-Video Conferencing, Videotelephony, Telepresence and Collaboration Solutions
<b>Introduced</b>	20.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="https://en.wikipedia.org/wiki/Videoconferencing">https://en.wikipedia.org/wiki/Videoconferencing</a>
<b>Global ID</b>	13:822
<b>ID</b>	1753
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	telepresence-group
<b>Business Relevance</b>	business-relevant
<b>Category</b>	voice-and-video
<b>Sub Category</b>	enterprise-voice-collaboration
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	multimedia-conferencing

<b>Tunnel</b>	False
---------------	-------

## CONNECTED-BACKUP

<b>Name/CLI Keyword</b>	connected-backup
<b>Full Name</b>	Connected Backup
<b>Description</b>	Connected-Backup ensures enterprise-proven, secure, and efficient data protection without disrupting users at work.
<b>Introduced</b>	12.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.autonomy.com/products/connected-backup">http://www.autonomy.com/products/connected-backup</a>
<b>Global ID</b>	13:605
<b>ID</b>	1544
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	backup-and-storage
<b>Sub Category</b>	enterprise-data-center-storage
<b>P2P Technology</b>	False
<b>Encrypted</b>	True
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## CONNENDP

<b>Name/CLI Keyword</b>	connendp
<b>Full Name</b>	Almanid Connection Endpoint
<b>Description</b>	Almanid Connection Endpoint (connendp) is a common module that serves the Almanid IdentityProtector. IdentityProtector is a backup product for Novell Directory Services and Novell eDirectory.

<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.almanid.com/en/products/identityprotector/index.html">http://www.almanid.com/en/products/identityprotector/index.html</a>
<b>Global ID</b>	3:693
<b>ID</b>	601
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## CONSTANT-CONTACT-COM

<b>Name/CLI Keyword</b>	constant-contact-com
<b>Full Name</b>	Constant Contact
<b>Description</b>	Constant Contact - Online marketing service.
<b>Introduced</b>	14.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://constantcontact.com">http://constantcontact.com</a>
<b>Global ID</b>	13:714
<b>ID</b>	1644
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other

<b>Business Relevance</b>	business-irrelevant
<b>Category</b>	browsing
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

## CONSUMER-CLOUD-STORAGE

<b>Name/CLI Keyword</b>	consumer-cloud-storage
<b>Full Name</b>	Consumer Cloud Storage
<b>Description</b>	The Consumer Cloud Storage protocol gathers the leading websites on the internet that offer cloud storage services, mainly for media consumers, such as PutLocker, Rapidshare and more.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.rapidshare.com/">http://www.rapidshare.com/</a> ,%20 <a href="http://www.easysshare.com/">http://www.easysshare.com/</a> ,%20 <a href="http://www.megashare.com/">http://www.megashare.com/</a> ,%20 <a href="http://www.ultrashare.net/">http://www.ultrashare.net/</a> ,%20 <a href="http://www.filefactory.com/">http://www.filefactory.com/</a> ,%20 <a href="http://www.filefront.com/">http://www.filefront.com/</a> ,%20 <a href="http://www.massmirror.com/">http://www.massmirror.com/</a> ,%20 <a href="http://www.filer.net/">http://www.filer.net/</a> ,%20 <a href="http://www.upload.com/">http://www.upload.com/</a> ,%20 <a href="http://www.download.com/">http://www.download.com/</a> ,%20 <a href="http://www.filestube.com/">http://www.filestube.com/</a> ,%20 <a href="http://www.4shared.com/">http://www.4shared.com/</a> ,%20 <a href="http://www.hotfile.com/">http://www.hotfile.com/</a> ,%20 <a href="http://www.zshares.net/">http://www.zshares.net/</a> ,%20 <a href="http://www.mediafire.com/">http://www.mediafire.com/</a> ,%20 <a href="http://www.easynews.com/">http://www.easynews.com/</a> ,%20 <a href="http://www.putlocker.com/">http://www.putlocker.com/</a> ,%20 <a href="http://clouddrive.com/">http://clouddrive.com/</a> ,%20 <a href="http://www.thumbrio.com/">http://www.thumbrio.com/</a>
<b>Global ID</b>	13:582
<b>ID</b>	1521
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-irrelevant
<b>Category</b>	consumer-file-sharing
<b>Sub Category</b>	consumer-cloud-storage

<b>P2P Technology</b>	False
<b>Encrypted</b>	True
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## CONTENTSERVER

<b>Name/CLI Keyword</b>	contentserver
<b>Full Name</b>	ContentServer
<b>Description</b>	ContentServer is a Frontier 6 application that allows members of a website team to contribute to a Frontier-managed site, even if they don't use Frontier.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://contentserver.userland.com/">http://contentserver.userland.com/</a>
<b>Global ID</b>	3:3365
<b>ID</b>	369
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## COOLTALK

<b>Name/CLI Keyword</b>	cooltalk
-------------------------	----------



<b>Full Name</b>	Internet telephony tool
<b>Description</b>	An earlier set of data conferencing and telephony extensions for Netscape Navigator from Netscape. It included an Internet phone, chat window, whiteboard and application sharing.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://besser.tsoa.nyu.edu/impact/f96/Reviews/djiang/">http://besser.tsoa.nyu.edu/impact/f96/Reviews/djiang/</a>
<b>Global ID</b>	3:6499
<b>ID</b>	1335
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-irrelevant
<b>Category</b>	consumer-streaming
<b>Sub Category</b>	consumer-video-streaming
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	multimedia-conferencing
<b>Tunnel</b>	False

## CORBA-IIOP

<b>Name/CLI Keyword</b>	corba-iiop
<b>Full Name</b>	CORBA IIOP
<b>Description</b>	The Common Object Request Broker Architecture (CORBA) and the Internet Inter-ORB Protocol (IIOP) are two technologies that enable distributed computing across heterogeneous systems. CORBA defines the total architecture required for communication between distributed objects and IIOP is the most important specification of CORBA. IIOP focuses on interoperability of distributed objects in heterogeneous environments. CORBA enables an application's components to communicate without regard for their locations on a network. A CORBA-compliant object is guaranteed to be able to communicate with other distributed objects because the technology defines a common interface.
<b>Introduced</b>	-

<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://cyberobject.com/co/whitepaper/Corba_IIOP.PDF">http://cyberobject.com/co/whitepaper/Corba_IIOP.PDF</a>
<b>Global ID</b>	3:683
<b>ID</b>	111
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	corba-group
<b>Business Relevance</b>	business-relevant
<b>Category</b>	inter-process-rpc
<b>Sub Category</b>	enterprise-transactional-apps
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

## CORBA-IIOP-SSL

<b>Name/CLI Keyword</b>	corba-iiop-ssl
<b>Full Name</b>	secure CORBA Internet Inter-ORB Protocol
<b>Description</b>	The Common Object Request Broker Architecture (CORBA) and the Internet Inter-ORB Protocol (IIOP) are two technologies that enable distributed computing across heterogeneous systems. CORBA defines the total architecture required for communication between distributed objects and IIOP is the most important specification of CORBA. secure cobra-iiop is working over SSL protocol , register in IANA on port 684.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.opengroup.org/infosrv/Brand/SPS_pdf/X01OB.pdf">http://www.opengroup.org/infosrv/Brand/SPS_pdf/X01OB.pdf</a>
<b>Global ID</b>	3:684
<b>ID</b>	592
<b>IPv4 Support</b>	Yes

<b>IPv6 Support</b>	Yes
<b>Application Group</b>	corba-group
<b>Business Relevance</b>	business-relevant
<b>Category</b>	inter-process-rpc
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	True
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## CORERJD

<b>Name/CLI Keyword</b>	corerjd
<b>Full Name</b>	Corejrd
<b>Description</b>	Registered with IANA on port 284 TCP/UDP
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>
<b>Global ID</b>	3:284
<b>ID</b>	1145
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	bulk-data

<b>Tunnel</b>	False
---------------	-------

## COUPONS-COM

<b>Name/CLI Keyword</b>	coupons-com
<b>Full Name</b>	Coupons.com
<b>Description</b>	Coupons.com - An online coupons and deals website.
<b>Introduced</b>	14.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://coupons.com">http://coupons.com</a>
<b>Global ID</b>	13:797
<b>ID</b>	1725
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-irrelevant
<b>Category</b>	browsing
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

## COURIER

<b>Name/CLI Keyword</b>	courier
<b>Full Name</b>	Courier Mail Server

<b>Description</b>	Courier Mail Server is a mail transfer agent (MTA) server that provides ESMTP, IMAP, POP3, SMAP, webmail, and mailing list services with individual components. It is best known for its IMAP server component. Individual components can be enabled or disabled at will. The Courier Mail Server implements basic web-based calendaring and scheduling services integrated in the webmail module.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.courier-mta.org/">http://www.courier-mta.org/</a>
<b>Global ID</b>	3:530
<b>ID</b>	448
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## COURSERA

<b>Name/CLI Keyword</b>	coursera
<b>Full Name</b>	Coursera
<b>Description</b>	Coursera - Educational site, offer online courses from top universities.
<b>Introduced</b>	14.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://coursera.com">http://coursera.com</a>
<b>Global ID</b>	13:765

<b>ID</b>	1695
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-irrelevant
<b>Category</b>	browsing
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

## COVIA

<b>Name/CLI Keyword</b>	covia
<b>Full Name</b>	Communications Integrator
<b>Description</b>	Covia is used mainly by emergency response teams and the military to enable audio, video, data and other types of communication between multiple systems and devices running different operating systems.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.covialabs.com">http://www.covialabs.com</a>
<b>Global ID</b>	3:64
<b>ID</b>	941
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	other
<b>Sub Category</b>	other

<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## CPHB

<b>Name/CLI Keyword</b>	cphb
<b>Full Name</b>	Computer Protocol Heart Beat
<b>Description</b>	Registered with IANA as IP Protocol 73
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/protocol-numbers/protocol-numbers.xml">http://www.iana.org/assignments/protocol-numbers/protocol-numbers.xml</a>
<b>Global ID</b>	1:73
<b>ID</b>	827
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	unassigned
<b>Encrypted</b>	unassigned
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	unassigned

## CPNX

<b>Name/CLI Keyword</b>	cpnx
<b>Full Name</b>	Computer Protocol Network Executive

<b>Description</b>	Registered with IANA as IP Protocol 72
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/protocol-numbers/protocol-numbers.xml">http://www.iana.org/assignments/protocol-numbers/protocol-numbers.xml</a>
<b>Global ID</b>	1:72
<b>ID</b>	826
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	unassigned
<b>Encrypted</b>	unassigned
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	unassigned

## CPQ-WBEM

<b>Name/CLI Keyword</b>	cpq-wbem
<b>Full Name</b>	Compaq Insight Manager Service
<b>Description</b>	Compaq Insight Manager Service (cpq-wbem) is a service used by the Compaq Insight Manager software. In 2002 Compaq was acquired by HP, and the Insight Manager software is now known as HP Insight Control.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://h18000.www1.hp.com/products/servers/management/index.html">http://h18000.www1.hp.com/products/servers/management/index.html</a>
<b>Global ID</b>	3:2301
<b>ID</b>	1336
<b>IPv4 Support</b>	Yes



<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	business-and-productivity-tools
<b>Sub Category</b>	network-management
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	ops-admin-mgmt
<b>Tunnel</b>	False

## CRAIGSLIST

<b>Name/CLI Keyword</b>	craigslist
<b>Full Name</b>	Craigslist
<b>Description</b>	Craigslist - Popular online classifieds.
<b>Introduced</b>	14.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://craigslist.org">http://craigslist.org</a>
<b>Global ID</b>	13:617
<b>ID</b>	1068
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-irrelevant
<b>Category</b>	browsing
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	transactional-data

<b>Tunnel</b>	False
---------------	-------

## CRASHPLAN

<b>Name/CLI Keyword</b>	crashplan
<b>Full Name</b>	CrashPlan
<b>Description</b>	Online data backup software. Provides continuous, silent backup of end user data.
<b>Introduced</b>	17.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.code42.com/crashplan/">http://www.code42.com/crashplan/</a>
<b>Global ID</b>	13:820
<b>ID</b>	1749
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	backup-and-storage
<b>Sub Category</b>	enterprise-data-center-storage
<b>P2P Technology</b>	False
<b>Encrypted</b>	True
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## CREATIVEPARTNR

<b>Name/CLI Keyword</b>	creativepartnr
<b>Full Name</b>	Creative Partner
<b>Description</b>	Registered with IANA on port 455 TCP/UDP
<b>Introduced</b>	-
<b>Deprecated</b>	-

<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>
<b>Global ID</b>	3:455
<b>ID</b>	370
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## CREATIVESERVER

<b>Name/CLI Keyword</b>	creativeserver
<b>Full Name</b>	Creative Server
<b>Description</b>	Registered with IANA on port 453 TCP/UDP
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>
<b>Global ID</b>	3:453
<b>ID</b>	368
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default

<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## CRS

<b>Name/CLI Keyword</b>	crs
<b>Full Name</b>	Microsoft Content Replication System
<b>Description</b>	Registered with IANA on port 507 TCP/UDP
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>
<b>Global ID</b>	3:507
<b>ID</b>	421
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	net-admin
<b>Sub Category</b>	authentication-services
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	ops-admin-mgmt
<b>Tunnel</b>	False

## CRTP

<b>Name/CLI Keyword</b>	crtp
<b>Full Name</b>	Combat Radio Transport Protocol
<b>Description</b>	Combat Radio Transport Protocol transports the combat radio's data through in an internet network.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.springerlink.com/content/a761662632006m51/fulltext.pdf">http://www.springerlink.com/content/a761662632006m51/fulltext.pdf</a>
<b>Global ID</b>	1:126
<b>ID</b>	880
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	unassigned
<b>Encrypted</b>	unassigned
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	unassigned

## CRUDP

<b>Name/CLI Keyword</b>	crudp
<b>Full Name</b>	Combat Radio User Datagram
<b>Description</b>	Registered with IANA as IP Protocol 127
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/protocol-numbers/protocol-numbers.xml">http://www.iana.org/assignments/protocol-numbers/protocol-numbers.xml</a>

<b>Global ID</b>	1:127
<b>ID</b>	1225
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## CRYPTOADMIN

<b>Name/CLI Keyword</b>	cryptoadmin
<b>Full Name</b>	CRYPTOAdmin
<b>Description</b>	CRYPTOAdmin a remote authentication solution, enabling its users to access a remote enterprise's LAN. The solution is built of two parts: the CRYPTOAdmin authentication server and CRYPTOCARD tokens and smartcards. Together, these provide strongly secured access to a remote enterprise network.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.cryptocard.com/">http://www.cryptocard.com/</a>
<b>Global ID</b>	3:624
<b>ID</b>	533
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant

<b>Category</b>	voice-and-video
<b>Sub Category</b>	authentication-services
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	ops-admin-mgmt
<b>Tunnel</b>	False

## CSDN

<b>Name/CLI Keyword</b>	csdn
<b>Full Name</b>	CSDN
<b>Description</b>	CSDN - Chinese IT community/forum for Software related issues.
<b>Introduced</b>	14.0.0
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://csdn.net">http://csdn.net</a>
<b>Global ID</b>	13:737
<b>ID</b>	1667
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-irrelevant
<b>Category</b>	browsing
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

## CSI-SGWP

<b>Name/CLI Keyword</b>	csi-sgwp
<b>Full Name</b>	Cabletron Management Protocol
<b>Description</b>	Registered with IANA on port 348 TCP/UDP
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>
<b>Global ID</b>	3:348
<b>ID</b>	915
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## CSNET-NS

<b>Name/CLI Keyword</b>	csnet-ns
<b>Full Name</b>	CSNET Mailbox Name Nameserver
<b>Description</b>	The Computer Science Network (CSNET) was a computer network that began operation in 1981 in the United States. Its purpose was to extend networking benefits for computer science departments at academic and research institutions that could not be directly connected to ARPANET, due to funding or authorization limitations. The CSNET name service allowed manual and automated email address lookup based on various user attributes, such as name, title, or institution.



<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.isoc.org/internet/history/documents/Comm83.pdf">http://www.isoc.org/internet/history/documents/Comm83.pdf</a>
<b>Global ID</b>	3:105
<b>ID</b>	976
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	net-admin
<b>Sub Category</b>	naming-services
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	ops-admin-mgmt
<b>Tunnel</b>	False

## CTF

<b>Name/CLI Keyword</b>	ctf
<b>Full Name</b>	CTF
<b>Description</b>	Registered with IANA on port 84 TCP/UDP
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>
<b>Global ID</b>	3:84
<b>ID</b>	957
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other

<b>Business Relevance</b>	business-relevant
<b>Category</b>	net-admin
<b>Sub Category</b>	network-management
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	ops-admin-mgmt
<b>Tunnel</b>	False

## CUSEEME

<b>Name/CLI Keyword</b>	cuseeme
<b>Full Name</b>	Internet video conference system
<b>Description</b>	CU-SeeMe is an Internet video conferencing client. CU-SeeMe can make point-to-point video calls without a server or make multi-point calls through server software. Later commercial versions of CU-SeeMe could also make point-to-point or multi-point calls to other vendor's standard-based H.323 endpoints and servers.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://en.wikipedia.org/wiki/CU-SeeMe">http://en.wikipedia.org/wiki/CU-SeeMe</a>
<b>Global ID</b>	13:12
<b>ID</b>	12
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-irrelevant
<b>Category</b>	instant-messaging
<b>Sub Category</b>	consumer-multimedia-messaging
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	multimedia-conferencing

<b>Tunnel</b>	False
---------------	-------

## CUSTIX

<b>Name/CLI Keyword</b>	custix
<b>Full Name</b>	Customer Ixchange
<b>Description</b>	Registered with IANA on port 528 TCP/UDP
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>
<b>Global ID</b>	3:528
<b>ID</b>	446
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## CVC\_HOSTD

<b>Name/CLI Keyword</b>	cvc_hostd
<b>Full Name</b>	CVC Host Daemon
<b>Description</b>	Registered with IANA on port 442 TCP/UDP
<b>Introduced</b>	-

<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>
<b>Global ID</b>	3:442
<b>ID</b>	357
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	net-admin
<b>Sub Category</b>	authentication-services
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	ops-admin-mgmt
<b>Tunnel</b>	False

## CVSPSERVER

<b>Name/CLI Keyword</b>	cvspserver
<b>Full Name</b>	CVS pserver
<b>Description</b>	CVS pserver is an insecure method of giving remote access to a Concurrent Versions System (CVS) repository.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.nongnu.org/cvs/">http://www.nongnu.org/cvs/</a>
<b>Global ID</b>	3:2401
<b>ID</b>	1337
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other

<b>Business Relevance</b>	default
<b>Category</b>	other
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	bulk-data
<b>Tunnel</b>	False

## CVSUP

<b>Name/CLI Keyword</b>	cvsup
<b>Full Name</b>	CVSup
<b>Description</b>	CVSup is a computer program written for Unix/Linux based systems that synchronizes files and directories from one location to another while minimizing data transfer using file-type specific delta encoding when appropriate. CVSup was designed for keeping source code repositories - such as CVS - synchronized, but has been extended to support synchronizing any type of file.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.cvsup.org/">http://www.cvsup.org/</a>
<b>Global ID</b>	3:5999
<b>ID</b>	1338
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	file-sharing
<b>Sub Category</b>	file-transfer
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	bulk-data

<b>Tunnel</b>	False
---------------	-------

## CYBERCASH

<b>Name/CLI Keyword</b>	cybercash
<b>Full Name</b>	Cybercash
<b>Description</b>	CyberCash serves as a conduit through which payments can be transported quickly, easily and safely between buyers, sellers and their banks. The CyberCash system provides several separate payment services on the Internet including credit card and electronic cash.
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://tools.ietf.org/html/rfc1898">http://tools.ietf.org/html/rfc1898</a>
<b>Global ID</b>	3:551
<b>ID</b>	468
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	default
<b>Category</b>	epayment
<b>Sub Category</b>	other
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	transactional-data
<b>Tunnel</b>	False

## CYCLESERV

<b>Name/CLI Keyword</b>	cycleserv
<b>Full Name</b>	Cycleserv
<b>Description</b>	Registered with IANA on port 763 TCP/UDP

<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>
<b>Global ID</b>	3:763
<b>ID</b>	635
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes
<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	net-admin
<b>Sub Category</b>	network-management
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	ops-admin-mgmt
<b>Tunnel</b>	False

## CYCLESERV2

<b>Name/CLI Keyword</b>	cycleserv2
<b>Full Name</b>	Cycleserv2
<b>Description</b>	Registered with IANA on port 772 TCP/UDP
<b>Introduced</b>	-
<b>Deprecated</b>	-
<b>Reference</b>	<a href="http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml">http://www.iana.org/assignments/service-names-port-numbers/service-names-port-numbers.xml</a>
<b>Global ID</b>	3:772
<b>ID</b>	642
<b>IPv4 Support</b>	Yes
<b>IPv6 Support</b>	Yes

<b>Application Group</b>	other
<b>Business Relevance</b>	business-relevant
<b>Category</b>	net-admin
<b>Sub Category</b>	network-management
<b>P2P Technology</b>	False
<b>Encrypted</b>	False
<b>Traffic-class</b>	ops-admin-mgmt
<b>Tunnel</b>	False