



## **Cisco ONS 15454 Software Upgrade Guide**

Software Release 4.0.x

Last Updated: August 31, 2007

### **Corporate Headquarters**

Cisco Systems, Inc.  
170 West Tasman Drive  
San Jose, CA 95134-1706  
USA  
<http://www.cisco.com>  
Tel: 408 526-4000  
800 553-NETS (6387)  
Fax: 408 526-4100

Text Part Number: 78-15248-02



THE SPECIFICATIONS AND INFORMATION REGARDING THE PRODUCTS IN THIS MANUAL ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL STATEMENTS, INFORMATION, AND RECOMMENDATIONS IN THIS MANUAL ARE BELIEVED TO BE ACCURATE BUT ARE PRESENTED WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. USERS MUST TAKE FULL RESPONSIBILITY FOR THEIR APPLICATION OF ANY PRODUCTS.

THE SOFTWARE LICENSE AND LIMITED WARRANTY FOR THE ACCOMPANYING PRODUCT ARE SET FORTH IN THE INFORMATION PACKET THAT SHIPPED WITH THE PRODUCT AND ARE INCORPORATED HEREIN BY THIS REFERENCE. IF YOU ARE UNABLE TO LOCATE THE SOFTWARE LICENSE OR LIMITED WARRANTY, CONTACT YOUR CISCO REPRESENTATIVE FOR A COPY.

The Cisco implementation of TCP header compression is an adaptation of a program developed by the University of California, Berkeley (UCB) as part of UCB's public domain version of the UNIX operating system. All rights reserved. Copyright © 1981, Regents of the University of California.

NOTWITHSTANDING ANY OTHER WARRANTY HEREIN, ALL DOCUMENT FILES AND SOFTWARE OF THESE SUPPLIERS ARE PROVIDED "AS IS" WITH ALL FAULTS. CISCO AND THE ABOVE-NAMED SUPPLIERS DISCLAIM ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THOSE OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OR ARISING FROM A COURSE OF DEALING, USAGE, OR TRADE PRACTICE.

IN NO EVENT SHALL CISCO OR ITS SUPPLIERS BE LIABLE FOR ANY INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST PROFITS OR LOSS OR DAMAGE TO DATA ARISING OUT OF THE USE OR INABILITY TO USE THIS MANUAL, EVEN IF CISCO OR ITS SUPPLIERS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

CCIP, CCSP, the Cisco Arrow logo, the Cisco *Powered* Network mark, the Cisco Systems Verified logo, Cisco Unity, Follow Me Browsing, FormShare, iQ Net Readiness Scorecard, Networking Academy, and ScriptShare are trademarks of Cisco Systems, Inc.; Changing the Way We Work, Live, Play, and Learn, The Fastest Way to Increase Your Internet Quotient, and iQuick Study are service marks of Cisco Systems, Inc.; and Aironet, ASIST, BPX, Catalyst, CCDA, CCDP, CCIE, CCNA, CCNP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, the Cisco IOS logo, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Empowering the Internet Generation, Enterprise/Solver, EtherChannel, EtherSwitch, Fast Step, GigaStack, Internet Quotient, IOS, IP/TV, iQ Expertise, the iQ logo, LightStream, MGX, MICA, the Networkers logo, Network Registrar, *Packet*, PIX, Post-Routing, Pre-Routing, RateMUX, Registrar, SlideCast, SMARTnet, StrataView Plus, Stratm, SwitchProbe, TeleRouter, TransPath, and VCO are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the U.S. and certain other countries.

All other trademarks mentioned in this document or Web site are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0303R)

*Cisco ONS 15454 Software Upgrade Guide*  
Copyright © 2007, Cisco Systems, Inc.  
All rights reserved.



<b>About This Guide</b>	<b>v</b>
Revision History	v
Document Objectives	v
Audience	vi
Document Organization	vi
Non-Trouble Procedure (NTP)	vi
Detailed Level Procedure (DLP)	vi
Document Conventions	vi
Where to Find Safety and Warning Information	vii
Obtaining Documentation	vii
World Wide Web	vii
Documentation CD-ROM	viii
Ordering Documentation	viii
Documentation Feedback	viii
Obtaining Technical Assistance	ix
Cisco.com	ix
Technical Assistance Center	ix
Cisco TAC Web Site	ix
Cisco TAC Escalation Center	x
Obtaining Additional Publications and Information	x
<b>Upgrading Software Release 2.2.x to 4.0.x Using the TCC+ Card</b>	<b>1-1</b>
Before You Begin	1-1
NTP-U1 Prepare for Release 2.2.x to Release 4.0.x Upgrade	1-2
DLP-U1 Verify CTC Workstation Requirements	1-3
DLP-U2 Verify LAN Connections	1-4
DLP-U3 Verify Common Control Cards	1-4
DLP-U4 Verify Alarm Interface Panel	1-4
NTP-U2 Back Up the Software R2.2.x Database	1-5
NTP-U3 Upgrade the TCC Card to the TCC+ Card	1-6
NTP-U20 Upgrade Software R2.2.x to Software R4.0.x	1-8
DLP-U5 Run the Script	1-10
DLP-U6 Download Release 4.0.x Software	1-11
DLP-U7 Perform a BLSR Lock Out	1-12

DLP-U28 Activate the New Load	1-13
DLP-U9 Delete Cached JAR Files	1-15
DLP-U10 Remove the BLSR Lock Out	1-16
DLP-U11 Run LDCOMPAT.JAR	1-17
DLP-U12 Set the Date and Time	1-17
NTP-U5 Revert to Previous Software Load and Database	1-18
DLP-U13 Perform a Software R4.0.x BLSR Lock Out	1-19
DLP-U14 Revert to Protect Load	1-20
DLP-U15 Remove the Software R4.0.x BLSR Lock Out	1-21
DLP-U16 Manually Restore the Database	1-22
NTP-U6 Upgrade the TCC+ Card to the TCC2 Card	1-23
<b>Upgrading Release 3.x to 4.0.x Using the TCC+ Card</b>	<b>2-1</b>
Before You Begin	2-1
NTP-U7 Prepare for Release 3.x to Release 4.0.x Upgrade	2-2
NTP-U8 Back Up the Software R3.x Database	2-3
NTP-U22 Upgrade Software R3.x to Software R4.0.x	2-4
NTP-U10 Download Release 4.0.x Software Using TL1	2-5



## About This Guide

---

This section explains the objectives, intended audience, and organization of this publication and describes the conventions that convey instructions and other information.

This section provides the following information:

- [Revision History](#)
- [Audience](#)
- [Document Organization](#)
- [Document Conventions](#)
- [Where to Find Safety and Warning Information](#)
- [Obtaining Documentation](#)
- [Obtaining Technical Assistance](#)
- [Obtaining Additional Publications and Information](#)

## Revision History

Date	Notes
04/06/2007	Revision History Table added for the first time.
08/31/2007	Updated About this Guide chapter.

## Document Objectives

This guide explains how to upgrade the software for the Cisco ONS 15454 system. It contains requirements before upgrading the software and procedures on how to back up the database, upgrade to the current software release, and revert to the old software. Procedures on how to upgrade the software using TL1 and how to upgrade the TCC+ cards to TCC2 cards are also provided as reference.

# Audience

To use this publication, you should be familiar with Cisco or equivalent optical transmission hardware and cabling, telecommunications hardware and cabling, electronic circuitry and wiring practices, and preferably have experience as a telecommunications technician.

# Document Organization

The Cisco ONS 15454 Software Upgrade Guide is organized into the following chapters:

- [Chapter 1, “Upgrading Software Release 2.2.x to 4.0.x Using the TCC+ Card,”](#) provides procedures for upgrading from Software Release 2.2.x to Software R4.0.x.
- [Chapter 2, “Upgrading Release 3.x to 4.0.x Using the TCC+ Card,”](#) provides procedures for upgrading from Software R3.x to Software R4.0.x.

The information in this guide follows a task-oriented hierarchy using the elements described in the following sections.

# Non-Trouble Procedure (NTP)

Each non-trouble procedure (NTP) is a list of steps designed to accomplish a specific procedure. Follow the steps until the procedure is complete. If you need more detailed instructions, refer to the Detailed Level Procedure (DLP) specified in the procedure steps.



## Note

---

Throughout this guide, NTPs are referred to as “procedures” and DLPs are termed “tasks.” Every reference to a procedure includes its NTP number, and every reference to a task includes its DLP number.

---

# Detailed Level Procedure (DLP)

The DLP (task) supplies additional task details to support the NTP. The DLP lists numbered steps that lead you through completion of a task. Some steps require that equipment indications be checked for verification. When the proper response is not obtained, a trouble clearing reference is provided.

# Document Conventions

This publication uses the following conventions:

Convention	Application
<b>boldface</b>	Commands and keywords in body text.
<i>italic</i>	Command input that is supplied by the user.
[ ]	Keywords or arguments that appear within square brackets are optional.

Convention	Application
{ x   x   x }	A choice of keywords (represented by x) appears in braces separated by vertical bars. The user must select one.
Ctrl	The control key. For example, where Ctrl + D is written, hold down the Control key while pressing the D key.
screen font	Examples of information displayed on the screen.
<b>boldface screen font</b>	Examples of information that the user must enter.
< >	Command parameters that must be replaced by module-specific codes.

**Warning**


---

Means *danger*. The user is in a situation that could cause bodily injury. Before working on any equipment, be aware of the hazards involved with electrical circuitry and optical lasers and be familiar with standard practices for preventing accidents.

---

**Note**


---

Means *reader take note*. Notes contain helpful suggestions or references to material not covered in the document.

---

**Caution**


---

Means *reader be careful*. In this situation, the user might do something that could result in equipment damage or loss of data.

---

## Where to Find Safety and Warning Information

For safety and warning information, refer to Appendix A of the *Cisco ONS 15454 Reference Manual* that accompanied the product. This publication describes the international agency compliance and safety information for the Cisco ONS 15454 systems. It also includes translations of the safety warnings that appear in the ONS 15454 documentation.

## Obtaining Documentation

Cisco provides several ways to obtain documentation, technical assistance, and other technical resources. These sections explain how to obtain technical information from Cisco Systems.

## World Wide Web

You can access the most current Cisco documentation on the World Wide Web at this URL:

<http://www.cisco.com/univercd/home/home.htm>

You can access the Cisco website at this URL:

<http://www.cisco.com>

International Cisco web sites can be accessed from this URL:

[http://www.cisco.com/public/countries\\_languages.shtml](http://www.cisco.com/public/countries_languages.shtml)

## Documentation CD-ROM

Optical networking-related documentation is available in a CD-ROM package that ships with your product. The Optical Networking Product Documentation CD-ROM is updated with incremental releases and may be more current than printed documentation.

## Ordering Documentation

You can find instructions for ordering documentation at this URL:

[http://www.cisco.com/univercd/cc/td/doc/es\\_inpk/pdi.htm](http://www.cisco.com/univercd/cc/td/doc/es_inpk/pdi.htm)

You can order Cisco documentation in these ways:

- Registered Cisco.com users (Cisco direct customers) can order Cisco product documentation from the Networking Products MarketPlace:  
<http://www.cisco.com/en/US/partner/ordering/index.shtml>
- Registered Cisco.com users can order the Documentation CD-ROM (Customer Order Number DOC-CONDOCCD=) through the online Subscription Store:  
<http://www.cisco.com/go/subscription>
- Nonregistered Cisco.com users can order documentation through a local account representative by calling Cisco Systems Corporate Headquarters (California, U.S.A.) at 408 526-7208 or, elsewhere in North America, by calling 800 553-NETS (6387).

## Documentation Feedback

You can submit comments electronically on Cisco.com. On the Cisco Documentation home page, click **Feedback** at the top of the page.

You can email your comments to [bug-doc@cisco.com](mailto:bug-doc@cisco.com).

You can submit your comments by mail by using the response card behind the front cover of your document or by writing to the following address:

Cisco Systems  
Attn: Customer Document Ordering  
170 West Tasman Drive  
San Jose, CA 95134-9883

We appreciate your comments.



# Obtaining Technical Assistance

Cisco provides Cisco.com, which includes the Cisco Technical Assistance Center (TAC) Website, as a starting point for all technical assistance. Customers and partners can obtain online documentation, troubleshooting tips, and sample configurations from the Cisco TAC website. Cisco.com registered users have complete access to the technical support resources on the Cisco TAC website, including TAC tools and utilities.

## Cisco.com

Cisco.com offers a suite of interactive, networked services that let you access Cisco information, networking solutions, services, programs, and resources at any time, from anywhere in the world.

Cisco.com provides a broad range of features and services to help you with these tasks:

- Streamline business processes and improve productivity
- Resolve technical issues with online support
- Download and test software packages
- Order Cisco learning materials and merchandise
- Register for online skill assessment, training, and certification programs

To obtain customized information and service, you can self-register on Cisco.com at this URL:

<http://www.cisco.com>

## Technical Assistance Center

The Cisco TAC is available to all customers who need technical assistance with a Cisco product, technology, or solution. Two levels of support are available: the Cisco TAC website and the Cisco TAC Escalation Center. The avenue of support that you choose depends on the priority of the problem and the conditions stated in service contracts, when applicable.

We categorize Cisco TAC inquiries according to urgency:

- Priority level 4 (P4)—You need information or assistance concerning Cisco product capabilities, product installation, or basic product configuration.
- Priority level 3 (P3)—Your network performance is degraded. Network functionality is noticeably impaired, but most business operations continue.
- Priority level 2 (P2)—Your production network is severely degraded, affecting significant aspects of business operations. No workaround is available.
- Priority level 1 (P1)—Your production network is down, and a critical impact to business operations will occur if service is not restored quickly. No workaround is available.

## Cisco TAC Web Site

You can use the Cisco TAC website to resolve P3 and P4 issues yourself, saving both cost and time. The site provides around-the-clock access to online tools, knowledge bases, and software. To access the Cisco TAC website, go to this URL:

<http://www.cisco.com/tac>

All customers, partners, and resellers who have a valid Cisco service contract have complete access to the technical support resources on the Cisco TAC website. Some services on the Cisco TAC website require a Cisco.com login ID and password. If you have a valid service contract but do not have a login ID or password, go to this URL to register:

<http://tools.cisco.com/RPF/register/register.do>

If you are a Cisco.com registered user, and you cannot resolve your technical issues by using the Cisco TAC website, you can open a case online at this URL:

<http://www.cisco.com/en/US/support/index.html>

If you have Internet access, we recommend that you open P3 and P4 cases through the Cisco TAC website so that you can describe the situation in your own words and attach any necessary files.

## Cisco TAC Escalation Center

The Cisco TAC Escalation Center addresses priority level 1 or priority level 2 issues. These classifications are assigned when severe network degradation significantly impacts business operations. When you contact the TAC Escalation Center with a P1 or P2 problem, a Cisco TAC engineer automatically opens a case.

To obtain a directory of toll-free Cisco TAC telephone numbers for your country, go to this URL:

<http://www.cisco.com/warp/public/687/Directory/DirTAC.shtml>

Before calling, please check with your network operations center to determine the level of Cisco support services to which your company is entitled: for example, SMARTnet, SMARTnet Onsite, or Network Supported Accounts (NSA). When you call the center, please have available your service agreement number and your product serial number.

## Obtaining Additional Publications and Information

Information about Cisco products, technologies, and network solutions is available from various online and printed sources.

- The *Cisco Product Catalog* describes the networking products offered by Cisco Systems as well as ordering and customer support services. Access the *Cisco Product Catalog* at this URL:  
[http://www.cisco.com/en/US/products/products\\_catalog\\_links\\_launch.html](http://www.cisco.com/en/US/products/products_catalog_links_launch.html)
- Cisco Press publishes a wide range of networking publications. Cisco suggests these titles for new and experienced users: *Internetworking Terms and Acronyms Dictionary*, *Internetworking Technology Handbook*, *Internetworking Troubleshooting Guide*, and the *Internetworking Design Guide*. For current Cisco Press titles and other information, go to Cisco Press online at this URL:  
<http://www.ciscopress.com>
- *Packet* magazine is the Cisco monthly periodical that provides industry professionals with the latest information about the field of networking. You can access *Packet* magazine at this URL:  
[http://www.cisco.com/en/US/about/ac123/ac114/about\\_cisco\\_packet\\_magazine.html](http://www.cisco.com/en/US/about/ac123/ac114/about_cisco_packet_magazine.html)
- *iQ Magazine* is the Cisco monthly periodical that provides business leaders and decision makers with the latest information about the networking industry. You can access *iQ Magazine* at this URL:  
[http://business.cisco.com/prod/tree.taf%3fasset\\_id=44699&public\\_view=true&kbns=1.html](http://business.cisco.com/prod/tree.taf%3fasset_id=44699&public_view=true&kbns=1.html)

- *Internet Protocol Journal* is a quarterly journal published by Cisco Systems for engineering professionals involved in the design, development, and operation of public and private internets and intranets. You can access the *Internet Protocol Journal* at this URL:

[http://www.cisco.com/en/US/about/ac123/ac147/about\\_cisco\\_the\\_internet\\_protocol\\_journal.html](http://www.cisco.com/en/US/about/ac123/ac147/about_cisco_the_internet_protocol_journal.html)

- Training—Cisco offers world-class networking training, with current offerings in network training listed at this URL:

[http://www.cisco.com/en/US/learning/le31/learning\\_recommended\\_training\\_list.html](http://www.cisco.com/en/US/learning/le31/learning_recommended_training_list.html)





# Upgrading Software Release 2.2.x to 4.0.x Using the TCC+ Card

This chapter explains how to upgrade Cisco ONS 15454’s Cisco Transport Controller (CTC) software from Software Release 2.2.x to Software R4.0.x using the Timing, Communications, and Control + (TCC+) card.

## Before You Begin

Before beginning, write down the following information about your site; the data will be useful during and after the upgrade: date, street address, site phone number, and dial up number.

  
**Caution**

Read each procedure before you begin the upgrade.

  
**Caution**

This chapter supports Software R2.2.x only. If you want to upgrade from Releases 3.0 – 3.4, use the procedures in [Chapter 2, “Upgrading Release 3.x to 4.0.x Using the TCC+ Card.”](#) If you want to upgrade from a release prior to Release 2.2.0, contact the Technical Assistance Center (TAC). For contact information, see the [“Obtaining Technical Assistance”](#) section on page ix.

  
**Note**

Perform the procedures in this chapter in consecutive order unless otherwise noted. In general, you are not done with a procedure until you have completed it for each node you are upgrading, and you are not done with the upgrade until you have completed each procedure that applies to your network. If you are new to upgrading the ONS 15454, you may want to check off each procedure on your printed copy of this chapter as you complete it.

  
**Note**

For a description of non-trouble procedures (NTP) and detailed level procedures (DLP), see the [“Document Organization”](#) section on page vi.

This section lists the chapter procedures (NTPs). Turn to a procedure for applicable tasks (DLPs).

1. [NTP-U1 Prepare for Release 2.2.x to Release 4.0.x Upgrade, page 1-2](#)—This procedure contains critical information and tasks that you must read and complete before beginning the upgrade process.

2. [NTP-U2 Back Up the Software R2.2.x Database, page 1-5](#)—Complete the database backup to ensure that you have preserved your node and network provisioning in the event that you need to restore them.
3. [NTP-U3 Upgrade the TCC Card to the TCC+ Card, page 1-6](#)—Complete this procedure if you have any TCC cards installed.
4. [NTP-U20 Upgrade Software R2.2.x to Software R4.0.x, page 1-8](#)—You must complete this entire procedure before the upgrade is finished.
5. [NTP-U5 Revert to Previous Software Load and Database, page 1-18](#)—Complete this procedure only if you need to return to the software load you were running before activating Software R4.0.x.
6. [NTP-U6 Upgrade the TCC+ Card to the TCC2 Card, page 1-23](#)—Complete this procedure only if you want to upgrade the TCC+ card to a TCC2 card.

## NTP-U1 Prepare for Release 2.2.x to Release 4.0.x Upgrade

<b>Purpose</b>	This procedure steps you through the critical information checks and tasks you must complete before beginning an upgrade.
<b>Tools/Equipment</b>	PC or UNIX workstation; Cisco ONS 15454 Release 4.0.x software.
<b>Prerequisite Procedures</b>	None
<b>Required/As Needed</b>	Required
<b>Onsite/Remote</b>	Onsite or remote
<b>Security Level</b>	Superuser

- 
- Step 1** Read the *Release Notes for Cisco ONS 15454 Release 4.0.x*.
- Step 2** Log into the node that you will upgrade. For detailed instructions, refer to the *Cisco ONS 15454 Procedure Guide*.
- Step 3** Complete the “DLP-U1 Verify CTC Workstation Requirements” task on page 1-3.  
 Disable all other Ethernet devices (such as a dial-up adapter) on the workstation that runs CTC. For more information, see the “[Obtaining Technical Assistance](#)” section on page ix.  
 If you have multiple IP addresses on your workstation, you should remove them; you cannot run CTC Release 2.2.x if multiple IP addresses are configured.
- Step 4** Complete the “DLP-U2 Verify LAN Connections” task on page 1-4
- Step 5** Complete the “DLP-U3 Verify Common Control Cards” task on page 1-4.
- Step 6** Complete the “DLP-U4 Verify Alarm Interface Panel” task on page 1-4.
- Step 7** When you have completed the tasks for this section, proceed with the “NTP-U2 Back Up the Software R2.2.x Database” procedure on page 1-5.

**Stop. You have completed this procedure.**

---

## DLP-U1 Verify CTC Workstation Requirements

<b>Purpose</b>	Before upgrading the workstation to run CTC Release 4.0.x, verify all PC or UNIX workstation hardware and software requirements.
<b>Tools/Equipment</b>	PC or UNIX workstation
<b>Prerequisite Procedures</b>	None
<b>Required/As Needed</b>	Required
<b>Onsite/Remote</b>	Onsite or remote (but in the presence of the workstation)
<b>Security Level</b>	Superuser

- 
- Step 1** Ensure that your workstation is either one of the following:
- IBM-compatible PC with a Pentium or higher processor, CD-ROM drive, and 128 MB RAM running Windows 95, Windows 98, Windows 2000, or Windows NT
  - UNIX workstation running any Solaris release
- Step 2** Ensure that your web browser software is one of the following:
- Netscape Navigator 4.73 or higher (Netscape Navigator is included on the ONS 15454 software CD shipped with the node)
  - Internet Explorer 4.0.x Service Pack 2 or higher
- Step 3** Verify the following:
- The Java Version installed on your computer is Java Runtime Environment (JRE) Release 1.3.1\_02. You can check this on your browser window after entering the node IP address in the URL window under Java Version.
  - The Java Policy file is installed on your computer.




---

**Note** If you need to install either the JRE 1.3.1\_01 or the Java Policy file, they are included on the ONS 15454 software CD. For detailed installation instructions, refer to the *Cisco ONS 15454 Procedure Guide*.

---




---

**Note** When you upgrade to JRE 1.3.1\_02, you will no longer be able to log into an ONS 15454 running Release 2.2.1 or prior, or an ONS 15327 running release 1.0.0. If you must later revert to a release that requires a previous version of the JRE, you will have to reinstall Java and delete the JAR files from your workstation's user TEMP directory after reverting all of the nodes in the network. If you are currently running a release that is also compatible with JRE 1.3.1\_02, the extra steps are not necessary.

---

- Step 4** Return to your originating procedure (NTP).
-

## DLP-U2 Verify LAN Connections

<b>Purpose</b>	Use this procedure to ensure that LAN connections are correct.
<b>Tools/Equipment</b>	PC or UNIX workstation
<b>Prerequisite Procedures</b>	<a href="#">DLP-U1 Verify CTC Workstation Requirements, page 1-3</a>
<b>Required/As Needed</b>	Required
<b>Onsite/Remote</b>	Onsite or remote (but in the presence of a PC or UNIX workstation)
<b>Security Level</b>	Superuser

- 
- Step 1** If you have multiple ONS 15454 nodes configured in the same IP subnet, ensure that only one is connected to a router. Otherwise, the remaining nodes might be unreachable. Refer to the *Cisco ONS 15454 Reference Manual* for LAN-connection suggestions.
- Step 2** Return to your returning procedure (NTP).
- 

## DLP-U3 Verify Common Control Cards

<b>Purpose</b>	This task verifies that two TCC+ cards and two cross-connect cards (two XCs, two XCVTs, or two XC10G) are installed at each node.
<b>Tools/Equipment</b>	PC or UNIX workstation with CTC installed
<b>Prerequisite Procedures</b>	<a href="#">DLP-U2 Verify LAN Connections, page 1-4</a>
<b>Required/As Needed</b>	Required
<b>Onsite/Remote</b>	Onsite or remote (but in the presence of the workstation)
<b>Security Level</b>	Superuser

- 
- Step 1** Ensure that the cards are installed. The TCC+ cards are in Slots 7 and 11 and the XC/XCVT/XC10G cross connect cards are in Slots 8 and 10. Release 2.2.x does not support simplex operation.
- Step 2** Repeat Step 1 at every node in the network.
- Step 3** Return to your originating procedure (NTP).
- 

## DLP-U4 Verify Alarm Interface Panel

<b>Purpose</b>	Use this task to ensure Alarm Interface Panel quality.
<b>Tools/Equipment</b>	PC or UNIX workstation
<b>Prerequisite Procedures</b>	<a href="#">DLP-U3 Verify Common Control Cards, page 1-4</a>
<b>Required/As Needed</b>	Required
<b>Onsite/Remote</b>	Onsite
<b>Security Level</b>	Superuser



**Caution**

If any of your nodes has an AIP board with the part number 67-xx-xxxxx, where each “x” can be any number or letter, the board must be replaced. Perform the following steps to ensure that all of your AIPs are good.

**Step 1** Look at the back of your ONS 15454 node and locate the green board with “AIP” stamped into the right hand side (the writing will be sideways as you face the board).

**Step 2** Locate the sticker with the part number. The number should be preceded by “P/N” on the sticker.

**Note**

If there is no sticker with a part number, the number may be stamped into the board itself. If you cannot find the part number, contact TAC. For contact information, see the “[Obtaining Technical Assistance](#)” section on page ix.

**Step 3** If the part number is any number other than 67-xx-xxxxx, go to the next node and start from Step 1 again.

**Step 4** If the part number is any 67-xx-xxxxx combination, contact TAC to request a Return Materials Authorization (RMA).

**Step 5** Repeat Steps 1 through 4 for every node.

**Step 6** Return to your originating procedure (NTP).

## NTP-U2 Back Up the Software R2.2.x Database

<b>Purpose</b>	Use this procedure to preserve all configuration data for your network before performing the upgrade.
<b>Tools/Equipment</b>	PC or UNIX workstation
<b>Prerequisite Procedures</b>	<a href="#">NTP-U1 Prepare for Release 2.2.x to Release 4.0.x Upgrade, page 1-2</a>
<b>Required/As Needed</b>	Required
<b>Onsite/Remote</b>	Onsite or remote (but in the presence of the workstation)
<b>Security Level</b>	Superuser

**Step 1** Log into CTC. For detailed instructions, refer to the *Cisco ONS 15454 Procedure Guide*. If you are already logged in, continue with Step 2.

**Step 2** In the node (default) view, click the **Maintenance > Database** tabs.

**Step 3** Click **Backup**.

**Step 4** Save the database on the workstation's hard drive or on network storage. Use an appropriate file name with the file extension .db (for example, myDatabase.db).

**Step 5** Click **Save**. A message appears indicating that the backup is complete.

**Step 6** Click **OK**.

**Step 7** Repeat Steps 1 through 6 for each node in the network.

- Step 8** (Optional) Cisco recommends that you manually log critical information by either writing it down or printing screens where applicable. Use the following table to determine the information you should log; complete the table (or your own version) for every node in the network.

**Table 1-1 Manually Logged Data**

Item	Record data here (if applicable)
IP address of the node	
Node name	
Timing settings	
DCC connections; list all optical ports that have DCCs activated	
User IDs (List all, including at least one super user)	
Inventory; do a print screen from the inventory window	
Active TCC+	Slot 7 or Slot 11 (circle one)
Active XC	Slot 8 or Slot 10 (circle one)
Network information; do a print screen from the Provisioning tab in the network view.	
Current configuration: BLSR, linear, etc. (do print screens as needed)	
List all protection groups in the system; do a print screen from the protection group window	
List alarms; do a print screen from the alarm window	
List circuits; do a print screen from the circuit window	

- Step 9** You must be using TCC+ cards and not TCC cards to upgrade to Release 4.0.x. If you have any TCC cards installed, you must first upgrade them to TCC+ cards before continuing with the software upgrade. Complete the “NTP-U3 Upgrade the TCC Card to the TCC+ Card” procedure on page 1-6. If you do not have any TCC cards, proceed with the “NTP-U20 Upgrade Software R2.2.x to Software R4.0.x” procedure on page 1-8.

**Stop. You have completed this procedure.**

## NTP-U3 Upgrade the TCC Card to the TCC+ Card

<b>Purpose</b>	This procedure upgrades the TCC card to the TCC+ card.
<b>Tools/Equipment</b>	Two TCC+ cards
<b>Prerequisite Procedures</b>	<a href="#">NTP-U2 Back Up the Software R2.2.x Database, page 1-5</a>
<b>Required/As Needed</b>	As needed
<b>Onsite/Remote</b>	Onsite
<b>Security Level</b>	Provisioning or higher

- 
- Step 1** Verify that your database was backed up before starting.
- Step 2** Before you install TCC+ cards, verify that the node you are upgrading has ONS 15454 Software R2.2.x. The TCC card to TCC+ card upgrade process requires Release 2.2.x to support the TCC/TCC+ card mismatch that occurs briefly during the TCC card to TCC+ card upgrade process.
- Step 3** Physically replace the standby TCC card on the ONS 15454 with a TCC+ card. The ACT/STBY LED indicator should be lit amber for standby TCC cards.
- Open the TCC card ejectors.
  - Slide the card out of the slot. This raises the IMPROPRMVL alarm which will clear when the upgrade is complete.
  - Open the ejectors on the TCC+ card.
  - Slide the TCC+ card into the slot along the guide rails.
  - Close the ejectors.



---

**Note** The MEA (card mismatch) alarm appears because CTC recognizes a mismatch between TCC card types. Disregard this alarm; it clears by the end of the procedure.

---



---

**Note** It takes approximately 20 or 30 minutes for the active TCC card to transfer the system software to the newly-installed TCC+ card. Software transfer occurs in instances where different software versions exist on the two cards. During this operation, the LEDs on the TCC+ card flash Fail and then the active/standby LED flashes. When the transfer completes, the TCC+ card reboots and goes into standby mode after approximately three minutes.

---

- Step 4** Right click the active TCC card to reveal a pull-down menu.
- Step 5** Choose **Reset Card**.
- Wait for the TCC card to reboot. The ONS 15454 switches the standby TCC+ card to active mode.
- Step 6** Verify that the remaining TCC card is now in standby mode (the ACT/STBY LED changes to amber).
- Step 7** Physically replace the remaining TCC card with the second TCC+ card.
- Open the TCC card ejectors.
  - Slide the card out of the slot.
  - Open the ejectors on the TCC+ card.
  - Slide the TCC+ card into the slot along the guide rails.
  - Close the ejectors.

The ONS 15454 boots up the second TCC+ card. The second TCC+ card must also copy the system software, which can take up to 20 or 30 minutes. The MEA alarm clears when the ONS 15454 recognizes the matching TCC+ cards.



---

**Tip** When a newly installed TCC+ card has a different version of the ONS 15454 software installed than the version running on the active TCC+ card, the newly installed TCC+ card automatically copies the software version running on the active TCC+ card. You do not need to do anything in this situation. However, the loading TCC+ card does not boot up in the normal manner. When the card is first inserted, the red FAIL LED stays on for a short period. The FAIL LED then blinks normally and all LEDs go dark.

The FAIL LED and the ACT/STBY LED flash alternately every 30 to 45 seconds as the new software loads onto the new TCC+ card. After loading the new software for approximately 30 minutes, the TCC+ card becomes the standby card and the amber LED is illuminated.

- Step 8** When you have upgraded to TCC+ cards, proceed to the “NTP-U20 Upgrade Software R2.2.x to Software R4.0.x” procedure on page 1-8.

**Stop. You have completed this procedure.**

## NTP-U20 Upgrade Software R2.2.x to Software R4.0.x

<b>Purpose</b>	Use this procedure to upgrade your CTC software to Software R4.0.x.
<b>Tools/Equipment</b>	PC or UNIX workstation
<b>Prerequisite Procedures</b>	<a href="#">NTP-U2 Back Up the Software R2.2.x Database, page 1-5</a> <a href="#">NTP-U3 Upgrade the TCC Card to the TCC+ Card, page 1-6</a> (if applicable)
<b>Required/As Needed</b>	Required
<b>Onsite/Remote</b>	Onsite or remote (but in the presence of the workstation)
<b>Security Level</b>	Superuser



### Note

To upgrade the software successfully, you must read and perform each of the tasks that applies to your network in the proper order. Begin with the “DLP-U5 Run the Script” task on page 1-10.

- Step 1** Insert the Release 4.0.x software CD into the workstation CD-ROM (or otherwise acquire access to the software) to begin the upgrade process.



**Note** Inserting the software CD activates the CTC Setup Wizard. You can use the setup wizard to install components or click **Cancel** to continue with the upgrade.



### Caution

A traffic interruption of less than 50 ms on each circuit is possible during the activation task, with Ethernet traffic disruption possibly lasting up to several minutes on each circuit.



### Caution

Do not perform maintenance or provisioning activities during the activation task.

- Step 2** Log into the node that you want to upgrade. For detailed instructions, refer to the *Cisco ONS 15454 Procedure Guide*. If you are already logged in, continue with Step 3.
- Step 3** If you are upgrading from Release 2.2.0, complete the “DLP-U5 Run the Script” task on page 1-10; if you are upgrading from Release 2.2.1 or 2.2.2, skip this task.
- Step 4** Complete the “DLP-U6 Download Release 4.0.x Software” task on page 1-11.
- Step 5** Complete the “DLP-U7 Perform a BLSR Lock Out” task on page 1-12 (BLSR nodes only).
- Step 6** Complete the “DLP-U28 Activate the New Load” task on page 1-13.

**Step 7** As needed, complete the “DLP-U9 Delete Cached JAR Files” task on page 1-15.

**Step 8** Reconnect to CTC using the IP address from [Step 6](#). The new CTC applet for Release 4.0.x uploads. During this logon, you will need to type the user name CISCO15. A password is not required.



**Note** Steps 7 and 8 are only necessary after upgrading the first node in a network because cached files only need to be removed from your workstation once. For the remaining nodes, you will still be disconnected and removed to the network view during the node reboot, but after the reboot is complete, CTC will restore connectivity to the node.

**Step 9** Repeat [Step 6](#) (activation) for all nodes in the network that need to be upgraded. Allow each node to finish (all alarms cleared for 10 minutes) before activating the next node.



**Note** Only activate one node at a time.

**Step 10** Complete the “DLP-U10 Remove the BLSR Lock Out” task on page 1-16 (BLSR nodes only).

**Step 11** Complete the “DLP-U11 Run LDCOMPAT.JAR” task on page 1-17 to manage 2.x.x nodes in the network.

**Step 12** Complete the “DLP-U12 Set the Date and Time” task on page 1-17 for any nodes that are not using SNTP.

**Step 13** As needed, upgrade any spare TCC+ cards by installing the spare in the standby slot of a Software R4.0.x node.



**Note** The standby TCC+ card will copy one or both software releases from the active TCC+ card, as needed. Each software copy takes about 15 minutes, and the TCC+ card will reset after each copy. Thus, for a TCC+ card that has no matching software with the active TCC+ card, you should expect to see two TCC+ card resets, lasting about 30 minutes total.

**Stop. You have completed this procedure.**

---



**Note** You can also upgrade to Software R4.0.x when a TCC+/TCC2 card that has the Software R4.0.x is installed. Refer to “[NTP-U3 Upgrade the TCC Card to the TCC+ Card](#)” section on page 1-6 or “[NTP-U6 Upgrade the TCC+ Card to the TCC2 Card](#)” section on page 1-23.

## DLP-U5 Run the Script

<b>Purpose</b>	Use this task to prepare your Release 2.2.0 nodes for upgrade with a software patch.
<b>Tools/Equipment</b>	PC or UNIX workstation
<b>Prerequisite Procedures</b>	<a href="#">NTP-U2 Back Up the Software R2.2.x Database, page 1-5</a> <a href="#">NTP-U3 Upgrade the TCC Card to the TCC+ Card, page 1-6</a> (if applicable)
<b>Required/As Needed</b>	Required for Release 2.2.0 only
<b>Onsite/Remote</b>	Onsite or remote (but in the presence of the workstation)
<b>Security Level</b>	Superuser



### Note

This task is only necessary with Release 2.2.0 upgrades. If you are upgrading from Release 2.2.1 or greater, you can skip this task and continue with the “DLP-U6 Download Release 4.0.x Software” task on page 1-11.



### Caution

Do not run the script on more than one node and one workstation at the same time.



### Note

Running the script takes approximately 2 to 3 minutes.

- Step 1** Display the node (default login) view of the Software R2.2.0 node where you will run the script.
- Step 2** Verify that the alarm filter is not on:
- Click the **Alarms** tab.
  - Click the Filter tool at the lower-right side of the bottom toolbar.  
Alarm filtering is enabled if the tool is depressed (selected) and disabled if the tool is raised (not selected).
- Step 3** On the Alarms tab, check all nodes for existing alarms. Resolve any outstanding alarms before proceeding.
- Step 4** From the node view, click the **Maintenance > Software** tabs.
- Step 5** Verify that the active load is 2.2.0 (02.20-001A-00.38). The script will only work for the Release 2.2.0 (02.20-001A-00.38) load.
- Step 6** Close all active telnet connections to the ONS 15454.
- Step 7** Run the script. In a command window, from the CD software “Cisco15454” directory, run **ptfix.exe** (or **ptfix.pl**, in UNIX) using the IP address of the node you are running the script on.
- ```
EXAMPLE G:\Cisco15454> ptfix 172.16.17.18
```
- This step takes approximately 2 to 3 minutes. When the script has completed successfully, an “Upgrade Preparation Complete” message appears.
- Step 8** Close CTC and then reconnect to the node.
- Step 9** From the network view, log into the node you ran the script on.
- Step 10** Click the **Maintenance > Software** tabs.

- Step 11** Verify that the protect software is now “none.”
- Step 12** Return to the network view.
- Step 13** Repeat Steps 1 through 11 for each node in the network running Release 2.2.0.



**Caution** Rerun the script on any node for which the active/standby TCC+ card reboots at any time before the Release 4.0.x load is activated.

- Step 14** Repeat this task for all nodes in the network.
- Step 15** Return to your originating procedure (NTP).

## DLP-U6 Download Release 4.0.x Software

|                                |                                                                                                                                           |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Purpose</b>                 | Use this task to download Software R4.0.x to the ONS 15454 nodes prior to activation.                                                     |
| <b>Tools/Equipment</b>         | PC or UNIX workstation                                                                                                                    |
| <b>Prerequisite Procedures</b> | <a href="#">NTP-U2 Back Up the Software R2.2.x Database, page 1-5</a><br><a href="#">DLP-U5 Run the Script, page 1-10</a> (if applicable) |
| <b>Required/As Needed</b>      | Required                                                                                                                                  |
| <b>Onsite/Remote</b>           | Onsite or remote (but in the presence of the workstation)                                                                                 |
| <b>Security Level</b>          | Superuser                                                                                                                                 |



**Note** The TCC+ card has two flash RAMs. An upgrade downloads the software to the backup RAM on both the backup and active TCC+ cards. The download task does not affect traffic because the active software continues to run at the primary RAM location; therefore, you can download the software at any time.

- Step 1** From the View menu, choose **Go to Network View**.
- Step 2** Verify that the alarm filter is not on:
- Click the **Alarms** tab.
  - Click the Filter tool at the lower-right side of the bottom toolbar.  
Alarm filtering is enabled if the tool is depressed (selected) and disabled if the tool is raised (not selected).
- Step 3** On the Alarms tab, check all nodes for existing alarms. Resolve any outstanding alarms before proceeding.



**Note** During the software download process, the SWFTDWN alarm indicates that the software download is taking place. The alarm is normal and clears when the download is complete.

- Step 4** Return to node view and click the **Maintenance > Software** tabs.
- Step 5** Click **Upgrade**. The File Open dialog box opens.

- Step 6** Browse to locate the software files on the ONS 15454 software CD or on your hard drive, if you are working from a local copy.
- Step 7** Open the “Cisco15454” folder.
- Step 8** Select the file with the “.pkg” extension and click **Open**. CTC displays a status window so you can monitor the download process. A message indicating that your files transferred successfully will appear after the software has finished loading.
- Step 9** Repeat Steps 1 through 8 for each node.




---

**Note** The software download process can take 30 minutes or more per node.

---

- Step 10** Repeat this task for each node you are upgrading.
- Step 11** Return to your originating procedure (NTP).
- 

## DLP-U7 Perform a BLSR Lock Out

|                                |                                                                                                       |
|--------------------------------|-------------------------------------------------------------------------------------------------------|
| <b>Purpose</b>                 | You must perform a lockout at each node in the BLSR before activating the software for Release 4.0.x. |
| <b>Tools/Equipment</b>         | PC or UNIX workstation                                                                                |
| <b>Prerequisite Procedures</b> | None                                                                                                  |
| <b>Required/As Needed</b>      | As needed                                                                                             |
| <b>Onsite/Remote</b>           | Onsite or remote (but in the presence of the workstation)                                             |
| <b>Security Level</b>          | Superuser                                                                                             |




---

**Note** During the lockout, BLSR spans will not be protected. Be sure to remove the lockout after activating all nodes in the ring.

---




---

**Note** To prevent ring or span switching, perform the lockout on both the east and west spans of each node.

---

- Step 1** In node view, click the **Maintenance > Ring** tabs.
- Step 2** For each of the BLSR trunk (span) cards (OC-12, OC-48, or OC-192), perform the following steps:
- Next to the trunk card row, click the **West Operation** column to show the pull-down menu.
  - From the menu options, choose **Ring Lockout**.
  - In the same row, click the **East Operation** column to show the pull-down menu.
  - From the menu options, choose **Ring Lockout**.
  - Click **Apply** to activate the command.
- Step 3** Repeat Step 2 at each node in the ring.




---

**Note** Ignore any Default K alarms that occur on the protect STS timeslots during this lockout period.

---






---

**Note** Leave the BLSR in the lockout state until you have finished activating all nodes.

---

**Step 4** Return to your originating procedure (NTP).

---

## DLP-U28 Activate the New Load

|                                |                                                                                                                                              |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Purpose</b>                 | Use this task to activate Software R4.0.x in each node in the network.                                                                       |
| <b>Tools/Equipment</b>         | PC or UNIX workstation                                                                                                                       |
| <b>Prerequisite Procedures</b> | <a href="#">DLP-U7 Perform a BLSR Lock Out, page 1-12</a> (if required)<br><a href="#">DLP-U6 Download Release 4.0.x Software, page 1-11</a> |
| <b>Required/As Needed</b>      | Required                                                                                                                                     |
| <b>Onsite/Remote</b>           | Onsite or remote (but in the presence of the workstation)                                                                                    |
| <b>Security Level</b>          | Superuser                                                                                                                                    |




---

**Note** Cisco recommends that the first node you activate be a LAN-connected node. This ensures that the new CTC JAR files will download to your workstation as quickly as possible.

---




---

**Note** Make sure all cards that are part of a protection group (1+1, 1:1, or 1:N) are active on the working card of that protection group and that no protection switches are occurring. In other words, make sure that the protect cards are in standby before proceeding. Move your mouse cursor over a card in node view to see its active or standby status.

---

**Step 1** To ensure database synchronization, run the memAudit utility:

- Close all active telnet connections to the ONS 15454.
- Copy the memAudit.exe from the ONS 15454 software CD or the following Cisco.com web page to a folder on your hard drive:  
<http://www.cisco.com/cgi-bin/tablebuild.pl/ons15454>
- In a command window, change the prompt to the folder where the memAudit.exe is located.
- At the prompt, type the following command:

```
memAudit <nodename or IP address>
```




---

**Note** Use the full memAudit command with the version numbers. In addition, optional parameters exist for the memAudit command. For more information about the memAudit utility, view the memAudit\_readme.htm file on the CD or Cisco.com web page.

---

The command prompt window displays the following:

```
IP address DB:insync RESET:no:
```

**Step 2** Record the IP address of the node. The IP address is either on the LCD or on the upper left corner of the CTC window.

- Step 3** Verify that the alarm filter is not on:
- Click the **Alarms** tab.
  - Click the Filter tool at the lower-right side of the bottom toolbar.  
Alarm filtering is enabled if the tool is depressed (selected) and disabled if the tool is raised (not selected).
- Step 4** On the Alarms tab, check all nodes for existing alarms. Resolve any outstanding alarms before proceeding.
- Step 5** Click the **Maintenance > Software** tabs.
- Step 6** Verify that the protect version is 4.0.x.
- Step 7** Click **Activate**. The **Activate** dialog box appears with a warning message.
- Step 8** Click **Yes** to proceed with the activation. The “Activation Successful” message appears when the software is successfully activated.




---

**Note** CTC will lose connection to the node and will display the network view.

---

- Step 9** Click **OK** to begin the node rebooting process. A rebooting window appears.
- Step 10** After activating the node, wait until the software upgrade reboot finishes at that node before continuing. The following occurs:
- Each card in the node reboots, beginning with the standby TCC+ card followed by the active TCC+ card. When the active TCC+ card is rebooted, it signals the standby TCC+ card to transition to be the active TCC+ card while it becomes now the standby TCC+ card.
  - When the TCC+ cards are finished, the XC/XCVT card in Slot 8 reboots, and then the XC/XCVT card in Slot 10 reboots.
  - Next, the Ethernet cards reset at the same time, then the traffic cards boot consecutively from left to right.
  - A system reboot (SYSBOOT) alarm is raised while activation is in progress. When all cards have reset, this alarm clears. The upgrade process can take up to 30 minutes, depending on how many cards are installed.

When all the cards finish rebooting and all alarms clear, you can safely proceed to the next step. If you are upgrading remotely and cannot see the nodes, wait for 30 minutes for the process to complete, then check to ensure all alarms have cleared before proceeding.



**Caution**

---

The upgrade process is service affecting, so Cisco recommends that you activate the new load during a maintenance window. Time Division Multiplexing (TDM) traffic can endure a hit of up to 50 ms. Ethernet traffic may remain down from the time the TCC+ cards switch to the time all Ethernet cards have finished resetting.

---

- Step 11** In CTC, choose **File > Exit**.
- Step 12** Return to your originating procedure (NTP).
-

## DLP-U9 Delete Cached JAR Files

|                                |                                                                                                                                                                                                                        |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Purpose</b>                 | When you upgrade or revert to a different CTC software load, you must reload CTC to your browser. Before you can reload CTC you must ensure that previously cached files are cleared from your browser and hard drive. |
| <b>Tools/Equipment</b>         | PC or UNIX workstation                                                                                                                                                                                                 |
| <b>Prerequisite Procedures</b> | <a href="#">DLP-U28 Activate the New Load, page 1-13</a>                                                                                                                                                               |
| <b>Required/As Needed</b>      | You need to complete this task only after you activate the first node in the network only.                                                                                                                             |
| <b>Onsite/Remote</b>           | Onsite or remote (but in the presence of the workstation)                                                                                                                                                              |
| <b>Security Level</b>          | Superuser                                                                                                                                                                                                              |

**Step 1** Delete cache files from your browser directory.

In Netscape:

- a. Choose **Edit > Preferences > Advanced > Cache**.
- b. Click **Clear Memory Cache**.
- c. Click **OK**.
- d. Click **Clear Disk Cache**.
- e. Click **OK** twice.

In Microsoft Internet Explorer:

- a. Choose **Tools > Internet Options > General**.
- b. Choose **Delete Files**.
- c. Select the **Delete all offline content** checkbox.
- d. Click **OK** twice.

**Step 2** Close your browser.



**Note** You will not be able to delete cached JAR files from your hard drive until you have closed your browser. If you have other applications open that use JAR files, you must also close them.

**Step 3** Delete cached files from your workstation (Windows systems only).

- a. In your Windows start menu, choose **Settings > Control Panel > System > Advanced**.
- b. Click **Environment Variables**. This will show you a list of user variables and a list of system variables.
- c. In the list of user variables, look for the TEMP variable. The value associated with this variable is the path to your temporary directory where JAR files are stored.
- d. Open the TEMP directory located in the path you just looked up.
- e. Select **View > Details**.
- f. Select and delete all files with “jar” in the Name or Type field.

**Step 4** Reopen your browser. You should now be able to connect to CTC.

**Step 5** Return to your originating procedure (NTP).

---

## DLP-U10 Remove the BLSR Lock Out

|                                |                                                                                                    |
|--------------------------------|----------------------------------------------------------------------------------------------------|
| <b>Purpose</b>                 | Release the span lockouts on all BLSR nodes after the new software load is activated on all nodes. |
| <b>Tools/Equipment</b>         | PC or UNIX workstation                                                                             |
| <b>Prerequisite Procedures</b> | <a href="#">DLP-U6 Download Release 4.0.x Software, page 1-11</a>                                  |
| <b>Required/As Needed</b>      | Required for BLSR                                                                                  |
| <b>Onsite/Remote</b>           | Onsite or remote (but in the presence of the workstation)                                          |
| <b>Security Level</b>          | Superuser                                                                                          |

---

**Step 1** In CTC node view, click the **Maintenance > BLSR** tabs.

**Step 2** For each of the BLSR trunk (span) cards (OC-12, OC-48, or OC-192), perform the following steps:

- a. Next to the trunk card row, click the **West Switch** column to show the pull-down menu.
- b. From the menu options, choose **Clear**.
- c. Click **Apply** to activate the command.



**Note** When removing a lockout, be sure to apply your changes each time you choose the Clear option. If you try to select Clear for more than one lockout at a time, you risk traffic loss on the first ring switch.

---

- d. In the same row, click the **East Switch** column to show the pull-down menu.
- e. From the menu options, choose **Clear**.
- f. Click **Apply** to activate the command.

**Step 3** Repeat this task as many times as necessary to remove all BLSR span lock outs on the upgrade nodes.

**Step 4** Return to your originating procedure (NTP).

---

## DLP-U11 Run LDCOMPAT.JAR

|                                |                                                                                                                                         |
|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| <b>Purpose</b>                 | This task enables CTC to manage 2.x.x nodes after a software upgrade.                                                                   |
| <b>Tools/Equipment</b>         | PC or UNIX workstation                                                                                                                  |
| <b>Prerequisite Procedures</b> | <a href="#">DLP-U28 Activate the New Load, page 1-13</a><br><a href="#">DLP-U10 Remove the BLSR Lock Out, page 1-16</a> (if applicable) |
| <b>Required/As Needed</b>      | Required                                                                                                                                |
| <b>Onsite/Remote</b>           | Onsite or remote (but in the presence of the workstation)                                                                               |
| <b>Security Level</b>          | Superuser                                                                                                                               |

- 
- Step 1** If you are using Windows, run the LDCOMPAT.jar from the ONS 15454 Software CD. The LDCOMPAT.jar file is located at the Cisco15454 folder.
- Step 2** If you are using UNIX, enter the following commands:
- ```
% cd /Cisco15454
% java -jar LDCOMPAT.jar
```
- LDCOMPAT.jar copies the COMPAT.jar file to the client machine and updates the CTC.ini so that CTC can use it to manage 2.x.x nodes.
- Step 3** Return to your originating procedure (NTP).
- 

## DLP-U12 Set the Date and Time

<b>Purpose</b>	If you are not using SNTP, the upgrade procedure can cause the Date/Time setting to change. Perform this task to reset the date and time at each node.
<b>Tools/Equipment</b>	PC or UNIX workstation
<b>Prerequisite Procedures</b>	None
<b>Required/As Needed</b>	As needed
<b>Onsite/Remote</b>	Onsite or remote (but in the presence of the workstation)
<b>Security Level</b>	Superuser




---

**Note** If you are using SNTP, you do not need this task.

---

- Step 1** In CTC node view, click the **Provisioning > General** tabs.
- Step 2** Set the correct date and time, then click **Apply**.
- Step 3** Repeat Steps 1 and 2 for each remaining node.
- Step 4** Return to your originating procedure (NTP).
-

# NTP-U5 Revert to Previous Software Load and Database

<b>Purpose</b>	Use this procedure to return to the software and database provisioning you had before you activated Release 4.0.x.
<b>Tools/Equipment</b>	PC or UNIX workstation
<b>Prerequisite Procedures</b>	<a href="#">NTP-U1 Prepare for Release 2.2.x to Release 4.0.x Upgrade, page 1-2</a> <a href="#">NTP-U7 Prepare for Release 3.x to Release 4.0.x Upgrade, page 2-2</a> (if applicable) <a href="#">NTP-U2 Back Up the Software R2.2.x Database, page 1-5</a> <a href="#">NTP-U8 Back Up the Software R3.x Database, page 2-3</a> (if applicable) <a href="#">NTP-U20 Upgrade Software R2.2.x to Software R4.0.x, page 1-8</a> <a href="#">NTP-U22 Upgrade Software R3.x to Software R4.0.x, page 2-4</a> (if applicable)
<b>Required/As Needed</b>	As needed
<b>Onsite/Remote</b>	Onsite or remote (but in the presence of the workstation)
<b>Security Level</b>	Superuser

**Note**

The tasks to revert to a previous load are not a part of the upgrade. They are provided here as a convenience to those wishing to perform a revert after an upgrade. If you have performed all necessary procedures up to this point, you have finished the software upgrade.

**Note**

Cisco does not recommend reverting to R3.x when both a TCC+ card and a TCC2 card are installed on the same ONS 15454 shelf. You must have two TCC+ cards installed to revert to R3.x. Additionally, you cannot revert to 3.x if two TCC2 cards are installed and running R4.0.x.

**Note**

Before you upgraded to Release 4.0.x software, you should have backed up the existing database at all nodes in the network (this is part of the “NTP-U2 Back Up the Software R2.2.x Database” procedure on page 1-5). Cisco recommends that you record or export all critical information to your hard drive. If you need to revert to the backup database, use the following tasks, in order.

- Step 1** Log into the node. For detailed instructions, refer to the *Cisco ONS 15454 Procedure Guide*. If you are already logged in, continue with Step 2.
- Step 2** Complete the “DLP-U13 Perform a Software R4.0.x BLSR Lock Out” task on page 1-19 (BLSR only).
- Step 3** Complete the “DLP-U14 Revert to Protect Load” task on page 1-20.
- Step 4** Complete the “DLP-U15 Remove the Software R4.0.x BLSR Lock Out” task on page 1-21 (BLSR only).
- Step 5** If you need to revert to Software R2.2.0 or the revert to a later release failed, complete the “DLP-U16 Manually Restore the Database” task on page 1-22.

**Stop. You have completed this procedure.**

## DLP-U13 Perform a Software R4.0.x BLSR Lock Out

<b>Purpose</b>	If you have a BLSR provisioned, before beginning the revert you must perform a span lockout at each node.
<b>Tools/Equipment</b>	PC or UNIX workstation
<b>Prerequisite Procedures</b>	<a href="#">NTP-U2 Back Up the Software R2.2.x Database, page 1-5</a> <a href="#">NTP-U8 Back Up the Software R3.x Database, page 2-3</a> (if applicable) <a href="#">NTP-U20 Upgrade Software R2.2.x to Software R4.0.x, page 1-8</a> <a href="#">NTP-U22 Upgrade Software R3.x to Software R4.0.x, page 2-4</a> (if applicable)
<b>Required/As Needed</b>	Required for BLSR only
<b>Onsite/Remote</b>	Onsite or remote (but in the presence of the workstation)
<b>Security Level</b>	Superuser


**Note**

During the lockout, BLSR spans will not be protected. You must leave the BLSR in the lockout state until you have finished reverting all nodes, but then you must be sure to remove the lockout once you are finished reverting.


**Note**

To prevent ring or span switching, perform the lockout on both the east and west spans of each node.

- Step 1** In node view, click the **Maintenance > Ring** tabs.
- Step 2** For each of the BLSR trunk (span) cards (OC-12, OC-48, OC-192), perform the following steps:
- Next to the trunk card row, click the **East Switch** column to show the pull-down menu.
  - From the menu options, choose **Lockout Span**.
  - Click **Apply**.
  - In the same row, click the **West Switch** column to show the pull-down menu.
  - From the menu options, choose **Lockout Span**.
  - Click **Apply**.
- Step 3** Repeat Step 2 at each node in the ring.


**Note**

Ignore any Default K alarms that occur on the protect STS timeslots during this lockout period.


**Note**

Leave the BLSR in the lockout state until you have finished reverting all nodes.

- Step 4** Return to your originating procedure (NTP).

## DLP-U14 Revert to Protect Load

<b>Purpose</b>	Use this task to revert to the software you were running prior to the last activation. If you were running Release 2.2.1 or greater, this task will also restore your database to the provisioning you had prior to the activation.
<b>Tools/Equipment</b>	PC or UNIX workstation
<b>Prerequisite Procedures</b>	<a href="#">NTP-U1 Prepare for Release 2.2.x to Release 4.0.x Upgrade, page 1-2</a> <a href="#">NTP-U7 Prepare for Release 3.x to Release 4.0.x Upgrade, page 2-2</a> (if applicable) <a href="#">NTP-U2 Back Up the Software R2.2.x Database, page 1-5</a> <a href="#">NTP-U8 Back Up the Software R3.x Database, page 2-3</a> (if applicable) <a href="#">NTP-U20 Upgrade Software R2.2.x to Software R4.0.x, page 1-8</a> <a href="#">NTP-U22 Upgrade Software R3.x to Software R4.0.x, page 2-4</a> (if applicable) <a href="#">DLP-U13 Perform a Software R4.0.x BLSR Lock Out, page 1-19</a> (if required)
<b>Required/As Needed</b>	Required for revert
<b>Onsite/Remote</b>	Onsite or remote (but in the presence of the workstation)
<b>Security Level</b>	Superuser


**Note**

To perform a supported (non service-affecting) revert from Release 4.0.x, the release you want to revert to must have been working at the time you activated to Release 4.0.x on that node. Also, a supported revert automatically restores the node configuration at the time of the previous activation. Thus, any configuration changes made after activation will be lost when you revert the software.


**Note**

In the following task, the database is restored automatically as a part of the revert only for Releases 2.2.1 and later. If you were running Release 2.2.0 before activation, you will need to manually restore the database after performing the steps to revert. Restoring the database manually is service affecting and should be performed during a service window.

- 
- Step 1** From the node view, click the **Maintenance > Software** tabs.
  - Step 2** Verify that the protect software displays the release you upgraded from.
  - Step 3** Click **Revert**. Revert activates the protect software and restores the database from the previous load. A dialog box asks you to confirm the choice.
  - Step 4** Click **OK**. This begins the revert and drops the connection to the node.
  - Step 5** Wait until the software revert finishes before continuing.


**Note**

The system reboot might take up to 30 minutes to complete.

- Step 6** Close your Netscape or Internet Explorer browser.
- Step 7** Wait one minute before restoring another node.





**Note** When you upgrade to JRE 1.3.1\_02, you cannot log into an ONS 15454 running Release 2.2.1 or prior (or an ONS 15327 running Release 1.0.0). If you are reverting to a release that required a previous version of JRE, you will need to reinstall Java and delete the JAR files from your workstation's TEMP directory after reverting all of the nodes in the network. If you are reverting to a release that also uses JRE 1.3.1\_02, or if you retained JRE 1.3.1\_02 during the upgrade, you do not need to reinstall Java and delete JAR files.

**Step 8** After reverting all of the nodes in the network, restart the browser and log back into the last node that was reverted. This uploads the appropriate CTC applet to your workstation.



**Note** It might also be necessary to delete cache files from your browser's directory or from the TEMP directory on your MS Windows workstation. If you have trouble reconnecting to CTC, see the "DLP-U9 Delete Cached JAR Files" task on page 1-15.

**Step 9** Return to your originating procedure.

## DLP-U15 Remove the Software R4.0.x BLSR Lock Out

<b>Purpose</b>	To restore BLSR protection you must clear the span lockouts on all BLSR nodes after reverting the software load and restoring the database on all nodes.
<b>Tools/Equipment</b>	PC or UNIX workstation
<b>Prerequisite Procedures</b>	<a href="#">DLP-U13 Perform a Software R4.0.x BLSR Lock Out, page 1-19</a>
<b>Required/As Needed</b>	As needed
<b>Onsite/Remote</b>	Onsite or remote (but in the presence of the workstation)
<b>Security Level</b>	Superuser

**Step 1** In CTC node view, click the **Maintenance > Ring** tabs.

**Step 2** For each of the BLSR trunk cards (OC-12, OC-48, OC-192), perform the following steps:

- a. Next to the trunk card row, click the **West Switch** column to show the pull-down menu.
- b. From the menu options, choose **Clear**.
- c. Click **Apply** to activate the command.



**Note** When removing a lockout, be sure to apply your changes each time you select the Clear option. If you try to select Clear for more than one lockout at a time, you risk traffic loss on the first ring switch.

- d. In the same row, click the **East Switch** column to show the pull-down menu.
- e. From the menu options, choose **Clear**.
- f. Click **Apply** to activate the command.

- Step 3** You might need to accept a new ring map to clear Default K byte or Node ID mismatch alarms. In the **Provisioning > Ring** tabs, click the **Ring Map** button. If a new ring map exists, click **Accept**.
- Step 4** Return to your originating procedure.
- 

## DLP-U16 Manually Restore the Database

<b>Purpose</b>	Use this task to revert to Release 2.2.0 or if you were unable to perform a revert using another software release.
<b>Tools/Equipment</b>	PC or UNIX workstation
<b>Prerequisite Procedures</b>	<a href="#">DLP-U14 Revert to Protect Load</a> , page 1-20, and <a href="#">DLP-U15 Remove the Software R4.0.x BLSR Lock Out</a> , page 1-21 (if required)
<b>Required/As Needed</b>	Required for Release 2.2.0 database restoral after a revert; otherwise, as needed
<b>Onsite/Remote</b>	Onsite or remote (but in the presence of the workstation)
<b>Security Level</b>	Superuser



### Caution

Do not perform these steps unless you are restoring Release 2.2.0 or the software revert for a later release failed.

---



### Caution

This process is service affecting and should be performed during a maintenance window.

---

- Step 1** In the CTC node view, click the **Maintenance > Database** tabs.
- Step 2** Click **Backup**. The “Open...” dialog box appears.
- Step 3** Select the previously saved file and choose **Open**.  
The database will be restored and the TCC+s cards will reboot.
- Step 4** When the TCC+ cards have rebooted, log back into CTC and verify that the database is restored.  
Wait one minute before restoring the next node.
- Step 5** You have now completed the manual database backup.
- Step 6** Return to your originating procedure (NTP).
-

# NTP-U6 Upgrade the TCC+ Card to the TCC2 Card

<b>Purpose</b>	Use this procedure to upgrade the TCC+ card to the TCC2 card. The TCC2 card supports ONS 15454 Software R4.0.x. The TCC+ card is compatible with ONS 15454 Software R4.0.x and earlier software versions.
<b>Tools/Equipment</b>	Two SONET TCC2 cards
<b>Prerequisite Procedures</b>	None
<b>Required/As Needed</b>	As needed
<b>Onsite/Remote</b>	Onsite
<b>Security Level</b>	Maintenance or higher



**Note** The TCC2 card does not carry any software other than Software R4.0.x. You will not be able to revert to a software release earlier than Software R4.0.x with both TCC2 cards installed.



**Note** Features that require TCC2 functionality are not supported with a mixed configuration (one TCC2 card and one TCC+ card installed on an ONS 15454 shelf).



**Note** Downgrade procedures from TCC2 cards to TCC+ cards are not supported. Contact TAC for more information. See the [“Obtaining Technical Assistance”](#) section on page ix for contact information.

- Step 1** Log into CTC. For detailed instructions, refer to the *Cisco ONS 15454 Procedure Guide*. If you are already logged in, continue with Step 2.
- Step 2** Verify that the LAN wires on the backplane are installed properly. The TCC2 card does not autodetect miswired LAN connections. If a LAN connection is miswired, a “LAN Connection Polarity Reversed” condition appears. For information on backplane pinouts, refer to the *Cisco ONS 15454 Reference Manual*.
- Step 3** Verify that the node you are upgrading has ONS 15454 Software R4.0.x installed. The software version is displayed in the upper left corner of the window.
- Step 4** Complete the [“NTP-U2 Back Up the Software R2.2.x Database”](#) section on page 1-5 before beginning the upgrade.
- Step 5** Physically replace the standby TCC+ card on the ONS 15454 with a TCC2 card.
- Check the LED on the faceplate. The ACT/STBY LED on the faceplate of the TCC+/TCC2 card indicates whether the card is in active or standby mode. A green ACT/STBY LED indicates an active card and an amber light indicates a standby card.
  - Open the standby TCC+ card ejectors.
  - Slide the card out of the slot. This raises the IMPROPRMVL alarm which will clear when the upgrade is complete.
  - Open the ejectors on the TCC2 card to be installed.
  - Slide the TCC2 card into the slot along the guide rails.
  - Close the ejectors.

- g. In CTC node view, Ldg (loading) appears on the newly installed TCC2 card.



**Note** The MEA (card mismatch) alarm appears because CTC recognizes a mismatch between TCC card types. Disregard this alarm; it clears by the end of the procedure.



**Note** It takes approximately 10 minutes for the active TCC+ card to transfer the database to the newly installed TCC2 card. During this operation, the LEDs on the TCC2 card flash Fail and then the active/standby LED flashes. When the transfer completes, the TCC2 card reboots and goes into standby mode after approximately three minutes. Do not remove the card from the shelf during a database transfer.



**Caution** If your active TCC+ card resets during the upgrade before the new TCC2 card is in full standby mode, remove the new TCC2 card immediately.

- Step 6** When the newly installed TCC2 card is in standby, right-click the active TCC+ card in CTC.



**Note** You can no longer revert to a software version prior to Software R4.0.x after you switch the standby TCC2 card to the active TCC2 card.

- Step 7** From the pull-down menu, choose **Reset Card**.

Wait for the TCC+ card to reboot. The ONS 15454 switches the standby TCC2 card to active mode. The TCC+ card verifies that it has the same database as the TCC2 card and then switches to standby.

- Step 8** Verify that the remaining TCC+ card is now in standby mode (the ACT/STBY LED changes to amber).

- Step 9** Physically replace the remaining TCC+ card with the second TCC2 card.

- a. Open the TCC+ card ejectors.
- b. Slide the card out of the slot. This raises the IMPROPRMVL alarm, which will clear when the upgrade is complete.
- c. Open the ejectors on the TCC2 card.
- d. Slide the TCC2 card into the slot along the guide rails.
- e. Close the ejectors.

The ONS 15454 boots up the second TCC2 card. The second TCC2 card must also copy the database. Do not remove the card from the shelf during a database transfer.



**Tip**

When a newly installed TCC2 card has a different version of the ONS 15454 software installed than the version running on the active TCC2 card, the newly installed TCC2 card automatically copies the software version running on the active TCC2 card. You do not need to do anything in this situation. However, the loading TCC2 card does not boot up in the normal manner. When the card is first inserted, the red FAIL LED stays on for a short period. The FAIL LED then blinks normally and all LEDs go dark. After loading the new software for approximately 10 minutes, the TCC2 card becomes the standby card and the amber LED is illuminated.

**Step 10** If power-related alarms occur after the second TCC2 card is installed, check the voltage on the backplane.

**Stop. You have completed this procedure.**

---





# Upgrading Release 3.x to 4.0.x Using the TCC+ Card

This chapter explains how to upgrade Cisco ONS 15454 Cisco Transport Controller (CTC) software from Release 3.x to Release 4.0.x using the TCC+ card.

## Before You Begin

Before beginning, write down the following information about your site; the data will be useful during and after the upgrade: Date, Street Address, Site Phone Number, and Dial Up Number.

  
**Caution**

Read each procedure before you begin the upgrade.

  
**Caution**

This chapter is only supported for Release 3.x. If you wish to upgrade from Releases 2.2.0 – 2.2.2, use the procedures in [Chapter 1, “Upgrading Software Release 2.2.x to 4.0.x Using the TCC+ Card”](#). If you wish to upgrade from a release prior to Release 2.2.0, you must contact Technical Assistance Center (TAC). For more information, see [“Obtaining Technical Assistance” section on page ix](#).



**Note**

Procedures in this chapter are to be performed in consecutive order unless otherwise noted. In general, you are not done with a procedure until you have completed it for each node you are upgrading, and you are not done with the upgrade until you have completed each procedure that applies to your network. If you are new to upgrading the ONS 15454, you may wish to check off each procedure on your printed copy of this chapter as you complete it.



**Note**

For a description of non-trouble procedures (NTP) and detailed level procedures (DLP), see the [“Document Organization” section on page vi](#).

This section lists the chapter procedures (NTPs). Turn to a procedure for applicable tasks (DLPs).

1. [NTP-U7 Prepare for Release 3.x to Release 4.0.x Upgrade, page 2-2](#)—This section contains critical information and tasks that you must read and complete before beginning the upgrade process.

2. [NTP-U8 Back Up the Software R3.x Database, page 2-3](#)—Complete the database backup to ensure that you have preserved your node and network provisioning in the event that you need to restore them.
3. [NTP-U22 Upgrade Software R3.x to Software R4.0.x, page 2-4](#)—You must complete this entire procedure before the upgrade is finished.
4. [NTP-U5 Revert to Previous Software Load and Database, page 1-18](#)—Complete this procedure only if you need to return to the software load you were running before activating the Release 4.0.x software.
5. [NTP-U6 Upgrade the TCC+ Card to the TCC2 Card, page 1-23](#)—Complete this procedure only if you want to upgrade the TCC+ card to a TCC2 card.
6. [NTP-U10 Download Release 4.0.x Software Using TL1, page 2-5](#)—Complete this procedure only if you want to upgrade to Software R4.0.x in TL1.

## NTP-U7 Prepare for Release 3.x to Release 4.0.x Upgrade

<b>Purpose</b>	This procedure provides the critical information checks and tasks you must complete before beginning an upgrade.
<b>Tools/Equipment</b>	ONS 15454s to upgrade PC or UNIX workstation Cisco ONS 15454 Release 4.0.x software
<b>Prerequisite Procedures</b>	None
<b>Required/As Needed</b>	Required
<b>Onsite/Remote</b>	Onsite or remote
<b>Security Level</b>	Superuser

- 
- Step 1** Read the *Release Notes for Cisco ONS 15454 Release 4.0.x*.
- Step 2** Log into the node that you will upgrade. For detailed instructions, refer to the *Cisco ONS 15454 Procedure Guide*.
- Step 3** Complete the “DLP-U1 Verify CTC Workstation Requirements” task on page 1-3.
- Step 4** Complete the “DLP-U2 Verify LAN Connections” task on page 1-4.
- Step 5** If you have multiple ONS 15454 nodes configured in the same IP subnet, ensure that only one is connected to a router. Otherwise, the remaining nodes might be unreachable. Refer to the *Cisco ONS 15454 Reference Manual* for LAN-connection suggestions.
- Step 6** Complete the “DLP-U3 Verify Common Control Cards” task on page 1-4.
- Step 7** When you have completed the tasks for this section, proceed with the “NTP-U8 Back Up the Software R3.x Database” procedure on page 2-3.

**Stop. You have completed this procedure.**

---



# NTP-U8 Back Up the Software R3.x Database

<b>Purpose</b>	Use this procedure to preserve all configuration data for your network before performing the upgrade.
<b>Tools/Equipment</b>	PC or UNIX workstation
<b>Prerequisite Procedures</b>	<a href="#">NTP-U7 Prepare for Release 3.x to Release 4.0.x Upgrade, page 2-2</a>
<b>Required/As Needed</b>	Required
<b>Onsite/Remote</b>	Onsite or remote (but in the presence of the workstation)
<b>Security Level</b>	Superuser

- 
- Step 1** Log into CTC. For detailed instructions, refer to the *Cisco ONS 15454 Procedure Guide*. If you are already logged in, continue with Step 2.
- Step 2** In the node (default) view, click the **Maintenance > Database** tabs.
- Step 3** Click **Backup**.
- Step 4** Save the database on the workstation's hard drive or on network storage. Use an appropriate file name with the file extension .db (for example, myDatabase.db).
- Step 5** Click **Save**. A message appears indicating that the backup is complete.
- Step 6** Click **OK**.
- Step 7** Repeat Steps 1 through 6 for each node in the network.
- Step 8** (Optional) Cisco recommends that you manually log critical information by either writing it down or printing screens where applicable. Use the following table to determine the information you should log; complete the table (or your own version) for every node in the network.

**Table 2-1 Manually Recorded Data**

Item	Record data here (if applicable)
IP address of the node	
Node name	
Timing settings	
DCC connections; list all optical ports that have DCCs activated	
User IDs (List all, including at least one super user)	
Inventory; do a print screen from the inventory window	
Active TCC+	Slot 7 or Slot 11 (circle one)
Active XC/XCVT/XC10G	Slot 8 or Slot 10 (circle one)
Network information; do a print screen from the Provisioning tab in the network view.	
Current configuration: BLSR, linear, etc. (do print screens as needed)	
List all protection groups in the system; do a print screen from the protection group window	
List alarms; do a print screen from the alarm window	
List circuits; do a print screen from the circuit window	

**Stop. You have completed this procedure.**

---

## NTP-U22 Upgrade Software R3.x to Software R4.0.x

<b>Purpose</b>	Use this procedure to upgrade your CTC software to Software R4.0.x.
<b>Tools/Equipment</b>	PC or UNIX workstation
<b>Prerequisite Procedures</b>	<a href="#">NTP-U8 Back Up the Software R3.x Database, page 2-3</a>
<b>Required/As Needed</b>	Required
<b>Onsite/Remote</b>	Onsite or remote (but in the presence of the workstation)
<b>Security Level</b>	Superuser

- Step 1** Insert the Release 4.0.x software CD into the workstation CD-ROM (or otherwise acquire access to the software) to begin the upgrade process.



**Note** Inserting the software CD activates the CTC Setup Wizard. You can use the setup wizard to install components or click **Cancel** to continue with the upgrade.



**Caution** A traffic interruption of less than 50 ms on each circuit is possible during the activation task, with Ethernet traffic disruption possibly lasting up to several minutes on each circuit.



**Caution** Do not perform maintenance or provisioning activities during the activation task.

- Step 2** Complete the “DLP-U6 Download Release 4.0.x Software” task on page 1-11 (all nodes).
- Step 3** Complete the “DLP-U7 Perform a BLSR Lock Out” task on page 1-12 (BLSR nodes only).
- Step 4** Complete the “DLP-U28 Activate the New Load” task on page 1-13 (all nodes).
- Step 5** Complete the “DLP-U9 Delete Cached JAR Files” task on page 1-15.
- Step 6** Reconnect to CTC using the IP address from [Step 4](#). The new CTC applet for Release 4.0.x uploads. During this logon, you will need to type the user name CISCO15. A password is not required.



**Note** Steps 5 and 6 are only necessary after upgrading the first node in a network because cached files only need to be removed from your workstation once. For the remaining nodes, you will still be disconnected and removed to the network view during the node reboot, but after the reboot is complete, CTC will restore connectivity to the node.

- Step 7** Repeat [Step 4](#) (activation) for all nodes in the network that need to be upgraded. Allow each node to finish (all alarms cleared for 10 minutes) before activating the next node.



**Note** Only activate one node at a time.

- Step 8** Complete the “DLP-U10 Remove the BLSR Lock Out” task on page 1-16 (BLSR nodes only).
- Step 9** Complete the “DLP-U12 Set the Date and Time” task on page 1-17 (any nodes not using SNTP).
- Step 10** As needed, upgrade any spare TCC+ cards by installing the spare in the standby slot of a Software R4.0.x node.



**Note** The standby TCC+ card will copy one or both software releases from the active TCC+ card, as needed. Each software copy takes about 15 minutes, and the TCC+ card will reset after each copy. Thus, for a TCC+ card that has no matching software with the active TCC+ card, you should expect to see two TCC+ card resets, lasting about 30 minutes total.

**Stop. You have completed this procedure.**

## NTP-U10 Download Release 4.0.x Software Using TL1

<b>Purpose</b>	Use this procedure to download the Release 4.0.x software using TL1 rather than CTC.
<b>Tools/Equipment</b>	PC or UNIX workstation
<b>Prerequisite Procedures</b>	<a href="#">NTP-U7 Prepare for Release 3.x to Release 4.0.x Upgrade, page 2-2</a> <a href="#">NTP-U8 Back Up the Software R3.x Database, page 2-3</a>
<b>Required/As Needed</b>	Optional
<b>Onsite/Remote</b>	Onsite or remote (but in the presence of the workstation)
<b>Security Level</b>	Superuser

- Step 1** From the PC connected to the ONS 15454, start Netscape or Internet Explorer.
- Step 2** Enter the ONS 15454 IP address of the node you want to communicate with in the Netscape or Internet Explorer Web address (URL) field.
- Step 3** In CTC, the IP address at the CTC window should match the IP address you entered in step 2.
- Step 4** In CTC, click **Tools > Open TL1 Connection**.
- Step 5** Choose the node you want to communicate with from the Select Node dialog box.
- Step 6** Click **OK**.

A TL1 interface window opens. There are three sub-windows in the TL1 interface window: Request history, Message log, and TL1 request. Type commands in the TL1 request window. You will see responses in the Message log window. The Request history window allows you to recall previous commands by clicking on them.

- Step 7** Verify that the Connect button is selected (grayed out).
- Step 8** Type the **Activate User** command in the TL1 request window to open a TL1 session:

```
ACT-USER:[<TID>]:<UID>:<CTAG>:::<PID>;
```

where:

- TID is the target identifier.
- UID is the OSS profile name.

- CTAG is the correlation tag that correlates command and response messages.
- PID is the password identifier.

**Step 9** Press **Enter**.



**Note** You must press Enter after the semicolon in each TL1 command, or the command will not be issued.

**Step 10** Type the **COPY-RFILE** command in the TL1 window. The **COPY-RFILE** command downloads a new software package from the location specified by the FTP URL into the inactive flash partition residing on either the TCC+ card.

**COPY-RFILE:[<TID>]:[<SRC>]:<CTAG>::TYPE=<XFERTYPE>,[SRC=<SRC1>];**

where:

- TID is the target identifier.
- SRC is the type of file being transferred.
- CTAG is the correlation tag that correlates command and response messages.
- XFERTYPE is the file transfer protocol
- SRC1 specifies the source of the file to be transferred. Only the FTP URL is supported.

**Step 11** Press **Enter**.

**Step 12** Type the **REPT EVT FXFR** command in the TL1 window. REPT EVT FXFR is an autonomous message used to report the start, completion, and completed percentage status of the FTP software download. REPT EVT FXFR also reports any failure during the software upgrade including invalid package, invalid path, invalid userid/password, and loss of network connection.

**REPT EVT FXFR “<FILENAME>,<FXFR\_STATUS>,[<FXFR\_RSLT>],[<BYTES\_XFRD>]”**

where:

- <FILENAME> indicates the transferred file path name and is a string
- <FXFR\_STATUS> indicates the file transferred status: Start, IP (in progress), or COMPLD
- <FXFR\_RSLT> indicates the file transferred result: success or failure. <FXFR\_RSLT> is optional
- <BYTES\_XFRD> indicates the percentage transfer complete and is optional

**Step 13** Type the **APPLY** command to activate the system software.

**APPLY:[<TID>]::<CTAG>[:<MEM\_SW\_TYPE>]:**

where:

- TID is the target identifier.
- CTAG is the correlation tag that correlates command and response messages.
- <MEM\_SW\_TYPE> indicates memory switch action during the software upgrade.  
<MEM\_SW\_TYPE> is ACT for activate.

If this command is successful the appropriate flash is selected and the TCC+/TCC2 or XTC card will reboot.

**Step 14** Type the **Cancel User** command in the TL1 request window or press the **Disconnect** button to close a TL1 session:

**CANC-USER:[<TID>]:<USERID>:<CTAG>;** and press **Enter**.

**Stop. You have completed this procedure.**

---

